

Subject Index of Volume 176

Actinoids

- molecular structure and charge distribution in organometallics of the 4f and 5f elements
- I: Dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $\text{An}(\text{C}_5\text{H}_5)_4$, 89

Age-hardening characteristics

- age-hardening characteristics in an AuCu–14at.%Ag alloy, 269

Aluminides

- standard molar enthalpies of formation of PdAl, PtAl, $\text{ScAl}_{1.78}$, YAl_2 and LaAl_2 , 309

Aluminium

- hydriding of an industrial Al–2.7wt.%Li–Cu–Mg–Zr alloy, 7

Amorphization

- spin-glass-like behaviour of manganese-based amorphous $\text{Mn} \times \text{X}$ alloys ($\text{X} \equiv 3\text{d}, 4\text{d}, 5\text{d}$ metals) and its dependence on the Mn–Mn interatomic spacing, 285

Antimony

- the binary systems Pd–Sb and Pt–Sb, 173
- new AMnX compounds where $\text{A} \equiv \text{Rb}, \text{Cs}$ and $\text{X} \equiv \text{P}, \text{As}, \text{Sb}, \text{Bi}$: structure and magnetism, 167

Arsenic

- new AMnX compounds where $\text{A} \equiv \text{Rb}, \text{Cs}$ and $\text{X} \equiv \text{P}, \text{As}, \text{Sb}, \text{Bi}$: structure and magnetism, 167

Barium

- $\text{Ba}_{12}\text{Ir}_{12-x}\text{Nb}_x\text{O}_{36}$ ($x=2,4$) – a new compound with the 12R-perovskite stacking variant, 141
- a new structure type with trigonal-bipyramidal coordination of copper: $\text{BaMg}_2\text{Cu}_8\text{V}_6\text{O}_{26}$, 69
- single-crystal X-ray diffraction studies of BaNb_4O_6 and $\text{Ba}_2\text{Nb}_5\text{O}_9$, 123
- standard Gibbs free energy of formation of BaCuO_2 and BaCu_2O_2 from oxides, 225

Bismuth

- preparation and characterization of Bi-containing ternary chalcogenides with layered composite crystal structure, 319

Boron

- on a thermodynamic approach to the chemical phenomena involved in the formation of a BN interphase by CVD/CVI from a $\text{BF}_3\text{--NH}_3$ precursor, 187

Cadmium

- molar heat capacities of CdTe, HgTe and CdTe–HgTe alloys in the solid state, 13
- structure refinement of two cadmium rare earth selenospinel CdTm_2Se_4 and CdHo_2Se_4 , L13

Caesium

- new AMnX compounds where $\text{A} \equiv \text{Rb}, \text{Cs}$ and $\text{X} \equiv \text{P}, \text{As}, \text{Sb}, \text{Bi}$: structure and magnetism, 167

Carbon monoxide

- X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159

Cerium

- the phase diagram of the Ce–Ru system, 241

Chemical vapor deposition/infiltration

- on a thermodynamic approach to the chemical phenomena involved in the formation of a BN interphase by CVD/CVI from a $\text{BF}_3\text{--NH}_3$ precursor, 187

Cobalt

- thermodynamics of the ternary Co–Ni–Zn f.c.c. solutions, 295
- on the crystal chemistry of oxovanadates: $\gamma\text{-CoV}_2\text{O}_6$ and MnV_2O_6 , 39

Copper

- age-hardening characteristics in an AuCu–14at.%Ag alloy, 269

- a new structure type with trigonal-bipyramidal coordination of copper: $\text{BaMg}_2\text{Cu}_8\text{V}_6\text{O}_{26}$, 69
- microstructure of AuCu II in the disordered f.c.c. phase of AuCu-14at.%Ag alloy, 147
- mixed-crystal formation and metal distribution in the system $\text{MgO-AO-V}_2\text{O}_5$ ($\text{A} \equiv \text{Ni, Zn, Cu}$), 61
- standard Gibbs free energy of formation of BaCuO_2 and BaCu_2O_2 from oxides, 225
- X-ray study of ordered phase formation in $\text{Au}_{31.6}\text{Cu}_{68.4}$, $\text{Au}_{50}\text{Cu}_{50}$ and $\text{Au}_{75}\text{Cu}_{25}$, 133
- Crystal structure**
- preparation and characterization of Bi-containing ternary chalcogenides with layered composite crystal structure, 319
- Dysprosium**
- X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159
- Enthalpies of formation**
- standard molar enthalpies of formation of Hf_3Ge_2 , MeGe ($\text{Me} \equiv \text{Ir, Pt}$) and Pt_2Ge , 301
- standard molar enthalpies of formation of PdAl , PtAl , $\text{ScAl}_{1.78}$, YAl_2 and LaAl_2 , 309
- Gallium**
- new experimental results and improvement of the modelization of the (Ga, Mg) system, 25
- Germanides**
- new ternary holmium-transition metal-germanides Ho_2OsGe_2 of Sc_2CoSi_2 type and $\text{Ho}_3\text{Pd}_4\text{Ge}_4$ of $\text{Gd}_3\text{Cu}_4\text{Ge}_4$ type, 329
- standard molar enthalpies of formation of Hf_3Ge_2 , MeGe ($\text{Me} \equiv \text{Ir, Pt}$) and Pt_2Ge , 301
- Gold**
- microstructure of AuCu II in the disordered f.c.c. phase of AuCu-14at.%Ag alloy, 147
- X-ray study of ordered phase formation in $\text{Au}_{31.6}\text{Cu}_{68.4}$, $\text{Au}_{50}\text{Cu}_{50}$ and $\text{Au}_{75}\text{Cu}_{25}$, 133
- age-hardening characteristics in an AuCu-14at.%Ag alloy, 269
- Holmium**
- new ternary holmium-transition metal-germanides Ho_2OsGe_2 of Sc_2CoSi_2 type and $\text{Ho}_3\text{Pd}_4\text{Ge}_4$ of $\text{Gd}_3\text{Cu}_4\text{Ge}_4$ type, 329
- Hydrides**
- Na_3RhH_6 , Na_3IrH_6 and Li_3IrH_6 , new complex hydrides containing isolated $[\text{RhH}_3]^{3-}$ and $[\text{IrH}_6]^{3-}$ octahedra, 255
- synthesis and structure of Li_3RhH_4 , a ternary hydride containing planar $[\text{RhH}_4]^{3-}$ structural units, 263
- thermal conductivity of niobium hydrides in the temperature range 4.2–420 K, 233
- Hydrogen-metal reactions**
- hydriding of an industrial Al-2.7wt.%Li-Cu-Mg-Zr alloy, 7
- mixed mechanisms controlling hydrogen-metal reactions under steady state conditions: the diffusion-interface mechanism, 77
- Insertion reactions**
- redox reactions in condensed oxide systems XIII: Li insertion reaction of MgTiO_3 and the spinels Mg_2TiO_4 , MgNiMnO_4 and MMn_2O_4 ($\text{M} \equiv \text{Mn, Mg, Ni}$), 347
- Interatomic spacing**
- spin-glass-like behaviour of manganese-based amorphous $\text{Mn} \times \text{X}$ alloys ($\text{X} \equiv 3\text{d, 4d, 5d}$ metals) and its dependence on the Mn-Mn interatomic spacing, 285
- Iridium**
- $\text{Ba}_{12}\text{Ir}_{12-x}\text{Nb}_x\text{O}_{36}$ ($x=2,4$) — a new compound with the 12R-perovskite stacking variant, 141
- Na_3RhH_6 , Na_3IrH_6 and Li_3IrH_6 , new complex hydrides containing isolated $[\text{RhH}_3]^{3-}$ and $[\text{IrH}_6]^{3-}$ octahedra, 255
- Iron**
- magnetic properties of $\text{Tm}_2\text{Fe}_{17}\text{N}_x$ studied by means of the ^{169}Tm and ^{57}Fe Mössbauer effect, 115
- phase relations of the Sm-Fe-Ti system around the compound $\text{Sm-Fe}_{11}\text{Ti}$, 215

structural analysis of the hard ferromagnetic phase observed in quenched Nd-Fe alloys of hyper eutectic composition, 184

structural characterization of FePdP: stabilization of a new polytype of the MM'X series, 105

Lanthanides

$\text{Pr}_2(\text{OH})_3\text{H}_2\text{O}(\text{ClO}_4)_3$, a new example of an inner-sphere lanthanide perchlorate complex, 337

Lead

high pressure phase PtPb_2 : synthesis, structure and properties, 1

Lithium

hydriding of an industrial

Al-2.7wt.%Li-Cu-Mg-Zr alloy, 7

redox reactions in condensed oxide systems XIII: Li insertion reaction of MgTiO_3 and the spinels Mg_2TiO_4 , MgNiMnO_4 and MMn_2O_4 ($\text{M} \equiv \text{Mn}$, Mg , Ni), 347

synthesis and crystal structure of a mixed-valent lithium-tantalum nitride $\text{Li}_2\text{Ta}_3\text{N}_5$, 47

syntheses and structure of Li_3RhH_4 , a ternary hydride containing planar $[\text{RhH}_4]^{3-}$ structural units, 263

Magnesium

a new structure type with trigonal-bipyramidal coordination of copper: $\text{BaMg}_2\text{Cu}_6\text{V}_6\text{O}_{26}$, 69

thermodynamic assessment of the $\text{YO}_{1.5}$ -MgO system, L1

mixed-crystal formation and metal distribution in the system

$\text{MgO-AO-V}_2\text{O}_5$ ($\text{A} \equiv \text{Ni}$, Zn , Cu), 61

new experimental results and improvement of the modelization of the (Ga, Mg) system, 25

Magnetic properties

spin-glass-like behaviour of manganese-based amorphous $\text{Mn} \times \text{X}$ alloys ($\text{X} \equiv 3\text{d}$, 4d , 5d metals) and its dependence on the Mn-Mn interatomic spacing, 285

Manganese

new AMnX compounds where $\text{A} \equiv \text{Rb}$, Cs and $\text{X} \equiv \text{P}$, As , Sb , Bi : structure and magnetism, 167

spin-glass-like behaviour of manganese-based amorphous $\text{Mn} \times \text{X}$ alloys

($\text{X} \equiv 3\text{d}$, 4d , 5d metals) and its dependence on the Mn-Mn interatomic spacing, 285

Mercury

molar heat capacities of CdTe, HgTe and CdTe-HgTe alloys in the solid state, 13

Neodymium

a Raman study of neodymium(III) oxide peroxide, $\text{Nd}_2\text{O}_2(\text{O}_2)$ at ambient and high pressures, L17

structural analysis of the hard ferromagnetic phase observed in quenched Nd-Fe alloys of hyper eutectic composition, L5

Neptunium

molecular structure and charge distribution in organometallics of the 4f and 5f elements

I: dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $\text{An}(\text{C}_5\text{H}_5)_4$, 89

Nickel

mixed-crystal formation and metal distribution in the system

$\text{MgO-AO-V}_2\text{O}_5$ ($\text{A} \equiv \text{Ni}$, Zn , Cu), 61

thermodynamics of the ternary

Ci-Ni-Zn f.c.c. solutions, 295

Niobium

$\text{Ba}_{12}\text{Ir}_{12-2x}\text{Nb}_x\text{O}_{36}$ ($x=2,4$) — a new compound with the 12R-perovskite stacking variant, 141

single-crystal X-ray diffraction studies of BaNb_4O_6 and $\text{Ba}_2\text{Nb}_5\text{O}_9$, 123

thermal conductivity of niobium

hydrides in the temperature range 4.2–420 K, 233

Nitrogen

magnetic properties of $\text{Tm}_2\text{Fe}_{17}\text{N}_x$ studied by means of the ^{169}Tm and ^{57}Fe Mössbauer effect, 115

on a thermodynamic approach to the chemical phenomena involved in the formation of a BN interphase by CVD/CVI from a $\text{BF}_3\text{-NH}_3$ precursor, 187

synthesis and crystal structure of a mixed-valent lithium-tantalum nitride $\text{Li}_2\text{Ta}_3\text{N}_5$, 47

Oxides

Redox reactions in condensed oxide systems XIII: Li insertion reaction of MgTiO_3 and the spinels Mg_2TiO_4 ,

- MgNiMNO₄ and MMn₂O₄ (M ≡ Mn, Mg, Ni), 347
- Oxygen
- a Raman study of neodymium(III) oxide peroxide, Nd₂O₂(O₂) at ambient and high pressures, 186
 - Ba₁₂Ir_{12-x}Nb_xO₃₆ (x = 2, 4) — a new compound with the 12R-perovskite stacking variant, 141
 - a new structure type with trigonal-bipyramidal coordination of copper: BaMg₂Cu₈V₆O₂₆, 69
 - thermodynamic assessment of the YO_{1.5}-MgO system, L1
 - mixed-crystal formation and metal distribution in the system MgO-AO-V₂O₅ (A ≡ Ni, Zn, Cu), 61
 - single-crystal X-ray diffraction studies of BaNb₄O₆ and Ba₂Nb₅O₉, 123
 - standard Gibbs free energy of formation of BaCuO₂ and BaCu₂O₂ from oxides, 225
 - a new structure type with trigonal-bipyramidal coordination of copper: BaMg₂Cu₈V₆O₂₆, 69
- Palladium
- impedance analysis of hydrogen adsorption on palladium in 0.1 M NaOH solution, 97
 - the binary systems Pd-Sb and Pt-Sb, 173
 - structural characterization on FePdP: stabilization of a new polytype of the MM'X series, 105
- Perchlorates
- Pr₂(OH)₃H₂O(ClO₄)₃, a new example of an inner-sphere lanthanide perchlorate complex, 337
- Phase diagram
- the phase diagram of the Ce-Ru system, 241
- Phase relations
- phase relations of the Sm-Fe-Ti system around the compound SmFe₁₁Ti, 215
 - standard Gibbs free energy of formation of BaCuO₂ and BaCu₂O₂ from oxides, 225
- Phosphorus
- new AMnX compounds where A ≡ Rb, Cs and X ≡ P, As, Sb, Bi: structure and magnetism, 167
 - structural characterization of FePdP: stabilization of a new polytype of the MM'X series, 105
- Photomechanical effect
- photomechanical effect in p-type zinc telluride, 247
- Platinum
- high pressure phase PtPb₂: synthesis, structure and properties, 1
 - the binary systems Pd-Sb and Pt-Sb, 173
- Propylene
- X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159
- Rare earth
- structure refinement of two cadmium rare earth selenospinel CdTm₂Se₄ and CdHo₂Se₄, 185
- Redox reactions
- Redox reactions in condensed oxide systems XIII: Li insertion reaction of MgTiO₃ and the spinels Mg₂TiO₄, MgNiMNO₄ and MMn₂O₄ (M ≡ Mn, Mg, Ni), 347
- Rhodium
- Na₃RhH₆, Na₃IrH₆ and Li₃IrH₆, new complex hydrides containing isolated [RhH₃]³⁻ and [IrH₃]³⁻ octahedra, 255
 - synthesis and structure of Li₃RhH₄, a ternary hydride containing planar [RhH₄]³⁻ structural units, 263
- Rubidium
- new AMnX compounds where A ≡ Rb, Cs and X ≡ P, As, Sb, Bi: structure and magnetism, 167
- Ruthenium
- the phase diagram of the Ce-Ru system, 241
- Samarium
- phase relations of the Sm-Fe-Ti system around the compound Sm-Fe₁₁Ti, 215
- Selenospinel
- structure refinement of two cadmium rare earth selenospinel CdTm₂Se₄ and CdHo₂Se₄, L13
- Silver
- age-hardening characteristics in an AuCu-14at.%Ag alloy, 269

Sodium hydroxide

- impedance analysis of hydrogen adsorption on palladium in 0.1 M NaOH solution, 97

Structure

- $\text{Pr}_2(\text{OH})_3\text{H}_2\text{O}(\text{ClO}_4)_3$, a new example of an inner-sphere lanthanide perchlorate complex, 337
- structural analysis of the hard ferromagnetic phase observed in quenched Nd-Fe alloys of hyper eutectic composition, L5
- structure refinement of two cadmium rare earth selenospinel CdTm_2Se_4 and CdHo_2Se_4 , L13
- synthesis and structure of Li_3RhH_4 , a ternary hydride containing planar $[\text{RhH}_4]^{3-}$ structural units, 263

Synthesis

- Na_3RhH_6 , Na_3IrH_6 and Li_3IrH_6 , new complex hydrides containing isolated $[\text{RhH}_3]^{3-}$ and $[\text{IrH}_6]^{3-}$ octahedra, 255
- synthesis and structure of Li_3RhH_4 , a ternary hydride containing planar $[\text{RhH}_4]^{3-}$ structural units, 263

Tantalum

- synthesis and crystal structure of a mixed-valent lithium-tantalum nitride $\text{Li}_2\text{Ta}_3\text{N}_5$, 47

Tellurium

- molar heat capacities of CdTe, HgTe and CdTe-HgTe alloys in the solid state, 13
- photomechanical effect in p-type zinc telluride, 247

Ternary chalcogenides

- preparation and characterization of Be-containing ternary chalcogenides with layered composite crystal structure, 319

Ternary phases

- new ternary holmium-transition metal-germanides Ho_2OsGe_2 of Sc_2CoSi_2 type and $\text{Ho}_3\text{Pd}_4\text{Ge}_4$ of $\text{Gd}_3\text{Cu}_4\text{Ge}_4$ type, 329

Thermal conductivity

- thermal conductivity of niobium

- hydrides in the temperature range 4.2–420 K, 233

Thermodynamics

- thermodynamics of the ternary Co-Ni-Zn f.c.c. solutions, 295

Thorium

- molecular structure and charge distribution in organometallics of the 4f and 5f elements
- I: dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $\text{An}(\text{C}_5\text{H}_5)_4$, 89

Thulium

- magnetic properties of $\text{Tm}_2\text{Fe}_{17}\text{N}_x$ studied by means of the ^{169}Tm and ^{57}Fe Mössbauer effect, 115

Titanium

- phase relations of the Sm-Fe-Ti system around the compound $\text{SmFe}_{11}\text{Ti}$, 215

Uranium

- molecular structure and charge distribution in organometallics of the 4f and 5f elements
- I: dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $\text{An}(\text{C}_5\text{H}_5)_4$, 89

Vanadium

- a new structure type with trigonal-bipyramidal coordination of copper: $\text{BaMg}_2\text{Cu}_8\text{V}_6\text{O}_{26}$, 69
- mixed-crystal formation and metal distribution in the system $\text{MgO-AO-V}_2\text{O}_5$ ($\text{A} \equiv \text{Ni, Zn, Cu}$), 61
- on the crystal chemistry of oxovanadates: $\gamma\text{-CoV}_2\text{O}_6$ and MnV_2O_6 , 39

Yttrium

- thermodynamic assessment of the $\text{YO}_{1.5}\text{-MgO}$ system, L1
- X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159

Zinc

- mixed crystal formation and metal distribution in the system $\text{MgO-AO-V}_2\text{O}_5$ ($\text{A} \equiv \text{Ni, Zn, Cu}$), 61
- photomechanical effect in p-type zinc telluride, 247
- thermodynamics of the ternary Co-Ni-Zn f.c.c. solutions, 295