



Subject Index of Volume 495

- AC susceptibility
the effect of partial Lu doping on magnetic behaviour of YBCO (123) superconductors 104
- Activation volume
deformation kinetics of Zr-based bulk metallic glasses—Temperature and strain rate influences on shear banding 341
- Adipic acid
the important role of adipic acid on the synthesis of nanocrystalline lithium iron phosphate with high rate performance 181
- Ageing
low temperature isothermal ageing in shape memory CuAlNi single crystals 428
- Al alloys
crystallisation behaviour and glass-forming ability in Al–La–Ni system 334
nanoquasicrystalline Al–Fe–Cr-based alloys with high strength at elevated temperature 372
- Al-based alloys
laser remelting of Al₉₁Fe₄Cr₃Ti₂ quasicrystalline phase former alloy 646
- Alumina–titania
preparation of nanostructured Al₂O₃–TiO₂ composite films by MOCVD 617
- Amorphisation
glass formation of alloys selected by lambda and electronegativity criteria in the Ti–Zr–Fe–Co system 316
- Amorphization
nanostructure development during devitrification and deformation 360
- Amorphous
short range order in Al–Fe–Nb, Al–Fe–Ce and Al–Ni–Ce metallic glasses 309
- Amorphous materials
thermodynamic, transport and mechanical properties of amorphous metallic alloys: Relation to the glass transition 294
agGeSe-based bulk glasses: A survey of their fundamental properties 305
phases formation during heating of Mg–Cu–Ag–Y bulk metallic glasses 330
ion selective electrodes based on chalcogenide glasses 356
amorphous/nanocrystalline composites analysed by the Rietveld method 377
bulk amorphous and nanocrystalline Al₈₃Fe₁₇ alloys prepared by consolidation of mechanically alloyed amorphous powder 382
mechanical damping in nanostructured Nd₆₀Fe₃₀Al₁₀ magnetic alloys 420
the fabrication and characteristic properties of amorphous Co_{1-x}Zn_x alloy nanowire arrays 450
pAC study in the HfO₂–SiO₂ system 527
high-frequency magnetoimpedance properties in Finemet-type ribbons with a Cu–Co electrodeposited layer 412
- Atomic scale structure
atomistic modeling of H absorption in Pd nanoparticles 471
- Ball milling
hydrogen storage in Mg–10 at.% LaNi₅ nanocomposites, synthesized by ball milling at different conditions 149
structural and magnetic properties of Fe₆₀Al₄₀ alloys prepared by means of a magnetic mill 491
synthesis of Mg₁₅Fe materials for hydrogen storage applying ball milling procedures 655
- Basic magnesium carbonate
emulsion-phase synthesis of honeycomb-like Mg₅(OH)₂(CO₃)₄·4H₂O microspheres and subsequent decomposition to MgO 242
- BaTiO₃
synthesis of submicron BaTiO₃ particles by modified solid-state reaction method 108
- Bifunctional mechanism
electrocatalytic activity of nanosized Pt alloys in the methanol oxidation reaction 462
- Biocompatibility
effect of temperature on the mechanical behaviour of a Ni-free zirconium-based bulk metallic glass 348
- BNKT–BF ceramics
microstructure and electrical properties of (1 – x)[0.82Bi_{0.5}Na_{0.5}TiO₃–0.18Bi_{0.5}K_{0.5}TiO₃]-xBiFeO₃ lead-free piezoelectric ceramics 280
- Bulk metallic glasses
microstructure evolution in Nd:YAG laser-welded (Zr₅₃Cu₃₀Ni₉Al₈)Si_{0.5} bulk metallic glass alloy 224
deformation kinetics of Zr-based bulk metallic glasses—Temperature and strain rate influences on shear banding 341
anomalous decrease of propagation rate of the macroscopic shear band in the Zr-based bulk metallic glasses at temperatures 170 and 77 K 345
- Calcination
sol–gel synthesis of forsterite nanopowders with narrow particle size distribution 113
- Calorimetry
structural changes in Zr-based bulk metallic glasses deformed by high pressure torsion 338
on the matrix–particle interphase in epoxy-based composites 588
- Carbon coating
the important role of adipic acid on the synthesis of nanocrystalline lithium iron phosphate with high rate performance 181
- Carbon films
nanostructured diamond-like carbon films characterization 620
- Carbon nanofibers
electric-field-induced diameter control of carbon nanofibers 93
- Catalysis
structural and catalytic characterization of mechanical mixtures of Pt/WO_x–ZrO₂ and Al₂O₃ 466
- Cd-doping
band gap engineering in PbS nanostructured thin films from near-infrared down to visible range by in situ Cd-doping 234
- Ceramics
structural and electrical properties of Ba_{5-x}Ca_xSmTi₃Nb₇O₃₀ (x = 0–5) ferroelectric ceramics 7
mechanical-activated, combustion synthesis of β-SiAlON 144
synthesis of mono and multidomain YIG particles by chemical coprecipitation or ceramic procedure 196

- influence of the iron content on the formation process of substituted Co–Nd strontium hexaferrite prepared by the citrate precursor method 513
- nanostructured ceramic materials: Applications in gas sensors and solid-oxide fuel cells 548
- hydrothermal stability of mixed stabilised tetragonal (Y, Nd)–ZrO₂ ceramics 556
- densification kinetics of ZrO₂-based ceramics using a master sintering curve 570
- Chemical synthesis**
- preparation of 3D rose-like NiO complex structure and its electrochemical property 82
- synthesis, formation mechanism and illuminated sensing properties of 3D WO₃ nanowall 88
- synthesis of CdSe microspheres via solvothermal process in a mixed solution 158
- concentration effect of cerium in (Y_{0.9–x}Gd_{0.1}Ce_x)₂SiO₅ blue phosphor 162
- synthesis of mono and multidomain YIG particles by chemical coprecipitation or ceramic procedure 196
- superior sinterability of nano-crystalline gadolinium doped ceria powders synthesized by co-precipitation method 238
- optical properties of CdS nanoparticles embedded in polymeric microspheres 436
- paramagnetism and clustering in Fe-doped TiO₂ nanoparticles 485
- characterization of nanosized spinel ferrite powders synthesized by coprecipitation and autocombustion method 509
- influence of the iron content on the formation process of substituted Co–Nd strontium hexaferrite prepared by the citrate precursor method 513
- superparamagnetism in AFM Cr₂O₃ nanoparticles 520
- time-modulation of surface functionalization in biocompatible magnetic fluids 545
- nanostructured ceramic materials: Applications in gas sensors and solid-oxide fuel cells 548
- temperature effects on structural properties in the synthesis of nanocrystalline Zr_{0.5}Ce_{0.5}O₂ solid solution: A study by XRD and HRTEM 565
- Chemical vapor deposition**
- electric-field-induced diameter control of carbon nanofibers 93
- Coating materials**
- nanostructured alumina coatings manufactured by air plasma spraying: Correlation of properties with the raw powder microstructure 611
- effect of annealing treatment on the structure and properties of the nanograined TiN coatings produced by ultrasonic-based coating process 625
- Coatings**
- laser remelting of Al₉₁Fe₄Cr₃Ti₂ quasicrystalline phase former alloy 646
- Co-deformation**
- metallic glass/light alloy (MEGA) multimaterials elaborated by co-pressing at high temperature 323
- Complex hydrides**
- an investigation on the reaction pathway between LiAlH₄ and LiNH₂ via gaseous ammonia 17
- formation and hydrogen reactivity of MgCo compound 659
- Composite**
- highly stable Fe–Ni alloy nanoparticles encapsulated in carbon nanotubes: Synthesis, structure and magnetic properties 200
- Composite films**
- preparation of nanostructured Al₂O₃–TiO₂ composite films by MOCVD 617
- Composite materials**
- high temperature homogeneous plastic flow behavior of a Zr based bulk metallic glass matrix composite 50
- preparation and microwave absorption properties of basalt fiber/nickel core-shell heterostructures 254
- on the matrix-particle interphase in epoxy-based composites 588
- chitosan/MWCNT composites prepared by thermal induced phase separation 592
- effect of metallic addition on mechanical properties in an aluminum-graphite composite synthesized by means of mechanical milling 403
- high-frequency magnetoimpedance properties in Finemet-type ribbons with a Cu–Co electrodeposited layer 412
- Computational techniques**
- pressure dependent elastic and structural (B3–B1) properties of Ga based mononictides 23
- Computer simulations**
- atomistic modeling of H absorption in Pd nanoparticles 471
- Conductivity**
- superior sinterability of nano-crystalline gadolinium doped ceria powders synthesized by co-precipitation method 238
- Consolidation**
- characterization of nanocrystalline CoCrFeNiTiAl high-entropy solid solution processed by mechanical alloying 33
- Core-shell**
- synthesis of submicron BaTiO₃ particles by modified solid-state reaction method 108
- Corrosion protection**
- microstructure characteristic and excellent corrosion protection properties of sealed Zn–TiO₂ composite coating for sintered NdFeB magnet 189
- Critical current**
- the effect of partial Lu doping on magnetic behaviour of YBCO (123) superconductors 104
- Crystal growth**
- improvements in the sintering behavior and microwave dielectric properties of Mg₄Nb₂O₉ by adding Fe₂O₃ L5
- preparation of 3D rose-like NiO complex structure and its electrochemical property 82
- Crystal structure**
- structural and magnetic properties of Dy_{1–x}Nd_xCo₄Ga compounds 13
- the effects of secondary elemental Mo or Ti addition in Al_{0.3}CoCrFeNi high-entropy alloy on age hardening at 700 °C 55
- concentration effect of cerium in (Y_{0.9–x}Gd_{0.1}Ce_x)₂SiO₅ blue phosphor 162
- synthesis and crystal structure of a novel nitride hydride Sr₂LiNH₂ 272
- structural themes in approximant and decagonal quasicrystalline phases in Al based alloys 365
- amorphous/nanocrystalline composites analysed by the Rietveld method 377
- retention at room temperature of the tetragonal t'-form in Sc₂O₃-doped ZrO₂ nanopowders 561
- a new pseudo-binary Mg₆Ni_{0.5}Pd_{0.5} intermetallic compound stabilised by Pd for hydrogen storage 663
- Crystalline phases**
- new tellurite glasses and crystalline phases in the Bi₂O₃–CaO–TeO₂ system: Synthesis and characterization 67
- Crystallite morphology**
- morphology of rutile and brookite nanocrystallites obtained by X-ray diffraction and Rietveld refinements 583
- Crystallization**
- effect of temperature on the mechanical behaviour of a Ni-free zirconium-based bulk metallic glass 348
- Cu/p-Si**
- effect of temperature, illumination and frequency on the electrical characteristics of Cu/p-Si Schottky diode prepared by liquid phase epitaxy 116
- Cu-based alloys**
- low temperature isothermal ageing in shape memory CuAlNi single crystals 428
- DC magnetization**
- the effect of partial Lu doping on magnetic behaviour of YBCO (123) superconductors 104
- Deformation kinetics**
- deformation kinetics of Zr-based bulk metallic glasses—Temperature and strain rate influences on shear banding 341
- Diameter**
- electric-field-induced diameter control of carbon nanofibers 93
- Dielectric response**
- structural and electrical properties of Ba_{5–x}Ca_xSmTi₃Nb₇O₃₀ (x = 0–5) ferroelectric ceramics 7
- improvements in the sintering behavior and microwave dielectric properties of Mg₄Nb₂O₉ by adding Fe₂O₃ L5

- DLC
nanostructured diamond-like carbon films characterization 620
- DSC
new tellurite glasses and crystalline phases in the Bi_2O_3 -CaO- TeO_2 system: Synthesis and characterization 67
- DSSCs
dye-sensitized solar cell using natural dyes extracted from spinach and ipomoea 606
- Dynamic elastic modulus
mechanical damping in nanostructured $\text{Nd}_{60}\text{Fe}_{30}\text{Al}_{10}$ magnetic alloys 420
- Elastic properties
pressure dependent elastic and structural ($B3$ - $B1$) properties of Ga based monpnictides 23
- Electric field
electric-field-induced diameter control of carbon nanofibers 93
- Electrochemical behavior
crystalline MnV_2O_6 nanobelts: Synthesis and electrochemical properties 185
- Electrochemical properties
effect of reduction temperature on the electrochemical properties of a Ni/YSZ anode-supported solid oxide fuel cell 138
- Electrode material
preparation of 3D rose-like NiO complex structure and its electrochemical property 82
- Electrodeposition
nanocrystalline zinc oxide thin films by novel double pulse single step electrodeposition 76
- Electroless deposition
the modification of electroless deposited Ni-P master alloy for hypereutectic Al-Si alloy 45
- Electroless Ni-P film
study of Nd:YAG laser annealing of electroless Ni-P film on spiegel-iron plate by Taguchi method and grey system theory 97
- Electromagnetic properties
preparation and microwave absorption properties of basalt fiber/nickel core-shell heterostructures 254
- Electron diffraction
preparation of Mn doped $\text{Li}_2\text{B}_4\text{O}_7$ nanoparticles by glass quenching 288
- Electron microscopy
synthesis and characterization of shape-controlled $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ via the coprecipitation method 63
- Electron paramagnetic resonance
superparamagnetism in AFM Cr_2O_3 nanoparticles 520
- Electronic properties
synthesis, formation mechanism and illuminated sensing properties of 3D WO_3 nanowall 88
- Electron-phonon interactions
far infrared near normal specular reflectivity of $\text{Ni}_x(\text{SiO}_2)_{1-x}$ ($x = 1.0, 0.84, 0.75, 0.61, 0.54, 0.28$) granular films 638
- Electrophoresis deposition
dye-sensitized solar cell using natural dyes extracted from spinach and ipomoea 606
- Emulsion-phase
emulsion-phase synthesis of honeycomb-like $\text{Mg}_5(\text{OH})_2(\text{CO}_3)_4 \cdot 4\text{H}_2\text{O}$ microspheres and subsequent decomposition to MgO 242
- Enthalpy
the effects of secondary elemental Mo or Ti addition in $\text{Al}_{0.3}\text{CoCrFeNi}$ high-entropy alloy on age hardening at 700 °C 55
- EXAFS
how the substitution of Zn for Cu destroys superconductivity in YBCO system? 1
- FeAl alloy
structural and magnetic properties of $\text{Fe}_{60}\text{Al}_{40}$ alloys prepared by means of a magnetic mill 491
- Fe-based alloy
microstructural characterization of spray formed $\text{Fe}_{66}\text{B}_{30}\text{Nb}_4$ alloy 417
- FeNi alloy
highly stable Fe-Ni alloy nanoparticles encapsulated in carbon nanotubes: Synthesis, structure and magnetic properties 200
- Ferrites
non-equilibrium cation influence on the Néel temperature in ZnFe_2O_4 506
- Ferroelectric properties
preparation and characterization of sol-gel derived sodium-potassium bismuth titanate powders and thick films deposited by screen printing 173
- Ferroelectrics
structural and electrical properties of $\text{Ba}_{5-x}\text{Ca}_x\text{SmTi}_3\text{Nb}_7\text{O}_{30}$ ($x = 0-5$) ferroelectric ceramics 7
influence of non-isovalent ion substitution at A site on microstructure and magnetic properties of $\text{Ba}(\text{Ti}_{0.3}\text{Fe}_{0.7})\text{O}_3$ ceramic 167
- Ferromagnetic garnets
synthesis of mono and multidomain YIG particles by chemical coprecipitation or ceramic procedure 196
- Forming process
metallic glass/light alloy (MEGA) multimaterials elaborated by co-pressing at high temperature 323
- Forsterite
sol-gel synthesis of forsterite nanopowders with narrow particle size distribution 113
- Frequency
effect of temperature, illumination and frequency on the electrical characteristics of Cu/p-Si Schottky diode prepared by liquid phase epitaxy 116
- Fuel cells
electrocatalytic activity of nanosized Pt alloys in the methanol oxidation reaction 462
anostructured ceramic materials: Applications in gas sensors and solid-oxide fuel cells 548
powder synthesis, processing and characterization of lanthanum silicates for SOFC application 552
- GaAs
impedance spectroscopy characterization of GaAs nanowire bundles grown by metal-catalyzed molecular beam epitaxy 443
- Gadolinium oxysulfide
persistent luminescence in rare earth ion-doped gadolinium oxysulfide phosphors 247
- Gas-phase hydrogen sorption
hydrogen storage in Mg-10 at.% LaNi_5 nanocomposites, synthesized by ball milling at different conditions 149
- Gas-solid reactions
mechanical-activated, combustion synthesis of β -SiAlON 144
atomistic modeling of H absorption in Pd nanoparticles 471
pAC study of HfO_2 nanofilms grown on Si substrates 634
- Glass transition
preparation of Mn doped $\text{Li}_2\text{B}_4\text{O}_7$ nanoparticles by glass quenching 288
- Glass-ceramic
a transparent surface-crystallized Eu^{2+} , Dy^{3+} co-doped strontium aluminate long-lasting phosphorescent glass-ceramic 72
- Grain boundary segregation
chemistry of grain boundary environments in nanocrystalline Al 7075 391
- Granular films
far infrared near normal specular reflectivity of $\text{Ni}_x(\text{SiO}_2)_{1-x}$ ($x = 1.0, 0.84, 0.75, 0.61, 0.54, 0.28$) granular films 638
- Grey system theory
study of Nd:YAG laser annealing of electroless Ni-P film on spiegel-iron plate by Taguchi method and grey system theory 97
- Heat conduction
estimation of heat production during high pressure torsion of Cu-based metallic glass 352
- Hierarchical
effect of thermal treatment on the structure and optical properties of biomimic hierarchical ZnO column arrays 275

- High magnetic fields
magnetic packing of graphite encapsulated nickel nanoparticles 488
- High T_c superconductors
how the substitution of Zn for Cu destroys superconductivity in YBCO system? 1
- High-energy ball milling
ball milling induced solid-state reactions in the La_2O_3 - HfO_2 ceramic system 524
pAC study in the HfO_2 - SiO_2 system 527
- High-entropy alloy
the effects of secondary elemental Mo or Ti addition in $\text{Al}_{0.3}\text{CoCrFeNi}$ high-entropy alloy on age hardening at 700 °C 55
- Hydrides
an investigation on the reaction pathway between LiAlH_4 and LiNH_2 via gaseous ammonia 17
- Hydrogen absorbing materials
atomistic modeling of H absorption in Pd nanoparticles 471
synthesis of hydrogen tungsten bronzes H_xWO_3 by reactive mechanical milling of hexagonal WO_3 537
hydrogen desorption in nanocrystalline MgH_2 thin films at room temperature 650
a new pseudo-binary $\text{Mg}_6\text{Ni}_{0.5}\text{Pd}_{0.5}$ intermetallic compound stabilised by Pd for hydrogen storage 663
- Hydrogen storage
synthesis of Mg_{15}Fe materials for hydrogen storage applying ball milling procedures 655
formation and hydrogen reactivity of MgCo compound 659
- Hydrogen storage materials
an investigation on the reaction pathway between LiAlH_4 and LiNH_2 via gaseous ammonia 17
hydrogen storage in Mg -10 at.% LaNi_5 nanocomposites, synthesized by ball milling at different conditions 149
study of annealing effects on structural and sorption properties of low energy mechanically alloyed AB_5 's 541
- Hydrogen tungsten bronzes
synthesis of hydrogen tungsten bronzes H_xWO_3 by reactive mechanical milling of hexagonal WO_3 537
- Hydrothermal synthesis
morphology of rutile and brookite nanocrystallites obtained by X-ray diffraction and Rietveld refinements 583
- Hypereutectic Al-Si alloy
the modification of electroless deposited Ni-P master alloy for hypereutectic Al-Si alloy 45
- Hyperfine interactions
ionic exchange of Hf donor impurities in the wide-gap semiconductor Tm_2O_3 532
- Illumination
effect of temperature, illumination and frequency on the electrical characteristics of Cu/p-Si Schottky diode prepared by liquid phase epitaxy 116
- Impedance spectroscopy
impedance spectroscopy characterization of GaAs nanowire bundles grown by metal-catalyzed molecular beam epitaxy 443
- Impurities in semiconductors
ionic exchange of Hf donor impurities in the wide-gap semiconductor Tm_2O_3 532
- Inelastic X-ray scattering
high frequency dynamics of BMG determined by synchrotron radiation: A microscopic picture 319
- Infrared
far infrared near normal specular reflectivity of $\text{Ni}_x(\text{SiO}_2)_{1-x}$ ($x = 1.0, 0.84, 0.75, 0.61, 0.54, 0.28$) granular films 638
- Inhomogeneous flow
deformation kinetics of Zr-based bulk metallic glasses—Temperature and strain rate influences on shear banding 341
- Inorganic compounds
synthesis and characterization of shape-controlled $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ via the coprecipitation method 63
- Insulators
ball milling induced solid-state reactions in the La_2O_3 - HfO_2 ceramic system 524
pAC study in the HfO_2 - SiO_2 system 527
pAC study of HfO_2 nanofilms grown on Si substrates 634
- Intermetallics
phase relations of the Eu-Zn-Al system at 400 °C from 0 to 33.3 at.% Eu 39
structural themes in approximant and decagonal quasicrystalline phases in Al based alloys 365
bulk amorphous and nanocrystalline $\text{Al}_{83}\text{Fe}_{17}$ alloys prepared by consolidation of mechanically alloyed amorphous powder 382
study of annealing effects on structural and sorption properties of low energy mechanically alloyed AB_5 's 541
a new pseudo-binary $\text{Mg}_6\text{Ni}_{0.5}\text{Pd}_{0.5}$ intermetallic compound stabilised by Pd for hydrogen storage 663
- Internal damping
mechanical damping in nanostructured $\text{Nd}_{60}\text{Fe}_{30}\text{Al}_{10}$ magnetic alloys 420
- Invar alloys
neutron powder thermo-diffraction in mechanically alloyed $\text{Fe}_{64}\text{Ni}_{36}$ invar alloy 495
- Ion beam technology
effect of He^+ irradiation on the optical properties of vacuum evaporated silver indium selenide thin films 284
- Ionic conduction
agGeSe-based bulk glasses: A survey of their fundamental properties 305
ion selective electrodes based on chalcogenide glasses 356
powder synthesis, processing and characterization of lanthanum silicates for SOFC application 552
- Ionic diffusion
ionic exchange of Hf donor impurities in the wide-gap semiconductor Tm_2O_3 532
- Ipomoea
dye-sensitized solar cell using natural dyes extracted from spinach and ipomoea 606
- Kinetics
influence of the aromatic substitutes in the thermal and kinetic behavior of mesoionic compounds of the 1,3-thiazole-5-tiolate system 598
hydrogen desorption in nanocrystalline MgH_2 thin films at room temperature 650
formation and hydrogen reactivity of MgCo compound 659
- Lanthanides
synthesis and characterization of nanocomplexes of Eu(III) and Er(III) coordinate with 2(4-chlorophenyl)-3-phenyl-1,3,4-thiadiazole-5-tiolate mesoionic 603
- Lanthanum aluminum germanate glass
multicolor upconversion luminescence from RE^{3+} - Yb^{3+} (RE = Er, Tm, Tb) codoped $\text{LaAlGe}_2\text{O}_7$ glasses 205
- Laser annealing
study of Nd:YAG laser annealing of electroless Ni-P film on spiegel-iron plate by Taguchi method and grey system theory 97
- Laser remelting
laser remelting of $\text{Al}_{91}\text{Fe}_4\text{Cr}_3\text{Ti}_2$ quasicrystalline phase former alloy 646
- Lead-free piezoelectric
preparation and characterization of sol-gel derived sodium-potassium bismuth titanate powders and thick films deposited by screen printing 173
- LiAlH_4
an investigation on the reaction pathway between LiAlH_4 and LiNH_2 via gaseous ammonia 17
- LiFePO_4
the important role of adipic acid on the synthesis of nanocrystalline lithium iron phosphate with high rate performance 181
- Light absorption
time-modulation of surface functionalization in biocompatible magnetic fluids 545
- Light absorption and reflection
synthesis, formation mechanism and illuminated sensing properties of 3D WO_3 nanowall 88

- far infrared near normal specular reflectivity of $\text{Ni}_x(\text{SiO}_2)_{1-x}$ ($x = 1.0, 0.84, 0.75, 0.61, 0.54, 0.28$) granular films 638
- Liquid quenching
agGeSe-based bulk glasses: A survey of their fundamental properties 305
ion selective electrodes based on chalcogenide glasses 356
- Liquid–solid reactions
magnetic packing of graphite encapsulated nickel nanoparticles 488
- Lithium intercalation
crystalline MnV_2O_6 nanobelts: Synthesis and electrochemical properties 185
- Lithium tetraborate
preparation of Mn doped $\text{Li}_2\text{B}_4\text{O}_7$ nanoparticles by glass quenching 288
- Local order
short range order in Al–Fe–Nb, Al–Fe–Ce and Al–Ni–Ce metallic glasses 309
- Long afterglow
persistent luminescence in rare earth ion-doped gadolinium oxysulfide phosphors 247
- Long lasting phosphorescence
a transparent surface-crystallized Eu^{2+} , Dy^{3+} co-doped strontium aluminate long-lasting phosphorescent glass-ceramic 72
- Low temperatures
anomalous decrease of propagation rate of the macroscopic shear band in the Zr-based bulk metallic glasses at temperatures 170 and 77 K 345
- Lu doping
the effect of partial Lu doping on magnetic behaviour of YBCO (123) superconductors 104
- Luminescence
a new red phosphor $\text{LaNb}_{0.70}\text{V}_{0.30}\text{O}_4:\text{Eu}^{3+}$ for white light-emitting diodes 268
- Magnetic fluid
time-modulation of surface functionalization in biocompatible magnetic fluids 545
- Magnetic measurements
influence of non-isovalent ion substitution at A site on microstructure and magnetic properties of $\text{Ba}(\text{Ti}_{0.3}\text{Fe}_{0.7})\text{O}_3$ ceramic 167
paramagnetism and clustering in Fe-doped TiO_2 nanoparticles 485
characterization of nanosized spinel ferrite powders synthesized by coprecipitation and autocombustion method 509
influence of the iron content on the formation process of substituted Co–Nd strontium hexaferrite prepared by the citrate precursor method 513
mechanochemically assisted synthesis of yttrium–lanthanum orthoferrite: Structural and magnetic characterization 516
superparamagnetism in AFM Cr_2O_3 nanoparticles 520
high-frequency magnetoimpedance properties in Finemet-type ribbons with a Cu–Co electrodeposited layer 412
- Magnetic pair breaking
how the substitution of Zn for Cu destroys superconductivity in YBCO system? 1
- Magnetic properties
structural and magnetic properties of $\text{Dy}_{1-x}\text{Nd}_x\text{Co}_4\text{Ga}$ compounds 13
synthesis and characterization of shape-controlled $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ via the coprecipitation method 63
effect of Ho^{3+} substitutions on the structural and magnetic properties of $\text{BaFe}_{12}\text{O}_{19}$ hexaferrites 229
study on the influence of annealing temperature and ferrite content on the structural and magnetic properties of $x(\text{NiFe}_2\text{O}_4)/(100 - x)\text{SiO}_2$ nanocomposites 217
effect of Ni concentration on the structure and magnetic properties for nanocrystalline Fe–Ni–N thin films 265
effect of urea and glycine fuels on the combustion reaction synthesis of Mn–Zn ferrites: Evaluation of morphology and magnetic properties 503
- Magnetically ordered materials
mechanochemically assisted synthesis of yttrium–lanthanum orthoferrite: Structural and magnetic characterization 516
- Magnetization
highly stable Fe–Ni alloy nanoparticles encapsulated in carbon nanotubes: Synthesis, structure and magnetic properties 200
- Magnetocaloric effect
magnetocaloric effect in rare earth-based bulk metallic glasses 209
- Martensitic transformations
low temperature isothermal ageing in shape memory CuAlNi single crystals 428
- Mechanical alloying
characterization of nanocrystalline CoCrFeNiTiAl high-entropy solid solution processed by mechanical alloying 33
structural investigation on nano-crystalline Cu–Cr supersaturated solid solution prepared by mechanical alloying 59
structural evolution of Fe–50 at.% Al powders during mechanical alloying and subsequent annealing processes 260
nanostructure development during devitrification and deformation 360
bulk amorphous and nanocrystalline Al₈₃Fe₁₇ alloys prepared by consolidation of mechanically alloyed amorphous powder 382
preparation of 50Ni–45Ti–5Zr powders by high-energy ball milling and hot pressing 423
al-doped ZnO mechanical milled powders for dye sensitized cells 432
structural and magnetic properties of $\text{Fe}_{60}\text{Al}_{40}$ alloys prepared by means of a magnetic mill 491
neutron powder thermo-diffraction in mechanically alloyed $\text{Fe}_{64}\text{Ni}_{36}$ invar alloy 495
structural and hyperfine evolution of the $(\text{Fe}_{79}\text{Mn}_{21})_{1-x}\text{Cu}_x$ system under milling time 499
ionic exchange of Hf donor impurities in the wide-gap semiconductor Tm_2O_3 532
synthesis of hydrogen tungsten bronzes H_xWO_3 by reactive mechanical milling of hexagonal WO_3 537
study of annealing effects on structural and sorption properties of low energy mechanically alloyed AB_2 's 541
effect of annealing treatment on the structure and properties of the nanograined TiN coatings produced by ultrasonic-based coating process 625
formation and hydrogen reactivity of MgCo compound 659
- Mechanical properties
pressure dependent elastic and structural (B3–B1) properties of Ga based mononictides 23
high temperature homogeneous plastic flow behavior of a Zr based bulk metallic glass matrix composite 50
thermodynamic, transport and mechanical properties of amorphous metallic alloys: Relation to the glass transition 294
high frequency dynamics of BMG determined by synchrotron radiation: A microscopic picture 319
metallic glass/light alloy (MEGA) multimaterials elaborated by co-pressing at high temperature 323
structural changes in Zr-based bulk metallic glasses deformed by high pressure torsion 338
anomalous decrease of propagation rate of the macroscopic shear band in the Zr-based bulk metallic glasses at temperatures 170 and 77 K 345
effect of temperature on the mechanical behaviour of a Ni-free zirconium-based bulk metallic glass 348
nanoquasicrystalline Al–Fe–Cr-based alloys with high strength at elevated temperature 372
microstructure and mechanical properties of Al–Si–Mg ribbons 386
mechanical damping in nanostructured $\text{Nd}_{60}\text{Fe}_{30}\text{Al}_{10}$ magnetic alloys 420
effect of metallic addition on mechanical properties in an aluminum–graphite composite synthesized by means of mechanical milling 403
- Mechanochemical processing
mechanochemically assisted synthesis of yttrium–lanthanum orthoferrite: Structural and magnetic characterization 516
- Mesoionic compounds
influence of the aromatic substitutes in the thermal and kinetic behavior of mesoionic compounds of the 1,3-thiazole-5-tiolate system 598
synthesis and characterization of nanocomplexes of Eu(III) and Er(III) coordinate with 2(4-clorophenil)-3-phenyl-1,3,4-thiadiazole-5-tiolate mesoionic 603
- Metal matrix composites
microstructural and mechanical characterization in 7075 aluminum alloy reinforced by silver nanoparticles dispersion 394
microstructural characterization of Al-MWCNT composites produced by mechanical milling and hot extrusion 399

- Metallic glasses**
 formation of melt-extracted wire of Fe–Cu–Si–B alloy with core-wire/surface-cover-layer structure by arc-melt-type melt-extraction method L1
 high temperature homogeneous plastic flow behavior of a Zr based bulk metallic glass matrix composite 50
 magnetocaloric effect in rare earth-based bulk metallic glasses 209
 thermodynamic, transport and mechanical properties of amorphous metallic alloys: Relation to the glass transition 294
 phase separation in Ni–Nb–Y metallic glasses 299
 evaluation of glass forming ability in the Ni–Nb–Zr alloy system by the topological instability (λ) criterion 313
 glass formation of alloys selected by lambda and electronegativity criteria in the Ti–Zr–Fe–Co system 316
 high frequency dynamics of BMG determined by synchrotron radiation: A microscopic picture 319
 metallic glass/light alloy (MEGA) multimaterials elaborated by co-pressing at high temperature 323
 the supercooled liquid region span of Fe-based bulk metallic glasses 327
 crystallisation behaviour and glass-forming ability in Al–La–Ni system 334
 structural changes in Zr-based bulk metallic glasses deformed by high pressure torsion 338
 effect of temperature on the mechanical behaviour of a Ni-free zirconium-based bulk metallic glass 348
 estimation of heat production during high pressure torsion of Cu-based metallic glass 352
- Metallic hydrides**
 synthesis of Mg₁₅Fe materials for hydrogen storage applying ball milling procedures 655
- Metals and alloys**
 microstructure and mechanical properties of Al–Si–Mg ribbons 386
 chemistry of grain boundary environments in nanocrystalline Al 7075 391
 small-angle X-ray scattering study of the early stages of precipitation in a Mg–Nd–Gd (EV31) alloy 408
 magnetic packing of graphite encapsulated nickel nanoparticles 488
- Methanol oxidation**
 electrocatalytic activity of nanosized Pt alloys in the methanol oxidation reaction 462
- Mg-based composite**
 hydrogen storage in Mg–10 at.% LaNi₅ nanocomposites, synthesized by ball milling at different conditions 149
- MgO**
 emulsion-phase synthesis of honeycomb-like Mg₅(OH)₂(CO₃)₄·4H₂O microspheres and subsequent decomposition to MgO 242
- Micro-spheres**
 emulsion-phase synthesis of honeycomb-like Mg₅(OH)₂(CO₃)₄·4H₂O microspheres and subsequent decomposition to MgO 242
- Microstructure**
 characterization of nanocrystalline CoCrFeNiTiAl high-entropy solid solution processed by mechanical alloying 33
 the effects of secondary elemental Mo or Ti addition in Al_{0.3}CoCrFeNi high-entropy alloy on age hardening at 700 °C 55
 effect of reduction temperature on the electrochemical properties of a Ni/YSZ anode-supported solid oxide fuel cell 138
 mechanical-activated, combustion synthesis of β -SiAlON 144
 influence of non-isovalent ion substitution at A site on microstructure and magnetic properties of Ba(Ti_{0.3}Fe_{0.7})O₃ ceramic 167
 microstructure and electrical properties of (1 – x)[0.82Bi_{0.5}Na_{0.5}TiO₃–0.18Bi_{0.5}K_{0.5}TiO₃]-xBiFeO₃ lead-free piezoelectric ceramics 280
 estimation of heat production during high pressure torsion of Cu-based metallic glass 352
 microstructure and mechanical properties of Al–Si–Mg ribbons 386
 small-angle X-ray scattering study of the early stages of precipitation in a Mg–Nd–Gd (EV31) alloy 408
 hydrothermal stability of mixed stabilised tetragonal (Y, Nd)-ZrO₂ ceramics 556
 microstructural evolution of the system Ni–ZrO₂–SiO₂ synthesized by the sol–gel process 574
- Microwave absorption properties**
 preparation and microwave absorption properties of basalt fiber/nickel core-shell heterostructures 254
- MnV₂O₆**
 crystalline MnV₂O₆ nanobelts: Synthesis and electrochemical properties 185
- Mn–Zn ferrites**
 effect of urea and glycine fuels on the combustion reaction synthesis of Mn–Zn ferrites: Evaluation of morphology and magnetic properties 503
- MOCVD**
 preparation of nanostructured Al₂O₃–TiO₂ composite films by MOCVD 617
- Modification**
 the modification of electroless deposited Ni–P master alloy for hypereutectic Al–Si alloy 45
- Morphology**
 effect of urea and glycine fuels on the combustion reaction synthesis of Mn–Zn ferrites: Evaluation of morphology and magnetic properties 503
- MPB**
 microstructure and electrical properties of (1 – x)[0.82Bi_{0.5}Na_{0.5}TiO₃–0.18Bi_{0.5}K_{0.5}TiO₃]-xBiFeO₃ lead-free piezoelectric ceramics 280
- Mössbauer spectroscopy**
 influence of non-isovalent ion substitution at A site on microstructure and magnetic properties of Ba(Ti_{0.3}Fe_{0.7})O₃ ceramic 167
 structural and hyperfine evolution of the (Fe₇₉Mn₂₁)_{1–x}Cu_x system under milling time 499
- M-type hexaferrites**
 effect of Ho³⁺ substitutions on the structural and magnetic properties of BaFe₁₂O₁₉ hexaferrites 229
- Nanobelts**
 crystalline MnV₂O₆ nanobelts: Synthesis and electrochemical properties 185
- Nanocomposites**
 study on the influence of annealing temperature and ferrite content on the structural and magnetic properties of x(NiFe₂O₄)/(100 – x)SiO₂ nanocomposites 217
 mechanical properties of nylon 6/Brazilian clay nanocomposites 596
- Nano-crystalline**
 structural investigation on nano-crystalline Cu–Cr supersaturated solid solution prepared by mechanical alloying 59
- Nanocrystalline brookite**
 morphology of rutile and brookite nanocrystallites obtained by X-ray diffraction and Rietveld refinements 583
- Nanocrystalline γ' -(Fe_{1–x}Ni_x)₄N**
 effect of Ni concentration on the structure and magnetic properties for nanocrystalline Fe–Ni–N thin films 265
- Nanocrystalline materials**
 the important role of adipic acid on the synthesis of nanocrystalline lithium iron phosphate with high rate performance 181
 chemistry of grain boundary environments in nanocrystalline Al 7075 391
- Nanocrystalline rutile**
 morphology of rutile and brookite nanocrystallites obtained by X-ray diffraction and Rietveld refinements 583
- Nanofabrications**
 preparation of TiO₂ nanoparticles by submerged arc nanoparticle synthesis system 476
- Nanomaterials**
 electrocatalytic activity of nanosized Pt alloys in the methanol oxidation reaction 462
- Nanoparticles**
 characterization of nanosized spinel ferrite powders synthesized by coprecipitation and autocombustion method 509
- Nanoparticles Pd–Pt**
 structural analysis of platinum–palladium nanoparticles dispersed on titanium dioxide to evaluate cyclo-olefines reactivity 453
- Nanopowders**
 sol–gel synthesis of forsterite nanopowders with narrow particle size distribution 113

- Nanosized materials
 synthesis of nanosized (Co, Nb, Sm)-doped SnO₂ powders using co-precipitation method 121
- Nanostructured alloys
 structural and hyperfine evolution of the (Fe₇₉Mn₂₁)_{1-x}Cu_x system under milling time 499
- Nanostructured alumina
 nanostructured alumina coatings manufactured by air plasma spraying: Correlation of properties with the raw powder microstructure 611
- Nanostructured films
 nanostructured diamond-like carbon films characterization 620
- Nanostructured materials
 hydrogen storage in Mg-10 at.% LaNi₅ nanocomposites, synthesized by ball milling at different conditions 149
 structural evolution of Fe-50 at.% Al powders during mechanical alloying and subsequent annealing processes 260
 estimation of heat production during high pressure torsion of Cu-based metallic glass 352
 small-angle X-ray scattering study of the early stages of precipitation in a Mg-Nd-Gd (EV31) alloy 408
 Al-doped ZnO mechanical milled powders for dye sensitized cells 432
 optical properties of CdS nanoparticles embedded in polymeric microspheres 436
 carbon nanotubes and nanofibers synthesized by CVD on nickel coatings deposited with a vacuum arc 446
 atomistic modeling of H absorption in Pd nanoparticles 471
 magnetic packing of graphite encapsulated nickel nanoparticles 488
 neutron powder thermo-diffraction in mechanically alloyed Fe₆₄Ni₃₆ invar alloy 495
 superparamagnetism in AFM Cr₂O₃ nanoparticles 520
 nanostructured ceramic materials: Applications in gas sensors and solid-oxide fuel cells 548
 retention at room temperature of the tetragonal t'-form in Sc₂O₃-doped ZrO₂ nanopowders 561
 temperature effects on structural properties in the synthesis of nanocrystalline Zr_{0.5}Ce_{0.5}O₂ solid solution: A study by XRD and HRTEM 565
 nanostructured aluminium oxide powders obtained by aspartic acid-nitrate gel-combustion routes 578
 effect of annealing treatment on the structure and properties of the nanograin TiN coatings produced by ultrasonic-based coating process 625
- Nanostructures
 nanostructure development during devitrification and deformation 360
 bulk amorphous and nanocrystalline Al83Fe17 alloys prepared by consolidation of mechanically alloyed amorphous powder 382
 preparation of 50Ni-45Ti-5Zr powders by high-energy ball milling and hot pressing 423
 the fabrication and characteristic properties of amorphous Co_{1-x}Zn_x alloy nanowire arrays 450
 preparation of TiO₂ nanoparticles by submerged arc nanoparticle synthesis system 476
 paramagnetism and clustering in Fe-doped TiO₂ nanoparticles 485
 pAC study in the HfO₂-SiO₂ system 527
 time-modulation of surface functionalization in biocompatible magnetic fluids 545
 preparation of nanostructured Al₂O₃-TiO₂ composite films by MOCVD 617
 microstructural properties of multi-nano-layered YSZ thin films 629
 pAC study of HfO₂ nanofilms grown on Si substrates 634
- Nanotubes
 Pt nanoparticles on titania nanotubes prepared by vapor-phase impregnation-decomposition method 458
- Nanowires
 randomly oriented ZnO nanowires grown on amorphous SiO₂ by metal-catalyzed vapour deposition 439
 impedance spectroscopy characterization of GaAs nanowire bundles grown by metal-catalyzed molecular beam epitaxy 443
- Nanowire networks
 randomly oriented ZnO nanowires grown on amorphous SiO₂ by metal-catalyzed vapour deposition 439
- Nd:YAG laser welding
 microstructure evolution in Nd:YAG laser-welded (Zr₅₃Cu₃₀Ni₉Al₈)Si_{0.5} bulk metallic glass alloy 224
- NdFeB permanent magnet
 microstructure characteristic and excellent corrosion protection properties of sealed Zn-TiO₂ composite coating for sintered NdFeB magnet 189
- Néel temperature
 non-equilibrium cation influence on the Néel temperature in ZnFe₂O₄ 506
- Neutron diffraction
 phases formation during heating of Mg-Cu-Ag-Y bulk metallic glasses 330
 neutron powder thermo-diffraction in mechanically alloyed Fe₆₄Ni₃₆ invar alloy 495
- Nickel
 microstructural evolution of the system Ni-ZrO₂-SiO₂ synthesized by the sol-gel process 574
- Ni-ferrite
 study on the influence of annealing temperature and ferrite content on the structural and magnetic properties of x(NiFe₂O₄)/(100 - x)SiO₂ nanocomposites 217
- Ni-P master alloy
 the modification of electroless deposited Ni-P master alloy for hypereutectic Al-Si alloy 45
- Nitride hydride
 synthesis and crystal structure of a novel nitride hydride Sr₂LiNH₂ 272
- Nitride materials
 mechanical-activated, combustion synthesis of β-SiAlON 144
 effect of annealing treatment on the structure and properties of the nanograin TiN coatings produced by ultrasonic-based coating process 625
- Nylon 6
 mechanical properties of nylon 6/Brazilian clay nanocomposites 596
- Optical band gap
 band gap engineering in PbS nanostructured thin films from near-infrared down to visible range by in situ Cd-doping 234
- Optical materials
 a new red phosphor LaNb_{0.70}V_{0.30}O₄:Eu³⁺ for white light-emitting diodes 268
- Optical properties
 preparation and characterization of ZnO transparent semiconductor thin films by sol-gel method 126
 effect of thermal treatment on the structure and optical properties of biomimic hierarchical ZnO column arrays 275
 effect of He⁺ irradiation on the optical properties of vacuum evaporated silver indium selenide thin films 284
 optical properties of CdS nanoparticles embedded in polymeric microspheres 436
- Optical spectroscopy
 concentration effect of cerium in (Y_{0.9-x}Gd_{0.1}Ce_x)₂SiO₅ blue phosphor 162
 Al-doped ZnO mechanical milled powders for dye sensitized cells 432
 optical properties of CdS nanoparticles embedded in polymeric microspheres 436
- Order-disorder effects
 structural evolution of Fe-50 at.% Al powders during mechanical alloying and subsequent annealing processes 260
- Organic amines
 spectroscopic and thermal characterization of tetrathiomolybdate-organic amine homologous systems 131
- Organoclay
 mechanical properties of nylon 6/Brazilian clay nanocomposites 596
- Orientiation
 highly (1 1 1)-oriented and pyrochlore-free PMN-PT thin films derived from a modified sol-gel process 154
- Oxide ceramics
 superior sinterability of nano-crystalline gadolinium doped ceria powders synthesized by co-precipitation method 238
- Oxide materials
 preparation of 3D rose-like NiO complex structure and its electrochemical property 82

- synthesis, formation mechanism and illuminated sensing properties of 3D WO₃ nanowall 88
 ionic exchange of Hf donor impurities in the wide-gap semiconductor Tm₂O₃ 532
 powder synthesis, processing and characterization of lanthanum silicates for SOFC application 552
 retention at room temperature of the tetragonal t'-form in Sc₂O₃-doped ZrO₂ nanopowders 561
 nanostructured aluminium oxide powders obtained by aspartic acid-nitrate gel-combustion routes 578
- Oxides**
 far infrared near normal specular reflectivity of Ni_x(SiO₂)_{1-x} (x = 1.0, 0.84, 0.75, 0.61, 0.54, 0.28) granular films 638
- Oxides mixture**
 synthesis of mono and multidomain YIG particles by chemical coprecipitation or ceramic procedure 196
- Particle size**
 sol-gel synthesis of forsterite nanopowders with narrow particle size distribution 113
- PbS thin films**
 band gap engineering in PbS nanostructured thin films from near-infrared down to visible range by in situ Cd-doping 234
- Permanent magnets**
 influence of the iron content on the formation process of substituted Co-Nd strontium hexaferrite prepared by the citrate precursor method 513
- Perovskite phase**
 highly (1 1 1)-oriented and pyrochlore-free PMN-PT thin films derived from a modified sol-gel process 154
- Perturbed angular correlations (PAC)**
 ionic exchange of Hf donor impurities in the wide-gap semiconductor Tm₂O₃ 532
- Pharmacs**
 synthesis and characterization of nanocomplexes of Eu(III) and Er(III) coordinate with 2(4-chlorophenyl)-3-phenyl-1,3,4-thiadiazole-5-tiolate mesoionic 603
- Phase diagrams**
 phase relations of the Eu-Zn-Al system at 400 °C from 0 to 33.3 at.% Eu 39
- Phase purity**
 sol-gel synthesis of forsterite nanopowders with narrow particle size distribution 113
- Phase separation**
 phase separation in Ni-Nb-Y metallic glasses 299
- Phase transitions**
 evaluation of glass forming ability in the Ni-Nb-Zr alloy system by the topological instability (λ) criterion 313
 crystallisation behaviour and glass-forming ability in Al-La-Ni system 334
- Phosphors**
 concentration effect of cerium in (Y_{0.9-x}Gd_{0.1}Ce_x)₂SiO₅ blue phosphor 162
- Photoacoustic**
 time-modulation of surface functionalization in biocompatible magnetic fluids 545
- Photoemission**
 how the substitution of Zn for Cu destroys superconductivity in YBCO system? 1
- Piezoelectric properties**
 preparation and characterization of sol-gel derived sodium-potassium bismuth titanate powders and thick films deposited by screen printing 173
 microstructure and electrical properties of (1 - x)[0.82Bi_{0.5}Na_{0.5}TiO₃-0.18Bi_{0.5}K_{0.5}TiO₃]-xBiFeO₃ lead-free piezoelectric ceramics 280
- Piston ring**
 tribological property of TiO₂ nanolubricant on piston and cylinder surfaces 481
- Plasma process**
 nanostructured diamond-like carbon films characterization 620
- Platinum nanoparticles**
 pt nanoparticles on titania nanotubes prepared by vapor-phase impregnation-decomposition method 458
- PMN-PT**
 highly (1 1 1)-oriented and pyrochlore-free PMN-PT thin films derived from a modified sol-gel process 154
- Polymers**
 on the matrix-particle interphase in epoxy-based composites 588
- Positron spectroscopies**
 chemistry of grain boundary environments in nanocrystalline Al 7075 391
 matrix-particle interphase in epoxy-based composites 588
- Powder metallurgy**
 bulk amorphous and nanocrystalline Al83Fe17 alloys prepared by consolidation of mechanically alloyed amorphous powder 382
 microstructural and mechanical characterization in 7075 aluminum alloy reinforced by silver nanoparticles dispersion 394
 microstructural characterization of Al-MWCNT composites produced by mechanical milling and hot extrusion 399
 effect of metallic addition on mechanical properties in an aluminum-graphite composite synthesized by means of mechanical milling 403
- Powder synthesis**
 synthesis of submicron BaTiO₃ particles by modified solid-state reaction method 108
- Powders**
 microstructural evolution of the system Ni-ZrO₂-SiO₂ synthesized by the sol-gel process 574
- Precipitation**
 synthesis of nanosized (Co, Nb, Sm)-doped SnO₂ powders using coprecipitation method 121
 nanostructure development during devitrification and deformation 360
 small-angle X-ray scattering study of the early stages of precipitation in a Mg-Nd-Gd (EV31) alloy 408
 structural and catalytic characterization of mechanical mixtures of Pt/WOx-ZrO₂ and Al₂O₃ 466
- Quantum confinement**
 band gap engineering in PbS nanostructured thin films from near-infrared down to visible range by in situ Cd-doping 234
- Quartz crystal microbalance (EQCM)**
 nanocrystalline zinc oxide thin films by novel double pulse single step electrodeposition 76
- Quasicrystals**
 structural themes in approximant and decagonal quasicrystalline phases in Al based alloys 365
 nanoquasicrystalline Al-Fe-Cr-based alloys with high strength at elevated temperature 372
 laser remelting of Al₉₁Fe₄Cr₃Ti₂ quasicrystalline phase former alloy 646
- Quenching**
 high frequency dynamics of BMG determined by synchrotron radiation: A microscopic picture 319
 the supercooled liquid region span of Fe-based bulk metallic glasses 327
 amorphous/nanocrystalline composites analysed by the Rietveld method 377
 microstructure and mechanical properties of Al-Si-Mg ribbons 386
- Raman and IR spectroscopy**
 new tellurite glasses and crystalline phases in the Bi₂O₃-CaO-TeO₂ system: Synthesis and characterization 67
- Raman spectroscopy**
 raman spectroscopy of chalcogenide thin films prepared by PLD 642
- Rapid solidifications**
 formation of melt-extracted wire of Fe-Cu-Si-B alloy with core-wire/surface-cover-layer structure by arc-melt-type melt-extraction method L1
 evaluation of glass forming ability in the Ni-Nb-Zr alloy system by the topological instability (λ) criterion 313
 glass formation of alloys selected by lambda and electronegativity criteria in the Ti-Zr-Fe-Co system 316
 high frequency dynamics of BMG determined by synchrotron radiation: A microscopic picture 319
 the supercooled liquid region span of Fe-based bulk metallic glasses 327

- nanoquasicrystalline Al–Fe–Cr-based alloys with high strength at elevated temperature 372
- crystallisation behaviour and glass-forming ability in Al–La–Ni system 334
- amorphous/nanocrystalline composites analysed by the Rietveld method 377
- microstructural characterization of spray formed $\text{Fe}_{66}\text{B}_{30}\text{Nb}_4$ alloy 417
- mechanical damping in nanostructured $\text{Nd}_{60}\text{Fe}_{30}\text{Al}_{10}$ magnetic alloys 420
- Rare earth alloys and compounds
- structural and magnetic properties of $\text{Dy}_{1-x}\text{Nd}_x\text{Co}_4\text{Ga}$ compounds 13
- Rare earth compounds
- powder synthesis, processing and characterization of lanthanum silicates for SOFC application 552
- Rare earth ions
- persistent luminescence in rare earth ion-doped gadolinium oxysulfide phosphors 247
- Rate capability
- the important role of adipic acid on the synthesis of nanocrystalline lithium iron phosphate with high rate performance 181
- Reduction temperature
- effect of reduction temperature on the electrochemical properties of a Ni/YSZ anode-supported solid oxide fuel cell 138
- $\text{RE}^{3+}\text{-Yb}^{3+}$
- multicolor upconversion luminescence from $\text{RE}^{3+}\text{-Yb}^{3+}$ (RE = Er, Tm, Tb) codoped $\text{LaAlGe}_2\text{O}_7$ glasses 205
- Rietveld refinement
- morphology of rutile and brookite nanocrystallites obtained by X-ray diffraction and Rietveld refinements 583
- Samarium oxide
- synthesis of nanosized (Co, Nb, Sm)-doped SnO_2 powders using coprecipitation method 121
- Saturation magnetization
- synthesis of mono and multidomain YIG particles by chemical coprecipitation or ceramic procedure 196
- Scanning and transmission electron microscopy
- microstructural properties of multi-nano-layered YSZ thin films 629
- agGeSe-based bulk glasses: A survey of their fundamental properties 305
- Scanning Electron Microscopy SEM
- structural and electrical properties of $\text{Ba}_{5-x}\text{Ca}_x\text{SmTi}_3\text{Nb}_7\text{O}_{30}$ ($x = 0\text{-}5$) ferroelectric ceramics 7
- preparation of TiO_2 nanoparticles by submerged arc nanoparticle synthesis system 476
- a new pseudo-binary $\text{Mg}_6\text{Ni}_{0.5}\text{Pd}_{0.5}$ intermetallic compound stabilised by Pd for hydrogen storage 663
- Schottky diode
- effect of temperature, illumination and frequency on the electrical characteristics of Cu/p-Si Schottky diode prepared by liquid phase epitaxy 116
- Sealing
- microstructure characteristic and excellent corrosion protection properties of sealed Zn– TiO_2 composite coating for sintered NdFeB magnet 189
- SEM
- magnetic packing of graphite encapsulated nickel nanoparticles 488
- microstructural and mechanical characterization in 7075 aluminum alloy reinforced by silver nanoparticles dispersion 394
- microstructural characterization of Al-MWCNT composites produced by mechanical milling and hot extrusion 399
- effect of metallic addition on mechanical properties in an aluminum-graphite composite synthesized by means of mechanical milling 403
- nanostructured alumina coatings manufactured by air plasma spraying: Correlation of properties with the raw powder microstructure 611
- Semiconductor
- impedance spectroscopy characterization of GaAs nanowire bundles grown by metal-catalyzed molecular beam epitaxy 443
- Semiconductors
- pressure dependent elastic and structural ($B3\text{-}B1$) properties of Ga based mononictides 23
- synthesis of CdSe microspheres via solvothermal process in a mixed solution 158
- al-doped ZnO mechanical milled powders for dye sensitized cells 432
- paramagnetism and clustering in Fe-doped TiO_2 nanoparticles 485
- nanostructured ceramic materials: Applications in gas sensors and solid-oxide fuel cells 548
- Shape memory alloys
- low temperature isothermal ageing in shape memory CuAlNi single crystals 428
- Shear banding
- deformation kinetics of Zr-based bulk metallic glasses—Temperature and strain rate influences on shear banding 341
- Silica matrix
- study on the influence of annealing temperature and ferrite content on the structural and magnetic properties of $x(\text{NiFe}_2\text{O}_4)/(100 - x)\text{SiO}_2$ nanocomposites 217
- Single crystals
- spectroscopic and thermal characterization of tetrathiomolybdate-organic amine homologous systems 131
- Sintering
- superior sinterability of nano-crystalline gadolinium doped ceria powders synthesized by co-precipitation method 238
- powder synthesis, processing and characterization of lanthanum silicates for SOFC application 552
- hydrothermal stability of mixed stabilised tetragonal (Y, Nd)- ZrO_2 ceramics 556
- densification kinetics of ZrO_2 -based ceramics using a master sintering curve 570
- microstructural characterization of Al-MWCNT composites produced by mechanical milling and hot extrusion 399
- nanostructured alumina coatings manufactured by air plasma spraying: Correlation of properties with the raw powder microstructure 611
- Small-angle X-ray scattering (SAXS)
- phase separation in Ni–Nb–Y metallic glasses 299
- small-angle X-ray scattering study of the early stages of precipitation in a Mg–Nd–Gd (EV31) alloy 408
- Sodium–potassium bismuth titanate
- preparation and characterization of sol–gel derived sodium–potassium bismuth titanate powders and thick films deposited by screen printing 173
- Soft magnetic materials
- characterization of nanosized spinel ferrite powders synthesized by coprecipitation and autocombustion method 509
- Sol–gel
- sol–gel synthesis of forsterite nanopowders with narrow particle size distribution 113
- preparation and characterization of sol–gel derived sodium–potassium bismuth titanate powders and thick films deposited by screen printing 173
- study on the influence of annealing temperature and ferrite content on the structural and magnetic properties of $x(\text{NiFe}_2\text{O}_4)/(100 - x)\text{SiO}_2$ nanocomposites 217
- microstructural evolution of the system Ni– ZrO_2 – SiO_2 synthesized by the sol–gel process 574
- Sol–gel method
- preparation and characterization of ZnO transparent semiconductor thin films by sol–gel method 126
- Sol–gel processes
- highly (1 1 1)-oriented and pyrochlore-free PMN–PT thin films derived from a modified sol–gel process 154
- powder synthesis, processing and characterization of lanthanum silicates for SOFC application 552
- Solid oxide fuel cell
- effect of reduction temperature on the electrochemical properties of a Ni/YSZ anode-supported solid oxide fuel cell 138
- Solid solution
- structural investigation on nano-crystalline Cu–Cr supersaturated solid solution prepared by mechanical alloying 59
- Solid state reactions
- structural and electrical properties of $\text{Ba}_{5-x}\text{Ca}_x\text{SmTi}_3\text{Nb}_7\text{O}_{30}$ ($x = 0\text{-}5$) ferroelectric ceramics 7

- influence of non-isovalent ion substitution at A site on microstructure and magnetic properties of $\text{Ba}(\text{Ti}_{0.3}\text{Fe}_{0.7})\text{O}_3$ ceramic 167
- Solid state reaction method
effect of Ho^{3+} substitutions on the structural and magnetic properties of $\text{BaFe}_{12}\text{O}_{19}$ hexaferrites 229
- Spinach
dye-sensitized solar cell using natural dyes extracted from spinach and ipomoea 606
- Spinodal decomposition
phase separation in Ni-Nb-Y metallic glasses 299
- Spray forming
microstructural characterization of spray formed $\text{Fe}_{66}\text{B}_{30}\text{Nb}_4$ alloy 417
- Strontium aluminate
a transparent surface-crystallized Eu^{2+} , Dy^{3+} co-doped strontium aluminate long-lasting phosphorescent glass-ceramic 72
- Structural analysis
effect of Ho^{3+} substitutions on the structural and magnetic properties of $\text{BaFe}_{12}\text{O}_{19}$ hexaferrites 229
- Structural and magnetic properties
structural and magnetic properties of $\text{Fe}_{60}\text{Al}_{40}$ alloys prepared by means of a magnetic mill 491
- Structure
effect of Ni concentration on the structure and magnetic properties for nanocrystalline Fe-Ni-N thin films 265
short range order in Al-Fe-Nb, Al-Fe-Ce and Al-Ni-Ce metallic glasses 309
- Surface-crystallized
a transparent surface-crystallized Eu^{2+} , Dy^{3+} co-doped strontium aluminate long-lasting phosphorescent glass-ceramic 72
- Surfaces
structural and catalytic characterization of mechanical mixtures of Pt/WOx-ZrO₂ and Al₂O₃ 466
- Synchrotron radiation
structural changes in Zr-based bulk metallic glasses deformed by high pressure torsion 338
retention at room temperature of the tetragonal t'-form in Sc_2O_3 -doped ZrO₂ nanopowders 561
- Synthesis
crystalline MnV_2O_6 nanobelts: Synthesis and electrochemical properties 185
synthesis and crystal structure of a novel nitride hydride Sr_2LiNH_2 272
- Taguchi method
study of Nd:YAG laser annealing of electroless Ni-P film on spiegel-iron plate by Taguchi method and grey system theory 97
- Tellurite glasses
new tellurite glasses and crystalline phases in the Bi_2O_3 -CaO-TeO₂ system: Synthesis and characterization 67
- TEM
nanoquasicrystalline Al-Fe-Cr-based alloys with high strength at elevated temperature 372
structural analysis of platinum-palladium nanoparticles dispersed on titanium dioxide to evaluate cyclo-olefines reactivity 453
superparamagnetism in AFM Cr_2O_3 nanoparticles 520
microstructural and mechanical characterization in 7075 aluminum alloy reinforced by silver nanoparticles dispersion 394
microstructural characterization of Al-MWCNT composites produced by mechanical milling and hot extrusion 399
- TETA
synthesis of CdSe microspheres via solvothermal process in a mixed solution 158
- Tetrathiomolybdates
spectroscopic and thermal characterization of tetrathiomolybdate-organic amine homologous systems 131
- Thermal analysis
characterization of nanocrystalline CoCrFeNiTiAl high-entropy solid solution processed by mechanical alloying 33
evaluation of glass forming ability in the Ni-Nb-Zr alloy system by the topological instability (λ) criterion 313
the supercooled liquid region span of Fe-based bulk metallic glasses 327
phases formation during heating of Mg-Cu-Ag-Y bulk metallic glasses 330
- structural and catalytic characterization of mechanical mixtures of Pt/WOx-ZrO₂ and Al₂O₃ 466
- densification kinetics of ZrO₂-based ceramics using a master sintering curve 570
- influence of the aromatic substitutes in the thermal and kinetic behavior of mesoionic compounds of the 1,3-thiazole-5-tiolate system 598
- synthesis and characterization of nanocomplexes of Eu(III) and Er(III) coordinate with 2(4-chlorophenyl)-3-phenyl-1,3,4-thiadiazole-5-tiolate mesoionic 603
- hydrogen desorption in nanocrystalline MgH₂ thin films at room temperature 650
- Thermal expansion
densification kinetics of ZrO₂-based ceramics using a master sintering curve 570
- Thermal properties
spectroscopic and thermal characterization of tetrathiomolybdate-organic amine homologous systems 131
- Thermal treatment
effect of thermal treatment on the structure and optical properties of biomimic hierarchical ZnO column arrays 275
- Thermodynamic modeling
estimation of heat production during high pressure torsion of Cu-based metallic glass 352
- Thermodynamic properties
thermodynamic, transport and mechanical properties of amorphous metallic alloys: Relation to the glass transition 294
- Thick films
preparation and characterization of sol-gel derived sodium-potassium bismuth titanate powders and thick films deposited by screen printing 173
- Thin films
preparation and characterization of ZnO transparent semiconductor thin films by sol-gel method 126
highly (1 1 1)-oriented and pyrochlore-free PMN-PT thin films derived from a modified sol-gel process 154
effect of He⁺ irradiation on the optical properties of vacuum evaporated silver indium selenide thin films 284
carbon nanotubes and nanofibers synthesized by CVD on nickel coatings deposited with a vacuum arc 446
nanostructured diamond-like carbon films characterization 620
microstructural properties of multi-nano-layered YSZ thin films 629
pAC study of HfO₂ nanofilms grown on Si substrates 634
raman spectroscopy of chalcogenide thin films prepared by PLD 642
hydrogen desorption in nanocrystalline MgH₂ thin films at room temperature 650
- Tin oxide
synthesis of nanosized (Co, Nb, Sm)-doped SnO₂ powders using co-precipitation method 121
- TiO₂ nanolubricant
tribological property of TiO₂ nanolubricant on piston and cylinder surfaces 481
- TiO₂ nanoparticles
dye-sensitized solar cell using natural dyes extracted from spinach and ipomoea 606
- TIPS technique
chitosan/MWCNT composites prepared by thermal induced phase separation 592
- Titania
pt nanoparticles on titania nanotubes prepared by vapor-phase impregnation-decomposition method 458
- Transmittance
preparation of Mn doped Li₂B₄O₇ nanoparticles by glass quenching 288
- Transmission electron microscopy (TEM)
the effects of secondary elemental Mo or Ti addition in Al_{0.3}CoCrFeNi high-entropy alloy on age hardening at 700 °C 55
nanocrystalline zinc oxide thin films by novel double pulse single step electrodeposition 76
chemistry of grain boundary environments in nanocrystalline Al 7075 391

- temperature effects on structural properties in the synthesis of nanocrystalline $Zr_{0.5}Ce_{0.5}O_2$ solid solution: A study by XRD and HRTEM 565
- Transparent oxide semiconductors
preparation and characterization of ZnO transparent semiconductor thin films by sol-gel method 126
- Tribology
tribological property of TiO_2 nanolubricant on piston and cylinder surfaces 481
- Upconversion luminescence
multicolor upconversion luminescence from $RE^{3+}-Yb^{3+}$ ($RE = Er, Tm, Tb$) codoped $LaAlGe_2O_7$ glasses 205
- Urea
synthesis of submicron $BaTiO_3$ particles by modified solid-state reaction method 108
- Vapour deposition
microstructural properties of multi-nano-layered YSZ thin films 629
hydrogen desorption in nanocrystalline MgH_2 thin films at room temperature 650
- Vapour-transport
randomly oriented ZnO nanowires grown on amorphous SiO_2 by metal-catalyzed vapour deposition 439
- Varistor
synthesis of nanosized (Co, Nb, Sm)-doped SnO_2 powders using co-precipitation method 121
- Wear rate
tribological property of TiO_2 nanolubricant on piston and cylinder surfaces 481
- X-ray Diffraction
structural and electrical properties of $Ba_{5-x}Ca_xSmTi_3Nb_7O_{30}$ ($x = 0-5$) ferroelectric ceramics 7
phase relations of the Eu-Zn-Al system at 400 °C from 0 to 33.3 at.% Eu 39
structural investigation on nano-crystalline Cu-Cr supersaturated solid solution prepared by mechanical alloying 59
synthesis and characterization of shape-controlled $Ni_{0.5}Zn_{0.5}Fe_2O_4$ via the coprecipitation method 63
new tellurite glasses and crystalline phases in the $Bi_2O_3-CaO-TeO_2$ system: Synthesis and characterization 67
mechanical-activated, combustion synthesis of β -SiAlON 144
concentration effect of cerium in $(Y_{0.9-x}Gd_{0.1}Ce_x)_2SiO_5$ blue phosphor 162
superior sinterability of nano-crystalline gadolinium doped ceria powders synthesized by co-precipitation method 238
structural evolution of Fe-50 at.% Al powders during mechanical alloying and subsequent annealing processes 260
synthesis and crystal structure of a novel nitride hydride Sr_2LiNH_2 272
effect of He^+ irradiation on the optical properties of vacuum evaporated silver indium selenide thin films 284
short range order in Al-Fe-Nb, Al-Fe-Ce and Al-Ni-Ce metallic glasses 309
evaluation of glass forming ability in the Ni-Nb-Zr alloy system by the topological instability (λ) criterion 313
structural changes in Zr-based bulk metallic glasses deformed by high pressure torsion 338
structural themes in approximant and decagonal quasicrystalline phases in Al based alloys 365
amorphous/nanocrystalline composites analysed by the Rietveld method 377
preparation of 50Ni-45Ti-5Zr powders by high-energy ball milling and hot pressing 423
al-doped ZnO mechanical milled powders for dye sensitized cells 432
the fabrication and characteristic properties of amorphous $Co_{1-x}Zn_x$ alloy nanowire arrays 450
characterization of nanosized spinel ferrite powders synthesized by coprecipitation and autocombustion method 509
- influence of the iron content on the formation process of substituted Co-Nd strontium hexaferrite prepared by the citrate precursor method 513
study of annealing effects on structural and sorption properties of low energy mechanically alloyed AB_5 's 541
hydrothermal stability of mixed stabilised tetragonal (Y, Nd)- ZrO_2 ceramics 556
retention at room temperature of the tetragonal t'' -form in Sc_2O_3 -doped ZrO_2 nanopowders 561
temperature effects on structural properties in the synthesis of nanocrystalline $Zr_{0.5}Ce_{0.5}O_2$ solid solution: A study by XRD and HRTEM 565
nanostructured aluminium oxide powders obtained by aspartic acid-nitrate gel-combustion routes 578
microstructural and mechanical characterization in 7075 aluminum alloy reinforced by silver nanoparticles dispersion 394
nanostructured alumina coatings manufactured by air plasma spraying: Correlation of properties with the raw powder microstructure 611
microstructural properties of multi-nano-layered YSZ thin films 629
a new pseudo-binary $Mg_6Ni_{0.5}Pd_{0.5}$ intermetallic compound stabilised by Pd for hydrogen storage 663
- X-ray diffractometer
nanocrystalline zinc oxide thin films by novel double pulse single step electrodeposition 76
- X-ray methods
a new red phosphor $LaNb_{0.70}V_{0.30}O_4:Eu^{3+}$ for white light-emitting diodes 268
- X-ray powder diffraction
morphology of rutile and brookite nanocrystallites obtained by X-ray diffraction and Rietveld refinements 583
- XRD
preparation of Mn doped $Li_2B_4O_7$ nanoparticles by glass quenching 288
structural analysis of platinum-palladium nanoparticles dispersed on titanium dioxide to evaluate cyclo-olefines reactivity 453
- YBCO superconductors
the effect of partial Lu doping on magnetic behaviour of YBCO (123) superconductors 104
- Zinc ferrite
non-equilibrium cation influence on the Néel temperature in $ZnFe_2O_4$ 506
- Zinc oxide thin films
nanocrystalline zinc oxide thin films by novel double pulse single step electrodeposition 76
- Zircon
microstructural evolution of the system Ni-ZrO₂-SiO₂ synthesized by the sol-gel process 574
- $ZnFe_2O_4$
non-equilibrium cation influence on the Néel temperature in $ZnFe_2O_4$ 506
- ZnO
preparation and characterization of ZnO transparent semiconductor thin films by sol-gel method 126
randomly oriented ZnO nanowires grown on amorphous SiO_2 by metal-catalyzed vapour deposition 439
- ZnO column arrays
effect of thermal treatment on the structure and optical properties of biomimic hierarchical ZnO column arrays 275
- Zn-TiO₂
microstructure characteristic and excellent corrosion protection properties of sealed Zn-TiO₂ composite coating for sintered NdFeB magnet 189
- Zr-Ce mixed oxides
temperature effects on structural properties in the synthesis of nanocrystalline $Zr_{0.5}Ce_{0.5}O_2$ solid solution: A study by XRD and HRTEM 565
(Zr₅₃Cu₃₀Ni₉Al₈)Si_{0.5}
microstructure evolution in Nd:YAG laser-welded (Zr₅₃Cu₃₀Ni₉Al₈)Si_{0.5} bulk metallic glass alloy 224