



## Subject Index of Volume 501

- $(1-x)\text{Li}_2\text{O}\cdot x\text{Na}_2\text{O}\cdot \text{Al}_2\text{O}_3\cdot 4\text{SiO}_2$  glasses  
crystallization behavior of  $(1-x)\text{Li}_2\text{O}\cdot x\text{Na}_2\text{O}\cdot \text{Al}_2\text{O}_3\cdot 4\text{SiO}_2$  glasses 93
- AAO template  
one-step synthesis of  $\text{Ni}_{0.23}\text{Cu}_{0.11}\text{Zn}_{0.66}\text{Fe}_2\text{O}_4$  ferrite nanowire arrays using a template method 173
- Activation energy  
crystallization behavior of  $(1-x)\text{Li}_2\text{O}\cdot x\text{Na}_2\text{O}\cdot \text{Al}_2\text{O}_3\cdot 4\text{SiO}_2$  glasses 93
- AFM  
polycrystalline PbSe on a polyimide substrate 6
- Ag-doped titania–silica  
characterization and catalytic properties of nano-sized Ag metal catalyst on  $\text{TiO}_2\text{--SiO}_2$  synthesized by photo-assisted deposition and impregnation methods 301
- $\text{Ag}_3\text{SbS}_3$   
biomolecule-assisted synthesis of  $\text{Ag}_3\text{SbS}_3$  nanorods L15
- Al  
synthesis of  $\text{Ti}_2\text{AlC}$  by laser-induced self-propagating high-temperature sintering L1
- Al-based alloy  
fabrication of Al-based bulk metallic glass by mechanical alloying and vacuum hot consolidation 164
- Al–Cu–Mg alloy  
the study of the precipitation process in Al–Cu–Mg/bagasse ash particulate composites 104
- Al-doped  
influence of aluminum doping in  $\text{CuInS}_2$  prepared by spray pyrolysis on different substrates 85
- $\text{Al}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$   
spark plasma sintering of  $\alpha\text{-Si}_3\text{N}_4$  ceramics with  $\text{Al}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$  as additives and its morphology transformation 345
- Alpha  $\alpha\text{-}$  and beta  $\beta\text{-Si}_3\text{N}_4$   
spark plasma sintering of  $\alpha\text{-Si}_3\text{N}_4$  ceramics with  $\text{Al}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$  as additives and its morphology transformation 345
- Aluminum matrix composites  
investigation of friction and wear behaviors of 2024 Al and 2024 Al/SiCp composite at elevated temperatures 326
- Amorphous materials  
synthesis and characterization of mono- and di-antimonide with the first transition metals in group 8B by mechanical alloying 100
- Annealing  
effect of annealing treatment on structure and electrochemical performance of quenched  $\text{MnNi}_{4.2}\text{Co}_{0.3}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Mg}_{0.03}$  hydrogen storage alloy 47
- Anode  
lithium storage capability of lithium ion conductor  $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$  255
- Anodization  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light L8  
growth, structure and photocatalytic properties of hierarchical Cu–Ti–O nanotube arrays by anodization 333
- Aqueous batteries  
mechanochemical synthesis and electrochemical characterization of  $\text{VB}_x$  as high capacity anode materials for air batteries L12
- A-site and B-site substitution  
structural and magnetic properties of  $(\text{La}_{0.70-x}\text{Y}_x)\text{Ba}_{0.30}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  perovskites simultaneously doped on A and B sites ( $0.0 \leq x \leq 0.30$ ) 30
- Atomic force microscopy  
tribological and magnetic characterization of fluorosilanes on cobalt surface 362
- Bagasse ash  
the study of the precipitation process in Al–Cu–Mg/bagasse ash particulate composites 104
- Ball-milling  
microstructure characterization of ball-mill prepared ternary  $\text{Ti}_{0.9}\text{Al}_{0.1}\text{C}$  by X-ray diffraction and electron microscopy 198
- Ball-milling synthesis  
mechanochemical synthesis and electrochemical characterization of  $\text{VB}_x$  as high capacity anode materials for air batteries L12
- Band structure  
*Ab-initio* determination of X-ray structure factors and the Compton profiles of CdO 136
- $(\text{Bi,Sb})_2\text{Te}_3$   
surfactant-assisted solvothermal synthesis of single-crystalline ternary Bi–Sb–Te hexagonal nanoplates 120
- BPES  
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339
- Bulk metallic glass  
fabrication of Al-based bulk metallic glass by mechanical alloying and vacuum hot consolidation 164
- $\text{Ca}_3\text{Co}_4\text{O}_9$   
high-temperature transport and thermoelectric properties of  $\text{Ca}_3\text{Co}_{4-x}\text{Ti}_x\text{O}_9$  115
- Cadmium oxide  
*Ab-initio* determination of X-ray structure factors and the Compton profiles of CdO 136
- Calorimetry  
thermodynamic and transport properties of the  $\text{PrBr}_3\text{--RbBr}$  binary system 269
- Carbon  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light L8
- Carbon/carbon composites  
influence of Cr content on the microstructure and anti-oxidation property of  $\text{MoSi}_2\text{--CrSi}_2\text{--Si}$  multi-composition coating for SiC coated carbon/carbon composites L20
- Cathode material  
synthesis and performance of high tap density  $\text{LiFePO}_4/\text{C}$  cathode materials doped with copper ions 14  
rate capability of spinel  $\text{LiCr}_{0.1}\text{Ni}_{0.4}\text{Mn}_{1.5}\text{O}_4$  233

- Ceramics  
local distortion in Co-doped LSMO from entropy-maximized charge density distribution 307
- Cerium  
study on the intermetallic phases in the Mg–Ce system. Part II. Diffusion couple investigation 366
- Chemical reduction  
high temperature synthesis of Sn–3.5Ag–0.5Zn alloy nanoparticles by chemical reduction method 204
- Chemical syntheses  
lanthanum doped BiFeO<sub>3</sub> powders: Syntheses and characterization 25
- Chemical synthesis  
biomolecule-assisted synthesis of Ag<sub>3</sub>SbS<sub>3</sub> nanorods L15  
low-temperature wet-chemical preparation of titania nanocrystallines by utilizing  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> as fluorion scavenger L38  
strong luminescence of novel water-soluble lanthanide complexes sensitized by pyridine-2,4,6-tricarboxylic acid 42  
effects of multi-doping of rare-earth oxides on the microstructure and dielectric properties of BaTiO<sub>3</sub> 259
- Coating  
influence of Cr content on the microstructure and anti-oxidation property of MoSi<sub>2</sub>–CrSi<sub>2</sub>–Si multi-composition coating for SiC coated carbon/carbon composites L20  
graphite@MoO<sub>3</sub> composite as anode material for lithium ion battery in propylene carbonate-based electrolyte 218
- Coating materials  
effects of multi-doping of rare-earth oxides on the microstructure and dielectric properties of BaTiO<sub>3</sub> 259  
experimental study and phase diagram calculation in Al–Zn–Mg–Si quaternary system 282
- Cobalt film  
tribological and magnetic characterization of fluorosilanes on cobalt surface 362
- Co-doped ZnO flakes  
hydrothermal synthesis of Co-doped ZnO flakes with room temperature ferromagnetism 265
- Coercivity  
size and crystallinity-dependent magnetic properties of copper ferrite nano-particles 317
- Coercivity enhancement  
coercivity enhancement in Nd–Fe–B sintered permanent magnet by Dy nanoparticles doping 67
- Composites  
the study of the precipitation process in Al–Cu–Mg/bagasse ash particulate composites 104
- Compton profile  
electronic structure of Cr–Al alloy: Theory and experiment 1  
*Ab-initio* determination of X-ray structure factors and the Compton profiles of CdO 136
- Computer simulations  
polycrystalline PbSe on a polyimide substrate 6  
experimental study and phase diagram calculation in Al–Zn–Mg–Si quaternary system 282
- Conductivity  
effects of inorganic acid in DBSA-PANI polymerization on transparent PANI–SiO<sub>2</sub> hybrid conducting films 313
- Congo red  
synthesis and characterization of Zn<sub>1–x</sub>Cu<sub>x</sub>S and Zn<sub>1–x</sub>Ni<sub>x</sub>S nanoparticles and their applications as photocatalyst in Congo red degradation 130
- Copper ferrite nano-particles  
size and crystallinity-dependent magnetic properties of copper ferrite nano-particles 317
- Cr<sub>5</sub>Al<sub>8</sub>  
phase formation during mechanically activated annealing of nanocrystalline Cr–60at.%Al 18
- Crystal growth  
low-temperature wet-chemical preparation of titania nanocrystallines by utilizing  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> as fluorion scavenger L38
- Crystal morphology  
effects of magnetic field on hydrothermal growth of Cu–Ni system L33
- Crystal structure  
strong luminescence of novel water-soluble lanthanide complexes sensitized by pyridine-2,4,6-tricarboxylic acid 42  
local distortion in Co-doped LSMO from entropy-maximized charge density distribution 307
- Crystallinity  
size and crystallinity-dependent magnetic properties of copper ferrite nano-particles 317
- Crystallite and particle size  
size and crystallinity-dependent magnetic properties of copper ferrite nano-particles 317
- Crystallization  
crystallization behavior of (1 – x)Li<sub>2</sub>O·xNa<sub>2</sub>O·Al<sub>2</sub>O<sub>3</sub>·4SiO<sub>2</sub> glasses 93
- Crystallization mechanism  
crystallization behavior of (1 – x)Li<sub>2</sub>O·xNa<sub>2</sub>O·Al<sub>2</sub>O<sub>3</sub>·4SiO<sub>2</sub> glasses 93
- CuInS<sub>2</sub>  
influence of aluminum doping in CuInS<sub>2</sub> prepared by spray pyrolysis on different substrates 85
- Cu–Ti alloy  
growth, structure and photocatalytic properties of hierarchical Cu–Ti–O nanotube arrays by anodization 333
- DBSA-PANI  
effects of inorganic acid in DBSA-PANI polymerization on transparent PANI–SiO<sub>2</sub> hybrid conducting films 313
- Degradation  
the interaction of Zr<sub>2</sub>Fe surface with O<sub>2</sub> and H<sub>2</sub>O at the temperature range 300–770 K 221
- Density functional simulation  
characteristics of doped TiO<sub>2</sub> photocatalysts for the degradation of methylene blue waste water under visible light 54
- Density of states (DOS)  
characteristics of doped TiO<sub>2</sub> photocatalysts for the degradation of methylene blue waste water under visible light 54
- Dielectric losses  
structural, dielectric and magnetic properties of Pr substituted Bi<sub>1–x</sub>Pr<sub>x</sub>FeO<sub>3</sub> (0 ≤ x ≤ 0.15) multiferroic compounds L29
- Dielectric properties  
preparation and dielectric properties of compositionally graded lead barium zirconate thin films 358
- Dielectric response  
effects of multi-doping of rare-earth oxides on the microstructure and dielectric properties of BaTiO<sub>3</sub> 259
- Diffusion couple  
study on the intermetallic phases in the Mg–Ce system. Part II. Diffusion couple investigation 366
- Diluted magnetic semiconductor  
hydrothermal synthesis of Co-doped ZnO flakes with room temperature ferromagnetism 265
- Directional solidification  
peritectic transformation and primary  $\alpha$ -dendrite dissolution in directionally solidified Pb–26%Bi alloy 110
- Discontinuously precipitation  
effect of cooling conditions during casting on fraction of  $\beta$ -Mg<sub>17</sub>Al<sub>12</sub> in Mg–9Al–1Zn cast alloy 291
- Dissolution of primary dendrite  
peritectic transformation and primary  $\alpha$ -dendrite dissolution in directionally solidified Pb–26%Bi alloy 110

- Divorced eutectic  
effect of cooling conditions during casting on fraction of  $\beta$ -Mg<sub>17</sub>Al<sub>12</sub> in Mg-9Al-1Zn cast alloy 291
- Dopant  
growth, structure and photocatalytic properties of hierarchical Cu-Ti-O nanotube arrays by anodization 333
- Doping  
high-temperature transport and thermoelectric properties of Ca<sub>3</sub>Co<sub>4-x</sub>Ti<sub>x</sub>O<sub>9</sub> 115
- Double-exchange  
structural and magnetic properties of (La<sub>0.70-0.9</sub>Y<sub>x</sub>)Ba<sub>0.30</sub>Mn<sub>1-x</sub>Fe<sub>x</sub>O<sub>3</sub> perovskites simultaneously doped on A and B sites ( $0.0 \leq x \leq 0.30$ ) 30
- Drag force  
thermodynamic state and kinetic process: Analysis of grain boundary excess in nano-scale grain growth L4
- Dy nanoparticles  
coercivity enhancement in Nd-Fe-B sintered permanent magnet by Dy nanoparticles doping 67
- EBS and image analysis  
effect of cooling conditions during casting on fraction of  $\beta$ -Mg<sub>17</sub>Al<sub>12</sub> in Mg-9Al-1Zn cast alloy 291
- EDTA  
the effect of rare earth dopants on the structure, surface texture and photocatalytic properties of TiO<sub>2</sub>-SiO<sub>2</sub> prepared by sol-gel method 143
- Electrical transport  
polycrystalline PbSe on a polyimide substrate 6  
thermodynamic and transport properties of the PrBr<sub>3</sub>-RbBr binary system 269
- Electrochemical performance  
synthesis and performance of high tap density LiFePO<sub>4</sub>/C cathode materials doped with copper ions 14  
effect of annealing treatment on structure and electrochemical performance of quenched MmNi<sub>4.2</sub>Co<sub>0.3</sub>Mn<sub>0.4</sub>Al<sub>0.3</sub>Mg<sub>0.03</sub> hydrogen storage alloy 47
- Electrochemical reactions  
studies of Ti<sub>1.5</sub>Zr<sub>5.5</sub>V<sub>0.5</sub>(M<sub>x</sub>Ni<sub>1-x</sub>)<sub>9.5</sub> (M = Cr, Mn, Fe, Co, Cu, Al): Part 2. Hydrogen storage and electrochemical properties 245
- Electron spectroscopy methods  
multiwall carbon nanotubes purification and oxidation by nitric acid studied by the FTIR and electron spectroscopy methods 77
- Electron structure  
characteristics of doped TiO<sub>2</sub> photocatalysts for the degradation of methylene blue waste water under visible light 54
- Electronic correlation  
high-temperature transport and thermoelectric properties of Ca<sub>3</sub>Co<sub>4-x</sub>Ti<sub>x</sub>O<sub>9</sub> 115
- Electronic structure of alloy  
electronic structure of Cr-Al alloy: Theory and experiment 1
- Equation of state  
*Ab-initio* determination of X-ray structure factors and the Compton profiles of CdO 136
- Extrusion and infiltration ability  
effect of holding pressure on the microstructure of vacuum counter-pressure casting aluminum alloy 352
- FePt nanoparticles  
study of Fe-rich FePt nanoparticles synthesized by a single step reverse micelle route 297
- Ferro/Antiferromagnetism  
structural, dielectric and magnetic properties of Pr substituted Bi<sub>1-x</sub>Pr<sub>x</sub>FeO<sub>3</sub> ( $0 \leq x \leq 0.15$ ) multiferroic compounds L29
- Ferroelectricity  
structural, dielectric and magnetic properties of Pr substituted Bi<sub>1-x</sub>Pr<sub>x</sub>FeO<sub>3</sub> ( $0 \leq x \leq 0.15$ ) multiferroic compounds L29
- Ferrites  
effect of zinc substitution on structural and magnetic properties of copper ferrite 37
- Ferroelectrics  
lanthanum doped BiFeO<sub>3</sub> powders: Syntheses and characterization 25  
effects of multi-doping of rare-earth oxides on the microstructure and dielectric properties of BaTiO<sub>3</sub> 259
- Fluorosilanes  
tribological and magnetic characterization of fluorosilanes on cobalt surface 362
- FTIR  
multiwall carbon nanotubes purification and oxidation by nitric acid studied by the FTIR and electron spectroscopy methods 77
- Functionalization  
multiwall carbon nanotubes purification and oxidation by nitric acid studied by the FTIR and electron spectroscopy methods 77
- Galfenol alloys  
nanoscale precipitates in magnetostrictive Fe<sub>1-x</sub>Ga<sub>x</sub> alloys for  $0.1 < x < 0.23$  148
- Getter  
the interaction of Zr<sub>2</sub>Fe surface with O<sub>2</sub> and H<sub>2</sub>O at the temperature range 300-770 K 221
- Graded thin films  
preparation and dielectric properties of compositionally graded lead barium zirconate thin films 358
- Grain boundaries  
polycrystalline PbSe on a polyimide substrate 6
- Grain boundary energy  
thermodynamic state and kinetic process: Analysis of grain boundary excess in nano-scale grain growth L4
- Grain growth  
thermodynamic state and kinetic process: Analysis of grain boundary excess in nano-scale grain growth L4
- Graphite  
graphite@MoO<sub>3</sub> composite as anode material for lithium ion battery in propylene carbonate-based electrolyte 218
- Hierarchical nanotube  
growth, structure and photocatalytic properties of hierarchical Cu-Ti-O nanotube arrays by anodization 333
- High capacity  
mechanochemical synthesis and electrochemical characterization of VB<sub>x</sub> as high capacity anode materials for air batteries L12
- High energy milling  
studies on the synthesis of a Mo-30 wt% W alloy by non-conventional approaches 211
- High resolution transmission microscopy  
nanoscale precipitates in magnetostrictive Fe<sub>1-x</sub>Ga<sub>x</sub> alloys for  $0.1 < x < 0.23$  148
- High tap density  
synthesis and performance of high tap density LiFePO<sub>4</sub>/C cathode materials doped with copper ions 14
- High temperature wear  
investigation of friction and wear behaviors of 2024 Al and 2024 Al/SiCp composite at elevated temperatures 326
- Holding pressure  
effect of holding pressure on the microstructure of vacuum counter-pressure casting aluminum alloy 352
- HRTEM  
microstructure characterization of ball-mill prepared ternary Ti<sub>0.9</sub>Al<sub>0.1</sub>C by X-ray diffraction and electron microscopy 198
- Hybrid film  
effects of inorganic acid in DBSA-PANI polymerization on transparent PANI-SiO<sub>2</sub> hybrid conducting films 313
- Hydrogen absorbing materials  
studies of Ti<sub>1.5</sub>Zr<sub>5.5</sub>V<sub>0.5</sub>(M<sub>x</sub>Ni<sub>1-x</sub>)<sub>9.5</sub> (M = Cr, Mn, Fe, Co, Cu, Al): Part 1. Structural characteristics 236  
studies of Ti<sub>1.5</sub>Zr<sub>5.5</sub>V<sub>0.5</sub>(M<sub>x</sub>Ni<sub>1-x</sub>)<sub>9.5</sub> (M = Cr, Mn, Fe, Co, Cu, Al): Part 2. Hydrogen storage and electrochemical properties 245

- Hydrogen storage alloy  
effect of annealing treatment on structure and electrochemical performance of quenched  $\text{MmNi}_{4.2}\text{Co}_{0.3}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Mg}_{0.03}$  hydrogen storage alloy 47
- Hydrophilicity  
pure and silver (2.5–40 vol%) modified  $\text{TiO}_2$  thin films deposited by radio frequency magnetron sputtering at room temperature: Surface topography, energy gap and photo-induced hydrophilicity 154
- Hydrothermal  
synthesis and characterization of hollow  $\text{MoS}_2$  microspheres grown from  $\text{MoO}_3$  precursors 275
- Hydrothermal crystal growth  
effects of magnetic field on hydrothermal growth of Cu–Ni system L33
- Hyperfine interaction  
hyperfine interactions and local environment effects in  $\text{Fe}_x\text{Ni}_{100-x}$  ( $x = 55\text{--}67$ ) Invar alloys:  $^{57}\text{Fe}$  Mössbauer spectroscopy data at 5 K 183
- Indium doping  
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339
- Inorganic acid  
effects of inorganic acid in DBSA-PANI polymerization on transparent PANI- $\text{SiO}_2$  hybrid conducting films 313
- Inorganic materials  
synthesis of ZnO clusters within ZSM-5 crystals by thermal diffusion method L25  
thermodynamic and transport properties of the  $\text{PrBr}_3\text{--RbBr}$  binary system 269
- Intermetallics  
synthesis and characterization of mono- and di-antimonide with the first transition metals in group 8B by mechanical alloying 100
- Isothermal kinetics  
crystallization behavior of  $(1 - x)\text{Li}_2\text{O} \cdot x\text{Na}_2\text{O} \cdot \text{Al}_2\text{O}_3 \cdot 4\text{SiO}_2$  glasses 93
- Laser processing  
surface morphology modifications of titanium based implant induced by 40 picosecond laser pulses at 266 nm 89
- LCAO method  
*Ab-initio* determination of X-ray structure factors and the Compton profiles of CdO 136
- L-Cystine  
biomolecule-assisted synthesis of  $\text{Ag}_3\text{SbS}_3$  nanorods L15
- Lead-telluride  
xAFS studies of ytterbium doped lead-telluride 159
- Li/Na  
synthesis and luminescent properties of  $\text{Eu}^{3+}$ -activated molybdate-based novel red-emitting phosphors for white LEDs 124
- $\text{LiCr}_{0.1}\text{Ni}_{0.4}\text{Mn}_{1.5}\text{O}_4$   
rate capability of spinel  $\text{LiCr}_{0.1}\text{Ni}_{0.4}\text{Mn}_{1.5}\text{O}_4$  233
- $\text{LiFe}_{1-x}\text{Cu}_x\text{PO}_4$   
synthesis and performance of high tap density  $\text{LiFePO}_4/\text{C}$  cathode materials doped with copper ions 14
- Light absorption and reflection  
polycrystalline PbSe on a polyimide substrate 6
- Li-ion batteries  
rate capability of spinel  $\text{LiCr}_{0.1}\text{Ni}_{0.4}\text{Mn}_{1.5}\text{O}_4$  233
- Line defects  
nanoscale precipitates in magnetostriuctive  $\text{Fe}_{1-x}\text{Ga}_x$  alloys for  $0.1 < x < 0.23$  148
- Lithium battery  
lithium storage capability of lithium ion conductor  $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$  255
- Lithium ion battery  
synthesis and performance of high tap density  $\text{LiFePO}_4/\text{C}$  cathode materials doped with copper ions 14  
graphite/ $\text{MoO}_3$  composite as anode material for lithium ion battery in propylene carbonate-based electrolyte 218
- Low-Co  
effect of annealing treatment on structure and electrochemical performance of quenched  $\text{MmNi}_{4.2}\text{Co}_{0.3}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Mg}_{0.03}$  hydrogen storage alloy 47
- Luminescence  
synthesis of ZnO clusters within ZSM-5 crystals by thermal diffusion method L25  
strong luminescence of novel water-soluble lanthanide complexes sensitized by pyridine-2,4,6-tricarboxylic acid 42  
thermoluminescence characteristics of gamma irradiated CaS:Ce nanophosphors 190  
persistent UV phosphors for application in photo catalysis 193  
elaboration and characterization of transparent  $\text{GdTaO}_4\text{:Tb}^{3+}$  thick films fabricated by sol-gel process 371
- Magnesium  
study on the intermetallic phases in the Mg–Ce system. Part II. Diffusion couple investigation 366
- Magnetic domain structure  
tribological and magnetic characterization of fluorosilanes on cobalt surface 362
- Magnetic force microscopy  
tribological and magnetic characterization of fluorosilanes on cobalt surface 362
- Magnetic materials  
effects of magnetic field on hydrothermal growth of Cu–Ni system L33
- Magnetic properties  
coercivity enhancement in Nd–Fe–B sintered permanent magnet by Dy nanoparticles doping 67  
one-step synthesis of  $\text{Ni}_{0.23}\text{Cu}_{0.11}\text{Zn}_{0.66}\text{Fe}_2\text{O}_4$  ferrite nanowire arrays using a template method 173  
effect of Zr on the thermal stability and magnetic properties of  $\text{Fe}_{78}\text{Si}_9\text{B}_{13}$  glassy alloy 227
- Magnetization  
effect of zinc substitution on structural and magnetic properties of copper ferrite 37  
study of Fe-rich FePt nanoparticles synthesized by a single step reverse micelle route 297
- Magnetocaloric effect  
giant magnetocaloric and barocaloric effects in  $\text{Mn}(\text{As}_{1-x}\text{Sb}_x)$  177
- Magnetostrictive alloys  
nanoscale precipitates in magnetostrictive  $\text{Fe}_{1-x}\text{Ga}_x$  alloys for  $0.1 < x < 0.23$  148
- Magneto-volume effects  
hyperfine interactions and local environment effects in  $\text{Fe}_x\text{Ni}_{100-x}$  ( $x = 55\text{--}67$ ) Invar alloys:  $^{57}\text{Fe}$  Mössbauer spectroscopy data at 5 K 183
- Martensite  
on phase transition velocities of NiTi shape memory alloys 70
- Mechanical alloying  
phase formation during mechanically activated annealing of nanocrystalline Cr–60at.%Al 18  
synthesis and characterization of mono- and di-antimonide with the first transition metals in group 8B by mechanical alloying 100  
fabrication of Al-based bulk metallic glass by mechanical alloying and vacuum hot consolidation 164  
studies on the synthesis of a Mo–30 wt% W alloy by non-conventional approaches 211
- Metal hydride electrode  
studies of  $\text{Ti}_{1.5}\text{Zr}_{5.5}\text{V}_{0.5}(\text{M}_x\text{Ni}_{1-x})_{9.5}$  ( $\text{M} = \text{Cr, Mn, Fe, Co, Cu, Al}$ ): Part 1. Structural characteristics 236  
studies of  $\text{Ti}_{1.5}\text{Zr}_{5.5}\text{V}_{0.5}(\text{M}_x\text{Ni}_{1-x})_{9.5}$  ( $\text{M} = \text{Cr, Mn, Fe, Co, Cu, Al}$ ): Part 2. Hydrogen storage and electrochemical properties 245
- Metals  
effects of magnetic field on hydrothermal growth of Cu–Ni system L33
- Metals and alloys  
surface morphology modifications of titanium based implant induced by 40 picosecond laser pulses at 266 nm 89  
giant magnetocaloric and barocaloric effects in  $\text{Mn}(\text{As}_{1-x}\text{Sb}_x)$  177

- Mg-added  
effect of annealing treatment on structure and electrochemical performance of quenched  $\text{MmNi}_{4.2}\text{Co}_{0.3}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Mg}_{0.03}$  hydrogen storage alloy 47
- Microcrystals  
aqueous phase approach to ZnO microspindles at low temperature 375
- Microstructure  
coercivity enhancement in Nd-Fe-B sintered permanent magnet by Dy nanoparticles doping 67  
surface morphology modifications of titanium based implant induced by 40 picosecond laser pulses at 266 nm 89  
the study of the precipitation process in Al-Cu-Mg/bagasse ash particulate composites 104  
effects of multi-doping of rare-earth oxides on the microstructure and dielectric properties of  $\text{BaTiO}_3$  259  
effect of holding pressure on the microstructure of vacuum counter-pressure casting aluminum alloy 352
- Modification  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light L8
- Molybdenum trioxide  
graphite@ $\text{MoO}_3$  composite as anode material for lithium ion battery in propylene carbonate-based electrolyte 218
- $\text{MoO}_3$  macrobelts  
synthesis and characterization of hollow  $\text{MoS}_2$  microspheres grown from  $\text{MoO}_3$  precursors 275
- $\text{MoS}_2$  microspheres  
synthesis and characterization of hollow  $\text{MoS}_2$  microspheres grown from  $\text{MoO}_3$  precursors 275
- Mössbauer  
study of Fe-rich FePt nanoparticles synthesized by a single step reverse micelle route 297
- Mössbauer spectroscopy  
hyperfine interactions and local environment effects in  $\text{Fe}_x\text{Ni}_{100-x}$  ( $x = 55-67$ ) Invar alloys:  $^{57}\text{Fe}$  Mössbauer spectroscopy data at 5 K 183
- Multi-composition  
influence of Cr content on the microstructure and anti-oxidation property of  $\text{MoSi}_2$ - $\text{CrSi}_2$ -Si multi-composition coating for SiC coated carbon/carbon composites L20
- Multi-electron electrochemical reaction  
mechanochemical synthesis and electrochemical characterization of  $\text{VB}_x$  as high capacity anode materials for air batteries L12
- Multiferroics  
structural, dielectric and magnetic properties of Pr substituted  $\text{Bi}_{1-x}\text{Pr}_x\text{FeO}_3$  ( $0 \leq x \leq 0.15$ ) multiferroic compounds L29
- Multiwall carbon nanotubes  
multiwall carbon nanotubes purification and oxidation by nitric acid studied by the FTIR and electron spectroscopy methods 77
- Multi-walled carbon nanotubes  
 $\text{ZnFe}_2\text{O}_4$ /MWCNTs composite with enhanced photocatalytic activity under visible-light irradiation 168
- $\text{Na}_{0.5}\text{Gd}_{0.5}\text{MoO}_4$   
synthesis and luminescent properties of  $\text{Eu}^{3+}$ -activated molybdate-based novel red-emitting phosphors for white LEDs 124
- Nano-carbide  
microstructure characterization of ball-mill prepared ternary  $\text{Ti}_{0.9}\text{Al}_{0.1}\text{C}$  by X-ray diffraction and electron microscopy 198
- Nanocomposite  
synthesis and characterization of  $\text{Zn}_{1-x}\text{Cu}_x\text{S}$  and  $\text{Zn}_{1-x}\text{Ni}_x\text{S}$  nanoparticles and their applications as photocatalyst in Congo red degradation 130
- Nanocrystalline  
thermodynamic state and kinetic process: Analysis of grain boundary excess in nano-scale grain growth L4  
phase formation during mechanically activated annealing of nanocrystalline Cr-60at.%Al 18
- Nanomaterials  
characterization and catalytic properties of nano-sized Ag metal catalyst on  $\text{TiO}_2$ - $\text{SiO}_2$  synthesized by photo-assisted deposition and impregnation methods 301
- Nanophosphors  
thermoluminescence characteristics of gamma irradiated CaS:Ce nanophosphors 190
- Nanoplates  
surfactant-assisted solvothermal synthesis of single-crystalline ternary Bi-Sb-Te hexagonal nanoplates 120
- Nanostructured  
studies on the synthesis of a Mo-30 wt% W alloy by non-conventional approaches 211
- Nanostructured materials  
biomolecule-assisted synthesis of  $\text{Ag}_3\text{SbS}_3$  nanorods L15  
low-temperature wet-chemical preparation of titania nanocrystallines by utilizing  $\gamma\text{-Al}_2\text{O}_3$  as fluorine scavenger L38  
3C-SiC nanowires and micro-scaled polyhedra: Synthesis, characterization and properties 60
- Nanotribology  
tribological and magnetic characterization of fluorosilanes on cobalt surface 362
- Nanotube  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light L8
- Nanowire arrays  
one-step synthesis of  $\text{Ni}_{0.23}\text{Cu}_{0.11}\text{Zn}_{0.66}\text{Fe}_2\text{O}_4$  ferrite nanowire arrays using a template method 173
- N-doped  $\text{TiO}_2$  catalyst  
characteristics of doped  $\text{TiO}_2$  photocatalysts for the degradation of methylene blue waste water under visible light 54
- Ni/MH battery  
effect of annealing treatment on structure and electrochemical performance of quenched  $\text{MmNi}_{4.2}\text{Co}_{0.3}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Mg}_{0.03}$  hydrogen storage alloy 47
- NiCuZn ferrite  
one-step synthesis of  $\text{Ni}_{0.23}\text{Cu}_{0.11}\text{Zn}_{0.66}\text{Fe}_2\text{O}_4$  ferrite nanowire arrays using a template method 173
- NiTi SMAs  
on phase transition velocities of NiTi shape memory alloys 70
- Optical materials  
synthesis of ZnO clusters within ZSM-5 crystals by thermal diffusion method L25  
polycrystalline PbSe on a polyimide substrate 6  
strong luminescence of novel water-soluble lanthanide complexes sensitized by pyridine-2,4,6-tricarboxylic acid 42
- Optical properties  
polycrystalline PbSe on a polyimide substrate 6  
persistent UV phosphors for application in photo catalysis 193  
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339  
elaboration and characterization of transparent  $\text{GdTaO}_4\text{:Tb}^{3+}$  thick films fabricated by sol-gel process 371  
aqueous phase approach to ZnO microspindles at low temperature 375
- Optical spectroscopy  
polycrystalline PbSe on a polyimide substrate 6
- Opto-thermal expansivity  $\psi_{AB}$   
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339
- Oxidation  
influence of Cr content on the microstructure and anti-oxidation property of  $\text{MoSi}_2$ - $\text{CrSi}_2$ -Si multi-composition coating for SiC coated carbon/carbon composites L20  
the effect of rare earth dopants on the structure, surface texture and photocatalytic properties of  $\text{TiO}_2$ - $\text{SiO}_2$  prepared by sol-gel method 143  
the interaction of  $\text{Zr}_2\text{Fe}$  surface with  $\text{O}_2$  and  $\text{H}_2\text{O}$  at the temperature range 300-770 K 221
- Oxide material  
effects of multi-doping of rare-earth oxides on the microstructure and dielectric properties of  $\text{BaTiO}_3$  259



- Oxygen  
the interaction of  $\text{Zr}_2\text{Fe}$  surface with  $\text{O}_2$  and  $\text{H}_2\text{O}$  at the temperature range 300–770 K 221
- Pb free solder nanoparticle  
high temperature synthesis of  $\text{Sn-3.5Ag-0.5Zn}$  alloy nanoparticles by chemical reduction method 204
- Pb–26%Bi peritectic alloy  
peritectic transformation and primary  $\alpha$ -dendrite dissolution in directionally solidified Pb–26%Bi alloy 110
- $(\text{Pb}_{1-x}\text{Ba}_x)\text{ZrO}_3$   
preparation and dielectric properties of compositionally graded lead barium zirconate thin films 358
- Peritectic  
phase formation during mechanically activated annealing of nanocrystalline Cr–60at.%Al 18
- Peritectic transformation  
peritectic transformation and primary  $\alpha$ -dendrite dissolution in directionally solidified Pb–26%Bi alloy 110
- Perovskites  
structural and magnetic properties of  $(\text{La}_{0.70-x}\text{Y}_x)\text{Ba}_{0.30}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  perovskites simultaneously doped on A and B sites ( $0.0 \leq x \leq 0.30$ ) 30
- Phase diagrams  
thermodynamic and transport properties of the  $\text{PrBr}_3$ – $\text{RbBr}$  binary system 269  
experimental study and phase diagram calculation in Al–Zn–Mg–Si quaternary system 282  
study on the intermetallic phases in the Mg–Ce system. Part II. Diffusion couple investigation 366
- Phase transformation  
phase formation during mechanically activated annealing of nanocrystalline Cr–60at.%Al 18  
on phase transition velocities of NiTi shape memory alloys 70  
spark plasma sintering of  $\alpha$ - $\text{Si}_3\text{N}_4$  ceramics with  $\text{Al}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$  as additives and its morphology transformation 345
- Phosphors  
persistent UV phosphors for application in photo catalysis 193
- Photocatalysis  
characterization and catalytic properties of nano-sized Ag metal catalyst on  $\text{TiO}_2$ – $\text{SiO}_2$  synthesized by photo-assisted deposition and impregnation methods 301
- Photocatalyst  
synthesis and characterization of  $\text{Zn}_{1-x}\text{Cu}_x\text{S}$  and  $\text{Zn}_{1-x}\text{Ni}_x\text{S}$  nanoparticles and their applications as photocatalyst in Congo red degradation 130  
growth, structure and photocatalytic properties of hierarchical Cu–Ti–O nanotube arrays by anodization 333
- Photocatalytic  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light 18  
the effect of rare earth dopants on the structure, surface texture and photocatalytic properties of  $\text{TiO}_2$ – $\text{SiO}_2$  prepared by sol–gel method 143
- Photocatalytic activity  
 $\text{ZnFe}_2\text{O}_4$ /MWCNTs composite with enhanced photocatalytic activity under visible-light irradiation 168
- Photocatalytic degradation  
characteristics of doped  $\text{TiO}_2$  photocatalysts for the degradation of methylene blue waste water under visible light 54
- Powder metallurgy  
lanthanum doped  $\text{BiFeO}_3$  powders: Syntheses and characterization 25  
investigation of friction and wear behaviors of 2024 Al and 2024 Al/SiCp composite at elevated temperatures 326
- Precipitation and thermal ageing  
the study of the precipitation process in Al–Cu–Mg/bagasse ash particulate composites 104
- Properties  
rate capability of spinel  $\text{LiCr}_{0.1}\text{Ni}_{0.4}\text{Mn}_{1.5}\text{O}_4$  233
- Propylene carbonate  
graphite@ $\text{MoO}_3$  composite as anode material for lithium ion battery in propylene carbonate-based electrolyte 218
- Purification  
multiwall carbon nanotubes purification and oxidation by nitric acid studied by the FTIR and electron spectroscopy methods 77
- Quantitative X-ray diffraction  
crystallization behavior of  $(1-x)\text{Li}_2\text{O} \cdot x\text{Na}_2\text{O} \cdot \text{Al}_2\text{O}_3 \cdot 4\text{SiO}_2$  glasses 93
- Raman  
multiwall carbon nanotubes purification and oxidation by nitric acid studied by the FTIR and electron spectroscopy methods 77
- Rare earth  
the effect of rare earth dopants on the structure, surface texture and photocatalytic properties of  $\text{TiO}_2$ – $\text{SiO}_2$  prepared by sol–gel method 143
- Rate capability  
rate capability of spinel  $\text{LiCr}_{0.1}\text{Ni}_{0.4}\text{Mn}_{1.5}\text{O}_4$  233
- Red emission phosphor  
synthesis and luminescent properties of  $\text{Eu}^{3+}$ -activated molybdate-based novel red-emitting phosphors for white LEDs 124
- RF magnetron sputtering  
pure and silver (2.5–40 vol%) modified  $\text{TiO}_2$  thin films deposited by radio frequency magnetron sputtering at room temperature: Surface topography, energy gap and photo-induced hydrophilicity 154
- Rietveld analysis  
structural and magnetic properties of  $(\text{La}_{0.70-x}\text{Y}_x)\text{Ba}_{0.30}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  perovskites simultaneously doped on A and B sites ( $0.0 \leq x \leq 0.30$ ) 30
- Rietveld method  
microstructure characterization of ball-mill prepared ternary  $\text{Ti}_{0.9}\text{Al}_{0.1}\text{C}$  by X-ray diffraction and electron microscopy 198
- Rod crystals morphology  
spark plasma sintering of  $\alpha$ - $\text{Si}_3\text{N}_4$  ceramics with  $\text{Al}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$  as additives and its morphology transformation 345
- Room temperature ferromagnetism  
hydrothermal synthesis of Co-doped ZnO flakes with room temperature ferromagnetism 265
- Saturation and remanence magnetization  
size and crystallinity-dependent magnetic properties of copper ferrite nano-particles 317
- Scanning electron microscopy  
3C–SiC nanowires and micro-scaled polyhedra: Synthesis, characterization and properties 60
- Segregation  
thermodynamic state and kinetic process: Analysis of grain boundary excess in nano-scale grain growth 14
- Self-propagating high-temperature sintering (SHS)  
synthesis of  $\text{Ti}_2\text{AlC}$  by laser-induced self-propagating high-temperature sintering 11
- SEM  
polycrystalline PbSe on a polyimide substrate 6  
surface morphology modifications of titanium based implant induced by 40 picosecond laser pulses at 266 nm 89
- SEM and EDAX  
effect of zinc substitution on structural and magnetic properties of copper ferrite 37
- Semiconductor  
synthesis of ZnO clusters within ZSM-5 crystals by thermal diffusion method 125  
synthesis and characterization of  $\text{Zn}_{1-x}\text{Cu}_x\text{S}$  and  $\text{Zn}_{1-x}\text{Ni}_x\text{S}$  nanoparticles and their applications as photocatalyst in Congo red degradation 130  
aqueous phase approach to ZnO microspindles at low temperature 375
- Semiconductors (IV–VI)  
polycrystalline PbSe on a polyimide substrate 6
- Silicon carbide  
3C–SiC nanowires and micro-scaled polyhedra: Synthesis, characterization and properties 60
- Silver  
pure and silver (2.5–40 vol%) modified  $\text{TiO}_2$  thin films deposited by radio frequency magnetron sputtering at room temperature: Surface topography, energy gap and photo-induced hydrophilicity 154

- Sintering  
studies on the synthesis of a Mo–30 wt% W alloy by non-conventional approaches 211
- Sn  
synthesis of  $\text{Ti}_2\text{AlC}$  by laser-induced self-propagating high-temperature sintering L1
- Sn–3.5Ag–0.5Zn alloy  
high temperature synthesis of Sn–3.5Ag–0.5Zn alloy nanoparticles by chemical reduction method 204
- Sol–gel  
effects of inorganic acid in DBSA-PANI polymerization on transparent PANI– $\text{SiO}_2$  hybrid conducting films 313
- Sol–gel processes  
elaboration and characterization of transparent  $\text{GdTaO}_4\cdot\text{Tb}^{3+}$  thick films fabricated by sol–gel process 371
- Solid state reaction  
local distortion in Co-doped LSMO from entropy-maximized charge density distribution 307
- Solid-state electrolyte  
lithium storage capability of lithium ion conductor  $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$  255
- Solvothermal  
surfactant-assisted solvothermal synthesis of single-crystalline ternary Bi–Sb–Te hexagonal nanoplates 120
- Spark plasma sintering  
spark plasma sintering of  $\alpha\text{-Si}_3\text{N}_4$  ceramics with  $\text{Al}_2\text{O}_3$  and  $\text{Y}_2\text{O}_3$  as additives and its morphology transformation 345
- Spin-glass behavior  
structural and magnetic properties of  $(\text{La}_{0.70-x}\text{Y}_x)\text{Ba}_{0.30}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  perovskites simultaneously doped on A and B sites ( $0.0 \leq x \leq 0.30$ ) 30
- Strain rate  
on phase transition velocities of NiTi shape memory alloys 70
- Structural and optical properties  
influence of aluminum doping in  $\text{CuInS}_2$  prepared by spray pyrolysis on different substrates 85
- Structure  
preparation and dielectric properties of compositionally graded lead barium zirconate thin films 358
- Super-exchange  
structural and magnetic properties of  $(\text{La}_{0.70-x}\text{Y}_x)\text{Ba}_{0.30}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  perovskites simultaneously doped on A and B sites ( $0.0 \leq x \leq 0.30$ ) 30
- Surface roughness  
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339
- Surfactant  
surfactant-assisted solvothermal synthesis of single-crystalline ternary Bi–Sb–Te hexagonal nanoplates 120
- Synthesis  
studies on the synthesis of a Mo–30 wt% W alloy by non-conventional approaches 211
- TEM  
study of Fe-rich FePt nanoparticles synthesized by a single step reverse micelle route 297
- Temperature  
on phase transition velocities of NiTi shape memory alloys 70
- Thermal analysis  
thermodynamic and transport properties of the  $\text{PrBr}_3\text{–RbBr}$  binary system 269
- Thermal expansion  
effect of Zr on the thermal stability and magnetic properties of  $\text{Fe}_{78}\text{Si}_9\text{B}_{13}$  glassy alloy 227
- Thermal stability  
fabrication of Al-based bulk metallic glass by mechanical alloying and vacuum hot consolidation 164
- effect of Zr on the thermal stability and magnetic properties of  $\text{Fe}_{78}\text{Si}_9\text{B}_{13}$  glassy alloy 227
- Thermodynamic modeling  
giant magnetocaloric and barocaloric effects in  $\text{Mn}(\text{As}_{1-x}\text{Sb}_x)$  177
- Thermodynamic properties  
thermodynamic and transport properties of the  $\text{PrBr}_3\text{–RbBr}$  binary system 269
- Thermoelectric properties  
high-temperature transport and thermoelectric properties of  $\text{Ca}_3\text{Co}_{4-x}\text{Ti}_x\text{O}_9$  115
- Thermoluminescence  
thermoluminescence characteristics of gamma irradiated  $\text{CaS:Ce}$  nanophosphors 190
- Thick films  
elaboration and characterization of transparent  $\text{GdTaO}_4\cdot\text{Tb}^{3+}$  thick films fabricated by sol–gel process 371
- Thin films  
polycrystalline PbSe on a polyimide substrate 6
- $\text{Ti}_2\text{AlC}$   
synthesis of  $\text{Ti}_2\text{AlC}$  by laser-induced self-propagating high-temperature sintering L1
- TiC  
synthesis of  $\text{Ti}_2\text{AlC}$  by laser-induced self-propagating high-temperature sintering L1
- $\text{TiO}_2$  thin film  
pure and silver (2.5–40 vol%) modified  $\text{TiO}_2$  thin films deposited by radio frequency magnetron sputtering at room temperature: Surface topography, energy gap and photo-induced hydrophilicity 154
- $\text{TiO}_2\text{–SiO}_2$   
the effect of rare earth dopants on the structure, surface texture and photocatalytic properties of  $\text{TiO}_2\text{–SiO}_2$  prepared by sol–gel method 143
- Titania  
low-temperature wet-chemical preparation of titania nanocrystallines by utilizing  $\gamma\text{-Al}_2\text{O}_3$  as fluorine scavenger L38
- Titanium dioxide  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light L8
- Transition metal alloys  
hyperfine interactions and local environment effects in  $\text{Fe}_x\text{Ni}_{100-x}$  ( $x = 55\text{--}67$ ) Invar alloys:  $^{57}\text{Fe}$  Mössbauer spectroscopy data at 5 K 183  
studies of  $\text{Ti}_{1.5}\text{Zr}_{5.5}\text{V}_{0.5}(\text{M}_x\text{Ni}_{1-x})_{9.5}$  ( $\text{M} = \text{Cr, Mn, Fe, Co, Cu, Al}$ ): Part 1. Structural characteristics 236  
studies of  $\text{Ti}_{1.5}\text{Zr}_{5.5}\text{V}_{0.5}(\text{M}_x\text{Ni}_{1-x})_{9.5}$  ( $\text{M} = \text{Cr, Mn, Fe, Co, Cu, Al}$ ): Part 2. Hydrogen storage and electrochemical properties 245
- Transmission electron microscopy  
3C–SiC nanowires and micro-scaled polyhedra: Synthesis, characterization and properties 60
- Transparence  
effects of inorganic acid in DBSA-PANI polymerization on transparent PANI– $\text{SiO}_2$  hybrid conducting films 313
- Vacuum counter-pressure casting  
effect of holding pressure on the microstructure of vacuum counter-pressure casting aluminum alloy 352
- Vacuum hot pressing  
fabrication of Al-based bulk metallic glass by mechanical alloying and vacuum hot consolidation 164
- Vapor deposition  
polycrystalline PbSe on a polyimide substrate 6
- $\text{VB}_x$  anodes  
mechanochemical synthesis and electrochemical characterization of  $\text{VB}_x$  as high capacity anode materials for air batteries L12
- Visible light  
synthesis of carbon-modified  $\text{TiO}_2$  nanotube arrays for enhancing the photocatalytic activity under the visible light L8

- ZnFe<sub>2</sub>O<sub>4</sub>/MWCNTs composite with enhanced photocatalytic activity under visible-light irradiation 168
- Water vapor  
the interaction of Zr<sub>2</sub>Fe surface with O<sub>2</sub> and H<sub>2</sub>O at the temperature range 300–770 K 221
- White LEDs  
synthesis and luminescent properties of Eu<sup>3+</sup>-activated molybdate-based novel red-emitting phosphors for white LEDs 124
- XAFS  
XAFS studies of ytterbium doped lead-telluride 159
- X-ray diffraction  
biomolecule-assisted synthesis of Ag<sub>3</sub>SbS<sub>3</sub> nanorods L15  
synthesis of ZnO clusters within ZSM-5 crystals by thermal diffusion method L25  
polycrystalline PbSe on a polyimide substrate 6  
lanthanum doped BiFeO<sub>3</sub> powders: Syntheses and characterization 25  
effect of zinc substitution on structural and magnetic properties of copper ferrite 37  
3C-SiC nanowires and micro-scaled polyhedra: Synthesis, characterization and properties 60  
persistent UV phosphors for application in photo catalysis 193  
local distortion in Co-doped LSMO from entropy-maximized charge density distribution 307
- X-ray scattering  
electronic structure of Cr–Al alloy: Theory and experiment 1
- X-ray structure factors  
*Ab-initio* determination of X-ray structure factors and the Compton profiles of CdO 136
- Yb mean valence  
XAFS studies of ytterbium doped lead-telluride 159
- Ytterbium doping  
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339
- Zinc oxide  
comparative effects of indium/ytterbium doping on, mechanical and gas-sensitivity-related morphological, properties of sprayed ZnO compounds 339
- Zinc sulfide  
synthesis and characterization of Zn<sub>1-x</sub>Cu<sub>x</sub>S and Zn<sub>1-x</sub>Ni<sub>x</sub>S nanoparticles and their applications as photocatalyst in Congo red degradation 130
- ZnFe<sub>2</sub>O<sub>4</sub>  
ZnFe<sub>2</sub>O<sub>4</sub>/MWCNTs composite with enhanced photocatalytic activity under visible-light irradiation 168
- ZnO  
aqueous phase approach to ZnO microspindles at low temperature 375