



Subject Index of Volume 508

ac Conductivity

- electrical conductivity and dielectric spectroscopic studies of PVA–Ag nanocomposite films 406

Aging

- enhanced ferroelectric properties in $\text{BiFe}_{0.95}\text{Mn}_{0.05}\text{O}_3$ thin films 520

Aging treatment

- martensitic transformation and shape memory recovery property of $\text{Cu}_{72}\text{Al}_{26.5}\text{Nb}_{1.5}$ high temperature shape memory alloy 329

Aluminates

- luminescent properties of $\text{Ca}_{0.97}\text{Al}_2\text{O}_4\text{:Eu}_{0.01}^{2+}, \text{Dy}_{0.02}^{3+}$ phosphors prepared by combustion method at different initiating temperatures 262

Amorphous materials

- effect of rare-earth dopants on the thermal behavior of tungsten–tellurite glasses 266

Annealing

- effects of cadmium salts on the structure, morphology and optical properties of acidic chemical bath deposited CdS thin films 297

Anode

- hydrothermal synthesis and electrochemical properties of nano-sized Co–Sn alloy anodes for lithium ion batteries 629

Aspect ratio

- synthesis and formation mechanisms of high aspect ratio $\text{KNb}_3\text{Bi}_2\text{O}_{16}$ template via topochemical method L16

Ball milling

- preparation and characterization of nanocrystalline Mg_2FeH_6 554

Basicity

- synthesis of LaMO_3 ($\text{M} = \text{Fe}, \text{Co}, \text{Ni}$) using nitrate or nitrite molten salts 301

BaSrTiO₃

- structure and dielectric behavior of nano-structure ferroelectric $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ prepared by sol–gel method 354

Bioactivity

- bioactivity and corrosion properties of novel coatings containing strontium by micro-arc oxidation 384

Bismuth

- enthalpy increment and heat capacity of Pb_3Bi 333

BNBT6 ceramics

- effect of Dy_2O_3 on the structure and electrical properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ lead-free piezoelectric ceramics 546

Bond

- bonding and hardness of $\text{LnMgAl}_{11}\text{O}_{19}$ ($\text{Ln} = \text{La}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}$) 625

Boron-doping

- effect of boron-doping on thermoelectric properties of rutile-type titanium dioxide sintered materials 582

Branching ratio

- thickness dependence of the $L_{2,3}$ branching ratio of Cr thin films 233

Calorimetry

- enthalpy increment and heat capacity of Pb_3Bi 333

CALPHAD

- thermodynamic modeling of the Mg–Sn–Zn ternary system 570

Catalysis

- fabrication, microstructure and electrocatalytic property of novel nanoporous palladium composites 463
- antibacterial and photocatalytic activities of sonochemically prepared ZnO and Ag–ZnO 587

CdS thin films

- effects of cadmium salts on the structure, morphology and optical properties of acidic chemical bath deposited CdS thin films 297

CdTe quantum dots

- synthesis and upconversion luminescent properties of water-soluble CdTe quantum dots L13

Ce³⁺ ions

- effects of halides on luminescence behaviors of Ce^{3+} ions in chalcogenide glasses L24

Ceramics

- formation of $\text{Ti}_2\text{AlC}_{0.5}\text{N}_{0.5}$ solid solutions by combustion synthesis of Al_4C_3 -containing samples in nitrogen 324
- numerical study on dielectric permittivity for the ferroelectric ceramic with composition $\text{KTa}_{0.6}\text{Nb}_{0.4}\text{O}_3$ 453
- structures and solid solution mechanisms of pyrochlore phases in the systems Bi_2O_3 –ZnO–(Nb, Ta)₂O₅ 457
- nanocrystalline SrHfO_3 synthesized through a single step auto-igniting combustion technique and its characterization 532
- preparation of heterostructured Ag/BaTiO₃ nanofibers via electrospinning 536

Ceria–zirconia

- effect of synthesis condition on properties of $\text{Ce}_{0.67}\text{Zr}_{0.33}\text{O}_2$ mixed oxides and its application in Pd-only three-way catalysts 500

Chalcogenide glass

- effects of halides on luminescence behaviors of Ce^{3+} ions in chalcogenide glasses L24

Chalcogenides

- crystal structure of $\text{R}_3\text{Ge}_{1+x}\text{Se}_7$ ($\text{R} = \text{La}, \text{Ce}, \text{Pr}, \text{Sm}, \text{Gd}$ and Tb , $x = 0.43$ – 0.49) and magnetic properties of $\text{Ce}_3\text{Ge}_{1.47}\text{Se}_7$ 258

Chemical bath deposition

- effects of cadmium salts on the structure, morphology and optical properties of acidic chemical bath deposited CdS thin films 297

Chemical synthesis

- solvothermal route to Fe–N–S–O nanowires L28
- room temperature magnetic and magnetocaloric properties of $\text{La}_{0.67}\text{Ba}_{0.33}\text{Mn}_{0.98}\text{Ti}_{0.02}\text{O}_3$ perovskite 292
- antibacterial and photocatalytic activities of sonochemically prepared ZnO and Ag–ZnO 587
- microwave-hydrothermal synthesis of barium strontium titanate nanoparticles 620

Coatings

- bioactivity and corrosion properties of novel coatings containing strontium by micro-arc oxidation 384

Co-based amorphous ribbon

- rotation-field annealing effect on magnetoelectrical impedance of Co-based amorphous ribbons 528

- Coercivity
 roles of nanocrystal interfaces on L_{10} ordering phase transitions in FePt thin films 512
 annealing effects on structural and magnetic properties of Co-doped ZnO nanowires synthesized by an electrodeposition process 516
- Combustion method
 luminescent properties of $\text{Ca}_{0.97}\text{Al}_2\text{O}_4:\text{Eu}_{0.01}^{2+}, \text{Dy}_{0.02}^{3+}$ phosphors prepared by combustion method at different initiating temperatures 262
- Combustion synthesis
 formation of $\text{Ti}_2\text{AlC}_{0.5}\text{N}_{0.5}$ solid solutions by combustion synthesis of Al_4C_3 -containing samples in nitrogen 324
 nanocrystalline SrHfO_3 synthesized through a single step auto-igniting combustion technique and its characterization 532
- Composite
 the preparation and characterization of Ni-Fe bixide composite nanoparticles 396
- Composite materials
 effect of Ag addition on the as-cast microstructure of Cu-8 wt.% Fe in situ composites 320
 preparation of heterostructured Ag/BaTiO₃ nanofibers via electrospinning 536
- Co-precipitation
 the preparation and characterization of Ni-Fe bixide composite nanoparticles 396
- Corrosion
 bioactivity and corrosion properties of novel coatings containing strontium by micro-arc oxidation 384
 fabrication, microstructure and electrocatalytic property of novel nanoporous palladium composites 463
- Co-Sn alloy
 hydrothermal synthesis and electrochemical properties of nano-sized Co-Sn alloy anodes for lithium ion batteries 629
- Cr
 thickness dependence of the $L_{2,3}$ branching ratio of Cr thin films 233
- Critical phenomena
 tricritical point and critical exponents of $\text{La}_{0.7}\text{Ca}_{0.3-x}\text{Sr}_x\text{MnO}_3$ ($x = 0, 0.05, 0.1, 0.2, 0.25$) single crystals 238
- Crystal and ligand fields
 structural evolution induced by acceptor doping into BaTiO₃ ceramics 486
- Crystal growth
 microstructure and growth mechanism of SiC nanowires with periodically fluctuating hexagonal prisms by CVD L36
 microstructure evolution of directionally solidified DZ125 superalloy with melt superheating treatment 440
- Crystal structures
 crystal structure of $\text{R}_3\text{Ge}_{1+x}\text{Se}_7$ ($\text{R} = \text{La, Ce, Pr, Sm, Gd and Tb}, x = 0.43-0.49$) and magnetic properties of $\text{Ce}_3\text{Ge}_{1.47}\text{Se}_7$ 258
 BaNiSn₃-type ternary germanides SrMGe_3 ($\text{M} = \text{Ir; Pd and Pt}$) 338
 structures and solid solution mechanisms of pyrochlore phases in the systems $\text{Bi}_2\text{O}_3\text{-ZnO-(Nb, Ta)}_2\text{O}_5$ 457
 microwave-hydrothermal synthesis of barium strontium titanate nanoparticles 620
- Crystal structure and equation-of-state
 high-pressure behavior of otavite (CdCO_3) 251
- $\text{Cu}_{72}\text{Al}_{26.5}\text{Nb}_{1.5}$ alloy
 martensitic transformation and shape memory recovery property of $\text{Cu}_{72}\text{Al}_{26.5}\text{Nb}_{1.5}$ high temperature shape memory alloy 329
- Cyclic stability
 mechanisms of improving the cyclic stability of V-Ti-based hydrogen storage electrode alloys 592
- 3d Transition metals
 thickness dependence of the $L_{2,3}$ branching ratio of Cr thin films 233
- dc Conductivity
 electrical conductivity and dielectric spectroscopic studies of PVA-Ag nanocomposite films 406
- Debye theory
 numerical study on dielectric permittivity for the ferroelectric ceramic with composition $\text{KTa}_{0.6}\text{Nb}_{0.4}\text{O}_3$ 453
- Defect complexes
 enhanced ferroelectric properties in $\text{BiFe}_{0.95}\text{Mn}_{0.05}\text{O}_3$ thin films 520
- Desorption
 preparation and characterization of nanocrystalline Mg_2FeH_6 554
- Dielectric
 numerical study on dielectric permittivity for the ferroelectric ceramic with composition $\text{KTa}_{0.6}\text{Nb}_{0.4}\text{O}_3$ 453
- Dielectric constant
 electrical conductivity and dielectric spectroscopic studies of PVA-Ag nanocomposite films 406
- Dielectric permittivity
 structure and dielectric behavior of nano-structure ferroelectric $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ prepared by sol-gel method 354
- Dielectric properties
 raman investigation and functional characterization of $(\text{Pb}_{0.8}\text{La}_{0.2})(\text{Mg}_{0.4}\text{Nb}_{0.6})\text{O}_3$ ceramics prepared by the columbite method 391
 synthesis of $(1-x)\text{ZnAl}_2\text{O}_4\text{-xTiO}_2$ microwave dielectric ceramics by molten-salt process 507
 effect of Dy_2O_3 on the structure and electrical properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ lead-free piezoelectric ceramics 546
 low-temperature synthesis and characterization of complex perovskite $(\text{Ca}_{0.61}, \text{Nd}_{0.26})\text{TiO}_3\text{-(Nd}_{0.55}, \text{Li}_{0.35})\text{TiO}_3$ nanopowders and ceramics by sol-gel method 610
- Doped manganites
 tricritical point and critical exponents of $\text{La}_{0.7}\text{Ca}_{0.3-x}\text{Sr}_x\text{MnO}_3$ ($x = 0, 0.05, 0.1, 0.2, 0.25$) single crystals 238
- Doping
 influence of Fe_2O_3 doping on microstructural and electrical properties of $\text{ZnO-Pr}_6\text{O}_{11}$ based varistor ceramic materials 494
- DRX
 high temperature deformability and microstructural evolution of Ti-47Al-2Cr-0.2Mo alloy 359
- Dy_2O_3 -doped
 effect of Dy_2O_3 on the structure and electrical properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ lead-free piezoelectric ceramics 546
- EBSD
 high temperature deformability and microstructural evolution of Ti-47Al-2Cr-0.2Mo alloy 359
- Electric modulus
 electrical conductivity and dielectric spectroscopic studies of PVA-Ag nanocomposite films 406
- Electrical properties
 influence of Fe_2O_3 doping on microstructural and electrical properties of $\text{ZnO-Pr}_6\text{O}_{11}$ based varistor ceramic materials 494
 microstructure and mechanical properties of $\text{TiN/Si}_3\text{N}_4$ nanocomposites by spark plasma sintering (SPS) 540
- Electrical transport properties
 electrical transport properties of F-doped LaFeAsO oxypnictide 606
- Electron Escape depth
 thickness dependence of the $L_{2,3}$ branching ratio of Cr thin films 233
- Electron microscopy
 microwave-hydrothermal synthesis of barium strontium titanate nanoparticles 620
- Electronic and magnetic properties
 first-principles study of spin-polarized electronic band structures in ferromagnetic $\text{Zn}_{1-x}\text{TM}_x\text{S}$ ($\text{TM} = \text{Fe, Co and Ni}$) 245
- Electronic materials
 effect of sintering procedure on the resistivity of $(1-x)\text{BaTiO}_{3-x}(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ ceramics 559
- Electronic properties
 preparation of heterostructured Ag/BaTiO₃ nanofibers via electrospinning 536

- Electro-optical properties
influence of the oxygen pressure on the physical properties of the pulsed-laser deposited Te doped SnO_2 thin films 342
- Electroresistance
colossal electroresistance in $\text{Sm}_{0.55}\text{Sr}_{0.45}\text{MnO}_3$ L32
- Engineering strain
high temperature deformability and microstructural evolution of Ti–47Al–2Cr–0.2Mo alloy 359
- Enthalpy increment
enthalpy increment and heat capacity of Pb_3Bi 333
- FeCl_2 solution
the preparation and characterization of Ni–Fe bixide composite nanoparticles 396
- Femtosecond laser
synthesis and upconversion luminescent properties of water-soluble CdTe quantum dots L13
- Fe_2O_3
influence of Fe_2O_3 doping on microstructural and electrical properties of ZnO – Pr_6O_{11} based varistor ceramic materials 494
- $\text{Fe}_3\text{O}_4/\text{Ag}$ composites
sonochemical synthesis and characterization of magnetic separable $\text{Fe}_3\text{O}_4/\text{Ag}$ composites and its catalytic properties 400
- FePt thin film
roles of nanocrystal interfaces on $L1_0$ ordering phase transitions in FePt thin films 512
- Ferrites
nanocrystalline Mn–Zn ferrites from mixed oxalates: Synthesis, stability and magnetic properties 433
structural and magnetic susceptibility characteristics of $\text{Mn}_{1-x}\text{Cu}_x\text{Fe}_2\text{O}_4$ ($x = 0$ –0.4) nanoparticles synthesized by self-assembling confined media of reverse micelle 565
- Ferroelectric property
effect of Dy_2O_3 on the structure and electrical properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ lead-free piezoelectric ceramics 546
- Ferroelectricity
effect of sintering procedure on the resistivity of $(1-x)\text{BaTiO}_{3-x}(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ ceramics 559
- Ferroelectrics
study on $\text{Pb}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ – $\text{Pb}(\text{Mn}_{1/3}\text{Sb}_{2/3})\text{O}_3$ – $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ high power piezoelectric ceramics near the morphotropic phase boundary 364
numerical study on dielectric permittivity for the ferroelectric ceramic with composition $\text{KTa}_{0.6}\text{Nb}_{0.4}\text{O}_3$ 453
structural evolution induced by acceptor doping into BaTiO_3 ceramics 486
enhanced ferroelectric properties in $\text{BiFe}_{0.95}\text{Mn}_{0.05}\text{O}_3$ thin films 520
- Ferromagnetic semiconductor
Mn-rich clusters in GeMn magnetic semiconductors: Structural evolution and magnetic property 273
- Field-annealing
rotation-field annealing effect on magnetoimpedance of Co-based amorphous ribbons 528
- First-principles
effect of 6.25 at% Al addition on structural stability of magnesium under high pressure: A first-principles study 616
- Flow stress
high temperature deformability and microstructural evolution of Ti–47Al–2Cr–0.2Mo alloy 359
- FPLAPW
first-principles study of spin-polarized electronic band structures in ferromagnetic $\text{Zn}_{1-x}\text{TM}_x\text{S}$ (TM = Fe, Co and Ni) 245
- Half-metallic ferromagnetism
first-principles study of spin-polarized electronic band structures in ferromagnetic $\text{Zn}_{1-x}\text{TM}_x\text{S}$ (TM = Fe, Co and Ni) 245
- Halides
effects of halides on luminescence behaviors of Ce^{3+} ions in chalcogenide glasses L24
- Hardening
frictional shear induced modification of the mechanical properties of TiAl(Nb) intermetallics near the surface 446
- Hardness
mechanical properties of the hexagonal HoMnO_3 thin films by nanoindentation 523
bonding and hardness of $\text{LnMgAl}_{11}\text{O}_{19}$ (Ln = La; Pr; Nd; Sm; Eu; Gd) 625
- Heat capacity
enthalpy increment and heat capacity of Pb_3Bi 333
- Heterojunction diodes
synthesis and characterization of zinc oxide nanorods on silicon for the fabrication of p -Si/ n -ZnO heterojunction diode 375
- Heterojunctions
preparation of heterostructured Ag/BaTiO₃ nanofibers via electrospinning 536
- Hexagonal HoMnO_3 thin films
mechanical properties of the hexagonal HoMnO_3 thin films by nanoindentation 523
- High power
high-pressure behavior of otavite (CdCO_3) 251
study on $\text{Pb}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ – $\text{Pb}(\text{Mn}_{1/3}\text{Sb}_{2/3})\text{O}_3$ – $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ high power piezoelectric ceramics near the morphotropic phase boundary 364
- High pressures
effect of 6.25 at% Al addition on structural stability of magnesium under high pressure: A first-principles study 616
- High transparency
influence of substrate temperature on mechanical, optical and electrical properties of $\text{ZnO}:\text{Al}$ films 370
- High-temperature alloys
microstructure evolution of directionally solidified DZ125 superalloy with melt superheating treatment 440
- Hydrogen storage
preparation and characterization of nanocrystalline Mg_2FeH_6 554
- Hydrogen storage electrode alloys
mechanisms of improving the cyclic stability of V–Ti-based hydrogen storage electrode alloys 592
- Hydrotalcite-like compound
structural characterization and related properties of the stearate anions intercalated Ni–Al hydrotalcite-like compound prepared by the microwave crystallization 426
- Hydrothermal route
hydrothermal synthesis and electrochemical properties of nano-sized Co–Sn alloy anodes for lithium ion batteries 629
- Hypereutectic Al–Si alloys
effect of Nd on microstructure and wear resistance of hypereutectic Al–20%Si alloy 480
- Inorganic materials
high-pressure behavior of otavite (CdCO_3) 251
- Interface
roles of nanocrystal interfaces on $L1_0$ ordering phase transitions in FePt thin films 512
- Intermetallic compound
enthalpy increment and heat capacity of Pb_3Bi 333
- Intermetallics
effect of plastic deformation and semisolid forming on iron–manganese rich intermetallics in Al–8Si–3Cu–4Fe–2Mn alloy 315
BaNiSn₃-type ternary germanides SrMGe_3 (M = Ir; Pd and Pt) 338
- LaMO_3
synthesis of LaMO_3 (M = Fe, Co, Ni) using nitrate or nitrite molten salts 301
- Laves phases
crystal structure of $\text{ErFe}_2\text{D}_{3.1}$ and $\text{ErFe}_2\text{H}_{3.1}$ at 450 K 348
- Lead
enthalpy increment and heat capacity of Pb_3Bi 333
- Lithium ion battery
hydrothermal synthesis and electrochemical properties of nano-sized Co–Sn alloy anodes for lithium ion batteries 629

- LnMgAl₁₁O₁₉
bonding and hardness of LnMgAl₁₁O₁₉ (Ln = La; Pr; Nd; Sm; Eu; Gd) 625
- Luminescence
preparation and luminescent properties of a novel red emitting phosphor of Ca_{1-2x}M_xIn₂O₄:xEu³⁺ (M = Li, Na, K) for white LED solid-state lighting 475
antibacterial and photocatalytic activities of sonochemically prepared ZnO and Ag-ZnO 587
- Magnetic materials
room temperature magnetic and magnetocaloric properties of La_{0.67}Ba_{0.33}Mn_{0.98}Ti_{0.02}O₃ perovskite 292
- Magnetic measurements
BaNiSn₃-type ternary germanides SrMGe₃ (M = Ir; Pd and Pt) 338
investigations of DC-magnetization behavior of nanocrystalline ZnO:Ni 419
- Magnetic precipitation
Mn-rich clusters in GeMn magnetic semiconductors: Structural evolution and magnetic property 273
- Magnetic properties
crystal structure of R₃Ge_{1+x}Se₇ (R = La, Ce, Pr, Sm, Gd and Tb, x = 0.43–0.49) and magnetic properties of Ce₃Ge_{1.47}Se₇ 258
structural and magnetic susceptibility characteristics of Mn_{1-x}Cu_xFe₂O₄ (x = 0–0.4) nanoparticles synthesized by self-assembling confined media of reverse micelle 565
- Magnetic transition
tricritical point and critical exponents of La_{0.7}Ca_{0.3-x}Sr_xMnO₃ (x = 0, 0.05, 0.1, 0.2, 0.25) single crystals 238
- Magnetically ordered materials
investigations of DC-magnetization behavior of nanocrystalline ZnO:Ni 419
- Magnetocaloric effect
room temperature magnetic and magnetocaloric properties of La_{0.67}Ba_{0.33}Mn_{0.98}Ti_{0.02}O₃ perovskite 292
- Magnetoelectric
detection of the magnetic and electric transitions by electron paramagnetic resonance and low-field microwave absorption in the magnetoelectric Pb(Fe_{0.5}Ta_{0.5})O₃ 471
- Magnetoimpedance
rotation-field annealing effect on magnetoimpedance of Co-based amorphous ribbons 528
- Magnetoresistance
tricritical point and critical exponents of La_{0.7}Ca_{0.3-x}Sr_xMnO₃ (x = 0, 0.05, 0.1, 0.2, 0.25) single crystals 238
- Manganite material
colossal electroresistance in Sm_{0.55}Sr_{0.45}MnO₃ L32
- Materials processing
nanocrystalline SrHfO₃ synthesized through a single step auto-igniting combustion technique and its characterization 532
- Mechanical properties
influence of substrate temperature on mechanical, optical and electrical properties of ZnO:Al films 370
microstructure and mechanical properties of TiN/Si₃N₄ nanocomposites by spark plasma sintering (SPS) 540
- Mechanism
hydrothermal synthesis and electrochemical properties of nano-sized Co-Sn alloy anodes for lithium ion batteries 629
- Metal hydride
crystal structure of ErFe₂D_{3.1} and ErFe₂H_{3.1} at 450 K 348
- Metallography
effect of plastic deformation and semisolid forming on iron-manganese rich intermetallics in Al-8Si-3Cu-4Fe-2Mn alloy 315
influence of the current flow on the SPS sintering of a Ni powder 412
- Metals and alloys
effect of plastic deformation and semisolid forming on iron-manganese rich intermetallics in Al-8Si-3Cu-4Fe-2Mn alloy 315
influence of the current flow on the SPS sintering of a Ni powder 412
fabrication, microstructure and electrocatalytic property of novel nanoporous palladium composites 463
effect of 6.25 at% Al addition on structural stability of magnesium under high pressure: A first-principles study 616
- Mg-based alloys
thermodynamic modeling of the Mg-Sn-Zn ternary system 570
- Mg-Sn-Zn ternary system
thermodynamic modeling of the Mg-Sn-Zn ternary system 570
- Micro-arc oxidation (MAO)
bioactivity and corrosion properties of novel coatings containing strontium by micro-arc oxidation 384
- Microstructure
microstructure and growth mechanism of SiC nanowires with periodically fluctuating hexagonal prisms by CVD L36
room temperature magnetic and magnetocaloric properties of La_{0.67}Ba_{0.33}Mn_{0.98}Ti_{0.02}O₃ perovskite 292
effect of plastic deformation and semisolid forming on iron-manganese rich intermetallics in Al-8Si-3Cu-4Fe-2Mn alloy 315
effect of Ag addition on the as-cast microstructure of Cu-8 wt.% Fe in situ composites 320
influence of the current flow on the SPS sintering of a Ni powder 412
microstructure evolution of directionally solidified DZ125 superalloy with melt superheating treatment 440
- Microstructure-final
raman investigation and functional characterization of (Pb_{0.8}La_{0.2})(Mg_{0.4}Nb_{0.6})O₃ ceramics prepared by the columbite method 391
- Microwave
microwave-hydrothermal synthesis of barium strontium titanate nanoparticles 620
- Microwave radiation
structural characterization and related properties of the stearate anions intercalated Ni-Al hydrotalcite-like compound prepared by the microwave crystallization 426
- Mn-doped BiFeO₃
enhanced ferroelectric properties in BiFe_{0.95}Mn_{0.05}O₃ thin films 520
- Modification
effect of Nd on microstructure and wear resistance of hypereutectic Al-20%Si alloy 480
- Molecular beam epitaxy (MBE)
Mn-rich clusters in GeMn magnetic semiconductors: Structural evolution and magnetic property 273
- Molten salt synthesis
synthesis of LaMO₃ (M = Fe, Co, Ni) using nitrate or nitrite molten salts 301
- Molten-salt process
synthesis of (1 - x)ZnAl₂O₄-xTiO₂ microwave dielectric ceramics by molten-salt process 507
- Morphology
synthesis and formation mechanisms of high aspect ratio KNb₃Bi₂O₁₆ template via topochemical method L16
- Morphotropic phase boundary
study on Pb(Mg_{1/3}Ta_{2/3})O₃-Pb(Mn_{1/3}Sb_{2/3})O₃-Pb(Zr_xTi_{1-x})O₃ high power piezoelectric ceramics near the morphotropic phase boundary 364
- Multiferroic
detection of the magnetic and electric transitions by electron paramagnetic resonance and low-field microwave absorption in the magnetoelectric Pb(Fe_{0.5}Ta_{0.5})O₃ 471
- Nanocomposites
microstructure and mechanical properties of TiN/Si₃N₄ nanocomposites by spark plasma sintering (SPS) 540
low-temperature synthesis and characterization of complex perovskite (Ca_{0.61}, Nd_{0.26})TiO₃-(Nd_{0.55}, Li_{0.35})TiO₃ nanopowders and ceramics by sol-gel method 610
- Nanocrystalline films
photoinduced effects in TiO₂ nanocrystalline films with different morphology 599
- Nanocrystalline Mg₂FeH₆
preparation and characterization of nanocrystalline Mg₂FeH₆ 554

- Nanofabrications
preparation of heterostructured Ag/BaTiO₃ nanofibers via electrospinning 536
- Nanoindentation
mechanical properties of the hexagonal HoMnO₃ thin films by nanoindentation 523
- Nanomechanical testing
frictional shear induced modification of the mechanical properties of TiAl(Nb) intermetallics near the surface 446
- Nanoparticles
the preparation and characterization of Ni-Fe bixide composite nanoparticles 396
nanocrystalline SrHfO₃ synthesized through a single step auto-igniting combustion technique and its characterization 532
microwave-hydrothermal synthesis of barium strontium titanate nanoparticles 620
- Nanorods
synthesis and characterization of zinc oxide nanorods on silicon for the fabrication of *p*-Si/*n*-ZnO heterojunction diode 375
- Nano-structure BaTiO₃
structure and dielectric behavior of nano-structure ferroelectric Ba_xSr_{1-x}TiO₃ prepared by sol-gel method 354
- Nanostructured materials
large scale, low temperature hotplate synthesis of germanium dioxide nanowires L21
solvothermal route to Fe-N-S-O nanowires L28
fabrication, microstructure and electrocatalytic property of novel nanoporous palladium composites 463
- Nanostructures
influence of substrate temperature on mechanical, optical and electrical properties of ZnO:Al films 370
- Nanowires
microstructure and growth mechanism of SiC nanowires with periodically fluctuating hexagonal prisms by CVD L36
annealing effects on structural and magnetic properties of Co-doped ZnO nanowires synthesized by an electrodeposition process 516
- Neodymium
effect of Nd on microstructure and wear resistance of hypereutectic Al-20%Si alloy 480
- Neutron diffraction
crystal structure of ErFe₂D_{3,1} and ErFe₂H_{3,1} at 450 K 348
- Niobates
raman investigation and functional characterization of (Pb_{0,8}La_{0,2})(Mg_{0,4}Nb_{0,6})O₃ ceramics prepared by the columbite method 391
- Optical spectroscopy
high-pressure behavior of otavite (CdCO₃) 251
- Ordering
roles of nanocrystal interfaces on L1₀ ordering phase transitions in FePt thin films 512
- Oxalates
nanocrystalline Mn-Zn ferrites from mixed oxalates: Synthesis, stability and magnetic properties 433
- Oxidation
large scale, low temperature hotplate synthesis of germanium dioxide nanowires L21
- Oxide
the preparation and characterization of Ni-Fe bixide composite nanoparticles 396
- Oxide materials
large scale, low temperature hotplate synthesis of germanium dioxide nanowires L21
investigations of DC-magnetization behavior of nanocrystalline ZnO:Ni 419
- Oxyarsenide
electrical transport properties of F-doped LaFeAsO oxypnictide 606
- Oxygen storage capacity
effect of synthesis condition on properties of Ce_{0,67}Zr_{0,33}O₂ mixed oxides and its application in Pd-only three-way catalysts 500
- Pd-only three-way catalyst
effect of synthesis condition on properties of Ce_{0,67}Zr_{0,33}O₂ mixed oxides and its application in Pd-only three-way catalysts 500
- Perovskites
synthesis of LaMO₃ (M = Fe, Co, Ni) using nitrate or nitrite molten salts 301
raman investigation and functional characterization of (Pb_{0,8}La_{0,2})(Mg_{0,4}Nb_{0,6})O₃ ceramics prepared by the columbite method 391
numerical study on dielectric permittivity for the ferroelectric ceramic with composition KTa_{0,6}Nb_{0,4}O₃ 453
detection of the magnetic and electric transitions by electron paramagnetic resonance and low-field microwave absorption in the magnetoelectric Pb(Fe_{0,5}Ta_{0,5})O₃ 471
low-temperature synthesis and characterization of complex perovskite (Ca_{0,61},Nd_{0,26})TiO₃-(Nd_{0,55},Li_{0,35})TiO₃ nanopowders and ceramics by sol-gel method 610
- Phase diagram
thermodynamic modeling of the Mg-Sn-Zn ternary system 570
- Phase-separation
colossal electroresistance in Sm_{0,55}Sr_{0,45}MnO₃ L32
- Phosphor
preparation and luminescent properties of a novel red emitting phosphor of Ca_{1-2x}M_xIn₂O₄:xEu³⁺ (M = Li, Na, K) for white LED solid-state lighting 475
- Phosphorescence
luminescent properties of Ca_{0,97}Al₂O₄:Eu_{0,01}²⁺,Dy_{0,02}³⁺ phosphors prepared by combustion method at different initiating temperatures 262
- Photoinduced
photoinduced effects in TiO₂ nanocrystalline films with different morphology 599
- Photoluminescence
effects of halides on luminescence behaviors of Ce³⁺ ions in chalcogenide glasses L24
luminescent properties of Ca_{0,97}Al₂O₄:Eu_{0,01}²⁺,Dy_{0,02}³⁺ phosphors prepared by combustion method at different initiating temperatures 262
effects of cadmium salts on the structure, morphology and optical properties of acidic chemical bath deposited CdS thin films 297
synthesis and characterization of zinc oxide nanorods on silicon for the fabrication of *p*-Si/*n*-ZnO heterojunction diode 375
- Piezoelectric ceramics
study on Pb(Mg_{1/3}Ta_{2/3})O₃-Pb(Mn_{1/3}Sb_{2/3})O₃-Pb(Zr_xTi_{1-x})O₃ high power piezoelectric ceramics near the morphotropic phase boundary 364
- Piezoelectric property
effect of Dy₂O₃ on the structure and electrical properties of (Bi_{0,5}Na_{0,5})_{0,94}Ba_{0,06}TiO₃ lead-free piezoelectric ceramics 546
- Plate-like KNb₅Bi₂O₁₆ particles
synthesis and formation mechanisms of high aspect ratio KNb₅Bi₂O₁₆ template via topochemical method L16
- Polishing
frictional shear induced modification of the mechanical properties of TiAl(Nb) intermetallics near the surface 446
- Powder morphology
nanocrystalline Mn-Zn ferrites from mixed oxalates: Synthesis, stability and magnetic properties 433
- Primary silicon
effect of Nd on microstructure and wear resistance of hypereutectic Al-20%Si alloy 480
- Pr₆O₁₁
influence of Fe₂O₃ doping on microstructural and electrical properties of ZnO-Pr₆O₁₁ based varistor ceramic materials 494
- Pulsed-laser deposition
influence of the oxygen pressure on the physical properties of the pulsed-laser deposited Te doped SnO₂ thin films 342
- Pulverization
mechanisms of improving the cyclic stability of V-Ti-based hydrogen storage electrode alloys 592
- Pyrochlore
structures and solid solution mechanisms of pyrochlore phases in the systems Bi₂O₃-ZnO-(Nb, Ta)₂O₅ 457

- Quenching
effect of rare-earth dopants on the thermal behavior of tungsten-tellurite glasses 266
- Raman spectroscopy
raman investigation and functional characterization of $(\text{Pb}_{0.8}\text{La}_{0.2})(\text{Mg}_{0.4}\text{Nb}_{0.6})\text{O}_3$ ceramics prepared by the columbite method 391
- Rapid solidification
effect of rare-earth dopants on the thermal behavior of tungsten-tellurite glasses 266
effect of Ag addition on the as-cast microstructure of Cu-8 wt.% Fe in situ composites 320
- Rare earth compounds
crystal structure of $\text{R}_3\text{Ge}_{1+x}\text{Se}_7$ ($\text{R} = \text{La, Ce, Pr, Sm, Gd and Tb, } x = 0.43\text{--}0.49$) and magnetic properties of $\text{Ce}_3\text{Ge}_{1.47}\text{Se}_7$ 258
- Rare earth ions
influence of tungsten on the emission features of Nd^{3+} , Sm^{3+} and Eu^{3+} ions in $\text{ZnF}_2\text{--WO}_3\text{--TeO}_2$ glasses 278
- Rare-earth alloys and compounds
effect of rare-earth dopants on the thermal behavior of tungsten-tellurite glasses 266
a revision of the Sm-rich region of the Sm-Co system 309
- Recyclable catalysts
sonochemical synthesis and characterization of magnetic separable $\text{Fe}_3\text{O}_4/\text{Ag}$ composites and its catalytic properties 400
- Reducibility
effect of synthesis condition on properties of $\text{Ce}_{0.67}\text{Zr}_{0.33}\text{O}_2$ mixed oxides and its application in Pd-only three-way catalysts 500
- Relaxation time
electrical conductivity and dielectric spectroscopic studies of PVA-Ag nanocomposite films 406
- Resonant and non-resonant microwave absorption
detection of the magnetic and electric transitions by electron paramagnetic resonance and low-field microwave absorption in the magnetoelectric $\text{Pb}(\text{Fe}_{0.5}\text{Ta}_{0.5})\text{O}_3$ 471
- RhB
sonochemical synthesis and characterization of magnetic separable $\text{Fe}_3\text{O}_4/\text{Ag}$ composites and its catalytic properties 400
- Rietveld refinement
preparation and characterization of nanocrystalline Mg_2FeH_6 554
- Room-temperature ferromagnetism
annealing effects on structural and magnetic properties of Co-doped ZnO nanowires synthesized by an electrodeposition process 516
- Scanning electron microscopy
solvothermal route to Fe-N-S-O nanowires L28
a revision of the Sm-rich region of the Sm-Co system 309
microstructure evolution of directionally solidified DZ125 superalloy with melt superheating treatment 440
structural evolution induced by acceptor doping into BaTiO_3 ceramics 486
- Second harmonic generation
photoinduced effects in TiO_2 nanocrystalline films with different morphology 599
- SEM
large scale, low temperature hotplate synthesis of germanium dioxide nanowires L21
formation of $\text{Ti}_2\text{AlC}_{0.5}\text{N}_{0.5}$ solid solutions by combustion synthesis of Al_4C_3 -containing samples in nitrogen 324
- Semiconductors
photoconductivity kinetics in AgIn_5S_8 thin films 380
effect of sintering procedure on the resistivity of $(1-x)\text{BaTiO}_{3-x}(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ ceramics 559
antibacterial and photocatalytic activities of sonochemically prepared ZnO and Ag-ZnO 587
- Shape memory effect
martensitic transformation and shape memory recovery property of $\text{Cu}_{72}\text{Al}_{26.5}\text{Nb}_{1.5}$ high temperature shape memory alloy 329
- Silicon carbide
microstructure and growth mechanism of SiC nanowires with periodically fluctuating hexagonal prisms by CVD L36
- Silver nanoparticles
electrical conductivity and dielectric spectroscopic studies of PVA-Ag nanocomposite films 406
- Si_3N_4
microstructure and mechanical properties of TiN/ Si_3N_4 nanocomposites by spark plasma sintering (SPS) 540
- Sintering
microstructure and mechanical properties of TiN/ Si_3N_4 nanocomposites by spark plasma sintering (SPS) 540
effect of sintering procedure on the resistivity of $(1-x)\text{BaTiO}_{3-x}(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ ceramics 559
effect of boron-doping on thermoelectric properties of rutile-type titanium dioxide sintered materials 582
influence of the current flow on the SPS sintering of a Ni powder 412
- Sintering characteristics
synthesis of $(1-x)\text{ZnAl}_2\text{O}_4\text{--}x\text{TiO}_2$ microwave dielectric ceramics by molten-salt process 507
- Sm-Co phase diagram
a revision of the Sm-rich region of the Sm-Co system 309
- Sol-gel
structure and dielectric behavior of nano-structure ferroelectric $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ prepared by sol-gel method 354
- Sol-gel processes
low-temperature synthesis and characterization of complex perovskite $(\text{Ca}_{0.61}, \text{Nd}_{0.26})\text{TiO}_3\text{--}(\text{Nd}_{0.55}, \text{Li}_{0.35})\text{TiO}_3$ nanopowders and ceramics by sol-gel method 610
- Solid state reaction
colossal electroresistance in $\text{Sm}_{0.55}\text{Sr}_{0.45}\text{MnO}_3$ L32
structures and solid solution mechanisms of pyrochlore phases in the systems $\text{Bi}_2\text{O}_3\text{--ZnO--}(\text{Nb, Ta})_2\text{O}_5$ 457
- Solid-state reaction
preparation and luminescent properties of a novel red emitting phosphor of $\text{Ca}_{1-2x}\text{M}_x\text{In}_2\text{O}_4\text{:xEu}^{3+}$ ($\text{M} = \text{Li, Na, K}$) for white LED solid-state lighting 475
- Sonochemical
sonochemical synthesis and characterization of magnetic separable $\text{Fe}_3\text{O}_4/\text{Ag}$ composites and its catalytic properties 400
- Spectroscopic properties
influence of tungsten on the emission features of Nd^{3+} , Sm^{3+} and Eu^{3+} ions in $\text{ZnF}_2\text{--WO}_3\text{--TeO}_2$ glasses 278
- Spin-density-wave
electrical transport properties of F-doped LaFeAsO oxypnictide 606
- SPR
electrical conductivity and dielectric spectroscopic studies of PVA-Ag nanocomposite films 406
- Sputtering
influence of substrate temperature on mechanical, optical and electrical properties of ZnO:Al films 370
- Strontium
bioactivity and corrosion properties of novel coatings containing strontium by micro-arc oxidation 384
- Structural
first-principles study of spin-polarized electronic band structures in ferromagnetic $\text{Zn}_{1-x}\text{TM}_x\text{S}$ ($\text{TM} = \text{Fe, Co and Ni}$) 245
- Structural stability
effect of 6.25 at% Al addition on structural stability of magnesium under high pressure: A first-principles study 616
- Substrates
low-temperature synthesis and characterization of complex perovskite $(\text{Ca}_{0.61}, \text{Nd}_{0.26})\text{TiO}_3\text{--}(\text{Nd}_{0.55}, \text{Li}_{0.35})\text{TiO}_3$ nanopowders and ceramics by sol-gel method 610
- Synthesis condition
effect of synthesis condition on properties of $\text{Ce}_{0.67}\text{Zr}_{0.33}\text{O}_2$ mixed oxides and its application in Pd-only three-way catalysts 500

- TeO₂ glasses
 influence of tungsten on the emission features of Nd³⁺, Sm³⁺ and Eu³⁺ ions in ZnF₂-WO₃-TeO₂ glasses 278
- TGG
 synthesis and formation mechanisms of high aspect ratio KNb₅Bi₂O₁₆ template via topochemical method L16
- Thermal analysis
 effect of rare-earth dopants on the thermal behavior of tungsten-tellurite glasses 266
 a revision of the Sm-rich region of the Sm-Co system 309
- Thermal stability
 structural characterization and related properties of the stearate anions intercalated Ni-Al hydrotalcite-like compound prepared by the microwave crystallization 426
- Thermodynamic properties
 effect of rare-earth dopants on the thermal behavior of tungsten-tellurite glasses 266
- Thermoelectric
 electrical transport properties of F-doped LaFeAsO oxypnictide 606
- Thermoelectric properties
 effect of boron-doping on thermoelectric properties of rutile-type titanium dioxide sintered materials 582
- Thin films
 influence of substrate temperature on mechanical, optical and electrical properties of ZnO:Al films 370
 photoconductivity kinetics in AgIn₅S₈ thin films 380
 enhanced ferroelectric properties in BiFe_{0.95}Mn_{0.05}O₃ thin films 520
- Third harmonic generation
 photoinduced effects in TiO₂ nanocrystalline films with different morphology 599
- Ti₂AlC_{0.5}N_{0.5}
 formation of Ti₂AlC_{0.5}N_{0.5} solid solutions by combustion synthesis of Al₄C₃-containing samples in nitrogen 324
- Ti-47Al-2Cr-0.2Mo alloy
 high temperature deformability and microstructural evolution of Ti-47Al-2Cr-0.2Mo alloy 359
- Tin oxide
 influence of the oxygen pressure on the physical properties of the pulsed-laser deposited Te doped SnO₂ thin films 342
- TiO₂
 photoinduced effects in TiO₂ nanocrystalline films with different morphology 599
- Titanium aluminide
 frictional shear induced modification of the mechanical properties of TiAl(Nb) intermetallics near the surface 446
- Titanium oxide
 effect of boron-doping on thermoelectric properties of rutile-type titanium dioxide sintered materials 582
- Topochemical microcrystal conversion
 synthesis and formation mechanisms of high aspect ratio KNb₅Bi₂O₁₆ template via topochemical method L16
- Transformation behavior
 martensitic transformation and shape memory recovery property of Cu₇₂Al_{26.5}Nb_{1.5} high temperature shape memory alloy 329
- Transmission electron microscopy (TEM)
 Mn-rich clusters in GeMn magnetic semiconductors: Structural evolution and magnetic property 273
 structural evolution induced by acceptor doping into BaTiO₃ ceramics 486
- Transmission yield
 thickness dependence of the L_{2,3} branching ratio of Cr thin films 233
- Transparent conducting oxide
 influence of the oxygen pressure on the physical properties of the pulsed-laser deposited Te doped SnO₂ thin films 342
- Tungsten ions
 influence of tungsten on the emission features of Nd³⁺, Sm³⁺ and Eu³⁺ ions in ZnF₂-WO₃-TeO₂ glasses 278
- Upconversion luminescence
 synthesis and upconversion luminescent properties of water-soluble CdTe quantum dots L13
- Vapor deposition
 photoconductivity kinetics in AgIn₅S₈ thin films 380
- V-Ti-based alloys
 mechanisms of improving the cyclic stability of V-Ti-based hydrogen storage electrode alloys 592
- Water-soluble
 synthesis and upconversion luminescent properties of water-soluble CdTe quantum dots L13
- Wear
 effect of Nd on microstructure and wear resistance of hypereutectic Al-20%Si alloy 480
- XANES
 thickness dependence of the L_{2,3} branching ratio of Cr thin films 233
- X-ray and neutron diffractions
 structures and solid solution mechanisms of pyrochlore phases in the systems Bi₂O₃-ZnO-(Nb, Ta)₂O₅ 457
- X-ray diffraction
 high-pressure behavior of otavite (CdCO₃) 251
 formation of Ti₂AlC_{0.5}N_{0.5} solid solutions by combustion synthesis of Al₄C₃-containing samples in nitrogen 324
 BaNiSn₃-type ternary germanides SrMGe₃ (M = Ir; Pd and Pt) 338
 photoconductivity kinetics in AgIn₅S₈ thin films 380
 structural characterization and related properties of the stearate anions intercalated Ni-Al hydrotalcite-like compound prepared by the microwave crystallization 426
 structural evolution induced by acceptor doping into BaTiO₃ ceramics 486
- X-ray single-crystal diffraction
 crystal structure of R₃Ge_{1+x}Se₇ (R = La, Ce, Pr, Sm, Gd and Tb, x = 0.43-0.49) and magnetic properties of Ce₃Ge_{1.47}Se₇ 258
- XRD
 mechanical properties of the hexagonal HoMnO₃ thin films by nanoindentation 523
- ZnAl₂O₄-based ceramics
 synthesis of (1 - x)ZnAl₂O₄-xTiO₂ microwave dielectric ceramics by molten-salt process 507
- ZnO
 synthesis and characterization of zinc oxide nanorods on silicon for the fabrication of p-Si/n-ZnO heterojunction diode 375
- ZnO varistor
 influence of Fe₂O₃ doping on microstructural and electrical properties of ZnO-Pr₆O₁₁ based varistor ceramic materials 494