

Cumulative Subject Index¹

Volumes 46-50

A

- Acetic acid**
 from butene oxidation, **49**, 313; **50**, 364
 formation from C₃-C₅ olefins over V₂O₅-MoO₃,
49, 164
 surface interaction on iron oxide, **50**, 330
- Acetone**
 adsorption on silica-supported Ni and Co, ir
 spectra, **46**, 91
 formation, over zeolites X and Y, **50**, 109
 hydrogenation over Raney nickel, **46**, 356
- Acetylene**
 adsorption
 on Mo, **47**, 166
 on Ni cluster, **49**, 294
 chemisorption and reaction on α -Fe (100) **47**, 214
 hydrogenation over palladium, breakdown of
 selectivity, **47**, 364
- Acid-base**
 properties, metal oxides, **50**, 291
- Acidity**
 Brönsted, of zeolites, **49**, 123
 correlation with
 catalytic activity, **49**, 305
 oxidation activity, **49**, 313
 measurement, 3 methods, **49**, 305
 scale, metal oxides, **50**, 291
- Acid sites**
 on alumina, probe molecules for, **48**, 436, 440
 Brönsted, on aluminum oxide surfaces, **46**, 279
- Active centers**
 in catalytic oxidation, **49**, 150
- Active sites**
 1-butene isomerization on alumina, **46**, 326
 carbon monoxide adsorption on Ni(111), **47**, 280
 dehydrogenation of isopropanol on manganese
 dioxide, **46**, 125
 distribution
 at catalyst surface, microcalorimetry, **48**, 408
 nonuniform, effectiveness factors, **48**, 249
 number of, benzene with Co²⁺ ions on Aerosil,
48, 35
 oxidation catalysis over chromia, **47**, 69
 on WO₃/SiO₂, **46**, 414
 zeolites
 alcohol dehydration, **50**, 98
 isopropanol dehydrogenation, **50**, 109
- Active species**
 reduced fraction, alumina-supported nickel, **48**,
 322
- Activity patterns**
 ethylene oxidation over silver on different sup-
 ports, **46**, 82
- Addition**
 nucleophilic, alcohols to olefins, **46**, 49
- Adsorption**
 acetone on silica-supported Ni and Co, **46**, 91
 carbon monoxide
 on nickel, **47**, 280; **48**, 243
 on nickel-silica, **46**, 25
 on Ni-Cu alloys, **47**, 92
 and nitric oxide on silica-supported Ru-Pt
 bimetallic clusters, **48**, 292
 equilibrium constants, determination: kinetic and
 chromatographic methods, comparison, **48**, 21
 ethylene and acetylene on Ni cluster, **49**, 294
 heats of
 cyclopropane on Mo and Pt, **47**, 159
 hydrocarbons on Mo, **47**, 166, 178
 hydrocarbons on metal films, **47**, 159, 166, 178
 hydrogen, benzene, cyclohexene and cyclohexane
 on nickel-silica, **46**, 1
 hydrogen cyanide on Pt(110), **46**, 143
 nickel carbonyl on oxides, **46**, 434
 nitric oxide
 and carbon monoxide on Ru, **49**, 332
 on silica-supported Ru, **47**, 333
 physical, heats of: nmr method, **46**, 275
 states, four: carbon monoxide on nickel, **48**, 243
 stoichiometry
 carbon monoxide on Ni, **46**, 340
 hydrogen on Ni, **46**, 340
 oxygen on Ni, **46**, 340

¹ Boldface numbers indicate appropriate volume; lightface numbers indicate pagination.

- studies, zeolites, **49**, 97
- on 13X molecular sieve, **50**, 390
- Adsorption-thermal decomposition
 - ethanol, 2-propanol, and *tert*-butanol on TiO₂, **49**, 174
- Aerosil
 - benzene complex formation with Co²⁺ ions, mechanism, **48**, 35
- Aging
 - process: supported metal catalysts, kinetics, **48**, 73
 - supported metal catalysts, mechanisms, **48**, 73
- Air pollution
 - isocyanate surface complex on Ru/Al₂O₃, formation, **49**, 240
- Alcohols
 - addition to olefins over ion exchange resin, **46**, 49
 - adsorption-thermal decomposition over TiO₂, **49**, 174
 - aliphatic, interaction with TiO₂, **49**, 174, 189, 265
 - decomposition on TiO₂, alkyl-titanium species formation, **49**, 265
 - dehydration
 - over alkali X and Y zeolites, **50**, 98
 - on TiO₂, mechanism, **49**, 189
 - dehydrogenation over alkali cation-exchanged X and Y Zeolites, **50**, 109
- Aldehyde
 - formation from methylbutanols, **50**, 237
- Alkadiene
 - hydrogenation over palladium, breakdown of selectivity, **47**, 364
- Alkali
 - cation-exchanged X and Y zeolites
 - isopropanol dehydration, **50**, 98
 - isopropanol dehydrogenation, **50**, 109
- Alkali metal naphthenide
 - titration technique, **50**, 186
- Alkali metal sulfate
 - additives in vanadium pentoxide, carbon monoxide reaction with nitrous oxide, **50**, 220
- Alkaline earth
 - metal hydroxides, complexing with sugars, **50**, 455
- Alkanes
 - formation, in alkadiene hydrogenation over palladium, **47**, 364
 - halogenated, reactions on 13X molecular sieve, **50**, 390
 - heats of adsorption on Mo, **47**, 178
 - surface species on Mo, **47**, 178
- Alkenes
 - heats of adsorption on Mo, **47**, 166
 - sorption by silica, **50**, 373
 - surface species on Mo, **47**, 166
- Alkylaromatic hydrocarbons
 - cobalt-catalyzed autoxidation, zirconium cocatalyzed, **46**, 308
- Alkyl-titanium
 - species, formation during methanol decomposition, **49**, 265
- Alkynes
 - heats of adsorption on Mo, **47**, 166
 - surface species on Mo, **47**, 166
- Allene
 - adsorption on Mo, **47**, 166
 - hydrogenation over palladium, **47**, 364
 - reaction with deuterium, **47**, 364
- Alloys
 - carbon monoxide adsorption-desorption over Ni-Cu, **47**, 92
 - catalysts, preparation from metallic cluster carbonyls, **50**, 508
 - films, nickel-palladium, ethylene hydrogenation over, **46**, 204
 - platinum-germanium on γ -Al₂O₃, **48**, 209
 - platinum-gold, propane dehydrogenation over, **50**, 77
 - surfaces, prediction of segregation, **50**, 200
- Allylic intermediate
 - olefin isomerization, stability and selectivity, **47**, 55
- Allyl iodide
 - interaction with molybdate catalysts for hydrocarbon oxidation, **49**, 150
- Alumina
 - acid sites on, **48**, 436, 440
 - ammonia chemisorption, **46**, 326
 - basic sites, **47**, 79
 - 1-butene isomerization, **46**, 326
 - carbon dioxide on, ir spectra, **46**, 431
 - carrier
 - nickel, **48**, 322
 - nickel, ruthenium and palladium, **48**, 312
 - chromium and copper on, concentration profiles, **49**, 246
 - effect of drying temperature, **48**, 166
 - nickel ions, interaction, **47**, 79
 - oxygen exchange between carbon dioxide and, **48**, 120
 - promoted iron, benzene hydrogenation, **47**, 273
 - sulfur dioxide anions on, **50**, 181
 - support
 - modified, platinum reforming catalysts, **48**, 404
 - for sulfided Co- and Mo-containing catalysts, **49**, 247
 - for V₂O₅, toluene ammoxidation, **49**, 83, 92
- α -Alumina
 - support for metal oxide catalysts, **46**, 388
- γ -Alumina
 - aluminum metal, oxidized in room temperature air, **48**, 237
 - platinum and germanium on, interaction, **48**, 209
 - stabilization of O₂⁻ on, **50**, 545

- support for
diborane, olefin hydroboration, **49**, 141
metal oxide catalysts, **46**, 388
- Alumina-platinum-palladium
catalyst, tribophysical preparation, **50**, 541
- Aluminum
ion distributions in zeolites, **49**, 115
metal, oxidized: γ -alumina, **48**, 237
siting in faujasite lattice, randomness and order, **49**, 120
- Aluminum chloride
anhydrous, vapors: complex with sulfonic acid
acid resin, **46**, 266
- Amines
addition, change of coupling mode, **49**, 254
carbonylation by pentacarbonyliron, **48**, 433
- Ammonia
chemisorption on alumina, **46**, 326
decomposition in presence of water
over nickel, kinetics, **48**, 322
over nickel, ruthenium, and palladium, **48**, 312
Haber synthesis, **47**, 384
oxidation over Pt-Rh, **48**, 217
reaction with NO over Cr_2O_3 - Al_2O_3 and Cr_2O_3 , **48**, 194, 201
reduction of
nitric oxide over transition metal ion exchanged
Y zeolites, **48**, 1
 NO_x on V_2O_5 , **50**, 441
- Ammonoxidation
toluene on $\text{V}_2\text{O}_5/\text{Al}_2\text{O}_3$, mechanism, **49**, 83, 92
- Anatase, *see* Titanium dioxide
- Argon
encapsulated in 3A zeolite, temperature-programmed desorption, **50**, 319
- Aromatization
n-heptane on Rh, **46**, 382
- Asymmetric ethers
synthesis, **46**, 49
- Attenuated total reflection
spectra, Bi-doped Fe(III)-molybdates, **47**, 122
- Auger electron spectroscopy
dicarbon fragments on Ni(110), **48**, 422
- Automobile
catalysts
bimetallic, **49**, 42
composite pellet, deactivation, **47**, 85
emission control
applications, **48**, 345
catalysts, **46**, 58
- Autoxidation
cobalt catalyzed, zirconium cocatalysis: alkyl-aromatic hydrocarbons in acetic acid, **46**, 308
- B**
- Barium ruthenate
automotive emission control catalysts, **46**, 58
- Basicity
scale, metal oxides, **50**, 291
- Benzaldehyde
oxidation by $\text{PdO}(\text{PPh}_3)_2$, kinetics, **48**, 427
- Benzene
adsorption on nickel-silica, **46**, 1
complex formation with Co^{2+} on Aerosil, mechanism, **48**, 35
hydrogenation
over Al_2O_3 -promoted iron, kinetics, **47**, 273
on nickel-silica, mechanisms, **46**, 13
on nickel-silica, reactive hydrogen, **46**, 1
ruthenium zeolite catalysts, **49**, 97
- Benzo[*a*]pyrene
oxidation over vanadium pentoxide-molybdenum
oxide, kinetics, **50**, 258
- Benzothiophene
hydrogenation over CoMo, **46**, 243
hydrogenolysis over prerduced Fe_2O_3 - Al_2O_3 , **50**, 35
- Bimetallic catalysts
emission control, **49**, 42
heptane dehydrocyclization over, **46**, 348
reforming: platinum and iridium chloride species, *esr*, **46**, 420
- Bimetallic clusters
electron microscopy, **50**, 115
ruthenium-platinum, silica support: CO and NO
adsorption, **48**, 292
- Binding energies
Cr 2*p* in chromia-silica catalysts, **47**, 292
- Bismuth
-doped Fe(III)-molybdate, characterization and
activity, **47**, 122
- Bismuth molybdate
structure, **48**, 449
- Bismuth trioxide
activity in catalytic oxidation, **49**, 150
- Bis(triphenylphosphine)oxygenopalladium(II)
complex, benzaldehyde oxidation, **48**, 427
- Bond energy bond order
chemisorption application, **47**, 140
method, conservation of orbital symmetry and, **50**, 382, 384
- Book reviews
Magnetic Resonance in Colloid and Interface
Science. H. A. Resing and C. G. Wade (Eds.), **50**, 204
The Physical Basis for Heterogeneous Catalysis.
E. Drauglis and R. I. Jaffee (Eds.), **50**, 203
Zeolite Chemistry and Catalysis. J. A. Rabo
(Ed.), **47**, 403
- Boron phosphate
hydrogen interaction with deuterium over, **49**, 356
iodide oxidation to iodine, **46**, 151
- Brönsted
acidity, zeolites, **49**, 123

- acid sites, on aluminum oxide surfaces, **46**, 279
- sites, activity in cumene cracking, **47**, 11
- 1,2-Butadiene
 - hydrogenation over palladium, **47**, 364
 - reaction with deuterium, **47**, 364
- Butadienes
 - sorption by silica, **50**, 373
- Butane-1,4-diol
 - osmium tetroxide-catalyzed oxidation with hexacyanoferrate (III), **49**, 135
- Butanol
 - ethylene oxide addition, HY zeolite catalyst, **49**, 201
 - oxyethylation over HY zeolite, **49**, 201
- 2-Butanol
 - dehydration over X and Y zeolites, **50**, 98
- tert*-Butanol
 - decomposition on TiO₂, **49**, 174
- Butenes
 - deuterated, isomerization over alumina, mechanisms, **48**, 166
 - isomerization
 - by adsorbed sulfur dioxide over ZnX zeolite, **50**, 379
 - over CaO and MgO, selectivity, **47**, 55
 - on lanthanum oxide, **49**, 285
 - over pure and doped zinc oxides, **47**, 48
 - reactions in desulfurization, **49**, 320
- n*-Butene
 - isomerization over fluorinated γ -alumina, kinetic model, **48**, 21
- 1-Butene
 - isomerization on alumina, **46**, 326
 - oxidation over Fe(III)-molybdate, **47**, 122

C

- Calcium oxide
 - 3-carene isomerization over, **48**, 302
- Calorimetry
 - cyclopropane adsorption on Mo and Pt, **47**, 159
 - hydrocarbon adsorption on metal films, **47**, 159, 166, 178
- Cannizzaro
 - reaction, catalysis of, **50**, 455
- Carbohydrates
 - catalysis, in formaldehyde condensation, **50**, 455
 - from formaldehyde condensation, **48**, 354
- Carbon
 - catalyzed formation of hexammine cobalt(III), **50**, 56
 - filaments, formation from propane reaction over nickel, **47**, 232
 - formation
 - in mordenite and Y zeolites, **49**, 369
 - on nickel, mechanism, **48**, 155
 - surface, hydrogenation, Pd catalyst, **50**, 43
- Carbonaceous deposit
 - on nickel-tin-silica, **50**, 419
- Carbon dioxide
 - adsorption on
 - lanthanum oxide and trihydroxide, ir spectra, **48**, 417
 - nickel oxide, **49**, 225
 - on alumina, ir spectra, **46**, 431
 - encapsulated in 3A zeolite, temperature-programmed desorption, **50**, 319
 - hydrogenation over rhodium, **46**, 167
 - irreversible chemisorption on alumina, **48**, 120
 - methanation over cerium compounds, cobalt, and nickel, **47**, 1
- Carbon disulfide
 - poison, catalyst deactivation, **48**, 98
- Carbon monoxide
 - adsorption on
 - nickel, **47**, 280; **48**, 243
 - nickel-silica, **46**, 25
 - ruthenium, **49**, 332; **50**, 279
 - chemisorption on
 - molecular sieve supported platinum, **48**, 150
 - Ni, sulfur poisoning, **46**, 340
 - decomposition on ruthenium, **47**, 328
 - desorption from Ni film at 77 K, **48**, 243
 - dissociative chemisorption, **47**, 384
 - gas phase and electrochemical oxidation on Pt, Pd and Ru: comparison, **46**, 230
 - in hydrocarbon synthesis, **50**, 176
 - hydrogenation over
 - Group VIII metals, **50**, 228
 - rhodium, **46**, 167
 - Ru/Al₂O₃, ir spectra during, **48**, 111
 - and hydrogen mixtures, methane synthesis over Ni, Co, and Fe foils, **50**, 244
 - interaction with cobalt, **49**, 216
 - methanation over cerium compounds, cobalt, and nickel, **47**, 1
 - and nitric oxide adsorption on silica-supported Ru-Pt bimetallic clusters, **48**, 292
 - oxidation
 - over cobalt oxide, **47**, 33
 - over hopcalite catalyst, **50**, 429
 - on Ir(111) surface, **48**, 269
 - over NaCuX zeolites, **48**, 60
 - over NiO, **49**, 225
 - over Pd, uv photoenhancement, **46**, 253
 - on stepped Pt(111), **46**, 37
 - over supported metal oxides, **46**, 388
 - reaction with
 - nitric oxide on Ru, ir spectra, **49**, 345
 - nitrous oxide on doped V₂O₅, **50**, 220
 - thermal desorption from Ni-Cu alloys, **47**, 92
- Carbonylation
 - amines, by pentacarbonyliron, **48**, 433

- methanol over pentachlorobenzenethiol-promoted Rh(I) complex, **47**, 269
- 3-Carene
isomerization over MgO and CaO, **48**, 302
- Carriers
of MoO₃-CoO and MoO₃, effect on thiophene hydrocracking, **47**, 358
- Catalysis
active sites, carbon monoxide decomposition on ruthenium, **47**, 328
of formose and Cannizzaro reactions, **50**, 455
heterogeneous
exoelectron emission, **47**, 210
mechanism, **50**, 429
oxidation: over chromia, active sites, **47**, 69
- Catalysts
activity, measurement, **48**, 249
automobile composite pellet, deactivation, **47**, 85
deactivation of packed bed by CS₂, **48**, 98
dispersion, effect of high temperature, **46**, 388
distribution of active sites, microcalorimetry, **48**, 408
heterogeneous
chromia-silica reacted with CO and NO, XPS (ESCA), **47**, 292
diffusivity of, **46**, 214
hydroxyl groups and water adsorbed on surface, **50**, 186
metallic, supported: preparation from metallic cluster carbonyls, **50**, 508
for nitric oxide-ammonia reaction, **48**, 1
nonuniform distribution on supports, **46**, 365, 372
oxidation
osmium oxide for diols by iron complexes, **49**, 135
state, effect on CO₂ adsorption, **49**, 225
pellets, nonisothermal fouling, **48**, 177
porous
diffusion and reaction in, **50**, 184
nonuniform: catalyst activity measurement, **48**, 249
reducibility, **46**, 438
reforming
Pt on γ -alumina, **46**, 190
surface acidity and acid strength distribution, **48**, 404
structure, Al₂O₃-Pt-Pd, **50**, 541
supported
automotive emission control, **46**, 58
poison resistance, improved, **48**, 345
support effect, **46**, 388
three-way: eliminate 3 pollutants simultaneously, automotive emission control, **49**, 42
- Catalytic action
surface rearrangement, interference, **46**, 225
- Catalytic activity
metal sulfides, **49**, 379
rare earth oxides, low-temperature ethylene hydrogenation, mechanism, **49**, 207
- Catalytic particles
in graphite, controlled atmosphere electron microscopy, **46**, 120
- Catalytic rate constants
nonuniform porous catalysts, **48**, 249
- Catalytic reactions
self-poisoning, kinetics, **47**, 28
- Cation
exchange, silica protons with cupric ions, **50**, 400
- Cerium
CeAl₂, CeCo₂, CeNi₂: CO and CO₂ methanation over, **47**, 1
- Chain
growth, rate, **50**, 8
- Chemical bonding
on α -Fe(100), olefins, **47**, 214
- Chemical kinetics
¹³C and ¹⁴C kinetic isotope effects, **49**, 1
- Chemical shifts
¹³C, of pyridinium ion in adsorbed state, **48**, 430
platinum and germanium photolines in catalysts, **48**, 209
- Chemisorption
acetylene and ethylene on α -Fe(100), **47**, 214
ammonia on alumina, **46**, 326
carbon monoxide
on molecular sieve supported platinum, **48**, 150
and O₂ on Ir(111) surface, **48**, 269
ethylene on Pt, **50**, 1
hydrogen
carbon monoxide and formaldehyde on ruthenium, **50**, 279
oxygen and carbon monoxide on Ni, sulfur poisoning, **46**, 340
and oxygen on molecular sieve supported platinum, **48**, 137
-induced segregation, sulfur from bulk to surface of Pt(100) and Cu(100), **47**, 144
and magnetization measurements, **48**, 445, 447
oxygen on reduced, supported molybdena, **47**, 100
pyridine, on oxidized aluminum metal, **48**, 237
- Chloroiridium
species, esr, **46**, 420
- Chloroplatinum
species, esr, **46**, 420
- Chromatography
gas: methods, use in reaction modeling, **48**, 21
- Chromia
isotope exchange of light hydrocarbons, **47**, 371
reaction of NO with NH₃ over, mechanisms, **48**, 201
surface states: conductivity, **47**, 69
- Chromia-alumina
properties and catalytic activities, for reaction of NO with NH₃, **48**, 194

- Chromia-alumina-potassium oxide
 propane dehydrogenation, **47**, 239
- Chromia-silica
 reactions: CO and NO, XPS (ESCA), **47**, 292
- Chromium
 on alumina, concentration profiles, **49**, 246
 -based catalyst, soluble: ethylene trimerization and polymerization, **47**, 197
 in chromia-silica catalysts, XPS (ESCA), **47**, 292
- Chromium-molybdenum oxide
 catalyst, temperature-programmed desorption, **48**, 413
- Cis-trans* isomerization
 olefins
 over manganese dioxide, **48**, 333
 over sulfur dioxide adsorbed on solids, **46**, 71
- Cluster carbonyls
 adsorption, **50**, 508
 decomposition, **50**, 508
- Clusters
 bimetallic, ruthenium-platinum, silica support: CO and NO adsorption, **48**, 292
 metal
 raft-like, **50**, 115
 size distributions, **50**, 115
 shape, **50**, 115
- Coalescence
 metal particle growth mechanism, **46**, 238
- Cobalt
 autooxidation of alkylaromatics, zirconium co-catalysis, **46**, 308
 carbon monoxide and carbon dioxide methanation over, **47**, 1
 Co(II) ions in A, X, and Y zeolites, oxygen ligand symmetries, **47**, 147
 Co²⁺ ions, complex formation with benzene on Aerosil, mechanism, **48**, 35
 Co-Mo/Al₂O₃, stabilization of Mo phase, **50**, 447
 CoO-MoO₃/γ-Al₂O₃, effect of sulfidation, **49**, 247
 foil, methane synthesis from H₂/CO mixtures, **50**, 244
 interaction with oxygen, water vapor, and carbon monoxide, **49**, 216
 MoO₃-CoO, effect of carriers on thiophene hydrocracking, **47**, 358
 silica support, acetone adsorption, **46**, 91
 sulfided Co-Mo-Al₂O₃, dispersion of molybdena, **50**, 190
- Cobalt(III)
 complexes, carbon-catalyzed formation, **50**, 56
- Cobalt-molybdate
 catalyst: thiophene desulfurization, kinetics, **49**, 320
- Cobalt oxides
 carbon monoxide oxidation, activity, **47**, 33
 catalysts, preparation and structure, **47**, 33
 from interaction of gases with cobalt, **49**, 216
- Coke
 formation
 in common zeolites, **47**, 113
 in mordenite and Y zeolites, **49**, 369
 on nickel catalysts, **48**, 155
- Condensation
 formaldehyde to carbohydrates, **50**, 455
- Conductivity
 surfaces, ionic, **50**, 43
- Controlled atmosphere electron microscopy
 graphite oxidation, **46**, 120
- Conversion
 labeled hydrocarbons over bimetallic catalysts, **46**, 348
 methanol to hydrocarbons over zeolites, **47**, 249
- Coordinative unsaturation
 of sites, **48**, 229
- Copper
 on alumina, concentration profiles, **49**, 246
 -exchanged zeolite X, CO oxidation over, **48**, 60
 sulfur segregation from bulk to surface of Cu(100), **47**, 144
- Copper(II)-acetonitrile
 complex, catalyst for 2,6-dimethylphenol oxidative coupling reaction, **49**, 254
- Coupling
 oxidative: copper(II)-catalyzed, 2,6-dimethylphenol, **49**, 254
- Cracking
 catalytic, cumene, products, **47**, 11
 cumene on lanthanum Y, **47**, 343
 cyclopropanes on Fe, Co and Ni, **50**, 124
 n-heptane over rare earth type X sieve, **47**, 62
 n-hexane with AlCl₃-sulfonic acid resin complexes, **46**, 266
- Crystal
 spheres, single: surface morphology, **49**, 51
- Crystal field surface orbital-bond energy bond order chemisorption application, **47**, 140
 method, conservation of orbital symmetry and, **50**, 382, 384
- Crystallization
 fluid faujasite particulates, **48**, 129
- Cumene
 catalytic cracking, products and mechanism, **47**, 11
 cracking on lanthanum Y, dealkylation kinetics, **47**, 343
 decomposition over WO₃-based catalysts, **49**, 305
 heterogeneous liquid-phase oxidation, mechanism, **49**, 109
- Cupric ions
 supported on silica gel, **50**, 400
- Cupric oxide
 phenol oxidation, **49**, 244, 245

- Cyclohexane
 adsorption on nickel-silica, **46**, 1
 from benzene hydrogenation over Al_2O_3 -promoted iron, **47**, 273
 dehydrogenation
 over Ir, **46**, 259
 on oxides, **50**, 549
 hydrogenolysis over nickel-alumina, **49**, 278
Cyclohexanol
 transformations over platinum mechanisms, **48**, 442
Cyclohexene
 adsorption on nickel-silica, **46**, 1
 deuteration, stereoselectivity, **47**, 134
 epoxidation over polymer-anchored vanadyl catalysts, **48**, 284
 heterogeneous liquid-phase oxidation, mechanism, **49**, 109
Cyclopropane
 heats of adsorption on Mo and Pt, **47**, 159
 hydrogenation
 over Pt/ SiO_2 , **50**, 494
 pulse poisoning technique, **46**, 160
 hydrogenolysis on metals
 mechanism, **50**, 124
 rate-determining step, **50**, 143, 156
 surface species on Mo, **47**, 159
- D**
- Deactivation
 composite automobile catalyst pellet, **47**, 85
 continuous and discontinuous, packed bed by CS_2 , **48**, 98
 parallel and series, catalyst pellets, **48**, 177
 platinum black by 3-methylpentane, **46**, 65
 reforming catalyst, kinetics, **46**, 190
Dealkylation
 cumene on lanthanum Y, kinetics, **47**, 343
Dealuminization
 faujasite, model, **49**, 120
Decomposition
 catalytic, carbon monoxide on ruthenium, **47**, 328
 formic acid over metal oxides, **50**, 291
 halogenoalkanes on 13X molecular sieve, **50**, 390
 methanol on TiO_2 , alkyl-titanium species formation, **49**, 265
 propane over nickel, carbon filament formation, **47**, 232
 thermal
 methanol adsorbed on magnesia, **47**, 260
 nickel carbonyl on oxides, **46**, 434
Dehydration
 alcohols on
 TiO_2 , mechanism, **49**, 189
 zeolites, mechanism, **50**, 98
 formic acid over acidic metal oxides, **50**, 291
 isopropyl alcohol over WO_3 -based catalysts, **49**, 305
Dehydrocyclization
 heptane, mechanism, **46**, 348
n-heptane over Ir, **46**, 259
Dehydrogenation
 catalysts, preparation: effect on selectivity, **50**, 172
 cyclohexane
 over Ir, **46**, 259
 on oxides, **50**, 549
 isopropanol
 on manganese dioxide, **46**, 125
 over zeolites X and Y, mechanism, **50**, 109
 methylcyclohexane over Pt on γ -alumina, **46**, 190
 oxidative
 ethane by nitrous oxide over molybdenum oxide on silica gel, **50**, 306
 formic acid over basic metal oxides, **50**, 291
 propane over Pd/ Al_2O_3 , **46**, 424
 vinylcyclohexene on Pd, **50**, 172
 on palladium-tin-silica, **50**, 419
 propane over
 chromia-alumina-potassium oxide, **47**, 239
 Pt-Au, mechanism, **50**, 77
 Pt-Au, rate-determining step, **50**, 77
Desorption
 carbon monoxide from Ni-Cu alloys, **47**, 92
 flash
 analysis, **48**, 262
 nitric oxide on Pt, **50**, 64
 with freely occurring readsorption, **48**, 365
 rate isotherms, **48**, 262
 second order, kinetics, **48**, 365; **49**, 122
 temperature programmed
 chemisorption and hydrogenation of ethylene, **50**, 1
 chromium-molybdenum oxide catalyst, studies, **48**, 413
 hydrogen from palladium, **48**, 374; **49**, 122
 nitrogen, Ar, and CO_2 encapsulated in 3A zeolite, **50**, 319
 second order, **48**, 365; **49**, 122
 spectra, mathematical analysis, **48**, 365; **49**, 122
 thermal
 carbon monoxide from Ni-Cu alloys, **47**, 92
 methyl formate from W(100), **48**, 395
 O_2 from Ag, **46**, 109
Desulfurization
 thiophene on $\text{CoO-MoO}_3/\text{Al}_2\text{O}_3$, kinetics **49**, 320
Deuterium
 (D_2 -2,3)- and (D_6 -1,4)-*cis*-butenes, isomerization over alumina, **48**, 166
 cyclohexenes, deuteration, stereoselectivity, **47**, 134

- deuterated pyridine on aluminum oxide surfaces, **46**, 279
 - reaction with allene and 1,2-butadiene, **47**, 364
 - Deuterium-hydrogen
 - exchange, over boron phosphate, **49**, 356
 - Deuterolysis
 - gemdimethyl- and gemdiethylcyclopropanes, **50**, 124
 - Dibenzothiophene
 - hydrogenolysis over prereduced $\text{Fe}_2\text{O}_3\text{-Al}_2\text{O}_3$, **50**, 35
 - Diborane
 - and olefin reaction, ir spectra, **49**, 141
 - Dicarbon
 - fragments on Ni(110), **48**, 422
 - Differential equations
 - modeling transient tracer transfer, **50**, 429
 - Differential plug-flow microreactor
 - benzene hydrogenation over Al_2O_3 -promoted iron, **47**, 273
 - Diffusion
 - controlled, supported catalysts, **48**, 345
 - effects in
 - aging catalysts, **47**, 343
 - cumene cracking, **47**, 343
 - in nonuniform porous catalysts, **48**, 249
 - and reaction in porous catalysts, **50**, 184
 - surface, effect on catalytic selectivity, **50**, 205
 - Diffusivity
 - effective, and structure of porous pellets, **46**, 214
 - Diluent gas
 - sulfur dioxide oxidation over Pt/ Al_2O_3 , effect, **49**, 376
 - 2,6-Dimethylphenol
 - copper(II)-catalyzed oxidative coupling, **49**, 254
 - Dispersion
 - molybdena on sulfided Co-Mo- Al_2O_3 , **50**, 190
 - rhodium on alumina, **46**, 382
 - supported metal oxides, effect of high temperature, **46**, 388
 - Dissociation
 - nitrous oxide over nonstoichiometric ZnO, **46**, 426
- E**
- Effectiveness factor
 - porous catalysts, **48**, 249; **50**, 184
 - Electrochemical oxidation
 - D-(+)-tartaric acid on nickel, **50**, 353
 - Electron
 - excess concentration, pure and doped zinc oxides, **47**, 48
 - Electron microscopy
 - controlled atmosphere: graphite oxidation, **46**, 120
 - metal clusters, **50**, 115
 - platinum-rhodium gauzes, ammonia oxidation over, **48**, 217
 - Electron paramagnetic resonance
 - adsorbed oxygen species on silica-supported silver, **47**, 399
 - cupric ions supported on silica gel, **50**, 400
 - oxygen species on manganese dioxide, **46**, 125
 - S_2^- species on surface of $\text{MoO}_3/\text{SiO}_2$ and $\text{MoO}_3/\gamma\text{-Al}_2\text{O}_3$, **47**, 190
 - sulfur dioxide anions, on alumina, **50**, 181
 - surface fixed phenanthrene, **47**, 284
 - Electron spectroscopy for chemical analysis, *see* X-Ray photoelectron spectroscopy
 - Electron spin resonance, *see* Electron paramagnetic resonance
 - Emission catalysis
 - platinum and palladium plus rhodium, **49**, 42
 - Environment
 - nitric oxide removal from, **48**, 1
 - Epoxidation
 - cyclohexene over polymer-anchored vanadyl catalysts, **48**, 284
 - Ethane
 - adsorption on Mo, **47**, 178
 - oxidative dehydrogenation by nitrous oxide over molybdenum oxide on silica gel, **50**, 306
 - Ethanol
 - decomposition on TiO_2 , **49**, 174
 - Ethers
 - from alcohols over X and Y zeolites, **50**, 98
 - asymmetric, synthesis, **46**, 49
 - Ethylene
 - adsorption
 - on Mo, **47**, 166
 - on Ni cluster, **49**, 294
 - on silica-alumina, nmr linewidth, **46**, 275
 - chemisorption
 - and hydrogenation on Pt, **50**, 1
 - and reaction on $\alpha\text{-Fe}(100)$, **47**, 214
 - hydrogenation
 - on MoS_2 , **48**, 229
 - over nickel-palladium alloy films, **46**, 204
 - low-temperature hydrogenation, on rare earth oxides, **49**, 207
 - oxidation over
 - silver, activity patterns on different supports, **46**, 82
 - supported metal oxides, **46**, 388
 - polymerization over soluble chromium-based catalyst, **47**, 197
 - sorption and polymerization over reactive silica, **48**, 104
 - trimerization over soluble chromium-based catalyst, **47**, 197
 - Ethylene oxide
 - addition to butanol, HY zeolite catalyst, **49**, 201
 - Ethyne, *see* Acetylene

- Exchange
 homoallylic hydrogen with deuterium, stereo-selectivity, **47**, 134
 hydrogen-deuterium over boron phosphate, **49**, 356
- Exhaust catalysts
 platinum and palladium plus supported rhodium, **49**, 42
- Exoelectron emission
 associated with heterogeneous catalysis, **47**, 210
- F**
- Faujasite
 fluid, particulates: nucleation, crystallization and pseudomorphism, **48**, 129
 lattice
 randomness and order of aluminum in, **49**, 120
 types of acid sites in, **49**, 120
- Fischer-Tropsch synthesis
 hydrocarbons, comparison with Haber synthesis of ammonia, **47**, 384
 mechanism, **50**, 176
 reaction kinetics, **50**, 8
 over silica-supported Group VIII metals, **50**, 228
- Formaldehyde
 adsorption on ruthenium, **50**, 279
 condensation to carbohydrates, **48**, 354; **50**, 455
 on tungsten (100) single crystal, methane production, **48**, 395
- Formamides
 production, amine carbonylation by penta-carbonyliron, **48**, 433
- Formic acid
 decomposition over metal oxides, **50**, 291
- Formose
 reaction
 over alkaline earth metal hydroxides and carbohydrates, **50**, 455
 pH behavior and glucose cocatalyst, **48**, 354
- Fouling
 nonisothermal, catalyst pellets, **48**, 177
 parallel and series, Langmuir-Hinshelwood kinetics, **48**, 177
- Friedel-Crafts reaction
 toluene isopropylation over calcined iron sulfates, **47**, 109
- Fuel cells
 methanol, platinum-tin catalysts, **46**, 289
- Fuels
 synthetic, from CO and H₂ over Group VIII metals, **50**, 228
- G**
- Gemdialkylcyclopropanes
 deuterolysis, isomerization, and cracking on metals, **50**, 124
- Gemdiethylcyclopropane
 deuterolysis, **50**, 124
 hydrogenodeuterolysis on Pt, Pd, and Ir, **50**, 143
- Gemdimethylcyclopropane
 deuterolysis, **50**, 124
 hydrogenodeuterolysis on Pt, **50**, 156
- Germanium
 valence state and interaction of Pt and Ge on γ -Al₂O₃, **48**, 209
- Glucose
 cocatalyst, formaldehyde condensation to carbohydrates, **48**, 354
- Gold-palladium
 small particles on silica, preparation, **50**, 530
- Graphite
 catalytic oxidation, in electron microscope, **46**, 120
- H**
- Haber synthesis
 ammonia, comparison with Fischer-Tropsch synthesis of hydrocarbons, **47**, 384
- Halogenoalkanes
 decomposition on 13X molecular sieve, **50**, 390
- Heat transport
 interparticle, effect on catalytic selectivity, **50**, 205
- n*-Heptane
 cracking over rare earth type X sieve, mechanism, **47**, 62
 dehydrocyclization
 over Ir, **46**, 259
 over Pt-Sn- and Pt-Re-Al₂O₃, **46**, 348
 reaction on rhodium in steam, **46**, 382
- Hexamine cobalt (III)
 formation, carbon catalyzed, **50**, 56
- Hexatriene
 sorption by silica, **50**, 373
- 1-Hexene
 formation from ethylene, **47**, 197
 hydrogenation, catalyzed by RuH(BH₄)(PPh₃)₃, **48**, 340
- High molecular weight compounds
 inhibition, **50**, 8
- Hopcalite
 catalyst, carbon monoxide oxidation, **50**, 429
- Hot spots
 transient, deactivation of catalyst bed, **48**, 98
- Hydridotetrahydroboratotris(triphenylphosphine)ruthenium(II)
 1-hexene hydrogenation, **48**, 340
- Hydroboration
 olefins, with diborane on γ -Al₂O₃, **49**, 141
- Hydrocarbons
 adsorption on metal films, **47**, 159, 166, 178
 conversion over bimetallic catalysts, **46**, 348
 Fischer-Tropsch synthesis, **47**, 384
 gasoline, from methanol, **47**, 249

- saturated
 - hydrogen-deuterium exchange on chromia, **47**, 371
 - hydrogenolysis on Pt, **50**, 87
 - selective oxidation: allyl iodide on molybdate catalysts, **49**, 150
 - synthesis, from CO and H₂
 - over group VIII metals, **50**, 228
 - mechanism, **50**, 176
 - Hydrocracking
 - rare earth zeolites, **50**, 252
 - thiophene on MoO₃-CoO and MoO₃, effect of carriers, **47**, 358
 - Hydrodesulfurization
 - benzothiophene and dibenzothiophene hydrogenolysis over Fe₂O₃-Al₂O₃, **50**, 35
 - catalysts
 - containing molybdenum and cobalt, **49**, 247
 - stabilization of Mo phase in Co-Mo/Al₂O₃ by Co, **50**, 447
 - model compounds, competitive, **46**, 243
 - thiophene over molybdena-alumina, **47**, 300
 - Hydrogen
 - adsorption on
 - nickel-silica, **46**, 1
 - ruthenium, **50**, 279
 - chemisorption on
 - molecular sieve supported platinum, **48**, 137
 - Ni, sulfur poisoning, **46**, 340
 - effect on ammonia decomposition on alumina-supported nickel in presence of water, **48**, 322
 - and ethylene on Pt, **50**, 1
 - in hydrocarbon synthesis, **50**, 176
 - interaction with deuterium over boron phosphate, **49**, 356
 - intramolecular shift, olefin isomerization, **49**, 363
 - migration, olefin isomerization, **49**, 363
 - molecularity, conservation, **48**, 229
 - on palladium, enthalpy of adsorption, **48**, 374; **49**, 122
 - promotional effect, on rare earth zeolites, **50**, 252
 - reaction with NO on Ru, ir spectra, **49**, 345
 - spillover
 - reduction of Ag₂S films, **50**, 268
 - silica gel surface reduction, **46**, 320
 - weak chemisorption on palladium, **48**, 374; **49**, 122
 - para*-Hydrogen
 - field effect, **50**, 15
 - Hydrogen-alkene
 - titration, platinum surface area measurement, **47**, 389
 - Hydrogenation
 - acetone, liquid phase catalytic, kinetics, **46**, 356
 - alkadienes over palladium, **47**, 364
 - benzene
 - over Al₂O₃-promoted iron, kinetics, **47**, 273
 - on nickel-silica, mechanism, **46**, 13
 - on nickel-silica, rate equations, **46**, 13
 - on nickel-silica, reactive hydrogen, **46**, 1
 - on nickel-tin-silica, **50**, 419
 - ruthenium zeolite catalysts, **49**, 97
 - carbon monoxide
 - and carbon dioxide over rhodium, kinetics, **46**, 167
 - on Ni, Ru, and Pt: kinetic isotope effect, **49**, 383
 - over Ru/Al₂O₃, **48**, 111
 - carbon surface, palladium catalyst, **50**, 43
 - cyclopropane
 - methylcyclopropane, and propylene over Pt, SiO₂, **50**, 494
 - pulse poisoning technique **46**, 160
 - enantioselective, catalysts: characterization, **50**, 353
 - ethylene
 - on MoS₂, **48**, 229
 - over nickel-palladium alloy films, **46**, 204
 - on palladium-tin-silica, **50**, 419
 - on Pt, **50**, 1
 - 1-hexene catalyzed by RuH(BH₄)(PPh₃)₃, **48**, 340
 - low-temperature, ethylene on rare earth oxides, **49**, 207
 - N, S, O compounds: competitive, **46**, 243
 - olefins over palladium tetrachloride, molecular orbital study of reaction pathway, **48**, 8
 - sites on CoO-MoO₃, **49**, 320
- Hydrogen cyanide
 - adsorption, reactivity and structure on Pt(110), **46**, 143
 - Hydrogen-deuterium
 - exchange, saturated hydrocarbons on chromia, **47**, 371
 - Hydrogenodeuterolysis
 - gemdiethylcyclopropane on Pt, Pd, and Ir, **50**, 143
 - gemdimethylcyclopropane on Pt, **50**, 156
 - Hydrogenolysis
 - aliphatic hydrocarbons on platinum/alumina, **50**, 87
 - benzothiophene and dibenzothiophene over pre-reduced Fe₂O₃-Al₂O₃, **50**, 35
 - carbon-carbon bond, over platinum/alumina, **50**, 87
 - cyclohexane and methylcyclopentane over nickel-alumina, **49**, 278
 - cyclopropane
 - on metals, mechanism, **50**, 124
 - rate-determining step, **50**, 143, 156
 - sites on CoO-MoO₃, **49**, 320
 - thiophene
 - kinetics, **47**, 316
 - over molybdena-alumina, **47**, 300
 - Hydrogen-oxygen
 - titration

- molecular sieve supported platinum, **48**, 137
- platinum surface area measurement, **47**, 389
- rhodium-alumina, **50**, 407
- Hydrogen sulfide
 - oxidation on polynaphthoquinone, mechanism, **46**, 132
- Hydroxyl groups
 - surface, determination, **50**, 186
- I
- Indole
 - hydrogenation over CoMo, **46**, 243
- Infrared spectra
 - acetone adsorbed on Ni and Co, **46**, 91
 - adsorbed reaction intermediate, **49**, 92
 - adsorption of NH_3 and NO_2 during reaction on V_2O_5 , **50**, 441
 - Bi-doped Fe(III)-molybdate, **47**, 122
 - carbon dioxide on alumina, **47**, 431
 - carbon monoxide adsorption on nickel-silica, **46**, 25
 - during carbon monoxide hydrogenation over Ru/ Al_2O_3 , **48**, 111
 - 2,6-disubstituted pyridines, as probes, **48**, 436, 440
 - ethylene sorption on reactive silica, **48**, 104
 - interaction of CO_2 , CO, and NiO, **49**, 225
 - isocyanate species on Ru/ Al_2O_3 , formation, **49**, 240
 - 2-methyloxirane oxidation on ZnO, **49**, 8
 - nitric oxide
 - adsorption on silica-supported Ru, **47**, 333
 - and carbon monoxide adsorption on Ru, **49**, 332
 - olefins, hydroboration with diborane on $\gamma\text{-Al}_2\text{O}_3$, **49**, 141
 - reaction between NO and CO and NO and H_2 on Ru, **49**, 345
 - sorbed alkenes, **50**, 373
 - supported iridium cluster carbonyl complex, **50**, 196
- Iodide
 - oxidation to iodine on boron phosphate, **46**, 151
- Iodine
 - from iodide oxidation on boron phosphate, **46**, 151
- Ion
 - distribution, aluminum: in zeolites, **49**, 115
 - exchange, silica protons with cupric ions, **50**, 400
- Ion exchange resins
 - catalysis: alcohol addition to olefins, carbonium ion mechanism, **46**, 49
- Iridium
 - catalysts, esr, **46**, 420
 - cluster carbonyl complex, ir spectra, **50**, 196
 - gemdiethylcyclopropane hydrogenodeuterolysis, **50**, 143
 - Ir(111) surface, CO oxidation, **48**, 269
 - single crystal surfaces
 - cyclohexane dehydrogenation over, **46**, 259
 - n*-heptane dehydrocyclization over, **46**, 259
- Iron
 - alumina promoted, benzene hydrogenation, **47**, 273
 - $\alpha\text{-Fe}(100)$ clean surface, chemical bonding on, **47**, 214
 - $\text{Fe}_2\text{O}_3\text{-MoO}_3$ system, Bi doped: characterization and activity, **47**, 122
 - foil, methane synthesis from H_2/CO mixtures, **50**, 244
 - impurities in X and Y zeolites, alcohol dehydrogenation, **50**, 109
 - pentacarbonyl, amine carbonylation to formamides, **48**, 433
 - prereduced $\text{Fe}_2\text{O}_3\text{-Al}_2\text{O}_3$
 - benzothiophene hydrogenolysis, **50**, 35
 - dibenzothiophene hydrogenolysis, **50**, 35
 - surfaces
 - Fe(100) and Fe(111): interaction with nitrogen, **49**, 18
 - Fe(110), interaction with nitrogen, **50**, 519
- Iron molybdate
 - catalyst, methanol partial oxidation, **50**, 24
- Iron oxide
 - acetic acid surface interaction, **50**, 330
- Iron sulfate
 - calcined, toluene isopropylation, **47**, 109
- Isocyanate
 - surface complexes
 - formation on Pt/ Al_2O_3 , **46**, 297
 - on Ru/ Al_2O_3 , formation, **49**, 240
- Isomerization
 - n*-butane with AlCl_3 -sulfonic acid resin complexes, **46**, 266
 - butenes
 - by adsorbed sulfur dioxide over ZnX zeolite, **50**, 379
 - on lanthanum oxide, **49**, 285
 - quantum chemical study, **47**, 55
 - n*-butene over fluorinated η -alumina, kinetic model, **48**, 21
 - 1-butene
 - on alumina, **46**, 326
 - over WO_3 -based catalysts, **49**, 305
 - 3-carene over MgO and CaO, **48**, 302
 - cis-trans*, olefins
 - over manganese dioxide, **48**, 333
 - over sulfur dioxide adsorbed on solids, **46**, 71
 - cyclopropanes on W and Au, **50**, 124
 - deuterated butenes over alumina, **48**, 166
 - olefins, quantum chemical study, **49**, 363
- Isopropyl alcohol
 - dehydration
 - over acidic metal oxides, **50**, 291
 - over X and Y zeolites, **50**, 98
 - dehydrogenation
 - over acidic metal oxides, **50**, 291
 - on manganese dioxide, **46**, 125

Isopropylation

toluene over calcined iron sulfates, **47**, 109

Isotope

effect

cyclopropane hydrogenodeuterolysis, **50**, 143, 156

kinetic: ^{13}C and ^{14}C , CO oxidation over NiO, **49**, 1

kinetic: $\text{H}_2\text{-D}_2$, hydrogenation of CO on Ni, Ru, and Pt, **49**, 383

labeling, reaction of NO with $^{15}\text{NH}_3$ over $\text{Cr}_2\text{O}_3\text{-Al}_2\text{O}_3$ and Cr_2O_3 , **48**, 201

tracing, transient, **50**, 429

K

Ketone

formation from methylbutanols, **50**, 237

L

Labyrinth factor

variation of, **46**, 214

Langmuir

bimolecular reactions, kinetics, **46**, 365

Langmuir-Hinshelwood

kinetics, parallel and series fouling, **48**, 177

mechanism, reduction of NO_x by NH_3 on V_2O_5 , **50**, 441

Lanthanum

Y catalyst, cumene cracking, **47**, 11

Lanthanum-hydrogen

exchanged ultrastable Y zeolites, formation and structural characterization, **46**, 100

Lanthanum oxide

n-butene isomerization, catalytic sites, **49**, 285

carbon dioxide adsorption, ir spectra, **48**, 417

catalytic

preparation and characterization, **46**, 402

surface area and pore structure, **46**, 402

Lanthanum trihydroxide

carbon dioxide adsorption, ir spectra, **48**, 417

infrared spectra, **46**, 402

thermal dehydration, **46**, 402

Lewis sites

activity in cumene cracking, **47**, 11

Low energy electron diffraction

dicarbon fragments on Ni(110), **48**, 422

M

Magnesia, *see* Magnesium oxide

Magnesium oxide

3-carene isomerization over, **48**, 302

methanol thermal decomposition on, **47**, 260

support for ruthenium, surface complex formation, **48**, 258

Magnetic field

para-hydrogen conversion, effects, **50**, 15

Magnetization

measurements

benzene hydrogenation on nickel-silica, **46**, 1

chemisorption and, **48**, 445, 447

hydrogen, benzene, cyclohexene and cyclohexane adsorption on nickel-silica, **46**, 1

saturation, carbon monoxide adsorption on nickel-silica, **46**, 25

Magnetization-volume isotherms

benzene, cyclohexene and cyclohexane on Ni/SiO₂, **46**, 1

Maleic anhydride

from butadiene and butene oxidation, **49**, 313

Manganese dioxide

active sites, isopropanol dehydrogenation, **46**, 125

olefin *cis-trans* isomerization, **48**, 333

polysulfone formation, **48**, 333

Mass spectrometry

carbon monoxide oxidation on Ir(111) surface, **48**, 269

measurement of methanation activity over Co and Ni foils, **50**, 244

Mass transport

intraparticle, effect on catalytic selectivity, **50**, 205

Mathematical model

porous medium: effect of surface diffusion on selectivity, multiple solutions, **50**, 205

Metal oxides

formic acid decomposition, **50**, 291

sulfur dioxide adsorption: catalysis of olefin *cis-trans* isomerization, **46**, 71

supported catalysts, effect of high temperature, **46**, 388

Metals

from carbonyl, dispersed on oxides, **46**, 434

catalysts, supported

mechanisms of aging, **48**, 73

particle growth mechanisms: coalescence and single atom migration, **46**, 238

sintering mechanism, discrimination between models, **46**, 234

specific activities and areas by pulse poisoning technique, **46**, 160

clusters, electron microscopy, **50**, 115

cyclopropane hydrogenolysis, **50**, 124, 143, 156

Group VIII, silica support: hydrocarbon synthesis from CO and H₂, **50**, 228

interdiffusion, Pt/Ag, **50**, 268

surface area, by pulse technique, **48**, 137

Metal sulfide

catalytic activity, **49**, 379

Metathesis

WO₃/SiO₂ catalyst, reduction and activity, **46**, 414

Methanation

carbon monoxide

- and carbon dioxide over cerium compounds, cobalt, and nickel, **47**, 1
 - on Ru/Al₂O₃, **48**, 111
 - hydrogen and carbon monoxide over tungsten, **50**, 301
 - kinetic isotope effect, **49**, 383
 - mischmetal–nickel catalysts, **46**, 417
 - over polycrystalline rhodium, **46**, 167
 - on ruthenium, **50**, 279
 - over silica-supported Group VIII metals, **50**, 228
 - Methane
 - adsorption on Mo, **47**, 178
 - production from
 - formaldehyde on tungsten, **48**, 395
 - synthesis gas, **48**, 111
 - synthesis, from H₂/CO mixtures over Ni, Co, and Fe foils, **50**, 244
 - Methanol
 - addition to isobutene, kinetics, **46**, 49
 - carbonylation over pentachlorobenzenethiol-promoted Rh(I) complex, **47**, 269
 - conversion to hydrocarbons over zeolites, **47**, 249
 - decomposition on TiO₂, alkyl–titanium species formation, **49**, 265
 - fuel cells, platinum–tin catalysts, **46**, 289
 - partial oxidation over iron molybdate, **50**, 24
 - thermal decomposition on magnesia, **47**, 260
 - Methylacetylene
 - adsorption on Mo, **47**, 166
 - Methylbutanols
 - photo-oxidation, **50**, 237
 - Methylcyclohexane
 - dehydrogenation over Pt on γ -alumina, **46**, 190
 - Methylcyclopentane
 - ring opening over nickel–alumina, **49**, 278
 - Methyl formate
 - thermal desorption from W(100), **48**, 395
 - 2-Methyloxirane
 - oxidation on ZnO, **49**, 8
 - 3-Methylpentane
 - platinum black deactivation, **46**, 65
 - 2-Methylpentane-2,4-diol
 - osmium tetroxide-catalyzed oxidation with hexacyanoferrate(III), **49**, 135
 - Methylpropane
 - hydrogenation over Pt/SiO₂, **50**, 494
 - Microcalorimetry
 - distribution of active sites at catalyst surface, **48**, 408
 - Microreactor
 - differential plug-flow, benzene hydrogenation over Al₂O₃-promoted iron, **47**, 273
 - Mischmetal
 - nickel alloys, methanation catalysts, **46**, 417
 - Model
 - kinetic, benzo[a]pyrene oxidation over vanadium pentoxide–molybdenum oxide, **50**, 258
 - mathematical, porous medium: effect of surface diffusion on selectivity, multiple solutions, **50**, 205
 - Molecular orbital
 - calculation: CNDO/2, adsorption, **49**, 294
 - study: reaction pathway, olefin hydrogenation over palladium tetrachloride, **48**, 8
 - Molecular sieve
 - fluid particulates: nucleation, crystallization and pseudomorphism, **48**, 129
 - support for platinum
 - carbon monoxide chemisorption, **48**, 150
 - hydrogen and oxygen chemisorption, **48**, 137
 - 13X, halogenated alkane reactions on, **50**, 390
 - Molybdates
 - activity in catalytic oxidation, **49**, 150
 - Molybdena
 - catalyst, promoted by Cr₂O₃: methanol oxidation, **48**, 413
 - dispersion on sulfided Co–Mo–Al₂O₃, **50**, 190
 - reduced, alumina support: specific surface area, **47**, 100
 - supported catalysts
 - structure, Raman spectra, **50**, 162
 - sulfided, used, and regenerated: structure, Raman spectra, **50**, 385
 - Molybdena–alumina
 - sulfided states, effect on catalyst activity, **47**, 300
 - thiophene
 - hydrodesulfurization, **47**, 300
 - hydrogenolysis, kinetics, **47**, 316
 - Molybdenum
 - Co–Mo/Al₂O₃, stabilization of Mo phase, **50**, 447
 - CoO–MoO₃/ γ -Al₂O₃, effect of sulfidation, **49**, 247
 - heats of adsorption
 - cyclopropane, **47**, 159
 - hydrocarbons, **47**, 166, 178
 - MoO₃–CoO and MoO₃, effect of carriers on thiophene hydrocracking, **47**, 358
 - MoO₃/SiO₂ and MoO₃/ γ -Al₂O₃, S₂[–] species on surface, **47**, 190
 - MoO₃·SiO₂ system, propylene oxidation, **50**, 342
 - Molybdenum disulfide
 - ethylene hydrogenation on, **48**, 229
 - state in sulfided molybdena alumina catalyst, **50**, 190
 - Molybdenum oxide
 - silica gel support, ethane oxidative dehydrogenation by nitrous oxide, **50**, 306
 - Molybdenum sulfide, *see* Molybdenum disulfide
 - Molybdenum trioxide
 - activity in catalytic oxidation, **49**, 150
 - Mössbauer spectra
 - automotive emission control catalysts, **46**, 58
 - Bi-doped Fe(III)-molybdate, **47**, 122
- N**
- Neutron diffraction
 - powder data, decationated Y type zeolites, **49**, 112

Nickel

- activity as methanation catalyst, **50**, 301
 - alumina support: ammonia decomposition in presence of water, kinetics, **48**, 312, 322
 - carbon formation on, mechanism, **48**, 155
 - carbon monoxide
 - adsorption, **47**, 280; **48**, 243
 - and carbon dioxide methanation over, **47**, 1
 - hydrogenation, kinetic isotope effect, **49**, 383
 - cluster
 - acetylene adsorption, **49**, 294
 - ethylene adsorption, **49**, 294
 - electrochemical oxidation of D-(+)-tartaric acid, **50**, 353
 - foil, methane synthesis from H_2/CO mixtures, **50**, 244
 - ions: adsorbed on alumina, oxidation, **47**, 79
 - miscmetal alloys, methanation catalysts, **46**, 417
 - Ni(110), dicarbon fragments on, **48**, 422
 - Ni(II) ions in A, X, and Y zeolites, oxygen ligand symmetries, **47**, 147
 - powder: hydrogen, oxygen and carbon monoxide chemisorption on Ni, sulfur poisoning, **46**, 340
 - propane reaction over, **47**, 232
 - Raney, acetone hydrogenation over, **46**, 356
 - silica support, acetone adsorption, **46**, 91
 - superparamagnetic catalyst, **46**, 1
- Nickel-alumina
- cyclohexane hydrogenolysis, **49**, 278
 - methylcyclopentane hydrogenolysis, **49**, 278
- Nickel carbonyl
- adsorption and thermal decomposition on oxides, catalyst preparation, **46**, 434
- Nickel-copper
- alloys, carbon monoxide adsorption-desorption, **47**, 92
- Nickel oxide
- carbon dioxide adsorption, **49**, 225
 - carbon monoxide, oxidation, **49**, 225
- Nickel-palladium
- alloy films, ethylene hydrogenation, **46**, 204
- Nickel-silica
- carbon monoxide adsorption, ir spectra and saturation magnetization, **46**, 25
 - gas phase benzene hydrogenation, **46**, 1, 13
- Nickel-tin-silica
- dehydrogenation and hydrogenation activity, **50**, 419
- Nitric oxide
- adsorption on
 - Ru, ir spectra, **49**, 332
 - silica-supported Ru, **47**, 333
 - silica-supported Ru-Pt bimetallic clusters, **48**, 292
 - dissociation, **50**, 64
 - oxidation on rare earth oxides, **49**, 236
 - reactions with CO and H_2 on Ru, ir spectra, **49**, 345

reduction

- with ammonia over Cr_2O_3 and $Cr_2O_3-Al_2O_3$, **48**, 194, 201
 - with ammonia over transition metal ion exchanged Y zeolites, **48**, 1
 - in exhaust, **49**, 42
 - by hydrogen on Pt, **50**, 64
 - on Ru/Al_2O_3 , **49**, 240
 - on V_2O_5 by NH_3 , **50**, 441
- Nitrogen
- compounds, hydrogenation, **46**, 243
 - encapsulated in 3A zeolite, temperature-programmed desorption, **50**, 319
 - interaction with iron surfaces, **49**, 18; **50**, 519
- Nitrogen oxides
- reduction, automotive emission control catalysts, **46**, 58
- Nitrous oxide
- dissociation over nonstoichiometric ZnO, **46**, 426
 - ethane oxidative dehydrogenation over molybdenum oxide on silica gel, **50**, 306
 - 2-methyloxirane oxidation on ZnO by, **49**, 8
 - reaction with carbon monoxide on doped V_2O_5 , **50**, 220
- Noble metals
- carbon monoxide oxidation on, **46**, 230
- Nuclear magnetic resonance
- Brönsted acidity of zeolites, **49**, 123
 - 1H shift, benzene complexes with Co^{2+} on Aerosil, **48**, 35
 - measurement, Brönsted acid sites on aluminum oxide, **46**, 279
 - method, heats of physical adsorption measurement, **46**, 275
 - wide line, transition alumina, **46**, 279
- Nucleation
- fluid faujasite particulates, **48**, 129
- Nucleophilic addition
- alcohols to olefins, **46**, 49

O

O-compounds

- conversion to hydrocarbons over zeolites, **47**, 249
- Olefins
- from alcohols over X and Y zeolites, **50**, 98
 - C_2-C_3 : oxidation and oxidative scissions on $V_2O_5-MoO_3$, **49**, 164
 - formation from methylbutanols, **50**, 237
 - hydroboration with diborane on $\gamma-Al_2O_3$, **49**, 141
 - hydrogenation over palladium tetrachloride, molecular orbital study of reaction pathway, **48**, 8
 - ion exchange resin catalyzed addition of alcohols, **46**, 49
 - isomerization, quantum chemical study, **47**, 55; **49**, 363
 - cis-trans* isomerization over

- manganese dioxide, **48**, 333
 - sulfur dioxide adsorbed on solids, **46**, 71
- oxyhydrative scission over V_2O_5 - MoO_3 , mechanism, **50**, 364
- surface chemistry, on α -Fe(100), **47**, 214
- trimerization, mechanism, **47**, 197
- Orbital
 - interaction, bond formation by adsorption, **49**, 294
 - symmetry conservation, bond energy bond order method, **50**, 382, 384
- Osmium
 - clusters, silica carrier, **50**, 115
- Osmium-copper
 - clusters, silica carrier, **50**, 115
- Osmium oxide
 - diol oxidation by iron complexes, **49**, 135
- Osmium tetroxide
 - diol oxidation by iron complexes, **49**, 135
- Oxidation
 - ammonia over Pt-Rh, **48**, 217
 - benzaldehyde by $PdO_2(PPh_3)_2$, kinetics, **48**, 427
 - benzo[a]pyrene over vanadium pentoxide-molybdenum oxide, kinetics, **50**, 258
 - butadiene over WO_3 -based catalysts, **49**, 313
 - 1-butene over
 - Fe(III)-molybdate, **47**, 122
 - WO_3 -based catalysts, **49**, 313
 - carbon monoxide
 - over chromia, **47**, 69
 - over cobalt oxide, **47**, 33
 - over hopcalite catalyst, **50**, 429
 - on Ir(111) surface, **48**, 269
 - over NaCuX zeolites, **48**, 60
 - over Pd, uv photoenhancement, **46**, 253
 - catalytic
 - carbon monoxide over nickel oxide, kinetic isotope effects, **49**, 1
 - carbon monoxide on stepped Pt(111), **46**, 37
 - hydrogen sulfide on polynaphthoquinone, mechanism, **46**, 132
 - cyclohexene over polymer-anchored vanadyl catalysts, **48**, 284
 - diols by
 - ferricyanide in alkaline media, kinetics, **49**, 135
 - iron complexes, kinetics and mechanism, **49**, 135
 - electrochemical, D-(+)-tartaric acid on nickel, **50**, 353
 - ethylene over silver, support effects, **46**, 82
 - gas phase and electrochemical: CO on Pt, Pd and Ru, **46**, 230
 - heterogeneous liquid-phase: cyclohexene, cumene, and tetralin, mechanism, **49**, 109
 - iodide to iodine on boron phosphate, **46**, 151
 - 2-methyloxirane on ZnO, **49**, 8
 - nitric oxide on rare earth oxides, **49**, 236
 - olefins
 - C_2 - C_6 , over V_2O_5 - MoO_3 , **49**, 164
 - mechanism, **49**, 150
 - palladium particles, **47**, 393
 - partial, methanol over iron molybdate, **50**, 24
 - phenol over CuO, **49**, 244, 245
 - propylene over $MoO_3 \cdot SiO_2$, mechanism, **50**, 342
 - reactions, monitored by exoelectron emission, **47**, 210
 - sulfur dioxide over Pt/ Al_2O_3 , diluent gas effect, **49**, 376
- Oxidation catalysts
 - for automotive emission control, **46**, 388
- Oxidative coupling
 - copper(II)-catalyzed, 2,6-dimethyl-phenol, **49**, 254
- Oxides
 - active, nickel, **47**, 79
 - MnO_{2-x} , active sites, **46**, 125
 - supported catalysts, effect of high temperature, **46**, 388
 - surface
 - formation, **48**, 269
 - surface fixed phenanthrene cation, esr, **47**, 284
- Oxygen
 - adsorbed species, silica-supported silver, epr, **47**, 399
 - adsorption, effect of percentage Pt exposed, **50**, 464
 - atoms, O_1 and O_3 type: proton localization in decaionated Y type zeolites, **49**, 112
 - chemisorption on
 - molecular sieve supported platinum, **48**, 137
 - Ni, sulfur poisoning, **46**, 340
 - compounds, hydrogenation, **46**, 243
 - desorption from Ag filaments, **46**, 109
 - excess, on manganese dioxide, **46**, 125
 - exchange between carbon dioxide and alumina, **48**, 120
 - interaction with cobalt, **49**, 216
 - ligands of Ni(II) and Co(II) ions in A, X, and Y zeolites, symmetries, **47**, 147
 - from molybdate lattice: catalytic activity, **49**, 150
 - reactive
 - on alumina, **48**, 120
 - in NaCuX zeolites, **48**, 60
 - role in reaction between NO_x and NH_3 on V_2O_5 , **50**, 441
 - superoxide ion, O_2^-
 - on γ - Al_2O_3 , stabilization, **50**, 545
 - characterization, electron paramagnetic resonance, **50**, 545
- Oxyhydrative scission
 - olefins
 - C_3 - C_6 , reaction scheme, **49**, 164
 - over V_2O_5 - MoO_3 , mechanism, **50**, 364
- Ozone
 - nickel ions, oxidation, **47**, 79

P

- Palladium**
 on activated carbon, hydrogen desorption, **48**, 374; **49**, 122
 alumina support, vinylcyclohexene dehydrogenation, **50**, 172
 carbon monoxide
 gas phase and electrochemical oxidation on, comparison, **46**, 230
 oxidation, uv photoenhancement, **46**, 253
 carbon surface hydrogenation, **50**, 43
 catalyst Al_2O_3 -Pt-Pd, tribophysical preparation, **50**, 541
 1,2-diene hydrogenation, **47**, 364
 gemdiethylcyclopropane hydrogenodeuterolysis, **50**, 143
 and nickel, alumina support: ammonia decomposition, **48**, 312
 small Au-Pd particles on silica, preparation, **50**, 530
 small particles, oxidation, **47**, 393
- Palladium-alumina**
 propane-sulfur dioxide system, oxidative dehydrogenation, **46**, 424
- Palladium/rhodium**
 for emission control, **49**, 42
- Palladium tetrachloride**
 olefin hydrogenation, molecular orbital study of reaction pathway, **48**, 8
- Palladium-tin-silica**
 dehydrogenation and hydrogenation activity, **50**, 419
- Paraffin**
 isomerization and cracking with AlCl_3 -sulfonic acid resin complexes, **46**, 266
 photo-oxidation, **50**, 237
- Particles**
 catalytic, in graphite: controlled atmosphere electron microscopy, **46**, 120
 growth, supported metal catalysts, mechanism, **46**, 238
 size-activity tests, diffusion in catalysts: errors in nonuniform porous catalysts, **48**, 249
- Particulates**
 fluid faujasite: nucleation, crystallization and pseudomorphism, **48**, 129
- Pentacarbonyliron**
 amine carbonylation to formamides, **48**, 433
- Pentachlorobenzene**
 promoter for Rh(I) complex, methanol carbonylation, **47**, 269
- Pentadiene**
 sorption by silica, **50**, 373
- Perovskite**
 catalysts, platinum in: nature and effects, **48**, 87
- Petrochemistry**
 tribophysical preparation: Al_2O_3 -Pt-Pd catalyst, **50**, 541
- pH**
 behavior: formaldehyde condensation to carbohydrates, glucose cocatalyst, **48**, 354
- Phenanthrene**
 cation, surface fixed: esr, **47**, 284
- Phenols**
 chromatographic analysis, **49**, 244, 245
 hydrogenation over CoMo, **46**, 243
 oxidation over CuO, **49**, 244, 245
- Photocatalysis**
 heterogeneous, methylbutanol photo-oxidation, **50**, 237
 ultraviolet enhancement: carbon monoxide oxidation over Pd, **46**, 253
- Photo-oxidation**
 methylbutanols, **50**, 237
 paraffins, **50**, 237
- Platinum**
 alumina support
 aliphatic hydrocarbons, hydrogenolysis, **50**, 87
 poison resistance, improved, **48**, 345
 carbon monoxide
 gas phase and electrochemical oxidation on, comparison, **46**, 230
 hydrogenation, kinetic isotope effect, **49**, 383
- catalysts**
 Al_2O_3 -Pt-Pd, tribophysical preparation, **50**, 541
 electron spin resonance, **46**, 420
 cyclohexanol transformations over, mechanisms, **48**, 442
 ethylene chemisorption and hydrogenation, **50**, 1
 gemdiethylcyclopropane hydrogenodeuterolysis, **50**, 143
 gemdimethylcyclopropane hydrogenodeuterolysis, **50**, 156
 heat of adsorption of cyclopropane, **47**, 159
 metallic surface area measurement, **47**, 389
 molecular sieve support
 carbon monoxide chemisorption, **48**, 150
 hydrogen and oxygen chemisorption, **48**, 137
 surface area, **48**, 137, 150
 nitric oxide adsorption, **50**, 64
 in perovskite catalysts, nature and effects, **48**, 87
 polycrystalline, nitric oxide reduction by hydrogen, **50**, 64
 propane dehydrogenation, **50**, 77
 Pt(110), hydrogen cyanide adsorption, **46**, 143
 reforming catalysts, modified alumina support, **48**, 404
 single crystal spheres, surface morphology, **49**, 51
 stepped Pt(111) surfaces, CO oxidation, **46**, 37
 sulfur
 poisoned, **47**, 389
 segregation from bulk to surface of Pt(100), **47**, 144

- valence state and interaction of Pt and Ge on γ -Al₂O₃, **48**, 209
- Platinum-alumina
isocyanate surface complex formation on, **46**, 297
sulfur dioxide oxidation over, diluent gas effect, **49**, 376
- Platinum black
deactivation, by 3-methylpentane, **46**, 65
- Platinum-gold
propane dehydrogenation, **50**, 77
- Platinum-rhenium
alumina support, heptane dehydrocyclization over, **46**, 348
 γ -alumina support, rhenium reducibility, **46**, 438
- Platinum-rhodium
for emission control, **49**, 42
gauzes, ammonia oxidation over, **48**, 217
- Platinum-silica
effect of percentage exposed on adsorbed O₂, **50**, 464
gel and platinum particles, characterization, **50**, 479
hydrogenation reactions, activity and selectivity, **50**, 494
- Platinum-tin
alumina support, heptane dehydrocyclization over, **46**, 348
enhanced
methanol electrooxidation, **46**, 289
oxygen adsorption, **46**, 289
fuel cell catalysts, **46**, 289
modified adsorption properties, **46**, 289
- Poisoning
catalyst nonuniform distribution on supports, **46**, 372
catalytic reactions, kinetics, **47**, 28
nickel by H₂S, **46**, 340
- Pollutants
automotive emission control catalysts, **46**, 58
- Pollution
air: isocyanate surface complex on Ru/Al₂O₃, formation, **49**, 240
- Poly(2,6-dimethylphenylene oxide)
C-O coupling, **49**, 254
- Poly(isobutyl aluminum oxide)
structure, **47**, 197
- Polymerization
alkenes, over reactive silica, **50**, 373
ethylene over
reactive silica, **48**, 104
soluble chromium-based catalyst, **47**, 197
- Polymers
superacid: paraffin isomerization and cracking with AlCl₃-sulfonic acid resin complexes, **46**, 266
- Polynaphthoquinone
reactivity, hydrogen sulfide oxidation, **46**, 132
- Polynuclear aromatics
hydrogenation over CoMo, **46**, 243
- Polysulfone
formation over manganese dioxide, **48**, 333
- Porous catalysts
diffusion and reaction in, **50**, 184
- Porous structure
model, **46**, 214
- Precursor state
for adsorption states, CO on Ni, **48**, 243
- Prediction
of activated complex: CO catalytic oxidation over NiO, **49**, 1
- Product distributions
carbon monoxide and carbon dioxide hydrogenation over rhodium, **46**, 167
- Propadiene, *see* Allene
- Propane
adsorption on Mo, **47**, 178
decomposition over nickel, **47**, 232
dehydrogenation over
chromia-alumina-potassium oxide, **47**, 239
Pt-Au, **50**, 77
-sulfur dioxide system over Pd/Al₂O₃, oxidative dehydrogenation, **46**, 424
- 2-Propanol
decomposition on TiO₂, **49**, 174
- Propene
from propane dehydrogenation over Pt-Au, **50**, 77
- Propionaldehyde
oxidation on ZnO, **49**, 8
- Propionic acid
formation from *n*-pentenes over V₂O₅-MoO₃, **49**, 164
- Propylene
adsorption on Mo, **47**, 166
hydrogenation over Pt/SiO₂, **50**, 494
oxidation over MoO₃-SiO₂, mechanism, **50**, 342
from propane oxidative dehydrogenation over Pd/Al₂O₃, **46**, 424
- Protons
localization at O₁ and O₃ type oxygen atoms, **49**, 112
- Pseudomorphism
fluid faujasite particulates, **48**, 129
- Pulse
poisoning technique: determination of specific activities and areas of supported metal catalysts, **46**, 160
technique
comparison with flow technique, kinetics, **49**, 83
Fischer-Tropsch reaction, kinetics, **50**, 8
- Pyridine
adsorption on oxidized aluminum metal, **48**, 237
deuterated, on aluminum oxide surfaces, **46**, 279
2,6-disubstituted, as surface probes: ir spectra, **48**, 440

Pyridinium ion

¹³C chemical shifts, **48**, 430

Q

Quantum chemistry

olefin isomerization, **47**, 55; **49**, 363

Quinoline

hydrogenation over CoMo, **46**, 243

R

Radioisotope

¹⁴C, heptane dehydrocyclization over Pt-Sn- and Pt-Re-Al₂O₃, **46**, 348

Radiotracers

coke formation in zeolites, **49**, 369

Raman spectra

supported molybdena catalysts, **50**, 162, 385

Rare earth

-nickel alloys, methanation catalysts, **46**, 417

oxides

and analogs, scandia and yttria: low-temperature ethylene hydrogenation, mechanism, **49**, 207*n*-butene isomerization, **49**, 285catalytic behavior, nitric oxide oxidation, **49**, 236type X sieve, *n*-heptane cracking over, **47**, 62

Rate constants

flash desorption analysis, **48**, 262nonuniform porous catalysts, **48**, 249

Rate equations

benzene hydrogenation on nickel-silica, **46**, 13

Reaction

Fischer-Tropsch, kinetics, **50**, 8mechanism, NO_x reduction by NH₃ on V₂O₅, **50**, 441modeling, validity, **48**, 21pathway, molecular orbital study: olefin hydrogenation over palladium tetrachloride, **48**, 8

probability

CO with O_{ad} on stepped Pt(111), **46**, 37in porous catalysts, **50**, 184

Reactivity

hydrogen chemisorbed on Pt, **50**, 1

Reactor

diffusion, deactivation of reforming catalyst, **46**, 190stirred microbalance, thiophene hydrogenolysis over molybdena-alumina, **47**, 316

Redox

reactions, in NaCuX zeolites, **48**, 60

Reduction

hexacyanoferrate (III) by diols, kinetics, **49**, 135

nitric oxide

by ammonia over Cr₂O₃ and Cr₂O₃-Al₂O₃, **48**, 194, 201with ammonia over transition metal ion exchanged Y zeolites, **48**, 1by hydrogen on Pt, **50**, 64silica gel surface, by hydrogen spillover, **46**, 320silver sulfide films by hydrogen spillover, **50**, 268

Reflectance spectroscopy

ultraviolet: *in situ*, sulfided Co- and Mo-containing catalysts, **49**, 247visible, *in situ*, sulfided Co- and Mo-containing catalysts, **49**, 247

Reforming catalysts

nature of platinum in, **46**, 420Pt on γ -alumina, deactivation during methylcyclohexane dehydrogenation, **46**, 190

Rhenium

 γ -alumina support, rhenium reducibility, **46**, 438

Rhodium

alumina support, *n*-heptane reaction in steam, **46**, 382for emission control, **49**, 42pentachlorobenzenethiol-promoted Rh(I) complex, methanol carbonylation, **47**, 269polycrystalline, carbon monoxide and carbon dioxide hydrogenation, **46**, 167

Rhodium-alumina

chemisorptions of CO, NO, and H, **50**, 407dispersed and particulate phases, **50**, 407sintering, **50**, 407surface interactions, **50**, 407temperature programmed reduction, **50**, 407

Ring closure

heptane dehydrocyclization, **46**, 348

Ring opening

methylcyclopentane over nickel-alumina, **49**, 278

Ruthenium

aluminum support

ammonia decomposition, **48**, 312carbon monoxide hydrogenation, ir spectra, **48**, 111isocyanate surface complex formation, **49**, 240barium oxide support, automotive emission control catalysts, **46**, 58

carbon monoxide

gas phase and electrochemical oxidation on, comparison, **46**, 230hydrogenation, kinetic isotope effect, **49**, 383clusters, silica carrier, **50**, 115hydrogen, carbon monoxide, and formaldehyde interaction with, **50**, 279RuH(BH₄)(PPh₃)₃, 1-hexene hydrogenation, **48**, 340

silica support

nitric oxide adsorption, **47**, 333nitric oxide and carbon monoxide adsorption, ir spectra, **49**, 332reactions between NO and CO and NO and H₂, ir spectra, **49**, 345

- single crystalline, carbon monoxide decomposition, **47**, 328
- stabilized catalysts, magnesium oxide support: surface complex formation, **48**, 258
- Ruthenium-copper
 - clusters, silica carrier, **50**, 115
- Ruthenium dioxide
 - automotive emission control catalysts, **46**, 58
- Ruthenium-platinum
 - bimetallic clusters, silica support: CO and NO adsorption, **48**, 292
- Ruthenium zeolites
 - benzene hydrogenation, **49**, 97
 - preparation and characterization, **49**, 97
- S**
- Scanning electron microscopy
 - platinum catalysts, surface morphology, **49**, 51
- Scheelite
 - structure, bismuth molybdate, **48**, 449
- Scission
 - oxyhydrative
 - of C₃-C₅ olefins, reaction scheme, **49**, 164
 - olefins over V₂O₅-MoO₃, mechanism, **50**, 364
- Segregation
 - prediction of, alloy surfaces, **50**, 200
 - sulfur, chemisorption induced, **47**, 144
- Selectivity
 - breakdown, premature: alkadiene hydrogenation over palladium, **47**, 364
 - catalytic, effect of surface diffusion, **50**, 205
 - shape, common zeolites, **47**, 113
- Silica
 - gel
 - cation exchange of surface protons with cupric ions, **50**, 400
 - support for molybdenum oxide, ethane oxidative dehydrogenation by nitrous oxide, **50**, 306
 - surface reduction by hydrogen spillover, **46**, 320
 - MoO₃-SiO₂ system, propylene oxidation, **50**, 342
 - reactive, ethylene sorption and polymerization, **48**, 104
 - small Au-Pd particles on, preparation, **50**, 530
 - support, for sulfided Co- and Mo-containing catalysts, **49**, 247
 - supported
 - Group VIII metals: hydrocarbon synthesis from CO and H₂, **50**, 228
 - silver, adsorbed oxygen species, epr, **47**, 399
- Silica-alumina
 - ethylene adsorption, **46**, 275
- Silver
 - filaments
 - polycrystalline, O₂ desorption, **46**, 109
 - thermally etched, O₂ desorption, **46**, 109
 - silica support, adsorbed oxygen species, epr, **47**, 399
 - supported: ethylene oxidation, **46**, 82
- Silver sulfide
 - films, reduction by hydrogen spillover, **50**, 268
- Single atom migration
 - metal particle growth mechanism, **46**, 238
- Sintering
 - mechanism, supported metal catalysts
 - coalescence and single atom migration, **46**, 238
 - discrimination between models, **46**, 234
- Site density
 - criterion, use in determination of slow step, **47**, 62
- Sodium bismuth molybdate
 - structure, **48**, 449
- Solvent
 - effect on acetone hydrogenation over Raney nickel, **46**, 356
- Sorption
 - alkenes by reactive silica, **50**, 373
 - ethylene on reactive silica, **48**, 104
 - hydrogen
 - mechanism, **50**, 43
 - reduction of Ag₂S films, **50**, 268
 - silica gel surface reduction, **46**, 320
- Stabilization
 - Mo phase in Co-Mo/Al₂O₃ by Co, **50**, 447
 - superoxide ion, O₂⁻, on γ -Al₂O₃, **50**, 545
- Steam reforming
 - catalysts, coking of, **48**, 155
 - over rhodium catalysts, **46**, 382
- Stereoselectivity
 - cyclohexenes, deuteration, **47**, 134
 - homoallylic hydrogen exchange, **47**, 134
- Sticking probability
 - O₂ on stepped Pt(111), **46**, 37
- Stoichiometry
 - carbon monoxide chemisorption, **48**, 150
 - hydrogen
 - and oxygen chemisorption, **48**, 137
 - oxygen and carbon monoxide chemisorption on nickel, **46**, 340
 - oxygen titration, **48**, 137
- Subdivision
 - of catalysts, caution for nonuniform porous catalysts, **48**, 249
- Substrate
 - and positional selectivity, toluene, **47**, 109
- Sugars
 - complexes, spectroscopic studies, **50**, 455
 - from formaldehyde, **50**, 455
- Sulfidation
 - effect on CoO-MoO₃/ γ -Al₂O₃ catalyst, **49**, 247
- Sulfonic acid resin
 - complex with AlCl₃, **46**, 266

Sulfur

- compounds, hydrogenation, **46**, 243
- poisoned Pt catalysts, **47**, 389
- poisoning, unsupported nickel, **46**, 340
- segregation, from bulk to surface of Pt(100) and Cu(100), **47**, 144
- S₂⁻ species on surface of MoO₃/SiO₂ and MoO₃/γ-Al₂O₃, **47**, 190

Sulfur dioxide

- adsorbed on solids, olefin *cis-trans* isomerization, **46**, 71
- anions, formation on alumina, **50**, 181
- butene isomerization by, over ZnX zeolite, **50**, 379
- oxidation over Pt/Al₂O₃, **49**, 376

Superacid

- polymers: paraffin isomerization and cracking with AlCl₃-sulfonic acid resin complexes, **46**, 266

Surface

- acidity, modified alumina support and platinum reforming catalysts, **48**, 404
- alloy, prediction of segregation, **50**, 200
- area
 - platinum, comparison of hydrogen-oxygen and hydrogen-alkene titrations, **47**, 389
 - specific: molybdena in reduced, supported catalysts, **47**, 100
- chemistry: olefins, on α-Fe(100), **47**, 214
- composition, polycrystalline rhodium: CO and CO₂ hydrogenation over, **46**, 167
- interactions
 - acetic acid on iron oxide, **50**, 330
 - in Rh/Al₂O₃ system, **50**, 407
- morphology, platinum catalysts, **49**, 51
- reactions: rate constants, flash desorption analysis, **48**, 262
- rearrangement, and catalytic action: interference, **46**, 225
- segregation, Pt(100) and Cu(100), **47**, 144
- species
 - alkanes on Mo, **47**, 178
 - alkenes and alkynes on Mo, **47**, 166
 - cyclopropane on Mo, **47**, 159
- states: cationic, chromia, **47**, 69

Symmetry

- conservation rule, olefin isomerization, **49**, 363
- orbital, conservation: bond energy bond order method, **50**, 382, 384
- oxygen ligands of Ni(II) and Co(II) ions in A, X, and Y zeolites, **47**, 147

Synthesis gas

- methanation, **48**, 111

Synthetic fuels

- from CO and H₂ over group VIII metals, **50**, 228

T

Tartaric acid

- electrochemical oxidation on nickel, **50**, 353

Temperature

- profiles, deactivating catalyst bed, **48**, 98
- range: 250–500°C, CO oxidation over NiO, **49**, 1
- Temperature-programmed desorption, *see* Desorption, temperature programmed

Tetralin

- heterogeneous liquid-phase oxidation, mechanism, **49**, 109

3,3',5,5'-Tetramethyl-4,4'-diphenquinone

- C–C coupling, **49**, 254

Thermal decomposition

- methanol adsorbed on magnesia, **47**, 260
- nickel carbonyl on oxides, **46**, 434

Thermal desorption

- carbon monoxide from Ni–Cu alloys, **47**, 92
- methyl formate from W(100), **48**, 395

Thermal desorption mass spectrometry

- oxygen chemisorbed on thermally etched and polycrystalline silver filaments, **46**, 109

Thermogravimetry

- ruthenium zeolites, benzene hydrogenation, **49**, 97

Thin films

- reduction of Ag₂S films by hydrogen spillover, **50**, 268

Thiophene

- desulfurization on CoO–MoO₃/Al₂O₃, kinetics, **49**, 320
- hydrocracking on MoO₃–CoO and MoO₃, effect of carriers, **47**, 358
- hydrodesulfurization over molybdena–alumina, **47**, 300
- hydrogenolysis
 - kinetics, **47**, 316
 - over molybdena–alumina, **47**, 300

Tin

- zero-valent, Pt–Sn electrodes, **46**, 289

Titanium dioxide

- alcohol dehydration, mechanism, **49**, 189
- aliphatic alcohol interaction with, **49**, 174, 189, 265
- decomposition of ethanol, 2-propanol, and *tert*-butanol, **49**, 174
- methanol decomposition, alkyl–titanium species formation, **49**, 265

Toluene

- isopropylation over calcined iron sulfates, **47**, 109
- relative rate to benzene, **47**, 109

Tracers

- ¹⁴C, heptane dehydrocyclization over Pt–Sn- and Pt–Re–Al₂O₃, **46**, 348
- ¹³CO and ¹³CO₂, in CO oxidation over hopcalite catalyst, **50**, 429

Transient method

- methanol partial oxidation over iron molybdate, **50**, 24

Transient operating conditions

- Fischer–Tropsch synthesis of paraffins, **50**, 8

Transition metal oxides

- supported catalysts, effect of high temperature, **46**, 388
- Tribophysics
process for preparation of Al_2O_3 -Pt-Pd catalyst, **50**, 541
- Trimerization
ethylene over soluble chromium-based catalyst, **47**, 197
- Tungsten
activity as methanation catalyst, **50**, 301
W(100), methyl formate thermal desorption, **48**, 395
 WO_3 - P_2O_5
acidity, **49**, 305
oxidation activity, **49**, 313
 WO_3 - P_2O_5 - X_nO_m
acidity, **49**, 305
oxidation activity, **49**, 313
- Tungsten carbide
surface structure, relation to electrocatalytic activity, **48**, 42
- Tungsten trioxide
silica support, metathesis catalyst, **46**, 414
- Tunneling spectroscopy
pyridine adsorbed on oxidized aluminum metal, **48**, 237
- U**
- Ultrahigh vacuum
thin-film techniques, **50**, 268
- Ultraviolet
radiation: photoenhancement of carbon monoxide oxidation over Pd, **46**, 253
- Ultraviolet photoelectron spectroscopy
cobalt interaction with oxygen, water vapor, and CO, **49**, 216
- Uranium trioxide
alumina support: reduction by ethylbenzene, kinetics, **48**, 386
catalysts: reduction by ethylbenzene, kinetics, **48**, 386
- V**
- Vanadium pentoxide
alkali metal sulfate additives, carbon monoxide reaction with nitrous oxide, **50**, 220
alumina support, toluene ammoxidation, **49**, 83, 92
reduction of NO_x by NH_3 , **50**, 441
- Vanadium pentoxide-molybdenum trioxide
benzo[*a*]pyrene oxidation, **50**, 258
olefin (C_2 - C_5) oxidation over, **49**, 164
olefin oxidation, **50**, 364
- Vanadyl
catalysts, polymer-anchored: cyclohexene oxidation, **48**, 248
- 4-Vinylcyclohexene-1
oxidative dehydrogenation on Pd, **50**, 172
- Volcano plots
and cyclohexane dehydrogenation, **50**, 549
- Voltammetry
cyclic, Pt-Sn electrodes, **46**, 289
- W**
- Water
adsorbed on oxides, **50**, 186
vapor
ammonia decomposition over nickel, kinetics, **48**, 322
ammonia decomposition over nickel, ruthenium and palladium, **48**, 312
interaction with cobalt, **49**, 216
- X**
- X-Ray diffraction
gel and platinum particles, characterization, **50**, 479
- X-Ray photoelectron spectroscopy
chromia-silica catalysts, **47**, 292
cobalt interaction with oxygen, water vapor, and CO, **49**, 216
Co-Mo/ Al_2O_3 system, **50**, 447
nickel-tin, **50**, 419
nitric oxide, **50**, 64
 NO_2 and NH_3 adsorbed on V_2O_5 , **50**, 441
palladium-tin, **50**, 419
platinum and germanium on γ - Al_2O_3 , **48**, 209
platinum-rhodium gauzes, ammonia oxidation over, **48**, 217
- Z**
- Zeolites
3A: nitrogen, Ar, and CO_2 encapsulated in, temperature-programmed desorption, **50**, 319
alkali cation X and Y, isopropanol dehydration, **50**, 98
aluminum ion distributions, **49**, 115
Brönsted acidity, NMR studies, **49**, 123
characterization for benzene hydrogenation, **49**, 97
coking and aging rates, **47**, 113
ethylene oxide addition to butanol, **49**, 201
fluid particulates: nucleation, crystallization and pseudomorphism, **48**, 129
lanthanum X and Y, isopropanol dehydrogenation, **50**, 109
mordenite and Y
coking and aging rates, **49**, 369
paraffin cracking and aromatics alkylation, **49**, 369

- NaCuX, reactive oxygen in, **48**, 60
 NaX, sulfur dioxide adsorption: catalysis of
 olefin *cis-trans* isomerization, **46**, 71
 NaY and H, Na-Y: decationated, proton localization, **49**, 112
 rare earth, hydrocracking, **50**, 252
 ruthenium
 benzene hydrogenation, **49**, 97
 preparation and characterization, **49**, 97
 shape selective
 cracking, aromatics alkylation, **47**, 113
 methanol conversion to hydrocarbons, **47**, 249
 synthetic A, X, and Y: symmetries of oxygen
 ligands of Ni(II) and Co(II) ions, **47**, 147
 ultrastable Y, ion exchange, **46**, 100
 Y: cation exchanged, reduction of NO with NH₃,
 48, 1
 ZnX, butene isomerization by sulfur dioxide over,
 50, 379
 Zinc oxides
 butene isomerization, **47**, 48
 2-methyloxirane oxidation, ir spectra, **49**, 8
 nitrous oxide dissociation over, **46**, 426
 pure and doped, excess electron concentration, **47**,
 48
 Zirconia
 support for metal oxide catalysts, **46**, 388
 Zirconium
 cocatalyst, cobalt-catalyzed autoxidation of alkyl-
 aromatics, **46**, 308

Statement of ownership, management and circulation required by the Act of October 23, 1962, Section 4369, Title 39, United States Code; of

JOURNAL OF CATALYSIS

Published monthly (semimonthly in June) by Academic Press, Inc., 111 Fifth Avenue, New York, N.Y. 10003. Number of issues published annually: 13.
 Editors: W. K. Hall, University of Wisconsin, Milwaukee, Wisc. 53201; F. S. Stone, University of Bath, England.

Owned by Academic Press, Inc., 111 Fifth Avenue, New York, N.Y. 10003. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None.

Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting, also the statements in the two paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide owner. Names and addresses of individuals who are stockholders of a corporation which itself is a stockholder or holder of bonds, mortgages or other securities of the publishing corporation have been included in paragraphs 2 and 3 when the interests of such individuals are equivalent to 1 percent or more of the total amount of the stock or securities of the publishing corporation.

Total no. copies printed: average no. copies each issue during preceding 12 months: 1872; single issue nearest to filing date: 1842. Paid circulation (a) to term subscribers by mail, carrier delivery or by other means: average no. copies each issue during preceding 12 months: 1425; single issue nearest to filing date: 1491. (b) Sales through agents, news dealers, or otherwise: average no. copies each issue during preceding 12 months: 0; single issue nearest to filing date: 0. Free distribution by mail, carrier delivery, or by other means: average no. copies each issue during preceding 12 months: 35; single issue nearest to filing date: 35. Total no. copies distributed: average no. copies each issue during preceding 12 months: 1460; single issue nearest to filing date: 1526.

(Signed) Roselle Coviello, Senior Vice President