

# Cumulative Subject Index<sup>1</sup>

## Volumes 91–96

### A

#### Acetaldehyde

- from ethylene oxide isomerization on single-crystal Ag(111), **93**, 92
- partial oxidation from ethane over Mo/SiO<sub>2</sub> catalyst, **94**, 37

#### Acetic acid

- direct generation from synthesis gas, **96**, 439

#### Acetophenone

- asymmetric transfer hydrogenation, catalytic precursor role of Rh(I) complexes containing chiral diphosphines, **94**, 292

#### Acetylene

- vapor phase hydrochlorination, **96**, 292

#### Acid–base

- modification of selectivity, nickel porphyrin catalytic hydrodemetallation, **93**, 135

#### Acidity

- oxide support, effect on Pt dispersion during O<sub>2</sub> treatment, **95**, 492
- surface, and cumene conversion of fluorided  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, **96**, 115

#### Acid sites

- in alkane cracking on zeolite catalysts, **93**, 30
- on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, effect of fluorination, **92**, 284
- Brønsted and Lewis, role in alkane cracking on zeolites, **93**, 30
- on molybdena–alumina catalyst, infrared and gravimetric studies of adsorbed pyridine, **94**, 408

#### Acrolein

- from propylene oxidation over Bi<sub>2</sub>Mo<sub>3</sub>O<sub>12</sub>, mechanism, **96**, 222

#### Activity

- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Group VIII metals, 1-butene isomerization, **93**, 161
- K<sub>2</sub>SO<sub>4</sub>-promoted unsupported V<sub>2</sub>O<sub>5</sub> catalyst for methanol oxidation, **93**, 360
- reduced iron–manganese oxide CO catalysts, **92**, 109
- silica-supported Fe nitride, promotion effects of K and N, **91**, 241
- zeolite Y-supported Ru, effect of support, **91**, 283

#### Additives

- B, K, and P: effect on CO hydrogenation over Ru/Al<sub>2</sub>O<sub>3</sub>, **95**, 41

#### Adsorption, *see also* Chemisorption

##### CO on

- fused iron catalyst, characterization with *in situ* laser Raman spectroscopy, **95**, 325
- LaMO<sub>3</sub> perovskites, **95**, 558

Ni/SiO<sub>2</sub> catalysts, structural sensitivity, **96**, 210

Ni/TiO<sub>2</sub> and Ni/Ti<sub>2</sub>O<sub>3</sub> catalysts, **96**, 491

oxide surfaces, lateral interactions, infrared spectroscopy, **94**, 10

Pt/TiO<sub>2</sub> catalysts, **92**, 11

SiO<sub>2</sub>- and Nb<sub>2</sub>O<sub>5</sub>-supported Ni catalysts: role of carbonyl formation and support effects, **94**, 343

SiO<sub>2</sub>-supported Pd catalysts for methanol synthesis, infrared spectra, **95**, 465

ZnO clean and pretreated surfaces, **92**, 79

equilibrium, *see* Equilibrium adsorption

##### H<sub>2</sub>/CO coadsorption

on Ni, effects of titania adspecies, **96**, 597

on Ni/SiO<sub>2</sub> catalysts, structural sensitivity, **96**, 210

heat of, *see* Heat of adsorption

H<sub>2</sub> on Pt catalysts, direct measurement of heats of adsorption, **95**, 57

##### NO on

LaMO<sub>3</sub> perovskites, **95**, 558

SiO<sub>2</sub>-supported Pt, infrared spectroscopy, **91**, 208

##### O<sub>2</sub> on

Ag at high O<sub>2</sub> pressures, **96**, 72

Ag(I) in polyfluorocarbon sulfonic acid films, **93**, 430

K-covered Au surfaces, **96**, 420

LaNiO<sub>3</sub>, kinetics, **93**, 83

pyridine on MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, catalyst acidic properties upon reduction in hydrogen: infrared and gravimetric studies, **94**, 408

studies, suitability of acid-washed Pt powder surfaces, **94**, 225

#### Adsorption constants

styrene and  $\alpha$ -methylstyrene over Rd/AlPO<sub>4</sub> catalysts, **94**, 1

#### Alcohol

dehydration on/in heteropoly compounds, **95**, 49

effect on Ru(III)–sulfonated linear polystyrene ionomers, **94**, 531

production by Fe/SiO<sub>2</sub> catalyst, diethylamine effect, **95**, 602

#### Alkali

concentration, effect on supported Ni with alkali promoters, **93**, 152

#### Alkaline earth

–supported Ru catalyst for N<sub>2</sub> activation, **93**, 305

#### Alkali promotion

##### CO hydrogenation

on supported Ni: support, preparation, and alkali concentration effects, **93**, 152

<sup>1</sup> Boldface numbers indicate appropriate volume; lightface numbers indicate pagination.

- over Rh/TiO<sub>2</sub>, **95**, 435
- on Rh/TiO<sub>2</sub>, surface reaction analysis with added ethylene, **92**, 416
- fused iron catalyst for Fischer–Tropsch synthesis, *in situ* laser Raman spectroscopy, **95**, 325
- Ru/Al<sub>2</sub>O<sub>3</sub> catalysts for ammonia synthesis, **92**, 296
- SiO<sub>2</sub>-supported Pd catalysts for methanol synthesis, **95**, 465
- on supported Ni: support, preparation, and alkali concentration effects, **93**, 152
- Alkanes, *see also* Paraffin
  - hydrogenolysis on Mo(O)/Al<sub>2</sub>O<sub>3</sub> catalysts, mechanism, **93**, 399
- Alkenes
  - hydrogenation over polymer-bound Pd(II) complexes, **92**, 327
- Alkylammonium heteropolyates
  - Mo and W, catalysts of methanol and ethanol conversions, **91**, 132
- Alkylation
  - benzene, with [1-<sup>14</sup>C]ethanol over ZSM-5 catalyst: carbon-14 rearrangement, **96**, 357
  - ethylbenzene with ethylene, *p*-diethylbenzene production over ZSM-5 zeolite catalysts, **95**, 512
- Alkyl intermediates
  - on Ru/SiO<sub>2</sub>, characterization with <sup>13</sup>C NMR, **95**, 305
- Alkynes
  - hydrogenation over polymer-bound Pd(II) complexes, **92**, 327
- Allotropic transformation
  - Co powder catalytic activity in NH<sub>3</sub> synthesis, **94**, 155
- Alloys
  - Ag–Cd-based catalysts, ethylene oxidation, **91**, 36
  - Cu–Group IV metal amorphous, catalyst precursors for methanol synthesis, **96**, 296
  - Cu–Ni powders, surface composition determination by chemisorption, **95**, 346
  - Cu–Si, surface analysis, **95**, 396
  - Fe catalysts, Al<sub>2</sub>O<sub>3</sub>-supported: structure analysis with Mössbauer and X-ray photoelectron spectroscopy, **96**, 58
  - Pt–Ru, Pt–Rh, and Pt–Pd, synthesis by precipitation, **95**, 353
  - surface segregation, spheroidal particles, **92**, 409
- Alumina
  - benzoin and benzil reactions over, **92**, 422
  - $\alpha$ -diketone decarbonylation over, **92**, 422
  - doped silica gels, for pyridine synthesis: X-ray photoelectron spectroscopy, **94**, 69
  - reducibility and hydrogen chemisorption properties, **94**, 558
  - support for
    - Co catalysts: CO hydrogenation, structure sensitivity and effect on product distribution, **92**, 376
    - CoO catalyst
      - temperature-programmed reduction, **93**, 38
      - temperature-programmed sulfiding and reduction, **96**, 122
    - CoO–MoO<sub>3</sub> catalysts, temperature-programmed reduction, **96**, 381
    - Cu catalyst, surface properties, spectroscopic characterization, **94**, 514
    - Cu–ZnO catalysts for low-temperature CO shift, X-ray absorption fine structure technique, **96**, 314
  - Fe catalysts
    - in situ* Mössbauer spectroscopic characterization, **96**, 314
    - reduction behavior in CO or H<sub>2</sub> atmospheres, **96**, 261
    - role of physical and chemical interactions, **94**, 239
  - Ir catalyst, sulfur chemisorption thermodynamics, **94**, 543
  - metal cluster, high-resolution electron microscopy, **94**, 313
  - Mo catalysts
    - acid sites on, infrared and gravimetric studies of adsorbed pyridine, **94**, 408
    - characterization by low-temperature oxygen chemisorption, **92**, 432
    - propane hydrogenolysis, **93**, 388
  - Mo(O) catalyst, alkane hydrogenolysis, **93**, 399
  - MoO<sub>3</sub> catalysts
    - preparation by equilibrium adsorption, characterization, **95**, 501
    - temperature-programmed sulfiding, **92**, 35
  - Ni catalyst, low-temperature methanation and Fischer–Tropsch activity, **94**, 566
  - Ni–Cu catalysts, cyclopropane hydrogenolysis, **94**, 289
  - Ni–Fe alloy particles, methanation kinetics, **91**, 11
  - Ni–Mo large-pore catalysts for upgrading coal liquids, **95**, 406
  - NiO–MoO<sub>3</sub> catalysts, H<sub>2</sub>O and NiO effects on surface structure, *in situ* Raman spectroscopy, **95**, 414
  - Ni particles, sintering behavior in H<sub>2</sub> atmosphere, **96**, 12
- Pd catalyst
  - CO<sub>2</sub> adsorption and surface interaction with H<sub>2</sub>, **95**, 567
  - surface ethylidyne infrared spectroscopic characterization, **96**, 1
- Pt catalysts
  - CO oxidation under transient conditions, Fourier-transform infrared transmission spectroscopy, **94**, 128
  - dispersion, chlorine effect, **92**, 64
  - H<sub>2</sub> heat of adsorption, direct measurement, **95**, 57
  - and Pt–Re catalysts, pretreatment effect on activity and selectivity maintenance, **96**, 499

- structure-sensitive poisoning by CO, **94**, 203
- Pt–Re sulfided reforming catalyst, reaction kinetics of methylcyclohexane dehydrogenation over, **96**, 507
- Re<sub>2</sub>O<sub>7</sub> catalysts, temperature-programmed reduction, **93**, 231
- Rh-containing automotive exhaust catalysts, water–gas shift over, **94**, 166
- Ru catalysts
- for ammonia synthesis, alkali promotion effect, **92**, 296
  - for CO hydrogenation, effect of K, B, and P additives, **95**, 41
  - low-temperature methanation and Fischer–Tropsch activity, **94**, 566
- tetraosmium cluster anions, precursors of catalysts for but-1-ene isomerization, **94**, 195
- V<sub>2</sub>O<sub>5</sub> catalyst, active surface area determination by electrophoretic migration and X-ray photoelectron spectroscopy, **95**, 520
- WO<sub>3</sub>, laser Raman characterization, **92**, 1
- surface, potassium migration, **92**, 17
- $\alpha$ -Alumina
- support for Ni catalyst for methane-steam reforming, formaldehyde intermediate, **95**, 313
- $\gamma$ -Alumina
- fluorided, acidity and reactivity, **96**, 115
  - fluorinated, acid sites, **92**, 284
  - support for
    - CO hydrogenation catalysts, **91**, 272
    - Group VIII metals, 1-butene isomerization, **93**, 161
    - Ir, particle redispersion with chlorine-containing gases, **96**, 154
    - Os catalysts for CO hydrogenation, particle size effects, **95**, 370
    - Pd–Rh bimetallic catalyst, properties for methylcyclopentane hydrogenolysis, benzene and 1-hexene hydrogenation, and benzene hydrogenation deactivation by thiophene, **95**, 167
    - presulfided Ni–W catalysts, aromatic compound hydrogenation in synthetic crude distillates, **95**, 155
    - Pt catalyst, hydrogen spillover to, **95**, 296
    - Pt–Ir bimetallic catalysts, redispersion in chlorine-containing gases, **96**, 170
    - Re<sub>2</sub>O<sub>7</sub>, formation and structure under precatysis conditions, **94**, 97
    - Rh catalysts, strong metal–support interactions and CO hydrogenation, **96**, 106
- Alumina–silica, *see* Silica–alumina
- Alumina–titanium dioxide
- mixed-oxide support for Pt and Ir catalysts, chemisorption properties and SMSI formation, **95**, 473
- Aluminum
- Cu–Zn mixed oxides, catalytic behavior for low-temperature methanol synthesis, **94**, 120
  - insertion in high-SiO<sub>2</sub> zeolite frameworks, **93**, 471
- Aluminum mesoperrhenate
- formation under Re<sub>2</sub>O<sub>7</sub>/γ-Al<sub>2</sub>O<sub>3</sub> precatysis conditions, **94**, 97
- Aluminum orthophosphate
- supported Rh catalysts, styrene and α-methylstyrene individual and competitive hydrogenation, **94**, 1
- Aluminum phosphate
- support for Ni catalysts, metal–support interactions, **96**, 202
- Aluminum–phosphorus–oxygen
- stoichiometric and nonstoichiometric catalysts, analysis with probe molecule 2-methylcyclohexanol, **96**, 242
- Amines
- chemical trapping of surface intermediates in methanol synthesis, **95**, 423
- Ammonia
- and *n*-butylamine, temperature-programmed desorption on mordenites, **96**, 288
  - CO and pyridine–CO interactions on MgO–CoO solid solutions, infrared spectra, **96**, 586
  - in HCN synthesis on clean Rh, **91**, 116
  - preadsorbed on MgO, reaction with CO, **93**, 331
  - synthesis
    - over alkali-promoted Ru/Al<sub>2</sub>O<sub>3</sub>, **92**, 296
    - Co powder catalytic activity, **94**, 155
    - high-pressure, hysteresis, **94**, 563
    - over Ru/alkaline earth catalyst, **92**, 305
- Ammonium heteropolyates
- Mo and W, catalysis of methanol and ethanol conversions, **91**, 132
- Anatase–vanadium pentoxide, *see* Vanadium pentoxide–anatase
- Anion-exchange resins
- deuterium transfer between liquid chloroform and water, **93**, 209
- Anisole
- hydrogenolysis on sulfided CoMo/Al<sub>2</sub> and NiMo/SiO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> catalysts, effect of catalyst acidity, **94**, 230
- Antimony
- excess, role as promoter in selective oxidation in Fe–Sb system, **91**, 85
- Antimony–iron, *see* Iron–antimony
- Aromatic compounds
- hydrogenation in sulfided Ni–W/γ-Al<sub>2</sub>O<sub>3</sub>-catalyzed synthetic crude distillates, **95**, 155
- Aromatic hydrocarbons
- hydrocarbon production from methanol over ZSM-5 zeolite, comment, **93**, 205; reply, **93**, 207
- Arrhenius plots
- inversion, hydrogen effects, **91**, 181
- Auger electron spectroscopy
- potassium migration on iron and Al<sub>2</sub>O<sub>3</sub> surfaces, **92**, 17
- Raney catalysts, surface analysis, **93**, 55

## Autocorrelation

- directional, and diffusional tortuosity of capillary porous media, **93**, 192

## B

## Basicity

- oxide support, effect on Pt dispersion during O<sub>2</sub> treatment, **95**, 492

## Benzene

- alkylation with [1-<sup>14</sup>C]ethanol over ZSM-5 catalyst, carbon-14 rearrangement, **96**, 357
- and 1-hexene, hydrogenation: properties of  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Pd-Rh bimetallic catalysts, **95**, 167
- hydrogenation
  - deactivation by thiophene, properties of  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Pd-Rh bimetallic catalysts, **95**, 167
  - kinetics, comment, **94**, 319; reply, **94**, 322
  - reduced nickel hydromolybdate, **91**, 356

## Benzil

- reactions over Al<sub>2</sub>O<sub>3</sub>, **92**, 422

## Benzoin

- reactions over Al<sub>2</sub>O<sub>3</sub>, **92**, 422

## Benzyl sulfonic acid siloxane

- isobutene oligomerization, **94**, 187

## Beryllium silicates

- with zeolite-type structure: synthesis, catalytic properties, and <sup>9</sup>Be NMR chemical shifts, **94**, 508

## Binder

- activation, of high-SiO<sub>2</sub> ZSM-5 zeolite, **93**, 471

## Bismuth molybdate

- catalysts for oxidative dehydrogenation of butene, electrical conductivity *in situ* measurements, **95**, 84

 $\alpha$ -Bismuth molybdate

- propylene oxidation to acrolein over, mechanism, **96**, 222

## Book reviews

- Energy Resources through Photochemistry and Catalysis, M. Grätzel (Ed.), 1983, **91**, 183
- Zeolites: Science and Technology, F. F. Ribeiro, A. E. Rodrigues, L. D. Rollman, and C. Nac-coche, 1984, **96**, 616

## Boron

- determination in borosilicate molecular sieves, **91**, 352
- effect on CO hydrogenation over Ru/Al<sub>2</sub>O<sub>3</sub>, **95**, 41

## Borosilicate

- molecular sieves, boron determination, **91**, 352

## 1,3-Butadiene

- selective oxidation to maleic anhydride over Ni MoO<sub>4</sub> catalysts with excess MoO<sub>3</sub>, **95**, 147

*n*-Butane

- isomerization catalyzed by polymer-supported superacids, **96**, 347
- oxidation to maleic anhydride by V-P-O catalysts, **92**, 216

## Butene

- isomerization, catalysis on crystalline zirconium phosphate, **94**, 491
- oxidative dehydrogenation by bismuth molybdate catalysts: *in situ* electrical conductivity measurements, **95**, 84

*n*-Butene

- oxidation on vanadium oxide clusters, selectivity, **91**, 54

## 1-Butene

- hydrogenation, catalytic activity of Chevrel phase compounds, **93**, 375
- isomerization
  - catalyst precursors: Al<sub>2</sub>O<sub>3</sub>-supported tetraosmium cluster anions, **94**, 195
  - on Group VIII metals, **93**, 161
- selective oxidation to maleic anhydride over Ni MoO<sub>4</sub> catalysts with excess MoO<sub>3</sub>, **95**, 137

*n*-Butylamine

- and NH<sub>3</sub>, temperature-programmed desorption on mordenites, **96**, 288

## C

## Calcination

- temperatures, effects on WO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, **92**, 1

## Carbenium ions

- $\beta$ -cracking of *n*-heptane branched isomers on acidic zeolite, **94**, 445

## Carbon

- adsorbed species during CO hydrogenation over unsupported Ru, Ni, and Rh, **94**, 385

- <sup>14</sup>C rearrangement in benzene alkylation with [1-<sup>14</sup>C]ethanol over ZSM-5 catalyst, **96**, 357

## deposition

- from CH<sub>4</sub> and CO on Ni, **95**, 13
- on iron by acetone/CO<sub>2</sub> catalytic decomposition, conversion electron Mössbauer spectroscopy, **94**, 360

- and methane steam reforming on SiO<sub>2</sub>-supported Ni-Cu catalysts, **96**, 517

- diffusion mechanism, coke deposition on catalysts, **93**, 182

## filamentous

- formation on Fe and Ni catalysts

- mechanism, **96**, 481

- morphology, **96**, 481

- thermodynamics, **96**, 454

- growth on TiO<sub>2</sub>-treated Ni surfaces, **93**, 312

- gasification, deactivation of Ni catalyst, **95**, 71

- hydrogenation on Ni, support effects on kinetics, **91**, 78

- interstitial, in Pd, **95**, 621

## support for

- Fe-Ru catalysts, **91**, 338

- Re<sub>2</sub>O<sub>7</sub> catalysts, temperature-programmed reduction, **93**, 231

- surface  
 hydrogenation on Ru(001), formation of methyne intermediates, **94**, 51  
 Ni deactivation in methanation reaction, **92**, 312
- Carbonaceous species  
 on Ru catalysts, NMR characterization, **93**, 1
- Carbon dioxide  
 and H<sub>2</sub>, surface interaction over supported Pd catalyst, **95**, 567  
 hydrogenation over Rh/TiO<sub>2</sub>, effect of variation in support electric properties, **95**, 578  
<sup>18</sup>O-labeled, role in methanol synthesis on Cu–Zn oxide catalyst, **96**, 251
- Carbonium ions  
 intermediates, over SiO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> and acidic zeolites, **92**, 355
- Carbon monoxide  
 adsorbed under H<sub>2</sub> and hydrogenated on supported Ni, Ru, and Co catalysts, methane formation mechanism, **94**, 566  
 adsorption on  
 fused iron catalyst, characterization with *in situ* laser Raman spectroscopy, **95**, 325  
 LaMO<sub>3</sub> perovskites, **95**, 558  
 Ni/SiO<sub>2</sub> catalysts, and coadsorption with H<sub>2</sub>, structural sensitivity, **96**, 210  
 oxide catalysts, lateral interactions, infrared spectroscopy, **94**, 10  
 Pt/Cab-O-Sil, interaction with H<sub>2</sub> and O<sub>2</sub>, **92**, 388  
 Pt/TiO<sub>2</sub>, **92**, 11  
 SiO<sub>2</sub>- and N<sub>2</sub>O<sub>5</sub>-supported Ni catalysts, role of carbonyl formation and support effects, **94**, 343  
 SiO<sub>2</sub>-supported Pd catalysts for methanol synthesis, infrared spectra, **95**, 465  
 ZnO surface, CO/D<sub>2</sub> interaction, **92**, 79
- atmosphere, reduction behavior of supported Fe catalysts, **96**, 261
- chemisorption on Ni, effects of varying titania surface coverage, **95**, 587
- desorption–adsorption infrared doublet, production on Pt/Cab-O-Sil, **92**, 388
- desorption from supported Ru particles, **95**, 361
- disproportionation  
 on Ni/SiO<sub>2</sub>, kinetics and nature of deposited carbon, **95**, 13  
 on Pd/SiO<sub>2</sub>, **91**, 1
- dissociation on NaX-zeolite-supported Rh, infrared spectroscopy, **94**, 297
- effect on Ru(III)–sulfonated linear polystyrene ionomers, **94**, 531
- and H<sub>2</sub>  
 coadsorption on Ni, effect of titania adspecies, **96**, 597  
 interactions with Pd/SiO<sub>2</sub> and Pd/La<sub>2</sub>O<sub>3</sub>, **96**, 88  
 reaction on Rh/TiO<sub>2</sub> catalysts, **94**, 300  
 selective olefin synthesis with Na[Ru<sub>3</sub>H(CO)<sub>11</sub>]  
 supported on metal oxides, **95**, 293
- hydrogenation  
 by  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Os catalysts, particle size effects, **95**, 370  
 on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported RhOs<sub>3</sub>, Rh<sub>4</sub>, and FeOs<sub>3</sub> clusters, **91**, 272  
 on carbon-supported Fe–Ru catalysts, **91**, 338  
 on Co/Al<sub>2</sub>O<sub>3</sub>, **92**, 376  
 on Co catalysts, **95**, 527  
 coverages of carbon- and hydrogen-containing species on Ru, **91**, 142  
 gold effect, **93**, 256  
 on inorganic oxide-attached Mo(II)–monomer catalysts, selective ethane formation, **96**, 613  
 iron–manganese oxide catalysts, **92**, 98, 109  
 over Mo(100) single crystals and polycrystalline foils, **94**, 60  
 on Ni/TiO<sub>2</sub> and Ni/Ti<sub>2</sub>O<sub>3</sub> catalysts, **96**, 491  
 over Rh, deuterium isotope effects, **95**, 317  
 on Rh/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> and Rh/ZrO<sub>2</sub> catalysts, **96**, 106  
 over Rh/TiO<sub>2</sub>  
 alkali promotion effect, **95**, 416, 435  
 effect of variation in support electric properties, **95**, 578  
 over Ru  
 supported and unsupported, **93**, 1  
 support effects, **96**, 23  
 Y-zeolite-supported, **91**, 283  
 over Ru/Al<sub>2</sub>O<sub>3</sub>, effect of K, B, and P additives, **95**, 41  
 over SiO<sub>2</sub>-supported Ni, Ru, Rh, and Pd: addition of probe reactants, **96**, 396  
 on ThO<sub>2</sub> catalyst, methanol production, **95**, 385  
 over unsupported Ru, Ni, and Rh: carbon- and hydrogen-containing adspecies, **94**, 385
- oxidation  
 on Pd/Al<sub>2</sub>O<sub>3</sub>, catalytic reactor system for transient response, **94**, 468  
 on Pd/SiO<sub>2</sub>, spatial coverage and temperature patterns during oscillations, **93**, 321  
 over Pt/Al<sub>2</sub>O<sub>3</sub> under transient conditions, Fourier-transform infrared transmission spectroscopy, **94**, 128  
 on Pt/SiO<sub>2</sub>, self-sustained oscillations, surface coverage and inhomogeneous temperature patterns, **91**, 216
- oxidation reaction, Rh field-emitter surface oxidation, **92**, 167
- Pt/Al<sub>2</sub>O<sub>3</sub> poisoning, structural effects on methylcyclopropane hydrogenolysis, **94**, 203
- Pt/TiO<sub>2</sub> poisoning, effect of metal–support interactions, **94**, 218
- reaction with ammonia preadsorbed on MgO, **93**, 331
- reduction, behavior of Fe-exchanged mordenite, **96**, 182
- shift reaction on Cu–ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts at low temperature, X-ray absorption fine structure technique, **96**, 314

- Carbon monoxide-carbon dioxide  
treatment, effect on catalytic activity of magnetite particles on graphite, **91**, 167
- Carbon monoxide/hydrogen reactions, *see also* Synthesis gas  
SiO<sub>2</sub>-supported Rh catalyst, MnO and MoO<sub>2</sub> promoter effects, **93**, 340  
over TiO<sub>2</sub>-supported Fe catalysts, oxidation effect, **96**, 408
- Carbonyl  
-derived Co catalysts, magnetic properties, **95**, 527  
formation on supported Ni catalysts, role in CO adsorption, **94**, 343
- Carbonylation  
methanol catalyzed by Co and Rh, cylindrical internal reflectance *in situ* infrared spectroscopy, **95**, 21
- Carburization  
Fe-MnO CO catalysts, **92**, 109
- Catalysis  
acidic, acid-catalytic behavior of 12-tungstophosphates for dehydration of alcohols, **95**, 49  
active site, NO decomposition on Pt(210) and Pt(410), **95**, 244  
deuterium transfer by anion-exchange resins, **93**, 209  
redox, Fe-exchanged mordenite: behavior toward CO reduction, **96**, 182  
supported liquid-phase, *see* Supported liquid-phase catalysis
- Catalysts  
acidity, effect on anisole hydrogenolysis, **94**, 230  
Ag-Cd alloys, ethylene oxidation, **91**, 36  
Al<sub>2</sub>O<sub>3</sub>-supported tetraosmium cluster anions, precursors for but-1-ene isomerization, **94**, 195  
automotive, water-gas shift over Rh, transient enhancement, **94**, 166  
bimetallic  
metal dispersion via stepwise chemisorption and surface titration, **95**, 271, 284  
supported, preparation from metal clusters, **91**, 272  
CO shift, X-ray absorption fine structure technique, **96**, 314  
Cu/Zn/Al mixed oxides for low-temperature methanol synthesis, behavior, **94**, 120  
deactivation by site coverage and pore blockage, percolation model, **96**, 552  
fluid-cracking, metal poisoning effects: luminescence probe, **96**, 363  
hole-catalyzed and photoassisted hole-catalyzed cycloadditions by zeolites, **95**, 300  
hybrid, Pd- and faujasite-containing, synthesis gas conversion to C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub> paraffins, **94**, 16  
hydrocarbon conversion, Re and S effects on Pt/Al<sub>2</sub>O<sub>3</sub>, **96**, 371  
hydrocracking, Co-Mo commercial: cumene disproportionation, effects of zeolite unit cell size on reaction rate and catalyst deactivation, **95**, 220  
hydrodesulfurization, *see* Hydrodesulfurization  
hydrotreating  
Fe-MoSi<sub>2</sub> catalytic and physicochemical properties, **94**, 310  
MoS<sub>2</sub> and WS<sub>2</sub>, role of Group VIII promoter, **91**, 308, 318  
surface structure characterization with ion scattering spectrometry, **95**, 309  
initial transformations, Ni role, **91**, 64  
metal crystallites, supported: role of physical and chemical interactions, **94**, 239  
metal, TiO<sub>2</sub>-deposited, strong metal-support interactions, electronic effects, comment, **94**, 581; replies, **94**, 586, 587  
mixed metal oxides for methanol synthesis: adsorbed species characterization with Fourier transform infrared spectroscopy, **94**, 175  
multicomponent systems, limits to pseudo-mass-action and pseudomonomolecular kinetics, **94**, 148  
oxides, adsorbed CO molecules, lateral interactions: infrared spectroscopy, **94**, 10  
photoelectrochemical preparation of Pt/TiO<sub>2</sub>, **92**, 11  
poisoning reaction and catalytic deactivation, kinetic parameters, **95**, 447  
Pt/TiO<sub>2</sub>, inhibition by reduced TiO<sub>x</sub>, **93**, 216  
reforming, activity and selectivity maintenance, comparison, **96**, 499  
Rh(I) complexes containing chiral diphosphines, precursors in asymmetric transfer hydrogenation of acetophenone, **94**, 292  
spherical pellets, porous: geometric correction factor for Weisz diffusivity cell, **94**, 303  
supported liquid-phase oxychlorination, microstructure, **93**, 23  
temperature rises, local, **91**, 185  
thermally activated, synthetic anionic clay minerals, catalytic reactions, **94**, 547  
tungsten sulfide, characterization, **95**, 249
- Catalytic activity  
Chevrel phase compounds for thiophene hydro-sulfurization and 1-butene hydrogenation, **93**, 375  
Co<sub>3</sub>O<sub>4</sub> in toluene oxidation, effect of samarium, **93**, 186  
electronically driven geometrical changes on Ag, Cu, and Pt surfaces, **94**, 570  
Group VIII metal promoter role in MoS<sub>2</sub> hydrotreating catalysts, **94**, 310  
propylene hydroformylation on RhNaX and RhNaY, **96**, 563  
Pt on CeO<sub>2</sub> in methanation and water-gas shift reaction, **96**, 285  
studies, suitability of acid-washed Pt powder surfaces, **94**, 225  
sulfided Mo- $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, **96**, 276

- supported metal chloride catalysts, correlation, **96**, 292
- thermally activated, synthetic anionic clay minerals, **94**, 547
- Catalytic properties
- acid sites on molybdena- $\text{Al}_2\text{O}_3$  upon reduction in hydrogen, infrared and gravimetric studies, **94**, 408
  - $\gamma\text{-Al}_2\text{O}_3$ -supported Pd-Rh bimetallic catalyst, for methylcyclopentane hydrogenolysis, benzene and 1-hexene hydrogenation, and benzene hydrogenation deactivation by thiophene, **95**, 167
  - [B]ZSM-5 zeolite, **93**, 451
  - magnetic, Co catalysts derived from carbonyl, **95**, 527
  - Ni-promoted catalysts **91**, 318
  - perovskite-type  $\text{LaFeO}$  and  $\text{LaCoO}_3$  mixed oxides, effects of  $\text{Sr}^{2+}$  and  $\text{Ce}^{4+}$  substitution for  $\text{La}^{3+}$ , **93**, 459
  - rare earth metal catalysts for hydrogenation of unsaturated hydrocarbons, **96**, 139
  - tetrapropyl ammonium-ZSM-5 zeolite, effect of decomposition conditions, **94**, 573
- Catalytic reactions
- hydrocarbon, particle size sensitivity, **96**, 82
- Catalytic reactors
- fixed-bed, coke profile determination by neutron attenuation technique, **96**, 146
- Cation exchange
- $\text{SiO}_2$ -supported Ru catalysts,  $\text{Ru}(\text{CO})_5$  production, **92**, 184
- Cerium dioxide
- support for Pt catalyst, activity in methanation and water-gas shift reaction, **96**, 285
- Cerium oxide
- support for Pt catalyst, ethylene and oxygen reaction on, **93**, 353
- Cesium
- effects in ethylene oxide isomerization on single-crystal Ag(111), **93**, 92
- Chain growth
- mechanism, McCandlish: for Fischer-Tropsch synthesis, **92**, 180
  - probabilities for Fischer-Tropsch synthesis, distribution, **92**, 426
- Chemical shifts
- carbonaceous species on Ru,  $^{13}\text{C}$  NMR spectra, **93**, 1
- Chemisorption
- equilibrium, sulfur on  $\text{Ir}/\text{Al}_2\text{O}_3$ , **94**, 543
  - $[^{14}\text{C}]$ ethylene, on Pt(111) surfaces: hydrogenation and dehydrogenation of organic fragments, **92**, 240
  - ethynylidyne on  $\text{Pd}/\text{Al}_2\text{O}_3$ : ir spectroscopic characterization, **96**, 1
- $\text{H}_2$
- on alumina, properties, **94**, 558
  - and CO on Ni, effects of varying titania surface coverage, **95**, 587
  - on Cu-Ni alloy powders, **95**, 346
  - reduced nickel hydromolybdate, **91**, 356
  - reversible/weak, on supported Ru, **93**, 368
  - on Ru(0001) surface, effects of added Cu, **94**, 576
  - uptake suppression of Pt and Ir on  $\text{TiO}_2\text{-Al}_2\text{O}_3$  mixed-oxide supports, **95**, 473
- inhibition in Pt/ $\text{TiO}_2$  catalysts, **93**, 216
- methoxy groups on metal oxides, CH stretching band shift, **92**, 173
- Ni catalysts, support effects, **93**, 270
- NO and  $\text{O}_2$  on  $\text{MoO}_3/\text{Al}_2\text{O}_3$ , **95**, 501
- $\text{O}_2$
- and  $\text{H}_2$  on Ru-Au bimetallic catalysts, **95**, 271, 284
  - low-temperature, on  $\text{Mo}/\text{Al}_2\text{O}_3$ : characterization, **92**, 432
  - on unsupported  $\text{MoS}_2$  catalyst, pretreatment effects, **95**, 455
- Chevreton phase compounds, *see* Molybdenum sulfide, reduced
- Chlorine
- containing gases
    - Ir particle redispersion on  $\text{SiO}_2$  and  $\gamma\text{-Al}_2\text{O}_3$  supports, **96**, 154
    - Pt-Ir particle redispersion on  $\gamma\text{-Al}_2\text{O}_3$  and  $\text{SiO}_2$  supports, **96**, 170
- effect on
- catalytic decomposition of  $\text{CH}_3\text{OH}$  on Ni foil, **94**, 142
  - $\text{SiO}_2$ - and  $\text{Al}_2\text{O}_3$ -supported Pt dispersion, **92**, 64
  - promotion of selective ethylene oxidation over Ag(110), kinetics and mechanism, **92**, 272
- Chloroform
- liquid, and water: deuterium transfer by anion-exchange resins, **93**, 209
  - poisoning of anisole hydrogenolysis on sulfided  $\text{CoMo}/\text{Al}_2\text{O}_3$  and  $\text{NiMo}/\text{SiO}_2\text{-Al}_2\text{O}_3$  catalysts, **94**, 230
  - solubility in NaOH solution, **93**, 209
- Chromium
- ethane dehydrogenation, **91**, 155
  - $\text{SiO}_2$ -supported catalysts
    - for ethanol oxidation, properties, **94**, 24
    - for ethylene polymerization, **92**, 260
- Chromium oxide-copper, *see* Copper-chromium oxide
- Chromium trioxide
- methanol decomposition over, behavior of surface formate ions as reaction intermediates, **94**, 353
- Clay minerals
- anionic, catalytic reactions, **94**, 547
  - in transformation of organic compounds, **92**, 291
- Clusters
- metal, supported on spinel  $\text{Al}_2\text{O}_3$ , high-resolution electron microscopy, **94**, 313

- RhOs<sub>3</sub>, Rh<sub>4</sub>, and FeOs<sub>3</sub> in catalyst preparation for CO hydrogenation, **91**, 272  
tetraosmium, precursors of catalysts for but-1-ene isomerization, **94**, 195
- Coal  
liquids, upgrading with Ni–Mo/Al<sub>2</sub>O<sub>3</sub> large-pore catalysts, **95**, 406
- Cobalt  
Al<sub>2</sub>O<sub>3</sub>-supported, CO hydrogenation: structure sensitivity and effect on product distribution, **92**, 376  
Co<sub>3</sub>O<sub>4</sub> in toluene oxidation, effect of samarium on catalytic activity, **93**, 186  
-doped MoS<sub>2</sub> crystals, edge plane reactivity, **92**, 56  
kieselguhr-supported, low-temperature methanation and Fischer–Tropsch activity, **94**, 566  
methanol carbonylation, cylindrical internal reflectance *in situ* infrared spectroscopy, **95**, 21  
powder, catalytic activity in NH<sub>3</sub> synthesis, **94**, 155  
SiO<sub>2</sub>-supported and carbonyl-derived, magnetic properties, **95**, 527  
ZSM-5-supported, structure, *in situ* X-ray diffraction, **92**, 145
- Cobalt–molybdenum  
γ-Al<sub>2</sub>O<sub>3</sub>-supported, fluorided: surface acidity and cumene conversion, **96**, 115  
commercial hydrocracking catalyst, cumene disproportionation on: effects of zeolite unit cell size on reaction rate and catalyst deactivation, **95**, 220  
hydrodesulfuration catalysts, <sup>59</sup>Co NMR study, **96**, 189  
TiO<sub>2</sub>-supported, preparation and characterization, **92**, 340
- Cobalt oxide  
Al<sub>2</sub>O<sub>3</sub>-supported  
temperature-programmed reduction, **93**, 38  
temperature-programmed sulfiding and reduction, **96**, 122
- Cobalt oxide–molybdenum trioxide  
Al<sub>2</sub>O<sub>3</sub>-supported, temperature-programmed reduction, **96**, 381  
methanol carbonylation, cylindrical internal reflectance *in situ* infrared spectroscopy, **95**, 21
- Cobalt–ruthenium  
Bu<sub>4</sub>PBr-supported catalyst, acetic acid generation from synthesis gas, **96**, 439
- Cobalt sulfides  
in Co-based hydrodesulfuration catalysts, <sup>59</sup>Co NMR study, **96**, 189
- Coke  
deposition on catalysts, mechanism, **93**, 182  
profiles, determination in fixed-bed catalytic reactors by neutron attenuation technique, **96**, 146
- Composition  
Ni/SiO<sub>2</sub> catalysts, precipitated precursors: effects of preparation conditions, **96**, 429
- Conversion  
methanol, aromatic hydrocarbon in, **93**, 207
- Conversion electron Mössbauer spectroscopy  
carbon deposition on iron by acetone/CO<sub>2</sub> catalytic decomposition, **94**, 360
- Coordination  
vanadium ions in surface complexes, **91**, 54
- Cope reaction  
hole-catalyzed photoassisted on zeolite, **95**, 613
- Copper  
Al<sub>2</sub>O<sub>3</sub>-supported, surface properties: spectroscopic characterization, **94**, 514  
γ-Al<sub>2</sub>O<sub>3</sub>-supported, isopropanol decomposition: surface chemistry and catalytic behavior, **91**, 69  
Cu<sup>2+</sup>, active state, **93**, 68  
effect on hydrogen chemisorption on Ru, **94**, 576  
metallic, dehydrogenation activity, **91**, 69  
methanol dehydrogenation to methyl formate, mechanism, **91**, 197
- Raney  
foramine catalysts, preparation and properties, **91**, 25  
surface analysis, **93**, 55  
surface reconstruction, electronically induced geometrical catalytic effects, **94**, 570  
–Zn–Al mixed oxides, catalytic behavior for low-temperature methanol synthesis, **94**, 120  
ZnO-supported, for methanol synthesis: chemical trapping of surface intermediates by amines, **95**, 423
- Copper–chromium oxide  
methanol synthesis, identification of catalytically active Cu species, **92**, 119
- Copper–Group IV metals  
amorphous alloys, as catalyst precursor for methanol synthesis, **96**, 296
- Copper–molybdenum  
electron spin resonance, comparison with Ni–Mo and Ni–W catalysts, **91**, 308  
sulfided catalysts, Al<sub>2</sub>O<sub>3</sub>-supported, catalyst acidity effect on anisole hydrogenolysis, **94**, 230
- Copper–nickel  
alloy powders, surface composition determination by chemisorption, **95**, 346  
SiO<sub>2</sub>-supported catalysts  
cyclopropane hydrogenolysis, **94**, 289  
methane decomposition and steam reforming over, **96**, 517
- Copper–ruthenium  
bimetallic catalyst, hydrogen spillover from Ru to Cu, **95**, 321
- Copper salts  
of 12-tungstophosphoric acid, 2-propanol dehydration over, **93**, 224
- Copper silicide  
formation **93**, 68
- Copper–silicon  
alloys  
silane catalytic formation, **91**, 44  
surface analysis, **95**, 396

- surface characterization, X-ray photoelectron spectroscopy, **93**, 68
- Copper–zinc  
mixed-oxide catalyst, methanol synthesis; adsorbed species characterization with *in situ* Fourier-transform infrared spectroscopy, **94**, 175
- Copper–zinc oxide  
Al<sub>2</sub>O<sub>3</sub>-supported catalysts for CO shift at low temperature, X-ray absorption fine structure technique, **96**, 314  
methanol synthesis catalyst  
CO<sub>2</sub> role, isotope labeling study, **96**, 251  
precursors, **93**, 442
- Cracking  
protolytic, paraffins, **93**, 30
- Crosslinking  
activity enhancement of Rh catalysts bound to polyacrylic acid, **96**, 41
- Cumene  
conversion and surface acidity of fluorided  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, **96**, 115  
disproportionation  
and catalyst deactivation on commercial hydrocracking catalyst, hydrogen effects, **92**, 187  
on commercial Co–Mo hydrocracking catalyst, effects of zeolite unit cell size on reaction rate and catalyst deactivation, **95**, 220
- Cupric ion  
in NaY zeolites, X-ray photoelectron spectroscopy and electron spin resonance studies, **94**, 370
- Cycloadditions  
hole-catalyzed, by zeolites, **95**, 300
- Cyclohexane  
hydrogenation gas-phase reaction turnover rate on unsupported Pt powder, **94**, 225
- Cyclohexanone  
deuterium addition over iron, mechanism, **93**, 75
- Cyclopentane  
–deuterium isotopic exchange  
over Pd/SiO<sub>2</sub> catalysts, comparison with Pt/SiO<sub>2</sub>, **94**, 478  
photocatalytic, over Pt or Ni/TiO<sub>2</sub>, metal content and temperature effects in normal or SMSI state, **95**, 539
- Cyclopentanone  
deuterium addition over iron, mechanism, **93**, 75
- Cyclopropane  
hydrogenolysis  
on Mo/Al<sub>2</sub>O<sub>3</sub>, **93**, 388  
over Ni–Cu/SiO<sub>2</sub>, **94**, 289
- Cylindrical internal reflectance spectroscopy  
*in situ* infrared technique for catalytic reactions, **95**, 21
- Deactivation  
hydrocracking catalyst  
commercial, **92**, 187
- effects of zeolite unit cell size, **95**, 220  
Ni catalysts, methanation reaction, **92**, 312  
Pd–Al<sub>2</sub>O<sub>3</sub> catalyst in furfural decarbonylation, kinetics and mechanism, **91**, 254  
Pt/Al<sub>2</sub>O<sub>3</sub> and Pt–Re/Al<sub>2</sub>O<sub>3</sub> catalysts, pretreatment effects, **96**, 499  
by site coverage and pore blockage, percolation model, **96**, 552
- Decarbonylation  
furfural, Pd–Al<sub>2</sub>O<sub>3</sub> deactivation, **91**, 254
- Decomposition  
catalytic  
CH<sub>3</sub>OH on Ni foil, chlorine effect, **94**, 142  
ethylene on Ni: effect of hydrogen, **92**, 177  
effect on surface and catalytic properties of ZSM-5 zeolite obtained from tetrapropyl ammonium form, **94**, 573  
formic acid on supported Rh, **91**, 327  
isopropanol on supported CuO/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> system, **91**, 69  
methane over SiO<sub>2</sub>-supported Ni–Cu catalysts, **96**, 517  
methanol  
over Cr<sub>2</sub>O<sub>3</sub>, surface formate-ion behavior as reaction intermediates, **94**, 353  
on Ni(111), **92**, 25  
on ZnO, infrared and programmed desorption study, **95**, 617
- N<sub>2</sub>O  
determination of Cu–Ni alloy powder surface composition, **95**, 346  
kinetics, **93**, 279  
thermal, Co<sub>2</sub>(CO)<sub>8</sub> on SiO<sub>2</sub>, prepared catalyst magnetic properties, **95**, 527
- Dehydration  
alcohols on/in heteropoly compounds, **95**, 49  
catalytic, 2-propanol over copper salts of 12-tungstophosphoric acid: role of water, **93**, 224  
formic acid on supported Rh, **91**, 327  
methanol over 12-tungstophosphoric acid, mechanism: photoacoustic Fourier-transform infrared spectroscopy, **95**, 108
- Dehydrogenation  
ethane over Cr, **91**, 155  
formic acid on supported Rh, **91**, 327  
isopropanol on supported CuO/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> system, **91**, 69  
methanol to methyl formate over Cu, mechanism, **91**, 197  
methylcyclohexane over sulfided Pt–Re/Al<sub>2</sub>O<sub>3</sub>, reaction kinetics, **96**, 507  
organic fragments over Pt(111) surfaces, **92**, 240  
oxidative  
butene by bismuth molybdate catalysts: *in situ* electrical conductivity measurements, **95**, 84  
methanol to formaldehyde, **92**, 127  
photocatalytic, isopropanol on Pt/TiO<sub>2</sub>, **91**, 293
- Deposition  
carbon, and methane steam reforming on SiO<sub>2</sub>-supported Ni–Cu catalysts, **96**, 517

- coke on catalysts, mechanism, **93**, 182  
photoelectrochemical, Pt in Pt/TiO<sub>2</sub> catalyst preparation, **92**, 11
- Desorption  
  temperature-programmed  
    *n*-butylamine and NH<sub>3</sub> on mordenites, **96**, 288  
    Fe-MnO CO catalysts, **92**, 98  
    hydrogen chemisorption of alumina, **94**, 558  
    methanol decomposition on ZnO, **95**, 617  
    oxygen from mixed oxides, **93**, 459  
    from porous catalysts, diffusional limitations, **93**, 197  
  thermal, organic fragment hydrogenation and dehydrogenation over Pt(111) surfaces, **92**, 240
- Desorption-adsorption  
  infrared doublet of CO on Pt/Cab-O-Sil, **92**, 388
- Deuterium  
  gas-phase, addition to cyclopentanone and cyclohexanone over fused iron catalyst, **93**, 75  
  isotope, effects on CO hydrogenation over Rh, **95**, 317  
  isotopic exchange  
    with cyclopentane for Pd/SiO<sub>2</sub> catalysts, comparison with Pt/SiO<sub>2</sub>, **94**, 478  
    H<sub>2</sub>-H<sub>2</sub>O, Ni catalyzed: metal/oxide support effects, **95**, 1  
    -pretreated ZnO surfaces, CO adsorption, **92**, 79  
    surface ethylidyne on Pd/Al<sub>2</sub>O<sub>3</sub>, **96**, 1  
    transfer between liquid chloroform and water by anion-exchange resins, **93**, 209
- Deuterium-hydrogen, *see* Hydrogen-deuterium
- Diethylamine  
  effect on hydrocarbon and alcohol production by Fe/SiO<sub>2</sub> catalyst, **95**, 602
- p*-Diethylbenzene  
  production over ZSM-5 zeolite catalysts by ethylbenzene alkylation or disproportionation, **95**, 512
- Diffusion  
  carbon, mechanism: coke deposition on catalysts, **93**, 182  
  limitations during temperature-programmed desorption from porous catalysts, **93**, 197
- Diffusivity  
  in porous media, **93**, 192  
  spherical pellet catalysts, geometric correction factor, **94**, 303  
  zeolitic, of hydrocarbons, frequency response method, **93**, 176
- $\alpha$ -Diketones  
  decarbonylation, **92**, 422
- Dimethyldichlorosilane  
  formation on copper-silicon alloys, **91**, 44
- 1,3-Dioxanes  
  stereoselective isomerization and hydrogenolysis, on Pt, **95**, 605
- Dispersion  
  Ag, effects of support, pretreatment, and gas environment, **93**, 288  
  Pt particles on SiO<sub>2</sub> and  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, chlorine effect, **92**, 64  
  redispersion, *see* Redispersion  
  ultradispersed Ag catalysts, effect of metal precursors and reduction procedure, **96**, 72
- Disproportionation  
  CO on  
    Ni/SiO<sub>2</sub>, kinetics and nature of deposited carbon, **95**, 13  
    Pd/SiO<sub>2</sub>, **91**, 1  
  cumene on commercial hydrocracking catalyst  
    effects of zeolite unit cell size on reaction rate and catalyst deactivation, **95**, 220  
    hydrogen effects, **92**, 187  
  ethylbenzene, production of *p*-diethylbenzene over ZSM-5 zeolite catalysts, **95**, 512
- Dusty gas  
  -based model for transport and reaction in supported liquid-phase catalysts, **95**, 181, 193, 202
- E**
- Electrical conductivity  
  bismuth molybdate catalysts for oxidative dehydrogenation of butene, *in situ* measurements, **95**, 84
- Electrolyte potentiometry, *see* Solid electrolyte potentiometry
- Electronic effects  
  in strong metal-support interactions in TiO<sub>2</sub>-deposited metal catalysts, comment, **94**, 581; replies, **94**, 586, 587
- Electronic interactions  
  Rh and TiO<sub>2</sub> support during CO and CO<sub>2</sub> hydrogenation, **95**, 578
- Electron microscopy  
  analytical, supported Ru-Au bimetallic catalysts, **93**, 256
- Electron spectroscopy for chemical analysis, *see* X-ray photoelectron spectroscopy
- Electron spin resonance spectroscopy  
  Co catalysts derived from carbonyl, magnetic properties, **95**, 527  
  Co-Mo, Ni-Mo, and Ni-W catalysts, comparison, **91**, 308  
  Cu-NaY zeolites, **94**, 370  
  Ni-W catalysts, **91**, 318  
  V<sub>2</sub>O<sub>5</sub>-MoO<sub>3</sub> catalysts, interaction with propylene, **96**, 32
- Electrophoresis  
  migration, Al<sub>2</sub>O<sub>3</sub>- and TiO<sub>2</sub>-supported V<sub>2</sub>O<sub>5</sub> catalysts, active surface area determination, **95**, 520
- Energy gradient selectivity  
  zeolite-catalyzed reactions, **93**, 246
- Enol  
  forms of carbonyl compounds, determination, **93**, 75
- Epoxidation  
  ethylene  
    over Ag(110), chlorine promotion, **92**, 272

- by Ag(111) catalyst, comparison with Ag(110), **94**, 436
- Epoxide  
rearrangements, on mineral and silica–alumina surfaces, **92**, 291
- Epoxyethylene  
transformation to phenylacetaldehyde over sepiolite and silica–alumina, **92**, 291
- Equilibrium adsorption  
MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalyst, preparation and characterization, **95**, 501
- Erionite  
paraffin cracking selectivity, **93**, 246
- ESCA, *see* X-ray photoelectron spectroscopy
- Ethane  
dehydrogenation over Cr, **91**, 155  
partial oxidation to ethylene and acetaldehyde over Mo/SiO<sub>2</sub> catalyst, **94**, 37  
selective formation by CO hydrogenation on inorganic oxide-attached Mo(II)–monomer catalysts, **96**, 613  
–steam environment for catalytic gasification of graphite by iron, **95**, 101
- Ethanol  
<sup>14</sup>C-labeled, benzene alkylation over ZSM-5 catalyst, carbon-14 rearrangement, **96**, 357  
conversion on molybdenum and tungsten heteropoly compounds, **91**, 132  
gas-phase oxidation over Cu(II) and Co(II) ion-exchanged Y-type zeolite catalysts, **93**, 303  
oxidation on Cr/SiO<sub>2</sub> catalysts, **94**, 24
- Ethene  
effect on Ru-catalyzed CO hydrogenation, **96**, 23
- Ethylbenzene  
alkylation or disproportionation to produce *p*-diethylbenzene over ZSM-5 zeolite catalysts, **95**, 512
- Ethylene  
addition to CO hydrogenation on Rh/TiO<sub>2</sub>, alkali promotion, **92**, 416  
<sup>14</sup>C-labeled, chemisorption over Pt(111) surfaces: hydrogenation and dehydrogenation of organic fragments, **92**, 240  
decomposition on Ni, hydrogen effect, **92**, 177  
oxidation  
over Ag-based alloy catalysts, **91**, 36  
partial, from ethane over Mo/SiO<sub>2</sub> catalyst, **94**, 37  
selective, over Ag(110): chlorine promotion, kinetics and mechanism, **92**, 272  
selective and total, over Ag, **92**, 364  
on zirconium phosphate-supported Ag catalyst, particle size and support effect, **94**, 455  
polymerization, Cr(III)/SiO<sub>2</sub> catalysts, **92**, 260  
reaction with oxygen on Pt/CeO<sub>2</sub> catalyst, **93**, 353  
selective epoxidation by Ag(111) catalyst, comparison with Ag(110), **94**, 436
- Ethylene oxide  
from ethylene over Ag-based alloy catalysts, **91**, 36  
isomerization on single-crystal Ag(111), effects of oxygen and Cs, **93**, 92
- Ethylidyne  
surface species on Pd/Al<sub>2</sub>O<sub>3</sub>: ir spectroscopic characterization, **96**, 1
- EXAFS, *see* X-ray absorption fine structure technique
- F
- Faujasite  
paraffin cracking selectivity, **93**, 246  
–Pd hybrid catalysts, synthesis gas conversion to C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub> paraffins, **94**, 16
- FCC, *see* Catalysts, fluid-cracking
- Ferric molybdate  
methanol oxidation catalysis, electron microscopy, **94**, 79  
rearrangement in partial propylene oxidation, *in situ* Mössbauer spectroscopy, **95**, 289
- Field-emitter surfaces  
Rh, oxidation during CO oxidation reaction, **92**, 167
- Fischer–Tropsch synthesis  
activity over supported Ni, Ru, and Co catalysts, **94**, 566  
on bimetallic Ru–Au catalysts, **93**, 256  
chain growth  
mechanism, **92**, 180  
probabilities, distribution, **92**, 426  
CO and H<sub>2</sub> adsorption on fused iron catalyst, characterization with *in situ* laser Raman spectroscopy, **95**, 325  
CO hydrogenation by γ-Al<sub>2</sub>O<sub>3</sub>-supported Os catalysts, particle size effects, **95**, 370  
over Fe/SiO<sub>2</sub>, effect of diethylamine on hydrocarbon and alcohol production, **95**, 602  
fused iron catalyst for, characterization with *in situ* laser Raman spectroscopy, **95**, 325  
promoter effects, **92**, 429  
selective ethane formation by CO hydrogenation on inorganic oxide-attached Mo(II)–monomer catalysts, **96**, 613  
selective olefin synthesis from CO and H<sub>2</sub> with metal oxide-supported Na[Ru<sub>3</sub>H(CO)<sub>11</sub>], **95**, 293  
silica-supported Fe catalyst, local temperature rises, **91**, 185  
silica-supported Fe nitride  
catalyst characterization, **91**, 231  
K and N promotion effects, **91**, 241
- Foraminate catalysts  
Raney copper, preparation and properties, **91**, 25
- Formaldehyde  
from methanol oxidation on K<sub>2</sub>SO<sub>4</sub>-promoted unsupported V<sub>2</sub>O<sub>5</sub> catalyst, **93**, 360  
from methanol oxidative dehydrogenation, **92**, 127
- Formamide  
formation on MgO, infrared emission spectrum, **93**, 331
- Formate  
surface  
behavior as reaction intermediates in methanol decomposition over Cr<sub>2</sub>O<sub>3</sub>, **94**, 353

- location on supported Rh catalysts, **91**, 327
- Formic acid
  - decomposition on supported Rh, **91**, 327
- Fourier-transform infrared spectroscopy
  - CO oxidation
    - over Pt/Al<sub>2</sub>O<sub>3</sub> under transient conditions, **94**, 128
    - on Pt/SiO<sub>2</sub>, surface reaction dynamics, **91**, 216
  - in situ*
    - methanol synthesis on mixed metal oxide catalysts, **94**, 175
    - propylene hydroformylation on RhNaX and RhNaY, **96**, 574
    - selected area, surface reaction dynamics, **93**, 321
  - TiO<sub>2</sub>-supported Mo and Co-Mo catalysts, **92**, 340
- Framework
  - zeolite, isomorphous substitution in, **93**, 451
- Frequency response method
  - zeolite diffusivity of hydrocarbon, **93**, 176
- Furan
  - oxidation activity and selectivity on supported and unsupported V<sub>2</sub>O<sub>5</sub> catalysts, **95**, 482
  - selective oxidation to maleic anhydride over Ni MoO<sub>4</sub> catalysts with excess MoO<sub>3</sub>, **95**, 147
- Furfural
  - gaseous phase decarbonylation, Pd/Al<sub>2</sub>O<sub>3</sub> deactivation, **91**, 254

## G

- Gas
  - environment, effects on Ag dispersion, **93**, 288
- Gas chromatography
  - reversed-flow, catalytic hydrosulfurization of thiophene, **94**, 376
- Gasification
  - steam, *see* Steam gasification
- Gold
  - surfaces, K-covered: O<sub>2</sub> adsorption, **96**, 420
- Gold-ruthenium, *see* Ruthenium-gold
- Grain
  - morphology, vanadium pentoxide, **91**, 361
- Graphite
  - catalytic gasification by iron, **95**, 101
  - steam gasification below 900 K catalyzed by KOH and transition metal oxide, **96**, 234
- Gravimetry
  - pyridine on MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, catalyst acidic properties upon reduction in hydrogen, **94**, 408

## H

- Heat of adsorption
  - H<sub>2</sub> adsorption on Pt catalysts, direct measurement, **95**, 57
- n*-Heptane
  - and branched isomer cracking on acidic zeolites, product distribution, **94**, 445

- Heteropoly compounds
  - dehydration of alcohols on/in, **95**, 49
  - Keggin structure, temperature-programmed reduction, **91**, 93
  - Mo and W, methanol and ethanol conversions, **91**, 132
  - 2-propanol dehydration over H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub> copper salts, **93**, 224
- 1-Hexene
  - and benzene, hydrogenation: properties of  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Pd-Rh bimetallic catalysts, **95**, 167
  - isomerization on H-ZSM-5 zeolite, **92**, 398
- High-resolution electron energy-loss spectroscopy
  - methyne intermediates, formation by hydrogenation of surface carbon on Ru(001), **94**, 51
- High-resolution electron microscopy
  - metal clusters supported on spinel Al<sub>2</sub>O<sub>3</sub>, **94**, 313
- HREELS, *see* High-resolution electron energy-loss spectroscopy
- HREM, *see* High-resolution electron microscopy
- Hydrocarbons, *see also* Aromatic hydrocarbons
  - C<sub>4</sub>, conversion to maleic anhydride by NiMoO<sub>4</sub> selective oxidation catalysts with excess MoO<sub>3</sub>, preparation and characterization, **95**, 120
  - selective oxidation of
    - 1,3-butadiene and furan, **95**, 147
    - 1-butene, **95**, 137
  - conversion catalyst Pt/Al<sub>2</sub>O<sub>3</sub>, Re and S effects, **96**, 371
  - n*-C<sub>4</sub>, reactions over Ru: alkyl and  $\pi$ -allyl intermediates, **92**, 232
  - production
    - by Fe/SiO<sub>2</sub> catalyst, diethylamine effect, **95**, 602
    - from methanol over ZSM-5 zeolite, role of aromatic hydrocarbons: letter to editor, **93**, 205
  - reactions
    - particle size sensitivity, **96**, 82
    - strong metal-support interaction effects, **94**, 400
  - unsaturated, hydrogenation by rare earth metal catalysts, **96**, 139
  - zeolite diffusivity, frequency response method, **93**, 176
- Hydrochlorination
  - vapor phase, of acetylene, **96**, 292
- Hydrocracking
  - commercial catalyst, cumene disproportionation: hydrogen effects, **92**, 187
- Hydrodeoxygenation
  - hydroxy, methoxy, and methyl phenols with MoO<sub>3</sub>-NiO-Al<sub>2</sub>O<sub>3</sub> catalyst, **96**, 535
- Hydrosulfuration
  - CoMo catalysts, <sup>59</sup>Co NMR study, **96**, 189
  - CoO/Al<sub>2</sub>O<sub>3</sub> catalysts, temperature-programmed sulfiding and reduction, **96**, 122
  - CoO-MoO/Al<sub>2</sub>O<sub>3</sub>, temperature-programmed reduction, **93**, 38

- CoO–MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, temperature-programmed reduction, **96**, 381
- Group VIII metal promoter role, **91**, 308, 318
- initial transformations, Ni role, **91**, 64
- thiophene
- activity and selectivity over Mo/TiO<sub>2</sub> catalysts, **95**, 33
  - catalysis by Chevrel phase compounds, **93**, 375
  - reversed-flow gas chromatography, **94**, 376
- Hydroformylation
- propylene, on RhNaX and RhNaY: *in situ* Fourier transform infrared spectroscopy, **96**, 574
- Hydrogen
- adsorbed species during CO hydrogenation over unsupported Ru, Ni, and Rh, **94**, 385
  - adsorption on
    - fused iron catalyst, characterization with *in situ* laser Raman spectroscopy, **95**, 325
    - Pt catalysts, heat of adsorption direct measurement, **95**, 57
    - Ru–Au/SiO<sub>2</sub> catalysts, **95**, 271
  - atmosphere, reduction behavior of supported Fe catalysts, **96**, 261
  - chemisorption on
    - alumina, properties, **94**, 558
    - Cu–Ni alloy powders, **95**, 346
    - Ni, effects of varying titania surface coverage, **95**, 587
    - reduced nickel hydromolybdate, **91**, 356
    - Rh/TiO<sub>2</sub> catalysts, **94**, 300
    - Ru(0001) surface, effects of added Cu, **94**, 576
    - supported Ru, effects of surface structure, **93**, 368
  - and CO
    - interactions with Pd/SiO<sub>2</sub> and Pd/La<sub>2</sub>O<sub>3</sub>, **96**, 88
    - selective olefin synthesis with Na[Ru<sub>3</sub>H(CO)<sub>11</sub>] supported on metal oxides, **95**, 293
  - coadsorption with CO
    - on Ni, effect of titania adspecies, **96**, 597
    - on Ni/SiO<sub>2</sub>, structural sensitivity, **96**, 210
  - and CO<sub>2</sub>, surface interaction over supported Pd catalyst, **95**, 567
  - effect on
    - cumene disproportionation on commercial hydrocracking catalyst, **92**, 187
    - ethylene catalytic decomposition on Ni, **92**, 177
    - Ru(III)–sulfonated linear polystyrene ionomers **94**, 531
  - high-temperature treatment of supported Pt catalysts, letter to editor, **92**, 193; reply, **92**, 196
  - H<sub>2</sub>O deuterium exchange on Ni, metal/oxide support effects, **95**, 1
  - interaction with adsorbed CO on Pt/Cab-O-Sil, infrared spectroscopy, **92**, 388
  - molecular, absence in 1-butene isomerization on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Group VIII metals, **93**, 161
  - NO reduction over Rh/SiO<sub>2</sub>, **92**, 247
  - oxidation on Ni, **93**, 417
  - and oxygen particles, interactions with Pd particles for Pd/SiO<sub>2</sub> catalysts, **94**, 478
  - role in inverse Arrhenius plots, **91**, 181
  - sorption of supported Pd catalysts, **96**, 51
  - spillover
    - in Pt/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> system, **95**, 296
    - from Ru to Cu in Cu/Ru bimetallic system, **95**, 321
  - titration of Ag catalysts, **93**, 288
  - uptake suppression of Pt and Ir on TiO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> mixed-oxide supports, **95**, 473
- Hydrogenation
- acetophenone asymmetric transfer reaction, role of Rh(I) complexes containing chiral diphosphines as catalytic precursors, **94**, 292
  - alicyclic ketones on iron, mechanism, **93**, 75
  - alkenes and alkynes over polymer-bound Pd(II) complexes, **92**, 327
  - aromatic compounds in sulfided Ni–W/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-catalyzed synthetic crude distillates, **95**, 155
  - atmospheric, organic fragments over Pt(III) surfaces, **92**, 240
  - benzene
    - and 1-hexene, properties of  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Pd–Rh bimetallic catalysts, **95**, 167
    - kinetics, comment, **94**, 319; reply, **94**, 322
    - reduced nickel hydromolybdate, **91**, 356
  - 1-butene, catalytic activity of Chevrel phase compounds, **93**, 375
  - carbon on Ni: support effects on kinetics, **91**, 78
  - CO
    - by  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Os catalysts, particle size effects, **95**, 370
    - by carbon-supported Fe–Ru catalysts, **91**, 338
    - catalyst preparation from metal clusters, **91**, 272
    - on Co catalysts, **95**, 527
    - and CO<sub>2</sub> over Rh/TiO<sub>2</sub> effect of variation in support electric properties, **95**, 578
    - coverages of carbon- and hydrogen-containing species on Ru, **91**, 142
    - gold effect, **93**, 256
    - on inorganic oxide-attached Mo(II)–monomer catalysts, selective ethane formation, **96**, 613
    - iron–manganese oxide catalysts, **92**, 98, 109
    - methanol production on ThO<sub>2</sub> catalyst, **95**, 385
    - over Mo(100) single crystals and polycrystalline foils, **94**, 60
    - on Ni/TiO<sub>2</sub> and Ni/Ti<sub>2</sub>O<sub>3</sub> catalysts, **96**, 491
    - product distribution, effects of structure sensitivity **92**, 376
    - over Rh, deuterium isotope effects, **95**, 317
    - on Rh/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> and Rh/ZrO<sub>2</sub> catalysts, **96**, 106
    - over Rh/TiO<sub>2</sub>
      - alkali promotion effect, **95**, 435
      - analysis with ethylene addition, **92**, 416
    - over Ru, support effects, **96**, 23

- over Ru/Al<sub>2</sub>O<sub>3</sub>, effect of K, B, and P additives, **95**, 41
- over SiO<sub>2</sub>-supported Ni, Ru, Rh, and Pd: addition of probe reactants, **96**, 396
- on supported and unsupported Ru, **93**, 1
- on Y-zeolite-supported Ru, **91**, 283
- competitive, styrene and  $\alpha$ -methylstyrene over Rh/AlPO<sub>4</sub> catalysts, **94**, 1
- cyclohexane, gas-phase reaction turnover rate on unsupported Pt powder, **94**, 225
- enantioselective, Ni/SiO<sub>2</sub> catalysts: effects of preparation conditions, **96**, 429
- NiCH, rate-determining step, comment, **96**, 299; reply, **96**, 300
- propylene on Mo/Al<sub>2</sub>O<sub>3</sub>, **93**, 388
- Rh(I) compounds and polymer-supported Rh(I) catalysts, X-ray photoelectron spectroscopy, **94**, 335
- surface carbon on Ru(001), formation of methyne intermediates, **94**, 51
- unsaturated hydrocarbons by rare earth metals, catalytic properties, **96**, 139
- Hydrogen cyanide
- synthesis for CH<sub>4</sub> and NH<sub>3</sub> on Ru, **91**, 116
- Hydrogen-deuterium
- exchange, temperature-programmed: heteropoly compounds, **91**, 93
- Hydrogenolysis
- alkanes on Mo(O)/Al<sub>2</sub>O<sub>3</sub> catalysts, mechanism, **93**, 399
- anisole on sulfided CoMo/Al<sub>2</sub> and NiMo/SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, effect of catalyst acidity, **94**, 230
- cyclopropane, over Ni-Cu/SiO<sub>2</sub>, **94**, 289
- 1,3-dioxanes on Pt, **95**, 605
- methylcyclopropane
- activity and selectivity patterns for Pd/SiO<sub>2</sub> catalysts, comparison with Pt/SiO<sub>2</sub>, **94**, 478
- properties of Pd-Rh bimetallic catalysts, **95**, 167
- on Pt/Al<sub>2</sub>, poisoning by CO, **94**, 203
- on Pt/TiO<sub>2</sub>, poisoning by CO, **94**, 218
- particle size sensitivity in hydrocarbon reactions, **96**, 82
- propane and cyclopropane on Mo/Al<sub>2</sub>O<sub>3</sub>, **93**, 388
- Hydrogen sulfide
- and WS<sub>2</sub>, S<sup>35</sup> exchange, **96**, 544
- Hydrogen/water
- gas treatment, effect on water-gas shift over magnetite particles on graphite, **91**, 167
- Hydrometallation
- catalytic, nickel porphyrins, **93**, 100, 122, 135
- Hydrotalcite
- thermally activated, catalytic reactions, **94**, 547
- Hydroxyl groups
- framework, of H-ZSM-5 zeolites, location, **95**, 609
- Hydroxyphenols
- hydrodeoxygenation with MoO<sub>3</sub>-NiO-Al<sub>2</sub>O<sub>3</sub> catalyst, **96**, 535
- Hysteresis
- during high-pressure ammonia synthesis, **94**, 563
- Imaging atom-probe mass spectroscopy
- Rh field-emitter surface oxidation, **92**, 167
- Infrared doublet
- CO desorption-adsorption, production on Pt/Cab-O-Sil, **92**, 388
- Infrared spectroscopy
- adsorbed formate on supported Rh catalysts, **91**, 327
- ammonia-CO and pyridine-CO interaction on MgO-CoO solid solutions, **96**, 586
- CO
- with ammonia preadsorbed on MgO, **93**, 331
- carbonyl-derived catalysts, magnetic properties, **95**, 527
- dissociation on NaX-zeolite-supported Rh, **94**, 297
- CO adsorbed on
- oxide catalysts, lateral interactions, **94**, 10
- Pd/SiO<sub>2</sub> catalyst for methanol synthesis, **95**, 465
- Pt/Cab-O-Sil, interaction with hydrogen and oxygen, **92**, 388
- CO adsorption and coadsorption with H<sub>2</sub> on Ni/SiO<sub>2</sub> catalysts, structural sensitivity, **96**, 210
- ethynidyne surface species on Pd/Al<sub>2</sub>O<sub>3</sub>, **96**, 1
- H-ZSM-5 zeolite, framework hydroxyl groups, **95**, 609
- methanol decomposition on ZnO, **95**, 617
- NO
- adsorption on Pt/Al<sub>2</sub>O<sub>3</sub>, **91**, 208
- reduction by H<sub>2</sub> over Rh/SiO<sub>2</sub>, **92**, 247
- pyridine on MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, catalyst acidic properties upon reduction in hydrogen, **94**, 408
- ZnO surface properties, CO adsorption and CO/D<sub>2</sub> interaction, **92**, 79
- Insertion
- aluminum, in high-SiO<sub>2</sub> zeolite frameworks, **93**, 471
- Intermediates
- alkyl and  $\pi$ -allyl, in *n*-C<sub>4</sub> hydrocarbon reactions over Ru, **92**, 232
- carbonium ions, over SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> and acidic zeolites, **92**, 355
- reaction, ethylene oxidation on Ag(111) single crystal surface, **92**, 364
- surface
- in comparative Ni- and Pt-catalyzed methanation, **94**, 306
- in methanol synthesis, chemical trapping by amines, **95**, 423
- Ionomers
- sulfonated polystyrene, Ru reactions in, **94**, 531
- Ion scattering spectroscopy
- hydrotreating catalysts, structure, **95**, 309
- Iridium
- Al<sub>2</sub>O<sub>3</sub>-supported, sulfur chemisorption thermodynamics, **94**, 543
- SiO<sub>2</sub>- and  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported, redispersion with chlorine-containing gases, **96**, 154
- TiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> mixed oxide-supported, chemisorption properties and SMSI formation, **95**, 473
- Iridium-platinum, *see* Platinum-iridium

## Iron

- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>- and magnesium hydroxycarbonate-supported, reduction behavior in CO or H<sub>2</sub> atmospheres, **96**, 261
  - Al<sub>2</sub>O<sub>3</sub>-supported
    - in situ* Mössbauer spectroscopic characterization, **96**, 314
    - role of surface phenomena and chemical interactions, **94**, 239
  - and Al<sub>2</sub>O<sub>3</sub> surfaces, potassium migration: Auger electron spectroscopy, **92**, 17
  - carbon deposition by acetone/CO<sub>2</sub> catalytic decomposition, conversion electron Mössbauer spectroscopy, **94**, 360
  - catalysts, Al<sub>2</sub>O<sub>3</sub>-CaO-K<sub>2</sub>O-promoted, high-pressure ammonia synthesis, hysteresis, **94**, 563
  - exchanged mordenite, behavior toward CO reduction, **96**, 182
  - FeOs<sub>3</sub> clusters, in catalyst preparation for CO hydrogenation, **91**, 272
  - filamentous carbon formation
    - mechanism, **96**, 468
    - morphology, **96**, 481
    - thermodynamics, **96**, 454
  - fused
    - alicyclic ketone gas-phase hydrogenation, mechanism, **93**, 75
    - alkali-promoted catalyst for Fischer-Tropsch synthesis: *in situ* laser Raman spectroscopy, **95**, 325
  - graphite catalytic gasification, **95**, 101
  - role in multicomponent molybdate catalysts for propylene selective oxidation, **95**, 209
  - silica gel-supported, local temperature rises, **91**, 185
  - SiO<sub>2</sub>-supported, hydrocarbon and alcohol production, diethylamine effect, **95**, 602
  - ThO<sub>2</sub>-supported, *in situ* Mössbauer spectroscopic characterization, **96**, 314
  - TiO<sub>2</sub>-supported, CO/H<sub>2</sub> reaction over: oxidation effect, **96**, 408
- Iron-antimony
- system, excess antimony role as promoter in selective oxidation, **91**, 85
- Iron carbide
- catalyst, local temperature rises, **91**, 185
- Iron-iridium
- SiO<sub>2</sub>-supported bimetallic catalyst, structure: Mössbauer and X-ray photoelectron spectroscopy, **96**, 58
- Iron-manganese oxide
- CO catalysts
    - carburization, **92**, 109
    - structure, **92**, 98
- Iron-molybdenum sulfide
- catalysts for MoS<sub>2</sub> hydrotreating, catalytic and physicochemical properties, **94**, 310
- Iron-nickel, *see* Nickel-iron
- Iron nitride
- silica-supported
    - characterization, **91**, 231

promotion effects of potassium and nitrogen, **91**, 241

## Iron oxide

graphite-supported, water-gas shift over: pretreatment effects, **91**, 167

## Iron-palladium

SiO<sub>2</sub>-supported bimetallic catalyst, structure: Mössbauer and X-ray photoelectron spectroscopy, **96**, 58

## Iron-platinum

SiO<sub>2</sub>-supported bimetallic catalyst, structure: Mössbauer and X-ray photoelectron spectroscopy, **96**, 58

## Iron-rhodium

SiO<sub>2</sub>-supported bimetallic catalyst, structure: Mössbauer and X-ray photoelectron spectroscopy, **96**, 58

## Iron-ruthenium

carbon-supported, preparation from mixed-metal carbonyl clusters, **91**, 338

SiO<sub>2</sub>-supported, structure: Mössbauer and X-ray photoelectron spectroscopy, **96**, 58

## Isobutene

oligomerization with benzyl sulfonic acid siloxane catalyst, **94**, 187

## Isocyanate

formation on MgO, ir emission spectrum, **93**, 331

## Isomerization

*n*-butane by polymer-supported superacids, **96**, 347

but-1-ene, catalyst precursors: Al<sub>2</sub>O<sub>3</sub>-supported tetraosmium cluster anions, **94**, 195

butenes, catalysis on crystalline zirconium phosphates, **94**, 491

catalytic, 1-hexene on H-ZSM-5, **92**, 398

ethylene oxide on single-crystal Ag(111): effects of oxygen and cesium, **93**, 92

*n*-heptane cracking on acidic zeolite, product distribution, **94**, 445

methylpentenes over Y catalyst, mechanism, **92**, 355

paraffin by polymer-supported superacids, **96**, 347

stereoselective, 1,3-dioxanes on Pt, **95**, 605

## Isopropanol

decomposition on Cu/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, **91**, 69

photocatalytic dehydrogenation on Pt/TiO<sub>2</sub> catalysts, **91**, 293

## Isopropyl alcohol

dehydration over copper salts of 12-tungstophosphoric acid, **93**, 224

## Isotope

effect, kinetic, *see* Kinetic isotope effect

equilibration reaction of N<sub>2</sub>, turnover rate on Ru/alkaline earth, **92**, 305

exchange, oxygen: in perovskite-type mixed oxides, **93**, 459

## labeling

CO<sub>2</sub> role in methanol synthesis on Cu-Zn oxide catalyst, **96**, 251

methanol dehydrogenation over copper, **91**, 197

ISS, *see* Ion scattering spectroscopy

## K

## Ketones

alicyclic, hydrogenation on iron, mechanism, **93**, 75

## Kieselguhr

supported Co catalyst, low-temperature methanation and Fischer-Tropsch activity, **94**, 566

## Kinetic isotope effect

deuterium, methanol reaction with Ni(111) surface, **92**, 25

## Kinetic power law

methanation rate over Ni/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, **92**, 312

## Kinetics

acetaldehyde formation over Cu(II) and Co(II) ion-exchanged Y-type zeolite catalysts for ethanol oxidation, **93**, 303

carbon hydrogenation on Ni, support effects, **91**, 78  
catalytic deactivation and catalyst poisoning reaction, **95**, 447

methane oxidation with N<sub>2</sub>O on MoO<sub>3</sub>/SiO<sub>2</sub>, **91**, 263  
methanol

decomposition on Ni(111), **92**, 25

and methane synthesis over Pd/SiO<sub>2</sub> and Pd/La<sub>2</sub>O<sub>3</sub>, **91**, 104

nonlinear, in catalytic oxidation reactions, **96**, 326

NO reduction by H<sub>2</sub> over Rh/SiO<sub>2</sub>, **92**, 247

Pd-Al<sub>2</sub>O<sub>3</sub> deactivation in furfural decarbonylation, **91**, 254

pseudo-mass-action and pseudomonomolecular, constraints on multicomponent catalytic systems, **94**, 148

steady state, and H<sub>2</sub> oxidation on Ni, **93**, 417

sulfur-tolerant methanation catalyst, **93**, 409

V<sub>2</sub>O<sub>5</sub>-MoO<sub>3</sub> catalyst reduction, electron spin resonance, **96**, 32

## L

## Lanthanum

La<sub>2</sub>Cu<sub>1-x</sub>Ni<sub>x</sub>O<sub>4</sub> (0 ≤ x ≤ 1), solid solution: N<sub>2</sub>O decomposition, **93**, 279

LaNiO<sub>3</sub> surface properties: reduction and oxygen adsorption, kinetics, **93**, 83

perovskite-type LaFeO and LaCoO<sub>3</sub> mixed oxides, effects of Sr<sup>2+</sup> and Ce<sup>4+</sup> substitution for La<sup>3+</sup>, **93**, 459

support for Pd catalyst, H<sub>2</sub> and O<sub>2</sub> interactions, **96**, 88

## Laser Raman spectroscopy

WO<sub>3</sub> on Al<sub>2</sub>O<sub>3</sub>, characterization, **91**, 1

## Leaching

kinetics, and pore diffusion, **91**, 25

## Lewis acids

metal-halide, and macroporous sulfonated poly(styrene-divinylbenzene) reaction: paraffin isomerization catalyzed by polymer-supported superacids, **96**, 347

## Low-energy ion scattering spectroscopy

Cu/Al<sub>2</sub>O<sub>3</sub> catalysts, surface properties, characterization, **94**, 514

## Luminescence

metal poisoning effects on high-activity fluid cracking catalyst, **96**, 363

## M

## Magnesia

support for

Pd catalyst, CO<sub>2</sub> adsorption and surface interaction with H<sub>2</sub>, **95**, 567

Ru-Au bimetallic catalyst, metal dispersion measurement with stepwise chemisorption and gas titration, **95**, 271

## Magnesium hydroxycarbonate

support for Fe catalysts, reduction behavior in CO or H<sub>2</sub> atmospheres, **96**, 261

## Magnesium oxide

with preadsorbed ammonia, CO reaction: ir emission study, **93**, 331

## Magnesium oxide-cobalt oxide

solid solutions, ammonia-CO and pyridine-CO interaction on: infrared spectra, **96**, 586

## Magnetic properties

Ni catalysts, support effects, **93**, 270

## Magnetite

particles, graphite supported: water-gas shift over, **91**, 167

## Maleic anhydride

from *n*-butane oxidation by V-P-O catalysts, **92**, 216

synthesis from C<sub>4</sub> hydrocarbon conversion by NiMoO<sub>4</sub> selective oxidation catalysts with excess MoO<sub>3</sub>

preparation and characterization, **95**, 120

selective oxidation of

1,3-butadiene and furan, **95**, 147

1-butene, **95**, 137

## Manganese oxide

promoter role in Rh/SiO<sub>2</sub> catalyst, **93**, 340

Manganese oxide-iron, *see* Iron-manganese oxide

## Metal

catalysts

etched, morphology, **92**, 136

supported, structure, **92**, 211

clusters on spinel Al<sub>2</sub>O<sub>3</sub>, high-resolution electron microscopy, **94**, 313

dispersion in Pt/TiO<sub>2</sub> catalyst preparation, **92**, 11

## Group VIII

$\gamma$ -Al<sub>2</sub>O<sub>3</sub> supported, 1-butene isomerization, activity and selectivity, **93**, 161

promoter in MoS<sub>2</sub> and WS<sub>2</sub> hydrotreating catalysts, **91**, 308, 318

interactions with adsorbed organic compounds, infrared spectroscopy, **92**, 388

rare earth, *see* Rare earth metals

segregation in supported bimetallic catalysts, **91**, 272

transition, *see* Transition metals

## Metal carbonyl

clusters, mixed: for carbon-supported Fe-Ru catalysts, **91**, 338

- Metal chloride  
catalysts, supported: correlation of catalytic activity, **96**, 292
- Metal oxides  
methoxy group chemisorption, CH stretching band shift, **92**, 173  
support for  
   $\text{Na}[\text{Ru}_3\text{H}(\text{CO})_{11}]$  catalyst for selective olefin synthesis, **95**, 293  
  Ni catalyzed  $\text{H}_2$ - $\text{H}_2\text{O}$  deuterium exchange, support effects, **95**, 1
- Metal-support interactions  
in aluminum phosphate- and Nb-supported Ni catalysts, models, **96**, 202  
carbon hydrogenation on Ni, **91**, 78  
 $\text{Cu}/\text{Al}_2\text{O}_3$  catalysts, surface properties, spectroscopic characterization, **94**, 514  
effect on activity and olefin selectivity, **91**, 283  
metal/oxide support effects in  $\text{H}_2$ - $\text{H}_2\text{O}$  deuterium exchange on Ni, **95**, 1  
 $\text{Ni}/\text{TiO}_2$ , **95**, 587; **96**, 597  
precipitated  $\text{Ni}/\text{SiO}_2$  catalysts for enantioselective hydrogenation, effects of preparation conditions, **96**, 429  
 $\text{Pt}/\text{TiO}_2$ , methylcyclopropane hydrogenolysis poisoning by CO, **94**, 218
- strong  
 $\text{Al}_2\text{O}_3$ -supported iron catalysts, **94**, 239  
effects in  $\text{C}_6$  hydrocarbon reactions, **94**, 400  
filamentous carbon growth on  $\text{TiO}_2$ -treated Ni surfaces, **93**, 312  
Ni catalysts  
  behavior of phosphate and niobia supports, **93**, 201  
  supported on niobia-silica surface phase oxide, **95**, 260  
 $\text{Ni}/\text{TiO}_2$  and  $\text{Ni}/\text{Ti}_2\text{O}_3$  catalysts, CO hydrogenation and adsorption, **96**, 491  
and normal, effects in Pt and  $\text{Ni}/\text{TiO}_2$  catalysts, **95**, 539  
Pd catalysts, supported: temperature-programmed reduction and temperature-resolved sorption, **96**, 51  
Pt and Ir on  $\text{TiO}_2$ - $\text{Al}_2\text{O}_3$  mixed-oxide supports, chemisorption properties, **95**, 473  
 $\text{Pt}/\text{TiO}_2$  catalysts  
  models, **93**, 216  
  small-angle X-ray scattering, **92**, 199  
 $\text{Rh}/\gamma\text{-Al}_2\text{O}_3$  and  $\text{Rh}/\text{ZrO}_2$  catalysts, and CO hydrogenation, **96**, 106  
 $\text{Rh}/\text{TiO}_2$  system  
  at high metal loading, **94**, 300  
  transmission electron microscopy, **94**, 422  
  on  $\text{TiO}_2$ -deposited metal catalysts, electronic effects, comment, **94**, 581; replies, **94**, 586, 587
- Metathesis  
propylene on  $\text{Mo}/\text{Al}_2\text{O}_3$ , **93**, 388
- Methanation  
carbon-supported Fe-Ru catalysts, **91**, 338  
gold effect, **93**, 256  
kinetics, Ni-Fe alloy particles supported on  $\text{TiO}_2$  and  $\text{Al}_2\text{O}_3$ , **91**, 11  
low-temperature, over supported Ru, Ni, and Co catalysts, **94**, 566  
methyne intermediates, formation by hydrogenation of surface carbon on  $\text{Ru}(001)$ , **94**, 51  
Ni-catalyzed, comment, **96**, 299; reply, **96**, 300  
Ni- and Pt-catalyzed, comparison with transient-kinetic methods, **94**, 306  
Pd/rare earth oxides, **95**, 227  
over  $\text{Pt}/\text{CeO}_2$ , Pt catalytic activity, **96**, 285  
reaction over Ni, **92**, 312  
with sulfur-tolerant catalyst, kinetics, **93**, 409
- Methane  
decomposition and stream reforming over  $\text{SiO}_2$ -supported Ni-Cu catalysts, **96**, 517  
formation from Pd/rare earth oxide catalysts, **95**, 227  
and  $\text{NH}_3$  reactions in HCH synthesis on clean Rh, **91**, 116  
partial oxidation with  $\text{N}_2\text{O}$   
  on  $\text{MoO}_3/\text{SiO}_2$ , kinetics, **91**, 263  
  over  $\text{V}_2\text{O}_5/\text{SiO}_2$  catalyst, **94**, 501  
steam reforming, formaldehyde intermediate, **95**, 313  
synthesis over  $\text{Pd}/\text{SiO}_2$  and  $\text{Pd}/\text{La}_2\text{O}_3$ , kinetics, **91**, 104
- Methanol  
carbonylation by Co, Rh, and Co-Ru, cylindrical internal reflectance *in situ* infrared spectroscopy, **95**, 21  
conversion  
  to hydrocarbons over ZSM-5 zeolite, aromatic hydrocarbon role, letter to editor, **93**, 205; reply, **93**, 207  
  on molybdenum and tungsten heteropoly compounds, **91**, 132  
decomposition  
  catalytic, on Ni foil: chlorine effect, **94**, 142  
  over  $\text{Cr}_2\text{O}_3$ , surface formate-ion behavior as reaction intermediates, **94**, 353  
  on  $\text{Ni}(111)$ , **92**, 25  
  on  $\text{ZnO}$ , infrared and programmed desorption study, **95**, 617  
dehydrogenation  
  to formaldehyde, oxidation role, **92**, 127  
  to methyl formate over Cu, mechanism, **91**, 197  
  over 12-tungstophosphoric acid, mechanism: photoacoustic Fourier-transform infrared spectroscopy, **95**, 108  
formation over Pd/rare earth oxide catalysts, **95**, 227  
oxidation  
  over ferric molybdate and  $\text{MoO}_3$ , electron microscopy, **94**, 79  
  and grain morphology of  $\text{V}_2\text{O}_5$ , **91**, 361  
  on  $\text{K}_2\text{SO}_4$ -promoted unsupported  $\text{V}_2\text{O}_5$  catalysts, **93**, 360  
photo-oxidation with  $\text{MoO}_3/\text{TiO}_2$ , catalyst structure and reaction selectivity, **94**, 108  
production from CO hydrogenation on  $\text{ThO}_2$ , **95**, 385

- synthesis
  - over Cu–Cr oxide, **92**, 119
  - over Cu–Group IV metal amorphous alloys as catalyst precursor, **96**, 296
  - on Cu–Zn oxide catalyst, CO<sub>2</sub> role: isotope labeling study, **96**, 251
  - low-temperature, Cu/Zn/Al mixed-oxide catalytic behavior, **94**, 120
  - on mixed metal oxide catalysts, adsorbed surface species characterization with *in situ* Fourier transform infrared spectroscopy, **94**, 175
  - model, **92**, 79
  - over Pd/SiO<sub>2</sub> and Pd/La<sub>2</sub>O<sub>3</sub>, kinetics, **91**, 104
  - precursors of Cu–zinc oxide catalysts, **93**, 442
  - SiO<sub>2</sub>-supported Pd, adsorbed CO and catalyst performance, relationship, **95**, 465
  - surface intermediates, chemical trapping by amines, **95**, 423
- Methoxy groups
  - chemisorbed on metal oxides, CH stretching band shift, **92**, 173
- Methoxyphenols
  - hydrodeoxygenation with MoO<sub>3</sub>–NiO–Al<sub>2</sub>O<sub>3</sub> catalyst, **96**, 535
- Methylchlorosilane
  - formation by Cu<sub>3</sub>Si, surface analysis, **95**, 396
  - synthesis over Cu–Si, **93**, 68
- Methylcyclohexane
  - dehydrogenation over sulfided Pt–Re/Al<sub>2</sub>O<sub>3</sub> reforming catalyst, reaction kinetics, **96**, 507
- 2-Methylcyclohexanol
  - probe molecule for surface reactions on Al–P–O catalysts, **96**, 242
- Methylcyclopropane
  - hydrogenolysis
    - activity and selectivity patterns for Pd/SiO<sub>2</sub> catalysts, comparison with Pt/SiO<sub>2</sub>, **94**, 478
    - poisoning by CO
      - on Pt/Al<sub>2</sub>O<sub>3</sub>, **94**, 203
      - on Pt/TiO<sub>2</sub>, **94**, 218
    - properties of Pd–Rh bimetallic catalysts, **95**, 167
- Methyl formate
  - from methanol dehydrogenation over copper, mechanism, **91**, 197
- Methyl pentenes
  - isomerization over Y catalyst, **92**, 355
- Methylphenols
  - hydrodeoxygenation with MoO<sub>3</sub>–NiO–Al<sub>2</sub>O<sub>3</sub> catalyst, **96**, 535
- $\alpha$ -Methylstyrene
  - and styrene, individual and competitive hydrogenation by AlPO<sub>4</sub>-supported Rh catalysts, **94**, 1
- Methyne
  - intermediates, formation by hydrogenation of surface carbon on Ru(001), **94**, 51
- Microprobe
  - etched wire profiling, **92**, 136
- Microstructure
  - ferric molybdate and MoO<sub>3</sub> catalysts for methanol oxidation, **94**, 79
  - oxychlorination catalyst, supported liquid phase, **93**, 23
- Migration
  - potassium on Fe and Al<sub>2</sub>O<sub>3</sub> surfaces, **92**, 17
- Mineral
  - surfaces, epoxide rearrangements, **92**, 291
- Molecular sieves
  - borosilicate, boron determination, **91**, 352
- Molybdate
  - multicomponent catalysts for propylene selective oxidation, role of iron, **95**, 209
- Molybdate–nickel, *see* Nickel–molybdate
- Molybdena
  - Al<sub>2</sub>O<sub>3</sub>-supported
    - acid sites on, infrared and gravimetric studies of adsorbed pyridine, **94**, 408
    - preparation by equilibrium adsorption, characterization, **95**, 501
  - sulfided, Al<sub>2</sub>O<sub>3</sub>-supported
    - activity and structure, **96**, 276
    - characterization and valence states below Mo<sup>4+</sup>, **92**, 155
  - TiO<sub>2</sub>-supported, thiophene hydrodesulfurization activity and selectivity, **95**, 33
- Molybdena–silica
  - methane oxidation with N<sub>2</sub>O, kinetics, **91**, 263
- Molybdenum
  - Al<sub>2</sub>O<sub>3</sub>-supported
    - alkane hydrogenolysis, mechanism, **93**, 399
    - characterization by low-temperature oxygen chemisorption, **92**, 432
    - (100)-oriented single crystals and polycrystalline foils, CO hydrogenation over, **94**, 60
    - propane hydrogenolysis, **93**, 388
  - SiO<sub>2</sub>-supported, partial oxidation of ethane to ethylene and acetaldehyde, **94**, 37
  - states in hydrodesulfurization, **93**, 375
  - TiO<sub>2</sub>-supported, preparation and characterization by Raman and Fourier transform infrared spectroscopy, **92**, 340
- Molybdenum–cobalt, *see* Cobalt–molybdenum
- Molybdenum–copper, *see* Copper–molybdenum
- Molybdenum dioxide
  - promoter role in Rh/SiO<sub>2</sub> catalyst, **93**, 340
- Molybdenum disulfide
  - hydrotreating catalyst, Group VIII promoter, **91**, 308, 318
  - single crystal edge planes, reactivity, **92**, 56
- Molybdenum heteropoly compounds
  - methanol and ethanol conversions on, **91**, 132
- Molybdenum(II)–monomer
  - inorganic oxide-attached catalysts, selective ethane formation by CO hydrogenation, **96**, 613
- Molybdenum–nickel, *see* Nickel–molybdenum

Molybdenum oxide–nickel oxide–alumina  
hydrodeoxygenation of hydroxy, methoxy, and  
methyl phenols, **96**, 535

#### Molybdenum sulfide

catalysts, unsupported: pretreatment effects on  
sintering, stoichiometry, and O<sub>2</sub> chemisorption,  
**95**, 455

reduced, thiophene hydrodesulfurization, **93**, 375

Molybdenum sulfide–iron, *see* Iron–molybdenum sul-  
fide

#### Molybdenum trioxide

Al<sub>2</sub>O<sub>3</sub>-supported, temperature-programmed sulfid-  
ing, **92**, 35

methanol oxidation, electron microscopy, **94**, 79

methanol oxidative dehydrogenation to formalde-  
hyde over, **92**, 127

structure sensitivity, in propylene mild oxidation,  
**93**, 467

TiO<sub>2</sub>-supported, methanol photo-oxidation, catalyst  
structure and reaction selectivity, **94**, 108

#### Mordenite

*n*-butylamine and NH<sub>3</sub>, temperature-programmed  
desorption, **96**, 288

Fe-exchanged, behavior toward CO reduction, **96**,  
182

paraffin cracking selectivity, **93**, 246

#### Mössbauer spectroscopy

conversion electron, *see* Conversion electron Möss-  
bauer spectroscopy

##### *in situ*

Fe/Al<sub>2</sub>O<sub>3</sub> and Fe/ThO<sub>2</sub>, characterization, **96**, 314  
ferric molybdate rearrangement in partial propyl-  
ene oxidation, **95**, 289

Ni–Fe alloy particles supported on TiO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub>,  
methanation kinetics, **91**, 11

##### SiO<sub>2</sub>-supported

bimetallic catalysts, structure, **96**, 58

Fe, local temperature rises, **91**, 185

Fe nitride, **91**, 231

## N

Nafion, *see* Polyfluorocarbon sulfonic acid

#### Neutron

attenuation technique for coke profile determination  
*in situ*, **96**, 146

#### Nickel

adsorption of H<sub>2</sub> and CO, effects of varying titania  
surface coverage, **95**, 587

Al<sub>2</sub>O<sub>3</sub>-supported, low-temperature methanation and  
Fischer–Tropsch activity, **94**, 566

$\alpha$ -Al<sub>2</sub>O<sub>3</sub>-supported, steam reforming of methane,  
formaldehyde intermediate, **95**, 313

$\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported particles in H<sub>2</sub> atmosphere, sin-  
tering behavior, **96**, 12

aluminum phosphate- and Nb-supported, metal–  
support interactions, **96**, 202

carbon hydrogenation, support effects on kinetics,  
**91**, 78

catalysts, chemisorptive and magnetic properties:  
support effects, **93**, 270

catalytic decomposition of CH<sub>3</sub>OH, chlorine effect,  
**94**, 142

-catalyzed methanation reaction, rate-determining  
step, comment, **96**, 299; reply, **96**, 300

deactivation during carbon steam gasification, **95**, 71

effects on catalytic properties of high-activity fluid  
cracking catalyst, **96**, 363

ethylene catalytic decomposition on, effect of hy-  
drogen, **92**, 177

and hexane, neohexane, and methylcyclopentane in  
hydrogen mixtures, particle size sensitivity of  
catalytic reactions, **96**, 82

H<sub>2</sub> oxidation, **93**, 417

metal oxide-supported, support effects in H<sub>2</sub>–H<sub>2</sub>O  
deuterium exchange, **95**, 1

methanation reaction over, **92**, 312

niobia–silica surface phase oxide-supported, metal–  
support interactions, **95**, 260

-promoted catalysts, catalytic and physicochemical  
properties, **91**, 318

and Pt-catalyzed methanation, comparison with  
transient-kinetic methods, **94**, 306

Raney, surface analysis, **93**, 55

role in hydrodesulfurization catalyst initial transfor-  
mation, **91**, 64

##### SiO<sub>2</sub>-supported

CO adsorption and H<sub>2</sub>/CO coadsorption, **96**, 210

CO disproportionation, kinetics and nature of de-  
posited carbon, **95**, 13

CO hydrogenation over, addition of probe reac-  
tants, **96**, 396

for enantioselective hydrogenation, effects of  
preparation conditions, **96**, 429

and Nb<sub>2</sub>O<sub>5</sub>-supported, CO adsorption: role of car-  
bonyl formation and support effects, **94**, 343

##### supported

alkali promoters on, effect of support, prepara-  
tion, and alkali concentration, **93**, 152

metal–support interactions, **93**, 201

surfaces treated with TiO<sub>2</sub>, effect on carbon growth,  
**93**, 312

TiO<sub>2</sub>-supported, metal content and temperature ef-  
fects on photocatalytic cyclopentane–deute-  
rium isotopic exchange over, **95**, 539

TiO<sub>2</sub>- and Ti<sub>2</sub>O<sub>3</sub>-supported, CO hydrogenation and  
adsorption, **96**, 491

titania-supported, effects of titania adspecies on CO  
and H<sub>2</sub> coadsorption, **96**, 597

unsupported, carbon and hydrogen adspecies during  
CO hydrogenation, **94**, 385

#### Nickel(111)

methanol decomposition, reaction kinetic measure-  
ments, **92**, 25

- Nickel-copper, *see* Copper-nickel
- Nickel hydromolybdate  
 reduced, hydrogen chemisorption and benzene hydrogenation, **91**, 356
- Nickel-iron  
 alloy particles, TiO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub>-supported, methanation kinetics, **91**, 11
- Nickel-molybdate  
 selective oxidation catalysts with excess MoO<sub>3</sub> for C<sub>4</sub> hydrocarbon conversion to maleic anhydride preparation and characterization, **95**, 120  
 selective oxidation of  
 1,3-butadiene and furan, **95**, 147  
 1-butene, **95**, 137
- Nickel-molybdenum  
 Al<sub>2</sub>O<sub>3</sub>-supported catalyst, large-pore: for upgrading coal liquids, **95**, 406  
 electron spin resonance, **91**, 308  
 hydrodesulfurization catalysts, **91**, 64  
 sulfided catalysts, SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> supported: catalyst acidity effect on anisole hydrogenolysis, **94**, 230
- Nickel oxide  
 and H<sub>2</sub>O, effects on surface structure of NiO-MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalyst, **95**, 414
- Nickel oxide-molybdenum trioxide  
 Al<sub>2</sub>O<sub>3</sub>-supported catalyst, H<sub>2</sub>O and NiO effects on surface structure, *in situ* Raman spectroscopy, **95**, 414
- Nickel porphyrins  
 catalytic hydrometallation  
 acid-base modification of selectivity, **93**, 135  
 porphyrin structure and reactivity, **93**, 100  
 pyridine and sulfiding effects, **93**, 122
- Nickel-tungsten  
 electron spin resonance, **91**, 308
- Nickel-wolfram  
 presulfided catalyst,  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported: aromatic compound hydrogenation in synthetic crude distillates, **95**, 155
- Niobia  
 support for Ni catalysts, metal-support interactions, **93**, 201; **96**, 202
- Niobia-silica  
 support for Ni catalysts  
 CO adsorption, role of carbonyl formation and support effects, **94**, 343  
 metal-support interactions, **96**, 202  
 surface phase oxide, metal-support interactions, **95**, 260
- Nitric oxide  
 adsorption  
 on LaMO<sub>3</sub> perovskites, **95**, 558  
 on Pt/SiO<sub>2</sub>, **91**, 208  
 chemisorption on MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, **95**, 501  
 decomposition on Pt(210) and Pt(410), **95**, 244  
 reaction with ammonia on etched metal wires, **92**, 136  
 reduction by H<sub>2</sub> over Rh/SiO<sub>2</sub>, **92**, 247
- Nitrogen  
 N<sub>2</sub> activation over Ru/alkaline earth, **92**, 305  
 promotion, effects on activity and selectivity of iron nitride with silica support, **91**, 241
- Nitrous oxide  
 decomposition  
 reaction, determination of Cu-Ni alloy powder surface composition, **95**, 346  
 on solid solution La<sub>2</sub>Cu<sub>1-x</sub>Ni<sub>x</sub>O<sub>4</sub> ( $0 \leq x \leq 1$ ), **93**, 279  
 methane oxidation  
 on molybdena-silica, kinetics, **91**, 263  
 partial, over V<sub>2</sub>O<sub>5</sub>/SiO<sub>2</sub> catalyst, **94**, 501
- Nuclear magnetic resonance  
<sup>9</sup>Be, chemical shifts of beryllium silicates with zeolite-type structure, **94**, 508  
<sup>13</sup>C  
 alkyl intermediates on Ru/SiO<sub>2</sub>, characterization, **95**, 305  
 carbonaceous species on Ru catalysts, **93**, 1  
<sup>59</sup>Co, CoMo hydrodesulfuration catalysts, **96**, 189
- O
- Offretite  
 paraffin cracking selectivity, **93**, 246
- Oil  
 synthetic crude, *see* Synthetic crude
- Olefin  
 isomerization on zeolites, **92**, 398
- Oligomerization  
 isobutene, with benzyl sulfonic acid siloxane catalyst, **94**, 187
- Organic compounds  
 adsorbed, interactions with metals: infrared spectroscopy, **92**, 388
- Organic fragments  
 from [<sup>14</sup>C]ethylene chemisorbed over Pt(111) surfaces, hydrogenation and dehydrogenation, **92**, 240
- Oscillations  
 nonlinear kinetics in catalytic oxidation reactions, **96**, 326  
 rate in H<sub>2</sub> oxidation on Ni, **93**, 417  
 self-sustained, during CO oxidation  
 on Pd/SiO<sub>2</sub>, **93**, 321  
 on Pt/SiO<sub>2</sub>, **91**, 216
- Osmium  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported catalyst, for CO hydrogenation, particle size effects, **95**, 370  
 tetraosmium cluster anions, alumina-supported, precursors for catalysts for but-1-ene isomerization, **94**, 195
- Oxidation  
 Ag(I)-containing films of polyfluorocarbon sulfonic acid, **93**, 430  
*n*-butene, selectivities: role of vanadium oxide cluster size and structure, **91**, 54

catalytic, nonlinear kinetics: periodic and aperiodic behavior and structure sensitivity, **96**, 326

## CO

on Pd/Al<sub>2</sub>O<sub>3</sub>, catalytic reactor system for transient response, **94**, 468

on Pd/SiO<sub>2</sub>, spatial coverage and temperature patterns during oscillations, **93**, 321

over Pt/Al<sub>2</sub>O<sub>3</sub> under transient conditions, Fourier-transform infrared transmission spectroscopy, **94**, 128

Rh field-emitter surface oxidation during, **92**, 167

effect on CO/H<sub>2</sub> reaction over TiO<sub>2</sub>-supported Fe catalysts, **96**, 408

ethanol on Cr/SiO<sub>2</sub> catalysts, **94**, 24

## ethylene

over Ag-based alloy catalysts, **91**, 36

on zirconium phosphate-supported Ag catalyst, particle size and support effect, **94**, 455

furan, activity and selectivity on supported and unsupported V<sub>2</sub>O<sub>5</sub> catalysts, **95**, 482

gas-phase, ethanol over Cu(II) and Co(II) ion-exchanged Y-type zeolite catalysts, **93**, 303

H<sub>2</sub> on Ni, **93**, 417

## methanol

over ferric molybdate and MoO<sub>3</sub> catalysts, electron microscopy, **94**, 79

and grain morphology of V<sub>2</sub>O<sub>5</sub>, **91**, 361

K<sub>2</sub>SO<sub>4</sub>-promoted unsupported V<sub>2</sub>O<sub>5</sub> catalyst, **93**, 360

## partial

ethane to ethylene and acetaldehyde over silica-supported Mo catalyst, **94**, 37

methane with nitrous oxide on molybdena-silica, kinetics, **91**, 263

methanol with photoassisted MoO<sub>3</sub> supported on TiO<sub>2</sub>, **94**, 108

propylene, ferric molybdate rearrangement, *in situ* Mössbauer spectroscopy, **95**, 289

propane, perovskite-type mixed oxides, **93**, 459

## propylene

to acrolein over Bi<sub>2</sub>Mo<sub>3</sub>O<sub>12</sub>, mechanism, **96**, 222

structure sensitivity of MoO<sub>3</sub>, **93**, 467

Rh field-emitter surfaces, **92**, 167

## selective

*n*-butane to maleic anhydride by V-P-O catalysts, **92**, 216

ethylene over Ag(110): chlorine promotion, kinetics and mechanism, **92**, 272

in iron-antimony system, role of excess antimony as promoter, **91**, 85

NiMoO<sub>4</sub> catalysts with excess MoO<sub>3</sub> for maleic anhydride synthesis

1,3-butadiene and furan selective oxidation, **95**, 147

1-butene selective oxidation, **95**, 137

preparation and characterization, **95**, 120

propylene, by multicomponent molybdate catalysts: role of iron, **95**, 209

and total, ethylene on silver, **92**, 364

SO<sub>2</sub> on vanadium catalysts, rate discontinuities, **94**, 323

surface, Rh(I) compounds and polymer-supported Rh(I) catalysts, X-ray photoelectron spectroscopy, **94**, 335

temperature-programmed, Rh/Al<sub>2</sub>O<sub>3</sub> and Rh/TiO<sub>3</sub> catalysts, morphology, **95**, 333

toluene over Co<sub>3</sub>O<sub>4</sub>, effect of samarium on catalytic activity, **93**, 186

## Oxides

Cu/Zn/Al, catalytic behavior for low-temperature methanol synthesis, **94**, 120

La<sub>2</sub>Cu<sub>1-x</sub>Ni<sub>x</sub>O<sub>4</sub> (0 ≤ *x* ≤ 1), solid solution: N<sub>2</sub>O decomposition, **93**, 279

mixed LaFeO and LaCoO<sub>3</sub> perovskite-type, effects of Sr<sup>2+</sup> and Ce<sup>4+</sup> substitution for La<sup>3+</sup>, **93**, 459

surfaces, adsorbed CO molecules, lateral interactions, infrared spectroscopy, **94**, 10

## Oxychlorination

catalyst, supported liquid phase: microstructure, **93**, 23

## Oxygen

### adsorption on

Ag at high O<sub>2</sub> pressures, **96**, 72

Ag(I) in polyfluorocarbon sulfonic acid films, **93**, 430

K-covered Au surfaces, **96**, 420

LaNiO<sub>3</sub>, kinetics, **93**, 83

Ru-Au/SiO<sub>2</sub> catalysts, **95**, 271

### chemisorption on

supported Ag, **93**, 288

MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub>, **95**, 501

unsupported MoS<sub>2</sub>, pretreatment effects, **95**, 455

effect on Ru(III)-sulfonated linear polystyrene ionomers, **94**, 531

effects in ethylene oxide isomerization on single-crystal Ag(111), **93**, 92

and hydrogen particles, interactions with Pd particles for Pd/SiO<sub>2</sub> catalysts, **94**, 478

interaction with adsorbed CO on Pt/SiO<sub>2</sub>, infrared spectroscopy, **92**, 388

reaction with ethylene on Pt/CeO<sub>2</sub> catalyst, **93**, 353

treatments, Pt dispersion during: effect of oxide support acidity and basicity, **95**, 492

Oxygen-aluminum-phosphorus, *see* Aluminum-phosphorus-oxygen

## P

## Palladium

Al<sub>2</sub>O<sub>3</sub>-, MgO-, SiO<sub>2</sub>-, and TiO<sub>2</sub>-supported, CO<sub>2</sub> adsorption and surface interaction with H<sub>2</sub>, **95**, 567

Al<sub>2</sub>O<sub>3</sub>-supported, surface ethylidyne species: infrared spectroscopic characterization, **96**, 1

- faujasite hybrid catalysts, synthesis gas conversion to C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub> paraffins, **94**, 16
- interstitial carbon in, **95**, 621
- La<sub>2</sub>O<sub>3</sub>-supported
  - H<sub>2</sub> and CO interactions, **96**, 88
  - methanol and methane synthesis, kinetics, **91**, 104
- particles, SiO<sub>2</sub>-supported: CO disproportionation, **91**, 1
- rare earth oxide-supported, methanol and methane formation over, **95**, 227
- SiO<sub>2</sub>-supported
  - CO hydrogenation over, addition of probe reactants, **96**, 396
  - CO oxidation self-sustained oscillations, **93**, 321
  - and lanthana-promoted, H<sub>2</sub>-CO interactions, **96**, 88
  - methanol and methane synthesis, kinetics, **91**, 104
  - methanol synthesis, adsorbed CO and catalyst performance, relationship, **95**, 465
  - methylcyclopropane hydrogenolysis and cyclopentane exchange with deuterium, comparison with Pt/SiO<sub>2</sub>, **94**, 478
- supported catalysts, strong metal-support interactions: temperature-programmed reduction and temperature-resolved sorption, **96**, 51
- Palladium(II)
  - polymer-bound complexes, hydrogenation of alkenes and alkynes, **92**, 327
- Palladium-alumina
  - deactivation in furfural decarbonylation, kinetics and mechanism, **91**, 254
- Palladium-rhodium
  - $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported bimetallic catalyst: properties for methylcyclopentane hydrogenolysis, benzene and 1-hexene hydrogenation, and benzene hydrogenation deactivation by thiophene, **95**, 167
- Paraffin
  - C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub>: selective synthesis from synthesis gas with Pd- and faujasite-containing hybrid catalyst, **94**, 16
  - cracking
    - mechanism, **93**, 30
    - selectivity, **93**, 246
  - isomerization catalyzed by polymer-supported superacids, **96**, 347
  - selective oxidation, **92**, 216
- Particles
  - Os aggregates, size effects on CO hydrogenation catalyzed by  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Os, **95**, 370
  - Pd, size effect in CO-H<sub>2</sub> reactions, **91**, 1
  - Ru, supported on ultra-high-vacuum-cleaved mica, CO interaction, **95**, 361
  - size sensitivity in hydrocarbon reactions, **96**, 82
  - spheroid, surface segregation in alloys, **92**, 409
- PAS, *see* Photoacoustic spectroscopy
- Percolation
  - model of catalyst deactivation by pore blockage and site coverage, **96**, 552
- Perovskites
  - K<sub>2</sub>NiF<sub>4</sub> type, **93**, 279
  - LaFeO and LaCoO<sub>3</sub> mixed oxides, effects of Sr<sup>2+</sup> and Ce<sup>4+</sup> substitution for La<sup>3+</sup>, **93**, 459
  - LaMO<sub>3</sub>, NO and CO surface interactions, **95**, 558
- Phenylacetaldehyde
  - from epoxystyrene over sepiolite and silica-alumina, **92**, 291
- Phosphate
  - support for Ni catalysts, metal-support interactions, **93**, 201
- Phosphorus
  - effect on CO hydrogenation over Ru/Al<sub>2</sub>O<sub>3</sub>, **95**, 41
- Phosphorus-aluminum-oxygen, *see* Aluminum-phosphorus-oxygen
- Phosphorus-vanadium-oxygen, *see* Vanadium-phosphorus-oxygen
- Phosphotungstic acid
  - Cu salts, 2-propanol dehydration over, **93**, 224
  - methanol dehydration over, photoacoustic Fourier-transform infrared spectroscopy, **95**, 108
- Photoacoustic Fourier-transform infrared spectroscopy
  - methanol dehydration over 12-tungstophosphoric acid, mechanism, **95**, 108
- Photoacoustic spectroscopy
  - Cu/Al<sub>2</sub>O<sub>3</sub> catalysts, surface properties, characterization, **94**, 514
- Photocatalysis
  - cyclopentane-deuterium isotopic exchange over Pt or Ni/TiO<sub>2</sub>, metal content and temperature effects in normal and SMSI state, **95**, 539
  - water-gas shift reaction over Pt/TiO<sub>2</sub>, **91**, 293
- Photodehydrogenation
  - isopropanol on Pt/TiO<sub>2</sub>, **91**, 293
- Photodissociation
  - water, **91**, 293
- Photo-oxidation
  - methanol with MoO<sub>3</sub>/TiO<sub>2</sub>, catalyst structure and reaction selectivity, **94**, 108
- Phthalic anhydride
  - from *o*-xylene oxidation, **91**, 366
- Physicochemical properties
  - Ni-promoted catalysts, **91**, 318
- Platinum
  - Al<sub>2</sub>O<sub>3</sub>-, SiO<sub>2</sub>-, SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>-, and TiO<sub>2</sub>-supported, H<sub>2</sub> heat of adsorption, direct measurement, **95**, 57
  - Al<sub>2</sub>O<sub>3</sub>-supported
    - activity and selectivity maintenance: pretreatment effect, **96**, 499
    - CO oxidation under transient conditions, Fourier transform infrared transmission spectroscopy, **94**, 128
    - high-temperature hydrogen treatment, letter to editor, **92**, 193; reply, **92**, 196
    - hydrocarbon conversion catalysts, activity maintenance and selectivity: Re and S effects, **96**, 371

- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported system, hydrogen spillover, **95**, 296  
black, *see* Platinum, powders  
Cab-O-Sil-supported catalyst, CO desorption-adsorption infrared doublet, **92**, 388  
CeO<sub>2</sub>-supported  
  catalytic activity in methanation and water-gas shift reaction, **96**, 285  
  ethylene and oxygen reaction on, **93**, 353  
1,3-dioxanes on, stereoselective isomerization and hydrogenolysis, **95**, 605  
-metal alloys, synthesis by precipitation method, **95**, 353  
and Ni-catalyzed methanation, comparison with transient-kinetic methods, **94**, 306  
oxide-supported, effect of support acidity and basicity during O<sub>2</sub> treatments, **95**, 492  
particles, dispersion on SiO<sub>2</sub> and  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, chlorine treatment effect, **92**, 64  
powders, unsupported: nitric-acid washed, cyclohexane hydrogenation turnover rate, **94**, 225  
Pt(111) surfaces, organic fragment hydrogenation and dehydrogenation, thermal desorption spectroscopy and <sup>14</sup>C radiotracer studies, **92**, 240  
Pt(210) and Pt(410), NO decomposition on, **95**, 244  
silica gel- and Al<sub>2</sub>O<sub>3</sub>-supported, anomalous scattering study, **92**, 211  
SiO<sub>2</sub>-supported  
  CO oxidation, oscillations, **91**, 216  
  NO adsorption over wide temperature range, **91**, 208  
  structural genesis determination by X-ray absorption spectroscopy, **95**, 546  
  surface reconstruction, electronically induced geometrical catalytic effects, **94**, 570  
TiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> mixed oxide-supported, chemisorption properties and SMSI formation, **95**, 473  
TiO<sub>2</sub>-supported  
  CO poisoning, **94**, 218  
  isopropanol photocatalytic dehydrogenation, **91**, 293  
  metal content and temperature effects on photocatalytic cyclopentane-deuterium isotopic exchange over, **95**, 539  
  photoelectrochemical preparation, **92**, 11  
  strong metal-support interactions  
    models, **93**, 216  
    small-angle X-ray scattering, **92**, 199  
  surface areas, **92**, 199  
Platinum-iridium  
   $\gamma$ -Al<sub>2</sub>O<sub>3</sub>- and SiO<sub>2</sub>-supported bimetallic catalysts, re-dispersion in chlorine-containing gases, **96**, 170  
Platinum-palladium  
  alloys, synthesis by precipitation method, **95**, 353  
Platinum-rhenium  
  Al<sub>2</sub>O<sub>3</sub>-supported  
    activity and selectivity maintenance, pretreatment effect, **96**, 499  
    sulfided, reforming catalyst, reaction kinetics of methylcyclohexane dehydrogenation over, **96**, 507  
  presulfided, dehydrocyclization and hydrogenolysis, **96**, 371  
Platinum-rhodium  
  alloys, synthesis by precipitation method, **95**, 353  
Platinum-ruthenium  
  alloys, synthesis by precipitation method, **95**, 353  
Poisoning  
  catalyst, and catalytic deactivation, kinetic parameters, **95**, 447  
  Ir/Al<sub>2</sub>O<sub>3</sub>, by sulfur, **94**, 543  
  metal, effects on fluid cracking catalyst: luminescence probe, **96**, 363  
  Pt/Al<sub>2</sub>O<sub>3</sub> by CO, **94**, 203  
  Pt/TiO<sub>2</sub> by CO, **94**, 218  
Polyacrylic acid  
  bound Rh catalysts, activity enhancement by postcrosslinking, **96**, 41  
Polyfluorocarbon sulfonic acid  
  films, oxygen adsorption on Ag(I) in, **93**, 430  
Polymer  
  -supported superacids, for paraffin isomerization, **96**, 347  
Polymerization  
  ethylene, on Cr(III)/SiO<sub>2</sub>, **92**, 260  
Polystyrene  
  sulfonated linear, *see* Sulfonated linear polystyrene  
Poly(styrene-divinylbenzene)  
  sulfonated, polymer support for superacid: paraffin isomerization, **96**, 347  
Pore  
  blockage, and site coverage: catalyst deactivation by, percolation model, **96**, 552  
  development, and boundary diffusion, **91**, 25  
  diffusion, and temperature-programmed desorption, **93**, 197  
Porous catalysts  
  temperature-programmed desorption from, diffusional limitations, **93**, 197  
Porous media  
  capillary, directional autocorrelation and diffusional tortuosity, **93**, 192  
Porphyrins  
  Ni, catalytic hydrodemetallation, **93**, 100, 122, 135  
  structure and reactivity, **93**, 100  
Potassium  
  -covered Au surfaces, O<sub>2</sub> adsorption, **96**, 420  
  effect on CO hydrogenation over Ru/Al<sub>2</sub>O<sub>3</sub>, **95**, 41  
  migration on Fe and Al<sub>2</sub>O<sub>3</sub> surfaces, **92**, 17  
  promotion, effects on activity and selectivity of silica-supported iron nitride catalysts, **91**, 241  
Potassium hydroxide  
  and transition metal oxides, steam gasification of graphite below 900 K, **96**, 234

- Potassium sulfate  
promoting action on unsupported  $V_2O_5$  catalyst for methanol oxidation, **93**, 360
- Precipitation  
sulfides, method for Pt metal alloy synthesis, **95**, 353
- Pretreatment  
effects on Ag dispersion, **93**, 288
- Probe molecules  
addition to CO hydrogenation over  $SiO_2$ -supported Ni, Ru, Rh, and Pd, **96**, 396
- Promoters  
alkali, *see* Alkali promotion  
chlorine, selective ethylene oxidation over Ag(110): kinetics and mechanism, **92**, 272  
effects in Fischer-Tropsch catalysis, **92**, 429  
excess antimony, role in selective oxidation in Fe-Sb system, **91**, 85  
Group VIII metal, in  $MoS_2$  and  $WS_2$  hydrotreating catalysts, **91**, 308, 318  
K and N effects, **91**, 241  
 $K_2SO_4$ , of unsupported  $V_2O_5$  catalyst for methanol oxidation, **93**, 360  
MnO and  $MoO_2$  in  $SiO_2$ -supported Rh catalyst, effects in CO/ $H_2$  reactions, **93**, 340
- Propane  
hydrogenolysis on  $Mo/Al_2O_3$ , **93**, 388  
oxidation, perovskite-type mixed oxides, **93**, 459
- 2-Propanol, *see* Isopropyl alcohol
- Propene  
effect on Ru-catalyzed CO hydrogenation, **96**, 23
- Propylene  
hydroformylation on  $RhNaX$  and  $RhNaY$  catalytic activity, **96**, 563  
*in situ* Fourier-transform infrared spectroscopy, **96**, 574  
interaction with  $V_2O_5$ - $MoO_3$  catalysts, electron spin resonance, **96**, 32  
oxidation  
to acrolein over  $Bi_2Mo_3O_{12}$ , mechanism, **96**, 222  
partial, ferric molybdate rearrangement, *in situ* Mössbauer spectroscopy, **95**, 289  
selective, role of iron in multicomponent molybdate catalysts, **95**, 209  
structure sensitivity of  $MoO_3$ , **93**, 467
- Protolytic cracking, *see* Cracking
- PSSA, *see* Sulfonated linear polystyrene
- Pyridine  
adsorbed on  $MoO_3/Al_2O_3$ , catalyst acidic properties upon reduction in hydrogen: infrared and gravimetric studies, **94**, 408  
-CO and ammonia-CO interactions on  $MgO-CoO$  solid solutions, infrared spectra, **96**, 586  
effects on nickel porphyrin catalytic hydrodemetalation, **93**, 122  
poisoning of anisole hydrogenolysis on sulfided  $CoMo/Al_2O_3$  and  $NiMo/SiO_2-Al_2O_3$  catalysts, **94**, 230  
synthesis with alumina-doped silica gel catalysts, X-ray photoelectron spectroscopy, **94**, 69  
Pyrolysis, *see* Decomposition, thermal
- R
- Radiotracer studies  
 $^{14}C$ , organic fragments: hydrogenation and dehydrogenation over Pt(111) surfaces, **92**, 240
- Raman spectroscopy  
*in situ*,  $H_2O$  and NiO effects on surface structure of  $NiO-MoO_3/Al_2O_3$  catalyst, **95**, 414  
laser  
*in situ* CO and  $H_2$  reactions on fused iron catalyst, **95**, 325  
 $WO_3$  on  $Al_2O_3$ , characterization, **92**, 1  
 $TiO_2$ -supported Mo and Co-Mo, **92**, 340
- Rare earth metals  
hydrogenation catalysts of unsaturated hydrocarbons, properties, **96**, 139  
oxides, support for Pd catalyst: methanol and methane formation over, **95**, 227
- Reaction  
intermediates  
ethylene oxidation on Ag(111) single crystal surfaces, **92**, 364  
surface formate-ion behavior in methanol decomposition over  $Cr_2O_3$ , **94**, 353  
kinetic measurements, methanol decomposition on Ni(111), **92**, 25  
pathways, ethylene oxidation on Ag(111) single crystal surfaces, **92**, 364  
rate, hydrocracking catalyst probe, effects of zeolite unit cell size, **95**, 220
- Reaction gas chromatography/mass spectrometry  
alicyclic ketones, hydrogenation on iron, **93**, 75
- Reactivity  
porphyrin, **93**, 100
- Redispersion  
Ir particles on  $SiO_2$  and  $\gamma-Al_2O_3$  supports with chlorine-containing gases, **96**, 154  
Pt-Ir particles on  $\gamma-Al_2O_3$  and  $SiO_2$  in chlorine-containing gases, **96**, 170  
Pt metal particles on  $SiO_2$  and  $\gamma-Al_2O_3$ , chlorine effect, **92**, 64
- Reducibility  
 $K_2SO_4$ -promoted unsupported  $V_2O_5$  catalyst for methanol oxidation, **93**, 360  
Ni/ $SiO_2$  catalysts, precipitated precursors: effects of preparation conditions, **96**, 429  
 $V_2O_5$ , grain morphology effect, **91**, 361
- Reduction  
Ag(I)-containing films of polyfluorocarbon sulfonic acid, **93**, 430  
CO, behavior of Fe-exchanged mordenite, **96**, 182  
Fe catalysts, supported: behavior in CO or  $H_2$  atmospheres, **96**, 261  
Fe-MnO CO catalysts, **92**, 98

- LaNiO<sub>3</sub>, kinetics, **93**, 83  
NO by H<sub>2</sub> over Rh/SiO<sub>2</sub>, **92**, 247  
temperature-programmed, *see* Temperature-programmed reduction  
V<sub>2</sub>O<sub>5</sub>-MoO<sub>3</sub> catalysts, kinetic model, **96**, 32
- Resins**  
anion-exchange, *see* Anion-exchange resins
- Rhenium**  
effects on Pt/Al<sub>2</sub>O<sub>3</sub> catalysts, **96**, 371  
Re<sub>2</sub>O<sub>7</sub>/γ-Al<sub>2</sub>O<sub>3</sub> system, formation and structure under precatalysis conditions, **94**, 97  
Re<sup>7+</sup>-support interaction in Re<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts, **93**, 231
- Rhenium heptoxide**  
Al<sub>2</sub>O<sub>3</sub>-, SiO<sub>2</sub>-, and carbon-supported: temperature-programmed reduction, **93**, 231
- Rhenium-platinum**, *see* Platinum-rhenium
- Rhodium**  
Al<sub>2</sub>O<sub>3</sub>-supported  
morphology analysis with temperature-programmed reduction-oxidation and transmission electron spectroscopy, **95**, 333  
water-gas shift over, **94**, 166  
γ-Al<sub>2</sub>O<sub>3</sub>- and ZrO<sub>2</sub>-supported, strong metal-support interactions and CO hydrogenation, **96**, 106  
AlPO<sub>4</sub>-supported, styrene and α-methylstyrene individual and competitive hydrogenation, **94**, 1  
bound to polyacrylic acid, postcrosslinking catalytic activity enhancement, **96**, 41  
NaX-zeolite-supported, CO dissociation, infrared spectroscopy, **94**, 297  
polycrystalline foils, CO hydrogenation over: deuterium isotope effects, **95**, 317  
polymer-supported, and Rh(I) compounds: surface oxidation, X-ray photoelectron spectroscopy, **94**, 335  
RhO<sub>3</sub> and Rh<sub>4</sub> clusters, in catalyst preparation for CO hydrogenation, **91**, 272  
SiO<sub>2</sub>-supported  
CO hydrogenation over, addition of probe reactants, **96**, 396  
NO reduction by H<sub>2</sub>, **92**, 247  
promoter effects in Co/H<sub>2</sub> reactions, **93**, 340  
supported, formic acid decomposition, **91**, 327  
surfaces  
clean, hydrogen cyanide synthesis, **91**, 116  
field-emitter, oxidation, **92**, 167  
TiO<sub>2</sub>-supported  
CO hydrogenation, alkali promotion effects, **92**, 416, 435  
effect of variation in support electric properties on CO and CO<sub>2</sub> hydrogenation, **95**, 578  
morphology analysis with temperature-programmed reduction-oxidation and transmission electron spectroscopy, **95**, 333  
SMSI analysis with transmission electron spectroscopy, **94**, 422  
SMSI effect at high metal loading, **94**, 300  
unsupported: carbon and hydrogen adspecies during CO hydrogenation, **94**, 385  
zeolites X and Y, propylene hydroformylation, **96**, 563, 574
- Rhodium(I)**  
chiral diphosphine-containing complexes, asymmetric transfer hydrogenation of acetophenone, **94**, 292
- Rhodium-palladium**, *see* Palladium-rhodium
- Ruthenium**  
alkaline earth-supported, for N<sub>2</sub> activation, characterization, **92**, 305  
Al<sub>2</sub>O<sub>3</sub>-supported  
ammonia synthesis, alkali promotion effect, **92**, 296  
CO hydrogenation, effect of K, B, and P additives, **95**, 41  
low-temperature methanation and Fischer-Tropsch activity, **94**, 566  
-catalyzed CO hydrogenation, support effects, **96**, 23  
hydrogen chemisorption, effects of added Cu, **94**, 576  
particles supported on ultra-high-vacuum-cleaved mica, CO interaction, **95**, 361  
SiO<sub>2</sub>-supported  
alkyl intermediates, characterization with <sup>13</sup>C NMR, **95**, 305  
carbonaceous species deposition, <sup>13</sup>C NMR, **93**, 1  
CO hydrogenation over, addition of probe reactants, **96**, 396  
hydrocarbon reactions (*n*-C<sub>4</sub>) over, alkyl and π-allyl intermediates, **92**, 232  
Ru(CO)<sub>5</sub> production by cation exchange, **92**, 184  
supported, H<sub>2</sub> chemisorption: effects of surface structure, **93**, 368  
unsupported  
carbon and hydrogen adspecies during CO hydrogenation, **94**, 385  
coverages of carbon- and hydrogen-containing species during CO hydrogenation, **91**, 142  
zeolite-supported, CO hydrogenation, **91**, 283
- Ruthenium(001)**  
surface carbon hydrogenation, formation of methyne intermediates, **94**, 51
- Ruthenium(III)**  
in sulfonated linear polystyrene ionomers, reactions with CO, H<sub>2</sub>, O<sub>2</sub>, and alcohols, **94**, 531
- Ruthenium carbonyl**  
production from SiO<sub>2</sub>-supported Ru catalysts prepared by cation exchange, **92**, 184
- Ruthenium-cobalt**, *see* Cobalt-ruthenium
- Ruthenium-copper**, *see* Copper-ruthenium
- Ruthenium-gold**  
bimetallic catalysts  
Fischer-Tropsch synthesis, **93**, 256  
MgO-supported, metal dispersion measurement with stepwise chemisorption and gas titration, **95**, 271

- SiO<sub>2</sub>-supported, metal dispersion measurement with stepwise chemisorption and gas titration, **95**, 271
- Ruthenium-iron, *see* Iron-ruthenium
- S**
- Samarium  
effect on Co<sub>3</sub>O<sub>4</sub> catalytic activity in toluene oxidation, **93**, 186
- Segregation  
metal, in supported bimetallic catalysts, **91**, 272  
surface  
in alloys, spheroidal particles, **92**, 409  
Pt and Ti, **93**, 216
- Selectivity  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported Group VIII metals, 1-butene isomerization, **93**, 161  
*n*-butene oxidation, effect of vanadium oxide cluster size and structure, **91**, 54  
CO catalytic hydrogenation on Y-zeolite-supported Ru, **91**, 283  
energy gradient, zeolite-catalyzed reactions, **93**, 246  
Fe-nitride with silica gel support, K and N promotion effects, **91**, 241  
for methanol synthesis, V<sub>2</sub>O<sub>5</sub> grain morphology, **91**, 361  
nickel porphyrin catalytic hydrodemetallation, acid-base modification, **93**, 135  
in oxidation in Fe-Sb system, excess antimony promoter, **91**, 85
- Sepiolite  
epoxystyrene transformation to phenylacetaldehyde over, **92**, 291
- Shape  
selectivity, 1-hexene isomerization on H-ZSM-5 zeolite, **92**, 398
- Silane  
catalytic formation on Cu-Si alloys, **91**, 44  
direct-synthesis kinetics on Cu<sub>3</sub>Si, **91**, 44
- Silica  
support for  
bimetallic catalysts, structure analysis with Mössbauer and X-ray photoelectron spectroscopy, **96**, 58  
carbonyl-derived highly dispersed Co catalysts, magnetic properties, **95**, 527  
Cr, ethylene polymerization, **92**, 260  
Fe-nitride, Fischer-Tropsch reactions, **91**, 231, 241  
Ir, particle redispersion with chlorine-containing gases, **96**, 154  
Ni catalysts  
CO adsorption, role of carbonyl formation and support effects, **94**, 343  
enantioselective hydrogenation, effects of preparation conditions, **96**, 429  
Ni, Ru, Rh, and Pd: CO hydrogenation, addition of probe reactants, **96**, 396  
Pd catalyst  
CO<sub>2</sub> adsorption and surface interaction with H<sub>2</sub>, **95**, 567  
CO disproportionation, **91**, 1  
CO oxidation self-sustained oscillations, **93**, 321  
lanthana-promoted, H<sub>2</sub> and CO interactions, **96**, 88  
methanol synthesis, adsorbed CO and catalyst performance, relationship, **95**, 465  
Pt catalyst  
chlorine effect on dispersion, **92**, 64  
CO desorption-adsorption, infrared doublet production, **92**, 388  
H<sub>2</sub> heat of adsorption, direct measurement, **95**, 57  
NO adsorption, **91**, 208  
structural genesis determination by X-ray absorption spectroscopy, **95**, 546  
Pt-Ir bimetallic catalysts, redispersion in chlorine-containing gases, **96**, 170  
Re<sub>2</sub>O<sub>7</sub> catalysts, temperature-programmed reduction, **93**, 231  
Rh catalysts  
CO/H<sub>2</sub> reactions, promoter effects, **93**, 340  
NO reduction by H<sub>2</sub>, **92**, 247  
Ru-Au bimetallic catalyst, metal dispersion measurement with stepwise chemisorption and gas titration, **95**, 271  
Ru catalyst  
alkyl intermediates, characterization with <sup>13</sup>C NMR, **95**, 305  
Ru(CO)<sub>5</sub> production, **92**, 184  
V<sub>2</sub>O<sub>5</sub> catalyst, methane partial oxidation with N<sub>2</sub>O, **94**, 501
- Silica-alumina  
intermediates in isomerization of methylpentenes, **92**, 355  
pyridine synthesis catalysts, X-ray photoelectron spectroscopy, **94**, 69  
support for Pt catalysts, H<sub>2</sub> heat of adsorption, direct measurement, **95**, 57  
surfaces, epoxystyrene transformation to phenylacetaldehyde, **92**, 291
- Silica dioxide  
support for  
Cr catalysts, ethanol oxidation properties, characterization, **94**, 24  
Mo catalysts, partial oxidation of ethane to ethylene and acetaldehyde, **94**, 37  
Ni catalysts, CO disproportionation: kinetics and nature of deposited carbon, **95**, 13  
Pd catalyst, methylcyclopropane hydrogenolysis and cyclopentane exchange with deuterium, comparison with Pt/SiO<sub>2</sub>, **94**, 478
- Silica-niobia, *see* Niobia-silica
- Silicon-copper, *see* Copper-silicon

## Silver

- Ag(110) clean surface, ethylene selective oxidation: chlorine promotion, kinetics and mechanism, **92**, 272
- Ag(111) clean surface, ethylene selective epoxidation kinetics: comparison with Ag(110), **94**, 436
- Ag(111) single crystal
  - ethylene oxidation, selective and total, **92**, 364
  - ethylene oxide isomerization, **93**, 92
- particles, in polyfluorocarbon sulfonic acid films: oxygen adsorption, **93**, 430
- supported catalysts
  - dispersion, effects of support, pretreatment, and gas environment, **93**, 288
  - ultradispersed, effect of metal precursors and reduction procedure on dispersion and O<sub>2</sub> adsorption, **96**, 72
  - surface reconstruction, electronically induced geometrical catalytic effects, **94**, 570
  - zirconium phosphate-supported, ethylene oxidation: particle size and support effect, **94**, 455

## Silver-cadmium

- alloys, ethylene oxidation, **91**, 36

## Sintering

- Ag in He, H<sub>2</sub>, and O<sub>2</sub>, **93**, 288
- Ni particles supported on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> model catalyst under H<sub>2</sub>, mechanism, **96**, 12
- supported metal crystallites, role of strong interactions, **94**, 239
- unsupported MoS<sub>2</sub> catalyst, pretreatment effects, **95**, 455

## Site

## active

- ethane dehydrogenation over Cr, **91**, 155
- ethylene polymerization over SiO<sub>2</sub>-supported Cr(III), **92**, 260
- coverage, and pore blockage: catalyst deactivation, percolation model, **96**, 552

SLPC, *see* Supported liquid-phase catalysisSMSI, *see* Metal-support interactions, strong

## Sodium-anionic triruthenium carbonyl clusters

- catalyst supported on metal oxides, selective olefin synthesis from CO and H<sub>2</sub>, **95**, 293

## Solid electrolyte potentiometry

- H<sub>2</sub> oxidation on Ni, **93**, 417

## Sorption

- temperature-resolved, supported Pd catalysts: strong metal-support interactions, **96**, 51

## Steam gasification

- carbon, Ni catalyst deactivation, **95**, 71
- ethane/steam, iron catalytic action on graphite, **95**, 101
- graphite below 900 K with KOH and transition metal oxide, **96**, 234

## Steam reforming

## methane

- formaldehyde intermediate, **95**, 313
- over SiO<sub>2</sub>-supported Ni-Cu catalysts, **96**, 517

## Stoichiometry

- unsupported MoS<sub>2</sub> catalyst, pretreatment effects, **95**, 455

## Structure

- Keggin, heteropoly compounds, **91**, 93
- K<sub>2</sub>SO<sub>4</sub>-promoted unsupported V<sub>2</sub>O<sub>5</sub> catalyst for methanol oxidation, **93**, 360
- sensitivity
  - CO hydrogenation on Co/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, **92**, 376
  - MoO<sub>3</sub>, in propylene mild oxidation, **93**, 467
  - and periodic and aperiodic behavior in catalytic oxidation reactions, **96**, 326

## Styrene

- and  $\alpha$ -methylstyrene, individual and competitive hydrogenation by AlPO<sub>4</sub>-supported Rh catalysts, **94**, 1

## Substitution

- isomorphous, in zeolite frameworks, **93**, 451

## Sulfides

- precipitation, method for Pt metal alloy synthesis, **95**, 353

## Sulfiding

- effects on nickel porphyrin catalytic hydrodemetalation, **93**, 122
- temperature-programmed
  - MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalyst, **92**, 35
  - and reduction of CoO/Al<sub>2</sub>O<sub>3</sub> catalysts, **96**, 122

## Sulfonated linear polystyrene

- Ru films, reactions with CO, H<sub>2</sub>, O<sub>2</sub>, and alcohols, **94**, 531

## Sulfur

- chemisorption thermodynamics on Ir/Al<sub>2</sub>O<sub>3</sub>, **94**, 543
- content, sulfided Mo/Al<sub>2</sub>O<sub>3</sub> catalyst, **92**, 155
- effects on Pt/Al<sub>2</sub>O<sub>3</sub> catalysts, **96**, 371
- poisoning, and methanation, **93**, 409
- S<sup>35</sup> exchange between H<sub>2</sub>S and WS<sub>2</sub>, **96**, 544
- tolerant methanation catalyst, kinetics, **93**, 409

## Superacids

- polymer-supported, for paraffin isomerization, **96**, 347

## Support

- acidity and basicity, effect on oxide-supported Pt during O<sub>2</sub> treatment, **95**, 492
- effect on
  - activity and selectivity in CO hydrogenation on Y-zeolite-supported Ru, **91**, 283
- Ag dispersion, **93**, 288
- alkali-promoted Ni, **93**, 162
- carbon hydrogenation on Ni, **91**, 78
- chemisorptive and magnetic properties of supported Ni catalysts, **93**, 270
- formic acid decomposition on supported Rh, **91**, 327
- Ru-catalyzed CO hydrogenation, **96**, 23
- and promoter effect
  - alkali-promoted Ru/Al<sub>2</sub>O<sub>3</sub>, ammonia synthesis, **92**, 296
  - Ru/alkaline earth, N<sub>2</sub> activation, **92**, 305

## Supported liquid-phase catalysis

diffusion-reaction model, experimental evaluation, **95**, 202

flux model for liquid-load porous media, experimental evaluation, **95**, 193

theoretical model for transport and reaction, **95**, 181, 193, 202

## Surface

## acidity

$\gamma$ - $\text{Al}_2\text{O}_3$ , measurements, **92**, 284

and cumene conversion of fluorided Co-Mo/ $\gamma$ - $\text{Al}_2\text{O}_3$  catalysts, **96**, 115

analysis, Cu-Si alloys, **95**, 396

## area

active,  $\text{V}_2\text{O}_5$ : determination by electrophoretic migration and X-ray photoelectron spectroscopy, **95**, 520

etched metal catalysts, **92**, 136

Pt/TiO<sub>2</sub>, SMSI catalyst, **92**, 199

## chemistry

Cu/ $\gamma$ - $\text{Al}_2\text{O}_3$ , for isopropanol decomposition, **91**, 69

MgO-CoO solid solutions, ammonia-CO and pyridine-CO interaction on: infrared spectra, **96**, 586

sulfided Mo- $\text{Al}_2\text{O}_3$  catalysts, **92**, 155

composition of Cu-Ni alloy powders, determination by chemisorption, **95**, 346

coverage and temperature patterns, oscillations during CO oxidation on Pt/SiO<sub>2</sub>, **91**, 216

Cu-Si catalysts, characterization, **93**, 68

electronically induced geometrical catalytic effects, **94**, 570

field-emitter, *see* Field-emitter surfaces

interactions, CO and NO on LaMO<sub>3</sub> perovskites, **95**, 558

intermediates in methanol synthesis, chemical trapping by amines, **95**, 423

## properties

Cu/ $\text{Al}_2\text{O}_3$  catalysts, spectroscopic characterization, **94**, 514

H-NA-ZSM-5 zeolite, effect of tetrapropyl ammonium-ZSM-5 decomposition conditions, **94**, 573

LaNiO<sub>3</sub>, **93**, 83

Raney catalysts, analysis, **93**, 55

## reaction dynamics

CO oxidation on Pt/SiO<sub>2</sub>, **91**, 216

selected area Fourier transform infrared studies, **93**, 321

reactions of 2-methylcyclohexanol on Al-P-O catalysts, **96**, 242

science, techniques: chemical modifiers in catalysis, **92**, 272

segregation, in alloys: spheroidal particles, **92**, 409

## structure

effects on H<sub>2</sub> chemisorption on supported Ru, **93**, 368

hydrotreating catalysts, ion scattering spectrometry, **95**, 309

Ni/ $\text{Al}_2\text{O}_3$  catalysts, **96**, 210

NiO-MoO<sub>3</sub>/ $\text{Al}_2\text{O}_3$  catalyst, H<sub>2</sub>O and NiO effects, **95**, 414

sulfided Mo- $\gamma$ - $\text{Al}_2\text{O}_3$  catalysts, **96**, 276

titration, Ru-Au bimetallic catalysts, SiO<sub>2</sub>- and MgO-supported, **95**, 271, 284

## Synthesis

selective, C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub> paraffins from synthesis gas, **94**, 16

Synthesis gas, *see also* Carbon monoxide/hydrogen reactions

acetic acid synthesis, **96**, 439

selective conversion to C<sub>2</sub>, C<sub>3</sub>, and C<sub>4</sub> paraffins with Pd- and faujasite-containing hybrid catalyst, **94**, 16

steam reforming of methane, formaldehyde intermediate, **95**, 313

## Synthetic crude

distillates catalyzed by sulfided Ni-W/ $\gamma$ - $\text{Al}_2\text{O}_3$ , hydrogenation of aromatic compounds in, **95**, 155

## T

## Temperature

calcination, effects on WO<sub>3</sub>/ $\text{Al}_2\text{O}_3$ , **92**, 1

-driven carbon diffusion mechanism, coke deposition on catalysts, **93**, 182

effects on photocatalytic isotopic cyclopentane-deuterium exchange over Pt or Ni/TiO<sub>2</sub> catalysts, **95**, 539

local rises, silica-supported iron, **91**, 185

low, oxygen chemisorption: characterization of Mo/ $\text{Al}_2\text{O}_3$  catalysts, **92**, 432

## patterns

inhomogeneous, oscillations during CO oxidation on Pt/SiO<sub>2</sub>, **91**, 216

during oscillations of CO oxidation on Pd/SiO<sub>2</sub>, **93**, 321

## Temperature-programmed desorption

Rh catalysts dispersed on ZrO<sub>2</sub> and  $\gamma$ - $\text{Al}_2\text{O}_3$ , strong metal-support interactions, **96**, 106

## Temperature-programmed reduction

$\gamma$ - $\text{Al}_2\text{O}_3$ - and SiO<sub>2</sub>-supported Pt metal particle dispersion, chlorine effect, **92**, 64

CoO/ $\text{Al}_2\text{O}_3$  catalysts, **93**, 38

CoO-MoO<sub>3</sub>/ $\text{Al}_2\text{O}_3$  catalysts, **96**, 381

heteropoly compounds, **91**, 93

hydrogen chemisorption properties of  $\gamma$ - $\text{Al}_2\text{O}_3$ , **94**, 558

Rh/ $\text{Al}_2\text{O}_3$  and Rh/TiO<sub>3</sub> catalysts, morphology, **95**, 333

Ru/ $\text{Al}_2\text{O}_3$  alkali-promoted catalyst, characterization for ammonia synthesis, **92**, 296

and sulfiding of CoO/ $\text{Al}_2\text{O}_3$  catalysts, **96**, 122

supported Pd catalysts, strong metal-support interactions, **96**, 51

- Tetrapropyl ammonium  
  cations in ZSM-5 zeolite structure, effect of decomposition conditions on surface and catalytic properties of  $\text{H} \cdot \text{NA-ZSM-5}$ , **94**, 573
- Thermal gravimetry  
  effects of preparation conditions on precipitated precursors of  $\text{Ni/SiO}_2$  catalysts, **96**, 429
- Thermodynamics  
  filamentous carbon formation on Fe and Ni catalysts, **96**, 454  
  limits to pseudo-mass-action and pseudomonomolecular kinetics on multicomponent catalytic systems, **94**, 148
- Thiophene  
  catalytic hydrodesulfurization, reversed-flow gas chromatography, **94**, 376  
  hydrodesulfurization  
    activity and selectivity over  $\text{Mo/TiO}_2$  catalysts, **95**, 33  
    over Chevrel phase compounds, **93**, 375
- Thorium dioxide  
  Na-doped catalyst for methanol production from CO hydrogenation, **95**, 385
- Titania, *see* Titanium dioxide
- Titanium  
  diffusion in Pt, **93**, 216
- Titanium dioxide  
  reduced, chemisorption and catalysis inhibition in  $\text{TiO}_2$  catalysts, **93**, 216  
  support for  
    Fe catalysts,  $\text{CO/H}_2$  reaction over, oxidation effect, **96**, 408  
    metal catalysts, electronic effects in strong metal-support interactions, comment, **94**, 581; replies, **94**, 586, 587  
    Mo catalysts, thiophene hydrodesulfurization activity and selectivity, **95**, 33  
    Mo and Co-Mo catalysts, preparation and characterization, **92**, 340  
     $\text{MoO}_3$ , methanol photo-oxidation, **94**, 108  
  Ni catalysts  
    effects of  
      titania adspecies on CO and  $\text{H}_2$  coadsorption, **96**, 597  
      varying surface coverage on CO and  $\text{H}_2$  chemisorption, **95**, 587  
  Ni-Fe alloy particles, methanation kinetics, **91**, 11  
  Ni or Pt catalysts, metal content effects on photocatalytic cyclopentane-deuterium isotopic exchange over, **95**, 539  
  Pd catalyst,  $\text{CO}_2$  adsorption and surface interaction with  $\text{H}_2$ , **95**, 567  
  Pt catalysts  
    CO poisoning, **94**, 218  
     $\text{H}_2$  heat of adsorption, direct measurement, **95**, 57  
    isopropanol photocatalytic dehydrogenation, **91**, 293  
    photoelectrochemical preparation, **92**, 11  
    SMSI catalyst, small-angle X-ray scattering, **92**, 199  
    SMSI model, **93**, 216
- Rh catalysts  
  CO and  $\text{CO}_2$  hydrogenation over: effect of variation in support electric properties, **95**, 578  
  CO hydrogenation, alkali promotion effects, **92**, 416, 435  
  formic acid decomposition, **91**, 327  
  morphology analysis with temperature-programmed reduction-oxidation and transmission electron spectroscopy, **95**, 333  
  SMSI analysis with transmission electron spectroscopy, **94**, 422  
  SMSI effect at high metal loading, **94**, 300
- $\text{V}_2\text{O}_5$  catalysts  
  active surface area determination by electrophoretic migration and X-ray photoelectron spectroscopy, **95**, 520  
  fresh and used, comparative *o*-xylene oxidation to phthalic anhydride, **91**, 366  
  and  $\text{Ti}_2\text{O}_3$ , support for Ni catalysts: CO hydrogenation and adsorption, **96**, 491  
  treatment of Ni surfaces, effect on filamentous carbon growth, **93**, 312
- Titration  
  active metals, hydrogen spillover from Ru to Cu in Cu/Ru bimetallic system, **95**, 321
- Toluene  
  oxidation over  $\text{Co}_3\text{O}_4$ , effect of samarium on catalytic activity, **93**, 186
- Tortuosity  
  diffusional, capillary porous media, **93**, 192
- Transformations  
  initial, of hydrodesulfurization catalysts: Ni role, **91**, 64
- Transient response  
  catalytic reactor system for, description and use in CO oxidation on  $\text{Pd/Al}_2\text{O}_3$ , **94**, 468
- Transition metals  
  oxides, and KOH: steam gasification of graphite below 900 K, **96**, 234
- Transmission electron spectroscopy  
  Rh/ $\text{Al}_2\text{O}_3$  and Rh/ $\text{TiO}_3$  catalysts, morphology, **95**, 333  
  Rh/ $\text{TiO}_2$  system, strong metal-support interactions, **94**, 422  
  supported Pt dispersion, chlorine effect, **92**, 64
- Tungsten  
  heteropoly compounds, methanol and ethanol conversions, **91**, 132
- Tungsten disulfide  
  and  $\text{H}_2\text{S}$ ,  $\text{S}^{35}$  exchange, **96**, 544  
  hydrotreating catalyst, Group VIII promoter, **91**, 308, 318
- Tungsten-nickel, *see* Nickel-tungsten

## Tungsten oxide

Al<sub>2</sub>O<sub>3</sub>-supported, laser Raman characterization, **92**,  
1

## Tungsten sulfide

catalysts, characterization, **95**, 249

## 12-Tungstophosphates

acid-catalytic behavior for dehydration of alcohols,  
**95**, 49

12-Tungstophosphoric acid, *see* Phosphotungstic acid

## Turnover frequency

ammonia synthesis by alkali-promoted Ru/Al<sub>2</sub>O<sub>3</sub>,  
**92**, 296, 305

N<sub>2</sub> isotopic equilibration reaction on Ru/alkaline  
earth, **92**, 305

## U

## Ultraviolet-visible spectroscopy

vanadium ion coordination in vanadium oxide clus-  
ters, **91**, 54

## V

## Valence states

molybdenum in sulfided molybdena-alumina, **92**,  
155

## Vanadium

effects on catalytic properties of high-activity fluid  
cracking catalyst, **96**, 363

## Vanadium oxide

Al<sub>2</sub>O<sub>3</sub>- and TiO<sub>2</sub>-supported catalyst, active surface  
area determination by electrophoretic migration  
and x-ray photoelectron spectroscopy, **95**,  
520

clusters, size and structure: effect on selectivity in  
*n*-butene oxidation, **91**, 54

## Vanadium pentoxide

grain morphology, and reducibility and selectivity  
for methanol oxidation, **91**, 361

SiO<sub>2</sub>-supported, methane partial oxidation with  
N<sub>2</sub>O, **94**, 501

supported and unsupported catalysts, furan oxida-  
tion activity and selectivity, **95**, 482

unsupported catalysts, K<sub>2</sub>SO<sub>4</sub>-promoted: for metha-  
nol oxidation, **93**, 360

## Vanadium pentoxide-anatase

interaction, **91**, 366

## Vanadium pentoxide-molybdenum trioxide

catalysts, interaction with propylene: electron spin  
resonance, **96**, 32

## Vanadium-phosphorus-oxygen

model catalysts, *n*-butane selective oxidation to ma-  
leic anhydride, **92**, 216

## W

## Water

and liquid chloroform, deuterium transfer by anion-  
exchange resins, **93**, 209

and NiO, effects on NiO-MoO<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalyst sur-  
face structure, **95**, 414

photodissociation, **91**, 293

role in 2-propanol dehydration over Cu salts of 12-  
tungstophosphoric acid, **93**, 224

vapor, effect on potassium migration, **92**, 17

## Water-gas shift

over magnetite particles on graphite, **91**, 167

over Pt/CeO<sub>2</sub>, catalytic activity, **96**, 285

over Pt/TiO<sub>2</sub>, **91**, 293

over Rh, transient enhancement, **94**, 166

## Weisz diffusivity cell

geometric correction factor, simple closed form ex-  
pression, **94**, 303

## Wetting

supported metal crystallites, role of strong chemical  
interactions, **94**, 239

## Wires

etched, morphology, **92**, 136

Wolfram-nickel, *see* Nickel-wolfram

## X

XPS, *see* X-ray photoelectron spectroscopy

## X-ray absorption fine structure technique

Cu-ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts for low-temperature CO  
shift reaction, **96**, 314

## X-ray absorption spectroscopy

Pt on SiO<sub>2</sub>, structural genesis determination, **95**, 546

## X-ray diffraction

boron determination, **91**, 352

Co/ZSM-5 catalysts, *in situ* structure characteriza-  
tion, **92**, 145

Cu/Al<sub>2</sub>O<sub>3</sub> catalysts, surface properties, characteriza-  
tion, **94**, 514

Fe-nitride, silica support, **91**, 231

supported Pt dispersion, chlorine effect, **92**, 64

## X-ray photoelectron spectroscopy

Al<sub>2</sub>O<sub>3</sub>- and TiO<sub>2</sub>-supported V<sub>2</sub>O<sub>5</sub> catalysts, active  
surface area determination, **95**, 520

Cu/Al<sub>2</sub>O<sub>3</sub> catalysts, surface properties, characteriza-  
tion, **94**, 514

Cu-NaY zeolites, **94**, 370

Cu-Si catalysts, surface characterization, **93**, 68

Group VIII metals,  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported, 1-butene  
isomerization, **93**, 161

Raney catalysts, surface analysis, **93**, 55

Rh(I) compounds and polymer-supported Rh(I) cat-  
alysts, surface oxidation, **94**, 335

Ru/alkaline earth for N<sub>2</sub> activation, **92**, 305

Ru/Al<sub>2</sub>O<sub>3</sub>, alkali-promoted, characterization for am-  
monia synthesis, **92**, 296

shake-up satellite peaks, Cu<sup>2+</sup>, **93**, 68

- silica-alumina catalysts for pyridine synthesis, **94**, 69
- SiO<sub>2</sub>-supported bimetallic catalysts, structure, **96**, 58
- X-ray scattering
- anomalous, wide-angle: supported Pt metal catalysts, **92**, 211
  - small-angle, Pr/TiO<sub>2</sub> SMSI catalyst, **92**, 199
- o*-Xylene
- oxidation to phthalic anhydride, **91**, 366
- Z**
- Zeolites, *see also* Erionite, Faujasite, Mordenite, Of-fretite
- acidic, cracking of *n*-heptane and branched isomers on, product distribution, **94**, 445
  - beryllium silicates with ZSM-5-type structures, synthesis, catalytic properties, and <sup>9</sup>Be NMR chemical shifts, **94**, 508
  - borosilicate, **91**, 352
  - [B]ZSM-5, catalytic properties, **93**, 451
  - catalyzed reactions, energy gradient selectivity, **93**, 246
  - component of hydrocracking catalyst, effects of unit cell size on probe reaction and catalyst deactivation, **95**, 220
  - Co/ZSM-5, structure: *in situ* X-ray diffraction, **92**, 145
  - Cu-NaY, X-ray photoelectron spectroscopy and electron spin resonance studies, **94**, 370
  - diffusivities of hydrocarbons by frequency response method, **93**, 176
  - frameworks, isomorphous substitution in, **93**, 451
  - hole-catalyzed and photoassisted hole-catalyzed pericyclic reactions on, **95**, 300
  - hole-catalyzed photoassisted Cope reaction on, **95**, 613
- H-ZSM-5
- framework hydroxyl groups, location, **95**, 609
  - 1-hexene isomerization, mechanism, **92**, 398
  - rare earth HY catalysts, acid sites in alkane cracking, **93**, 30
- Rh/NaX, CO dissociation: infrared spectroscopy, **94**, 297
- Rh/NaX and Rh/NaY, propylene hydroformylation on, **96**, 563, 574
- Y**
- acidic, carbonium ions as intermediates in methyl-pentene isomerization, **92**, 355
  - support for Ru, CO hydrogenation on, **91**, 283
- ZSM-5**
- benzene alkylation with [1-<sup>14</sup>C]ethanol over, carbon-14 rearrangement, **96**, 357
  - catalyst for ethylbenzene alkylation or disproportionation to produce *p*-diethylbenzene, **95**, 512
  - high-Al<sub>2</sub>O<sub>3</sub>, binder activation, **93**, 471
  - hydrocarbon production from methanol over: aromatic hydrocarbon in, **93**, 205
  - paraffin cracking selectivity, **93**, 246
  - synthesis mechanism, cylindrical internal reflectance *in situ* infrared spectroscopy, **95**, 21
  - from tetrapropyl ammonium form, effect of decomposition conditions on surface and catalytic properties of H·NA-ZSM-5, **94**, 573
- Zinc-copper, *see* Copper-zinc
- Zinc-copper-aluminum
- mixed oxides, catalytic behavior for low-temperature methanol synthesis, **94**, 120
- Zinc oxide
- CO
- adsorption, **92**, 79
  - deuterium interaction on, **92**, 79
  - methanol decomposition on, infrared and programmed desorption study, **95**, 617
  - surface properties, infrared spectra, **92**, 79
- Zinc oxide-copper, *see* Copper-zinc oxide
- Zirconium oxide
- support for Rh catalysts, strong metal-support interactions and CO hydrogenation, **96**, 106
- Zirconium phosphate
- crystalline, characterization and isomerization activities, **94**, 491
  - support for Ag catalyst for ethylene oxidation, particle size and support effect, **94**, 455

Statement of ownership, management, and circulation required by the Act of October 23, 1962, Section 4369, Title 39, United States Code of

## JOURNAL OF CATALYSIS

Published monthly by Academic Press, Inc., 111 Fifth Avenue, New York, NY 10003. Number of issues published annually: 12. Editors: Dr. W. K. Hall, Chemistry Building, University of Pittsburgh, Pittsburgh, PA 15260 and Dr. F. S. Stone, School of Chemistry, University of Bath, Bath BA2 7AY, England.

Owned by Academic Press, Inc., 111 Fifth Avenue, New York, NY 10003. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, and other securities: None.

Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting, also the statements in the two paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide owner. Names and addresses of individuals who are stockholders of a corporation which itself is a stockholder or holder of bonds, mortgages, or other securities of the publishing corporation have been included in paragraphs 2 and 3 when the interests of such individuals are equivalent to 1 percent or more of the total amount of the stock or securities of the publishing corporation.

Total no. copies printed: average no. copies each issue during preceding 12 months: 1774; single issue nearest to filing date: 1761. Paid circulation (a) to term subscribers by mail, carrier delivery, or by other means: average no. copies each issue during preceding 12 months: 1374; single issue nearest to filing date: 1319. (b) Sales through agents, news dealers, or otherwise: average no. copies each issue during preceding 12 months: 0; single issue nearest to filing date: 0. Free distribution by mail, carrier delivery, or by other means: average no. copies each issue during preceding 12 months: 64; single issue nearest to filing date: 64. Total no. of copies distributed: average no. copies each issue during preceding 12 months: 1438; single issue nearest to filing date: 1383.

(Signed) Roselle Coviello, Senior Vice President