

Cumulative Subject Index for Volumes 213–220 ☆

A

- Acetaldehyde
and heptanal, aldol condensation on hydrotalcite-type catalysts, **219**, 167
- Acetalization
ethyl acetoacetate over triflic acid-functionalized Zr-TMS catalysts, **220**, 442
- Acetic acid
photoreaction, effect of surface reconstruction of TiO₂(001) single crystal, **214**, 46
- Acetic anhydride
protection of aromatic aldehydes, catalysis by metal cation-exchanged montmorillonite, **218**, 227
shape-selective acylation of 2-methoxynaphthalene over polymorph C of Beta, **217**, 406
- Acetone
photocatalytic oxidation by bimodal mesoporous titania, effects of acidic and basic hydrolysis catalysts, **217**, 69
photocatalytic oxidation over nanocrystalline TiO₂, dynamic phenomena during, **219**, 219
- Acetonitrile
liquid-phase hydrogenation to ethylamine over Co-B amorphous alloy catalyst, **214**, 15
- Acetophenone
derivatives, enantioselective hydrogenation over cinchonidine-modified Pt/Al₂O₃ catalysts, structural effects, **218**, 453
- Acetylene
catalytic decomposition in fluidized bed reactor, carbon nanotubes and nanofibers prepared by, characterization, **215**, 305
formation by dehalogenation of 1-chloro-1-fluoroethene on α -Cr₂O₃ (10 $\bar{1}$ 2), **214**, 273
- Acetyl nitrate
nitration of 2-nitrotoluene and toluene, zeolite BEA as *para*-selective catalyst for, **219**, 231
- Acid–base catalysis
alcohol elimination over Mg₃AlO_x catalysts, effect of catalyst chemical composition, **215**, 220
- Acid catalysis
by zeolites, **216**, 298
- Acid catalysts
effects on photocatalytic activity and microstructures of bimodal mesoporous titania, **217**, 69
liquid and solid, alkylation of isobutane with *n*-butene, **216**, 313
- Acidity
 β -zeolite support of molybdenum sulfide catalysts, effects on hydrogenation properties, **220**, 433
Co-H-FER and Co-H-MFI zeolites for selective catalytic reduction of NO_x, **214**, 179
effect on selectivity in hydrocracking reactions, **217**, 376
Fe-MFI catalyst surface, effects in benzene hydroxylation to phenol by N₂O, **214**, 169
ITQ-2, IR study, **214**, 191
large-pore zeolites, effects in liquid-phase *tert*-butylation of phenol, **218**, 249
metal cation-exchanged montmorillonite, correlation with activity in protection of aromatic aldehydes with Ac₂O, **218**, 227
TiO₂–SiO₂ materials, **220**, 240
tungstated zirconia catalysts for alkane conversion, **216**, 353
tungsten oxide/activated carbon catalyst surfaces, effect of tungsten precursor and pretreatment, **217**, 30
- Acid leaching
zeolite beta for acylation of anisole with octanoic acid: structure–activity relation, **218**, 239
- Acid sites, *see also* Brønsted acid sites; Lewis acid sites
on active sulfated alumina catalysts obtained by hydrothermal treatment, **220**, 317
effects on structure–activity relations for Ni-containing zeolites during NO reduction, **218**, 348
- Acrolein
hydrogenation with Pt catalysts, effect of Sn additives: density functional study of molecular adsorption, **220**, 115
partial hydrogenation over Au catalysts, effect of catalyst real structure, **213**, 86
partial oxidation to acrylic acid over MoVW single-phase nanocrystalline mixed-oxide catalyst of Mo₅O₁₄ type, **215**, 177
- Acrylic acid
formation by partial oxidation of acrolein over MoVW single-phase nanocrystalline mixed-oxide catalyst of Mo₅O₁₄ type, **215**, 177
formation by selective propane oxidation, Mo–V–Sb–Nb oxides for, bulk structure and catalytic properties, **215**, 108
- Activated carbon-supported catalysts
Cu catalysts, dehydrogenation of isopropanol, **216**, 362
Ni(Co)Mo sulfide hydrotreating catalysts, sulfur tolerance, **215**, 353
Pd catalysts, molecular orbital study, **214**, 53
tungsten oxide catalysts, dispersion, distribution, and surface acidity, effect of tungsten precursor and pretreatment, **217**, 30
V₂O₅ catalysts, low-temperature selective catalytic reduction of NO by NH₃, formation and reaction of ammonium sulfate salts during, **214**, 213
- Activation energy
in hydrogenation of propene over truncated octahedral Pt nanoparticles supported on alumina, **214**, 1
- Active sites
blocking, in analysis of electrocatalytic reduction of dioxygen by Pb underpotentially deposited on Au(111), **213**, 17
Fe Fischer–Tropsch synthesis catalysts, SSITKA study of effect of activation method, **213**, 204
FeMFI zeolites, structure sensitivity in N₂O conversion, **218**, 234
first principles elucidation and design, **216**, 73
highly dispersed zinc oxide species on silica, in photoepoxidation of propene by O₂, **220**, 226
in HZSM-5 with low Fe content for formation of surface oxygen by N₂O decomposition, **219**, 273
In-ZSM-5 system, for selective reduction of NO with methane, **214**, 100
Li-promoted MgO catalysts for oxidative conversion of propane, characterization, **218**, 307

☆ Numbers in boldface type refer to volumes; numbers in lightface type refer to pages.

- MFI zeolites in benzene oxidation to phenol by N_2O , extraframework Fe–Al–O species as, **220**, 260
- MoP/ γ - Al_2O_3 hydroprocessing catalysts, **218**, 78
- sulfated zirconia, for *n*-butane isomerization, **218**, 258
- supported Au catalysts for low-temperature CO oxidation, **216**, 425
- Active states
- Cu and Pd, nature and role in oxidative carbonylation of phenols with Cu_2O and Pd/C, **218**, 334
- Acylation
- anisole with octanoic acid over zeolite beta optimized by steaming and acid leaching: structure–activity relation, **218**, 239
- shape-selective, 2-methoxynaphthalene over polymorph C of Beta, **217**, 406
- Additivity method
- estimation of enthalpies and entropies of pore mouth physisorption of alkanes on ZSM-22, **218**, 135
- Addressable catalysts
- surface reactivity, local manipulation of, **216**, 246
- Adsorption
- branched paraffins in *n*-hexadecane hydroconversion: shape selectivity through entropy, **214**, 88
- 2-butenal on Sn/Pt surface alloys, **215**, 245
- carbon dioxide on basic zeolites, **216**, 396
- carbon monoxide
- on CuAPSO-34 microporous catalysts for N_2O decomposition, comparison with CuZSM-5, **217**, 100
- on Cu catalysts, differential heat of adsorption in, effect of ZnO, microcalorimetric study, **220**, 249
- on molybdenum sulfide/ β -zeolite catalysts of varying acidities, **220**, 433
- on Rh and Rh–Te catalysts, microcalorimetric, IR, and DFT studies, **217**, 209
- on supported and promoted Ag epoxidation catalysts, **213**, 305
- on tungstated zirconia catalysts for alkane conversion, **216**, 353
- cinchon alkaloids on Pt, nonlinear effect on enantiodifferentiation in asymmetric hydrogenation, **216**, 276
- cinchonidine from solution onto Pt surfaces, effects of dissolved gases, in situ infrared study, **219**, 404
- equilibrium dissociative, CH_4 on Ni–YSZ cermet catalysts, carbon ad-species formed during, nature and binding strength, **217**, 324
- ethylene, benzene, and ethylbenzene on faujasite zeolites, analysis by ONIOM method, **219**, 320
- H_2 at low temperature: localization of bivalent transition metal ions in high-silica zeolites with broad range of Si/Al ratios in framework, **216**, 192
- iodine on basic zeolites, **216**, 396
- microcystins on TiO_2 photocatalysts, processes influencing, **213**, 109
- multi-center, role in 1-phenyl-1,2-propanedione hydrogenation over cinchonidine-modified Pt/ Al_2O_3 catalysts, **213**, 7
- nitric oxide
- on cobalt–ferrierite, effect of local framework heterogeneity, **219**, 117
- on promoted Ag/ α - Al_2O_3 catalysts, **217**, 442
- nitrogen oxides
- on Co,Ba,K/CeO₂ catalysts: abatement of diesel exhaust pollutants, **220**, 424
- on commercial storage–reduction catalyst, **214**, 308
- unsaturated aldehydes on (111) surface of Pt–Fe alloy catalyst, density functional theory, **217**, 354
- α,β -unsaturated aldehydes on PtSn catalysts, density functional study, **220**, 115
- on zeolites
- control of, **216**, 298
- in TAP reactor: evaluation as supports for ethane oxidative dehydrogenation, **216**, 135
- Adsorption energy
- effect on selectivity in hydrocracking reactions, **217**, 376
- Adsorption entropy
- shape selectivity through, **214**, 88
- Air
- dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404
- Alcohol elimination
- reactions over Mg_yAlO_x catalysts, effect of catalyst chemical composition, **215**, 220
- Alcohols
- oxidation by O_2 under air pressure over $\text{Cu}_2(\text{OH})\text{PO}_4$ and $\text{Cu}_4\text{O}(\text{PO}_4)_2$ catalysts, **218**, 460
- racemization under mild reaction conditions, Ru–hydroxyapatite catalyst for, **219**, 417
- Aldehydes
- formation of cyanohydrins, enantioselective catalysis by chiral vanadyl Schiff base complex anchored on silica, **215**, 199
- unsaturated, adsorption on (111) surface of Pt–Fe alloy catalyst, density functional theory, **217**, 354
- Aldol condensation
- acetaldehyde and heptanal on hydrotalcite-type catalysts, **219**, 167
- over solid base catalysts: synthesis of fine chemicals, **216**, 406
- titanosilicate activity for, under mild liquid-phase conditions, **220**, 326
- Allovalent-doped catalysts
- chromium-based, hydrofluorination of tetrachloroethylene, **219**, 8
- Alkanes
- conversion, tungstated zirconia catalysts for, structure and properties, **216**, 353
- hydrogenolysis, compensation relation in, analysis with in situ X-ray absorption spectroscopy, **216**, 178
- isomerization, classical kinetics, **216**, 89
- light, catalytic oxidation, free radicals in, kinetic and thermochemical aspects, **216**, 468
- light, selective oxidation, substrate-versatile catalyst for characterization, **218**, 54
- reactivity, **218**, 42
- pore mouth physisorption on ZSM-22, enthalpies and entropies of, estimation by additivity method, **218**, 135
- Alkenes
- hydrogenation by heterogenized Rh complexes prepared by “ship-in-a-bottle” and anchoring methods, comparison, **213**, 103
- nonfunctionalized, enantioselective epoxidation with urea– H_2O_2 adduct as oxidant using chiral Mn(III) salen complexes, **219**, 1
- Alkylation
- isobutane with *n*-butene on liquid and solid acid catalysts, **216**, 313
- isobutane/butene over zeolites, deactivation pathways in, **220**, 192
- naphthalene to 2,6-dimethylnaphthalene, shape-selective zeolite catalysts for, a priori selection, **217**, 298
- toluene by methanol or ethylene over basic X zeolites, **216**, 396
- Alkynes
- semihydrogenation, Pd nanocatalysts in hydrotalcite as mild and highly selective catalysts for, **220**, 372
- Allyl alcohol
- epoxidation with H_2O_2 , in selective production of glycidol over titanosilicate with MWW structure, **214**, 317
- epoxidation over titanosilicate molecular sieves, reactive oxygen species in, **216**, 461
- Alumina, *see* Aluminum oxide
- Aluminophosphates
- Pt/MCM-41/MgAPO-*n* composite catalysts, isomerization and hydrocracking of *n*-decane, **217**, 388
- Aluminosilicates
- amorphous, catalysis of disproportionation of isopropylnaphthalene, **220**, 13
- Aluminum
- Al-based acid sites in H-ZSM-5, activity for *n*-hexane cracking, quantitation, **218**, 155

- Al–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47
- CoNiAl ternary hydrotalcites, phenol hydroxylation, synergistic effect in, **220**, 161
- Cr/Si/Al/O catalysts for oxidative dehydrogenation and dehydrogenation of propane, thermolytic molecular precursor routes to, **218**, 123
- extraframework Fe–Al–O species in MFI zeolite, as active species in benzene oxidation to phenol with N₂O, **220**, 260
- Mg–Al layered double hydroxides containing Ni, catalysts derived from, dry reforming of methane over, **213**, 191
- Mg–V–Al mesoporous mixed oxides prepared from layered double hydroxides, dehydrogenation of ethylbenzene to styrene under CO₂ flow, **218**, 104
- NiAl(110), Al₂O₃ grown on, support of Pd catalysts, kinetics of methanol oxidation on, molecular beam and TR-IRAS studies, **213**, 176
- Rh/Al/Mg, stable catalyst for partial oxidation of methane, preparation and characterization, **217**, 245
- role in iron center structure and reactivity in Fe-ZSM-5-based catalysts, statistically based IR study, **215**, 264
- tungstated zirconia catalyst promoted with, isomerization of *n*-butane, **215**, 45
- Aluminum nitride
- alumina surfaced with, Cr(III) supported on, characterization and dehydrogenation activity, **213**, 281
- Aluminum oxide
- Al₂O₃–SiO₂, support of CoMo sulfided catalyst, hydrodesulfurization of 4,6-diethyldibenzothiophene, inhibiting effects in, **219**, 442
 - aluminum nitride-surfaced, Cr(III) supported on, characterization and dehydrogenation activity, **213**, 281
 - amorphous, support of Pt catalysts, synthesis and structure, **214**, 146
 - Ba-stabilized, support of Pd catalysts, combustion of methane, effect of doping with Ce, **215**, 78
 - (Ce,Zr)O_x/Al₂O₃, support of PdCr catalysts for CO and NO elimination, behavior, **214**, 220
 - Cu/ZnO/Al₂O₃ methanol catalysts prepared by flame combustion synthesis, **218**, 67
 - Cu/ZnO catalysts promoted by, production of hydrogen from methanol, **219**, 389
 - grown on NiAl(110), support of Pd catalysts, kinetics of methanol oxidation on, molecular beam and TR-IRAS studies, **213**, 176
 - isolated Mo species on, identification by UV resonance Raman spectroscopy, **216**, 203
 - La-stabilized, support of Pd catalysts, combustion of methane, effect of doping with Ce, **215**, 78
 - molybdena–alumina catalysts, propene metathesis on monomeric Mo centers of, theoretical study, **220**, 23
 - nanocrystalline catalysts, oxidative dehydrogenation of butane in presence of iodine, **218**, 438
 - NiMo interaction with, MAS NMR, TPR, and TEM studies, **215**, 7
 - SiO₂–Al₂O₃
 - amorphous, support of
 - fluorinated NiMoS catalysts, hydrodenitrogenation of *o*-toluidine, kinetics, **217**, 284
 - Pt catalysts, selectivity in hydrocracking reactions, parameters controlling, **217**, 376
 - support of
 - Ni(Co)Mo sulfide hydrotreating catalysts, sulfur tolerance, **215**, 353
 - NiW sulfided catalysts, hydrocracking of *n*-decane, mechanisms, **218**, 427
 - supports, NiMo interaction with, MAS NMR, TPR, and TEM studies, **215**, 7
 - sulfated ZrO₂ catalysts promoted by, regioselective H/D exchange reactions of propane, effects of skeletal rearrangement, **215**, 122
 - support of
 - Ag catalysts, selective catalytic reduction of NO by octane in oxygen-rich exhaust gases, **219**, 25
 - Ag catalysts, selective catalytic reduction of NO_x by ethanol, in situ FTIR study: role of isocyanate species, **217**, 47
 - under lean conditions, active silver species in, **217**, 310
 - Co catalysts, Fischer–Tropsch synthesis, wax composition transients during, **214**, 251
 - CoMo model sulfide catalysts for hydrodesulfurization, effects of catalyst preparation technique, **217**, 12
 - Cr catalysts, distribution of chromium species in, and performance in dehydrogenation, **220**, 309
 - Cu catalysts, interaction with H₂, TPA/TPD/isotopic exchange reaction study, **215**, 188
 - fluorinated NiMoS catalysts, hydrodenitrogenation of *o*-toluidine, kinetics, **217**, 284
 - MoO_x, selective oxidation of dimethyl ether to formaldehyde, structure and support effects, **217**, 222
 - Ni catalysts, methane decomposition and gasification of deposited carbon with CO₂, structural changes of Ni species during, **219**, 176
 - Ni(Co)Mo sulfide hydrotreating catalysts, sulfur tolerance, **215**, 353
 - Pd catalysts
 - aerobic oxidation of cinnamyl alcohol in organic solvent, in situ EXAFS study, **213**, 291
 - cinchonidine-modified, asymmetric hydrogenation of furan carboxylic acids, **219**, 52
 - combustion of methane, effect of doping with Ce, **215**, 78
 - hydrogenation of 1,3-butadiene: comparison with Pd on thermoconductor supports, **214**, 26
 - oxidation of gaseous lean trichloroethylene, reaction pathway and kinetic mechanism, **214**, 130
 - surface structure, effects on activity for direct decomposition of NO, **218**, 405
 - PdCr catalysts for CO and NO elimination, behavior, **214**, 220
 - PdNi catalysts, methane decomposition into hydrogen and carbon nanofibers, **220**, 468
 - Pt catalysts
 - aqueous-phase reforming of methanol and ethylene glycol, **215**, 344
 - asymmetric hydrogenation: nonlinear effect of coadsorbed cinchona alkaloids on enantiodifferentiation, **216**, 276
 - cinchonidine-modified, enantioselective hydrogenation of aromatic ketones, structural effects, **218**, 453
 - cinchonidine-modified, hydrogenation of 1-phenyl-1,2-propanedione, kinetics and modeling, **213**, 7
 - CO-induced surface structural changes, DRIFTS study, **217**, 478
 - flame-made, structural behavior and catalysis of enantioselective hydrogenation, **213**, 296
 - α - and β -isocinchonine-modified, enantioselective hydrogenation of ethyl pyruvate in acetic acid, **220**, 207
 - linear CO species on, heats of adsorption using IR spectroscopy, impact of Pt dispersion, **218**, 447
 - prepared by colloidal lithography, reactivity, **215**, 94
 - truncated octahedral nanoparticles, hydrogenation of propene, **214**, 1
 - Rh catalysts, CO₂ reforming of propane, **216**, 377
 - RuCs catalysts, sulfidation state and hydrodesulfurization mechanism, analysis with ³⁵S tracer methods, **217**, 59
 - ZrO₂/Al₂O₃, support of Cr catalysts, distribution of chromium species in, and performance in dehydrogenation, **220**, 309
- α -Aluminum oxide
- support of Ag epoxidation catalysts
 - adsorption of CO, effects of Cs and Cl promoters, **213**, 305
 - promoted, adsorption of NO, **217**, 442
- γ -Aluminum oxide
- sulfated catalysts, hydrothermal preparation, **220**, 317

- support of
- Au catalysts, $\text{N}_2\text{O}/\text{H}_2$, $\text{N}_2\text{O}/\text{CO}$, H_2/O_2 , and CO/O_2 reactions, **219**, 197
 - Co catalysts, effects of modification by zirconia, **215**, 66
 - La_2O_3 catalyst, selective catalytic reduction of NO by CH_4 , kinetics, effects of CO_2 and H_2O , **214**, 292
 - MoP hydroprocessing catalysts, synthesis, activity, and active sites, **218**, 78
 - PdMo catalysts, reduction of NO with ethanol, **220**, 358
 - PdSn catalysts from colloidal oxide synthesis preparation, **218**, 280
 - surface properties and selective hydrogenation of buta-1,3-diene, **218**, 288
 - Pt catalysts
 - CO oxidation, surface elementary steps: kinetics of reduction of strongly adsorbed oxygen species by CO, **220**, 3
 - gas-phase hydrogenation of *o*-xylene, activity and stereoselectivity, **218**, 267
 - oxidative dehydrogenation of ethane at low temperature, **219**, 206
 - reduction of NO by C_3H_8 and C_3H_6 under lean-burn conditions, effect of Na addition, **219**, 247
 - PtSn catalysts prepared by successive impregnation and controlled surface reaction, effect of La doping, **219**, 63
 - Re catalysts, low-loaded, oxidation and redispersion, **219**, 362
 - Aluminum trichloride
 - catalysis of electrophilic aromatic substitution, DFT study, **220**, 333
 - Amines
 - oxidative carbonylation over ionic liquid-mediated palladium complex catalyst system, **219**, 372
 - Ammonia
 - decomposition over Ru/C catalyst promoted with Ba or Cs, **218**, 465
 - dissociation, activation by oxygen on Pt sponge, analysis by positron emission profiling, **219**, 156
 - selective catalytic reduction of NO
 - over $\text{MnO}_x\text{--CeO}_2$ catalysts at low temperature, kinetics, **217**, 434
 - over transition metal ions in zeolites, **216**, 324
 - over vanadium oxide catalysts, mechanistic aspects of, density functional theory study, **213**, 115
 - over $\text{V}_2\text{O}_5/\text{AC}$ catalysts at low temperatures, formation and reaction of ammonium sulfate salts during, **214**, 213
 - over $\text{V}_2\text{O}_5\text{--TiO}_2\text{--SiO}_2$ mesoporous catalysts, **217**, 172
 - selective catalytic reduction of NO_x over zeolite H-ZSM-5, effect of transient NH_3 supply, **218**, 354
 - self-diffusivity, dependence on loading in H-ZSM-5, pulsed field gradient NMR study, **213**, 321
 - synthesis
 - with Ba-promoted Fe–Co alloys supported on carbon, **214**, 327
 - over Ru nano-sized clusters supported on basic zeolites, **216**, 396
 - over Ru(0001) surface, density functional calculations, **220**, 273
 - Ammonium hydroxide
 - effects on photocatalytic activity and microstructures of bimodal mesoporous titania, **217**, 69
 - Ammonium 12-molybdosilicate
 - solid-state chemistry and application to oxidation catalysis, **220**, 172
 - Ammonium salt
 - effect on chalcone synthesis using natural phosphate modified with sodium nitrate, **213**, 1
 - Ammonium sulfate salts
 - formation and reaction on $\text{V}_2\text{O}_5/\text{AC}$ catalyst during low-temperature selective catalytic reduction of NO by NH_3 , **214**, 213
 - Ammonium 1-vanado-11-molybdophosphate
 - solid-state chemistry and application to oxidation catalysis, **220**, 172
 - Aniline
 - selective N,N-methylation over cocrystallized zeolites RHO and X and over Linde type L, **217**, 107
 - Anisole
 - acylation with octanoic acid over zeolite beta optimized by steaming and acid leaching: structure–activity relation, **218**, 239
 - benzoylation with benzoyl chloride, Cs-substituted dodecatungstophosphoric acid on K-10 clay for, **217**, 88
 - Friedel–Crafts hydroxyalkylation with paraformaldehyde catalyzed by zeolites in supercritical CO_2 , **219**, 464
 - Antimony
 - selective oxidation catalysts rich in, combinatorial screening and conventional testing, **220**, 136
 - Antimony oxide
 - enhancement of *para*-selectivity of HZSM-5, **219**, 310
 - Mo–V–Sb–Nb oxides for selective propane oxidation to acrylic acid, bulk structure and catalytic properties, **215**, 108
 - Argon
 - dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404
 - Aromatic air contaminants
 - oxidation, photocatalysts for, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38
 - Aromatic aldehydes
 - protection with Ac_2O , catalysis by metal cation-exchanged montmorillonite, **218**, 227
 - Aromatic ketones
 - enantioselective hydrogenation over cinchonidine-modified $\text{Pt}/\text{Al}_2\text{O}_3$ catalysts, structural effects, **218**, 453
 - Aromatization
 - isobutene on $\text{Bi}_2\text{O}_3\text{--SnO}_2$, kinetics, **214**, 284
 - n*-octane on Pt/KL catalyst prepared by vapor-phase impregnation, **218**, 1
 - on Pt/KL-zeolites, **216**, 12
 - Assisted catalytic reactions
 - classical kinetics, **216**, 89
 - Atomic layer deposition
 - preparation of Cr(III) supported on aluminum nitride-surfaced alumina, **213**, 281
 - Attenuated total reflection infrared spectroscopy
 - vinyl ether interactions with acid-modified silica-based catalyst, **219**, 425
 - Auger electron spectroscopy
 - in situ, within electron microscope, **216**, 144
 - Automotive exhaust
 - catalytic treatment, **216**, 433
 - classical kinetics of catalytic reactions, **216**, 89
 - lean-burn, selective catalytic reduction of NO_x in, by coupling catalysis to electrochemistry, **217**, 203
 - Azo dyes
 - photocatalytic degradation on Au/TiO_2 thin film catalysts, **220**, 127
- ## B
- Baeyer–Villiger oxidation
 - with hydrogen peroxide, catalysis by Lewis acidic Sn(IV) centers grafted onto MCM-41, **219**, 242
 - Band-target entropy minimization
 - spectral reconstruction of in situ FTIR spectroscopic reaction data by, **213**, 126
 - Barium
 - Ba–W–Mn/ SiO_2 catalysts, oxidative coupling of methane, role of surface WO_4 tetrahedron, **220**, 47
 - carbon-supported Fe–Co alloys promoted by, catalysis of NH_3 synthesis, **214**, 327
 - Co,Ba,K/CeO₂ catalysts, adsorption of NO_x : abatement of diesel exhaust pollutants, **220**, 424
 - NO_x storage catalysts, deactivation by sulfur, effects of exposure conditions and noble metal, **217**, 253
 - $\text{Pd}/\text{Al}_2\text{O}_3$ catalysts stabilized by, combustion of methane, effect of doping with Ce, **215**, 78

- Ru/C catalysts promoted with, NH_3 decomposition over, **218**, 465
- Barium oxide
commercial storage–reduction catalyst with, NO_x adsorption and surface reaction on, **214**, 308
- Base catalysis
by zeolites, **216**, 298
- Base catalysts
effects on photocatalytic activity and microstructures of bimodal mesoporous titania, **217**, 69
- Benzene
adsorption on faujasite zeolites, analysis by ONIOM method, **219**, 320
H-exchange over Lewis acid catalysts, DFT study, **220**, 333
hydrogenation
catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
over Co/SiO₂ catalysts, **220**, 146
hydroxylation to phenol by N_2O , Fe-MFI catalysts for, activity and deactivation, **214**, 169
methylation over Lewis acid catalysts, DFT study, **220**, 333
oxidation
over Fe-ZSM-5, density functional theory study, **220**, 84
in gas phase, photocatalysts for, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38
in liquid phase, catalysis by BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
to phenol with N_2O over MFI zeolite, extraframework Fe–Al–O species as active species in, **220**, 260
- Benzofuran carboxylic acid
asymmetric hydrogenation, catalysis by Pd, **219**, 52
- Benzonitrile
solvent effects on heterogeneous synthesis of flavanone over MgO, **214**, 136
- Benzoylation
anisole with benzoyl chloride, Cs-substituted dodecatungstophosphoric acid on K-10 clay for, **217**, 88
biphenyl over triflic acid-functionalized Zr-TMS catalysts, **220**, 442
- Benzoyl chloride
benzoylation of anisole, Cs-substituted dodecatungstophosphoric acid on K-10 clay for, **217**, 88
- Benzyl alcohol
oxidation by O_2 under air pressure over $\text{Cu}_2(\text{OH})\text{PO}_4$ and $\text{Cu}_4\text{O}(\text{PO}_4)_2$ catalysts, **218**, 460
- $\text{Bi}_2\text{Mo}_3\text{O}_{12}(010)$
surface, morphological evolution in air– H_2O atmospheres, **213**, 151
- Biomass
catalysis related to, present status and future trends, **216**, 47
- Biomimetic catalysts
transition metal anion-exchanged layered double hydroxides as bioinspired model of vanadium bromoperoxidase, **216**, 288
- Biphenyl
benzoylation over triflic acid-functionalized Zr-TMS catalysts, **220**, 442
- Bismuth oxide
BiO_x clusters occluded in ZSM-5 matrix, preparation, characterization, and catalysis of liquid-phase oxidation of hydrocarbons, **219**, 337
 Bi_2O_3 – SnO_2 catalysts, oxidative dehydrodimerization and aromatization of isobutene, kinetics, **214**, 284
- Bismuth vanadate
high-throughput preparation and testing for development of dense ion-conducting catalytic membranes, **216**, 135
- Bis(μ -oxo)dicopper
role in decomposition of NO and N_2O over Cu-ZSM-5, operando optical fiber UV–vis spectroscopic study, **220**, 500
- Bis(phenoxy-imine) titanium complexes
and MgCl_2 -based activators, catalysts comprised of, polymerization of olefins, **215**, 171
- Bond energy
kinetic interpretation of catalytic activity patterns based on, **216**, 63
- Boron trifluoride
catalysis of electrophilic aromatic substitution, DFT study, **220**, 333
- Bromination
by transition metal anion-exchanged layered double hydroxides, as bioinspired model of vanadium bromoperoxidase, **216**, 288
- Brønsted acidity
support for Ni(Co)Mo sulfide hydrotreating catalysts, effect on sulfur tolerance, **215**, 353
- Brønsted acid sites
on active sulfated alumina catalysts obtained by hydrothermal treatment, **220**, 317
Fe- and Al-based, in H-ZSM-5, activity for *n*-hexane cracking, quantitation, **218**, 155
role in vapor-phase oxidation of 3-picoline over $\text{CrV}_{1-x}\text{P}_x\text{O}_4$ crystalline catalysts, **218**, 32
- 1,3-Butadiene
hydrogenation on Pd catalysts on thermo-conductor or oxide supports, comparison, **214**, 26
hydrogenation over Pd–Sn/Al₂O₃ catalysts from colloidal oxide synthesis, **218**, 288
- n*-Butane
conversion on sulfated zirconia, isomerization mechanism and ¹³C-label scrambling in, ¹³C MAS NMR and ex situ GC-MS study, **220**, 233
isomerization
over aluminum-promoted tungstated zirconia, **215**, 45
over sulfated zirconia
active sites, **218**, 258
effect of mechanical stress, **217**, 487
surface deposits formed in, in situ UV–vis diffuse reflectance spectroscopic study, **218**, 365
oxidative dehydrogenation over nanocrystalline MgO, Al₂O₃, and VO_x/MgO catalysts in presence of iodine, **218**, 438
selective oxidation, substrate-versatile catalyst for reactivity, **218**, 42
- tert*-Butanol
alkylation of phenol in liquid phase, effects of large-pore zeolite channel structures and acid properties, **218**, 249
- 2-Butenal, *see* Crotonaldehyde
- Butene
addition, in characterization of active sites on sulfated zirconia for *n*-butane isomerization, **218**, 258
- 1-Butene
alkylation of isobutane on liquid and solid acid catalysts, **216**, 313
hydrogenation over fluorous derivative of Wilkinson's catalyst in supercritical CO₂, membrane reactor for, **219**, 126
isomerization
over basic X zeolites, **216**, 396
over TiO₂–SiO₂ materials, **220**, 240
skeletal isomerization to isobutene over zeolites IM-5 and NU-88, **215**, 151
- 2-Butene
alkylation of isobutane over zeolites, deactivation pathways in, **220**, 192
- Butyl acetate
photocatalytic oxidation in vapor phase on TiO₂, Pt/TiO₂ and WO₃/TiO₂, **215**, 129
- tert*-Butylation
phenol in liquid phase, effects of large-pore zeolite channel structures and acid properties, **218**, 249
- 4-*tert*-Butylcyclohexanone
Meerwein–Ponndorf–Verley reduction over supported zirconium propoxide catalysts, **218**, 396

1-*n*-Butyl-3-methylimidazolium organochloroaluminate

Ni–1,2-diiminophosphorane complex immobilized in, biphasic oligomerization of ethylene, **219**, 59

C

C1 mechanism

methane oxidation on Pt, **213**, 23

Calcination

Ba–Y/FAU, effect on nonthermal plasma-assisted reduction of NO_x, **220**, 291

effects on evolution of Fe species during synthesis of over-exchanged Fe/ZSM-5 by chemical vapor deposition of FeCl₃, **213**, 251

Calcium

Ca–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47

Carbazole

hydrodenitrogenation over bulk molybdenum carbide, kinetics, **218**, 24

Carbenium ion

skeletal rearrangement in regioselective H/D exchange reactions over strong solid acids, **215**, 122

Carbon

activated, *see* Activated carbon-supported catalysts

adspecies formed during equilibrium dissociative adsorption of CH₄ on Ni–YSZ cermet catalysts, nature and binding strength, **217**, 324

carbon–carbon bonds

formation reactions, titanium silicates for, **220**, 326

rearrangements on metallic surfaces, electronic conditions for, **214**, 336

carbon–carbon and C–O bonds in surface species derived from ethanol on Pt(111), cleavage of, DFT studies, **218**, 178

deposited on supported Ni catalysts, gasification with CO₂, structural changes of Ni species during, **219**, 176

nanofibers

formation by methane decomposition

over Ni/SiO₂ catalysts, **217**, 79

over supported Pd–Ni catalysts, **220**, 468

support of Ru catalysts, hydrogenation of cinnamaldehyde, effects of oxygen-containing surface groups, **214**, 78

nanofibers and nanotubes

preparation, characterization, and applications, **216**, 333

prepared by catalytic decomposition of acetylene in fluidized bed reactor, characterization, **215**, 305

Si–C bond formation over solid base catalysts, **216**, 406

support of

FeCo alloys promoted by Ba, catalysis of NH₃ synthesis, **214**, 327

Pd catalysts

molecular orbital study, **214**, 53

oxidative carbonylation of phenols, nature and role of Pd active states in, **218**, 334

Ru catalysts, Ba- or Cs-promoted, NH₃ decomposition over, **218**, 465

Carbonaceous deposits

formation and nature in catalytic reduction of N₂O by C₂H₄ over Fe-ZSM-5, **218**, 220

on Mo/HZSM-5 catalysts, characterization and roles in methane dehydroaromatization, **216**, 386

Carbon dioxide

adsorption on basic zeolites, **216**, 396

cycloaddition to ethylene oxide over basic X zeolites, **216**, 396

dehydrogenation of propane over Cr-MCM-41 prepared by direct hydrothermal synthesis and template-ion exchange, **220**, 347

dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404

dry reforming of methane over catalysts derived from Ni-containing Mg–Al layered double hydroxides, **213**, 191

effect on kinetics of NO reduction by CH₄ over La₂O₃/γ-Al₂O₃ catalyst, **214**, 292

gasification of carbon deposited on supported Ni catalysts, structural changes of Ni species during, **219**, 176

imidazolium zinc tetrahalide-catalyzed coupling to ethylene oxide or propylene oxide, **220**, 44

promotion of ethylbenzene dehydrogenation to styrene over Mg–V–Al mesoporous mixed oxide catalysts, **218**, 104

and propylene oxide, copolymerization over zinc glutarate catalysts

NEXAFS spectroscopy, **218**, 386

X-ray absorption and NMR studies, **218**, 209

reforming of propane over supported Rh catalysts, **216**, 377

supercritical

Friedel–Crafts hydroxyalkylation of anisole with paraformaldehyde catalyzed by zeolites in, **219**, 464

homogeneous catalysis in, membrane reactors for, **219**, 126

Carbon monoxide

adsorption

on CuAPSO-34 microporous catalysts for N₂O decomposition, comparison with CuZSM-5, **217**, 100

on molybdenum sulfide/β-zeolite catalysts of varying acidities, **220**, 433

on Rh and Rh–Te catalysts, microcalorimetric, IR, and DFT studies, **217**, 209

on supported and promoted Ag epoxidation catalysts, **213**, 305

on tungstated zirconia catalysts for alkane conversion, **216**, 353

differential heat of adsorption on Cu catalysts, effect of ZnO, microcalorimetric study, **220**, 249

dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404

elimination reaction over PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts, **214**, 220

hydrogenation

on Co/γ-Al₂O₃ catalysts, effect of catalyst modification by zirconia, **215**, 66

on Ru-promoted Co/SiO₂ catalysts, surface reaction parameters during, effect of H₂ partial pressure, **213**, 78

induction of surface structural changes of oxide-supported Pt catalysts, DRIFTS study, **217**, 478

linear species on Pt/Al₂O₃, heats of adsorption using IR spectroscopy, impact of Pt dispersion, **218**, 447

oxidation

active sites for, elucidation and design, **216**, 73

on ceria–lanthana mixed oxide catalysts, **219**, 295

on CuO/CeZrO₄ catalysts, effect of NO, **214**, 261

at low temperature, supported Au catalysts for, **216**, 425

noncatalytic reaction and catalysis by Au/TiO₂, **219**, 17

on Pt(110), surface reactivity in, local manipulation, **216**, 246

on Pt/Al₂O₃ catalyst, surface elementary steps: kinetics of reduction of strongly adsorbed oxygen species by CO, **220**, 3

on Pt/alumina and Pt/ceria catalysts prepared by colloidal lithography, **215**, 94

on Pt catalysts

bistability in, effect of oxide formation, **220**, 478

kinetic oscillations on nm scale, simulation, **214**, 121

on Pt/SiO₂ catalysts, effect of crystallite size, in situ FTIR, EXAFS, and activity studies, **220**, 382

poisoning with, in characterization of active sites on sulfated zirconia for *n*-butane isomerization, **218**, 258

pulse transient experiments over Pd/CeO₂ catalyst, oxygen storage capacity measured by, mathematical modeling, **219**, 259

reduction of N₂O on supported Au catalysts, **219**, 197

selective oxidation in excess H₂ over nanostructured Cu_{0.1}Ce_{0.9}O_{2–y} catalyst, kinetics, **213**, 135

vibrational frequencies on methanol synthesis catalysts, DFT study, **213**, 63

Carbonylation

homogeneous catalysis of, industrial view, **216**, 23

- methanol to dimethyl carbonate over Cu^+X zeolite catalyst, kinetics, **217**, 396
- Catalyst design
- active sites, **216**, 73
 - heterogeneous catalysts, thermolytic molecular precursor approach, **216**, 265
 - highly reactive titanium oxide photocatalysts operating under visible light irradiation, **216**, 505
 - knowledge extraction from high-throughput experimentation, **216**, 98
 - for petroleum and petrochemical industries, implications of fundamentals of shape selectivity, **216**, 32
 - single-site heterogeneous catalysts, nanoscale design bases for, **216**, 236
- Ceric oxide
- in automotive exhaust catalysis, **216**, 433
 - ceria/zirconia nanocrystals prepared by flame-spray synthesis, structure and dynamic oxygen exchange capacity, **220**, 35
 - composites with Cu and yttria-stabilized zirconia, SOFC anodes based on, for direct electrochemical oxidation of hydrocarbons, **216**, 477
 - effect on Cu-catalyzed water–gas shift reaction under realistic conditions for fuel cell applications, **217**, 233
 - mixed oxide catalysts with lanthana
 - oxidation of carbon monoxide, **219**, 295
 - oxidation of methane, **219**, 286
 - surface segregation and solid state studies, **219**, 305
 - $\text{MnO}_x\text{--CeO}_2$ catalyst, low-temperature SCR of NO with NH_3 , kinetics, **217**, 434
 - support of
 - Co,Ba,K catalysts, adsorption of NO_x : abatement of diesel exhaust pollutants, **220**, 424
 - Pd catalysts, oxygen storage capacity measured by CO pulse transient experiments, mathematical modeling, **219**, 259
 - Pt catalysts, prepared by colloidal lithography, reactivity, **215**, 94
 - Rh catalysts, reaction with steam, associated H_2 formation: characterization of reduced centers of ceria, **213**, 226
- Cerium
- Pd catalysts doped with, combustion of methane, **215**, 78
- Cerium oxide
- $(\text{Ce,Zr})\text{O}_x/\text{Al}_2\text{O}_3$, support of PdCr catalysts for CO and NO elimination, behavior, **214**, 220
- Cerium–zirconium mixed oxide
- support of CuO catalysts, oxidation of CO, effect of presence of NO, **214**, 261
- Cermet catalysts
- Ni–YSZ, equilibrium dissociative adsorption of CH_4 , carbon adspecies formed during, nature and binding strength, **217**, 324
- Cesium
- dodecatungstophosphoric acid substituted with, on K-10 clay, for benzoylation of anisole with benzoyl chloride, **217**, 88
 - promotion of Ag/ $\alpha\text{-Al}_2\text{O}_3$ epoxidation catalysts, effects on adsorption carbon monoxide, **213**, 305
 - nitric oxide, **217**, 442
 - Ru/C catalysts promoted with, NH_3 decomposition over, **218**, 465
 - Ru–Cs/ Al_2O_3 catalysts, sulfidation state and hydrodesulfurization mechanism, analysis with ^{35}S tracer methods, **217**, 59
 - zeolite X containing, as catalysts and catalyst supports, **216**, 396
- Cesium 1-vanado-11-molybdophosphate
- solid-state chemistry and application to oxidation catalysis, **220**, 172
- Chabasite structure
- CuAPSO-34 microporous catalysts with, for N_2O decomposition, hydrothermal stability of, comparison with CuZSM-5, **217**, 100
- Chalcones
- synthesis, catalysis by natural phosphate modified with sodium nitrate, **213**, 1
- Channel structure
- large-pore zeolites, effects in liquid-phase *tert*-butylation of phenol, **218**, 249
- Charcoal
- support of noble metal catalysts, diastereoselective hydrogenation of tricyclic α,β -dehydrodipeptide, **217**, 240
- Chelates
- metal, aqueous, impregnation with, for synthesis of supported catalysts, **216**, 257
- Chemical vapor deposition
- FeCl_3 , over-exchanged Fe/ZSM-5 obtained by, evolution of Fe species during synthesis of, **213**, 251
 - Fe-doped silica preparation by, effects on physicochemical and catalytic properties of, **219**, 146
 - trimethylgallium, Ga/HZSM-5 and Ga/HMOR synthesized by, characterization, **219**, 352
- Chiral auxiliary
- pyroglutamic acid as, in diastereoselective hydrogenation of disubstituted aromatic rings on Rh(111), periodic DFT study, **217**, 23
- Chiral catalysts
- in porous hosts
 - catalysis, **217**, 275
 - synthesis, **217**, 264
- Chlorinated hydrocarbons
- oxidation over Pt zeolite catalysts: mechanism of dichloromethane transformation over PtNaY catalysts, **215**, 234
- Chlorine
- promotion of Ag/ $\alpha\text{-Al}_2\text{O}_3$ epoxidation catalysts, effects on adsorption carbon monoxide, **213**, 305
 - nitric oxide, **217**, 442
- Chlorine radicals
- generation by photocatalysts for oxidation of aromatic air contaminants, **217**, 38
- 2-Chloro ethyl sulfide
- photocatalytic gas-phase destruction, **220**, 414
- 1-Chloro-1-fluoroethene
- dehalogenation to acetylene on $\alpha\text{-Cr}_2\text{O}_3$ ($10\bar{1}2$), **214**, 273
- Chromenes
- enantioselective epoxidation with urea– H_2O_2 adduct as oxidant using chiral Mn(III) salen complexes, **219**, 1
- α -Chromic oxide
- $\alpha\text{-Cr}_2\text{O}_3$ ($10\bar{1}2$) surface, catalysis of 1-chloro-1-fluoroethene dehalogenation to acetylene on, **214**, 273
- Chromium
- Al_2O_3 -supported catalysts, distribution of chromium species in, and performance in dehydrogenation, **220**, 309
 - Cr(III), supported on aluminum nitride-surfaced alumina, characterization and dehydrogenation activity, **213**, 281
 - Cr/Si/Al/O and Cr/Si/Zr/O catalysts for oxidative dehydrogenation and dehydrogenation of propane, thermolytic molecular precursor routes to, **218**, 123
 - La–Cr perovskite catalysts, combustion of soot, role of suprafacial oxygen, **217**, 367
 - PdCr/ Al_2O_3 and PdCr/(Ce,Zr) $\text{O}_x/\text{Al}_2\text{O}_3$ catalysts for CO and NO elimination, behavior, **214**, 220
 - $\text{ZrO}_2/\text{Al}_2\text{O}_3$ -supported catalysts, distribution of chromium species in, and performance in dehydrogenation, **220**, 309
- Chromium fluoride
- aliovalent-doped catalysts, hydrofluorination of tetrachloroethylene, **219**, 8
- Chromium oxide
- aliovalent-doped catalysts, hydrofluorination of tetrachloroethylene, **219**, 8
- Chromium trioxide
- tantalum oxide-supported catalysts, synthesis, Raman spectroscopy, and methanol oxidation, **217**, 468
- Cinchona alkaloids
- coadsorbed, nonlinear effect on enantiodifferentiation in asymmetric hydrogenation on Pt catalysts, **216**, 276

- Pd/TiO₂ catalysts modified by, enantioselective hydrogenation of 2-pyrones, **219**, 41
- Cinchonidine
adsorption from solution onto Pt surfaces, effects of dissolved gases, in situ infrared study, **219**, 404
- Cinchonidine-modified catalysts
Pd/Al₂O₃, asymmetric hydrogenation of furan carboxylic acids, **219**, 52
Pt/Al₂O₃
enantioselective hydrogenation of aromatic ketones, structural effects, **218**, 453
hydrogenation of 1-phenyl-1,2-propanedione, kinetics and modeling, **213**, 7
Pt catalysts, asymmetric hydrogenation of cyclohexane-1,2-dione, **215**, 116
- Cinnamaldehyde
hydrogenation over carbon nanofiber-supported Ru catalysts, effects of oxygen-containing surface groups, **214**, 78
- Cinnamyl alcohol
aerobic oxidation in organic solvent over Pd/Al₂O₃ catalysts, in situ EXAFS study, **213**, 291
- ¹³C-label scrambling
in *n*-butane conversion on sulfated zirconia catalysts, **220**, 233
- Claisen–Schmidt condensation
chalcone synthesis using natural phosphate modified with sodium nitrate, **213**, 1
- Clay
K-10, Cs-substituted dodecatungstophosphoric acid on, for benzoylation of anisole with benzoyl chloride, **217**, 88
- Coal
catalysis related to, present status and future trends, **216**, 47
- Cobalt
Al₂O₃-supported catalysts, Fischer–Tropsch synthesis, wax composition transients during, **214**, 251
 γ -Al₂O₃-supported catalysts, effects of modification by zirconia, **215**, 66
Co²⁺, in high-silica zeolites with broad range of Si/Al ratios in framework, localization by low-temperature H₂ adsorption, **216**, 192
Co,Ba,K/CeO₂ catalysts, adsorption of NO_x: abatement of diesel exhaust pollutants, **220**, 424
Co–B amorphous catalyst, liquid-phase hydrogenation of acetonitrile to ethylamine, **214**, 15
CoMo/Al₂O₃ model sulfide catalysts for hydrodesulfurization, effects of catalyst preparation technique, **217**, 12
CoMo/Al₂O₃–SiO₂ sulfided catalyst, hydrodesulfurization of 4,6-diethyldibenzothiophene, inhibiting effects in, **219**, 442
CoMo hydrotreating catalysts, supported
sulfur tolerance, **215**, 353
synthesis by impregnation and drying using aqueous chelated metal complexes, **216**, 257
CoNiAl ternary hydrotalcites, phenol hydroxylation, synergistic effect in, **220**, 161
Co–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47
FeCo alloys supported by carbon, Ba-promoted, catalysis of NH₃ synthesis, **214**, 327
within ferrierite, adsorption of NO, effect of local framework heterogeneity, **219**, 117
heterogeneous catalysts, operando studies and in situ characterization, **216**, 155
SBA-15-supported mesoporous catalysts, Fischer–Tropsch synthesis of hydrocarbons, effects of metal loading, cobalt precursor, and promoters, **220**, 486
- SiO₂-supported catalysts
high-temperature reduction with hydrogen, phase composition, and activity, **220**, 146
hydrothermal deactivation in Fischer–Tropsch synthesis, **217**, 127
Ru-promoted, surface reaction parameters during CO hydrogenation on, effect of H₂ partial pressure, **213**, 78
species in CoZSM5 and PtCoZSM5 for selective catalytic reduction of NO_x with CH₄, **217**, 186
- Cobalt molybdenum phosphide
SiO₂-supported hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85
- Cobalt phosphide
SiO₂-supported hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85
- Cobalt–strontium hydroxyapatite
catalysis of propane oxidation and H–D exchangeability of hydroxyl groups, **214**, 8
- Coke
composition and effect on acidity and porosity in *m*-xylene transformation over H-MCM-22 zeolite, **220**, 92
in deactivation of zeolite during isobutane/butene alkylation, **220**, 192
deposit location on Pt-beta catalysts in selective catalytic reduction of NO_x by propylene, **218**, 111
formation in methanol-to-hydrocarbon conversion over zeolite H-MFI, UV Raman spectroscopic study, **213**, 39
precursor formation and zeolite deactivation, mechanistic insights from hexamethylbenzene conversion, **215**, 30
- Coking
deactivation of Fe-MFI catalysts for benzene hydroxylation to phenol by N₂O, **214**, 169
- Colloidal lithography
Pt/alumina and Pt/ceria catalysts prepared by, reactivity, **215**, 94
- Colloidal oxide synthesis
Pd–Sn/Al₂O₃ catalysts, **218**, 280
- Combinatorial catalysis
acceleration of catalyst development by fast transient kinetic investigation, **216**, 135
high-throughput screening under demanding conditions, **216**, 110
- Combinatorial chemistry
screening of antimony-rich selective oxidation catalysts, **220**, 136
- Combustion, *see also* Oxidation
carbon monoxide on ceria–lanthana mixed oxide catalysts, **219**, 295
methane
activity of catalytic membranes for, effects of permeation regime, **218**, 457
over Ce-doped Pd catalysts, **215**, 78
on ceria–lanthana mixed oxide catalysts, **219**, 286
soot over perovskite catalysts, role of suprafacial oxygen, **217**, 367
- Compensation effect
kinetic interpretation of catalytic activity patterns based on theoretical chemical descriptors, **216**, 63
support-induced, in H/D exchange of cyclopentane, **219**, 134
- Compensation relation
in alkane hydrogenolysis, analysis with in situ X-ray absorption spectroscopy, **216**, 178
- Concentration balance phenomenon
common reactive adsorbate for ethylbenzene and indenic compounds in *n*-propylbenzene conversion over precoked Pt/SiO₂ catalyst, **218**, 411
- Condensation
role in liquid-phase hydrogenation of acetonitrile to ethylamine over Co–B amorphous alloy catalyst, **214**, 15
- Confinement effect
in nanostructured fiber and tube catalysts, **216**, 333
in zeolites, activation of reactants by, **216**, 298
- Controlled surface reaction
PtSn/ γ -Al₂O₃ catalysts prepared by, effect of La doping, **219**, 63
- Copolymerization
carbon dioxide and propylene oxide over zinc glutarate catalysts
NEXAFS spectroscopy, **218**, 386

- X-ray absorption and NMR studies, **218**, 209
- Copper
- addition to Pd- and Pt-based catalysts, effect on reduction of nitrate with water, **220**, 182
 - Al₂O₃-supported catalysts, interaction with H₂, TPA/TPD/isotopic exchange reaction study, **215**, 188
 - carbon-supported catalysts, dehydrogenation of isopropanol, **216**, 362
 - catalysis of water–gas shift reaction under realistic conditions for fuel cell applications, kinetics, **217**, 233
 - composites with ceria and yttria-stabilized zirconia, SOFC anodes based on, for direct electrochemical oxidation of hydrocarbons, **216**, 477
 - Cu⁺X zeolite catalyst, methanol carbonylation to dimethyl carbonate, kinetics, **217**, 396
 - Cu/ZnO/Al₂O₃ methanol catalysts prepared by flame combustion synthesis, **218**, 67
 - Cu/ZnO catalysts
 - extrusion for single-stage gas-phase processing of dimethyl maleate to tetrahydrofuran, **218**, 419
 - methanol synthesis under high pressure, high-throughput screening, **216**, 110
 - differential heat of adsorption of CO on, effect of ZnO, microcalorimetric study, **220**, 249
 - functionalized Cu(II)–porphyrin or Cu(II)–phthalocyanine, TiO₂ impregnated with, photocatalytic degradation of 4-nitrophenol, **217**, 334
 - heterogeneous catalysts, operando studies and in situ characterization, **216**, 155
 - ions, effect on H₂O₂ formation over photocatalytic TiO₂ particles, **219**, 214
 - methanol synthesis catalysts, CO vibrational frequencies on, DFT study, **213**, 63
 - MnO-supported catalysts prepared via spinel-type oxide, water–gas shift reaction for reformed fuels, **215**, 271
 - trimer on TiO₂(110) surfaces, polarization-dependent total-reflection fluorescence XAFS, **216**, 165
 - ZnO-supported catalysts promoted by ZrO₂ and Al₂O₃, production of hydrogen from methanol, **219**, 389
- Copper hydroxyphosphate
- catalysis of oxidation of olefins and alcohols by O₂ under air pressure, **218**, 460
- Copper oxide
- interface with (Ce,Zr)O_x, redox interplay at, analysis: effects of NO on CO oxidation over CuO/CeZrO₄ catalysts, **214**, 261
- Copper(I) oxide
- catalysis of oxidative carbonylation of phenols, nature and role of Cu active states in, **218**, 334
- Copper(II) oxide
- CeZrO₄-supported catalysts, oxidation of CO, effect of presence of NO, **214**, 261
- Copper oxide phosphate
- catalysis of oxidation of olefins and alcohols by O₂ under air pressure, **218**, 460
- Cothermolysis
- Cr/Si/Al/O and Cr/Si/Zr/O catalysts formed by, oxidative dehydrogenation and dehydrogenation of propane, **218**, 123
- Cracking
- C₆ isomers over fluidized cracking catalyst, study in temporal analysis of product reactor, **216**, 135
 - C₆–C₉ paraffins, shape selectivity, **216**, 32
 - n*-hexane
 - activity of Fe- and Al-based acid sites in H-ZSM-5 for, quantitation, **218**, 155
 - over tungstophosphoric acid: stability study, **217**, 292
 - n*-octane over zeolites IM-5 and NU-88, **215**, 151
 - thiophene derivatives, catalysis by mordenite, periodic DFT study, **215**, 20
- Cr-MCM-41
- prepared by direct hydrothermal synthesis and template-ion exchange, characterization and catalytic properties, **220**, 347
- Crotonaldehyde
- adsorption and bonding on Sn/Pt surface alloys, **215**, 245
 - hydrogenation with Pt catalysts, effect of Sn additives: density functional study of molecular adsorption, **220**, 115
- CrV_{1-x}P_xO₄
- crystalline catalysts for vapor-phase oxidation of 3-picoline, **218**, 32
- Crystallite size effect
- Pt/SiO₂ oxidation catalysts, in situ FTIR, EXAFS, and activity studies, **220**, 382
- Cs_x(NH₄)_yH_zPMo₁₂O₄₀
- and related heteropolyacids, conversion of methacrolein to methacrylic acid, in situ structural study, **213**, 235
- Cu_{0.1}Ce_{0.9}O_{2-y}
- nanostructured catalysts, selective CO oxidation, kinetics, **213**, 135
- Cumene
- synthesis, shape selectivity in, computational studies, **216**, 32
- Cyanohydrins
- enantioselective formation over chiral vanadyl Schiff base complex anchored on silica, optimization by support modification, **215**, 199
- Cyclic hydrocarbons
- effects on reactions of hexane isomers on H-mordenite at moderate temperatures in liquid and gas phases, **219**, 186
- Cycloaddition
- carbon dioxide to ethylene oxide over basic X zeolites, **216**, 396
- Cyclohexane
- liquid-phase oxidation, catalysis by BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
- Cyclohexane-1,2-dione
- asymmetric hydrogenation over cinchonidine-modified Pt catalysts, **215**, 116
- Cyclohexanol
- oxidation by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460
- Cyclohexene
- oxidation by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460
- Cyclopentane
- H/D exchange
 - kinetics, **214**, 153
 - support-induced compensation effects in, **219**, 134
- Cyclopentanol
- formation in liquid-phase cyclopentene hydration, MCM-22 selectivity for, **213**, 272
- Cyclopentene
- liquid-phase hydration to cyclopentanol, MCM-22 selectivity for, **213**, 272
- Cyclopropanation
- styrene over chiral catalysts confined in porous hosts, **217**, 275
- ## D
- Deactivation
- CuZSM-5, comparison with CuAPSO-34 microporous catalysts for N₂O decomposition, **217**, 100
 - Fe-MFI catalysts for benzene hydroxylation to phenol by N₂O, **214**, 169
 - Gd–Pd sol–gel catalysts by SO₂ in NO reduction with CH₄, surface species in, spectroscopic study, **217**, 1
 - hydrothermal, Co/SiO₂ catalysts in Fischer–Tropsch synthesis, **217**, 127
 - NO_x storage catalysts by sulfur, effects of exposure conditions and noble metal, **217**, 253
 - PdAg sol–gel catalysts in selective hydrodechlorination of 1,2-dichloroethane into ethylene, mechanism, **220**, 215
 - in zeolite-catalyzed isobutane/butene alkylation, **220**, 192

- zeolites, coke precursor formation in, mechanistic insights from hexamethylbenzene conversion, **215**, 30
- Dealumination
- zeolite beta by steaming and acid leaching for acylation of anisole with octanoic acid: structure–activity relation, **218**, 239
- n*-Decane
- catalytic partial oxidation at millisecond contact times, **215**, 332
 - hydrocracking on sulfided NiW/silica-alumina catalyst, mechanisms, **218**, 427
 - isomerization and hydrocracking over Pt/MCM-41/MgAPO-*n* composite catalysts, **217**, 388
- 1-Decene
- polymerization, nickel(α -diimine) catalyst for, XAS study, **214**, 165
- Decomposition
- acetylene in fluidized bed reactor, carbon nanotubes and nonfibers prepared by, characterization, **215**, 305
 - ammonia over Ru/C catalyst promoted with Ba or Cs, **218**, 465
 - ethanol on Pt(111), surface species derived from, C–C and C–O bond cleavage in, DFT studies, **218**, 178
 - isopropanol over iron-doped silica, effect of preparation and pretreatment methods, **219**, 146
 - methane
 - into hydrogen and carbon nanofibers over Ni/SiO₂ catalysts, **217**, 79
 - over supported Pd–Ni catalysts, **220**, 468
 - over supported Ni catalysts, structural changes of Ni species during, **219**, 176
 - methanol and water on Pt-modified C/W(111) surfaces, **215**, 254
 - 4-methylpentan-2-ol over active sulfated alumina catalysts obtained by hydrothermal treatment, **220**, 317
 - nitric oxide
 - over Cu-ZSM-5 zeolite, operando optical fiber UV–vis spectroscopic study, **220**, 500
 - effects of surface structure of supported Pd catalysts, **218**, 405
 - by hydrocarbon in excess of dioxygen, classical kinetics, **216**, 89
 - into N₂ and O₂ over La(Ba)Mn(In)O₃ perovskite oxide, **220**, 104
 - nitrogen oxides over transition metal ion zeolites, **216**, 324
 - nitrous oxide
 - CuAPSO-34 microporous catalysts for, hydrothermal stability, comparison with CuZSM-5, **217**, 100
 - over Cu-ZSM-5 zeolite, operando optical fiber UV–vis spectroscopic study, **220**, 500
 - over Fe-containing zeolites, surface chemistry, **219**, 456
 - over FeMFI zeolites, active site structure sensitivity in, **218**, 234
 - formation of surface oxygen on H-ZSM-5 with low Fe content, active sites for, **219**, 273
 - nanostructured catalysts for, **216**, 443
 - over steam-activated FeMFI zeolites, **214**, 33
- Dehalogenation
- 1-chloro-1-fluoroethene to acetylene on α -Cr₂O₃ (10 $\bar{1}$ 2), **214**, 273
- Dehydration
- alcohol over Mg₃AlO_x catalysts, effect of catalyst chemical composition, **215**, 220
- Dehydroaromatization
- methane over Mo/HZSM-5 catalysts under nonoxidative conditions, **216**, 386
 - promotional role of water added to methane feed, **220**, 57
- Dehydrogenation
- alcohol over Mg₃AlO_x catalysts, effect of catalyst chemical composition, **215**, 220
 - alkanes on Cr(III) supported on aluminum nitride-surfaced alumina, **213**, 281
 - effect on gas-phase hydrogenation of *o*-xylene over Pt/alumina catalysts, **218**, 267
 - ethylbenzene to styrene over Mg–V–Al mesoporous mixed oxide catalysts under CO₂ flow, **218**, 104
 - isobutane over Cr catalysts supported on Al₂O₃ and ZrO₂/Al₂O₃, **220**, 309
 - isopropanol over Cu catalysts, **216**, 362
 - methanol, model catalysts for, preparation and characterization, **216**, 223
 - propane
 - with CO₂ over Cr-MCM-41 prepared by direct hydrothermal synthesis and template-ion exchange, **220**, 347
 - Cr/Si/Al/O and Cr/Si/Zr/O catalysts for, thermolytic molecular precursor routes to, **218**, 123
- Dendritic salens
- polystyrene beads prepared by cross-linking copolymerization with, Mn distribution in, **215**, 87
- Density functional theory
- active site analysis and design, **216**, 73
 - adsorption of unsaturated aldehydes on (111) surface of Pt–Fe alloy catalyst, **217**, 354
 - adsorption of α,β -unsaturated aldehydes on PtSn catalysts, **220**, 115
 - ammonia synthesis over Ru(0001) surface, **220**, 273
 - benzene oxidation over Fe-ZSM-5, **220**, 84
 - bond energies, kinetic interpretation of catalytic activity patterns based on, **216**, 63
 - 2-butenal adsorption and bonding on Sn/Pt surface alloys, **215**, 245
 - carbon monoxide adsorption on Rh and Rh–Te catalysts, **217**, 209
 - carbon monoxide vibrational frequencies on methanol synthesis catalysts, **213**, 63
 - C–C and C–O bond cleavage in surface species derived from ethanol on Pt(111), **218**, 178
 - construction of reaction coordinate and microkinetic model of ethylene epoxidation on Ag catalysts, **214**, 200
 - effect of local framework heterogeneity on NO adsorption on cobalt–ferrierite, **219**, 117
 - electrophilic aromatic substitution catalyzed by Lewis acids, **220**, 333
 - initial steps in thiophene desulfurization on Ni(100), **214**, 234
 - oxidation catalysis, cluster calculations, **216**, 416
 - Pd catalysts on carbon supports, **214**, 53
 - 2-pentene isomerization over H-ZSM-22, **214**, 67
 - periodic, pyroglutamic acid as chiral auxiliary in diastereoselective hydrogenation of disubstituted aromatic rings on Rh(111), **217**, 23
 - propene metathesis on monomeric Mo centers of molybdena–alumina catalysts, **220**, 23
 - selective catalytic reduction mechanism on vanadium oxide catalysts, **213**, 115
 - structure sensitivity for NO dissociation on Pd and Rh surfaces, **213**, 211
 - thiophenic derivative cracking catalyzed by mordenite, periodic DFT study, **215**, 20
- Desorption
- from zeolites, study in TAP reactor: evaluation as supports for ethane oxidative dehydrogenation, **216**, 135
- Desulfurization
- thiophene derivatives by zeolites, periodic DFT study, **215**, 20
 - thiophene on Ni(100), initial steps in, DFT study, **214**, 234
- Deuteration
- hydroxyl groups of strontium hydroxyapatite catalysts, enhancement by Co incorporation into catalyst, **214**, 8
- 1,4-Dialdehydes
- intramolecular Tishchenko reaction over solid base catalysts, selective phthalide–skeleton synthesis by, **217**, 117
- Diastereoselective hydrogenation
- disubstituted aromatic rings on Rh(111), pyroglutamic acid as chiral auxiliary in, periodic DFT study, **217**, 23
 - tricyclic α,β -dehydrodipeptide on charcoal-supported noble metal catalysts, **217**, 240
- Dibenzothiophene
- cracking catalyzed by mordenite, periodic DFT study, **215**, 20
 - hydrodesulfurization over Au/Pd catalysts, synergetic effect of Au during, **215**, 317

- catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
- over MoP/ γ -Al₂O₃ catalyst, **218**, 78
- over Ni-promoted SBA-15 with high loading of short WS₂ slabs, **213**, 163
- over Ru–Cs sulfide catalysts, mechanism of, analysis with ³⁵S tracer methods, **217**, 59
- 1,2-Dichloroethane
- selective hydrodechlorination into ethylene on PdAg sol–gel catalysts: deactivation mechanism and regeneration, **220**, 215
- Dichloromethane
- low-temperature deep oxidation by H-ZSM-5-supported manganese oxide catalysts, **218**, 148
- transformation over PtNaY catalysts, mechanism, **215**, 234
- Diesel exhausts
- abatement: NO_x adsorption on Co,Ba,K/CeO₂ catalysts, **220**, 424
- Diesel fuel
- catalytic partial oxidation at millisecond contact times, **215**, 332
- 4,6-Diethyldibenzothiophene
- hydrodesulfurization, inhibiting effects in, **219**, 442
- Diffuse reflectance infrared Fourier transform spectroscopy
- active silver species in lean reduction of NO_x with C₃H₆ in presence of H₂O, **217**, 310
- CO-induced surface structural changes in oxide-supported Pt catalysts, **217**, 478
- continuous NO reduction with octane over Ag/Al₂O₃ catalysts, **219**, 25
- gas and surface species during photocatalytic oxidation of ethanol and acetone over nanocrystalline TiO₂, **219**, 219
- H₂ adsorption on high-silica zeolites with broad range of Si/Al ratios in framework: bivalent transition metal ion localization, **216**, 192
- Lewis acid sites of aluminum-promoted tungstated zirconia in isomerization of *n*-butane, **215**, 45
- nitric oxide adsorption on promoted Ag/ α -Al₂O₃ catalysts, **217**, 442
- PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts for CO and NO elimination, **214**, 220
- redox properties at CuO_x–(Ce,Zr)O_x interfaces, **214**, 261
- selective catalytic reduction of NO_x by ethanol on Ag/Al₂O₃ catalysts, in situ study: role of isocyanate species, **217**, 47
- solvent effects in synthesis of titanium-supported amorphous silica epoxidation catalysts, **217**, 195
- surface species in SO₂ deactivation of sol–gel Gd–Pd catalysts in NO reduction with CH₄, **217**, 1
- V₂O₅–TiO₂–SiO₂ mesoporous catalysts for selective catalytic reduction of NO by NH₃, **217**, 172
- Diffuse reflectance ultraviolet–visible spectroscopy
- reactive oxygen species in epoxidation over titanasilicate molecular sieves, **216**, 461
- surface deposit formation in isomerization of *n*-butane and *n*-pentane over sulfated zirconia, **218**, 365
- Diffusion
- ammonia self-diffusivity, dependence on loading in H-ZSM-5, pulsed field gradient NMR study, **213**, 321
- branched octene intermediates from acidic to Pt sites inside zeolite cavities, effects on reaction rates and pathways over Pt/HY zeolites, **218**, 12
- effects on selectivity in *n*-octane aromatization on Pt/KL catalyst prepared by vapor-phase impregnation, **218**, 1
- Dihydrothiophene
- cracking catalyzed by mordenite, periodic DFT study, **215**, 20
- 1,2-Diiminophosphorane
- complex with Ni, immobilized in 1-*n*-butyl-3-methylimidazolium organochloroaluminate, biphasic oligomerization of ethylene, **219**, 59
- Diisopropylnaphthalene
- formation by disproportionation of isopropylnaphthalene on zeolite catalysts, **220**, 13
- Diketopiperazines
- unsaturated derivative with tricyclic α,β -dehydrodipeptide structure, diastereoselective hydrogenation, **217**, 240
- N,N*-Dimethylaniline
- formation by selective *N,N*-methylation over cocrystallized zeolites RHO and X and over Linde type L, **217**, 107
- 2,2-Dimethylbutane
- conversion over Pd/SiO₂ catalysts, effects of catalyst transformation to palladium silicide at 450 and 500 °C, **220**, 299
- cracking over fluidized cracking catalyst, study in temporal analysis of product reactor, **216**, 135
- 2,3-Dimethylbutane
- cracking over fluidized cracking catalyst, study in temporal analysis of product reactor, **216**, 135
- 3,3-Dimethylbut-1-ene
- hydroformylation using Rh₄(CO)₁₂, in situ FTIR, spectral reconstruction using band-target entropy minimization, **213**, 126
- Dimethyl carbonate
- formation by methanol carbonylation over Cu⁺X zeolite catalyst, kinetics, **217**, 396
- Dimethyl ether
- selective oxidation to formaldehyde, catalysis by MoO_x domains, structure and support effects, **217**, 222
- 3,6-Dimethyl-4-hydroxy-2-pyrone
- enantioselective hydrogenation over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41
- Dimethyl maleate
- single-stage gas-phase processing to tetrahydrofuran, extrusion of Cu/ZnO catalysts for, **218**, 419
- 2,6-Dimethylnaphthalene
- synthesis, shape-selective zeolite catalysts for, a priori selection of, **217**, 298
- Dimethylphenylsilane
- Si–H insertion reaction with methyl phenyl diazoacetate over chiral catalysts confined in porous hosts, **217**, 275
- 4,6-Dimethyl-2-pyrone
- enantioselective hydrogenation over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41
- Dimethyl sulfate
- formation by partial oxidation of methane on metallic Pd-containing catalysts, **215**, 14
- Dimethyl sulfoxide
- solvent effects on heterogeneous synthesis of flavanone over MgO, **214**, 136
- Dirhodium carboxamide
- chiral catalysts confined in porous hosts
- catalysis, **217**, 275
- synthesis, **217**, 264
- Dispersion
- platinum
- in amorphous Al₂O₃-supported catalyst, **214**, 146
- effect on heats of adsorption of linear CO species on Pt/Al₂O₃ catalysts, IR study, **218**, 447
- in Pt-beta catalysts, effects on selective catalytic reduction of NO_x by propylene, **218**, 111
- Re/ γ -Al₂O₃ low-loaded catalyst redispersion, **219**, 362
- tungsten oxide catalysts supported on activated carbon, effect of tungsten precursor and pretreatment, **217**, 30
- Disproportionation
- isopropylnaphthalene on zeolite catalysts, **220**, 13
- toluene
- catalysts for, design based on shape selectivity, **216**, 32
- HZSM-5 *para*-selectivity for, enhancement by antimony oxide, **219**, 310

- Dodecatungstophosphoric acid
cesium-substituted, on K-10 clay, for benzoylation of anisole with benzoyl chloride, **217**, 88
- Double layers
promotion, electrocatalysis, electrochemical promotion, and metal-support interactions, **216**, 487
- DRIFTS, *see* Diffuse reflectance infrared Fourier transform spectroscopy
- Dry reforming
methane over catalysts derived from Ni-containing Mg–Al layered double hydroxides, **213**, 191

E

- Editorials
40th anniversary commemorative issue introduction, **216**, 1
research perspectives during 40 years of the *Journal of Catalysis*, **216**, 2
- Electrocatalysis
application of tungsten carbides: reactions of methanol, water, and hydrogen on Pt-modified C/W(111) surfaces, **215**, 254
dioxygen reduction on underpotentially deposited Pb on Au(111), analysis by active site blocking strategy, **213**, 17
double-layer approach to, **216**, 487
- Electrochemical promotion
double-layer approach to, **216**, 487
selective reduction of nitrogen oxides in lean-burn engine exhausts, **217**, 203
- Electrochemistry
direct oxidation of hydrocarbons, SOFC anodes for, **216**, 477
- Electrolytes
Y₂O₃-stabilized ZrO₂, atomic oxygen radical anion emission from, features and mechanism, **215**, 1
- Electron energy loss spectroscopy
in situ, within electron microscope, **216**, 144
silicide formation on Pt/SiO₂ model catalyst, **219**, 434
- Electronic structure
platinum metallic aggregates, relationship to selectivity, **214**, 336
supported Pt catalysts, in situ XANES: compensation relation in alkane hydrogenolysis, **216**, 178
- Electronic theory
oxidation catalysis, **216**, 416
- Electron microscopy, *see also* Scanning electron microscopy; Transmission electron microscopy
high-resolution, shape selectivity studies, **216**, 32
historical overview, achievements, and future prospects, **216**, 144
- Electron paramagnetic resonance
model catalyst characterization, **216**, 223
oxidation of olefins and alcohols by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460
PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts for CO and NO elimination, **214**, 220
reactive oxo-titanium species in titanosilicate molecular sieves, **217**, 160
reactive oxygen species in epoxidation over titanosilicate molecular sieves, **216**, 461
redox properties at CuO_x–(Ce,Zr)O_x interfaces, **214**, 261
tungstated zirconia catalysts for alkane conversion, **216**, 353
- Electron spin resonance, *see* Electron paramagnetic resonance
- Electrophilic aromatic substitution
catalyzed by Lewis acids, DFT study, **220**, 333
- Electrospray ionization mass spectrometry
 α - and β -isocinchonine-modified Pt/Al₂O₃ in enantioselective hydrogenation of ethyl pyruvate in acetic acid, **220**, 207
- Elimination reactions
alcohol, over Mg_yAlO_x catalysts, effect of catalyst chemical composition, **215**, 220
- Enantioselectivity
asymmetric hydrogenation
cyclohexane-1,2-dione over cinchonidine-modified Pt catalysts, **215**, 116
on platinum catalysts, nonlinear effect of coadsorbed cinchona alkaloids, **216**, 276
cyanohydrin formation over chiral vanadyl Schiff base complex anchored on silica, optimization by support modification, **215**, 199
epoxidation of nonfunctionalized alkenes with urea–H₂O₂ adduct as oxidant using chiral Mn(III) salen complexes, **219**, 1
ethyl pyruvate hydrogenation over α - and β -isocinchonine-modified Pt/Al₂O₃ in acetic acid, **220**, 207
flame-made platinum/alumina catalysts in hydrogenation reactions, **213**, 296
heterogenized Rh complexes prepared by “ship-in-a-bottle” and anchoring methods, comparison, **213**, 103
hydrogenation of aromatic ketones over cinchonidine-modified Pt/Al₂O₃ catalysts, structural effects, **218**, 453
hydrogenation of 2-pyrones over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41
1-phenyl-1,2-propanedione hydrogenation over cinchonidine-modified Pt/Al₂O₃ catalysts, **213**, 7
- Energy dispersive X-ray absorption fine structure
supported metal catalysts and model surfaces in situ, **216**, 165
- Energy dispersive X-ray spectroscopy
in situ, within electron microscope, **216**, 144
PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts for CO and NO elimination, TEM-XEDS study, **214**, 220
silicide formation on Pt/SiO₂ model catalyst, **219**, 434
- Energy field
catalysis related to, present status and future trends, **216**, 47
- Enthalpy
pore mouth physisorption of alkanes on ZSM-22, estimation by additivity method, **218**, 135
- Entropy
pore mouth physisorption of alkanes on ZSM-22, estimation by additivity method, **218**, 135
shape selectivity through, **214**, 88
- Epimerization
effect on gas-phase hydrogenation of *o*-xylene over Pt/alumina catalysts, **218**, 267
- Epoxidation
Ag/ α -Al₂O₃ catalysts for, adsorption of CO, effects of Cs and Cl promoters, **213**, 305
allyl alcohol with H₂O₂, in selective production of glycidol over titanosilicate with MWW structure, **214**, 317
enantioselective, nonfunctionalized alkenes with urea–H₂O₂ adduct as oxidant using chiral Mn(III) salen complexes, **219**, 1
ethylene on Ag catalysts, reaction coordinate and microkinetic model, construction from DFT calculations and surface science studies, **214**, 200
heterogeneous catalysts for, design and synthesis by thermolytic molecular precursor method, **216**, 265
propylene
with O₂/methanol and without hydrogen over Pd/Ti-modified MCM-22 catalyst, **220**, 513
photoepoxidation by O₂, highly dispersed zinc oxide species on silica as active sites for, **220**, 226
styrene over titanosilicate molecular sieves, structure–activity correlations, **217**, 160
Ti-supported amorphous silica catalysts for, synthesis of, effect of solvent, **217**, 195
on titanium-containing silicates, catalytic performance, effects of structural features, **214**, 242
over titanosilicate molecular sieves, reactive oxygen species in, **216**, 461
- Esterification
fatty acids, organosulfonic acid-functionalized mesoporous silicas for, **219**, 329

- Ethane
oxidative dehydrogenation, zeolites as supports in, evaluation, **216**, 135
oxidative dehydrogenation over Pt/Al₂O₃ catalysts at low temperature, **219**, 206
- Ethanol
photocatalytic oxidation over nanocrystalline TiO₂, dynamic phenomena during, **219**, 219
on Pt(111), C–C and C–O bond cleavage in surface species derived from, DFT studies, **218**, 178
reduction of NO on Pd–Mo/Al₂O₃ catalysts, **220**, 358
selective catalytic reduction of NO_x on Ag/Al₂O₃ catalysts, in situ FTIR study: role of isocyanate species, **217**, 47
- Ethene, *see* Ethylene
- Ethyl acetoacetate
acetalization over triflic acid-functionalized Zr–TMS catalysts, **220**, 442
- Ethylamine
formation by liquid-phase hydrogenation of acetonitrile over Co–B amorphous alloy catalyst, **214**, 15
- 2-Ethylanthraquinone
selective hydrogenation over Ni–B/SBA-15 prepared by reductant-impregnation method, **220**, 254
- Ethylbenzene
adsorption on faujasite zeolites, analysis by ONIOM method, **219**, 320
dehydrogenation to styrene over Mg–V–Al mesoporous mixed oxide catalysts under CO₂ flow, **218**, 104
and indenic compounds, common reactive adsorbate in *n*-propylbenzene conversion over precoked Pt/SiO₂ catalyst, **218**, 411
- Ethylene
adsorption on faujasite zeolites, analysis by ONIOM method, **219**, 320
alkylation of toluene over basic X zeolites, **216**, 396
epoxidation on Ag catalysts, reaction coordinate and microkinetic model, construction from DFT calculations and surface science studies, **214**, 200
formation by oxidative dehydrogenation of propane over Li-promoted MgO catalysts
active site characterization and hydrocarbon activation, **218**, 307
kinetics and mechanism, **218**, 296
formation by selective 1,2-dichloroethane hydrodechlorination on PdAg sol–gel catalysts: deactivation mechanism and regeneration, **220**, 215
hydrogenation, catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
hydrogenation and polymerization, model catalysts for, preparation and characterization, **216**, 223
oligomerization
biphasic, with Ni–1,2-diiminophosphorane complexes immobilized in 1-*n*-butyl-3-methylimidazolium organochloroaluminate, **219**, 59
to low-carbon linear α -olefins by salen-type zirconium complexes, **220**, 392
reduction of N₂O over Fe–ZSM-5: formation and nature of carbonaceous deposits and effects of O₂ addition, **218**, 220
- Ethylene carbonate
synthesis by imidazolium zinc tetrahalide-catalyzed coupling of CO₂ to ethylene oxide, **220**, 44
- Ethylene glycol
aqueous-phase reforming over Pt/Al₂O₃ catalysts, **215**, 344
- Ethylene oxide
cycloaddition of CO₂ to, catalysis by basic X zeolites, **216**, 396
imidazolium zinc tetrahalide-catalyzed coupling to CO₂, **220**, 44
- Ethyl pyruvate
asymmetric hydrogenation on Pt/Al₂O₃ catalysts: nonlinear effect of coadsorbed cinchona alkaloids on enantiodifferentiation, **216**, 276
enantioselective hydrogenation
over flame-made platinum/alumina catalysts, **213**, 296
over α - and β -isocinchonine-modified Pt/Al₂O₃ in acetic acid, **220**, 207
- Extended X-ray absorption fine structure
BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
n-butane isomerization over aluminum-promoted tungstated zirconia, **215**, 45
crystallite size effects on Pt/SiO₂ oxidation catalyst activity during CO oxidation, **220**, 382
Cu and Pd active states in oxidative carbonylation of phenols with Cu₂O and Pd/C, **218**, 334
Pd/Al during aerobic oxidation of cinnamyl alcohol in organic solvent, **213**, 291
supported metal catalysts and model surfaces, **216**, 165
transition metal phosphide catalysts for advanced hydroprocessing, **216**, 343
zinc glutarates prepared from zinc sources, **218**, 209
- Extrusion
Cu/ZnO catalysts for single-stage gas-phase processing of dimethyl maleate to tetrahydrofuran, **218**, 419
- ## F
- Fatty acids
esterification, organosulfonic acid-functionalized mesoporous silicas for, **219**, 329
- Faujasite
adsorption of ethylene, benzene, and ethylbenzene, analysis by ONIOM method, **219**, 320
Y, channel structures and acid properties, effects in liquid-phase *tert*-butylation of phenol, **218**, 249
- Fenton reaction
hydrogen peroxide formation over photocatalytic TiO₂ particles, effect of Cu ions, **219**, 214
- Ferrierite
Co within, adsorption of NO, effect of local framework heterogeneity, **219**, 117
- Fischer–Tropsch synthesis
Fe catalysts for, effect of activation method, SSITKA study at site level, **213**, 204
hydrocarbons over mesoporous Co/SBA-15 catalysts, effects of metal loading, cobalt precursor, and promoters, **220**, 486
hydrothermal deactivation of Co/SiO₂ catalysts in, **217**, 127
wax composition transients during, **214**, 251
- Fixed bed reactor
Fischer–Tropsch synthesis in, wax composition transients during, **214**, 251
- Flame combustion synthesis
Cu/ZnO/Al₂O₃ catalysts for methanol synthesis, **218**, 67
- Flame spray pyrolysis
platinum/alumina catalysts made by, structural behavior and catalysis of enantioselective hydrogenation, **213**, 296
- Flame-spray synthesis
nanocrystalline ceria/zirconia: structural properties and dynamic oxygen exchange capacity, **220**, 35
- Flavanone
heterogeneous synthesis over MgO, effects of solvents, **214**, 136
- Fluidized bed reactor
acetylene decomposition in, carbon nanotubes and nanofibers prepared by, characterization, **215**, 305
- Fluidized catalytic cracking
C₆ isomers, study in temporal analysis of product reactor, **216**, 135
- Fluoride medium
 β zeolite synthesized in, structure, morphology, and activity for asymmetric hydrogenation, **219**, 74
- Fluorination
NiMoS/Al₂O₃ and NiMoS/ASA catalysts, effects on kinetics of hydrodenitrogenation of *o*-toluidine, **217**, 284

Formaldehyde

formation by selective oxidation of dimethyl ether, catalysis by MoO_x domains, structure and support effects, **217**, 222

Fourier transform infrared spectroscopy

carbon monoxide adsorption on Rh and Rh–Te catalysts, **217**, 209
crystallite size effects on Pt/SiO₂ oxidation catalyst activity during CO oxidation, **220**, 382

gas and surface species during photocatalytic oxidation of ethanol and acetone over nanocrystalline TiO₂, **219**, 219

heats of adsorption of linear CO species on Pt/Al₂O₃ using IR spectroscopy, impact of Pt dispersion, **218**, 447

hydrothermal stability of CuAPSO-34 microporous catalysts for N₂O decomposition: comparison with CuZSM-5, **217**, 100

La effect on PtSn/γ-Al₂O₃ catalysts prepared by successive impregnation and controlled surface reaction, **219**, 63

NO_x adsorption and surface reaction on commercial storage–reduction catalyst, **214**, 308

oxidation of olefins and alcohols by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460

redox properties at CuO_x–(Ce,Zr)O_x interfaces, **214**, 261

selective catalytic reduction

NO in excess O₂ over Pt/Si-MCM-41 catalysts, **213**, 241

NO_x by ethanol on Ag/Al₂O₃ catalysts, in situ study: role of isocyanate species, **217**, 47

NO_x by methane over Co-H-MFI and Co-H-FER zeolites, **214**, 179

spectral reconstruction of in situ reaction data using band-target entropy minimization, **213**, 126

statistically based, Al role in iron center structure and reactivity in Fe-ZSM-5-based catalysts, **215**, 264

truncated octahedral Pt nanoparticles supported on alumina, **214**, 1

Free radicals

in catalytic oxidation of light alkanes, kinetic and thermochemical aspects, **216**, 468

Friedel–Crafts hydroxyalkylation

anisole reaction with paraformaldehyde catalyzed by zeolites in supercritical CO₂, **219**, 464

FTIR spectroscopy, *see* Fourier transform infrared spectroscopy

Fuel cells

realistic conditions for applications of, Cu-catalyzed water–gas shift reaction under, kinetics, **217**, 233

solid oxide

anodes for direct electrochemical oxidation of hydrocarbons, **216**, 477

carbon adspecies formed during equilibrium dissociative adsorption of CH₄ on Ni–YSZ cermet catalysts, **217**, 324

Fuels

catalysis related to, present status and future trends, **216**, 47

reformed, water–gas shift reaction for, over Cu/MnO catalysts prepared via spinel-type oxide, **215**, 271

Furan carboxylic acids

asymmetric hydrogenation, catalysis by Pd, **219**, 52

G

Gadolinium

Gd–Pd sol–gel catalysts, deactivation by SO₂ in NO reduction with CH₄, surface species in, spectroscopic study, **217**, 1

Gallium

Ga/HZSM-5 and Ga/HMOR synthesized by chemical vapor deposition of trimethylgallium, characterization, **219**, 352

Gas chromatography–mass spectrometry

n-butane conversion on sulfated zirconia, ex situ study, **220**, 233

continuous NO reduction with octane over Ag/Al₂O₃ catalysts, **219**, 25

Gasification

deposited carbon with CO₂ over supported Ni catalysts, structural changes of Ni species during, **219**, 176

Gelation

preparation of Pt/amorphous Al₂O₃ catalyst, **214**, 146

Glycidol

selective production via epoxidation of allyl alcohol with H₂O₂ over titanasilicate with MWW structure, **214**, 317

Gold

addition to Pd- and Pt-based catalysts, effect on reduction of nitrate with water, **220**, 182

Au(111), Pb underpotentially deposited on, electrocatalytic reduction of dioxygen, analysis by active site blocking strategy, **213**, 17

in Au/Pd catalysts, synergetic effect during hydrodesulfurization of model compounds, **215**, 317

catalyst real structure, effects in partial hydrogenation of acrolein, **213**, 86

PdAu, active sites, first principles elucidation and design, **216**, 73

supported catalysts

for low-temperature CO oxidation, **216**, 425

N₂O/H₂, N₂O/CO, H₂/O₂, and CO/O₂ reactions, **219**, 197

TiO₂-supported catalysts

oxidation of carbon monoxide, **219**, 17

thin films, for degradation of azo dyes, characterization and photocatalytic activity, **220**, 127

Grafted catalysts

supported zirconium propoxide, catalysis of Meerwein–Ponndorf–Verley reduction, **218**, 396

H

Halide acids

pretreatment of photocatalysts for oxidation of aromatic air contaminants: rate alterations and thermodynamics, **217**, 38

Heats of adsorption

CO adsorption on Cu catalysts, effect of ZnO, microcalorimetric study, **220**, 249

linear CO species on Pt/Al₂O₃ using IR spectroscopy, impact of Pt dispersion, **218**, 447

Helium

over-exchanged Fe/ZSM5 heat treated in, structure, in situ XAFS spectroscopic study, **215**, 279

Heptanal

and acetaldehyde, aldol condensation on hydrotalcite-type catalysts, **219**, 167

Heptane

mixed with nonane, high-pressure liquid phase hydroconversion on Pt/H-Y zeolite catalyst, **220**, 66

Heteroaromatics

hydrogenation over SiO₂-immobilized Ru(II) single sites and Ru/SiO₂ nanoparticles, **213**, 47

Heteropolyacid catalysts

Cs_x(NH₄)_yH₂PMo₁₂O₄₀-related, conversion of methacrolein to methacrylic acid, in situ structural study, **213**, 235

n-pentane isomerization, dependence on hydrogen and Pt addition, **219**, 97

surface chemistry and activity on well-defined surfaces: nanoscale design bases for single-site heterogeneous catalysts, **216**, 236

n-Hexadecane

catalytic partial oxidation at millisecond contact times, **215**, 332

hydroconversion, branched paraffin production and adsorption in, analysis: shape selectivity through entropy, **214**, 88

Hexamethylbenzene

conversion over zeolite H-beta, catalyst deactivation by coking in, mechanism, **215**, 30

n-Hexane cracking

activity of Fe- and Al-based acid sites in H-ZSM-5 for, quantitation, **218**, 155

over fluidized cracking catalyst, study in temporal analysis of product reactor, **216**, 135

over tungstophosphoric acid: stability study, **217**, 292

- Hexane isomers
reactions on H-mordenite at moderate temperatures in liquid and gas phases, effect of cyclic hydrocarbons, **219**, 186
- H-exchange
benzene over Lewis acid catalysts, DFT study, **220**, 333
- 1-Hexene
hydroformylation over promoted iridium complexes, **215**, 326
- High-resolution electron microscopy
shape selectivity studies, **216**, 32
- High-throughput experimentation
under demanding conditions, Cu/ZnO catalysts in high-pressure methanol synthesis as example, **216**, 110
knowledge extraction from, in catalyst design, **216**, 98
- High-throughput transient kinetics
acceleration of catalyst development by, **216**, 135
- Homogeneous catalysis
concepts in, industrial view, **216**, 23
- HRh(CO)(PPh₃)₃
heterogenized, tethered to zeolite Y support by phosphotungstic acid, hydroformylation with, **213**, 73
- Hydration
cyclopentene in liquid phase, cyclopentanol formation by, MCM-22 selectivity for, **213**, 272
- Hydrobromic acid
pretreatment of photocatalysts for oxidation of aromatic air contaminants: rate alterations and thermodynamics, **217**, 38
- Hydrocarbons
activation, analysis in oxidative conversion of propane over Li-promoted MgO catalysts, **218**, 307
coupling reactions, active sites for, elucidation and design, **216**, 73
Fischer–Tropsch synthesis over mesoporous Co/SBA-15 catalysts, effects of metal loading, cobalt precursor, and promoters, **220**, 486
formation from methanol over zeolite H-MFI, coke formation in, UV Raman spectroscopic study, **213**, 39
higher, catalytic partial oxidation at millisecond contact times, **215**, 332
isomerization on metallic surfaces, electronic conditions for, **214**, 336
oxidation
by direct electrochemical approach, SOFC anodes for, **216**, 477
in liquid phase, catalysis by BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
- Hydrochloric acid
pretreatment of photocatalysts for oxidation of aromatic air contaminants: rate alterations and thermodynamics, **217**, 38
- Hydrocracking
n-decane
over Pt/MCM-41/MgAPO-*n* composite catalysts, **217**, 388
on sulfided NiW/silica-alumina catalyst, mechanisms, **218**, 427
heptane/nonane, high-pressure liquid phase hydroconversion on Pt/H-Y zeolite catalyst, **220**, 66
and hydroisomerization, *n*-octane over Pt/HY zeolites, analysis with reactants of different configurations, **218**, 12
n-octane on Pt-H-ZSM-22, pore mouth catalysis in, kinetic modeling, **220**, 399
selectivity in, parameters controlling, **217**, 376
- Hydrodealkylation
n-propylbenzene over precoked Pt/SiO₂ catalyst, common reactive adsorbate of ethylbenzene and indenic compounds in, **218**, 411
- Hydrodechlorination
1,2-dichloroethane into ethylene, selective reaction on PdAg sol–gel catalysts: deactivation mechanism and regeneration, **220**, 215
- Hydrodenitrogenation
carbazole over bulk molybdenum carbide, kinetics, **218**, 24
MoP/ γ -Al₂O₃ catalyst for, synthesis, activity, and active sites, **218**, 78
o-toluidine over fluorinated NiMoS/Al₂O₃ and NiMoS/ASA catalysts, kinetics, **217**, 284
transition metal phosphide catalysts for
general properties, structure, synthesis, and catalytic properties, **216**, 343
silica-supported, synthesis and characterization, **219**, 85
- Hydrosulfurization
catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
CoMo/Al₂O₃ model sulfide catalysts for, effects of catalyst preparation technique, **217**, 12
dibenzothiophene
over Au/Pd catalysts, synergetic effect of Au during, **215**, 317
over Ni-promoted SBA-15 with high loading of short WS₂ slabs, **213**, 163
over Ru–Cs sulfide catalysts, mechanism of, analysis with ³⁵S tracer methods, **217**, 59
4,6-diethyldibenzothiophene, inhibiting effects in, **219**, 442
heterogeneous catalysts for, operando studies and in situ characterization, **216**, 155
MoP/ γ -Al₂O₃ catalyst for, synthesis, activity, and active sites, **218**, 78
thiophene
over Au/Pd catalysts, synergetic effect of Au during, **215**, 317
over Ni₂P/SiO₂ catalysts, **215**, 208
over supported Ni(Co)Mo sulfide catalysts, sulfur tolerance, **215**, 353
transition metal phosphide catalysts for, general properties, structure, synthesis, and catalytic properties, **216**, 343
- Hydrofluoric acid
pretreatment of photocatalysts for oxidation of aromatic air contaminants: rate alterations and thermodynamics, **217**, 38
- Hydrofluorination
tetrachloroethylene over aliovalent-doped chromium-based catalysts, **219**, 8
- Hydroformylation
catalysis by heterogenized HRh(CO)(PPh₃)₃ tethered to zeolite Y by phosphotungstic acid, **213**, 73
continuous fixed-bed gas-phase reaction using supported ionic liquid-phase Rh catalysts, **219**, 452
3,3-dimethylbut-1-ene using Rh₄(CO)₁₂, in situ FTIR, spectral reconstruction with band-target entropy minimization, **213**, 126
1-hexene over promoted iridium complexes, **215**, 326
homogeneous catalysis of, industrial view, **216**, 23
- Hydrogen
adsorption at low temperature, in analysis of bivalent transition metal ion localization in high-silica zeolites with broad range of Si/Al ratios in framework, **216**, 192
binding sites in supported Pt catalysts, in situ XANES: compensation relation in alkane hydrogenolysis, **216**, 178
chemisorption on Re/ γ -Al₂O₃ low-loaded catalyst, **219**, 362
CO-free formation by methane decomposition over Ni/SiO₂ catalysts, **217**, 79
dissociation on Pt-modified C/W(111) surfaces, **215**, 254
dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404
effect on *n*-pentane isomerization over solid acid catalysts, heteropolyacid, sulfated zirconia, and mordenite, **219**, 97
interaction with Cu/Al₂O₃ catalysts, TPA/TPD/isotopic exchange reaction study, **215**, 188
and O₂, direct formation of H₂O₂
over colloidal Pd catalysts, **214**, 113
over colloidal or supported Pd catalysts, **216**, 455
oxidation by O₂ on supported Au catalysts, **219**, 197
partial pressure, effect on surface reaction parameters during CO hydrogenation on Ru-promoted Co/SiO₂ catalysts, **213**, 78
production
by aqueous-phase reforming of methanol and ethylene glycol over Pt/Al₂O₃ catalysts, **215**, 344
by methane decomposition over supported Pd–Ni catalysts, **220**, 468

- from methanol over Cu/ZnO catalysts promoted by ZrO₂ and Al₂O₃, **219**, 389
- in reaction of steam with Rh/CeO₂ catalysts: characterization of reduced centers of ceria, **213**, 226
- in reactant feed, effects on *n*-pentane conversion catalyzed by tungstated zirconia, **219**, 376
- reduction of Co/SiO₂ catalysts at high temperature, **220**, 146
- reduction of N₂O on supported Au catalysts, **219**, 197
- Hydrogenation
- acetonitrile to ethylamine in liquid phase over Co–B amorphous alloy catalyst, **214**, 15
- acrolein, partial hydrogenation over Au catalysts, effect of catalyst real structure, **213**, 86
- active sites for, elucidation and design, **216**, 73
- alkenes by heterogenized Rh complexes prepared by “ship-in-a-bottle” and anchoring methods, comparison, **213**, 103
- alkyne semihydrogenation, Pd nanocatalysts in hydrotalcite as mild and highly selective catalysts for, **220**, 372
- aromatic ketones over cinchonidine-modified Pt/Al₂O₃ catalysts, enantioselective reaction, structural effects, **218**, 453
- asymmetric
- β zeolite synthesized in fluoride medium for, structure, morphology, and activity, **219**, 74
- cyclohexane-1,2-dione over cinchonidine-modified Pt catalysts, **215**, 116
- furan carboxylic acids, catalysis by Pd, **219**, 52
- on platinum: nonlinear effect of coadsorbed cinchona alkaloids on enantiodifferentiation, **216**, 276
- benzene over Co/SiO₂ catalysts, **220**, 146
- 1,3-butadiene
- over Pd catalysts on thermo-conductor or oxide supports, comparison, **214**, 26
- over Pd–Sn/Al₂O₃ catalysts from colloidal oxide synthesis, **218**, 288
- 1-butene over fluoros derivative of Wilkinson’s catalyst in supercritical CO₂, membrane reactor for, **219**, 126
- carbon monoxide
- on Co/γ-Al₂O₃ catalysts, effect of catalyst modification by zirconia, **215**, 66
- on Ru-promoted Co/SiO₂ catalysts, surface reaction parameters during, effect of H₂ partial pressure, **213**, 78
- catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
- cinnamaldehyde over carbon nanofiber-supported Ru catalysts, effects of oxygen-containing surface groups, **214**, 78
- diastereoselective
- disubstituted aromatic rings on Rh(111), pyroglutamic acid as chiral auxiliary in, periodic DFT study, **217**, 23
- tricyclic α,β-dehydriptide on charcoal-supported noble metal catalysts, **217**, 240
- enantioselective
- ethyl pyruvate over α- and β-isocinchonine-modified Pt/Al₂O₃ in acetic acid, **220**, 207
- over flame-made platinum/alumina catalysts, **213**, 296
- 2-pyrones over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41
- 2-ethylantraquinone over Ni–B/SBA-15 prepared by reductant–impregnation method, **220**, 254
- ethylene, model catalysts for, preparation and characterization, **216**, 223
- hetero- and polyaromatics over SiO₂-immobilized Ru(II) single sites and Ru/SiO₂ nanoparticles, **213**, 47
- maleic acid derivatives, **218**, 419
- over molybdenum sulfide/β-zeolite catalysts of varying acidities, **220**, 433
- 1-phenyl-1,2-propanedione over cinchonidine-modified Pt/Al₂O₃ catalysts, kinetics and modeling, **213**, 7
- propene over truncated octahedral Pt nanoparticles supported on alumina, **214**, 1
- tetralin on NiW/Zr-doped mesoporous silica catalysts, effect of preparation method and sulfur poisoning, **220**, 457
- toluene over Ni-promoted SBA-15 with high loading of short WS₂ slabs, **213**, 163
- α,β-unsaturated aldehydes on Pt catalysts, effect of Sn additives: DFT study of molecular adsorption, **220**, 115
- o*-xylene in gas phase over Pt/alumina catalyst, activity and stereoselectivity, **218**, 267
- Hydrogen bonds
- role in hydrogenation of hetero- and polyaromatics over SiO₂-immobilized Ru(II) single sites and Ru/SiO₂ nanoparticles, **213**, 47
- Hydrogen–deuterium exchange
- analysis of hydrogen interaction with Cu/Al₂O₃ catalysts, **215**, 188
- in cyclopentane
- kinetics, **214**, 153
- support-induced compensation effects in, **219**, 134
- in hydroxyl groups of strontium hydroxyapatite catalysts, enhancement by Co incorporation into catalyst, **214**, 8
- regioselective, propane over strong solid acids, effects of skeletal rearrangement, **215**, 122
- Hydrogenolysis
- alkanes, compensation relation in, analysis with in situ X-ray absorption spectroscopy, **216**, 178
- catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
- maleic acid derivatives, **218**, 419
- Hydrogen peroxide
- adduct with urea, enantioselective epoxidation of nonfunctionalized alkenes with, mediation by Mn(III) salen complexes, **219**, 1
- Baeyer–Villiger oxidation with, catalysis by Lewis acidic Sn(IV) centers grafted onto MCM-41, **219**, 242
- direct formation from H₂ and O₂
- over colloidal Pd, **214**, 113
- over Pd catalysts, **216**, 455
- epoxidation of allyl alcohol, in selective production of glycidol over titanisilicate with MWW structure, **214**, 317
- formation over photocatalytic TiO₂ particles, effect of Cu ions, **219**, 214
- liquid-phase oxidation reactions catalyzed by nanometric monodispersed TiO₂ particles on mesoporous silica, **217**, 343
- transition metal anion-exchanged layered double hydroxide stability toward, **216**, 288
- Hydrogen transfer
- role in selective catalytic reduction on vanadium oxide catalysts, density functional theory study, **213**, 115
- Hydroiodic acid
- pretreatment of photocatalysts for oxidation of aromatic air contaminants: rate alterations and thermodynamics, **217**, 38
- Hydroisomerization
- and hydrocracking, *n*-octane over Pt/HY zeolites, analysis with reactors of different configurations, **218**, 12
- n*-octane on Pt–H-ZSM-22, pore mouth catalysis in, kinetic modeling, **220**, 399
- Hydrolysis
- acidic and basic catalysts for, effects on photocatalytic activity and microstructures of bimodal mesoporous titania, **217**, 69
- Hydroperoxo-titanium
- in titanisilicate molecular sieves, EPR studies and structure–activity correlations, **217**, 160
- Hydrotalcite
- CoNiAl, phenol hydroxylation, synergistic effect in, **220**, 161
- Pd nanoparticles in, as mild and highly selective catalysts for alkyne semihydrogenation, **220**, 372
- precursors for nanostructured NO_x storage–reduction catalysts, **216**, 443
- related catalysts, aldol condensation of acetaldehyde and heptanal, **219**, 167
- structure and reactivity in Wadsworth–Emmons reaction, **218**, 191

Hydrothermal deactivation

Co/SiO₂ catalysts in Fischer–Tropsch synthesis, **217**, 127

Hydrothermal stability

CuAPSO-34 microporous catalysts for N₂O decomposition, comparison with CuZSM-5, **217**, 100

Hydrothermal synthesis

Cr-MCM-41 prepared by, characterization and catalytic properties, **220**, 347

sulfated γ -Al₂O₃ catalysts, **220**, 317

Hydrotreating catalysts

Ni(Co)Mo sulfide on various supports, sulfur tolerance, **215**, 353

NiMo, interactions with Al₂O₃ and SiO₂–Al₂O₃ supports, MAS NMR, TPR, and TEM studies, **215**, 7

Hydroxyapatite

Ru–hydroxyapatite catalyst for mild racemization of alcohols, **219**, 417

7-Hydroxycoumarins

synthesis by Pechmann reaction using Nafion resin/silica nanocomposite catalysts, **218**, 315

Hydroxylation

benzene to phenol by N₂O, Fe-MFI catalysts for, activity and deactivation, **214**, 169

phenol over CoNiAl ternary hydrotalcites, synergistic effect in, **220**, 161

4-Hydroxy-6-methyl-2-pyrone

enantioselective hydrogenation over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41

I

Imidazolium zinc tetrahalide

catalysis of CO₂ coupling to ethylene oxide or propylene oxide, **220**, 44

Impregnation

reductant–impregnation, Ni–B/SBA-15 catalyst prepared by, selective hydrogenation of 2-ethylanthraquinone, **220**, 254

successive, PtSn/ γ -Al₂O₃ catalysts prepared by, effect of La doping, **219**, 63

supported catalyst synthesis using aqueous chelated metal complexes, **216**, 257

vapor-phase, Pt/KL catalysts prepared by, aromatization of *n*-octane, **218**, 1

wet and wetness methods, Fe-doped silica preparation by, effects on physicochemical and catalytic properties, **219**, 146

Indene

enantioselective epoxidation with urea–H₂O₂ adduct as oxidant using chiral Mn(III) salen complexes, **219**, 1

Indenic compounds

and ethylbenzene, common reactive adsorbate in *n*-propylbenzene conversion over precoked Pt/SiO₂ catalyst, **218**, 411

Infrared spectroscopy, *see also* Diffuse reflectance infrared Fourier transform spectroscopy; Fourier transform infrared spectroscopy

BiO_x clusters occluded in ZSM-5 matrix, **219**, 337

effects of dissolved gases on cinchonidine adsorption onto Pt from solution, in situ study, **219**, 404

ITQ-2 acidity, **214**, 191

Ni chemical state role in structure–activity relations for Ni-containing zeolites during NO reduction, **218**, 375

NO reduction with ethanol on Pd–Mo/Al₂O₃ catalysts, **220**, 358

tungstophosphoric acid stability, **217**, 292

vinyl ether interactions with acid-modified silica-based catalyst, **219**, 425

Iodine

adsorption on basic zeolites, **216**, 396

effects on oxidative dehydrogenation of butane over nanocrystalline MgO, Al₂O₃, and VO_x/MgO catalysts, **218**, 438

Ion exchange

effect on catalytic properties of Ba-YFAU in plasma-assisted NO_x reduction, **220**, 291

Ionic liquid

imidazolium zinc tetrahalide, catalysis of CO₂ coupling to ethylene oxide or propylene oxide, **220**, 44

palladium complex catalyst system mediated by, oxidative carbonylation of amines, **219**, 372

supported ionic liquid-phase Rh catalysts, continuous fixed-bed gas-phase hydroformylation, **219**, 452

Iridium complexes

promoted catalysts, hydroformylation of 1-hexene, **215**, 326

Iron

binuclear complexes in over-exchanged Fe/ZSM5, reactivity, in situ XAFS study

heat treatment in He and O₂, **215**, 279

selective catalytic reduction of NO with isobutane, **218**, 163

centers in Fe-ZSM-5-based catalysts, structure and reactivity, role of Al, statistically based IR study, **215**, 264

evolution

in direct N₂O decomposition over steam-activated FeMFI zeolites, **214**, 33

during synthesis of over-exchanged Fe/ZSM5 obtained by chemical vapor deposition of FeCl₃, Fe, **213**, 251

extraframework Fe–Al–O species in MFI zeolite, as active species in benzene oxidation to phenol with N₂O, **220**, 260

Fe(III), single-site, on SBA-15, **216**, 265

Fe-based acid sites in H-ZSM-5, activity for *n*-hexane cracking, quantitation, **218**, 155

FeCo alloys supported by carbon, Ba-promoted, catalysis of NH₃ synthesis, **214**, 327

Fe–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47

Fischer–Tropsch synthesis catalysts, effect of activation method, SSITKA study at site level, **213**, 204

H-ZSM-5 with low content of, active sites for formation of surface oxygen by N₂O decomposition, **219**, 273

isolated sites in Fe-zeolites, identification by UV resonance Raman spectroscopy, **216**, 203

Pt–Fe alloy catalyst, (111) surface, adsorption of unsaturated aldehydes, density functional theory, **217**, 354

SiO₂ doped with, physicochemical and catalytic properties, effect of preparation and pretreatment methods, **219**, 146

SiO₂-supported catalysts, decomposition of acetylene in fluidized bed reactor, carbon nanotubes and nanofibers prepared by, characterization, **215**, 305

zeolites containing, surface chemistry of nitrous oxide decomposition, **219**, 456

Iron(III) chloride

chemical vapor deposition, over-exchanged Fe/ZSM-5 obtained by, evolution of Fe species during synthesis of, **213**, 251

Iron(III) oxide

SiO₂-supported catalysts, synthesis by impregnation and drying using aqueous chelated metal complexes, **216**, 257

Iron phosphate

MCM-41-supported catalyst for partial oxidation of methane to oxygenates with oxygen and nitrous oxide, **217**, 457

Isobutane

alkylation

with *n*-butene over liquid and solid acid catalysts, **216**, 313

with 2-butene over zeolites, deactivation pathways in, **220**, 192

conversion over H-mordenite and β -zeolite, kinetics, **218**, 88

dehydrogenation

over Cr catalysts supported on Al₂O₃ and ZrO₂/Al₂O₃, **220**, 309

over Cr(III) supported on aluminum nitride-surfaced alumina, **213**, 281

selective catalytic reduction of NO over over-exchanged Fe/ZSM5, reactivity of binuclear Fe complexes in, in situ XAFS study, **218**, 163

selective oxidation to methacrolein, antimony-rich catalysts for, combinatorial screening and conventional testing, **220**, 136

Isobutene

oxidative dehydrodimerization and aromatization on $\text{Bi}_2\text{O}_3\text{--SnO}_2$, kinetics, **214**, 284

Isobutyric acid

oxidative dehydrogenation by ammonium and cesium 1-vanado-11-molybdophosphate and ammonium 12-molybdosilicate catalysts, **220**, 172

 α -Isocinchonine

Pt/ Al_2O_3 modified by, enantioselective hydrogenation of ethyl pyruvate in acetic acid, **220**, 207

 β -Isocinchonine

Pt/ Al_2O_3 modified by, enantioselective hydrogenation of ethyl pyruvate in acetic acid, **220**, 207

Isocyanates

role in selective catalytic reduction of NO_x by ethanol over Ag/ Al_2O_3 catalysts, in situ FTIR study, **217**, 47

Isokinetic relationship

in H/D exchange of cyclopentane over supported Pt catalysts, **219**, 134

Isomerization

alkanes, classical kinetics, **216**, 89

n-butane

over aluminum-promoted tungstated zirconia, **215**, 45

over sulfated zirconia

active sites, **218**, 258

effect of mechanical stress, **217**, 487

mechanism, ^{13}C MAS NMR and ex situ GC-MS study, **220**, 233

surface deposits formed in, in situ UV–vis diffuse reflectance spectroscopic study, **218**, 365

1-butene

over basic X zeolites, **216**, 396

to isobutene over zeolites IM-5 and NU-88, **215**, 151

over $\text{TiO}_2\text{--SiO}_2$ materials, **220**, 240

n-decane over Pt/MCM-41/MgAPO-*n* composite catalysts, **217**, 388

dimethylnaphthalene isomers, shape-selective zeolite catalysts for, a priori selection, **217**, 298

hydrocarbons on metallic surfaces, electronic conditions for, **214**, 336

n-pentane

over solid acid catalysts, heteropolyacid, sulfated zirconia, and mordenite: dependence on hydrogen and Pt addition, **219**, 97

over sulfated zirconia, surface deposits formed in, in situ UV–vis diffuse reflectance spectroscopic study, **218**, 365

tungstated zirconia catalysts for, structure and properties, **216**, 353

2-pentene on H-ZSM-22, DFT study, **214**, 67

α -pinene over sulfated zirconia catalysts, reactivity, correlation with catalyst structure, **215**, 57

over solid base catalysts: synthesis of fine chemicals, **216**, 406

Isopropanol, *see* Isopropyl alcohol

Isopropyl alcohol

decomposition over iron-doped silica, effect of preparation and pretreatment methods, **219**, 146

dehydrogenation over Cu catalysts, **216**, 362

elimination reaction over Mg_yAlO_x catalysts, effect of catalyst chemical composition, **215**, 220

isopropylation of naphthalene over USY catalyst in high-pressure fixed-bed flow reactor, **220**, 265

Isopropylation

naphthalene by isopropyl alcohol over USY catalyst in high-pressure fixed-bed flow reactor, **220**, 265

Isopropyl naphthalene

disproportionation on zeolite catalysts, **220**, 13

Isotope exchange

hydrogen–deuterium, *see* Hydrogen–deuterium exchange

Isotope tracer studies

active sites on sulfated zirconia for *n*-butane isomerization, **218**, 258

effects of H_2 partial pressure on surface reactions during CO hydrogenation on Ru-promoted Co/ SiO_2 catalysts, **213**, 78

sulfidation state and hydrodesulfurization mechanism on Ru–Cs/ Al_2O_3 catalysts, **217**, 59

K

Keggin unit

role in reactivity of substrate-versatile catalyst for selective oxidation of light alkanes, **218**, 42

Kinetics

ammonia synthesis over Ru(0001) surface, density functional calculations, **220**, 273

anisole benzylation by benzoyl chloride over Cs-substituted dodecatungstophosphoric acid on K-10 clay, **217**, 88

carbazole hydrodenitrogenation over bulk molybdenum carbide, **218**, 24

catalytic activity patterns based on theoretical chemical descriptors, **216**, 63

classical, in catalytic reactions, **216**, 89

$\text{CO}+\text{O}_2/\text{Pt}$ reaction, oscillations on nm scale, simulation, **214**, 121

effect of activation method on Fe Fischer–Tropsch synthesis catalysts: SSITKA study at site level, **213**, 204

effects of H_2 partial pressure on surface reactions during CO hydrogenation on Ru-promoted Co/ SiO_2 catalysts, **213**, 78

free radicals in catalytic oxidation of light alkanes, **216**, 468

H/D exchange in cyclopentane, **214**, 153; **219**, 134

high-throughput transient, acceleration of catalyst development by, **216**, 135

isobutane conversion over H-mordenite and β -zeolite, **218**, 88

isopropanol dehydrogenation over Cu catalysts, **216**, 362

low-temperature SCR of NO with NH_3 over $\text{MnO}_x\text{--CeO}_2$ catalyst, **217**, 434

methanol carbonylation to dimethyl carbonate over Cu^+X zeolite catalyst, **217**, 396

methanol oxidation on supported Pd model catalysts, molecular beam and TR-IRAS studies, **213**, 176

nitric oxide dissociation on Pd and Rh surfaces, structure sensitivity, **213**, 211

nitric oxide reduction by CH_4 over $\text{La}_2\text{O}_3/\gamma\text{--Al}_2\text{O}_3$ catalyst, effects of CO_2 and H_2O , **214**, 292

oxidation of gaseous lean trichloroethylene on Pd/alumina catalysts, **214**, 130

oxidative conversion of propane over Li-promoted MgO catalysts, **218**, 296

oxidative coupling of methane: upper bound on yield, **218**, 321

oxidative dehydrodimerization and aromatization of isobutene on $\text{Bi}_2\text{O}_3\text{--SnO}_2$, **214**, 284

1-phenyl-1,2-propanedione hydrogenation over cinchonidine-modified Pt/ Al_2O_3 catalysts, **213**, 7

photocatalytic oxidation of acetone and ethanol over nanocrystalline TiO_2 , **219**, 219

pore mouth catalysis in hydroconversion of *n*-octane on Pt-H-ZSM-22, **220**, 399

reduction by CO of oxygen species strongly adsorbed on Pt/ Al_2O_3 catalysts, **220**, 3

selective CO oxidation in excess H_2 over nanostructured $\text{Cu}_{0.1}\text{Ce}_{0.9}\text{O}_{2-y}$ catalyst, **213**, 135

temporal analysis of products, **216**, 120

o-toluidine hydrodenitrogenation over fluorinated NiMoS/ Al_2O_3 and NiMoS/ASA catalysts, **217**, 284

water–gas shift reaction on Cu catalysts under realistic conditions for fuel cell applications, **217**, 233

Knight shift

silica-supported transition metal phosphide hydrodenitrogenation catalysts, **219**, 85

Knoevenagel condensation

over solid base catalysts: synthesis of fine chemicals, **216**, 406

Knowledge extraction

from high-throughput experimentation, in catalyst design, **216**, 98

L

La(Ba)Mn(In)O₃ perovskite oxide

catalysis of direct decomposition of NO into N₂ and O₂, **220**, 104

Lactonization

selective phthalide–skeleton synthesis by intramolecular Tishchenko reaction over solid base catalysts, **217**, 117

Lanthana, *see* Lanthanum oxide

Lanthanum

effect on PtSn/ γ -Al₂O₃ catalysts prepared by successive impregnation and controlled surface reaction, **219**, 63

La–Cr perovskite catalysts, combustion of soot, role of suprafacial oxygen, **217**, 367

Pd/Al₂O₃ catalysts stabilized by, combustion of methane, effect of doping with Ce, **215**, 78

Lanthanum oxide

γ -Al₂O₃-supported catalyst, selective catalytic reduction of NO by CH₄, kinetics, effects of CO₂ and H₂O, **214**, 292

mixed oxide catalysts with ceria

oxidation of carbon monoxide, **219**, 295

oxidation of methane, **219**, 286

surface segregation and solid state studies, **219**, 305

Laser ablation inductively coupled plasma mass spectrometry

Mn distribution in polystyrene beads prepared by copolymerization with cross-linking dendritic salens, **215**, 87

Layered double hydroxides

Mg–V–Al mesoporous mixed oxides prepared from, dehydrogenation of ethylbenzene to styrene under CO₂ flow, **218**, 104

transition metal anion-exchanged, as bioinspired model of vanadium bromoperoxidase, **216**, 288

Lead

underpotentially deposited on Au(111), electrocatalytic reduction of dioxygen, analysis by active site blocking strategy, **213**, 17

Lewis acid catalysts

electrophilic aromatic substitution, DFT study, **220**, 333

Sn(IV) centers grafted onto MCM-41, Baeyer–Villiger oxidation with H₂O₂, **219**, 242

solid, water-resistant, Meerwein–Ponndorf–Verley and Oppenauer reactions, **215**, 294

TiO₂–SiO₂ materials, properties, **220**, 240

Lewis acid sites

on active sulfated alumina catalysts obtained by hydrothermal treatment, **220**, 317

aluminum-promoted tungstated zirconia in isomerization of *n*-butane, **215**, 45

in zeolites, analysis: DFT study of electrophilic aromatic substitution, **220**, 333

Lithium

Li–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47

MgO catalysts promoted with, oxidative conversion of propane active site characterization and hydrocarbon activation, **218**, 307 kinetics and mechanism, **218**, 296

L-Lysine

redox-combined synthesis of L-pipecolic acid from, by suspended TiO₂ particles, effect of noble metal loading, **217**, 152

M

Magnesia, *see* Magnesium oxide

Magnesium

Mg–Al layered double hydroxides containing Ni, catalysts derived from, dry reforming of methane over, **213**, 191

Mg–V–Al mesoporous mixed oxides prepared from layered double hydroxides, dehydrogenation of ethylbenzene to styrene under CO₂ flow, **218**, 104

Rh/Al/Mg, stable catalyst for partial oxidation of methane, preparation and characterization, **217**, 245

Magnesium aluminum oxide

Mg₃AlO_x catalysts for alcohol elimination reactions, performance of, effect of chemical composition, **215**, 220

Magnesium dichloride

activators based on, for bis(phenoxy-imine) titanium complexes, catalysis of olefin polymerization, **215**, 171

Magnesium oxide

catalysis of heterogeneous synthesis of flavanone, effects of solvents, **214**, 136

Li-promoted catalysts, oxidative conversion of propane

active site characterization and hydrocarbon activation, **218**, 307

kinetics and mechanism, **218**, 296

nanocrystalline catalysts, oxidative dehydrogenation of butane in presence of iodine, **218**, 438

support of

MoO_x catalysts, selective oxidation of dimethyl ether to formaldehyde, structure and support effects, **217**, 222

Pd–Ni catalysts, methane decomposition into hydrogen and carbon nanofibers, **220**, 468

Rh catalysts, CO₂ reforming of propane, **216**, 377

[Ru₆C] clusters, structure kinetics, **216**, 165

VO_x nanocrystalline catalysts, oxidative dehydrogenation of butane in presence of iodine, **218**, 438

Magnetism

Co/SiO₂ catalysts, **220**, 146

Maleic acid

derivatives of, hydrogenation and hydrogenolysis, **218**, 419

Manganese

distribution in polystyrene beads prepared by copolymerization with cross-linking dendritic salens, **215**, 87

M–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47

promotion of Co/SBA-15 catalysts, effects on Fischer–Tropsch synthesis of hydrocarbons, **220**, 486

Manganese oxide

H-ZSM-5-supported catalysts, deep oxidation of dichloromethane and trichloroethylene at low temperature, **218**, 148

MnO_x–CeO₂ catalyst, low-temperature SCR of NO with NH₃, kinetics, **217**, 434

support of Cu catalysts prepared via spinel-type oxide, water–gas shift reaction for reformed fuels, **215**, 271

Manganese(III) salen complexes

chiral catalysts, enantioselective epoxidation of nonfunctionalized alkenes with urea–H₂O₂ adduct as oxidant, **219**, 1

Mass spectrometry

ESI-MS, α - and β -isocinchonine-modified Pt/Al₂O₃ in enantioselective hydrogenation of ethyl pyruvate in acetic acid, **220**, 207

MALDI-TOF-MS of zeolites deactivated in isobutane/butene alkylation, **220**, 192

Mn distribution in polystyrene beads prepared by copolymerization with cross-linking dendritic salens, **215**, 87

Mass-transport effects

partial oxidation of methane over Ru nanoparticles, **220**, 74

Matrix-assisted laser desorption ionization time-of-flight mass spectrometry

zeolites deactivated in isobutane/butene alkylation, **220**, 192

MCM-22

comparison to ITQ-2, IR study, **214**, 191

isopropylation of naphthalene by isopropyl alcohol in high-pressure fixed-bed flow reactor, **220**, 265

- selectivity for cyclopentanol formation in liquid-phase cyclopentene hydration, **213**, 272
- Ti-modified, support of Pd catalysts, propylene epoxidation by O₂ without hydrogen in methanol solvent, **220**, 513
- MCM-41
- chiral catalysts confined in pores of catalysis, **217**, 275
 - synthesis, **217**, 264
- Cr-MCM-41, prepared by direct hydrothermal synthesis and template-ion exchange, characterization and catalytic properties, **220**, 347
- fundamental perspectives, **216**, 12
- Lewis acidic Sn(IV) centers grafted onto, catalysis of Baeyer–Villiger oxidation with H₂O₂, **219**, 242
- Pt/MCM-41/MgAPO-*n* composite catalysts, isomerization and hydrocracking of *n*-decane, **217**, 388
- Si-MCM-41, support of Pt catalysts, selective catalytic reduction of NO in excess O₂, mechanism, **213**, 241
- support of
- iron phosphate catalyst for partial oxidation of methane to oxygenates with oxygen and nitrous oxide, **217**, 457
 - nickel oxide catalysts, synthesis by impregnation and drying using aqueous chelated metal complexes, **216**, 257
 - Pt catalysts, selectivity in hydrocracking reactions, parameters controlling, **217**, 376
 - Ru-promoted Co catalysts, surface reaction parameters during CO hydrogenation on, effect of H₂ partial pressure, **213**, 78
- Ti-MCM-41, catalysis of epoxidation
- effects of structural features, **214**, 242
 - reactive oxygen species in, **216**, 461
- V-MCM-41, isolated V sites in, identification by UV resonance Raman spectroscopy, **216**, 203
- Mechanical stress
- effects on activity and phase composition in sulfated zirconia catalysts, **217**, 487
- Meerwein–Ponndorf–Verley reduction
- catalysis by supported zirconium propoxide catalysts, **218**, 396
 - catalysis by tin-beta zeolite, **215**, 294
- Membrane reactors
- catalytic activity for methane combustion, effects of permeation regime, **218**, 457
 - dense ion-conducting catalytic membranes for, development, **216**, 135
 - for homogeneous catalysis in supercritical CO₂, **219**, 126
- Mesitylene
- solvent effects on heterogeneous synthesis of flavanone over MgO, **214**, 136
- Metal chelates
- aqueous, impregnation with, for synthesis of supported catalysts, **216**, 257
- Metal clusters
- electron microscopic imaging, **216**, 144
 - model catalyst working surface, imaging, **216**, 213
- Metal oxides
- surface chemistry and catalysis on well-defined surfaces: nanoscale design bases for single-site heterogeneous catalysts, **216**, 236
- Metal particles
- shapes and internal and surface structures, electron microscopic analysis, **216**, 144
- Metal single crystals
- model catalyst working surface, imaging, **216**, 213
- Metal–support interactions
- correlation with kinetics of neopentane hydrogenolysis, **216**, 178
 - double-layer approach to, **216**, 487
 - effects of oxygen-containing surface groups on hydrogenation of cinnamaldehyde over Ru/carbon nanofiber catalysts, **214**, 78
 - Pt/SiO₂ model catalyst, TEM, EELS, and EDXS studies, **219**, 434
 - support-induced compensation effects in H/D exchange of cyclopentane, **219**, 134
- Metathesis
- propene on monomeric Mo centers of molybdena–alumina catalysts, theoretical study, **220**, 23
- Methacrolein
- conversion to methacrylic acid over Cs_x(NH₄)_yH_zPMo₁₂O₄₀ and related heteropolyacids, in situ structural study, **213**, 235
- Methacrylic acid
- formation by methacrolein conversion over Cs_x(NH₄)_yH_zPMo₁₂O₄₀ and related heteropolyacids, in situ structural study, **213**, 235
- Methane
- combustion
 - activity of catalytic membranes for, effects of permeation regime, **218**, 457
 - over Ce-doped Pd catalysts, **215**, 78
 - on ceria–lanthana mixed oxide catalysts, **219**, 286
 - on Pt catalysts, C1 mechanism, **213**, 23
 - decomposition
 - into hydrogen and carbon nanofibers over Ni/SiO₂ catalysts, **217**, 79
 - over supported Pd–Ni catalysts, **220**, 468
 - over supported Ni catalysts, structural changes of Ni species during, **219**, 176
 - dehydroaromatization on Mo/HZSM-5 catalyst, promotional role of water added to methane feed, **220**, 57
 - direct conversion under nonoxidative conditions, **216**, 386
 - dry reforming over catalysts derived from Ni-containing Mg–Al layered double hydroxides, **213**, 191
 - equilibrium dissociative adsorption on Ni–YSZ cermet catalysts, carbon adspecies formed during, nature and binding strength, **217**, 324
 - interaction with V₂O₅, electronic theory, **216**, 416
 - oligomerization via microwave heating using Raney nickel catalyst, **218**, 201
 - oxidative coupling
 - over M–W–Mn/SiO₂ catalysts, role of surface WO₄ tetrahedron, **220**, 47
 - upper bound on yield for, **218**, 321
 - partial oxidation
 - on metallic Pd-containing catalysts, **215**, 14
 - with O₂ over Cr-MCM-41 prepared by direct hydrothermal synthesis and template-ion exchange, **220**, 347
 - to oxygenates with oxygen and nitrous oxide, MCM-41-supported iron phosphate catalysts for, **217**, 457
 - over Ru nanoparticles, relevance of catalyst morphology and oxidation state, **220**, 74
 - stable Rh catalyst for, preparation and characterization, **217**, 245
 - reduction of NO, Gd–Pd sol–gel catalyst deactivation by SO₂ during, surface species in, spectroscopic study, **217**, 1
 - selective catalytic reduction of NO
 - with In-ZSM-5 system, role of catalyst structure, **214**, 100
 - over La₂O₃/γ-Al₂O₃ catalyst, effects of CO₂ and H₂O, **214**, 292
 - selective catalytic reduction of NO_x
 - over Co-H-MFI and Co-H-FER zeolites, characterization and catalytic activity, **214**, 179
 - over CoZSM5 and PtCoZSM5: nature of Co species in zeolite, **217**, 186
- Methanol
- alkylation of toluene over basic X zeolites, **216**, 396
 - aqueous-phase reforming over Pt/Al₂O₃ catalysts, **215**, 344
 - carbonylation to dimethyl carbonate over Cu⁺X zeolite catalyst, kinetics, **217**, 396
 - conversion to hydrocarbons over zeolite H-MFI, coke formation in, UV Raman spectroscopic study, **213**, 39
 - decomposition on Pt-modified C/W(111) surfaces, **215**, 254

- dehydrogenation, model catalysts for, preparation and characterization, **216**, 223
- oxidation
- on iron-doped silica, effect of preparation and pretreatment methods, **219**, 146
 - on supported Pd model catalysts, kinetics, molecular beam and TR-IRAS studies, **213**, 176
 - on tantalum oxide-supported metal oxide catalysts, **217**, 468
- photocatalytic reforming on Pd/TiO₂ at metal-support interface, **217**, 427
- production of hydrogen over Cu/ZnO catalysts promoted by ZrO₂ and Al₂O₃, **219**, 389
- as solvent for epoxidation of propylene by O₂ without hydrogen over Pt/Ti-modified MCM-22 catalyst, **220**, 513
- synthesis
- catalysts for, CO vibrational frequencies on, DFT study, **213**, 63
 - over Cu/Al₂O₃ catalysts, impact of catalyst interaction with hydrogen, **215**, 188
 - Cu/ZnO/Al₂O₃ catalysts for, preparation by flame combustion synthesis, **218**, 67
 - over Cu/ZnO catalysts under high pressure, high-throughput screening, **216**, 110
 - heterogeneous catalysts for, in situ and operando studies, **216**, 155
- 4-Methoxybenzophenone
- formation by anisole benzylation by benzoyl chloride, Cs-substituted dodecatungstophosphoric acid on K-10 clay for, **217**, 88
- 4-Methoxy-6-methyl-2-pyrone
- enantioselective hydrogenation over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41
- 2-Methoxynaphthalene
- shape-selective acylation over polymorph C of Beta, **217**, 406
- 2-Methoxypropene
- interactions with acid-modified silica-based catalyst, ATR-IR spectroscopic study, **219**, 425
- o*-Methylaniline, *see o*-Toluidine
- Methylation
- benzene over Lewis acid catalysts, DFT study, **220**, 333
- N,N-Methylation
- selective, aniline over cocrystallized zeolites RHO and X and over Linde type L, **217**, 107
- Methyl bisulfate
- formation by partial oxidation of methane on metallic Pd-containing catalysts, **215**, 14
- Methyl orange
- photocatalytic degradation on Au/TiO₂ thin film catalysts, **220**, 127
- 2-Methylpentane
- cracking over fluidized cracking catalyst, study in temporal analysis of product reactor, **216**, 135
- 3-Methylpentane
- cracking over fluidized cracking catalyst, study in temporal analysis of product reactor, **216**, 135
 - reactions on H-mordenite at moderate temperatures in liquid and gas phases, effect of cyclic hydrocarbons, **219**, 186
- 4-Methylpentan-2-ol
- decomposition over active sulfated alumina catalysts obtained by hydrothermal treatment, **220**, 317
- Methyl phenyl diazoacetate
- Si-H insertion reaction with dimethylphenylsilane over chiral catalysts confined in porous hosts, **217**, 275
- Mg–Al layered double hydroxides
- Ni-containing, catalysts derived from, dry reforming of methane over, **213**, 191
- Michael addition
- titanosilicate activity for, under mild liquid-phase conditions, **220**, 326
- Michael condensation
- over solid base catalysts: synthesis of fine chemicals, **216**, 406
- Microcalorimetry
- carbon monoxide adsorption on Rh and Rh–Te catalysts, **217**, 209
 - ZnO effects on differential heat of adsorption of CO on Cu catalysts, **220**, 249
- Microcystins
- surface interaction and photocatalytic destruction on TiO₂, **213**, 109
- Microkinetic model
- ethylene epoxidation on Ag catalysts, construction from DFT calculations and surface science studies, **214**, 200
 - hydrogen interaction with Cu/Al₂O₃ catalysts, **215**, 188
- Microstructure
- bimodal mesoporous titania, effects of acidic and basic hydrolysis catalysts, **217**, 69
- Microwave heating
- oligomerization of methane using Raney nickel catalyst, **218**, 201
- Molecular beam studies
- kinetics of methanol oxidation on supported Pd model catalyst, **213**, 176
- Molecular competition
- in high-pressure liquid phase hydroconversion of heptane/nonane mixtures on Pt/H-Y zeolite catalyst, **220**, 66
- Molecular orbitals
- carbon-supported Pd catalysts, **214**, 53
- Molecular sieves
- isolated transition metal ions/oxides in, identification by UV resonance Raman spectroscopy, **216**, 203
 - shape selectivity, implications for catalyst development for petroleum and petrochemical industries, **216**, 32
- titanosilicate
- for carbon–carbon bond formation reactions, **220**, 326
 - catalysis of epoxidation reactions, reactive oxygen species in, **216**, 461
 - reactive oxo-titanium species in, EPR studies and structure–activity correlations, **217**, 160
- ZSM-22, pore mouth physisorption of alkanes, enthalpies and entropies of, estimation by additivity method, **218**, 135
- Molten salt
- supported catalysts for SO₂ oxidation, molecular structure, **215**, 139
- Molybdacyclobutane
- in mechanism of propene metathesis on monomeric Mo centers of molybdena–alumina catalysts, theoretical study, **220**, 23
- Molybdenum
- CoMo/Al₂O₃ model sulfide catalysts for hydrodesulfurization, effects of catalyst preparation technique, **217**, 12
 - CoMo/Al₂O₃–SiO₂ sulfided catalyst, hydrodesulfurization of 4,6-diethylbenzothiophene, inhibiting effects in, **219**, 442
 - CoMo hydrotreating catalysts, supported
 - sulfur tolerance, **215**, 353
 - synthesis by impregnation and drying using aqueous chelated metal complexes, **216**, 257
 - dimer on TiO₂(110) surfaces, polarization-dependent total-reflection fluorescence XAFS, **216**, 165
 - heterogeneous catalysts, operando studies and in situ characterization, **216**, 155
 - HZSM-5-supported catalysts, dehydroaromatization of methane under nonoxidative conditions, **216**, 386
 - promotional role of water added to methane feed, **220**, 57
 - isolated species on Al₂O₃, identification by UV resonance Raman spectroscopy, **216**, 203
 - monomeric Mo centers of molybdena–alumina catalysts, propene metathesis on, theoretical study, **220**, 23
 - Mo–V–Sb catalysts for selective oxidation, combinatorial screening and conventional testing, **220**, 136
- NiMo
- fluorinated and sulfided catalysts supported on Al₂O₃ or ASA, hydrodenitrogenation of *o*-toluidine, kinetics, **217**, 284
 - hydrotreating catalysts on various supports, sulfur tolerance, **215**, 353

- interaction with alumina and silica–alumina supports, MAS NMR, TPR, and TEM studies, **215**, 7
- Pd–Mo/Al₂O₃ catalysts, reduction of NO with ethanol, **220**, 358
- Molybdenum carbide
- bulk catalysts, hydrodenitrogenation of carbazole, kinetics, **218**, 24
- Molybdenum hexacarbonyl
- YZ-supported catalysts, intermediates during temperature-programmed decarbonylation, **216**, 165
- Molybdenum oxide
- Bi₂Mo₃O₁₂(010) surface, morphological evolution in air–H₂O atmospheres, **213**, 151
 - Mo–V–Sb–Nb oxides for selective propane oxidation to acrylic acid, bulk structure and catalytic properties, **215**, 108
 - supported MoO_x, selective oxidation of dimethyl ether to formaldehyde, structure and support effects, **217**, 222
- Molybdenum phosphide
- γ-Al₂O₃-supported hydroprocessing catalysts, synthesis, activity, and active sites, **218**, 78
 - SiO₂-supported hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85
- Molybdenum sulfide
- β-zeolite-supported catalysts of varying acidities, hydrogenation properties, **220**, 433
- Molybdenum trioxide
- molybdena–alumina catalysts, propene metathesis on monomeric Mo centers of, theoretical study, **220**, 23
 - tantalum oxide-supported catalysts, synthesis, Raman spectroscopy, and methanol oxidation, **217**, 468
- Molybdenum vanadium tungsten mixed oxide
- single-phase nanocrystalline catalyst of Mo₅O₁₄ type, synthesis and structure, **215**, 177
- Molybdophosphoric acid
- niobium-exchanged pyridine salt, selective oxidation of light alkanes catalyst characterization, **218**, 54
 - reactivity, **218**, 42
- Molybdovanadophosphoric acid
- niobium-exchanged pyridine salt, selective oxidation of light alkanes catalyst characterization, **218**, 54
 - reactivity, **218**, 42
- Monte Carlo simulation
- effect of oxide formation on bistability in CO oxidation on Pt catalysts, **220**, 478
 - kinetic, in active site analysis and design, **216**, 73
 - kinetic oscillations in CO+O₂/Pt reaction on nm scale, **214**, 121
- Montmorillonite
- metal cation-exchanged catalysts, protection of aromatic aldehydes with Ac₂O, **218**, 227
- Mordenite
- channel structures and acid properties, effects in liquid-phase *tert*-butylation of phenol, **218**, 249
 - cracking of thiophenic derivatives, periodic DFT study, **215**, 20
 - Ga/HMOR synthesized by chemical vapor deposition of trimethylgallium, characterization, **219**, 352
 - H-mordenite
 - isobutane conversion kinetics, **218**, 88
 - isopropylation of naphthalene by isopropyl alcohol in high-pressure fixed-bed flow reactor, **220**, 265
 - isopropyl naphthalene disproportionation, **220**, 13
 - reactions of hexane isomers at moderate temperatures in liquid and gas phases, effect of cyclic hydrocarbons, **219**, 186
 - n*-pentane isomerization, dependence on hydrogen and Pt addition, **219**, 97
- Mössbauer spectroscopy
- Pd–Sn/Al₂O₃ catalysts from colloidal oxide synthesis, **218**, 280
- Mustard gas
- simulant 2-chloro ethyl sulfide, photocatalytic gas-phase destruction of, **220**, 414
- ## N
- Nafion resin
- in silica, nanocomposite catalysts, synthesis of 7-hydroxycoumarins, **218**, 315
- Nanocatalysts
- Al₂O₃, oxidative dehydrogenation of butane in presence of iodine, **218**, 438
 - Au/TiO₂ thin films for degradation of azo dyes, characterization and photocatalytic activity, **220**, 127
 - ceria/zirconia prepared by flame-spray synthesis, structural properties and dynamic oxygen exchange capacity, **220**, 35
 - Cu_{0.1}Ce_{0.9}O_{2–y}, selective CO oxidation, kinetics, **213**, 135
 - Cu/ZnO/Al₂O₃ catalysts for methanol synthesis, flame combustion synthesis, **218**, 67
 - electron microscopy, **216**, 144
 - MgO, oxidative dehydrogenation of butane in presence of iodine, **218**, 438
 - MoVW single-phase mixed-oxide catalyst of Mo₅O₁₄ type, synthesis and structure, **215**, 177
 - for NO_x storage–reduction and N₂O decomposition, **216**, 443
 - Pd in hydrotalcite, as mild and highly selective catalysts for alkyne semi-hydrogenation, **220**, 372
 - Pt, truncated octahedral particles supported on alumina, hydrogenation of propene, **214**, 1
 - Ru, morphology and oxidation state, relevance in partial oxidation of methane, **220**, 74
 - Ru/SiO₂, comparison to Ru(II) single sites immobilized on SiO₂ in hydrogenation of hetero- and polyaromatics, **213**, 47
 - TiO₂, photocatalytic activity
 - effects of surface properties, **219**, 107
 - oxidation of acetone and ethanol, dynamic phenomena during, **219**, 219 - TiO₂ monodispersed particles on mesoporous silica, synthesis, characterization, and liquid-phase oxidation activity, **217**, 343
 - VO_x/MgO, oxidative dehydrogenation of butane in presence of iodine, **218**, 438
 - zeolites, potential of, **216**, 298
- Nanocomposite catalysts
- Nafion resin/silica, synthesis of 7-hydroxycoumarins, **218**, 315
- Nanofabrication
- Pt/alumina and Pt/ceria catalysts by colloidal lithography, **215**, 94
- Nanofibers
- formation by methane decomposition
 - over Ni/SiO₂ catalysts, **217**, 79
 - over supported Pd–Ni catalysts, **220**, 468 - preparation, characterization, and applications, **216**, 333
 - prepared by catalytic decomposition of acetylene in fluidized bed reactor, characterization, **215**, 305
 - support of Ru catalysts, hydrogenation of cinnamaldehyde, effects of oxygen-containing surface groups, **214**, 78
- Nanotubes
- preparation, characterization, and applications, **216**, 333
 - prepared by catalytic decomposition of acetylene in fluidized bed reactor, characterization, **215**, 305
- Naphthalene
- alkylation to 2,6-dimethylnaphthalene, shape-selective zeolite catalysts for, *a priori* selection, **217**, 298
 - isopropylation by isopropyl alcohol over USY catalyst in high-pressure fixed-bed flow reactor, **220**, 265

NASICON

Pt films deposited on, selective catalytic reduction of NO by propene, NEMCA in, **217**, 203

Natural gas

catalysis related to, present status and future trends, **216**, 47

Near-edge X-ray absorption fine structure

zinc glutarate surface properties and reactivity with CO₂ and propylene oxide, **218**, 386

Negative differential resistance

in tunneling spectra of nanoscale oxide clusters, **216**, 236

Neopentane

hydrogenolysis, compensation relation in, analysis with in situ X-ray absorption spectroscopy, **216**, 178

Neutron diffraction

Rh/Al/Mg catalyst for partial oxidation of methane, **217**, 245

Nickel

Al₂O₃-supported catalysts, methane decomposition and gasification of deposited carbon with CO₂, structural changes of Ni species during, **219**, 176

complex with 1,2-diiminophosphorane, immobilized in 1-*n*-butyl-3-methylimidazolium organochloroaluminate, biphasic oligomerization of ethylene, **219**, 59

CoNiAl ternary hydrotalcites, phenol hydroxylation, synergistic effect in, **220**, 161

Mg–Al layered double hydroxides with, catalysts derived from, dry reforming of methane over, **213**, 191

Ni²⁺, in framework of high-silica zeolites with broad range of Si/Al ratios, localization by low-temperature H₂ adsorption, **216**, 192

Ni(100) surface, initial steps in thiophene desulfurization on, DFT study, **214**, 234

NiAl(110), Al₂O₃ grown on, support of Pd catalysts, kinetics of methanol oxidation on, molecular beam and TR-IRAS studies, **213**, 176

NiMo

fluorinated and sulfided catalysts supported on Al₂O₃ or ASA, hydrodenitrogenation of *o*-toluidine, kinetics, **217**, 284

hydrotreating catalysts on various supports, sulfur tolerance, **215**, 353
interaction with alumina and silica–alumina supports, MAS NMR, TPR, and TEM studies, **215**, 7

Ni–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47

NiW/SiO₂–Al₂O₃ sulfided catalysts, hydrocracking of *n*-decane, mechanisms, **218**, 427

NiW/Zr-doped mesoporous silica catalysts, hydrogenation and ring opening of tetralin, effects of preparation method and sulfur poisoning, **220**, 457

Ni–YSZ cermet catalysts, equilibrium dissociative adsorption of CH₄, carbon adspecies formed during, nature and binding strength, **217**, 324

Pd–Ni, supported catalysts, methane decomposition into hydrogen and carbon nanofibers, **220**, 468

promotion of SBA-15 with high loading of short WS₂ slabs, **213**, 163

Raney nickel catalyst, oligomerization of methane via microwave heating, **218**, 201

SiO₂-supported catalysts

methane decomposition and gasification of deposited carbon with CO₂, structural changes of Ni species during, **219**, 176

methane decomposition into hydrogen and carbon nanofiber, **217**, 79

steam-reforming catalysts, sintering of, **217**, 417

TiO₂-supported catalysts, methane decomposition and gasification of deposited carbon with CO₂, structural changes of Ni species during, **219**, 176

zeolites containing, structure–activity relations during NO reduction

influence of acid sites, **218**, 348

role of Ni chemical state, **218**, 375

Nickel boride

SBA-15-supported catalyst prepared by reductant–impregnation method, selective hydrogenation of 2-ethylantraquinone, **220**, 254

Nickel(α -diimine)

catalyst for olefin polymerization, XAS study, **214**, 165

Nickel molybdenum phosphide

SiO₂-supported hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85

Nickel oxide

MCM-41-supported catalysts, synthesis by impregnation and drying using aqueous chelated metal complexes, **216**, 257

Nickel phosphide

SiO₂-supported catalysts, hydrodesulfurization of thiophene, **215**, 208

Nicotinic acid

formation by vapor-phase oxidation of 3-picoline over CrV_{1–x}P_xO₄ crystalline catalysts, **218**, 32

Niobium

molybdo(vanado)phosphoric acid exchanged with, selective oxidation of light alkanes

catalyst characterization, **218**, 54

reactivity, **218**, 42

Niobium oxide

Mo–V–Sb–Nb oxides for selective propane oxidation to acrylic acid, bulk structure and catalytic properties, **215**, 108

Niobium pentoxide

tantalum oxide-supported catalysts, synthesis, Raman spectroscopy, and methanol oxidation, **217**, 468

Nitrate

reduction with water over Pd- and Pt-based catalysts, effect of Cu, Ag, or Au addition, **220**, 182

Nitration

zeolite BEA suitability as *para*-selective catalyst for, factors determining, **219**, 231

Nitric acid

effects on photocatalytic activity and microstructures of bimodal mesoporous titania, **217**, 69

Nitric oxide

adsorption

on cobalt–ferrierite, effect of local framework heterogeneity, **219**, 117

on promoted Ag/ α -Al₂O₃ catalysts, **217**, 442

decomposition

assisted, by hydrocarbon in excess of dioxygen, classical kinetics, **216**, 89

over Cu-ZSM-5 zeolite, operando optical fiber UV–vis spectroscopic study, **220**, 500

direct decomposition

effects of surface structure of supported Pd catalysts, **218**, 405

into N₂ and O₂ over La(Ba)Mn(In)O₃ perovskite oxide, **220**, 104

dissociation on Pd and Rh surfaces, structure sensitivity, **213**, 211

effect on CO oxidation over CuO/CeZrO₄ catalysts, **214**, 261

elimination reaction over PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts, **214**, 220

reduction

by ethanol on Pd–Mo/Al₂O₃ catalysts, **220**, 358

by methane, Gd–Pd sol–gel catalyst deactivation by SO₂ during, surface species in, spectroscopic study, **217**, 1

selective catalytic reduction

by ammonia

low-temperature reaction over MnO_x–CeO₂ catalyst, kinetics, **217**, 434

over vanadium oxide catalysts, mechanistic aspects of, density functional theory study, **213**, 115

over V₂O₅/AC catalysts at low temperatures, formation and reaction of ammonium sulfate salts during, **214**, 213

over V₂O₅–TiO₂–SiO₂ mesoporous catalysts, **217**, 172

in excess O₂ over Pt/Si-MCM-41 catalyst, mechanism, **213**, 241

- by isobutane over over-exchanged Fe/ZSM5, reactivity of binuclear Fe complexes in, in situ XAFS study, **218**, 163
- by methane
- with In-ZSM-5 system, role of catalyst structure, **214**, 100
 - over $\text{La}_2\text{O}_3/\gamma\text{-Al}_2\text{O}_3$ catalyst, effects of CO_2 and H_2O , **214**, 292
 - over Ni-containing zeolites, structure–activity relations
 - influence of acid sites, **218**, 348
 - role of Ni chemical state, **218**, 375
- by octane over $\text{Ag}/\text{Al}_2\text{O}_3$ catalyst in oxygen-rich exhaust gases, **219**, 25
- by propane and propene over $\text{Pt}/\gamma\text{-Al}_2\text{O}_3$ catalysts, effect of Na addition, **219**, 247
- by propene on Pt films deposited on NASICON, non-Faradaic electrochemical modification of catalytic activity in, **217**, 203
- Nitrobenzene
- solvent effects on heterogeneous synthesis of flavanone over MgO , **214**, 136
- Nitrogen
- dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404
 - formation by direct decomposition of NO over over $\text{La}(\text{Ba})\text{Mn}(\text{In})\text{O}_3$ perovskite oxide, **220**, 104
- Nitrogen monoxide, *see* Nitric oxide
- Nitrogen oxides
- adsorption and surface reaction on commercial storage–reduction catalyst, **214**, 308
 - decomposition and selective catalytic reduction over transition metal ion zeolites, **216**, 324
 - in diesel exhausts, abatement: adsorption on $\text{Co}, \text{Ba}, \text{K}/\text{CeO}_2$ catalysts, **220**, 424
 - nonthermal plasma-assisted reduction over Ba-YFAU , effect of catalyst preparation, **220**, 291
 - selective catalytic reduction
 - by ammonia over zeolite H-ZSM-5, effect of transient NH_3 supply, **218**, 354
 - by ethanol on $\text{Ag}/\text{Al}_2\text{O}_3$ catalysts, in situ FTIR study: role of isocyanate species, **217**, 47
 - in lean-burn engine exhausts, by coupling catalysis to electrochemistry, **217**, 203
 - by methane
 - over Co-H-MFI and Co-H-FER zeolites, characterization and catalytic activity, **214**, 179
 - over CoZSM5 and PtCoZSM5: nature of Co species in zeolite, **217**, 186 - NO adsorption in, on Co-ferrierite, effect of local framework heterogeneity, **219**, 117
 - by propylene
 - under lean conditions in presence of water, active silver species in, **217**, 310
 - over Pt-beta catalysts, structure sensitivity, **218**, 111 - storage catalysts for, deactivation by sulfur, effects of exposure conditions and noble metal, **217**, 253
 - storage–reduction, nanostructured catalysts for, **216**, 443
- 4-Nitrophenol
- photocatalytic degradation with polycrystalline TiO_2 impregnated with functionalized $\text{Cu}(\text{II})$ –porphyrin or $\text{Cu}(\text{II})$ –phthalocyanine, **217**, 334
- 2-Nitrotoluene
- nitration with acetyl nitrate, zeolite BEA as *para*-selective catalyst for, **219**, 231
- Nitrous oxide
- conversion over FeMFI zeolites, active site structure sensitivity in, **218**, 234
 - decomposition
 - CuAPSO-34 microporous catalysts for, hydrothermal stability, comparison with CuZSM-5, **217**, 100
 - over Cu-ZSM-5 zeolite, operando optical fiber UV–vis spectroscopic study, **220**, 500
 - over Fe-containing zeolites, surface chemistry, **219**, 456
 - formation of surface oxygen on H-ZSM-5 with low Fe content, active sites for, **219**, 273
 - nanostructured catalysts for, **216**, 443
- direct decomposition over steam-activated FeMFI zeolites, **214**, 33
- hydroxylation of benzene to phenol, Fe-MFI catalysts for, activity and deactivation, **214**, 169
- oxidation of benzene to phenol over MFI zeolite, extraframework Fe–Al–O species as active species in, **220**, 260
- and oxygen
- partial oxidation of methane to oxygenates, MCM-41-supported iron phosphate catalysts for, **217**, 457
 - selective oxidations with, transition metal zeolites for, **216**, 298
- reduction
- by C_2H_4 over Fe-ZSM-5: formation and nature of carbonaceous deposits and effects of O_2 addition, **218**, 220
 - by H_2 and CO on supported Au catalysts, **219**, 197
- Nonane
- mixed with heptane, high-pressure liquid phase hydroconversion on Pt/H-Y zeolite catalyst, **220**, 66
- 2-Nonenal
- formation by aldol condensation of acetaldehyde and heptanal on hydrotalcite-type catalysts, **219**, 167
- Non-Faradaic electrochemical modification of catalytic activity
- noble metal electrodes on yttria-stabilized zirconia, **216**, 12
 - in selective catalytic reduction of NO by propene on Pt films deposited on NASICON, **217**, 203
- Nuclear magnetic resonance
- n*-butane conversion on sulfated zirconia, **220**, 233
- Ga/HZSM-5 and Ga/HMOR synthesized by chemical vapor deposition of trimethylgallium, **219**, 352
- heterogenized $\text{HRh}(\text{CO})(\text{PPh}_3)_3$ tethered to zeolite Y support by phosphotungstic acid, **213**, 73
- Mo/HZSM-5 catalyst during dehydroaromatization of methane in presence of water, **220**, 57
- Ni chemical state role in structure–activity relations for Ni-containing zeolites during NO reduction, **218**, 375
- NiMo interaction with alumina and silica–alumina supports, **215**, 7
- pulsed field gradient, ammonia self-diffusivity dependence on loading in H-ZSM-5, **213**, 321
- shape selectivity studies, **216**, 32
- silica-supported transition metal phosphide hydrodenitrogenation catalysts, **219**, 85
- transition metal phosphide catalysts for advanced hydroprocessing, **216**, 343
- zeolite beta optimized by steaming and acid leaching for acylation of anisole with octanoic acid, **218**, 239
- zinc glutarates prepared from zinc sources, **218**, 209
- Nucleation
- spontaneous, β zeolite synthesized in fluoride medium for asymmetric hydrogenation, **219**, 74
- O**
- n*-Octane
- aromatization on Pt/KL catalyst prepared by vapor-phase impregnation, **218**, 1
 - cracking over zeolites IM-5 and NU-88, **215**, 151
 - hydroconversion on Pt-H-ZSM-22, pore mouth catalysis in, kinetic modeling, **220**, 399
 - hydrocracking and hydroisomerization over Pt/HY zeolites, analysis with reactors of different configurations, **218**, 12
 - selective catalytic reduction of nitric oxide over $\text{Ag}/\text{Al}_2\text{O}_3$ catalyst in oxygen-rich exhaust gases, **219**, 25

- Octanoic acid
acylation of anisole over zeolite beta optimized by steaming and acid leaching: structure–activity relation, **218**, 239
- 1-Octene
epoxidation, Ti-supported amorphous silica catalysts for, synthesis of, effect of solvent, **217**, 195
- 4-Octyne
semihydrogenation over Pd nanoparticles in hydrotalcite, **220**, 372
- Oil refining
zeolite applications, **216**, 298
- Olefins
oxidation by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460
polymerization
with catalysts comprised of bis(phenoxy-imine) titanium complexes and MgCl₂-based activators, **215**, 171
nickel(α -diimine) catalyst for, XAS study, **214**, 165
- α -Olefins
linear, low-carbon, formation by ethylene oligomerization over salen-type zirconium complexes, **220**, 392
- Oligomerization
biphasic, ethylene with Ni–1,2-diiminophosphorane complexes immobilized in 1-*n*-butyl-3-methylimidazolium organochloroaluminate, **219**, 59
ethylene to low-carbon linear α -olefins by salen-type zirconium complexes, **220**, 392
methane via microwave heating using Raney nickel catalyst, **218**, 201
- ONIOM method
analysis of adsorption of ethylene, benzene, and ethylbenzene on faujasite zeolites, **219**, 320
- Operando studies
heterogeneous catalysts, **216**, 155
NO and N₂O decomposition over Cu-ZSM-5 zeolite, **220**, 500
- Oppenauer reactions
catalysis by tin-beta zeolite, **215**, 294
- Optical purity
L-pipecolinic acid prepared from L-lysine by photocatalytic redox-combined synthesis by suspended TiO₂ particles, effect of noble metal loading, **217**, 152
- Organosulfonic acid
mesoporous silicas functionalized with, for esterification of fatty acid, **219**, 329
- Oxidation
acrolein, partial oxidation to acrylic acid over MoVW single-phase nanocrystalline mixed-oxide catalyst of Mo₅O₁₄ type, **215**, 177
antimony-rich catalysts selective for, combinatorial screening and conventional testing, **220**, 136
aromatic air contaminants, photocatalysts for, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38
benzene
over Fe-ZSM-5, density functional theory study, **220**, 84
to phenol with N₂O over MFI zeolite, extraframework Fe–Al–O species as active species in, **220**, 260
butyl acetate, photocatalytic reaction in vapor phase on TiO₂, Pt/TiO₂ and WO₃/TiO₂, **215**, 129
carbon monoxide
active sites for, elucidation and design, **216**, 73
on ceria–lanthana mixed oxide catalysts, **219**, 295
over CuO/CeZrO₄ catalysts, effect of NO, **214**, 261
at low temperature, supported Au catalysts for, **216**, 425
noncatalytic reaction and catalysis by Au/TiO₂, **219**, 17
by O₂ on supported Au catalysts, **219**, 197
on Pt(110), surface reactivity in, local manipulation, **216**, 246
on Pt/Al₂O₃ catalyst, surface elementary steps: kinetics of reduction of strongly adsorbed oxygen species by CO, **220**, 3
on Pt/alumina and Pt/ceria catalysts prepared by colloidal lithography, **215**, 94
on Pt catalysts
bistability in, effect of oxide formation, **220**, 478
kinetic oscillations on nm scale, simulation, **214**, 121
on Pt/SiO₂ catalysts, effect of crystallite size, in situ FTIR, EXAFS, and activity studies, **220**, 382
catalysis by ammonium and cesium 1-vanado-11-molybdophosphate and ammonium 12-molybdosilicate, **220**, 172
catalysis of, electronic theory, **216**, 416
CeO₂ support of Rh catalysts, by steam: reduced center characterization by H₂ formation, **213**, 226
chlorinated hydrocarbons over Pt zeolite catalysts: mechanism of dichloromethane transformation over PtNaY, **215**, 234
cinnamyl alcohol in organic solvent over Pd/Al₂O₃ catalysts, in situ EXAFS study, **213**, 291
dichloromethane at low temperature by H-ZSM-5-supported manganese oxide catalysts, **218**, 148
gaseous lean trichloroethylene on Pd/alumina catalysts, reaction pathway and kinetic mechanism, **214**, 130
higher hydrocarbons, catalytic partial oxidation at millisecond contact times, **215**, 332
hydrocarbons
by direct electrochemical approach, SOFC anodes for, **216**, 477
in liquid phase, catalysis by BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
hydrogen by O₂ on supported Au catalysts, **219**, 197
light alkanes
catalytic reactions, free radicals in, kinetic and thermochemical aspects, **216**, 468
selective reaction, substrate-versatile catalyst for catalyst characterization, **218**, 54
reactivity, **218**, 42
liquid-phase, by nanometric monodispersed TiO₂ particles on mesoporous silica, **217**, 343
methane
over Ce-doped Pd catalysts, **215**, 78
over ceria–lanthana mixed oxide catalysts, **219**, 286
partial oxidation
on metallic Pd-containing catalysts, **215**, 14
with O₂ over Cr-MCM-41 prepared by direct hydrothermal synthesis and template-ion exchange, **220**, 347
to oxygenates with oxygen and nitrous oxide, MCM-41-supported iron phosphate catalysts for, **217**, 457
over Ru nanoparticles, relevance of catalyst morphology and oxidation state, **220**, 74
stable Rh catalyst for, preparation and characterization, **217**, 245
over Pt catalysts, C1 mechanism, **213**, 23
methanol
over iron-doped silica, effect of preparation and pretreatment methods, **219**, 146
over supported Pd model catalysts, kinetics, molecular beam and TR-IRAS studies, **213**, 176
over tantalum oxide-supported metal oxide catalysts, **217**, 468
olefins and alcohols by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460
3-picoline in vapor phase over CrV_{1-x}P_xO₄ crystalline catalysts, **218**, 32
propane to acrylic acid, Mo–V–Sb–Nb oxides for, bulk structure and catalytic properties, **215**, 108
Re/ γ -Al₂O₃ low-loaded catalyst, **219**, 362
selective
catalysis on well-defined oxide surfaces, **216**, 236
dimethyl ether to formaldehyde, catalysis by MoO_x domains, structure and support effects, **217**, 222

- heterogeneous catalysts for, design and synthesis by thermolytic molecular precursor method, **216**, 265
- with N_2O and oxygen, transition metal zeolites for, **216**, 298
- over solid base catalysts: synthesis of fine chemicals, **216**, 406
- sulfur dioxide, supported molten salt catalysts for, molecular structure, **215**, 139
- trichloroethylene at low temperature by H-ZSM-5-supported manganese oxide catalysts, **218**, 148
- Oxidation state**
- Ru nanoparticles, relevance in partial oxidation of methane, **220**, 74
- Oxidative carbonylation**
- amines over ionic liquid-mediated palladium complex catalyst system, **219**, 372
- phenols over Pd/C and Cu_2O catalysts, nature and role of Pd active states in, **218**, 334
- Oxidative coupling**
- methane, upper bound on yield for, **218**, 321
- methane over $M\text{--}W\text{--}Mn/\text{SiO}_2$ catalysts, role of surface WO_4 tetrahedron, **220**, 47
- Oxidative dehydrodimerization**
- isobutene on $\text{Bi}_2\text{O}_3\text{--SnO}_2$, kinetics, **214**, 284
- Oxidative dehydrogenation**
- butane over nanocrystalline MgO , Al_2O_3 , and VO_x/MgO catalysts in presence of iodine, **218**, 438
- cinnamyl alcohol in organic solvent over Pd/ Al_2O_3 catalysts, in situ EXAFS study, **213**, 291
- ethane
- over Pt/ Al_2O_3 catalysts at low temperature, **219**, 206
- zeolites as supports in, evaluation, **216**, 135
- isobutyric acid by ammonium and cesium 1-vanado-11-molybdophosphate and ammonium 12-molybdosilicate catalysts, **220**, 172
- propane
- Cr/Si/Al/O and Cr/Si/Zr/O catalysts for, thermolytic molecular precursor routes to, **218**, 123
- over Li-promoted MgO catalysts
- active site characterization and hydrocarbon activation, **218**, 307
- kinetics and mechanism, **218**, 296
- over strontium hydroxyapatite catalysts, enhancement by Co incorporation into catalyst, **214**, 8
- thermolytic molecular precursor-derived catalysts for, **216**, 265
- over V-Si-O cogels, selectivity to propylene, enhancement by operation under cyclic conditions, **213**, 95
- Oxo-titanium species**
- reactive, in titanosilicate molecular sieves, EPR studies and structure-activity correlations, **217**, 160
- Oxygen**
- activation of NH_3 dissociation on Pt sponge, analysis by positron emission profiling, **219**, 156
- C-O bonds in surface species derived from ethanol on Pt(111), cleavage of, DFT studies, **218**, 178
- dissolved, effects on adsorption of cinchonidine from solution onto Pt, in situ IR study, **219**, 404
- effects on formation and nature of carbonaceous deposits in catalytic reduction of N_2O by C_2H_4 over Fe-ZSM-5, **218**, 220
- electrocatalytic dioxygen reduction on underpotentially deposited Pb on Au(111), analysis by active site blocking strategy, **213**, 17
- epoxidation of propylene without hydrogen over catalyst system containing Pd, Ti-modified MCM-22, and methanol, **220**, 513
- exhaust gases rich in, selective catalytic reduction of NO with octane in, catalysis by Ag/ Al_2O_3 , **219**, 25
- formation
- by direct decomposition of NO over La(Ba)Mn(In) O_3 perovskite oxide, **220**, 104
- by N_2O decomposition on surface of H-ZSM-5 with low Fe content, active sites for, **219**, 273
- and H_2 , direct formation of H_2O_2
- over colloidal Pd catalysts, **214**, 113
- over colloidal or supported Pd catalysts, **216**, 455
- and nitrous oxide
- partial oxidation of methane to oxygenates, MCM-41-supported iron phosphate catalysts for, **217**, 457
- selective oxidations with, transition metal zeolites for, **216**, 298
- over-exchanged Fe/ZSM5 heat treated in, structure, in situ XAFS spectroscopic study, **215**, 279
- oxidation of olefins and alcohols under air pressure over $\text{Cu}_2(\text{OH})\text{PO}_4$ and $\text{Cu}_4\text{O}(\text{PO}_4)_2$ catalysts, **218**, 460
- partial oxidation of methane over Cr-MCM-41 prepared by direct hydrothermal synthesis and template-ion exchange, **220**, 347
- photoepoxidation of propene, highly dispersed zinc oxide species on silica as active sites for, **220**, 226
- reaction with CO and H_2 on supported Au catalysts, **219**, 197
- sorption on Re/ $\gamma\text{--Al}_2\text{O}_3$ low-loaded catalyst, **219**, 362
- strongly adsorbed species, reduction by CO on Pt/ Al_2O_3 catalyst, kinetic study, **220**, 3
- suprafacial, role in catalytic combustion of soot over perovskite catalysts, **217**, 367
- surface groups containing, effects on carbon nanofiber-supported Ru catalysts in hydrogenation of cinnamaldehyde, **214**, 78
- Oxygen exchange capacity**
- dynamic, ceria/zirconia nanocrystals prepared by flame-spray synthesis, **220**, 35
- Oxygen radical anion**
- atomic, emission from Y_2O_3 -stabilized ZrO_2 electrolyte, features and mechanism, **215**, 1
- Oxygen storage capacity**
- measured by CO pulse transient experiments over Pd/ CeO_2 catalyst, mathematical modeling, **219**, 259
- role in automotive exhaust catalysis, **216**, 433

P

Palladium

- active sites, first principles elucidation and design, **216**, 73
- $\text{Al}_2\text{O}_3\text{--NiAl(110)}$ -supported catalysts, kinetics of methanol oxidation on, molecular beam and TR-IRAS studies, **213**, 176
- Al_2O_3 -supported catalysts
- aerobic oxidation of cinnamyl alcohol in organic solvent, in situ EXAFS study, **213**, 291
- cinchonidine-modified, asymmetric hydrogenation of furan carboxylic acids, **219**, 52
- combustion of methane, effect of doping with Ce, **215**, 78
- oxidation of gaseous lean trichloroethylene, reaction pathway and kinetic mechanism, **214**, 130
- surface structure, effects on activity for direct decomposition of NO, **218**, 405
- Au/Pd catalysts, hydrosulfurization of model compounds, synergistic effect of Au during, **215**, 317
- automotive exhaust catalysis, **216**, 433
- bimetallic catalysts, reduction of nitrate with water, effect of Cu, Ag, or Au addition, **220**, 182
- carbon-supported catalysts
- molecular orbital study, **214**, 53
- oxidative carbonylation of phenols, nature and role of Pd active states in, **218**, 334
- catalysis of direct formation of H_2O_2 from H_2 and O_2 , **216**, 455
- Ce-doped catalysts, combustion of methane, **215**, 78
- CeO_2 -supported catalysts, oxygen storage capacity measured by CO pulse transient experiments, mathematical modeling, **219**, 259
- charcoal-supported catalysts, diastereoselective hydrogenation of tricyclic α,β -dehydrodiptide, **217**, 240

- colloidal, catalysis of direct formation of H_2O_2 from H_2 and O_2 , **214**, 113
- Gd–Pd sol–gel catalysts, deactivation by SO_2 in NO reduction with CH_4 , surface species in, spectroscopic study, **217**, 1
- ionic liquid-mediated Pd complex catalyst system, oxidative carbonylation of amines, **219**, 372
- loading onto suspended TiO_2 particles, effect on redox-combined synthesis of L-pipecolic acid from L-lysine, **217**, 152
- metallic, catalytic system containing, partial oxidation of methane, **215**, 14
- nanoparticles in hydrotalcite, as mild and highly selective catalysts for alkyne semihydrogenation, **220**, 372
- NO dissociation on, surface structure sensitivity, **213**, 211
- PdAg sol–gel catalysts for selective hydrodechlorination of 1,2-dichloroethane into ethylene, deactivation mechanism and regeneration, **220**, 215
- PdAu, active sites, first principles elucidation and design, **216**, 73
- PdCr/ Al_2O_3 and PdCr/(Ce,Zr) O_x / Al_2O_3 catalysts for CO and NO elimination, behavior, **214**, 220
- Pd–Mo/ Al_2O_3 catalysts, reduction of NO with ethanol, **220**, 358
- Pd–Ni, supported catalysts, methane decomposition into hydrogen and carbon nanofibers, **220**, 468
- Pd–Sn/ Al_2O_3 catalysts from colloidal oxide synthesis preparation, **218**, 280
- surface properties and selective hydrogenation of buta-1,3-diene, **218**, 288
- SiO_2 -supported catalysts, transformation into palladium silicide during reduction at 450 and 500 °C, **220**, 299
- on thermo-conductor or oxide supports, hydrogenation of 1,3-butadiene, comparison, **214**, 26
- Ti-modified MCM-22-supported catalyst, propylene epoxidation by O_2 without hydrogen in methanol solvent, **220**, 513
- TiO_2 -supported catalysts
- enantioselective hydrogenation of 2-pyrones, reaction mechanisms, **219**, 41
 - photocatalytic reforming of methanol at metal–support interface, **217**, 427
- Palladium silicide
- formation during reduction of Pd/ SiO_2 catalysts at 450 and 500 °C, **220**, 299
- Paraffins
- branched, production and adsorption in *n*-hexadecane hydroconversion: shape selectivity through entropy, **214**, 88
 - C6–C9, cracking of, shape selectivity, **216**, 32
- Paraformaldehyde
- Friedel–Crafts hydroxyalkylation of anisole catalyzed by zeolites in supercritical CO_2 , **219**, 464
- Parallel reactor
- high-throughput screening under demanding conditions with, **216**, 110
- Particle size effect
- Pt/ SiO_2 oxidation catalysts, in situ FTIR, EXAFS, and activity studies, **220**, 382
- Pechmann reaction
- 7-hydroxycoumarin synthesis using Nafion resin/silica nanocomposite catalysts, **218**, 315
- n*-Pentane
- conversion catalyzed by tungstated zirconia, reaction pathways: effects of Pt in catalyst and hydrogen in feed, **219**, 376
 - hydrogenolysis, catalytic activity patterns in, kinetic interpretation based on theoretical chemical descriptors, **216**, 63
 - isomerization
 - over solid acid catalysts, heteropolyacid, sulfated zirconia, and mordenite: dependence on hydrogen and Pt addition, **219**, 97
 - over sulfated zirconia, surface deposits formed in, in situ UV–vis diffuse reflectance spectroscopic study, **218**, 365
 - tungstated zirconia catalysts for, structure and properties, **216**, 353
- 2-Pentene
 - isomerization on H-ZSM-22, DFT study, **214**, 67
- Permeation regime
- effects on activity of catalytic membranes for methane combustion, **218**, 457
- Perovskite oxide
- La(Ba)Mn(In) O_3 , catalysis of direct decomposition of NO into N_2 and O_2 , **220**, 104
- Perovskites
- catalysis of combustion of soot, role of suprafacial oxygen, **217**, 367
- Peroxo-titanium
- in titanasilicate molecular sieves, EPR studies and structure–activity correlations, **217**, 160
- Petrochemical industry
- catalysis in, present status and future trends, **216**, 47
 - catalyst development for, implications of fundamentals of shape selectivity, **216**, 32
 - zeolite applications, **216**, 298
- Petroleum industry
- catalysis in, present status and future trends, **216**, 47
 - catalyst development for, implications of fundamentals of shape selectivity, **216**, 32
- Phase composition
- Co/ SiO_2 catalysts, **220**, 146
- Phase transition
- sulfated zirconia catalysts, induction by mechanical stress, **217**, 487
- Phenanthrene
- hydrocracking, selectivity in, parameters controlling, **217**, 376
- Phenol
- tert*-butylation in liquid phase, effects of large-pore zeolite channel structures and acid properties, **218**, 249
 - formation
 - by benzene hydroxylation by N_2O , Fe-MFI catalysts for, activity and deactivation, **214**, 169
 - by benzene oxidation with N_2O over MFI zeolite, extraframework Fe–Al–O species as active species in, **220**, 260 - hydroxylation over CoNiAl ternary hydrotalcites, synergistic effect in, **220**, 161
- Phenols
- oxidative carbonylation over Pd/C and Cu_2O catalysts, nature and role of Pd active states in, **218**, 334
- Phenylacetylene
- semihydrogenation over Pd nanoparticles in hydrotalcite, **220**, 372
- 1-Phenyl-1-pentyne
- semihydrogenation over Pd nanoparticles in hydrotalcite, **220**, 372
- 1-Phenyl-1,2-propanedione
- hydrogenation over cinchonidine-modified Pt/ Al_2O_3 catalysts, kinetics and modeling, **213**, 7
- Phosphate
- natural, modified with sodium nitrate, application in synthesis of chalcones, **213**, 1
- Phosphotungstic acid
- HRh(CO)(PPh $_3$) $_3$ tethered to zeolite Y by, heterogenization, production of hydroformylation catalyst by, **213**, 73
- Photocatalysis
- acetic acid photoreaction on $\text{TiO}_2(001)$ single crystal, effect of surface reconstruction, **214**, 46
 - acetone and ethanol oxidation over nanocrystalline TiO_2 , dynamic phenomena during, **219**, 219
 - aromatic air contaminant oxidation, catalysts for, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38
 - azo-dye degradation on Au/ TiO_2 thin film catalysts, **220**, 127
 - by bimodal mesoporous titania, effects of acidic and basic hydrolysis catalysts, **217**, 69
 - butyl acetate oxidation in vapor phase on TiO_2 , Pt/ TiO_2 and WO_3/TiO_2 , **215**, 129

- 2-chloro ethyl sulfide destruction in gas phase, **220**, 414
- heterogeneous, by surface-modified porous silica materials impregnated with monosubstituted Keggin units, **217**, 141
- highly reactive TiO₂ catalysts for, operating under visible light irradiation, design and development, **216**, 505
- hydrogen peroxide formation over TiO₂ particles, effect of Cu ions, **219**, 214
- methanol reforming on Pd/TiO₂ at metal–support interface, **217**, 427
- microcystin destruction on TiO₂, processes influencing, **213**, 109
- 4-nitrophenol degradation with polycrystalline TiO₂ impregnated with functionalized Cu(II)–porphyrin or Cu(II)–phthalocyanine, **217**, 334
- redox-combined synthesis of L-pipecolic acid from L-lysine by suspended TiO₂ particles, effect of noble metal loading, **217**, 152
- by TiO₂, effects of surface properties, **219**, 107
- Photoelectron spectroscopy
- 2-butenal adsorption and bonding on Sn/Pt surface alloys, **215**, 245
- Photoepoxidation
- propene by O₂, highly dispersed zinc oxide species on silica as active sites for, **220**, 226
- Phthalides
- skeleton, synthesis by selective intramolecular Tishchenko reaction over solid base catalysts, **217**, 117
- Phthalocyanine
- functionalized Cu(II)–phthalocyanine, TiO₂ impregnated with, photocatalytic degradation of 4-nitrophenol, **217**, 334
- Physisorption
- pore mouth, alkanes on ZSM-22, enthalpies and entropies of, estimation by additivity method, **218**, 135
- 3-Picoline
- vapor-phase oxidation over CrV_{1-x}P_xO₄ crystalline catalysts, **218**, 32
- α -Pinene
- isomerization over sulfated zirconia catalysts, reactivity, correlation with catalyst structure, **215**, 57
- L-Pipecolic acid
- redox-combined synthesis from L-lysine by suspended TiO₂ particles, effect of noble metal loading, **217**, 152
- Plasma-assisted reduction
- nonthermal, NO_x over Ba-YFAU, effect of catalyst preparation, **220**, 291
- Platinum
- acid-phase-supported catalysts, selectivity in hydrocracking reactions, parameters controlling, **217**, 376
- adsorption of cinchonidine from solution, effects of dissolved gases, in situ infrared study, **219**, 404
- Al₂O₃-supported catalysts
- aqueous-phase reforming of methanol and ethylene glycol, **215**, 344
- asymmetric hydrogenation: nonlinear effect of coadsorbed cinchona alkaloids on enantiodifferentiation, **216**, 276
- cinchonidine-modified
- enantioselective hydrogenation of aromatic ketones, structural effects, **218**, 453
- hydrogenation of 1-phenyl-1,2-propanedione, kinetics and modeling, **213**, 7
- flame-made, structural behavior and catalysis of enantioselective hydrogenation, **213**, 296
- α - and β -isocinchonine-modified, enantioselective hydrogenation of ethyl pyruvate in acetic acid, **220**, 207
- linear CO species on, heats of adsorption using IR spectroscopy, impact of Pt dispersion, **218**, 447
- prepared by colloidal lithography, reactivity, **215**, 94
- γ -Al₂O₃-supported catalysts
- CO oxidation, surface elementary steps: kinetics of reduction of strongly adsorbed oxygen species by CO, **220**, 3
- gas-phase hydrogenation of *o*-xylene, activity and stereoselectivity, **218**, 267
- oxidative dehydrogenation of ethane at low temperature, **219**, 206
- reduction of NO by C₃H₈ and C₃H₆ under lean-burn conditions, effect of Na addition, **219**, 247
- amorphous Al₂O₃-supported catalyst, synthesis and structure, **214**, 146
- automotive exhaust catalysis, **216**, 433
- bimetallic catalysts, reduction of nitrate with water, effect of Cu, Ag, or Au addition, **220**, 182
- catalysis of CO oxidation
- bistability in, effect of oxide formation, **220**, 478
- kinetic oscillations on nm scale, simulation, **214**, 121
- catalysis of methane oxidation, C1 mechanism, **213**, 23
- CeO₂-supported catalysts prepared by colloidal lithography, reactivity, **215**, 94
- charcoal-supported catalysts, diastereoselective hydrogenation of tricyclic α,β -dehydrodipeptide, **217**, 240
- cinchonidine-modified catalysts, asymmetric hydrogenation of cyclohexane-1,2-dione, **215**, 116
- C/W(111) surfaces modified by, catalysis of reactions of methanol, water, and hydrogen, **215**, 254
- dispersion, effect on heats of adsorption of linear CO species on Pt/Al₂O₃ catalysts, IR study, **218**, 447
- effect on *n*-pentane isomerization over solid acid catalysts, heteropolyacid, sulfated zirconia, and mordenite, **219**, 97
- effect on sulfur deactivation of NO_x storage catalysts, **217**, 253
- H/D exchange kinetics in cyclopentane, **214**, 153
- hydrogen binding sites and electronic structure in supported catalysts, in situ XANES: compensation relation in alkane hydrogenolysis, **216**, 178
- HY-supported catalysts
- high-pressure liquid phase hydroconversion of heptane/nonane mixtures, **220**, 66
- hydrocracking and hydroisomerization of *n*-octane, analysis with reactors of different configurations, **218**, 12
- KL-supported catalysts
- aromatization reactions, **216**, 12
- prepared by vapor-phase impregnation, aromatization of *n*-octane, **218**, 1
- loading onto suspended TiO₂ particles, effect on redox-combined synthesis of L-pipecolic acid from L-lysine, **217**, 152
- metallic aggregates, electronic structure of, relationship to selectivity, **214**, 336
- NASICON-supported catalysts, selective reduction of NO by propene, NEMCA in, **217**, 203
- oxide-supported catalysts, CO-induced surface structural changes, DRIFTS study, **217**, 478
- Pt(110) catalysts, surface reactivity in oxidation of CO, local manipulation, **216**, 246
- Pt(111), surface species derived from ethanol on, C–C and C–O bond cleavage in, DFT studies, **218**, 178
- Pt-beta catalysts, selective catalytic reduction of NO_x by propylene, structure sensitivity, **218**, 111
- Pt–Fe alloy catalyst, (111) surface, adsorption of unsaturated aldehydes, density functional theory, **217**, 354
- Pt/MCM-41/MgAPO-*n* composite catalysts, isomerization and hydrocracking of *n*-decane, **217**, 388
- PtSn alloys, selectivity in hydrogenation of α,β -unsaturated aldehydes: DFT study of molecular adsorption, **220**, 115
- PtSn/ γ -Al₂O₃ catalysts prepared by successive impregnation and controlled surface reaction, effect of La doping, **219**, 63
- Si-MCM-41-supported catalysts, selective catalytic reduction of NO in excess O₂, mechanism, **213**, 241
- SiO₂-supported catalysts
- for oxidation, effect of crystallite size, in situ FTIR, EXAFS, and activity studies, **220**, 382
- precoked, conversion of *n*-propylbenzene, common reactive adsorbate of ethylbenzene and indenic compounds in, **218**, 411
- silicide formation on, TEM, EELS, and EDXS studies, **219**, 434

- temperature-programmed decomposition of adsorbed platinum tetramine hydroxide complex under flowing H_2 , O_2 , and Ar, **220**, 280
- Sn/Pt surface alloys, adsorption and bonding of 2-butenal on, **215**, 245
- sponge, NH_3 dissociation on, activation by oxygen, analysis by positron emission profiling, **219**, 156
- with supports of varying acidity, H/D exchange of cyclopentane, support-induced compensation effects in, **219**, 134
- TiO_2 -supported catalysts
- photocatalytic oxidation of butyl acetate, **215**, 129
 - strong metal–support interaction, **216**, 12
- truncated octahedral nanoparticles supported on alumina, hydrogenation of propene, **214**, 1
- in tungstated zirconia, effects on *n*-pentane conversion, **219**, 376
- yttria-stabilized zirconia-supported catalysts, non-Faradaic electrochemical modification of catalytic activity, **216**, 12
- zeolite catalysts, oxidation of chlorinated hydrocarbons: mechanism of dichloromethane transformation over PtNaY, **215**, 234
- Platinum tetramine hydroxide complex
- adsorbed under flowing H_2 , O_2 , and Ar, TPD study: preparation of Pt/SiO₂ catalyst, **220**, 280
- Polarization-dependent total-reflection fluorescence X-ray absorption fine structure
- supported metal catalysts and model surfaces in situ, **216**, 165
- Polyaromatics
- hydrogenation over SiO₂-immobilized Ru(II) single sites and Ru/SiO₂ nanoparticles, **213**, 47
- Polymerization
- ethylene, model catalysts for, preparation and characterization, **216**, 223
 - olefins
 - with catalysts comprised of bis(phenoxo-imine) titanium complexes and MgCl_2 -based activators, **215**, 171
 - nickel(α -diimine) catalyst for, XAS study, **214**, 165
- Polyoxometallates
- monosubstituted, surface-modified porous silica materials impregnated with, preparation and heterogeneous photocatalytic behaviors, **217**, 141
 - surface chemistry and catalysis on well-defined surfaces: nanoscale design bases for single-site heterogeneous catalysts, **216**, 236
- Polystyrene beads
- prepared by copolymerization with cross-linking dendritic salens, Mn distribution in, **215**, 87
- Pore mouth catalysis
- in hydroconversion of *n*-octane on Pt-H-ZSM-22, kinetic modeling, **220**, 399
- Pore mouth physisorption
- alkanes on ZSM-22, enthalpies and entropies of, estimation by additivity method, **218**, 135
- Pore opening
- effect on selectivity in hydrocracking reactions, **217**, 376
- Pore size
- Cu/ZnO catalysts extruded for single-stage gas-phase processing of dimethyl maleate to tetrahydrofuran, **218**, 419
- Pore topology
- zeolites IM-5 and NU-88, **215**, 151
- Porphyrin
- functionalized Cu(II)-porphyrin, TiO₂ impregnated with, photocatalytic degradation of 4-nitrophenol, **217**, 334
- Positron emission profiling
- analysis of oxygen activation of NH_3 dissociation on Pt sponge, **219**, 156
- Potassium
- Co,Ba,K/CeO₂ catalysts, adsorption of NO_x: abatement of diesel exhaust pollutants, **220**, 424
 - effect on isobutane dehydrogenation over Cr catalysts supported on Al₂O₃ and ZrO₂/Al₂O₃, **220**, 309
 - K–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47
 - zeolite X containing, as catalysts and catalyst supports, **216**, 396
- Potassium *t*-butoxide
- interaction with calcined hydrotalcite, solid base catalyst evolved by, reactivity in Wadsworth–Emmons reaction, **218**, 191
- Powder X-ray diffraction
- CoNiAl ternary hydrotalcites, **220**, 161
- Prenal
- hydrogenation with Pt catalysts, effect of Sn additives: density functional study of molecular adsorption, **220**, 115
- Promotion
- double-layer approach to, **216**, 487
- Propane
- dehydrogenation
 - with CO₂ over Cr-MCM-41 prepared by direct hydrothermal synthesis and template-ion exchange, **220**, 347
 - Cr/Si/Al/O and Cr/Si/Zr/O catalysts for, thermolytic molecular precursor routes to, **218**, 123
 - oxidative dehydrogenation
 - Cr/Si/Al/O and Cr/Si/Zr/O catalysts for, thermolytic molecular precursor routes to, **218**, 123
 - over Li-promoted MgO catalysts
 - active site characterization and hydrocarbon activation, **218**, 307
 - kinetics and mechanism, **218**, 296
 - on strontium hydroxyapatite catalysts, enhancement by Co incorporation into catalyst, **214**, 8
 - thermolytic molecular precursor-derived catalysts for, **216**, 265
 - over V–Si–O cogels, selectivity to propylene, enhancement by operation under cyclic conditions, **213**, 95
 - reforming by CO₂ over supported Rh catalysts, **216**, 377
 - regioselective H/D exchange reactions over strong solid acids, effects of skeletal rearrangement, **215**, 122
 - selective catalytic reduction of NO
 - over Pt/ γ -Al₂O₃ catalysts, effect of Na addition, **219**, 247
 - structure–activity relations for Ni-containing zeolites
 - influence of acid sites, **218**, 348
 - role of Ni chemical state, **218**, 375
 - selective oxidation, substrate-versatile catalyst for
 - catalyst characterization, **218**, 54
 - reactivity, **218**, 42
 - selective oxidation to acrylic acid, Mo–V–Sb–Nb oxides for, bulk structure and catalytic properties, **215**, 108
- 2-Propanol, *see* Isopropyl alcohol
- Propene, *see* Propylene
- n*-Propylbenzene
- conversion over precoked Pt/SiO₂ catalyst, common reactive adsorbate of ethylbenzene and indenic compounds in, **218**, 411
- Propylene
- continuous fixed-bed gas-phase hydroformylation using supported ionic liquid-phase Rh catalysts, **219**, 452
 - epoxidation with O₂/methanol and without hydrogen over Pd/Ti-modified MCM-22 catalyst, **220**, 513
 - formation by oxidative dehydrogenation of propane
 - over Li-promoted MgO catalysts
 - active site characterization and hydrocarbon activation, **218**, 307
 - kinetics and mechanism, **218**, 296
 - over V–Si–O cogels, selectivity enhancement by operation under cyclic conditions, **213**, 95
 - hydrogenation over truncated octahedral Pt nanoparticles supported on alumina, **214**, 1
 - metathesis on monomeric Mo centers of molybdena–alumina catalysts, theoretical study, **220**, 23
 - photoepoxidation by O₂, highly dispersed zinc oxide species on silica as active sites for, **220**, 226
 - selective catalytic reduction of NO
 - over Pt/ γ -Al₂O₃ catalysts, effect of Na addition, **219**, 247

- on Pt/NASICON catalysts, non-Faradaic electrochemical modification of catalytic activity in, **217**, 203
- structure–activity relations for Ni-containing zeolites
 - influence of acid sites, **218**, 348
 - role of Ni chemical state, **218**, 375
- selective catalytic reduction of NO_x
 - under lean conditions in presence of water, active silver species in, **217**, 310
 - over Pt-beta catalysts, structure sensitivity, **218**, 111
- Propylene carbonate
 - synthesis by imidazolium zinc tetrahalide-catalyzed coupling of CO₂ to propylene oxide, **220**, 44
- Propylene oxide
 - copolymerization with CO₂ over zinc glutarate catalysts
 - NEXAFS spectroscopy, **218**, 386
 - X-ray absorption and NMR studies, **218**, 209
 - imidazolium zinc tetrahalide-catalyzed coupling to CO₂, **220**, 44
- Publisher's note, **220**, 1
- Pyrazine-2-(methyl-(S)-prolinecarboxamide)
 - hydrogenation mechanism, **217**, 240
- Pyridine
 - molybdo(vanado)phosphoric acid exchanged with, selective oxidation of light alkanes
 - catalyst characterization, **218**, 54
 - reactivity, **218**, 42
- Pyroglutamic acid
 - as chiral auxiliary in diastereoselective hydrogenation of disubstituted aromatic rings on Rh(111), periodic DFT study, **217**, 23
- 2-Pyrones
 - enantioselective hydrogenation over Pd/TiO₂ catalysts, reaction mechanisms, **219**, 41
- Pyrosulfate
 - molten salt catalysts for SO₂ oxidation, molecular structure, **215**, 139

Q

- Quantum chemistry
 - active site analysis and design, **216**, 73
 - oxidation catalysis, **216**, 416
 - transition metal ions in zeolites, **216**, 324
- Quantum size effects
 - model catalysts, **216**, 213
- Quinoline
 - hydrodenitrogenation over MoP/γ-Al₂O₃ catalyst, **218**, 78

R

- Racemization
 - alcohols under mild reaction conditions, Ru–hydroxyapatite catalyst for, **219**, 417
- Raman spectroscopy
 - Co species in CoZSM5 and PtCoZSM5 for selective catalytic reduction of NO_x with CH₄, **217**, 186
 - Re/γ-Al₂O₃ low-loaded catalyst, **219**, 362
 - supported molten salt catalysts for SO₂ oxidation, molecular structure, **215**, 139
 - tantalum oxide-supported metal oxide catalysts, **217**, 468
 - UV study of coke formation in methanol-to-hydrocarbon conversion over zeolite H-MFI, **213**, 39
 - V₂O₅–TiO₂–SiO₂ mesoporous catalysts for selective catalytic reduction of NO by NH₃, **217**, 172
- Raney nickel catalyst
 - oligomerization of methane via microwave heating, **218**, 201
- Rate constants
 - role in catalytic cycle, activity, and selectivity, **216**, 89

- Reaction coordinate
 - ethylene epoxidation on Ag catalysts, DFT calculations and surface science studies, **214**, 200
- Reactive oxygen species
 - in epoxidation reactions over titanasilicate molecular sieves, **216**, 461
- Redox catalysis
 - by zeolites, **216**, 298
- Redox decoupling
 - enhancement of selectivity to propylene in oxydehydrogenation of propane over V₂O₅–SiO₂ cogels, **213**, 95
- Redox properties
 - at CuO_x–(Ce,Zr)O_x interfaces: effects of NO on catalytic activity for CO oxidation over CuO/CeZrO₄, **214**, 261
 - Fe–binuclear complexes in over-exchanged Fe/ZSM5, **215**, 279
 - tungstated zirconia catalysts for alkane conversion, **216**, 353
- Reductant–impregnation method
 - Ni–B/SBA-15 catalyst prepared by, selective hydrogenation of 2-ethylan-thraquinone, **220**, 254
- Reduction, *see also* Selective catalytic reduction
 - electrocatalytic, dioxygen on underpotentially deposited Pb on Au(111), analysis by active site blocking strategy, **213**, 17
 - with hydrogen at high temperature over Co/SiO₂ catalysts, **220**, 146
 - nitrate with water over Pd- and Pt-based catalysts, effect of Cu, Ag, or Au addition, **220**, 182
 - nitric oxide
 - by ethanol on Pd–Mo/Al₂O₃ catalysts, **220**, 358
 - by methane, Gd–Pd sol–gel catalyst deactivation by SO₂ during, surface species in, spectroscopic study, **217**, 1
 - nitrous oxide
 - by C₂H₄ over Fe–ZSM-5: formation and nature of carbonaceous deposits and effects of O₂ addition, **218**, 220
 - over FeMFI zeolites, active site structure sensitivity in, **218**, 234
 - by H₂ and CO on supported Au catalysts, **219**, 197
 - nonthermal plasma-assisted, NO_x over Ba–Y/FAU, effect of catalyst preparation, **220**, 291
 - oxygen species strongly adsorbed on Pt/Al₂O₃ catalyst, by carbon monoxide, kinetic study, **220**, 3
 - Pd/SiO₂ catalysts at 450 and 500 °C, formation of palladium silicide during, **220**, 299
- Refining
 - catalysis in, present status and future trends, **216**, 47
- Reformed fuels
 - water–gas shift reaction for, over Cu/MnO catalysts prepared via spinel-type oxide, **215**, 271
- Reforming reactions, *see also* Steam reforming
 - dry reforming of methane over catalysts derived from Ni-containing Mg–Al layered double hydroxides, **213**, 191
 - methanol and ethylene glycol in aqueous phase over Pt/Al₂O₃ catalysts, **215**, 344
 - methanol on Pd/TiO₂, photocatalytic reaction at metal–support interface, **217**, 427
 - propane by CO₂ over supported Rh catalysts, **216**, 377
- Regioselectivity
 - H/D exchange reactions of propane over strong solid acids, effects of skeletal rearrangement, **215**, 122
 - 1-phenyl-1,2-propanedione hydrogenation over cinchonidine-modified Pt/Al₂O₃ catalysts, **213**, 7
- Rhenium
 - γ-Al₂O₃-supported low-loaded catalyst, oxidation and redispersion, **219**, 362
 - promotion of Co/SBA-15 catalysts, effects on Fischer–Tropsch synthesis of hydrocarbons, **220**, 486
- Rhenium heptoxide
 - tantalum oxide-supported catalysts, synthesis, Raman spectroscopy, and methanol oxidation, **217**, 468

Rhodamine B

photocatalytic oxidation by surface-modified porous silica materials impregnated with monosubstituted Keggin units, **217**, 141

Rhodium

automotive exhaust catalysis, **216**, 433

carbon monoxide adsorption, microcalorimetric, IR, and DFT studies, **217**, 209

CeO₂-supported catalysts, reaction with steam, associated H₂ formation: characterization of reduced centers of ceria, **213**, 226

charcoal-supported catalysts, diastereoselective hydrogenation of tricyclic α,β -dehydrideptide, **217**, 240

effect on sulfur deactivation of NO_x storage catalysts, **217**, 253

heterogenized complexes prepared by “ship-in-a-bottle” and anchoring methods, comparison, **213**, 103

loading onto suspended TiO₂ particles, effect on redox-combined synthesis of L-pipecolic acid from L-lysine, **217**, 152

monolith coated with, catalysis of partial oxidation of higher hydrocarbons, **215**, 332

NO dissociation on, surface structure sensitivity, **213**, 211

Rh(111), diastereoselective hydrogenation of disubstituted aromatic rings on, pyroglutamic acid as chiral auxiliary in, periodic DFT study, **217**, 23

Rh–Te catalysts, adsorption of CO, microcalorimetric, IR, and DFT studies, **217**, 209

stable catalyst for partial oxidation of methane, preparation and characterization, **217**, 245

supported catalysts, CO₂ reforming of propane, **216**, 377

supported ionic liquid-phase catalysts, continuous fixed-bed gas-phase hydroformylation, **219**, 452

ZrO₂-supported catalysts, for decomposition of N₂O, **216**, 443

Ring opening

tetralin on NiW/Zr-doped mesoporous silica catalysts, effect of preparation method and sulfur poisoning, **220**, 457

Ruthenium

carbon nanofiber-supported catalysts, hydrogenation of cinnamaldehyde, effects of oxygen-containing surface groups, **214**, 78

carbon-supported catalysts, Ba- or Cs-promoted, NH₃ decomposition over, **218**, 465

charcoal-supported catalysts, diastereoselective hydrogenation of tricyclic α,β -dehydrideptide, **217**, 240

Co/SiO₂ catalysts promoted with, surface reaction parameters during, effect of H₂ partial pressure, **213**, 78

nanoparticles, morphology and oxidation state, relevance in partial oxidation of methane, **220**, 74

nano-sized clusters supported on basic zeolites, synthesis of ammonia, **216**, 396

[Ru₆C] clusters on MgO, structure kinetics, **216**, 165

Ru–Cs/Al₂O₃ catalysts, sulfidation state and hydrodesulfurization mechanism, analysis with ³⁵S tracer methods, **217**, 59

Ru–hydroxyapatite catalyst for mild racemization of alcohols, **219**, 417

Ru(II) single sites immobilized on SiO₂, comparison to Ru/SiO₂ nanoparticles in hydrogenation of hetero- and polyaromatics, **213**, 47

Ru(0001) surface, catalysis of NH₃ synthesis, density functional calculations, **220**, 273

S

Salens

dendritic, polystyrene beads prepared by cross-linking copolymerization with, Mn distribution in, **215**, 87

Salen-type zirconium complexes

catalysis of ethylene oligomerization to low-carbon linear α -olefins, **220**, 392

SBA-15

with high loading of short WS₂ slabs, promotion with Ni and performance in hydrodesulfurization and hydrogenation, **213**, 163

single-site Fe(III) and Ti(IV) on, synthesis, **216**, 265

support of

Co mesoporous catalysts, Fischer–Tropsch synthesis of hydrocarbons, effects of metal loading, cobalt precursor, and promoters, **220**, 486

Ni–B catalyst prepared by reductant-impregnation, selective hydrogenation of 2-ethylantraquinone, **220**, 254

Scanning electron microscopy

achievements and future prospects, **216**, 144

Scanning probe microscopy

Bi₂Mo₃O₁₂(010) surface: morphological evolution in air–H₂O atmospheres, **213**, 151

Scanning tunneling microscopy

electrocatalytic dioxygen reduction on underpotentially deposited Pb on Au(111), **213**, 17

oxide surfaces: nanoscale design bases for single-site heterogeneous catalysts, **216**, 236

Schiff base

chiral vanadyl salen complex anchored on silica, enantioselective catalysis of cyanohydrin formation, **215**, 199

salen-type zirconium complexes, catalysis of ethylene oligomerization to low-carbon linear α -olefins, **220**, 392

Selected area electron diffraction

Re/ γ -Al₂O₃ low-loaded catalyst, **219**, 362

Selective catalytic oxidation

carbon monoxide in excess H₂ over nanostructured Cu_{0.1}Ce_{0.9}O_{2-y} catalyst, kinetics, **213**, 135

Selective catalytic reduction

nitric oxide

by ammonia

over MnO_x–CeO₂ catalyst at low temperature, kinetics, **217**, 434

over vanadium oxide catalysts, mechanistic aspects of, density functional theory study, **213**, 115

over V₂O₅/AC catalysts at low temperatures, formation and reaction of ammonium sulfate salts during, **214**, 213

over V₂O₅–TiO₂–SiO₂ mesoporous catalysts, **217**, 172

in excess O₂ over Pt/Si-MCM-41 catalyst, mechanism, **213**, 241

by isobutane over over-exchanged Fe/ZSM5, reactivity of binuclear Fe complexes in, in situ XAFS study, **218**, 163

by methane

with In-ZSM-5 system, role of catalyst structure, **214**, 100

over La₂O₃/ γ -Al₂O₃ catalyst, effects of CO₂ and H₂O, **214**, 292

over Ni-containing zeolites, structure–activity relations

influence of acid sites, **218**, 348

role of Ni chemical state, **218**, 375

by octane over Ag/Al₂O₃ catalyst in oxygen-rich exhaust gases, **219**, 25

by propane and propene over Pt/ γ -Al₂O₃ catalysts, effect of Na addition, **219**, 247

by propene on Pt/NASICON catalysts, non-Faradaic electrochemical modification of catalytic activity in, **217**, 203

nitrogen oxides

by ammonia

over transition metal ion zeolites, **216**, 324

over zeolite H-ZSM-5, effect of transient NH₃ supply, **218**, 354

by ethanol on Ag/Al₂O₃ catalysts, in situ FTIR study: role of isocyanate species, **217**, 47

in lean-burn engine exhausts, by coupling catalysis to electrochemistry, **217**, 203

by methane

over Co-H-MFI and Co-H-FER zeolites, characterization and catalytic activity, **214**, 179

over CoZSM5 and PtCoZSM5: nature of Co species in zeolite, **217**, 186

- NO adsorption in, on Co–ferrierite, effect of local framework heterogeneity, **219**, 117
- by propylene
- under lean conditions in presence of water, active silver species in, **217**, 310
- over Pt-beta catalysts, structure sensitivity, **218**, 111
- Selectivity, *see also* Enantioselectivity; Shape selectivity
- buta-1,3-diene hydrogenation over Pd–Sn/Al₂O₃ catalysts from colloidal oxide synthesis, **218**, 288
- catalytic oxidation of light alkanes, **216**, 468
- cinnamaldehyde hydrogenation over Ru/carbon nanofiber catalysts, effects of oxygen-containing surface groups, **214**, 78
- classical kinetics and, **216**, 89
- cyclopentanol formation in liquid-phase cyclopentene hydration over MCM-22, **213**, 272
- in hydrocracking reactions, parameters controlling, **217**, 376
- HZSM-5 *para*-selectivity, enhancement by antimony oxide, **219**, 310
- oxidation of gaseous lean trichloroethylene on Pd/alumina catalysts, **214**, 130
- Pd nanoparticles in hydrotalcite for alkyne semihydrogenation, **220**, 372
- photocatalytic redox-combined synthesis of L-pipecolic acid from L-lysine by suspended TiO₂ particles, effect of noble metal loading, **217**, 152
- platinum metallic aggregates, relationship to electronic structure, **214**, 336
- propane oxydehydrogenation to propylene over V–Si–O cogels, enhancement under cyclic conditions, **213**, 95
- PtSn alloys in hydrogenation of α,β -unsaturated aldehydes: density functional study of molecular adsorption, **220**, 115
- tantalum oxide-supported metal oxide catalysts, **217**, 468
- o*-xylene hydrogenation in gas phase over Pt/alumina catalysts, **218**, 267
- zeolite BEA as *para*-selective nitration catalyst, **219**, 231
- Semihydrogenation
- alkynes, Pd nanocatalysts in hydrotalcite as mild and highly selective catalysts for, **220**, 372
- Shape selectivity
- entropy in, **214**, 88
- fundamentals, implications for development of catalysts for petroleum and petrochemical industries, **216**, 32
- 2-methoxynaphthalene acylation over polymorph C of Beta, **217**, 406
- pore mouth catalysis in hydroconversion of *n*-octane on Pt–H-ZSM-22, **220**, 399
- zeolites
- control of, **216**, 298
- in 2,6-dimethylnaphthalene synthesis, *a priori* catalyst selection for, **217**, 298
- Si–H insertion reaction
- dimethylphenylsilane with methyl phenyl diazoacetate over chiral catalysts confined in porous hosts, **217**, 275
- Silation
- palladium in Pd/SiO₂ catalysts during reduction at 450 and 500 °C, effect on catalytic properties, **220**, 299
- Silica, *see* Silicon dioxide
- Silicates
- titanium-containing, catalysis of epoxidation, effects of structural features, **214**, 242
- Silicide
- formation on Pt/SiO₂ model catalyst, TEM, EELS, and EDXS studies, **219**, 434
- Silicoaluminophosphates
- CuAPSO-34 microporous catalysts for N₂O decomposition, hydrothermal stability, comparison with CuZSM-5, **217**, 100
- Silicon
- Cr/Si/Al/O and Cr/Si/Zr/O catalysts for oxidative dehydrogenation and dehydrogenation of propane, thermolytic molecular precursor routes to, **218**, 123
- Sil–C bonds, formation over solid base catalysts, **216**, 406
- Silicon carbide
- support of Pd catalysts, hydrogenation of 1,3-butadiene: comparison with Pd on oxide supports, **214**, 26
- Silicon dioxide
- acid-modified, solid acid catalysts based on, interactions with vinyl ether, ATR-IR spectroscopic study, **219**, 425
- Al₂O₃–SiO₂, support of CoMo sulfided catalyst, hydrodesulfurization of 4,6-diethyldibenzothiophene, inhibiting effects in, **219**, 442
- chiral catalysts confined on
- catalysis, **217**, 275
- synthesis, **217**, 264
- chiral vanadyl Schiff base complex anchored on, enantioselective catalysis of cyanohydrin formation, **215**, 199
- Fe-doped, physicochemical and catalytic properties, effect of preparation and pretreatment methods, **219**, 146
- highly dispersed zinc oxide species on, as active sites for photoepoxidation of propene by O₂, **220**, 226
- isolated Ti species on, identification by UV resonance Raman spectroscopy, **216**, 203
- mesoporous
- nanometric monodispersed TiO₂ particles on, synthesis, characterization, and liquid-phase oxidation activity, **217**, 343
- organosulfonic acid-functionalized, for esterification of fatty acid, **219**, 329
- zirconium-doped, support of NiW catalysts, hydrogenation and ring opening of tetralin, effect of preparation method and sulfur poisoning, **220**, 457
- zirconium propoxide grafted on, catalysis of Meerwein–Ponndorf–Verley reduction, **218**, 396
- Nafion resin in, nanocomposite catalysts, synthesis of 7-hydroxycoumarins, **218**, 315
- precoked, support of Pt catalysts, conversion of *n*-propylbenzene, common reactive adsorbate of ethylbenzene and indenic compounds in, **218**, 411
- Ru(II) single sites immobilized on, comparison to Ru/SiO₂ nanoparticles in hydrogenation of hetero- and polyaromatics, **213**, 47
- SBA-15, *see* SBA-15
- SiO₂–Al₂O₃
- amorphous, support of
- fluorinated NiMoS catalysts, hydrodenitrogenation of *o*-toluidine, kinetics, **217**, 284
- Pt catalysts, selectivity in hydrocracking reactions, parameters controlling, **217**, 376
- support of
- Ni(Co)Mo sulfide hydrotreating catalysts, sulfur tolerance, **215**, 353
- NiW sulfided catalysts, hydrocracking of *n*-decane, mechanisms, **218**, 427
- supports, NiMo interaction with, MAS NMR, TPR, and TEM studies, **215**, 7
- support of
- Co catalysts
- high-temperature reduction with hydrogen, phase composition, and activity, **220**, 146
- hydrothermal deactivation in Fischer–Tropsch synthesis, **217**, 127
- Ru-promoted, surface reaction parameters during CO hydrogenation on, effect of H₂ partial pressure, **213**, 78
- Fe catalysts, decomposition of acetylene in fluidized bed reactor, carbon nanotubes and nanofibers prepared by, characterization, **215**, 305
- Fe₂O₃ catalysts, synthesis by impregnation and drying using aqueous chelated metal complexes, **216**, 257
- M–W–Mn catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47

- Ni catalysts
methane decomposition and gasification of deposited carbon with CO₂, structural changes of Ni species during, **219**, 176
methane decomposition into hydrogen and carbon nanofiber, **217**, 79
- Ni₂P catalysts, hydrosulfurization of thiophene, **215**, 208
- Pd catalysts
hydrogenation of 1,3-butadiene: comparison with Pd on thermoconductor supports, **214**, 26
transformation into palladium silicide during reduction at 450 and 500 °C, **220**, 299
- Pd–Ni catalysts, methane decomposition into hydrogen and carbon nanofibers, **220**, 468
- Pt catalysts
CO-induced surface structural changes, DRIFTS study, **217**, 478
for oxidation, effect of crystallite size, in situ FTIR, EXAFS, and activity studies, **220**, 382
silicide formation on, TEM, EELS, and EDXS studies, **219**, 434
temperature-programmed decomposition of adsorbed platinum tetrammine hydroxide complex under flowing H₂, O₂, and Ar, **220**, 280
- Rh catalysts
CO₂ reforming of propane, **216**, 377
ionic liquid-phase, continuous fixed-bed gas-phase hydroformylation, **219**, 452
- Ru nanoparticles, comparison to Ru(II) single sites immobilized on SiO₂ in hydrogenation of hetero- and polyaromatics, **213**, 47
transition metal phosphide hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85
- surface-modified porous materials impregnated with monosubstituted Keggin units, preparation and heterogeneous photocatalytic behaviors, **217**, 141
- TiO₂–SiO₂ materials, catalytic properties, **220**, 240
- Ti-supported amorphous silica epoxidation catalysts, synthesis of, effect of solvent, **217**, 195
- V₂O₅–SiO₂ gels, selectivity in oxydehydrogenation of propane to propylene, enhancement under cyclic conditions, **213**, 95
- V₂O₅–TiO₂–SiO₂ mesoporous catalysts, selective catalytic reduction of NO by NH₃, **217**, 172
- Silicon nitride
support of Pd catalysts, hydrogenation of 1,3-butadiene: comparison with Pd on oxide supports, **214**, 26
- Silver
active species in lean NO_x reduction with C₃H₆ in presence of water, **217**, 310
addition to Pd- and Pt-based catalysts, effect on reduction of nitrate with water, **220**, 182
- Al₂O₃-supported catalysts, selective catalytic reduction
NO by octane in oxygen-rich exhaust gases, **219**, 25
NO_x by ethanol, in situ FTIR study: role of isocyanate species, **217**, 47
- α-Al₂O₃-supported epoxidation catalysts
adsorption of CO, effects of Cs and Cl promoters, **213**, 305
promoted, adsorption of NO, **217**, 442
- catalysis of ethylene epoxidation, reaction coordinate and microkinetic model, construction from DFT calculations and surface science studies, **214**, 200
- PdAg sol–gel catalysts for selective hydrodechlorination of 1,2-dichloroethane into ethylene, deactivation mechanism and regeneration, **220**, 215
- Silylation
acidic ZSM-5 and mordenite, for chemical vapor deposition of trimethylgallium, **219**, 352
- Si-MCM-41
support of Pt catalysts, selective catalytic reduction of NO in excess O₂, mechanism, **213**, 241
- Single-atom imaging
by electron microscopy, **216**, 144
- Single crystals
metal, model catalyst working surface, imaging, **216**, 213
- Sintering
electron microscopic analysis, **216**, 144
nickel steam-reforming catalysts, **217**, 417
Pt particles in Pt-beta catalysts during selective catalytic reduction of NO_x by propylene, **218**, 111
- Slurry reactor
Fischer–Tropsch synthesis in, wax composition transients during, **214**, 251
- Sodium
addition to Pt/Al₂O₃ catalysts, effects on NO reduction by C₃H₈ and C₃H₆ under lean-burn conditions, **219**, 247
Na–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47
zeolite X containing, as catalysts and catalyst supports, **216**, 396
- Sodium nitrate
natural phosphate modified with, application in synthesis of chalcones, **213**, 1
- Sol–gel catalysts
antimony-rich selective oxidation catalysts, combinatorial screening and conventional testing, **220**, 136
Gd–Pd, deactivation by SO₂ in NO reduction with CH₄, surface species in, spectroscopic study, **217**, 1
PdAg, for selective hydrodechlorination of 1,2-dichloroethane into ethylene, deactivation mechanism and regeneration, **220**, 215
V₂O₅–TiO₂–SiO₂ mesoporous catalysts, selective catalytic reduction of NO by NH₃, **217**, 172
- Solid acid catalysts
alkylation of isobutane with *n*-butene, **216**, 313
n-pentane isomerization, dependence on hydrogen and Pt addition, **219**, 97
regioselective H/D exchange reactions of propane, effects of skeletal rearrangement, **215**, 122
sulfated zirconia, structure of, correlation with reactivity in isomerization of α-pinene, **215**, 57
- Solid base catalysts
catalysis of Wadsworth–Emmons reaction, **218**, 191
for fine chemical synthesis, **216**, 406
intramolecular Tishchenko reaction over, selective phthalide–skeleton synthesis by, **217**, 117
- Solid oxide fuel cells
anodes for direct electrochemical oxidation of hydrocarbons, **216**, 477
carbon adspecies formed during equilibrium dissociative adsorption of CH₄ on Ni–YSZ cermet catalysts, **217**, 324
- Solid solutions
ceria–lanthana mixed oxide catalysts
oxidation of carbon monoxide, **219**, 295
oxidation of methane, **219**, 286
surface segregation and solid state studies, **219**, 305
Rh/Al/Mg, stable catalyst for partial oxidation of methane, preparation and characterization, **217**, 245
- Solution effects
active sites, **216**, 73
- Solvent effects
chalcone synthesis using natural phosphate modified with sodium nitrate, **213**, 1
heterogeneous synthesis of flavanone over MgO, **214**, 136
in synthesis of titanium-supported amorphous silica epoxidation catalysts, **217**, 195
- Soot
combustion over perovskite catalysts, role of suprafacial oxygen, **217**, 367

Spinel oxide

Cu–Mn, Cu/MnO catalysts prepared from, catalysis of water–gas shift reaction for reformed fuels, **215**, 271

Steady-state isotropic-transient kinetic analysis

effect of activation method on Fe Fischer–Tropsch synthesis catalysts at site level, **213**, 204

Steam

FeMFI zeolites activated by, evolution of iron species and activity in direct N_2O decomposition, **214**, 33

reaction with Rh/CeO₂ catalysts, associated H₂ formation: characterization of reduced centers of ceria, **213**, 226

Steaming

zeolite beta for acylation of anisole with octanoic acid: structure–activity relation, **218**, 239

Steam reforming

Ni catalysts for, sintering of, **217**, 417

Stereoselectivity

gas-phase hydrogenation of *o*-xylene over Pt/alumina catalysts, **218**, 267

Storage catalysts

for NO_x, deactivation by sulfur, effects of exposure conditions and noble metal, **217**, 253

Storage–reduction catalysts

commercial, NO_x adsorption and surface reaction on, **214**, 308

nanostructured, for NO_x, **216**, 443

Strandberg unit

role in reactivity of substrate-versatile catalyst for selective oxidation of light alkanes, **218**, 42

Strong metal–support interaction

noble metals supported on reducible oxides, **216**, 12

Pt/alumina and Pt/ceria catalysts prepared by colloidal lithography, **215**, 94

role in ZnO effect on differential heat of adsorption for CO adsorption on Cu catalysts, **220**, 233

Strontium hydroxyapatite

catalysis of propane oxidation and H–D exchangeability of OH groups in, enhancement by Co incorporation, **214**, 8

Structure

β zeolite synthesized in fluoride medium for asymmetric hydrogenation, **219**, 74

ceria/zirconia nanocrystals prepared by flame-spray synthesis, **220**, 35

Cs_x(NH₄)_yH₂PMo₁₂O₄₀ and related heteropolyacids: in situ study of active species formation and stability, **213**, 235

flame-made platinum/alumina catalysts, **213**, 296

gold catalysts, effects in partial hydrogenation of acrolein, **213**, 86

In-ZSM-5 system, relationship to activity for selective reduction of NO by methane, **214**, 100

MoO_x domains, effects on selective oxidation of dimethyl ether to formaldehyde, **217**, 222

Mo–V–Sb–Nb oxides for selective propane oxidation to acrylic acid, **215**, 108

MoVW single-phase nanocrystalline mixed-oxide catalyst of Mo₅O₁₄ type, **215**, 177

Ni species during methane decomposition and gasification of deposited carbon with CO₂ over supported Ni catalysts, **219**, 176

Pd/Al₂O₃ catalyst surfaces, effects on activity for direct decomposition of NO, **218**, 405

Pd and Rh surfaces, effects on NO dissociation, **213**, 211

Pt/amorphous Al₂O₃ catalyst, **214**, 146

Pt-beta catalysts, effect on selective catalytic reduction of NO_x by propylene, **218**, 111

Pt/oxide catalyst surface, CO-induced changes, DRIFTS study, **217**, 478
sulfated zirconia, correlation with reactivity in isomerization of α -pinene, **215**, 57

supported metal catalysts and model surfaces, in situ studies by time-resolved and 3D XAFS techniques, **216**, 165

supported molten salt catalysts for SO₂ oxidation, **215**, 139

titanium-containing silicates, effects on catalysis of epoxidation, **214**, 242

transition metal phosphides for advanced hydroprocessing, **216**, 343

tungstated zirconia catalysts for alkane conversion, **216**, 353

Structure–activity relationships

anisole acylation over zeolite beta optimized by steaming and acid leaching, **218**, 239

heterogeneous catalysts, operando studies and in situ characterization, **216**, 155

Ni-containing zeolites during NO reduction

influence of acid sites, **218**, 348

role of Ni chemical state, **218**, 375

reactive oxo-titanium species in titanosilicate molecular sieves, **217**, 160

Styrene

cyclopropanation over chiral catalysts confined in porous hosts, **217**, 275

enantioselective epoxidation with urea–H₂O₂ adduct as oxidant using chiral Mn(III) salen complexes, **219**, 1

epoxidation over titanosilicate molecular sieves, structure–activity correlations, **217**, 160

formation by ethylbenzene dehydrogenation over Mg–V–Al mesoporous mixed oxide catalysts under CO₂ flow, **218**, 104

oxidation by O₂ under air pressure over Cu₂(OH)PO₄ and Cu₄O(PO₄)₂ catalysts, **218**, 460

Successive impregnation

PtSn/ γ -Al₂O₃ catalysts prepared by, effect of La doping, **219**, 63

Sulfidation

Ru–Cs/Al₂O₃ catalysts, analysis with ³⁵S tracer methods, **217**, 59

Sulfonic acid

silica modified with, solid acid catalysts based on, interactions with vinyl ether, ATR-IR spectroscopic study, **219**, 425

Sulfoxantphos

Rh complexes with, supported ionic liquid-phase catalysts containing, continuous fixed-bed gas-phase hydroformylation, **219**, 452

Sulfur

deactivation of NO_x storage catalysts, effects of exposure conditions and noble metal, **217**, 253

fluorinated NiMoS catalysts supported on Al₂O₃ or ASA, hydrodenitrogenation of *o*-toluidine, kinetics, **217**, 284

poisoning of NiW/Zr-doped mesoporous silica catalysts, effect on hydrogenation and ring opening of tetralin, **220**, 457

Sulfur dioxide

deactivation of Gd–Pd sol–gel catalysts in NO reduction with CH₄, surface species in, spectroscopic study, **217**, 1

oxidation, supported molten salt catalysts for, molecular structure, **215**, 139

Sulfuric acid

molten salt catalysts for SO₂ oxidation, molecular structure, **215**, 139

silica modified with, solid acid catalysts based on, interactions with vinyl ether, ATR-IR spectroscopic study, **219**, 425

Sulfur tolerance

supported Ni(Co)Mo sulfide hydrotreating catalysts, **215**, 353

Sum frequency generation

model catalyst characterization, **216**, 223

Supercritical fluids

CO₂, homogeneous catalysis in, membrane reactors for, **219**, 126

Superoxo-titanium

in titanosilicate molecular sieves, EPR studies and structure–activity correlations, **217**, 160

Support effects

on selective oxidation of dimethyl ether to formaldehyde catalyzed by MoO_x domains, **217**, 222

Surfaces

Ag catalysts, ethylene epoxidation: construction of reaction coordinate and microkinetic model, **214**, 200

Bi₂Mo₃O₁₂(010), morphological evolution in air–H₂O atmospheres, **213**, 151

- ceria–lanthana mixed oxide catalysts, segregation on, **219**, 305
- M–W–Mn catalysts, WO₄ tetrahedron on, role in oxidative coupling of methane, **220**, 47
- oxides, chemistry and catalysis: nanoscale design bases for single-site heterogeneous catalysts, **216**, 236
- Pd and Rh, structure of, effects on NO dissociation, **213**, 211
- Pd–Sn/Al₂O₃ catalysts from colloidal oxide synthesis, properties, **218**, 288
- Pt/oxide catalysts, CO-induced structural changes, DRIFTS study, **217**, 478
- Ru/carbon nanofiber catalysts, oxygen-containing groups on, effects in hydrogenation of cinnamaldehyde, **214**, 78
- supported palladium catalysts, structure of, effects on activity for direct decomposition of NO, **218**, 405
- TiO₂ nanostructured catalysts, effects on photocatalytic activity, **219**, 107
- TiO₂(001) single crystal, reconstruction of, effect on acetic acid photoreaction, **214**, 46
- zinc glutarate catalysts, NEXAFS spectroscopic study, **218**, 386
- Synchrotron X-ray photoelectron spectroscopy
- tungstophosphoric acid stability, **217**, 292
- Synthesis gas
- formation by dry reforming of methane over catalysts derived from Ni-containing Mg–Al layered double hydroxides, **213**, 191
- formation by partial oxidation of methane over stable Rh catalyst, **217**, 245

T

- Tantalum oxide
- support of metal oxide catalysts, synthesis, Raman spectroscopy, and methanol oxidation, **217**, 468
- Tellurium
- Rh–Te catalysts, adsorption of CO, microcalorimetric, IR, and DFT studies, **217**, 209
- Temperature effects
- selectivity in hydrocracking reactions, **217**, 376
- Temperature-programmed adsorption
- hydrogen interaction with Cu/Al₂O₃ catalysts, **215**, 188
- Temperature-programmed decomposition
- adsorbed platinum tetrammine hydroxide complex under flowing H₂, O₂, and Ar: preparation of Pt/SiO₂ catalyst, **220**, 280
- Temperature-programmed desorption
- ethanol on Pd–Mo/Al₂O₃ catalysts: analysis of NO reduction, **220**, 358
- hydrogen interaction with Cu/Al₂O₃ catalysts, **215**, 188
- nitric oxide adsorbed on promoted Ag/α-Al₂O₃ catalysts, **217**, 442
- nitrogen, analysis of NH₃ decomposition over Ba- or Cs-promoted Ru/C catalysts, **218**, 465
- Temperature-programmed oxidation
- catalytic reduction of N₂O by C₂H₄ over Fe-ZSM-5, **218**, 220
- Ce-doped Pd catalysts in combustion of methane, **215**, 78
- Temperature-programmed reduction
- CoNiAl ternary hydrotalcites, **220**, 161
- NiMo interaction with alumina and silica–alumina supports, **215**, 7
- selective catalytic reduction of NO in excess O₂ over Pt/Si-MCM-41 catalysts, **213**, 241
- silica-supported transition metal phosphide hydrodenitrogenation catalysts, **219**, 85
- V₂O₅–TiO₂–SiO₂ mesoporous catalysts for selective catalytic reduction of NO by NH₃, **217**, 172
- Template-ion exchange
- Cr-MCM-41 prepared by, characterization and catalytic properties, **220**, 347
- Temporal analysis of products
- basic principles, applications, and theory, **216**, 120
- ethane oxidation over Pt/Al₂O₃ catalyst at low temperature, **219**, 206
- high-throughput, acceleration of catalyst development by, **216**, 135
- Terpenes
- epoxidation on titanium-containing silicates, catalytic performance, effects of structural features, **214**, 242
- Tetrachloroethylene
- hydrofluorination over aliovalent-doped chromium-based catalysts, **219**, 8
- Tetrahydrofuran
- formation by single-stage gas-phase processing of dimethyl maleate, extrusion of Cu/ZnO catalysts for, **218**, 419
- Tetralin
- hydrogenation over molybdenum sulfide/β-zeolite catalysts of varying acidities, **220**, 433
- hydrogenation and ring opening on NiW/Zr-doped mesoporous silica catalysts, effect of preparation method and sulfur poisoning, **220**, 457
- solvent effects on heterogeneous synthesis of flavanone over MgO, **214**, 136
- Tetrahodium dodecacarbonyl
- catalysis of 3,3-dimethylbut-1-ene hydroformylation, in situ FTIR, spectral reconstruction with band-target entropy minimization, **213**, 126
- Thermochemistry
- free radicals in catalytic oxidation of light alkanes, **216**, 468
- Thermoconductor supports
- Pd catalysts on, hydrogenation of 1,3-butadiene, comparison to Pd on oxide supports, **214**, 26
- Thermodynamics
- halide acid pretreatment effects on photocatalysts for oxidation of aromatic air contaminants, **217**, 38
- Mo–carbide and carbon stabilities toward H₂O, CO₂, and H₂ in methane dehydroaromatization on Mo/HZSM-5 catalyst, **220**, 57
- Thermolytic molecular precursor method
- heterogeneous catalyst design and synthesis, **216**, 265
- Thin film catalysts
- Au/TiO₂, for degradation of azo dyes, characterization and photocatalytic activity, **220**, 127
- Thin film oxides
- model catalyst working surfaces, imaging, **216**, 213
- Thiophene
- cracking catalyzed by mordenite, periodic DFT study, **215**, 20
- desulfurization on Ni(100), initial steps in, DFT study, **214**, 234
- hydrodesulfurization
- over Au/Pd catalysts, synergetic effect of Au during, **215**, 317
- over Ni₂P/SiO₂ catalysts, **215**, 208
- on supported Ni(Co)Mo sulfide catalysts, sulfur tolerance, **215**, 353
- Three-way catalysts
- automotive exhaust catalysis, **216**, 433
- NO dissociation on Pd and Rh surfaces, structure sensitivity, **213**, 211
- Tiglic acid
- asymmetric hydrogenation, β zeolite synthesized in fluoride medium for, structure, morphology, and activity, **219**, 74
- Ti-MCM-41
- catalysis of epoxidation
- effects of structural features, **214**, 242
- reactive oxygen species in, **216**, 461
- Time-resolved IR reflection absorption spectroscopy
- kinetics of methanol oxidation on supported Pd model catalyst, **213**, 176
- Tin
- Lewis acidic Sn(IV) centers grafted onto MCM-41, catalysis of Baeyer–Villiger oxidation with H₂O₂, **219**, 242
- Pd–Sn/Al₂O₃ catalysts from colloidal oxide synthesis
- preparation, **218**, 280
- surface properties and selective hydrogenation of buta-1,3-diene, **218**, 288
- PtSn alloys, selectivity in hydrogenation of α,β-unsaturated aldehydes: density functional study of molecular adsorption, **220**, 115
- PtSn/γ-Al₂O₃ catalysts prepared by successive impregnation and controlled surface reaction, effect of La doping, **219**, 63
- Sn/Pt surface alloys, adsorption and bonding of 2-butenal on, **215**, 245

Tin(IV) oxide

- Bi₂O₃–SnO₂ catalysts, oxidative dehydrodimerization and aromatization of isobutene, kinetics, **214**, 284
support of MoO_x, selective oxidation of dimethyl ether to formaldehyde, structure and support effects, **217**, 222

Tishchenko reaction

- intramolecular, over solid base catalysts, selective phthalide–skeleton synthesis by, **217**, 117

Titania, *see* Titanium dioxide

Titanium

- hexanuclear cluster, synthesis of nanometric monodispersed TiO₂ particles on mesoporous silica from, **217**, 343
isolated sites in TS-1 framework and species on SiO₂, identification by UV resonance Raman spectroscopy, **216**, 203
MCM-22 modified by, support of Pd catalysts, propylene epoxidation by O₂ without hydrogen in methanol solvent, **220**, 513
Ti(IV), single-site, on SBA-15, **216**, 265
Ti-β molecular sieve, for carbon–carbon bond formation reactions, **220**, 326
Ti-supported amorphous silica epoxidation catalysts, synthesis of, effect of solvent, **217**, 195

Titanium dioxide

- nanocrystalline catalysts, photocatalytic oxidation of acetone and ethanol, dynamic phenomena during, **219**, 219
nanometric monodispersed particles on mesoporous silica, synthesis, characterization, and liquid-phase oxidation activity, **217**, 343
nanostructured catalysts, photocatalytic activity, effects of surface properties, **219**, 107
photocatalysts
bimodal mesoporous, activity and microstructures, effects of acidic and basic hydrolysis catalysts, **217**, 69
butyl acetate oxidation in vapor phase, **215**, 129
highly reactive, operating under visible light irradiation, design and development, **216**, 505
hydrogen peroxide formation, effect of Cu ions, **219**, 214
for oxidation of aromatic air contaminants, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38
polycrystalline, impregnated with functionalized Cu(II)–porphyrin or Cu(II)–phthalocyanine, photocatalytic degradation of 4-nitrophenol, **217**, 334
surface interaction and destruction of microcystin, processes influencing, **213**, 109

support of

Au catalysts

- N₂O/H₂, N₂O/CO, H₂/O₂, and CO/O₂ reactions, **219**, 197
oxidation of carbon monoxide, **219**, 17
thin film catalysts for degradation of azo dyes, characterization and photocatalytic activity, **220**, 127

Ni catalysts, methane decomposition and gasification of deposited carbon with CO₂, structural changes of Ni species during, **219**, 176Ni(Co)Mo sulfide hydrotreating catalysts, sulfur tolerance, **215**, 353

Pd catalysts

- enantioselective hydrogenation of 2-pyrones, reaction mechanisms, **219**, 41
photocatalytic reforming of methanol at metal–support interface, **217**, 427

Pd–Ni catalysts, methane decomposition into hydrogen and carbon nanofibers, **220**, 468

Pt catalysts

- CO-induced surface structural changes, DRIFTS study, **217**, 478
photooxidation of butyl acetate in vapor phase, **215**, 129
strong metal–support interaction, **216**, 12

Rh catalysts, CO₂ reforming of propane, **216**, 377WO₃ catalysts, photocatalytic oxidation of butyl acetate in vapor phase, **215**, 129

suspended particles, redox-combined synthesis of L-pipecolic acid from L-lysine, effect of noble metal loading, **217**, 152

TiO₂(001) single crystal, surface reconstruction of, effect on photoreaction of acetic acid, **214**, 46

TiO₂(110) surfaces, Mo dimer and Cu trimer on, polarization-dependent total-reflection fluorescence XAFS, **216**, 165

TiO₂–SiO₂ materials, catalytic properties, **220**, 240

V₂O₅–TiO₂–SiO₂ mesoporous catalysts, selective catalytic reduction of NO by NH₃, **217**, 172

Titanium(IV)–hydroperoxide

in epoxidation reactions over titanasilicate molecular sieves, **216**, 461

Titanium(IV)–superoxide

in epoxidation reactions over titanasilicate molecular sieves, **216**, 461

Titanosilicates

for carbon–carbon bond formation reactions, **220**, 326

catalysis of epoxidation

effects of structural features, **214**, 242

reactive oxygen species in, **216**, 461

with MWW structure, catalysis of selective production of glycidol via epoxidation of allyl alcohol with H₂O₂, **214**, 317

reactive oxo-titanium species in molecular sieves, EPR studies and structure–activity correlations, **217**, 160

Toluene

alkylation by methanol or ethylene over basic X zeolites, **216**, 396
disproportionation

HZSM-5 *para*-selectivity for, enhancement by antimony oxide, **219**, 310

selective, catalysts for, design based on shape selectivity, **216**, 32

gas-phase oxidation, photocatalysts for, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38

hydrogenation over Ni-promoted SBA-15 with high loading of short WS₂ slabs, **213**, 163

liquid-phase oxidation, catalysis by BiO_x clusters occluded in ZSM-5 matrix, **219**, 337

nitration with acetyl nitrate, zeolite BEA as *para*-selective catalyst for, **219**, 231

o-Toluidine

hydrodenitrogenation over fluorinated NiMoS/Al₂O₃ and NiMoS/ASA catalysts, kinetics, **217**, 284

hydrodenitrogenation over silica-supported transition metal phosphide catalysts, **219**, 85

Transition metal ions

anions, layered double hydroxides exchanged with, as bioinspired model of vanadium bromoperoxidase, **216**, 288

bivalent, in framework of high-silica zeolites with broad range of Si/Al ratios, localization by low-temperature H₂ adsorption, **216**, 192

isolated, in molecular sieves and on oxide supports, identification by UV resonance Raman spectroscopy, **216**, 203

in zeolites, molecular description, **216**, 324

Transition metal oxides

isolated, in molecular sieves and on oxide supports, identification by UV resonance Raman spectroscopy, **216**, 203

support of Au catalysts, N₂O/H₂, N₂O/CO, H₂/O₂, and CO/O₂ reactions, **219**, 197

Zr–TMS mesoporous catalysts, triflic acid-functionalized, synthesis and characterization, **220**, 442

Transition metal phosphides

for advanced hydroprocessing, general properties, structure, synthesis, and catalytic properties, **216**, 343

SiO₂-supported hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85

Transition metals

homogeneous catalysis with, industrial view, **216**, 23

Transmission electron microscopy

active silver species in lean reduction of NO_x with C₃H₆ in presence of H₂O, **217**, 310

- Co/SiO₂ catalysts, **220**, 146
- NiMo interaction with alumina and silica–alumina supports, **215**, 7
- PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts for CO and NO elimination, TEM-XEDS study, **214**, 220
- Re/ γ -Al₂O₃ low-loaded catalyst, **219**, 362
- silicide formation on Pt/SiO₂ model catalyst, **219**, 434
- three-dimensional, achievements and future prospects, **216**, 144
- truncated octahedral Pt nanoparticles supported on alumina, **214**, 1
- V₂O₅–TiO₂–SiO₂ mesoporous catalysts for selective catalytic reduction of NO by NH₃, **217**, 172
- Trichloroethylene
- gaseous lean, oxidation on Pd/alumina catalysts, reaction pathway and kinetic mechanism, **214**, 130
 - low-temperature deep oxidation by H-ZSM-5-supported manganese oxide catalysts, **218**, 148
 - photooxidation on nanostructured TiO₂ catalysts, effects of surface properties, **219**, 107
- Tricyclic α,β -dehydrodiptide
- diastereoselective hydrogenation on charcoal-supported noble metal catalysts, **217**, 240
- Triflic acid
- Zr-TMS mesoporous catalysts functionalized with, synthesis and characterization, **220**, 442
- Trimethylgallium
- chemical vapor deposition, Ga/HZSM-5 and Ga/HMOR synthesized by, characterization, **219**, 352
- Trimethylsilyl cyanide
- reaction with aldehydes, enantioselective catalysis by chiral vanadyl Schiff base complex anchored on silica, **215**, 199
- TS-1
- for carbon–carbon bond formation reactions, **220**, 326
 - catalysis of epoxidation reactions, reactive oxygen species in, **216**, 461
 - catalytic properties, **220**, 240
 - isolated Ti sites in framework of, identification by UV resonance Raman spectroscopy, **216**, 203
- Tungstate
- layered double hydroxides exchanged with, as bioinspired model of vanadium bromoperoxidase, **216**, 288
- Tungsten
- M–W–Mn/SiO₂ catalysts, oxidative coupling of methane, role of surface WO₄ tetrahedron, **220**, 47
 - NiW/SiO₂–Al₂O₃ sulfided catalysts, hydrocracking of *n*-decane, mechanisms, **218**, 427
 - NiW/Zr-doped mesoporous silica catalysts, hydrogenation and ring opening of tetralin, effects of preparation method and sulfur poisoning, **220**, 457
- Tungsten carbides
- electrocatalytic application: reactions of methanol, water, and hydrogen on Pt-modified C/W(111) surfaces, **215**, 254
- Tungsten disulfide
- short slabs, high loading inside SBA-15: promotion with Ni and performance in hydrodesulfurization and hydrogenation, **213**, 163
- Tungsten oxide
- activated carbon-supported catalysts, dispersion, distribution, and surface acidity, effect of tungsten precursor and pretreatment, **217**, 30
- Tungsten phosphide
- SiO₂-supported hydrodenitrogenation catalysts, synthesis and characterization, **219**, 85
- Tungsten tetroxide
- surface tetrahedron, role in oxidative coupling of methane over M–W–Mn/SiO₂ catalysts, **220**, 47
- Tungsten trioxide
- tantalum oxide-supported catalysts, synthesis, Raman spectroscopy, and methanol oxidation, **217**, 468
 - TiO₂-supported catalysts, photocatalytic oxidation of butyl acetate in vapor phase, **215**, 129
- Tungstophosphoric acid
- stability, study using synchrotron XPS, XANES, hexane cracking, XRD, and IR spectroscopy, **217**, 292
- ## U
- Ultraviolet Raman spectroscopy
- coke formation in methanol-to-hydrocarbon conversion over zeolite H-MFI, **213**, 39
- Ultraviolet resonance Raman spectroscopy
- identification of isolated transition metal ions/oxides in molecular sieves and on oxide supports, **216**, 203
- Ultraviolet–visible diffuse reflectance spectroscopy
- reactive oxygen species in epoxidation over titanasilicate molecular sieves, **216**, 461
 - surface deposit formation in isomerization of *n*-butane and *n*-pentane over sulfated zirconia, **218**, 365
- Ultraviolet–visible spectroscopy
- active silver species in lean reduction of NO_x with C₃H₆ in presence of H₂O, **217**, 310
 - operando optical fiber, NO and N₂O decomposition over Cu-ZSM-5 zeolite, **220**, 500
 - selective catalytic reduction of NO_x by methane over Co-H-MFI and Co-H-FER zeolites, **214**, 179
 - solvent effects in synthesis of titanium-supported amorphous silica epoxidation catalysts, **217**, 195
- Underpotential deposition
- Pb on Au(111): electrocatalytic reduction of dioxygen, **213**, 17
- α,β -Unsaturated aldehydes
- hydrogenation with Pt catalysts, effect of Sn additives: density functional study of molecular adsorption, **220**, 115
- Urea
- adduct with H₂O₂, enantioselective epoxidation of nonfunctionalized alkenes with, mediation by Mn(III) salen complexes, **219**, 1
- ## V
- Vanadia, *see* Vanadium pentoxide
- Vanadium
- isolated sites in V-MCM-41, identification by UV resonance Raman spectroscopy, **216**, 203
 - Mg–V–Al mesoporous mixed oxides prepared from layered double hydroxides, dehydrogenation of ethylbenzene to styrene under CO₂ flow, **218**, 104
 - Mo–V–Sb catalysts for selective oxidation, combinatorial screening and conventional testing, **220**, 136
- Vanadium bromoperoxidase
- transition metal anion-exchanged layered double hydroxides as bioinspired model of, **216**, 288
- Vanadium oxide
- catalysis of selective catalytic reduction, mechanistic aspects of, density functional theory study, **213**, 115
 - MgO-supported VO_x nanocrystalline catalysts, oxidative dehydrogenation of butane in presence of iodine, **218**, 438
 - Mo–V–Sb oxides for selective propane oxidation to acrylic acid, bulk structure and catalytic properties, **215**, 108
- Vanadium oxosulfato complexes
- in molten salt catalysts for SO₂ oxidation, molecular structure, **215**, 139
- Vanadium pentoxide
- activated carbon-supported catalysts, selective catalytic reduction of NO by NH₃ at low temperatures, formation and reaction of ammonium sulfate salts during, **214**, 213
 - interaction with methane, electronic theory, **216**, 416
 - V₂O₅–SiO₂ gels, selectivity in oxydehydrogenation of propane to propylene, enhancement under cyclic conditions, **213**, 95

- V₂O₅–TiO₂–SiO₂ mesoporous catalysts, selective catalytic reduction of NO by NH₃, **217**, 172
- Vanadyl salen complex
chiral, anchored on silica, enantioselective catalysis of cyanohydrin formation, optimization by support modification, **215**, 199
- Vapor-phase impregnation
Pt/KL catalysts prepared by, aromatization of *n*-octane, **218**, 1
- Vibrational frequency
carbon monoxide on methanol synthesis catalysts, DFT study, **213**, 63
- Vinyl acetate
synthesis, active sites for, elucidation and design, **216**, 73
- Vinylidene
formation as intermediate in dehalogenation of 1-chloro-1-fluoroethene to acetylene on α -Cr₂O₃ (10 $\bar{1}$ 2), **214**, 273
- Visible light
highly reactive TiO₂ photocatalysts operating under, design and development, **216**, 505
- V-MCM-41
isolated V sites in, identification by UV resonance Raman spectroscopy, **216**, 203
- Volatilization
Mo in Bi₂Mo₃O₁₂(010): surface morphological evolution in air–H₂O atmospheres, **213**, 151

W

- Wadsworth–Emmons reaction
catalysis by solid base, **218**, 191
- Water
addition of, effect on chalcone synthesis using natural phosphate modified with sodium nitrate, **213**, 1
decomposition on Pt-modified C/W(111) surfaces, **215**, 254
effect on kinetics of NO reduction by CH₄ over La₂O₃/γ-Al₂O₃ catalyst, **214**, 292
promotional role in dehydroaromatization of methane on Mo/HZSM-5 catalyst, **220**, 57
reduction of nitrate over Pd- and Pt-based catalysts, effect of Cu, Ag, or Au addition, **220**, 182
- Water–gas shift reaction
on Cu catalysts under realistic conditions for fuel cell applications, kinetics, **217**, 233
for reformed fuels over Cu/MnO catalysts prepared via spinel-type oxide, **215**, 271
- Wax
composition transients during Fischer–Tropsch synthesis, **214**, 251
- Wells–Dawson unit
role in reactivity of substrate-versatile catalyst for selective oxidation of light alkanes, **218**, 42
- Wilkinson's catalyst
fluorous derivative, 1-butene hydrogenation in supercritical CO₂, membrane reactor for, **219**, 126

X

- X-ray absorption fine structure
active silver species in lean reduction of NO_x with C₃H₆ in presence of H₂O, **217**, 310
Fe-binuclear complex reactivity in over-exchanged Fe/ZSM5, in situ study
heat treatment in He and O₂, **215**, 279
selective catalytic reduction of NO with isobutane, **218**, 163
time-resolved and 3D techniques for in situ characterization of supported metal catalysts and model surfaces, **216**, 165

- X-ray absorption near-edge structure
Cu and Pd active states in oxidative carbonylation of phenols with Cu₂O and Pd/C, **218**, 334
PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts for CO and NO elimination, **214**, 220
supported metal catalysts and model surfaces, **216**, 165
tungstophosphoric acid stability, **217**, 292
zinc glutarates prepared from zinc sources, **218**, 209
- X-ray absorption spectroscopy
hydrogen binding sites and electronic structure of supported Pt catalysts in situ: compensation relation in alkane hydrogenolysis, **216**, 178
Ni chemical state role in structure–activity relations for Ni-containing zeolites during NO reduction, **218**, 375
nickel(α-diimine) catalyst for olefin polymerization, **214**, 165
substrate-versatile catalyst for selective oxidation of light alkanes, **218**, 54
- X-ray diffraction
active silver species in lean reduction of NO_x with C₃H₆ in presence of H₂O, **217**, 310
BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
Ce-doped Pd catalysts in combustion of methane, **215**, 78
Cs_x(NH₄)_yH₂PMo₁₂O₄₀ and related heteropolyacids: in situ study of active species formation and stability, **213**, 235
hydrothermal stability of CuAPSO-34 microporous catalysts for N₂O decomposition: comparison with CuZSM-5, **217**, 100
PdCr/Al₂O₃ and PdCr/(Ce,Zr)O_x/Al₂O₃ catalysts for CO and NO elimination, **214**, 220
Pd/SiO₂ catalysts during reduction at 450 and 500 °C: formation of palladium silicide, **220**, 299
shape selectivity studies, **216**, 32
tungstophosphoric acid stability, **217**, 292
V₂O₅–TiO₂–SiO₂ mesoporous catalysts for selective catalytic reduction of NO by NH₃, **217**, 172
- X-ray photoelectron spectroscopy
BiO_x clusters occluded in ZSM-5 matrix, **219**, 337
Ce-doped Pd catalysts in combustion of methane, **215**, 78
La effect on PtSn/γ-Al₂O₃ catalysts prepared by successive impregnation and controlled surface reaction, **219**, 63
redox properties at CuO_x–(Ce,Zr)O_x interfaces, **214**, 261
Re/γ-Al₂O₃ low-loaded catalyst, **219**, 362
selective catalytic reduction of NO in excess O₂ over Pt/Si-MCM-41 catalysts, **213**, 241
solvent effects in synthesis of titanium-supported amorphous silica epoxidation catalysts, **217**, 195
synchrotron XPS study of tungstophosphoric acid stability, **217**, 292
V₂O₅–TiO₂–SiO₂ mesoporous catalysts for selective catalytic reduction of NO by NH₃, **217**, 172
- m*-Xylene
gas-phase oxidation, photocatalysts for, pretreatment by halide acids: rate alterations and thermodynamics, **217**, 38
transformation over H-MCM-22 zeolite, mechanisms and location of reactions, **220**, 92
- o*-Xylene
hydrogenation in gas phase over Pt/alumina catalyst, activity and stereoselectivity, **218**, 267

Y

- Yttria-stabilized zirconia
composites with Cu and ceria, SOFC anodes based on, for direct electrochemical oxidation of hydrocarbons, **216**, 477
electrolyte, atomic oxygen radical anion emission from, features and mechanism, **215**, 1
Ni–YSZ cermet catalysts, equilibrium dissociative adsorption of CH₄, carbon adspecies formed during, nature and binding strength, **217**, 324

support of Pt catalysts, non-Faradaic electrochemical modification of catalytic activity, **216**, 12

Z

Zeolites

adsorption/desorption on, study in TAP reactor: evaluation as supports for ethane oxidative dehydrogenation, **216**, 135

basic, as catalysts and catalyst supports, **216**, 396

Ba-Y,FAU, nonthermal plasma-assisted reduction of NO_x, effect of catalyst preparation, **220**, 291

BEA, suitability as *para*-selective nitration catalyst, factors determining, **219**, 231

beta

channel structures and acid properties, effects in liquid-phase *tert*-butylation of phenol, **218**, 249

isobutane conversion kinetics, **218**, 88

polymorph C, shape-selective acylation of 2-methoxynaphthalene, **217**, 406

steaming and acid leaching for acylation of anisole with octanoic acid: structure–activity relation, **218**, 239

support of molybdenum sulfide catalysts of varying acidities, hydrogenation properties, **220**, 433

synthesized in fluoride medium for asymmetric hydrogenation, structure, morphology, and activity, **219**, 74

catalyst design: knowledge extraction from high-throughput experimentation, **216**, 98

as catalysts, state of the art and future challenges, **216**, 298

Co-ferrierite, adsorption of NO, effect of local framework heterogeneity, **219**, 117

Co-H-FER and Co-H-MFI, selective catalytic reduction of NO_x, characterization and catalytic activity, **214**, 179

CoZSM5, for selective catalytic reduction of NO_x with CH₄, nature of Co species in, **217**, 186

Cu⁺X, methanol carbonylation to dimethyl carbonate, kinetics, **217**, 396

Cu-ZSM-5

decomposition of NO and N₂O, operando optical fiber UV–vis spectroscopic study, **220**, 500

hydrothermal stability, comparison with CuAPSO-34 microporous catalysts for N₂O decomposition, **217**, 100

deactivation, coke precursor formation in, mechanistic insights from hexamethylbenzene conversion, **215**, 30

Fe-containing, surface chemistry of nitrous oxide decomposition, **219**, 456

FeMFI

for benzene hydroxylation to phenol by N₂O, activity and deactivation, **214**, 169

N₂O conversion, active site structure sensitivity in, **218**, 234

steam-activated, evolution of iron species and activity in direct N₂O decomposition, **214**, 33

Fe-ZSM-5

catalysts based on, iron center structure and reactivity in, role of Al, statistically based IR study, **215**, 264

isolated Fe sites in, identification by UV resonance Raman spectroscopy, **216**, 203

N₂O reduction by C₂H₄: formation and nature of carbonaceous deposits and effects of O₂ addition, **218**, 220

over-exchanged, binuclear Fe complex reactivity in, in situ XAFS studies

heat treatment in He and O₂, **215**, 279

selective catalytic reduction of NO with isobutane, **218**, 163

over-exchanged, obtained by chemical vapor deposition of FeCl₃, evolution of Fe species during synthesis of, **213**, 251

oxidation of benzene, density functional theory study, **220**, 84

Friedel–Crafts hydroxyalkylation of anisole with paraformaldehyde in supercritical CO₂, **219**, 464

H-beta

conversion of hexamethylbenzene, catalyst deactivation by coking in, mechanism, **215**, 30

disproportionation of isopropyl-naphthalene, **220**, 13

support of Pt catalysts, selectivity in hydrocracking reactions, parameters controlling, **217**, 376

high-silica, with broad range of Si/Al ratios in framework, bivalent transition metal ion localization using low-temperature H₂ adsorption, **216**, 192

H-MCM-22, mechanisms and location of reactions, **220**, 92

H-MFI

methanol-to-hydrocarbon conversion, coke formation in, UV Raman spectroscopic study, **213**, 39

support of Pt catalysts, selectivity in hydrocracking reactions, parameters controlling, **217**, 376

H-USY, support of Pt catalysts

hydrogen binding sites and electronic structure, in situ XANES study, **216**, 178

selectivity in hydrocracking reactions, parameters controlling, **217**, 376

HY, disproportionation of isopropyl-naphthalene, **220**, 13

HY, support of

Mo(CO)₆, intermediates during temperature-programmed decarbonylation, **216**, 165

Pt catalysts

high-pressure liquid phase hydroconversion of heptane/nonane mixtures, **220**, 66

hydrocracking and hydroisomerization of *n*-octane, analysis with reactors of different configurations, **218**, 12

H-ZSM-5

ammonia loading in, effect on self-diffusivity, pulsed field gradient NMR study, **213**, 321

Fe- and Al-based acid sites in, activity for *n*-hexane cracking, quantitation, **218**, 155

Ga/H-ZSM-5 synthesized by chemical vapor deposition of trimethyl-gallium, characterization, **219**, 352

with low Fe content, active sites for formation of surface oxygen by N₂O decomposition, **219**, 273

para-selectivity, enhancement by antimony oxide, **219**, 310

selective catalytic reduction of NO_x with ammonia, effect of transient NH₃ supply, **218**, 354

support of

manganese oxide catalysts, deep oxidation of dichloromethane and trichloroethylene at low temperature, **218**, 148

Mo catalysts, dehydroaromatization of methane, promotional role of water added to methane feed, **220**, 57

H-ZSM-22, isomerization of 2-pentene, DFT study, **214**, 67

IM-5, synthesis, characterization, and catalytic properties, **215**, 151

In-ZSM-5, structure of, relationship to activity for selective reduction of NO by methane, **214**, 100

ITQ-2, acidity of, IR study, **214**, 191

KL, support of Pt catalysts

aromatization reactions, **216**, 12

prepared by vapor-phase impregnation, aromatization of *n*-octane, **218**, 1

large-pore, channel structures and acid properties, effects in liquid-phase *tert*-butylation of phenol, **218**, 249

Lewis acid sites in, analysis: DFT study of electrophilic aromatic substitution, **220**, 333

LTL

selective N,N-methylation of aniline, **217**, 107

support of Pt, hydrogen binding sites and electronic structure, in situ XANES study, **216**, 178

MFI, extraframework Fe–Al–O species occluded in, as active species in benzene oxidation to phenol with N₂O, **220**, 260

Mo/HZSM-5, dehydroaromatization of methane, **216**, 386

- NaY, support of
Mo(CO)₆, intermediates during temperature-programmed decarbonylation, **216**, 165
Pt, hydrogen binding sites and electronic structure, in situ XANES study, **216**, 178
Ni-containing, structure–activity relations during NO reduction
influence of acid sites, **218**, 348
role of Ni chemical state, **218**, 375
NU-88, synthesis, characterization, and catalytic properties, **215**, 151
Pt-beta, selective catalytic reduction of NO_x by propylene, structure sensitivity, **218**, 111
PtCoZSM5, for selective catalytic reduction of NO_x with CH₄, nature of Co species in, **217**, 186
Pt-H-ZSM-22, *n*-octane hydroconversion, pore mouth catalysis in, kinetic modeling, **220**, 399
PtNaY, transformation of dichloromethane, mechanism, **215**, 234
RHO, cocrystallized with zeolite X, selective N,N-methylation of aniline, **217**, 107
shape-selective catalysts for 2,6-dimethylnaphthalene synthesis, a priori selection of, **217**, 298
shape selectivity, implications for catalyst development for petroleum and petrochemical industries, **216**, 32
Sn-beta, catalysis of Meerwein–Ponndorf–Verley and Oppenauer reactions, **215**, 294
transition metal ions in, molecular description, **216**, 324
USHY, support of NiW catalysts, hydrocracking of *n*-decane, mechanisms, **218**, 427
USY
channel structures and acid properties, effects in liquid-phase *tert*-butylation of phenol, **218**, 249
isopropylation of naphthalene by isopropyl alcohol in high-pressure fixed-bed flow reactor, **220**, 265
X
as catalysts and catalyst supports, **216**, 396
cocrystallized with zeolite RHO, selective N,N-methylation of aniline, **217**, 107
rare-earth-exchanged, catalysis of isobutane/butene alkylation, deactivation pathways in, **220**, 192
Y, support of heterogenized HRh(CO)(PPh₃)₃ by tethering with phosphotungstic acid, hydroformylation with, **213**, 73
ZSM-5
matrix, BiO_x clusters occluded in, preparation, characterization, and catalysis of liquid-phase oxidation of hydrocarbons, **219**, 337
regioselective H/D exchange reactions of propane, effects of skeletal rearrangement, **215**, 122
ZSM-22, pore mouth physisorption of alkanes, enthalpies and entropies of, estimation by additivity method, **218**, 135
Zinc
Cu methanol synthesis catalysts with, CO vibrational frequencies on, DFT study, **213**, 63
Zn²⁺, in framework of high-silica zeolites with broad range of Si/Al ratios, localization by low-temperature H₂ adsorption, **216**, 192
Zinc glutarate
copolymerization of carbon dioxide and propylene oxide, **218**, 209
surface properties and reactivity with CO₂ and propylene oxide, NEXAFS spectroscopic study, **218**, 386
Zinc oxide
Cu/ZnO/Al₂O₃ methanol catalysts prepared by flame combustion synthesis, **218**, 67
Cu/ZnO catalysts
extrusion for single-stage gas-phase processing of dimethyl maleate to tetrahydrofuran, **218**, 419
methanol synthesis under high pressure, high-throughput screening, **216**, 110
effect on differential heat of adsorption of CO on Cu catalysts, microcalorimetric study, **220**, 249
highly dispersed species on silica, as active sites for photoepoxidation of propene by O₂, **220**, 226
support of Cu catalysts promoted by ZrO₂ and Al₂O₃, production of hydrogen from methanol, **219**, 389
Zirconia, *see* Zirconium oxide
Zirconium
Cr/Si/Zr/O catalysts for oxidative dehydrogenation and dehydrogenation of propane, thermolytic molecular precursor routes to, **218**, 123
mesoporous silica doped with, support of NiW catalysts, hydrogenation and ring opening of tetralin, effects of preparation method and sulfur poisoning, **220**, 457
salen-type zirconium complexes, catalysis of ethylene oligomerization to low-carbon linear α -olefins, **220**, 392
Zirconium oxide
in automotive exhaust catalysis, **216**, 433
ceria/zirconia nanocrystals prepared by flame-spray synthesis, structure and dynamic oxygen exchange capacity, **220**, 35
(Ce,Zr)O_x/Al₂O₃, support of PdCr catalysts for CO and NO elimination, behavior, **214**, 220
Cu/ZnO catalysts promoted by, production of hydrogen from methanol, **219**, 389
modification of alumina, effects on properties of Co/ γ -Al₂O₃ catalysts, **215**, 66
sulfated catalysts
activity and phase composition, effects of mechanical stress, **217**, 487
n-butane conversion, isomerization mechanism and ¹³C-label scrambling in, ¹³C MAS NMR and ex situ GC-MS study, **220**, 233
n-butane isomerization, active sites for, **218**, 258
n-butane and *n*-pentane isomerization, surface deposit formation in, UV-visible diffuse reflectance spectroscopic study, **218**, 365
n-pentane isomerization, dependence on hydrogen and Pt addition, **219**, 97
 α -pinene isomerization, structure–reactivity correlations, **215**, 57
regioselective H/D exchange reactions of propane, effects of skeletal rearrangement, **215**, 122
support of
MoO_x, selective oxidation of dimethyl ether to formaldehyde, structure and support effects, **217**, 222
Rh catalysts, for decomposition of N₂O, **216**, 443
tungstated catalysts
for alkane conversion, structure and properties, **216**, 353
aluminum-promoted, isomerization of *n*-butane, **215**, 45
n-pentane conversion, reaction pathways: effects of Pt in catalyst and hydrogen in feed, **219**, 376
yttria-stabilized
composites with Cu and ceria, SOFC anodes based on, for direct electrochemical oxidation of hydrocarbons, **216**, 477
electrolyte, atomic oxygen radical anion emission from, features and mechanism, **215**, 1
Ni–YSZ cermet catalysts, equilibrium dissociative adsorption of CH₄, carbon adspecies formed during, nature and binding strength, **217**, 324
support of Pt catalysts, non-Faradaic electrochemical modification of catalytic activity, **216**, 12
ZrO₂/Al₂O₃, support of Cr catalysts, distribution of chromium species in, and performance in dehydrogenation, **220**, 309
Zr-TMS mesoporous catalysts, triflic acid-functionalized, synthesis and characterization, **220**, 442
Zirconium propoxide
supported on mesoporous silicas, catalysis of Meerwein–Ponndorf–Verley reduction, **218**, 396