

Author Index

- Ahmed, M. S.
 —, Dobberstein, R. H. and Farnsworth, N. R. *Stevia rebaudiana*. I. Use of *p*-bromophenacyl bromide to enhance ultraviolet detection of water-soluble organic acids (steviol-bioside and rebaudioside B) in high-performance liquid chromatographic analysis 387
- Andersson, K. K.
 —, Balny, C., Douzou, P. and Bieth, J. G. One-step purification of human leukocyte elastase by biospecific affinity chromatography at subzero temperatures 236
- Anguille, J., see Masson, P. 402
- Araki, S., see Watabe, K. 89
- Aue, W. A., see Siu, K. W. M. 413
- Balny, C., see Andersson, K. K. 236
- Barth, H. G.
 — and Regnier, F. E. High-performance gel permeation chromatography of water-soluble celluloses 275
- Basedow, A. M.
 —, Ebert, K. H., Ederer, H. J. and Fosshag, E. Fractionation of polymers by gel permeation chromatography: An experimental and theoretical approach 259
- Bauer, M.
 — and Untz, G. Analyse des alcaloïdes du quinquina par chromatographie liquide haute performance 479
- Berenson, G. S., see Radhakrishnamurthy, B. 307
- Bieth, J. G., see Andersson, K. K. 236
- Bishara, R. H., see Jakovljevic, I. M. 425
- Bishop, C. A.
 —, Harding, D. R. K., Meyer, L. J., Hancock, W. S. and Hearn, M. T. W. High-performance liquid chromatography of amino acids, peptides and proteins. XXI. The application of preparative reversed-phase high-performance liquid chromatography for the purification of a synthetic underivatized peptide 222
- Bredael, P.
 — and D. Rietvelde Identification des produits de pyrolyse de la *cis*-décane 216
- Brinkman, U. A. Th.
 — and De Vries, G. Use of chemically bonded stationary phases in high-performance thin-layer chromatography. II 331
- Budd, R. D.
 Gas chromatographic separations of dialkyl barbiturate derivatives 212
- Cashion, P. J., see Leigh, C. P. H. 490
- Caude, M., see Gareil, P. 53
- Chafetz, L., see Philip, J. 250
- Chen, S. S., see Hsu, D.-S. 193
- Choudhary, V. R.
 — and Sansare, S. D. Gas chromatographic technique for temperature-programmed desorption of reversibly and irreversibly adsorbed species 420
- Christophersen, A. S.
 — and Rasmussen, K. E. Glass capillary column gas chromatography of barbiturates after flash-heater derivatization with dimethylformamide dimethyl-acetal 363
- Churáček, J., see Jandera, P. 1, 19, 37
- Cotellessa, L.
 —, Riva, R., Salvà, P., Marcucci, F. and Musini, E. Quantitative determination of flufenamic acid in rat plasma and uterus by gas chromatography 441
- Čoupek, J., see Mikeš, O. 159
- Dalferes, Jr., E. R., see Radhakrishnamurthy, B. 307
- Davis, B. A., see Hui, K.-S. 341
- Degenhardt, C. E. A. M.
 — and Duvalois, W. Simple device to facilitate the deactivation of a gas chromatographic system by PEG 20M via the gas phase 418
- Demjanenko, M., see Gaš, B. 253
- De Vries, G., see Brinkman, U. A. Th. 331
- Dimenna, G. P.
 —, Krick, T. P. and Segall, H. J. Rapid high-performance liquid chromatography isolation of monoesters, diesters and macrocyclic diester pyrrolizidine alkaloids from *Senecio jacobaea* and *Amsinckia intermedia* 474
- Distler, W.
 Modifizierte Darstellung von Fettsäure-2-naphtacylestern und ihre Fluoreszenz-Detektion in der Hochleistungs-Flüssigkeits-Chromatographie 240
- Dobberstein, R. G., see Ahmed, M. S. 387
- Douzou, P., see Andersson, K. K. 236

- Downing, D. T.
— and Stranieri, A. M.
Correction for deviation from the Lambert-Beer law in the quantitation of thin-layer chromatograms by photodensitometry 208
- Duvalois, W., see Degenhardt, C. E. A. M. 418
- Ebert, K. H., see Basedow, A. M. 259
- Ederer, H. J., see Basedow, A. M. 259
- Farnsworth, N. R., see Ahmed, M. S. 387
- Feraud, J. P., see Gareil, P. 53
- Finn, J. M., see Pirkle, W. H. 143
- Fosshag, E., see Basedow, A. M. 259
- Ganschow, I., see Halket, J. M. 434
- Gareil, P.
—, Personnaz, L., Feraud, J. P. and Caude, M.
Étude de l'élution non-linéaire en chromatographie en phase liquide préparative 53
- Gaš, B.
—, Demjaněnko, M. and Vacík, J.
High-frequency contactless conductivity detection in isotachophoresis 253
- Gavrilova, T. B.
—, Kiselev, A. V. and Roshchina, T. M.
Chromatography of hydrocarbons on molybdenum sulphide 323
- Ghias-Ud-Din, M.
—, Olson, Jr., E. B. and Rankin, J.
Separation and quantitation of [^{14}C]prostaglandin E_1 from lung effluent metabolites by high-performance liquid chromatography 463
- Griest, W. H.
— and Martin, T. W.
Stimulated sequential dehydroxy-fluorination: a safe, convenient method for gas chromatographic analysis of phosphate diesters with possible application to hydrolysates of organophosphorus pesticides and nerve gases 173
- Grimsrud, E. P.
— and Miller, D. A.
Non-linear responses of the electron-capture detector to alkyl monochlorides 117
- Halket, J. M.
—, Ganschow, I. and Lisboa, B. P.
Gas chromatographic-mass spectrometric properties of boronate esters of 24R,25-dihydroxycholecalciferol 434
- Hancock, W. S., see Bishop, C. A. 222
- Harding, D. R. K., see Bishop, C. A. 222
- Hearn, M. T. W., see Bishop, C. A. 222
- Heldt, U.
— and Köser, H. J. K.
Different bases for the gas chromatographic retention index system 107
- Holtlund, J., see Kristensen, T. 494
- Horváth, Cs., see Nahum, A. 315
- House, D. W., see Pirkle, W. H. 143
- Hsu, D.-S.
— and Chen, S. S.
Simple anion-exchange chromatography for the determination of adenine nucleotides by using AG MP-1 resin 193
- Hui, K.-S.
—, Salschutz, M., Davis, B. A. and Lajtha, A.
Separation of alkylaminonaphthylsulfonyle peptides and amino acids by high-performance liquid chromatography. Methods for measuring melanotropin inhibiting factor breakdown 341
- Hunter, C., see Sugden, K. 228
- Ishii, D., see Takeuchi, T. 127
- Ito, M., see Tsukida, K. 395
- Ito, Y.
Toroidal coil planet centrifuge for counter-current chromatography 75
- Jakovljevic, I. M.
— and Bishara, R. H.
Resolution of ethylphenols following *in situ* reaction on a thin-layer plate with Fast Blue B Salt 425
- Jandera, P.
— and Churáček, J.
Gradient elution in liquid chromatography. XI. Influence of the adjustable gradient parameters on the chromatographic behaviour of sample compounds 1
- and Churáček, J.
Gradient elution in liquid chromatography. XII. Optimization of conditions for gradient elution 19
- , Churáček, J. and Svoboda, L.
Gradient elution in liquid chromatography. XIII. Instrumental errors in gradient elution chromatography 37
- Kiselev, A. V., see Gavrilova, T. B. 323
- Knight, B. I.
— and Skellern, G. G.
Measurement of the formation of paracetamol and *p*-nitrophenol glucuronides *in vitro*, by ion-pair high-performance liquid chromatography 247
- Kocourek, J., see Turková, R. 408
- Köser, H. J. K., see Heldt, U. 107
- Kraus, G., see Seifert, K. 97
- Krick, T. P. see Dimenna, G. P. 474
- Kristensen, T.
— and Holtlund, J.
Chromatography of chromatin proteins on Cibacron Blue F3G-A-agarose 494
- Kumanotani, J., see Oshima, R. 452
- Kuwahara, A., see Nakamura, K. 351
- Lajtha, A., see Hui, K.-S. 341

- Lee, C. Y., see Wissemann, K. W. 232
- Leigh, C. P. H.
— and Cashion, P. J.
Rapid separation of nucleoside mono-, di- and triphosphates on ion-exclusion/exchange columns 490
- Levy, R. L.
Confirmatory identification of Susceptibility Card antibiotics by ion-pair and reversed-phase high-performance liquid chromatography 467
- Lichty, D. G., see Markham, G. 429
- Lie Ken Jie, M. S. F.
Fatty acids. XIX. A quantitative treatment of saturated triglycerides by reversed-phase high-performance liquid chromatography 457
- Lisboa, B. P., see Halket, J. M. 434
- Lloyd-Jones, G., see Sugden, K. 228
- Lohninger, A.
— and Nikiforov, A.
Quantitative determination of natural dipalmitoyl lecithin with dimyristoyl lecithin as internal standard by capillary gas-liquid chromatography 185
- Marcucci, F., see Cotellessa, L. 441
- Markham, G.
—, Lichty, D. G. and Wightman, F.
Comparative study of derivatisation procedures for the quantitative determination of the auxin, phenylacetic acid, by gas chromatography 429
- Martin, T. W., see Griest, W. H. 173
- Masahara, R., see Tsukida, K. 395
- Masson, P.
— and Anguille, J.
Determination of the free electrophoretic mobility of proteins by polyacrylamide gradient gel electrophoresis: A new approach 402
- Matsuoka, K., see Takeuchi, T. 127
- Meyer, L. J., see Bishop, C. A. 222
- Mikeš, O.
—, Štrop, P., Smrž, M. and Čoupek, J.
Ion-exchange derivatives of Spheron. III. Carboxylic cation exchangers 159
- Miller, D. A., see Grimsrud, E. P. 117
- Mori, S.
Empirical approach to the universal calibration of isomers of phthalate esters and similar compounds in size exclusion chromatography 295
- Mussini, E., see Cotellessa, L. 441
- Nahum, A.
— and Horváth, Cs.
Evaluation of octanol-water partition coefficients by using high-performance liquid chromatography 315
- Nakamura, K.
—, Kuwahara, A., Ogata, H. and Takeo, K.
Study of the interaction between L-lactate dehydrogenase isoenzymes and immobilized 8-substituted adenosine 5'-monophosphate by means of affinity electrophoresis 351
- Nikiforov, A., see Lohninger, A. 185
- Ogata, H., see Nakamura, K. 351
- Olson, Jr., E. B., see Ghias-Ud-Din, M. 463
- Oshima, R.
—, Takai, N. and Kumanotani, J.
Improved separation of anomers of saccharides by high-performance liquid chromatography on macroreticular anion-exchange resin in the sulphate form 452
- Pacáková, V., see Štulík, K. 135
- Personnaz, L., see Gareil, P. 53
- Philip, J.
— and Chafetz, L.
Thin-layer chromatographic estimation of 2,4-xenol in 2,5-xenol 250
- Pirkle, W. H.
—, House, D. W. and Finn, J. M.
Broad spectrum resolution of optical isomers using chiral high-performance liquid chromatographic bonded phases 143
- Radhakrishnamurthy, B.
—, Dalferes, Jr., E. R., Vijayagopal, P. and Berenson, G. S.
Determination of molecular-weight distribution of aorta glycosaminoglycans by automated gel filtration 307
- Rankin, J., see Ghias-Ud-Din, M. 463
- Rasmussen, K. E., see Christophersen, A. S. 363
- Reddrop, C. J.
—, Riess, W. and Slater, T. F.
Rapid, sensitive determination of unchanged promethazine in biological material using a nitrogen-selective flame ionization detector. Identification of metabolites by gas chromatography-mass spectrometry 375
- Regnier, F. E., see Barth, H. G. 275
- Riess, W., see Reddrop, C. J. 375
- Rietvelde, D., see Bredael, P. 216
- Riva, R., see Cotellessa, L. 441
- Roshchina, T. M., see Gavrilova, T. B. 323
- Sachse, J.
Perlolinbestimmung in Gräsern 199
- Salschutz, M., see Hui, K.-S. 341
- Salvà, P., see Cotellessa, L. 441

- Sansare, S. D., see Choudhary, V. R. 420
Segall, H. J., see Dimenna, G. P. 474
Seifert, K.
— and Kraus, G.
Löseverhalten Kristallin-Flüssiger Phasen in der Kapillargaschromatographie. II. Loseigenschaften smektischer A-, B- und C-Modifikationen 97
Siu, K. W. M.
— and Aue, W. A.
Effect of dopants on the linearity of a d.c. electron-capture detector 413
Skellern, G. G., see Knight, B. I. 247
Slater, T. F., see Reddrop, C. J. 375
Smrž, M., see Mikeš, O. 159
Stranieri, A. M., see Downing, D. T. 208
Štrop, P., see Mikeš, O. 159
Štulík, K.
— and Pacáková, V.
Electrochemical detector for high-performance liquid chromatography 135
Sugden, K.
—, Hunter, C. and Lloyd-Jones, G.
Ligand-exchange chromatography. I. Resolution of L- and D-proline on a copper(II)-proline complex bound to microparticulate silica gel 228
Suzuki, S., see Watabe, K. 89
Švoboda, L., see Jandera, P. 37
Takai, N., see Oshima, R. 452
Takeo, K., see Nakamura, K. 351
Takeuchi, T.
—, Matsuoka, K., Watanabe, Y. and Ishii, D.
Studies on open-tubular microcapillary liquid chromatography. VI. Styrene-divinylbenzene copolymer stationary phase 127
Tichá, M., see Turková, R. 408
Tsukida, K.
—, Masahara, R. and Ito, M.
High-performance liquid chromatographic analysis of *cis-trans* stereoisomeric 3-dehydroretinals in the presence of retinal isomers 395
Turková, R.
—, Tichá, M. and Kocourek, J.
Studies on lectins. XLV. Effect of ionic strength on the interaction of lectins with carbohydrates as determined by affinity electrophoresis 408
Tyson, R. W.
— and Wickstrom, E.
Rapid purification of radiolabeled trinucleoside diphosphates by reversed-phase high-performance liquid chromatography 485
Untz, G., see Bauer, M. 479
Vacík, J., see Gaš, B. 253
Vijayagopal, P., see Radhakrishnamurthy, B. 307
Vries, G. de, see Brinkman, U. A. Th. 331
Watabe, K.
—, Suzuki, S. and Araki, S.
Liquid crystals as the stationary phase in gas chromatography. Adsorption phenomena caused by an electric field applied across the column 89
Watanabe, Y., see Takeuchi, T. 127
Wickstrom, E., see Tyson, R. W. 485
Wightman, F., see Markham, G. 429
Wissemann, K. W.
— and Lee, C. Y.
Purification of grape polyphenoloxidase with hydrophobic chromatography 232
Žegota, H.
Separation and quantitative determination of fructose as the O-methyloxime by gas-liquid chromatography using glass capillary columns 446