

Author Index

- Abidi, S. L.
High-performance liquid chromatographic separation of subcomponents of antimycin A 65
- Adamcová, E., see Knox, J. H. 13
- Aleotti, M., see Fedeli, G. 263
- Ansorgová, A., see Vejrosta, J. 170
- Arbin, A., see Jacobsson, S. 329
- Archer, A. W.
Determination of cinnamaldehyde, coumarin and cinnamyl alcohol in cinnamon and cassia by high-performance liquid chromatography 272
- Baert, L., see Van der Meeren, P. 436
- Bannon, C. D.
—, Craske, J. D. and Norman, L. M.
Effect of overload of capillary gas-liquid chromatographic columns on the equivalent chain lengths of C₁₈ unsaturated fatty acid methyl esters 43
- Barnby, M. A., see Yamasaki, R. B. 277
- Biagi, G. L., see Pietrogrande, M. C. 404
- Borea, P. A., see Pietrogrande, M. C. 404
- Brassat, B., see König, W. A. 193
- Brayan, J. G.
—, Haddad, P. R., Sharp, G. J., Dilli, S. and Desmarchelier, J. M.
Determination of organophosphate pesticides and carbaryl on paddy rice by reversed-phase high-performance liquid chromatography 249
- Bystrický, Ľ.
—, Veselá, Z. and Sohler, E.
A study of the side-reaction products of phenylhydrazine production by gas chromatography-mass spectrometry 202
- Carlson, R. M., see Xue, W. 81
- Casoli, A.
—, Mangia, A., Predieri, G. and Sappa, E.
Behaviour of tri- and tetranuclear iron and nickel clusters in high-performance liquid chromatography 187
- Cavin, J. C.
— and Rodriguez, E.
High-performance liquid chromatographic identification of simple β -carboline alkaloids in specimens of Heliconiini butterflies 432
- Christie, W. W.
Equivalent chain-lengths of methyl ester derivatives of fatty acids on gas chromatography. A reappraisal 305
- Cole, K. C., see Noël, D. 141
- Craske, J. D., see Bannon, C. D. 43
- Davis, A., see Dhingra, B. S. 284
- De Graaf, G. J.
— and Spierenburg, Th. J.
Liquid chromatographic determination of cyadox in medicated feeds and in the contents of the porcine gastrointestinal tract with fluorescence detection 244
- Desmarchelier, J. M., see Brayan, J. G. 249
- Dhingra, B. S.
— and Davis, A.
Determination of free ellagic acid by reversed-phase high-performance liquid chromatography 284
- Dijck, J. Van, see Vindevogel, J. 297
- Dilli, S., see Brayan, J. G. 249
- Dios, G. C., see Sánchez-Rasero, F. 426
- Drabowicz, J.
—, Kotyński, A. and Kudzin, Z. H.
Selective detection of sulphoxides and sulphimides by thin-layer chromatography using trifluoroacetic anhydride-sodium iodide as a reagent 225
- Drozd, J., see Vejrosta, J. 170
- Erni, F., see Steuer, W. 287
- Euerby, M. R.
—, Partridge, L. Z. and Rajani, P.
Resolution of lombricine enantiomers by high-performance liquid chromatography utilising pre-column derivatisation with *o*-phthalaldehyde-chiral thiols 382
- Fadeev, A. Yu.
— and Staroverov, S. M.
Geometric structural properties of bonded layers of chemically modified silicas 103
- Fedeli, G.
—, Moltrasio, D., Aleotti, M. and Gazzani, G.
High-performance liquid chromatographic determination of sulphur and captan in a mixture 263
- Fehérvári, A., see Papp, E. 315
- Fujiwara, S.
—, Iwase, S. and Honda, S.
Analysis of water-soluble vitamins by micellar electrokinetic capillary chromatography 133
- Fukushige, S., see Kato, Y. 212
- Gazzani, G., see Fedeli, G. 263
- Gether, U.
—, Nielsen, H. V. and Schwartz, T. W.
Tyrosylation and purification of peptides for radioiodination 341

- Goto, T.
 —, Matsui, M. and Kitsawa, T.
 Determination of aflatoxins by capillary column gas chromatography 410
 Graaf, G. J. de, see De Graaf, G. J. 244
 Haddad, P. R., see Brayan, J. G. 249
 — and Heckenberg, A. L.
 Trace determination of sulfide by reversed-phase ion-interaction chromatography using pre-column derivatization 415
 — and Jackson, P. E.
 Studies on sample preconcentration in ion chromatography. VIII. Preconcentration of carboxylic acids prior to ion-exclusion separation 155
 Haginaka, J.
 — and Nomura, T.
 Liquid chromatographic determination of carbohydrates with pulsed amperometric detection and a membrane reactor 268
 —, Wakai, J., Nishimura, Y. and Yasuda, H.
 Liquid chromatographic determination of penicillins by postcolumn degradation with sodium hypochlorite using an hollow-fibre membrane reactor 365
 —, Wakai, J., Yasuda, H. and Nomura, T.
 Ion-exclusion chromatography of carboxylic acids with conductivity detection. Peak enhancement using a cation-exchange hollow-fibre membrane and an alkaline solution 373
 Hagman, A., see Jacobsson, S. 329
 Hamon, M., see Pradeau, D. 234
 Hansen, S. H.
 —, Helboe, P. and Thomsen, M.
 High-performance liquid chromatography on dynamically modified silica. VIII. Gradient elution using eluents containing cetyltrimethylammonium bromide 182
 Hashimoto, T., see Kato, Y. 212
 Hechler, J.-J., see Noël, D. 141
 Heckenberg, A. L., see Haddad, P. R. 415
 Helboe, P., see Hansen, S. H. 182
 Hirayama, N.
 — and Kuwamoto, T.
 Non-suppressed ion chromatography of arsenic anions with potassium hydroxide-aromatic salt mixed eluents 323
 Honda, S., see Fujiwara, S. 133
 Hou, W., see Wang, E. 256
 Huys, M., see Van der Meeren, P. 436
 Inman, E. L.
 — and Rickard, E. C.
 Chromatographic detection limits in pharmaceutical method development 1
 Ishii, D., see Takeuchi, T. 221
 Iwase, S., see Fujiwara, S. 133
 Jackson, P. E., see Haddad, P. R. 155
 Jacobsson, S.
 —, Larsson, A., Arbin, A. and Hagman, A.
 Extractive pentafluorobenzoylation of formic, acetic, levulinic, benzoic and phthalic acids, studied by liquid chromatography and dual-oven capillary gas chromatography 329
 Jorgenson, J. W., see Rose, Jr., D. J. 117
 Kaneta, T., see Tanaka, S. 383
 Kato, Y.
 —, Kitamura, T., Mitsui, A., Yamasaki, Y., Hashimoto, T., Murotsu, T., Fukushima, S. and Matsubara, K.
 Separation of oligonucleotides by high-performance ion-exchange chromatography on a non-porous ion exchanger 212
 Kitamura, T., see Kato, Y. 212
 Kitsawa, T., see Goto, T. 410
 Klein, M. L., see Lu, H. S. 351
 Klocke, J. A., see Yamasaki, R. B. 277
 Knox, J. H.
 —, Kříž, J. and Adamcová, E.
 Retention relationships for aromatic hydrocarbons eluted from capped and uncapped octadecyl silica gels 13
 König, W. A.
 —, Lutz, S., Mischneck-Lübbecke, P., Brassat, B. and Wenz, G.
 Cyclodextrins as chiral stationary phases in capillary gas chromatography. I. Pentylated α -cyclodextrin 193
 Korpela, T., see Mattsson, P. 398
 Kotyński, A., see Drabowicz, J. 225
 Kříž, J., see Knox, J. H. 13
 Kudzin, Z. H., see Drabowicz, J. 225
 Kura, G.
 Liquid chromatographic study of the hydrolysis reactions of cyclic and linear polyphosphates in aqueous solution 91
 Kuwamoto, T., see Hirayama, N. 323
 Lai, P.-H., see Lu, H. S. 351
 Lai, Y.-H., see Marriott, P. J. 29
 Larsson, A., see Jacobsson, S. 329
 Lierop, J. B. H. van, see Van Lierop, J. B. H. 230
 Ling, D.-K., see Yang, Q. 208
 Lu, H. S.
 —, Klein, M. L. and Lai, P.-H.
 Narrow-bore high-performance liquid chromatography of phenylthiocarbamyl amino acids and carboxypeptidase P digestion for protein C-terminal sequence analysis 351
 Lutz, S., see König, W. A. 193
 McEldowney, A. M.
 — and Menary, R. C.
 Analysis of pyrethrins in pyrethrum extracts by high-performance liquid chromatography 239

- McNally, M.E.P.
— and Wheeler, J. R.
Increasing extraction efficiency in supercritical fluid extraction from complex matrices. Predicting extraction efficiency of diuron and linuron in supercritical fluid extraction using supercritical fluid chromatographic retention 53
- Mäkelä, M., see Mattsson, P. 398
- Mangia, A., see Casoli, A. 187
- Marriott, P. J.
— and Lai, Y.-H.
Capillary column gas chromatographic method for the study of dynamic intramolecular interconversion behaviour 29
- Matsubara, K., see Kato, Y. 212
- Matsui, M., see Goto, T. 410
- Mattsson, P.
—, Mäkelä, M. and Korpela, T.
Chromatographic determination of cyclodextrins on benzoylated polyacrylamide gels 398
- Meeren, P. Van der, see Van der Meeren, P. 436
- Menary, R. C., see McElDowney, A. M. 239
- Mikešová, M., see Vejrosta, J. 170
- Mischnick-Lübbecke, P., see König, W. A. 193
- Mitsui, A., see Kato, Y. 212
- Mitsutani, K., see Sato, H. 387
- Moltrasio, D., see Fedeli, G. 263
- Murotsu, T., see Kato, Y. 212
- Neale, M. E.
Rapid high-performance liquid chromatography method for determination of ethanol and fusel oil in the alcoholic beverage industry 443
- Neča, J.
—, Stehlík, F. and Vespalec, R.
Characterization of mobile phases for the investigation of electrokinetic phenomena in liquid chromatography 177
- Nielsen, H. V., see Gether, U. 341
- Nishimura, Y., see Haginaka, J. 365
- Noël, D.
—, Cole, K. C. and Hechler, J.-J.
Quantitative analysis of resins used in fiber-reinforced composites by reversed-phase liquid chromatography 141
- Nomura, T., see Haginaka, J. 268, 373
- Norman, L. M., see Bannon, C. D. 43
- Okada, T., see Tan, S. 198
- Olek, M.
Determination of diphenylamine residues in apples, and 4-aminobiphenyl residues in diphenylamine, by high-performance liquid chromatography and electrochemical detection 421
- Papp, E.
— and Fehérvári, A.
Anion chromatography using a coated PRP-1 column and eluents of pH > 7 315
- Partridge, L. Z., see Euerby, M. R. 382
- Pietrogrande, M. C.
—, Borea, P. A. and Biagi, G. L.
Lipophilicity measurement of benzodiazepine-receptor ligands by reversed-phase liquid chromatography. Comparison between high-performance liquid and thin-layer chromatography 404.
- Postaire, E., see Pradeau, D. 234
- Postaire, M., see Pradeau, D. 234
- Pradeau, D.
—, Postaire, M., Postaire, E., Prognon, P. and Hamon, M.
Chromatographie en phase gazeuse du dioxyde et du monoxyde de carbone. Choix d'un procédé d'étalonnage 234
- Predieri, G., see Casoli, A. 187
- Prognon, P., see Pradeau, D. 234
- Rajani, P., see Euerby, M. R. 382
- Rickard, E. C., see Inman, E. L. 1
- Ritland, T. G., see Yamasaki, R. B. 277
- Rodriguez, E., see Cavin, J. C. 432
- Rohrbaugh, D. K.
—, Yang, Y.-C. and Ward, J. R.
Identification of degradation products of 2-chloroethyl ethyl sulfide by gas chromatography-mass spectrometry 165
- Rose, Jr., D. J.
— and Jorgenson, J. W.
Post-capillary fluorescence detection in capillary zone electrophoresis using *o*-phthalaldehyde 117
- Sánchez-Rasero, F.
— and Dios, G. C.
Liquid chromatographic method for the determination of cyanazine in the presence of some normal soil constituents 426
- Sappa, E., see Casoli, A. 187
- Sato, H.
—, Mitsutani, K., Shimizu, I. and Tanaka, Y.
Determination of chemical composition distribution of styrene-methyl methacrylate copolymers by reversed-phase high-performance liquid chromatography 387
- Schill, G., see Steuer, W. 287
- Schindler, M., see Steuer, W. 287
- Schwartz, T. W., see Gether, U. 341
- Sharp, G. J., see Brayan, J. G. 249
- Shimizu, I., see Sato, H. 387
- Sohler, E., see Bystrický, Ľ. 202
- Spierenburg, Th. J., see De Graaf, G. J. 244
- Staroverov, S. M., see Fadeev, A. Yu. 103
- Stehlík, F., see Neča, J. 177

- Steuer, W.
 —, Schindler, M., Schill, G. and Erni, F.
 Supercritical fluid chromatography with ion-pairing modifiers. Separation of enantiomeric 1,2-aminoalcohols as diastereomeric ion pairs 287
- Sun, Z.-P., see Yang, Q. 208
- Suzuki, E., see Takeuchi, T. 221
- Takeuchi, T.
 —, Suzuki, E. and Ishii, D.
 Indirect photometric detection of inorganic anions in micro high-performance liquid chromatography with permanently coated columns 221
- Tan, S.
 —, Tatsuno, T. and Okada, T.
 Gas chromatographic determination of calcium stearate in polyethylene food packaging sheets 198
- Tanaka, S.
 —, Kaneta, T. and Yoshida, H.
 Capillary tube isotachophoretic separation of heavy metal ions using complex-forming equilibria between cyanide as terminating ion and the metal ions 383
- Tanaka, Y., see Sato, H. 387
- Tatsuno, T., see Tan, S. 198
- Thomsen, M., see Hansen, S. H. 182
- Vanderdeelen, J., see Van der Meeren, P. 436
- Van der Meeren, P.
 —, Vanderdeelen, J., Huys, M. and Baert, L.
 Simple and rapid method for high-performance liquid chromatographic separation and quantification of soybean phospholipids 436
- Van Dijk, J., see Vindevogel, J. 297
- Van Lierop, J. B. H.
 — and Van Veen, R. M.
 Determination of plasticizers in fat by gas chromatography-mass spectrometry 230
- Van Veen, R. M., see Van Lierop, J. B. H. 230
- Veen, R. M. van, see Van Lierop, J. B. H. 230
- Vejrosta, J.
 —, Mikešová, M., Ansorgová, A. and Drozd, J.
 Sorption of benzene on Tenax 170
- Verzele, M., see Vindevogel, J. 297
- Veselá, Z., see Bystrický, Ľ. 202
- Vespalec, R., see Neča, J. 177
- Vindevogel, J.
 —, Van Dijk, J. and Verzele, M.
 Micro liquid chromatography and the chiral recognition mechanism on albumin-coated silica gel. Large selectivity changes with sample size 297
- Wakai, J., see Haginaka, J. 365, 373
- Wang, E.
 — and Hou, W.
 Determination of water-soluble vitamins using high-performance liquid chromatography and electrochemical or absorbance detection 256
- Ward, J. R., see Rohrbaugh, D. K. 165
- Wenz, G., see König, W. A. 193
- Wheeler, J.R., see McNally M.E.P. 53
- Xue, W.
 — and Carlson, R. M.
 Separation characteristics of alkylated guanines in high-performance liquid chromatography 81
- Yamasaki, R. B.
 —, Ritland, T. G., Barnby, M. A. and Klocke, J. A.
 Isolation and purification of salannin from neem seeds and its quantification in neem and chinaberry seeds and leaves 277
- Yamasaki, Y., see Kato, Y. 212
- Yang, Q.
 —, Sun, Z.-P. and Ling, D.-K.
 Resolution of enantiomeric drugs of some β -amino alcohols as their urea derivatives by high-performance liquid chromatography on a chiral stationary phase 208
- Yang, Y.-C., see Rohrbaugh, D. K. 165
- Yasuda, H., see Haginaka, J. 365, 373
- Yoshida, H., see Tanaka, S. 383

Erratum

J. Chromatogr., 444 (1988) 165–175

Page 167, second line, “200 mm $\times$ 200 mm” should read “200 mm $\times$ 20 mm”.