

Author Index

- Afeyan, N. B., see Fulton, S. P. 547(1991)452
- Albrecht, M., see Nitz, S. 547(1991)516
- Alekseeva, I. V., see Galushko, S. V. 547(1991)161
- Alvaro Cebrian, J., see Muiño Blanco, M. T. 547(1991)79
- Auboiron, S., Bauchart, D. and David, L.
Separation and determination of polyether carboxylic antibiotics from *Streptomyces hygroscopicus* NRRL B 1865 by thin-layer chromatography with flame ionization detection 547(1991)411
- Auriola, S., see Vainiotalo, P. 547(1991)367
- Ayyangar, N. R., Biswas, S. S. and Tambe, A. S.
Separation of opium alkaloids by thin-layer chromatography combined with flame ionization detection using the peak pyrolysis method 547(1991)538
- Bagheri, H. and Creaser, C. S.
Determination of carbaryl and 1-naphthol in English apples and strawberries by combined gas chromatography-fluorescence spectrometry 547(1991)345
- Bagnati, R. and Fanelli, R.
Determination of 19-nortestosterone, testosterone and trenbolone by gas chromatography-negative-ion mass spectrometry after formation of the pentafluorobenzylcarboxymethoxime-trimethylsilyl derivatives 547(1991)325
- Barbaro, A. M., see Biagi, G. L. 547(1991)523
- Bauchart, D., see Auboiron, S. 547(1991)411
- Becerra, M. R., Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J. A. and Santiuste, J. M.
Evaluation of the effect of the cyanopropyl radical on the interaction of the methylene group with silicone stationary phases 547(1991)269
- Berger, T. A. and Deye, J. F.
Role of additives in packed column supercritical fluid chromatography: suppression of solute ionization 547(1991)377
- Berrini, A., Borromeo, V. and Secchi, C.
Purification to homogeneity of bovine prolactin by high-performance ion-exchange chromatography 547(1991)457
- Betts, T. J., Moir, C. M. and Tassone, A. I.
Use of a liquid crystal stationary phase at temperatures below its melting point for the gas chromatographic study of some volatile oil constituents 547(1991)335
- Bézard, J. A., see Semporé, B. G. 547(1991)89
- Biagi, G. L., Guerra, M. C., Barbaro, A. M., Sapone, A. and Recanatini, M.
Lipophilic character of cardiac glycosides: correlation between R_M values and acute toxicity data in different animal species. 547(1991)523
- Biswas, S. S., see Ayyangar, N. R. 547(1991)538
- Bökönyi, G., see Szöke, B. 547(1991)121
- Bontempelli, G., see De Paoli, M. 547(1991)355
- Borromeo, V., see Berrini, A. 547(1991)457
- Boudrant, J., see Sentier, L. 547(1991)531
- Bruno, A., see Pietta, P. G. 547(1991)439
- Calvino, R., Fruttero, R. and Gasco, A.
Reversed-phase high-performance liquid chromatographic study of the lipophilicity of a series of analogues of the antibiotic "calvatic acid" 547(1991)167
- Camilleri, P., see Okafo, G. N. 547(1991)551
- Caponecchi, G., see Ossicini, L. 547(1991)283
- Chen, Y., see Liu, W. 547(1991)509
- Chen, Y.-H., see Oshima, T. 547(1991)175
- Chen, Z., see Liu, W. 547(1991)509
- Creaser, C. S., see Bagheri, H. 547(1991)345
- Cristalli, A., see Ossicini, L. 547(1991)283
- Croucher, M. D., see Xu, R. 547(1991)434
- Daban Haurou, C., Declercq, G., Ramiandrasoa, P. and Millet, J. L.
Enantiomeric resolution of amino acid derivatives by high-performance liquid chromatography on chiral stationary phases derived from L-proline 547(1991)31
- David, L., see Auboiron, S. 547(1991)411
- De Bettignies-Dutz, A., Reznicek, G., Kopp, B. and Jurenitsch, J.
Gas chromatographic-mass spectrometric separation and characterization of methyl trimethylsilyl monosaccharides obtained from naturally occurring glycosides and carbohydrates 547(1991)299
- Declercq, G., see Daban Haurou, C. 547(1991)31
- Delvordre, P., see Regnault, C. 547(1991)403
- De Paoli, M., Taccheo-Barbina, M. and Bontempelli, G.
Gas chromatographic system for the identification of halogenated pesticides by retention indices using *n*-alkanes as standards 547(1991)355
- Deye, J. F., see Berger, T. A. 547(1991)377
- Drawert, F., see Nitz, S. 547(1991)516

- Drevin, I. and Johansson, B.-L.
Stability of Superdex 75 prep grade and Superdex 200 prep grade under different chromatographic conditions 547(1991)21
- Edwards, C. and Strange, R. N.
Separation and identification of phytoalexins from leaves of groundnut (*Arachis hypogaea*) and development of a method for their determination by reversed-phase high-performance liquid chromatography 547(1991)185
- Eichler, J., see Podzimek, Š. 547(1991)195
- Emmer, Á., Jansson, M. and Roeraade, J.
Improved capillary zone electrophoretic separation of basic proteins, using a fluorosurfactant buffer additive 547(1991)544
- Faneli, R., see Bagnati, R. 547(1991)325
- Fernández-Sánchez, E., see Becerra, M. R. 547(1991)269
- Fernández-Torres, A., see Becerra, M. R. 547(1991)269
- Fillion, L., Zee, J. A. and Gosselin, C.
Determination of a cholesterol oxide mixture by a single-run high-performance liquid chromatographic analysis using benzylation 547(1991)105
- Fritz, J. S., see Strasburg, R. F. 547(1991)11
- Fruttero, R., see Calvino, R. 547(1991)167
- Fulton, S. P., Afeyan, N. B., Gordon, N. F. and Regnier, F. E.
Very high speed separation of proteins with a 20- μ m reversed-phase sorbent 547(1991)452
- Galushko, S. V., Shishkina, I. P. and Alekseeva, I. V.
Relationship between retention parameters in reversed-phase high-performance liquid chromatography and antitumour activity of some pyrimidine bases and nucleosides 547(1991)161
- Gao, J.-P., see Leff, V. 547(1991)462
- García-Domínguez, J. A., see Becerra, M. R. 547(1991)269
- Gardana, C., see Pietta, P. G. 547(1991)439
- Gasco, A., see Calvino, R. 547(1991)167
- Geerdink, R. B., Graumans, A. M. B. C. and Viveen, J.
Determination of phenoxyacid herbicides in water 547(1991)478
- Germain, P., see Sentier, L. 547(1991)531
- Ghose, S. and Mattiasson, B.
Evaluation of displacement chromatography for the recovery of lactate dehydrogenase from beef heart under scale-up conditions 547(1991)145
- Gluck, S. J. and Wingeier, M. P.
Development of a phase system for intermediate polarity compounds in centrifugal partition chromatography 547(1991)69
- Gordon, N. F., see Fulton, S. P. 547(1991)452
- Goronowicz, J., see Ossicini, L. 547(1991)283
- Gosselin, C., see Fillion, L. 547(1991)105
- Graumans, A. M. B. C., see Geerdink, R. B. 547(1991)478
- Guerra, M. C., see Biagi, G. L. 547(1991)523
- Hancock, F. E., see Lindsay Smith, J. R. 547(1991)447
- Hannan, R. M. and Hill, Jr., H. H.
Analysis of lipids in aging seed using capillary supercritical fluid chromatography 547(1991)393
- Hasegawa, A., see Teramachi, S. 547(1991)429
- He, L.-Y., see Oshima, T. 547(1991)175
- He, Y., see Hu, H. 547(1991)494
- Herrera, R. J., see Leff, V. 547(1991)462
- Hill, Jr., H. H., see Hannan, R. M. 547(1991)393
- Hindriks, H., see Maris, F. A. 547(1991)45
- Hirayama, F., see Oshima, T. 547(1991)175
- Horváth, A., see Szöke, B. 547(1991)121
- Hostettmann, K.
Countercurrent chromatography: apparatus, theory and applications (by W. D. Conway) (Book Review) 547(1991)560
- Hu, H., Zhu, M., He, Y. and Sun, K.
Study of large sample volume injection in a capillary gas chromatographic 547(1991)434
- Hu, Y., see Xu, R. 547(1991)434
- Hummel, M., see Koppenhoefer, B. 547(1991)239
- Hušek, P.
Derivatization and gas chromatographic determination of hydroxycarboxylic acids treated with chloroformates 547(1991)307
- Idei, M., see Szöke, B. 547(1991)121
- Itokawa, H., see Oshima, T. 547(1991)175
- Jansson, M., see Emmer, Á. 547(1991)544
- Johansson, B.-L., see Drevin, I. 547(1991)21
- Johansson, G., see Muiño Blanco, M. T. 547(1991)79
- Julkunen-Tiitto, R., see Vainiotalo, P. 547(1991)367
- Juntheikki, M.-R., see Vainiotalo, P. 547(1991)367
- Jurenitsch, J., see De Bettignies-Dutz, A. 547(1991)299
- Kéri, G., see Szöke, B. 547(1991)121
- Kok, W. T., see Tüdös, A. J. 547(1991)1
- Kollmannsberger, H., see Nitz, S. 547(1991)516
- Kopp, B., see De Bettignies-Dutz, A. 547(1991)299

- Koppenhoefer, B., Laupp, G. and Hummel, M.
Temperature dependence of dead time as determined by methane retention in open-tubular capillary gas chromatography 547(1991)239
- Koscielski, T., see Ossicini, L. 547(1991)283
- Kumar, V., see Tiwari, B. B. 547(1991)554
- Laupp, G., see Koppenhoefer, B. 547(1991)239
- Lee, H.-B. and Peart, T. E.
Determination of resin and fatty acids in sediments near pulp mill locations 547(1991)315
- Lee, H. K., see Ong, C. P. 547(1991)419
- Leff, V., Gao, J.-P., Vega, L. R. and Herrera, R. J.
Enrichment of biologically active U1 small nuclear RNAs by ion-exchange high-performance liquid chromatography 547(1991)462
- Lema, M., Otero, J. and Marcó, J.
Two-parameter mobile phase optimization for the simultaneous high-performance liquid chromatographic determination of dopamine, serotonin and related compounds in microdissected rat brain nuclei 547(1991)113
- Leoncini, R., see Terzuoli, L. 547(1991)472
- Lewis, V. D., see Urasa, I. T. 547(1991)211
- Li, S. F. Y., see Ong, C. P. 547(1991)419
- Lindsay Smith, J. R., Smart, A. U., Hancock, F. E. and Twigg, M. V.
High-performance liquid chromatographic determination of low levels of primary and secondary amines in aqueous solutions including 2-amino-2-methylpropanol by pre-column derivatisation to sulphonamides 547(1991)447
- Lipkowski, J., see Pawłowska, M. 547(1991)59
- Liu, W., Chen, Z., Xu, H., Shi, Y. and Chen, Y.
Determination of diclofop-methyl and diclofop residues in soil and crops by gas chromatography 547(1991)509
- Mandal, S., Naqvi, A. A. and Thakur, R. S.
Analysis of some tropane alkaloids in plants by mixed-column high-performance liquid chromatography 547(1991)468
- Marchal, J., see Sentier, L. 547(1991)531
- Marcó, J., see Lema, M. 547(1991)113
- Marinello, E., see Terzuoli, L. 547(1991)472
- Maris, F. A., Vervoort, R. J. M. and Hindriks, H.
Applicability of new chiral stationary phases in the separation of racemic pharmaceutical compounds by high-performance liquid chromatography 547(1991)45
- Matsumoto, T., see Teramachi, S. 547(1991)429
- Mattiasson, B., see Ghose, S. 547(1991)145
- Mauri, P. L., see Pietta, P. G. 547(1991)439
- Mavura, W. J., see Urasa, I. T. 547(1991)211
- Millet, J. L., see Daban Haurou, C. 547(1991)31
- Mizutani, T., see Oshima, T. 547(1991)175
- Moir, C. M., see Betts, T. J. 547(1991)335
- Muiño Blanco, M. T., Alvaro Cebrian, J., Olde, B. and Johansson, G.
Subfractions of membranes from calf brain synaptosomes obtained and studied by liquid-liquid partitioning 547(1991)79
- Nam, S. H., see Urasa, I. T. 547(1991)211
- Naples, J. O., see Strasburg, R. F. 547(1991)11
- Naqvi, A. A., see Mandal, S. 547(1991)468
- Ng, C. L., see Ong, C. P. 547(1991)419
- Nitz, S., Kollmannsberger, H., Albrecht, M. and Drawert, F.
Thermal desorption- and sniffing-mass spectrometric monitoring of enriched trace compounds by means of a "live total transfer system" 547(1991)516
- Okafo, G. N. and Camilleri, P.
Capillary electrophoretic separation in both H₂O- and ²H₂O-based electrolytes can provide more information on tryptic digests 547(1991)551
- Olde, B., see Muiño Blanco, M. T. 547(1991)79
- Ong, C. P., Ng, C. L., Lee, H. K. and Li, S. F. Y.
Separation of water- and fat-soluble vitamins by micellar electrokinetic chromatography 547(1991)419
- Oshima, T., Sagara, K., Hirayama, F., Mizutani, T., He, L.-Y., Tong, Y.-Y., Chen, Y.-H. and Itokawa, H.
Combination of ion-pair and column switching in high-performance liquid chromatography of tropane alkaloids 547(1991)175
- Ossicini, L., Perez, G., Caponecchi, G., Cristalli, A., Sybilska, D., Koscielski, T. and Goronowicz, J.
Stereoselectivity of α -, β - and γ -cyclodextrin complexation relative to *cis-trans* acyclic alkenes and cyclooctenes under conditions of gas-liquid chromatography 547(1991)283
- Otero, J., see Lema, M. 547(1991)113
- Ozinga, W. J. J., see Tüdös, A. J. 547(1991)1
- Pagani, R., see Terzuoli, L. 547(1991)472
- Pankow, J. F.
Gas phase retention volume behavior of organic compounds on Carbotrap graphitized carbon 547(1991)488
- Pawłowska, M. and Lipkowski, J.
Chromatographic liquid-liquid ternary phase system with permethylated β -cyclodextrin as chiral additive 547(1991)59
- Peart, T. E., see Lee, H.-B. 547(1991)315

- Pennings, E. J. M., see Poulsen, C. 547(1991)155
- Percz, G., see Ossicini, L. 547(1991)283
- Pietta, P. G., Mauri, P. L., Gardana, C. and Bruno, A.
High-performance liquid chromatography with diode-array ultraviolet detection of methoxylated flavones in *Orthosiphon* leaves 547(1991)439
- Podzimek, Š., Eichler, J. and Tkaczyk, M.
Liquid chromatographic analysis of cationic polymerized phenyl glycidyl ether 547(1991)195
- Postaire, E., see Regnault, C. 547(1991)403
- Poulsen, C., Pennings, E. J. M. and Verpoorte, R.
High-performance liquid chromatographic assay of anthranilate synthase from plant cell cultures 547(1991)155
- Ramiandrasoa, P., see Daban Haurou, C. 547(1991)31
- Recanatini, M., see Biagi, G. L. 547(1991)523
- Regnault, C., Delvordre, P. and Postaire, E.
Direct use of Empore sheets in overpressured thin-layer chromatography 547(1991)403
- Regnier, F. E., see Fulton, S. P. 547(1991)452
- Reichardt, P., see Vainiotalo, P. 547(1991)367
- Reznicek, G., see De Bettignies-Dutz, A. 547(1991)299
- Riess, G., see Xu, R. 547(1991)434
- Roeraade, J., see Emmer, Å. 547(1991)544
- Sagara, K., see Oshima, T. 547(1991)175
- Saitoh, K., see Tsukahara, S. 547(1991)225
- Santiuste, J. M., see Becerra, M. R. 547(1991)269
- Sapone, A., see Biagi, G. L. 547(1991)523
- Secchi, C., see Berrini, A. 547(1991)457
- Semporé, B. G. and Bézard, J. A.
Analysis and fractionation of natural source diacylglycerols as urethane derivatives by reversed-phase high-performance liquid chromatography 547(1991)89
- Sentier, L., Marchal, J., Boudrant, J. and Germain, P.
Thin-layer chromatographic method for the simultaneous determination of physiological aromatic amino acids 547(1991)531
- Shi, Y., see Liu, W. 547(1991)509
- Shibamoto, T., see Yasuhara, A. 547(1991)291
- Shishkina, I. P., see Galushko, S. V. 547(1991)161
- Singh, R. K. P., see Tiwari, B. B. 547(1991)554
- Smart, A. U., see Lindsay Smith, J. R. 547(1991)447
- Smith, B. and Warwick, P.
Analysis of fulvic acids by ion-pair chromatography 547(1991)203
- Strange, R. N., see Edwards, C. 547(1991)185
- Strasburg, R. F., Fritz, J. S. and Naples, J. O.
Low-capacity latex-coated resins for anion chromatography 547(1991)11
- Stuff, J. R.
Separation of cations in buffered 1-methyl-3-ethylimidazolium chloride-aluminum chloride ionic liquids by ion chromatography 547(1991)484
- Sugimoto, S., Yamaguchi, K. and Yokoo, Y.
Characterization of recombinant eel growth hormone 547(1991)131
- Sun, K., see Hu, H. 547(1991)494
- Suzuki, N., see Tsukahara, S. 547(1991)225
- Sybilska, D., see Ossicini, L. 547(1991)283
- Szöke, B., Kéri, G., Idei, M., Horváth, A., Bökönyi, G. and Teplán, I.
Investigation of the chemical stability of (D-Phe⁶, Gln⁸) GnRH (1-9)-ethylamide (Folligen) by high-performance liquid chromatography 547(1991)121
- Taccheo-Barbina, M., see De Paoli, M. 547(1991)355
- Tambe, A. S., see Ayyangar, N. R. 547(1991)538
- Tassone, A. I., see Betts, T. J. 547(1991)335
- Teplán, I., see Szöke, B. 547(1991)121
- Teramachi, S., Hasegawa, A. and Matsumoto, T.
Sample remaining in an ODS column after compositional fractionation of copolymers by high-performance liquid chromatography 547(1991)429
- Terzuoli, L., Pagani, R., Leoncini, R., Vannoni, D. and Marinello, E.
High-performance liquid chromatography of two derivatives of vitamin B₆, the carbamoyl derivatives of pyridoxal 5'-phosphate and pyridoxamine 5'-phosphate 547(1991)472
- Thakur, R. S., see Mandal, S. 547(1991)468
- Thulin, H.
Determination of nor-nitrogen mustard hydrochloride using gas chromatography with flame ionization detection 547(1991)501
- Tiwari, B. B., Singh, R. K. P., Kumar, V. and Yadava, K. L.
Study of chelating tendency of sulphur-containing amino acids by electrophoresis 547(1991)554
- Tkaczyk, M., see Podzimek, Š. 547(1991)195
- Tong, Y.-Y., see Oshima, T. 547(1991)175
- Tsukahara, S., Saitoh, K. and Suzuki, N.
Reversed-phase liquid chromatographic retention of geometrical isomers of tris(β -diketonato)-chromium(III) and tris(β -diketonato)-cobalt(III). Comparison with liquid-liquid partition in a dodecane-(methanol-water) system 547(1991)225

- Tüdös, A. J., Ozinga, W. J. J. and Kok, W. T.
Optimization of Nafion-coated electrodes for
selective detection in high-performance
liquid chromatography 547(1991)1
- Twigg, M. V., see Lindsay Smith, J. R.
547(1991)447
- Urasa, I. T., Mavura, W. J., Lewis, V. D. and
Nam, S. H.
The speciation of iron, manganese,
phosphorus and platinum in aqueous
solutions by using ion chromatography
coupled with an element selective detector
547(1991)211
- Vainiotalo, P., Julkunen-Tiitto, R., Juntheikki,
M.-R., Reichardt, P. and Auriola, S.
Chemical characteristics of herbivore
defenses in *Betula pendula* winter-dormant
young stems 547(1991)367
- Vaisar, T. and Vanek, T.
Reversed-phase high-performance liquid
chromatographic separation of 5 β ,20-
dihydroxyecdysone and 20-hydroxyecdysone
on a β -cyclodextrin-bonded stationary
phase 547(1991)443
- Vanek, T., see Vaisar, T. 547(1991)443
- Vannoni, D., see Terzuoli, L. 547(1991)472
- Vega, L. R., see Leff, V. 547(1991)462
- Verpoorte, R., see Poulsen, C. 547(1991)155
- Vervoort, R. J. M., see Maris, F. A. 547(1991)45
- Viveen, J., see Geerdink, R. B. 547(1991)478
- Voelkel, A.
Topological indices as structural parameters.
Structure-retention relationships for
oxyethylene derivatives of alcohols,
thioalcohols and alkylamines 547(1991)247
- Warwick, P., see Smith, B. 547(1991)203
- Wasiak, W.
Chemically bonded chelates as selective
complexing sorbents for gas
chromatography. I. Alkenes 547(1991)259
- Wingeier, M. P., see Gluck, S. J. 547(1991)69
- Winnik, M. A., see Xu, R. 547(1991)434
- Xu, H., see Liu, W. 547(1991)509
- Xu, R., Hu, Y., Winnik, M. A., Riess, G. and
Croucher, M. D.
Study of polystyrene-poly(ethylene oxide)
block copolymer micelles in aqueous
solution by size-exclusion chromatography
547(1991)434
- Yadava, K. L., see Tiwari, B. B. 547(1991)554
- Yamaguchi, K., see Sugimoto, S. 547(1991)131
- Yasuhara, A. and Shibamoto, T.
Determination of volatile aliphatic aldehydes
in the headspace of heated food oils by
derivatization with 2-aminoethanethiol
547(1991)291
- Yokoo, Y., see Sugimoto, S. 547(1991)131
- Zee, J. A., see Fillion, L. 547(1991)105
- Zhu, M., see Hu, H. 547(1991)494