

## Subject Index

---

**Acetaldehyde**  
Determination of free acetaldehyde in blood as the dinitrophenylhydrazone derivative by HPLC 57

**Acetaminophen**  
HPLC determination of N-acetylcysteine in human serum following acetaminophen overdosage 99

**Acetaminophen**  
Novel method of sample preparation for the determination of paracetamol in plasma by HPLC with electrochemical detection 338

**N-Acetylcysteine**  
HPLC determination of N-acetylcysteine in human serum following acetaminophen overdosage 99

**Aldehydes**  
Quantitative alterations in the metabolism of carbonyl compounds due to diet-induced lipid peroxidation in rats 47

**Amino acids**  
GC of amino acids in urine: identification and removal of creatinine as the major interfering substance 237

**Amiodarone**  
HPLC assay of amiodarone and desethylamiodarone in plasma 389

**Amitriptyline**  
Determination of amitriptylinoxide and its major metabolites amitriptyline and nortriptyline in plasma by HPLC 372

**Amitriptylinoxide**  
Determination of amitriptylinoxide and its major metabolites amitriptyline and nortriptyline in plasma by HPLC 372

**Anti-benzodiazepine antibodies**  
High-performance fast affinity chromatographic purification of anti-benzodiazepine antibodies 264

**Antipyrine**  
Simultaneous analysis of antipyrine and lorazepam by HPLC 199

**$\alpha$ -Aspartylhydroxyproline**  
Dipeptide analysis in human urine 39

**Atenolol**  
Determination of the new  $\beta$ -blocker bisoprolol and of metoprolol, atenolol and propranolol in plasma and urine by HPLC 215

**Benzarone**  
Determination of benzarone in human plasma and urine by HPLC and GC-MS.

**Identification of the conjugates** 167

**Benzodiazepine**  
High-performance fast affinity chromatographic purification of anti-benzodiazepine antibodies 264

**Benzodiazepine antagonist**  
Highly sensitive assay of a benzodiazepine antagonist in plasma by capillary GC with nitrogen-selective detection 175

**Beta-blockers**  
Determination of the new  $\beta$ -blocker bisoprolol and of metoprolol, atenolol and propranolol in plasma and urine by HPLC 215

**Beta-blockers**  
Identification and differentiation of beta-blockers and their metabolites in urine by computerized GC-MS 147

**Bisoprolol**  
Determination of the new  $\beta$ -blocker bisoprolol and of metoprolol, atenolol and propranolol in plasma and urine by HPLC 215

**Butyrophenones**  
Positive- and negative-ion MS of butyrophenones 135

**Carbamazepine**  
Chromatographic selectivity and maintenance of column efficiency during the HPLC analysis of progabide and its acid metabolite 412

**Carbonyl compounds**  
Quantitative alterations in the metabolism of carbonyl compounds due to diet-induced lipid peroxidation in rats 47

**Catecholamine, acidic metabolites**  
Determination of acidic catecholamine metabolites in plasma and cerebrospinal fluid using GC-negative-ion MS 19

**Cefpimizole**  
HPLC method for the determination of cefpimizole in tissue 399

**Cephalosporins**  
HPLC method for the determination of cefpimizole in tissue 399

**4-Chloro-7-nitrobenzofuran derivatives**  
Quantification of collagen synthesis by reversed-phase HPLC utilizing 4-chloro-7-nitrobenzofuran derivatives 258

**Cholesterol esters**  
One-dimensional TLC separation of lipids into fourteen fractions by two

successive developments on the same plate 308

**Cilastatin**  
HPLC determination of cilastatin in biological fluids 225

**Clovoxamine**  
Fluorimetric determination of fluvoxamine or clovoxamine in human plasma after TLC or HPLC separation 405

**Collagen**  
Quantification of collagen synthesis by reversed-phase HPLC utilizing 4-chloro-7-nitrobenzofurazan derivatives 258

**Creatinine**  
GC of amino acids in urine: identification and removal of creatinine as the major interfering substance 237

**Cystathione**  
Isotachophoretic analyses of cystine, homocystine and cystathione in urines from patients with inborn errors of metabolism 321

**Cystine**  
Isotachophoretic analyses of cystine, homocystine and cystathione in urines from patients with inborn errors of metabolism 321

**Desethylamiodarone**  
HPLC assay of amiodarone and desethylamiodarone in plasma 389

**Digoxigenin**  
Determination of digoxin, digoxigenin and dihydrodigoxigenin in urine by extraction, derivatization and HPLC 349

**Digoxin**  
Determination of digoxin, digoxigenin and dihydrodigoxigenin in urine by extraction, derivatization and HPLC 349

**Dihydrodigoxigenin**  
Determination of digoxin, digoxigenin and dihydrodigoxigenin in urine by extraction, derivatization and HPLC 349

**Dihydroxymandelic acid**  
Determination of acidic catecholamine metabolites in plasma and cerebrospinal fluid using GC-negative-ion MS 19

**Dihydroxyphenylacetic acid**  
Determination of acidic catecholamine metabolites in plasma and cerebrospinal fluid using GC-negative-ion MS 19

**Diltiazem**  
Estimation of concentrations of diltiazem in plasma using normal-phase column LC with UV detection 377

**Dimesna**  
Estimation of mesna and dimesna in plasma and urine by HPLC with electrochemical detection 394

**Dipeptides**  
Dipeptide analysis in human urine 39

**DNA**  
Two-stage incorporation of thymidine triphosphate into mammalian DNA as indicated by chromatography on benzoylated DEAE-cellulose 127

**Dopamine- $\beta$ -hydroxylase**  
Improved LC determination of dopamine- $\beta$ -hydroxylase activity in tissues and plasma 117

**Enzymes**  
Improved LC determination of dopamine- $\beta$ -hydroxylase activity in tissues and plasma 117

**Enzymes**  
Rapid and sensitive TLC assay procedure for measuring xanthine dehydrogenase activity from tissue extracts 314

**Etodolac**  
Stereoselective GC analysis of etodolac enantiomers in human plasma and urine 331

**Fenbendazole**  
Simultaneous determination of fenbendazole and its two metabolites and two triclabendazole metabolites in plasma by HPLC 355

**Flurbiprofen**  
Flurbiprofen analysis in plasma and breast milk by HPLC 367

**Fluvoxamine**  
Fluorimetric determination of fluvoxamine or clovoxamine in human plasma after TLC or HPLC separation 405

**Folate monoglutamates**  
Microdetermination of folate monoglutamates in serum by LC with electrochemical detection 303

**Folic acid**  
Two isotachophoretically separated components in human cerebrospinal fluid identified as folic acid and uric acid 326

**Formyltetrahydrofolic acid**  
Microdetermination of folate monoglutamates in serum by LC with electrochemical detection 303

**Furan derivatives**  
Quantitative alterations in the metabolism of carbonyl compounds due to diet-induced lipid peroxidation in rats 47

**$\gamma$ -Glutamylphenylalanine**  
Dipeptide analysis in human urine 39

**Glutathione**  
Sensitive measurement of glutathione using isocratic HPLC with fluorescence detection 253

**Hippuric acid**  
Simultaneous determination of urinary hippuric acid and *o*-, *m*- and *p*-methyl-hippuric acids by LC 275

**Homocysteine**  
Analysis of homocysteine in human urine using HPLC with electrochemical detection 247

**Homocystine**  
Isotachophoretic analyses of cystine, homocystine and cystathione in urines from patients with inborn errors of metabolism 321

**Homovanillic acid**  
Determination of acidic catecholamine metabolites in plasma and cerebrospinal fluid using GC-negative-ion MS 19

**5'-Hydroxypiroxicam**  
HPLC analysis of piroxicam and its major metabolite 5'-hydroxypiroxicam in human plasma and urine 382

**Hydroxyprolines**  
Quantification of collagen synthesis by reversed-phase HPLC utilizing 4-chloro-7-nitrobenzofurazan derivatives 258

**5-Hydroxypyrazinamide**  
Separation of hypoxanthine and xanthine from pyrazinamide and its metabolites in plasma and urine by HPLC 270

**Hypotaurine**  
GC determination of hypotaurine 242

**Hypoxanthine**  
Separation of hypoxanthine and xanthine from pyrazinamide and its metabolites in plasma and urine by HPLC 270

**Lipid peroxidation**  
Quantitative alterations in the metabolism of carbonyl compounds due to diet-induced lipid peroxidation in rats 47

**Lipids**  
One-dimensional TLC separation of lipids into fourteen fractions by two successive developments on the same plate 308

**Lorazepam**  
Simultaneous analysis of antipyrine and lorazepam by HPLC 199

**Lysophosphatidylcholine**  
Separation of pulmonary surfactant phospholipids by HPLC 79

**2-Mercaptoethanesulphonate**  
Estimation of mesna and dimesna in plasma and urine by HPLC with electrochemical detection 394

**2-Mercaptoethanesulphonate disulphide**  
Estimation of mesna and dimesna in plasma and urine by HPLC with electrochemical detection 394

**Mesna**  
Estimation of mesna and dimesna in plasma and urine by HPLC with electrochemical detection 394

**1-(4-Methoxybenzoyl)-5-oxo-2-pyrrolidine-propanoic acid**  
Determination of 1-(4-methoxybenzoyl)-5-oxo-2-pyrrolidinepropanoic acid, a potential nootropic agent, in human plasma and urine by reversed-phase HPLC 361

**Methylhippuric acids**  
Simultaneous determination of urinary hippuric acid and *o*-, *m*- and *p*-methyl-hippuric acids by LC 275

**5-Methyltetrahydrofolic acid**  
Microdetermination of folate monoglutamates in serum by LC with electrochemical detection 303

**Metoprolol**  
Determination of the new  $\beta$ -blocker bisoprolol and of metoprolol, atenolol and propranolol in plasma and urine by HPLC 215

**Morphine**  
HPLC assay for morphine with electrochemical detection using an unmodified silica column with a non-aqueous ionic eluent 189

**Norepinephrine**  
Improved LC determination of dopamine- $\beta$ -hydroxylase activity in tissues and plasma 117

**Nortriptyline**  
Determination of amitriptylin oxide and its major metabolites amitriptyline and nortriptyline in plasma by HPLC 372

**Nucleotides**  
Two-stage incorporation of thymidine triphosphate into mammalian DNA as indicated by chromatography on benzoylated DEAE-cellulose 127

**Organic acids**  
Ion-exchange extractive alkylation of organic acids 232

**Organic acids**  
Urinary profiles of organic acids and volatile metabolites during the starvation process in rats 3

|  |  |
|--|--|
| <b>Paracetamol</b>   | <b>pationally exposed to organic solvents</b>  |
| HPLC determination of N-acetyl-cysteine in human serum following acetaminophen overdosage                                      | 67   |
| <b>Paracetamol</b>   | <b>Progabide</b>   |
| Novel method of sample preparation for the determination of paracetamol in plasma by HPLC with electrochemical detection       | 412  |
| <b>Peptides</b>  | <b>Prolylphenylalanine</b>   |
| Dipeptide analysis in human urine  | 39   |
| <b>Phenytion</b>   | <b>Propranolol</b>   |
| Chromatographic selectivity and maintenance of column efficiency during the HPLC analysis of progabide and its acid metabolite | 215  |
| <b>Phosphatidylcholine</b>   | <b>Pteroylglutamic acid</b>  |
| Separation of pulmonary surfactant phospholipids by HPLC   | Microdetermination of folate monoglutamates in serum by LC with electrochemical detection                  |
| <b>Phosphatidylethanolamine</b>  | 303  |
| Separation of pulmonary surfactant phospholipids by HPLC   | <b>Pyrazinamide</b>  |
| <b>Phosphatidylglycerol</b>  | Separation of hypoxanthine and xanthine from pyrazinamide and its metabolites in plasma and urine by HPLC  |
| Separation of pulmonary surfactant phospholipids by HPLC   | 270  |
| <b>Phosphatidylinositol</b>  | <b>Pyrrole-2-carboxylic acid</b>   |
| Separation of pulmonary surfactant phospholipids by HPLC   | Rapid method for the analysis of urinary pyrrole-2-carboxylic acid using reversed-phase HPLC               |
| <b>Phosphatidylserine</b>  | <b>Rescinnamine</b>  |
| Separation of pulmonary surfactant phospholipids by HPLC   | LC of reserpine and rescinnamine using electrochemical detection   |
| <b>Phospholipids</b>   | <b>Reserpine</b>   |
| One-dimensional TLC separation of lipids into fourteen fractions by two successive developments on the same plate              | LC of reserpine and rescinnamine using electrochemical detection   |
| 308  | <b>Retinol</b>   |
| <b>Phospholipids</b>   | LC determination of retinol and $\alpha$ -tocopherol in human buccal mucosal cells                         |
| Separation of pulmonary surfactant phospholipids by HPLC   | 290  |
| <b>Piroxicam</b>   | <b>Retinol</b>   |
| HPLC analysis of piroxicam and its major metabolite 5'-hydroxypiroxicam in human plasma and urine                              | Microdetermination of vitamin A in human plasma using HPLC with fluorescence detection                     |
| 382  | 284  |
| <b>Plasma membrane fractions</b>   | <b>Sphingomyelin</b>   |
| Preparation of two plasma membrane fractions from ascites tumour cells by gel chromatography on Sephadryl S-1000               | Separation of pulmonary surfactant phospholipids by HPLC   |
| 107  | 79   |
| <b>Platelet activating factor</b>  | <b>Synchronized accumulating radioisotope detector</b>   |
| Solid-phase extraction and reversed-phase HPLC technique for isolation and estimation of platelet activating factor in plasma  | Synchronized accumulating radioisotope detector equipped with a mutual anti-coincidence guard for radio-GC |
| 89   | 31   |
| <b>Platelet-megakaryocyte regeneration time</b>  | <b>Tetrahydrofolic acid</b>  |
| Determination of platelet-megakaryocyte regeneration time in painters occu-  | Microdetermination of folate monoglutamates in serum by LC with electrochemical detection                  |
|  | 303  |
|  | <b>Theophylline</b>  |
|  | Chromatographic selectivity and maintenance of column efficiency during the                                |

HPLC analysis of progabide and its acid metabolite 412

Thiamine  
Determination of thiamine and its phosphate esters in human blood serum at femtomole levels 297

Thiamine phosphates  
Determination of thiamine and its phosphate esters in human blood serum at femtomole levels 297

Thymidine triphosphate  
Two-stage incorporation of thymidine triphosphate into mammalian DNA as indicated by chromatography on benzoylated DEAE-cellulose 127

$\alpha$ -Tocopherol  
LC determination of retinol and  $\alpha$ -tocopherol in human buccal mucosal cells 290

Triclabendazole  
Simultaneous determination of fenbendazole and its two metabolites and two triclabendazole metabolites in plasma by HPLC 355

Uric acid  
Two isotachophoretically separated components in human cerebrospinal fluid identified as folic acid and uric acid 326

Vanillylmandelic acid  
Determination of acidic catecholamine metabolites in plasma and cerebrospinal fluid using GC-negative-ion MS 19

Veroftylline  
Reversed-phase HPLC determination of verofylline in rat serum 207

Vitamin A  
LC determination of retinol and  $\alpha$ -tocopherol in human buccal mucosal cells 290

Vitamin A  
Microdetermination of vitamin A in human plasma using HPLC with fluorescence detection 284

Vitamin B<sub>1</sub>  
Determination of thiamine and its phosphate esters in human blood serum at femtomole levels 297

Vitamin E  
LC determination of retinol and  $\alpha$ -tocopherol in human buccal mucosal cells 290

Volatile metabolites  
Quantitative alterations in the metabolism of carbonyl compounds due to diet-induced lipid peroxidation in rats 47

Volatile metabolites  
Urinary profiles of organic acids and volatile metabolites during the starvation process in rats 3

Xanthine  
Separation of hypoxanthine and xanthine from pyrazinamide and its metabolites in plasma and urine by HPLC 270

Xanthine dehydrogenase  
Rapid and sensitive TLC assay procedure for measuring xanthine dehydrogenase activity from tissue extracts 314

## Erratum

*J. Chromatogr.*, 381 (1986) 233-240

p. 234, section *Analytical methods*, line 9, “-8°C” should read “-78°C”.

p. 234, last line, “100-150°C” should read “100-105°C”.

p. 235, line 3, the word “was” should be deleted.