

Subject Index Vol. 434

Absorptiometric quantitation
Direct absorptiometric quantitation in HPLC in the absence of concomitant reference standards 363

Acid phosphatase
HPLC determination of acid and alkaline phosphatases in urine 196

Adenosine deaminase
Determination of adenosine deaminase and purine nucleoside phosphorylase activities using HPLC and radiochromatographic methods 439

Alkaline phosphatase
HPLC determination of acid and alkaline phosphatases in urine 196

Alprenolol
Determination of alprenolol and metoprolol in plasma by column LC 265

Amino acid-amino interactions
Amino acid-amino acid interactions studies by charge-transfer chromatography 455

α -Amino acid enantiomers
Separation of α -amino acid enantiomers by reversed-phase HPLC after derivatization with *o*-phthaldialdehyde and a sodium salt of 1-thio- β -D-glucose 417

Amino acids
Amino acid-amino acid interactions studies by charge-transfer chromatography 455

Amodiaquine
Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Anhydroerythromycin A
TLC study of the metabolites of erythromycins in the Wistar rat 177

Antifilarials
HPLC of antifilarials. I. Simultaneous determination of 1-4-(4-nitrophenylamino-phenylthiocarbamido-4-methyl)piperazine and three of its metabolites in biological fluids 288

Antifilarials
HPLC of antifilarials. II. Determination of S-(2-carboxyethyl)-N-(2-*tert*-butyl-5-methoxybenzthiazol-6-yl) dithiocarbamate and its active isothiocyanate metabolite in biological fluids 296

Antifilarials
HPLC of antifilarials. III. Determination of 2-*tert*-butyl-6-isothiocyanato-5-(piperidin-1-yl)benzthiazole in biological fluids 303

Antimalarial drugs
Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Antipyrine
Comparison of solid-phase extraction and liquid-liquid extraction for HPLC analysis of antipyrine in plasma 324

Benazepril
Determination of benazepril, a new angiotensin-converting enzyme inhibitor, and its active metabolite, benazeprilat, in plasma and urine by capillary GC-mass-selective detection 239

Benazeprilat
Determination of benazepril, a new angiotensin-converting enzyme inhibitor, and its active metabolite, benazeprilat, in plasma and urine by capillary GC-mass-selective detection 239

Benflurene
Direct absorptiometric quantitation in HPLC in the absence of concomitant reference standards 363

Benzodiazepines
Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

Bumetanide
Determination of bumetanide in plasma by HPLC 327

Busulfan
Determination of busulfan in human plasma by GC with electron-capture detection 330

2-*tert*-Butyl-6-isothiocyanato-5-(piperidin-1-yl)benzthiazole
HPLC of antifilarials. III. Determination of 2-*tert*-butyl-6-isothiocyanato-5-(piperidin-1-yl)benzthiazole in biological fluids 303

S-(2-Carboxyethyl)-N-(2-*tert*-butyl-5-methoxybenzthiazol-6-yl) dithiocarbamate
HPLC of antifilarials. II. Determination of S-(2-carboxyethyl)-N-(2-*tert*-butyl-5-methoxybenzthiazol-6-yl) dithiocarbamate and its active isothiocyanate metabolite in biological fluids 296

Catecholamines

Simultaneous LC determination of norepinephrine, 3,4-dihydroxyphenylethleneglycol, 3,4-dihydroxyphenylalanine and 3,4-dihydroxyphenylacetic acid in human plasma 187

Chiral stationary phases, LC

Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

2-(4-Chlorobenzoylamo)-3-[2(1H)-quinolinon-4-yl]propionic acid

HPLC procedure for the determination of a new anti-gastric ulcer agent, 2-(4-chlorobenzoylamo)-3-[2(1H)-quinolinon-4-yl]propionic acid, in human plasma and urine 283

Chloroquine

Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Cholesterol ester

Profiling of plasma cholesterol ester and triglyceride fatty acids as their methyl esters by capillary GC, preceded by a rapid aminopropyl-silica column chromatographic separation of lipid classes 395

Clozapine

Determination of clozapine in human serum by capillary GC 465

Collagen type IX

Separation of type IX collagen from other cartilage collagens by hydrophobic interaction chromatography 423

Cytidine

Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

Cytosine

Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

N-Demethylerythromycin A

TLC study of the metabolites of erythromycins in the Wistar rat 177

Deoxycytidine

Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

2'-Deoxyguanosine-3'-monophosphate

Detection of oxidatively modified 2'-deoxyguanosine-3'-monophosphate, using ^{32}P -postlabelling and anion-exchange TLC 222

Dexamethasone

HPLC determination of dexamethasone in cerebrospinal fluid and plasma in the rabbit 315

Dihydropyridine calcium antagonist

GC-negative-ion chemical ionization MS determination of new dihydropyridine calcium antagonist (MPC 1304) and its metabolites in human plasma and urine 123

3,4-Dihydroxyphenylacetic acid

Simultaneous LC determination of norepinephrine, 3,4-dihydroxyphenylethleneglycol, 3,4-dihydroxyphenylalanine and 3,4-dihydroxyphenylacetic acid in human plasma 187

3,4-Dihydroxyphenylalanine

Simultaneous LC determination of norepinephrine, 3,4-dihydroxyphenylethleneglycol, 3,4-dihydroxyphenylalanine and 3,4-dihydroxyphenylacetic acid in human plasma 187

3,4-Dihydroxyphenylethleneglycol

Simultaneous LC determination of norepinephrine, 3,4-dihydroxyphenylethleneglycol, 3,4-dihydroxyphenylalanine and 3,4-dihydroxyphenylacetic acid in human plasma 187

Dihydroxy- Δ^9 -tetrahydrocannabinols

Confirmation of cannabis use. III. Simultaneous quantitation of six metabolites of Δ^9 -tetrahydrocannabinol in plasma by HPLC with electrochemical detection 247

Doxycycline

Improved HPLC determination of doxycycline in serum and urine using solid-phase extraction columns 253

Drugs

Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

Enantiomer separation

Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

Enzymes

Purification of glutathione S-transferases from rat liver and Walker 256 mammary cells by HPLC and a glutathione affinity column 83

Enzymes

HPLC determination of acid and alkaline phosphatases in urine 196

Enzymes

Sensitive assay for determination of pyridoxal-5-phosphate in enzymes using HPLC after derivatization with cyanide 209

Enzymes

- Determination of adenosine deaminase and purine nucleoside phosphorylase activities using HPLC and radiochromatographic methods 439

Ergothioneine

- Determination of ergothioneine in red blood cells by HPLC 191

Erythromycins

- TLC study of the metabolites of erythromycins in the Wistar rat 177

Estriol glucuronides

- Measurement of urinary estriol glucuronides during the menstrual cycle by HPLC 61

Ethylene glycol

- Rapid determination of ethylene glycol at toxic levels in serum and urine 469

Fatty acid methyl esters

- Simultaneous capillary GC profiling of medium- and long-chain fatty acid methyl esters with split injection correction for injection-related discrimination by the 'bracketing' method 385

Fatty acids

- Profiling of plasma cholesterol ester and triglyceride fatty acids as their methyl esters by capillary GC, preceded by a rapid aminopropyl-silica column chromatographic separation of lipid classes 395

Fluorescence detectors

- Review. Use of laser detectors in capillary LC 337

Foetal haemoglobins

- HPLC separation of human haemoglobins. Simultaneous quantitation of foetal and glycated haemoglobins 95

α -Gliadin

- Isolation and analysis of peptidic fragments of α -gliadin using reversed-phase HPLC 429

Glutathione S-transferases

- Purification of glutathione S-transferases from rat liver and Walker 256 mammary carcinoma cells by HPLC and a glutathione affinity column 83

Glycated haemoglobins

- HPLC separation of human haemoglobins. Simultaneous quantitation of foetal and glycated haemoglobins 95

Glycoprotein sugar chains

- Analysis of tissue glycoprotein sugar chains by two-dimensional HPLC 51

Guanadrel

- GC determination of guanadrel in plasma and urine 135

Haemoglobins

- HPLC separation of human haemoglobins. Simultaneous quantitation of foetal and glycated haemoglobins 95

11-Hydroxy- Δ^9 -tetrahydrocannabinol

- Confirmation of cannabis use. III. Simultaneous quantitation of six metabolites of Δ^9 -tetrahydrocannabinol in plasma by HPLC with electrochemical detection 247

6-Hydroxyvinburnine

- Simultaneous determination of vinburnine and 6-hydroxyvinburnine in human plasma by HPLC 157

Iodine

- Simple method for the determination of hormonal iodine and exogenous iodine from X-ray contrast media drugs 308

Lactotransferrin

- Characterization of buffalo lactotransferrin by polyacrylamide gel electrophoresis in 6 M urea 228

Laser detectors

- Review. Use of laser detectors in capillary LC 337

Lipids

- Application of methylamine O-deacylation and Vitride reduction to the analysis of neutral lipids: a TLC evaluation 215

Lipids

- Profiling of plasma cholesterol ester and triglyceride fatty acids as their methyl esters by capillary GC, preceded by a rapid aminopropyl-silica column chromatographic separation of lipid classes 395

Long-chain fatty acid methyl esters

- Simultaneous capillary GC profiling of medium- and long-chain fatty acid methyl esters with split injection. Correction for injection-related discrimination by the 'bracketing' method 385

Lorazepam

- Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

Medium-chain fatty acid methyl esters

- Simultaneous capillary GC profiling of medium- and long-chain fatty acid methyl esters with split injection correction for injection-related discrimination by the 'bracketing' method 385

Mefloquine

- Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

3-Methoxy-4-hydroxymandelic acid
Automated analysis of urinary 3-methoxy-4-hydroxymandelic acid using ion-pair chromatography and fluorimetric detection 43

Methylamine O-deacylation
Application of methylamine O-deacylation and Vitride reduction to the analysis of neutral lipids: a TLC evaluation 215

(\pm)-Methyl 2-oxopropyl 1,4-dihydro-2,6-dimethyl-4-(2-nitrophenyl)-3,5-pyridinedicarboxylate
GC-negative-ion chemical ionization MS determination of a new dihydropyridine calcium antagonist (MPC 1304) and its metabolites in human plasma and urine 123

Metoprolol
Determination of alprenolol and metoprolol in plasma by column LC 265

Mianserin
HPLC determination of mianserin in plasma and brain and its application to pharmacokinetic studies in the rat 278

Miconazole
HPLC method for the determination of miconazole in vaginal fluid 259

Netilmicin
HPLC determination of netilmicin in guinea-pig and human serum by fluorodinitrobenzene derivatization with spectrophotometric detection 169

1-(4-(4-Nitrophenylaminophenylthiocarbamido-4-methyl) piperazine
HPLC of antifilarials. I. Simultaneous determination of 1-(4-(4-nitrophenylaminophenylthiocarbamido-4-methyl)piperazine and three of its metabolites in biological fluids 288

Norepinephrine
Simultaneous LC determination of norepinephrine, 3,4-dihydroxyphenylethyleglycol, 3,4-dihydroxyphenylalanine and 3,4-dihydroxyphenylacetic acid in human plasma 187

11-Nor- Δ^9 -tetrahydrocannabinol-9-COOH
Confirmation of cannabis use. III. Simultaneous quantitation of six metabolites of Δ^9 -tetrahydrocannabinol in plasma by HPLC with electrochemical detection 247

Nucleobases
Optimization of the ion-pair HPLC separation of purine derivatives in erythrocytes, thymocytes and liver mitochondria 447

Nucleosides
Optimization of the ion-pair HPLC separation of purine derivatives in erythrocytes, thymocytes and liver mitochondria 447

Nucleotides
Optimization of the ion-pair HPLC separation of purine derivatives in erythrocytes, thymocytes and liver mitochondria 447

Ofloxacin
Determination of ofloxacin in plasma and urine by LC 320

Oligosaccharides
Analysis of tissue glycoprotein sugar chains by two-dimensional HPLC 51

Oxamniquine
Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

Oxazepam
Computer-aided optimisation of drug enantiomer separation in chiral HPLC 377

Peptides
Separation of peptides by multimode chromatography on a column packed with vinyl alcohol copolymer gel 71

Peptides
Isolation and analysis of peptidic fragments of α -gliadin using reversed-phase HPLC 429

Phenazone
Comparison of solid-phase extraction and liquid-liquid extraction for HPLC analysis of antipyrine in plasma 324

Phosphatases
HPLC determination of acid and alkaline phosphatases in urine 196

Phospholipids
Highly sensitive determination and characterization of intact cellular ester-linked phospholipids using LC-plasma spray MS 31

Phospholipids
Behaviour of plasmalogens during HPLC on a silica column with a mobile phase containing phosphoric acid 411

Plasmalogens
Behaviour of plasmalogens during HPLC on a silica column with a mobile phase containing phosphoric acid 411

Primaquine
Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Proguanil
Review. Detection and determination of an-

timarial drugs and their metabolites in body fluids 1

Propofol
Direct plasma injection using internal surface reversed-phase HPLC: feasibility study using propofol as a model compound 271

Pseudouridine
Determination of age dependency of the creatinine-related pseudouridine excretion in children's urine by HPLC 202

Purine nucleoside phosphorylase
Determination of adenosine deaminase and purine nucleoside phosphorylase activities using HPLC and radiochromatographic methods 439

Purines
Optimization of the ion-pair HPLC separation of purine derivatives in erythrocytes, thymocytes and liver mitochondria 447

Pyridoxal-5-phosphate
Sensitive assay for determination of pyridoxal-5-phosphate in enzymes using HPLC after derivatization with cyanide 209

Pyrimethamine
Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Pyrimidine bases
Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

Pyrimidine nucleosides
Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

Quinine
Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Retinol
GC of retinol and α -tocopherol without derivatization 21

Sphingolipids
Behaviour of plasmalogens during HPLC on a silica column with a mobile phase containing phosphoric acid 411

Sulphadoxine
Review. Detection and determination of antimalarial drugs and their metabolites in body fluids 1

Temazepam
Computer-aided optimisation of drug en-

antiomer separation in chiral HPLC 377

Δ^9 -Tetrahydrocannabinol
Confirmation of cannabis use. III. Simultaneous quantitation of six metabolites of Δ^9 -tetrahydrocannabinol in plasma by HPLC with electrochemical detection 247

Thermooptical detectors
Review. Use of laser detectors in capillary LC 337

Thymine
Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

α -Tocopherol
GC of retinol and α -tocopherol without derivatization 21

Triglyceride
Profiling of plasma cholesterol ester and triglyceride fatty acids as their methyl esters by capillary GC, preceded by a rapid aminopropyl-silica column chromatographic separation of lipid classes 395

Trimipramine
Simultaneous determination of trimipramine and its demethylated metabolites in plasma by GC-MS 232

Uracil
Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

Uridine
Isocratic HPLC method for studying the metabolism of blood plasma pyrimidine nucleosides and bases: concentration and radioactivity measurements 111

Vanillylmandelic acid
Automated analysis of urinary 3-methoxy-4-hydroxymandelic acid using ion-pair chromatography and fluorimetric detection 43

Vinblastine
Determination of vinca alkaloids in plasma and urine using ion-exchange chromatography on silica gel and fluorescence detection 145

Vinburnine
Simultaneous determination of vinburnine and 6-hydroxyvinburnine in human plasma by HPLC 157

Vinca alkaloids
Determination of vinca alkaloids in plasma and urine using ion-exchange chromato-

graphy on silica gel and fluorescence detection 145

Vindesine
Determination of vinca alkaloids in plasma and urine using ion-exchange chromatography on silica gel and fluorescence detection 145

Vinyl alcohol copolymer gel
Separation of peptides by multimode chromatography on a column packed with vinyl alcohol copolymer gel 71

Vitamin A
GC of retinol and α -tocopherol without derivatization 21

Vitamin E
GC of retinol and α -tocopherol without derivatization 21

Vitride reduction
Application of methylamine O-deacylation and Vitride reduction to the analysis of neutral lipids: a TLC evaluation 215