

Author Index Vol. 692

- Akiyama, K., see Mita, H. 692(1997)461
- Amizuka, T., see Sato, J. 692(1997)241
- Anderson, P., see Logsdon, T.W. 692(1997)472
- Andersson, S. and Forsman, U.
Determination of total iodine in biological material by alkaline ashing and column-switching ion-pair liquid chromatography 692(1997)53
- Ångquist, K.-A., see Gineitis, A. 692(1997)303
- Arroyo, C., see Garcia-Capdevila, L. 692(1997)127
- Astre, C., see Joulia, J.M. 692(1997)427
- Avantaggiato, G., see Solfrizzo, M. 692(1997)87
- Azzini, E., see Maiani, G. 692(1997)311
- Backman, V., see Pettersson, A. 692(1997)257
- Baeyens, V., Varesio, E., Veuthey, J.-L. and Gurny, R.
Determination of dexamethasone in tears by capillary electrophoresis 692(1997)222
- Banditt, P., see Martens, J. 692(1997)95
- Bannefeld, K.-H., Stass, H. and Blaschke, G.
Capillary electrophoresis with laser-induced fluorescence detection, an adequate alternative to high-performance liquid chromatography, for the determination of ciprofloxacin and its metabolite desethyleneciprofloxacin in human plasma 692(1997)453
- Barnett, M.J., see Heggie, J.R. 692(1997)437
- Bedoucha, P., see Candito, M. 692(1997)213
- Benet, L.Z., see Wu, S.T. 692(1997)133
- Benet, L.Z., see Wu, S.T. 692(1997)149
- Bereuter, T.L., see Mayer, B.X. 692(1997)1
- Berkovsky, A.L. and Potapov, P.P.
Development of a purification procedure for the placental protein 14 involving metal-chelate affinity chromatography and hydrophobic interaction chromatography 692(1997)273
- Bessard, G., see Fontanille, P. 692(1997)337
- Blanchflower, W.J., McCracken, R.J. Haggan, A.S. and Kennedy, D.G.
Confirmatory assay for the determination of tetracycline, oxytetracycline, chlortetracycline and its isomers in muscle and kidney using liquid chromatography-mass spectrometry 692(1997)351
- Blaschke, G., see Bannefeld, K.-H. 692(1997)453
- Bohnenstengel, F., Eichelbaum, M., Golbs, E. and Kroemer, H.K.
High-performance liquid chromatographic determination of acrolein as a marker for cyclophosphamide bioactivation in human liver microsomes 692(1997)163
- Bonal, J., see Garcia-Capdevila, L. 692(1997)127
- Boothman, D.A., see Glen, V.L. 692(1997)181
- Bowyer, J.F., see Clausing, P. 692(1997)419
- Bravo, E., see Pérez-Ruiz, T. 692(1997)199
- Breen, P., see Logsdon, T.W. 692(1997)472
- Brennan, J.M., see Chen, S.-H. 692(1997)43
- Bressolle, F., see Joulia, J.M. 692(1997)427
- Burns, R.B., see Heggie, J.R. 692(1997)437
- Campbell, N.F., Hubbard, L.E., Mazenko, R.S. and Medina, M.B.
Development of a chromatographic method for the isolation and detection of hygromycin B in biological fluids 692(1997)367
- Canafax, D.M., see Yuan, Z. 692(1997)361
- Candito, M., Bedoucha, P., Mahagne, M.H., Scavini, G. and Chatel, M.
Total plasma homocysteine determination by liquid chromatography before and after methionine loading. Results in cerebrovascular disease 692(1997)213
- Capon, C., see Mizon, C. 692(1997)281
- Carter, A.J. and Kehr, J.
Microbore high-performance liquid chromatographic method for measuring acetylcholine in microdialysis samples: optimizing performance of platinum electrodes 692(1997)207
- Cassidy, J., see Wattanatorn, W. 692(1997)233
- Ceska, D.M., see Gu, X. 692(1997)187
- Chatel, M., see Candito, M. 692(1997)213
- Chen, B.-M., Xia, L.-W. and Zhao, R.-Q.
Determination of N^G, N^G -dimethylarginine in human plasma by high-performance liquid chromatography 692(1997)467
- Chen, C.-L., see Gu, X. 692(1997)187
- Chen, S.-H., Qian, M., Brennan, J.M. and Gallo, J.M.
Determination of antisense phosphorothioate oligonucleotides and catabolites in biological fluids and tissue extracts using anion-exchange high-performance liquid chromatography and capillary gel electrophoresis 692(1997)43
- Chu, Q., Evans, B.T. and Zeece, M.G.
Quantitative separation of 4-hydroxyproline from skeletal muscle collagen by micellar electrokinetic capillary electrophoresis 692(1997)293
- Clausing, P., Rushing, L.G., Newport, G.D. and Bowyer, J.F.
Determination of *D*-fenfluramine, *D*-norfenfluramine and fluoxetine in plasma, brain tissue and brain microdialysate using high-performance liquid chromatography after precolumn derivatization with dansyl chloride 692(1997)419
- Compadre, C.M., see Logsdon, T.W. 692(1997)472
- Cone, E.J., see Garside, D. 692(1997)61
- Delgado, C., Malmsten, M. and Van Alstine, J.M.
Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263
- Dirnhofer, R., see Miki, A. 692(1997)319
- Dupuy, J.-L., see Hoja, H. 692(1997)329
- Eichelbaum, M., see Bohnenstengel, F. 692(1997)163
- Embree, L., see Heggie, J.R. 692(1997)437
- Endo, T., Miyagi, M. and Ujiie, A.
Simultaneous determination of glycyl-L-histidyl-L-lysine and its metabolite, L-histidyl-L-lysine, in rat plasma by high-performance liquid chromatography with post-column derivatization 692(1997)37
- Evans, B.T., see Chu, Q. 692(1997)293
- Fenske, M.
Clean-up and re-use of kieselguhr (Extrelut) for liquid-liquid extraction of urinary cortisol 692(1997)238
- Ferro-Luzzi, A., see Maiani, G. 692(1997)311
- Fievet, M.-H., see Menet, M.-C. 692(1997)79

- Fontanille, P., Jourdil, N., Villier, C. and Bessard, G.
Direct analysis of fluoxetine and norfluoxetine in plasma
by gas chromatography with nitrogen-phosphorus detection
692(1997)337
- Ford, H., see Hegedus, L. 692(1997)169
- Forsman, U., see Andersson, S. 692(1997)53
- Fung, H.C., see Heggie, J.R. 692(1997)437
- Furuta, T., see Shibasaki, H. 692(1997)7
- Gallo, J.M., see Chen, S.-H. 692(1997)43
- Gann, L., see Logsdon, T.W. 692(1997)472
- Garcia-Capdevila, L., López-Calull, C., Arroyo, C., Moral, M.A., Mangues, M.A. and Bonal, J.
Determination of imipenem in plasma by high-performance
liquid chromatography for pharmacokinetic studies in
patients 692(1997)127
- Garside, D., Goldberger, B.A., Preston, K.L. and Cone, E.J.
Rapid liquid-liquid extraction of cocaine from urine for
gas chromatographic-mass spectrometric analysis
692(1997)61
- Gee, W.L., see Wu, S.T. 692(1997)133
- Gineitis, A., Petersen, E., Ångquist, K.-A. and Stigbrand, T.
Two-dimensional high-resolution electrophoresis of elastin-
derived peptides 692(1997)303
- Glen, V.L., Hutson, P.R., Kehrl, N.J., Boothman, D.A. and
Wilding, G.
Quantitation of β -lapachone and 3-hydroxy- β -lapachone in
human plasma samples by reversed-phase high-performance
liquid chromatography 692(1997)181
- Golbs, E., see Bohnenstengel, F. 692(1997)163
- Goldberger, B.A., see Garside, D. 692(1997)61
- Grosse, P.Y., see Joulia, J.M. 692(1997)427
- Gu, X., Meleka-Boules, M., Chen, C.-L., Ceska, D.M. and
Tiffany, D.M.
Determination of flunixin in equine urine and serum by
capillary electrophoresis 692(1997)187
- Gueylard, D., see Menet, M.-C. 692(1997)79
- Gurny, R., see Baeyens, V. 692(1997)222
- Haggan, A.S., see Blanchflower, W.J. 692(1997)351
- Hanada, E., Ohtani, H., Kotaki, H., Sawada, Y. and Iga, T.
Determination of erythromycin concentrations in rat plasma
and liver by high-performance liquid chromatography with
amperometric detection 692(1997)478
- Hankins, D.C. and Kharasch, E.D.
Determination of the halothane metabolites trifluoroacetic
acid and bromide in plasma and urine by ion
chromatography 692(1997)413
- Hartman, N.R., see Hegedus, L. 692(1997)169
- Hattori, A., see Itoh, M.T. 692(1997)217
- Hegedus, L., Ford, Jr, H., Hartman, N.R. and Kelley, J.A.
Reversed-phase high-performance liquid chromatographic
determination of the new antitumor agent cyclopentenyl
cytosine in biological fluids 692(1997)169
- Heggie, J.R., Wu, M., Burns, R.B., Ng, C.S., Fung, H.C.,
Knight, G., Barnett, M.J., Spinelli, J.J. and Embree, L.
Validation of a high-performance liquid chromatographic
assay method for pharmacokinetic evaluation of busulfan
692(1997)437
- Héron, A., see Mizon, C. 692(1997)281
- Herre, S. and Pragst, F.
Shift of the high-performance liquid chromatographic
retention times of metabolites in relation to the original
drug on an RP8 column with acidic mobile phase
692(1997)111
- Hiller, C., see Logsdon, T.W. 692(1997)472
- Hirai, T., Matsumoto, S. and Kishi, I.
Simultaneous analysis of several non-steroidal anti-
inflammatory drugs in human urine by high-performance
liquid chromatography with normal solid-phase extraction
692(1997)375
- Hoja, H., Marquet, P., Verneuil, B., Lotfi, H., Dupuy, J.-L. and
Lachâtre, G.
Determination of LSD and *N*-demethyl-LSD in urine by
liquid chromatography coupled to electrospray ionization
mass spectrometry 692(1997)329
- Hubbard, L.E., see Campbell, N.F. 692(1997)367
- Hutson, P.R., see Glen, V.L. 692(1997)181
- Ichimura, S., see Tanabe, T. 692(1997)23
- Iga, T., see Hanada, E. 692(1997)478
- Ishida, J., Takada, M. and Yamaguchi, M.
3,4-Dimethoxybenzylamine as a sensitive pre-column
fluorescence derivatization reagent for the determination of
serotonin in human platelet-poor plasma 692(1997)31
- Ito, K., see Sato, J. 692(1997)241
- Itoh, M., see Suzuki, K.T. 692(1997)15
- Itoh, M.T., Hattori, A. and Sumi, Y.
Hydroxyindole-*O*-methyltransferase activity assay using
high-performance liquid chromatography with fluorometric
detection: determination of melatonin enzymatically formed
from *N*-acetylserotonin and *S*-adenosyl-L-methionine
692(1997)217
- Joulia, J.M., Pinguet, F., Grosse, P.Y., Astre, C. and Bressolle,
F.
Determination of 5-fluorouracil and its main metabolites in
plasma by high-performance liquid chromatography.
Application to a pharmacokinetic study 692(1997)427
- Jourdil, N., see Fontanille, P. 692(1997)337
- Kanno, S., see Ono, I. 692(1997)397
- Kasuya, Y., see Shibasaki, H. 692(1997)7
- Katagi, M., see Miki, A. 692(1997)319
- Kazlauskas, R., see Lisi, A.M. 692(1997)67
- Kehr, J., see Carter, A.J. 692(1997)207
- Kehrl, N.J., see Glen, V.L. 692(1997)181
- Keller, T., see Miki, A. 692(1997)319
- Kelley, J.A., see Hegedus, L. 692(1997)169
- Kendle, K.E., see Wattanatom, W. 692(1997)233
- Kennedy, D.G., see Blanchflower, W.J. 692(1997)351
- Kharasch, E.D., see Hankins, D.C. 692(1997)413
- Kintz, P., see Tracqui, A. 692(1997)101
- Kishi, I., see Hirai, T. 692(1997)375
- Knight, G., see Heggie, J.R. 692(1997)437
- Kobayashi, M., see Mita, H. 692(1997)461
- Kotaki, H., see Hanada, E. 692(1997)478
- Kowalski, P., see Lamparczyk, H. 692(1997)483
- Kreuter, J., see Langer, K. 692(1997)345
- Kroemer, H.K., see Bohnenstengel, F. 692(1997)163
- Lachâtre, G., see Hoja, H. 692(1997)329
- Lambrecht, G., see Langer, K. 692(1997)345
- Lamparczyk, H., Kowalski, P., Rajzer, D. and Nowakowska, J.
Determination of piracetam in human plasma by capillary
electrophoresis 692(1997)483
- Langer, K., Lambrecht, G., Moser, U., Mutschler, E. and
Kreuter, J.
Quantitative colorimetric and gas chromatographic
determination of arecaidine propargyl ester 692(1997)345
- Lin, E.T., see Wu, S.T. 692(1997)133
- Lin, E.T., see Wu, S.T. 692(1997)149

- Lisi, A.M., Kazlauskas, R. and Trout, G.J.
Gas chromatographic-mass spectrometric quantitation of urinary buprenorphine and norbuprenorphine after derivatization by direct extractive alkylation 692(1997)67
- Liu, J. and Stewart, J.T.
High-performance liquid chromatography determination of praziquantel enantiomers in human serum using a reversed-phase cellulose-based chiral stationary phase and disc solid-phase extraction 692(1997)141
- Logsdon, T.W., Zhou, X., Breen, P., Anderson, P., Gann, L., Hiller, C. and Compadre, C.M.
Determination of albuterol in plasma after aerosol inhalation by gas chromatography-mass spectrometry with selected-ion monitoring 692(1997)472
- López-Calull, C., see Garcia-Capdevila, L. 692(1997)127
- Lotfi, H., see Hoja, H. 692(1997)329
- Ludes, B., see Tracqui, A. 692(1997)101
- Machida, R., see Tanabe, T. 692(1997)23
- Mahagne, M.H., see Candito, M. 692(1997)213
- Maiani, G., Serafini, M., Salucci, M., Azzini, E. and Ferro-Luzzi, A.
Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311
- Malmsten, M., see Delgado, C. 692(1997)263
- Mangin, P., see Tracqui, A. 692(1997)101
- Mangues, M.A., see Garcia-Capdevila, L. 692(1997)127
- Mansor, S.M., see Navaratnam, V. 692(1997)157
- Marquet, P., see Hoja, H. 692(1997)329
- Martens, J. and Banditt, P.
Simultaneous determination of midazolam and its metabolites 1-hydroxymidazolam and 4-hydroxymidazolam in human serum using gas chromatography-mass spectrometry 692(1997)95
- Martínez-Lozano, C., see Pérez-Ruiz, T. 692(1997)199
- Martín, E., see Romeijn, S.G. 692(1997)227
- Matsuda, K., see Ono, I. 692(1997)397
- Matsumoto, S., see Hirai, T. 692(1997)375
- Mayer, B.X., Reiter, C. and Bereuter, T.L.
Investigation of the triacylglycerol composition of iceman's mummified tissue by high-temperature gas chromatography 692(1997)1
- Mazenko, R.S., see Campbell, N.F. 692(1997)367
- McCracken, R.J., see Blanchflower, W.J. 692(1997)351
- McLeod, H.L., see Wattanatorn, W. 692(1997)233
- Medina, M.B., see Campbell, N.F. 692(1997)367
- Meleka-Boules, M., see Gu, X. 692(1997)187
- Menet, M.-C., Gueylard, D., Fievet, M.-H. and Thuillier, A.
Fast specific separation and sensitive quantification of bactericidal and sporicidal aldehydes by high-performance liquid chromatography: example of glutaraldehyde determination 692(1997)79
- Merkus, F.W.H.M., see Romeijn, S.G. 692(1997)227
- Michalski, C., see Mizon, C. 692(1997)281
- Miki, A., Keller, T., Regenscheit, P., Dirnhofer, R., Tatsuno, M., Katagi, M., Nishikawa, M. and Tsuchihashi, H.
Application of ion mobility spectrometry to the rapid screening of methamphetamine incorporated in hair 692(1997)319
- Misawa, S., see Tanaka, E. 692(1997)405
- Mita, H., Oosaki, R., Mizushima, Y., Kobayashi, M. and Akiyama, K.
Efficient method for the quantitation of urinary leukotriene E₄: extraction using an Empore C₁₈ disk cartridge 692(1997)461
- Miyagi, M., see Endo, T. 692(1997)37
- Mizon, C., Héron, A., Capon, C., Sautière, P., Michalski, C., Sesboué, R. and Mizon, J.
Human pre- α -inhibitor: isolation from a by-product of industrial scale plasma fractionation and structural analysis of its H3 heavy chain 692(1997)281
- Mizon, J., see Mizon, C. 692(1997)281
- Mizushima, Y., see Mita, H. 692(1997)461
- Moral, M.A., see Garcia-Capdevila, L. 692(1997)127
- Mordi, M.N., see Navaratnam, V. 692(1997)157
- Moser, U., see Langer, K. 692(1997)345
- Murayama, N. and Sudo, K.-i.
High-performance liquid chromatographic method for determination of DX-9065a, a novel anticoagulant, in human urine and feces using cation-exchange solid-phase extraction 692(1997)389
- Mutschler, E., see Langer, K. 692(1997)345
- Nakamura, T., see Tanaka, E. 692(1997)405
- Navaratnam, V., Mordi, M.N. and Mansor, S.M.
Simultaneous determination of artesunic acid and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 692(1997)157
- Newport, G.D., see Clausing, P. 692(1997)419
- Ng, C.S., see Heggie, J.R. 692(1997)437
- Niida, Y., see Sato, J. 692(1997)241
- Nishikawa, M., see Miki, A. 692(1997)319
- Nowakowska, J., see Lamparczyk, H. 692(1997)483
- Ohtani, H., see Hanada, E. 692(1997)478
- Okawa, E., see Tanabe, T. 692(1997)23
- Olsson, N.U. and Salem Jr, N.
Molecular species analysis of phospholipids 692(1997)245
- Ono, I., Matsuda, K. and Kanno, S.
Determination of *N*-(*trans*-4-isopropylcyclohexanecarbonyl)-D-phenylalanine and its metabolites in human plasma and urine by column-switching high-performance liquid chromatography with ultraviolet detection 692(1997)397
- Oosaki, R., see Mita, H. 692(1997)461
- Pérez-Ruiz, T., Martínez-Lozano, C., Sanz, A. and Bravo, E.
Determination of bromhexine and ambroxol in pharmaceutical dosage forms, urine and blood serum 692(1997)199
- Petersen, E., see Gineitis, A. 692(1997)303
- Pettersson, A., Uggla, L. and Backman, V.
Determination of dimethylated arginines in human plasma by high-performance liquid chromatography 692(1997)257
- Ping Chang, Yu., see Wu, S.T. 692(1997)133
- Pinguet, F., see Joulia, J.M. 692(1997)427
- Potapov, P.P., see Berkovsky, A.L. 692(1997)273
- Pragst, F., see Herre, S. 692(1997)111
- Preston, K.L., see Garside, D. 692(1997)61
- Qian, M., see Chen, S.-H. 692(1997)43
- Rajzer, D., see Lamparczyk, H. 692(1997)483
- Regenscheit, P., see Miki, A. 692(1997)319
- Reiter, C., see Mayer, B.X. 692(1997)1

- Romeijn, S.G., Marttin, E., Verhoef, J.C. and Merkus, F.W.H.M.
Simplified solid-phase extraction method for determination of dihydroergotamine in rabbit and human serum using high-performance liquid chromatography with fluorescence detection 692(1997)227
- Rushing, L.G., see Clausing, P. 692(1997)419
- Russlie, H.Q., see Yuan, Z. 692(1997)361
- Salem Jr, N., see Olsson, N.U. 692(1997)245
- Salucci, M., see Maiani, G. 692(1997)311
- Sanz, A., see Pérez-Ruiz, T. 692(1997)199
- Sato, J., Amizuka, T., Niida, Y., Umetsu, M. and Ito, K.
Simple, rapid and sensitive method for the determination of indomethacin in plasma by high-performance liquid chromatography with ultraviolet detection 692(1997)241
- Sautière, P., see Mizon, C. 692(1997)281
- Sawada, Y., see Hanada, E. 692(1997)478
- Scavini, G., see Candito, M. 692(1997)213
- Serafini, M., see Maiani, G. 692(1997)311
- Sesboué, R., see Mizon, C. 692(1997)281
- Shibasaki, H., Furuta, T. and Kasuya, Y.
Quantification of corticosteroids in human plasma by liquid chromatography-thermospray mass spectrometry using stable isotope dilution 692(1997)7
- Solfrizzo, M., Avantiagato, G. and Visconti, A.
Rapid method to determine sphinganine/sphingosine in human and animal urine as a biomarker for fumonisin exposure 692(1997)87
- Song, J.-Z., Wu, X.-J., Sun, Z.-P., Tian, S.J., Wang, M.-L. and Wang R.-L.
Determination of thiamphenicol in human plasma by micellar electrokinetic capillary chromatography 692(1997)445
- Spinelli, J.J., see Heggie, J.R. 692(1997)437
- Stass, H., see Bannefeld, K.-H. 692(1997)453
- Stewart, J.T., see Liu, J. 692(1997)141
- Stigbrand, T., see Gineitis, A. 692(1997)303
- Sudo, K.-i., see Murayama, N. 692(1997)389
- Sumi, Y., see Itoh, M.T. 692(1997)217
- Sun, W.-P., see Song, J.-Z. 692(1997)445
- Suzuki, K.T. and Itoh, M.
Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15
- Suzuki, T., see Tanabe, T. 692(1997)23
- Tajima, S., see Tanabe, T. 692(1997)23
- Takada, M., see Ishida, J. 692(1997)31
- Tanabe, T., Tajima, S., Suzuki, T., Okawa, E., Machida, R., Ichimura, S. and Yabuuchi, M.
Quantification of 1,5-anhydro-D-glucitol in urine by automated borate complex anion-exchange chromatography with an immobilized enzyme reactor 692(1997)23
- Tanaka, E., Terada, M., Nakamura, T., Misawa, S. and Wakasugi, C.
Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405
- Tatsuno, M., see Miki, A. 692(1997)319
- Terada, M., see Tanaka, E. 692(1997)405
- Thuillier, A., see Menet, M.-C. 692(1997)79
- Tian, S.-J., see Song, J.-Z. 692(1997)445
- Tiffany, D.M., see Gu, X. 692(1997)187
- Tracqui, A., Kintz, P., Ludes, B. and Mangin, P.
High-performance liquid chromatography-ionspray mass spectrometry for the specific determination of digoxin and some related cardiac glycosides in human plasma 692(1997)101
- Trout, G.J., see Lisi, A.M. 692(1997)67
- Tsuchihashi, H., see Miki, A. 692(1997)319
- Uggla, L., see Pettersson, A. 692(1997)257
- Ujiie, A., see Endo, T. 692(1997)37
- Umetsu, M., see Sato, J. 692(1997)241
- Van Alstine, J.M., see Delgado, C. 692(1997)263
- Varesio, E., see Baeyens, V. 692(1997)222
- Verhoef, J.C., see Romeijn, S.G. 692(1997)227
- Verneuil, B., see Hoja, H. 692(1997)329
- Veuthey, J.-L., see Baeyens, V. 692(1997)222
- Villier, C., see Fontanille, P. 692(1997)337
- Visconti, A., see Solfrizzo, M. 692(1997)87
- Wakasugi, C., see Tanaka, E. 692(1997)405
- Wang, M.-L., see Song, J.-Z. 692(1997)445
- Wang, R.-L., see Song, J.-Z. 692(1997)445
- Wattanatorn, W., McLeod, H.L., Cassidy, J. and Kendle, K.E.
High-performance liquid chromatographic assay of 5-fluorouracil in human erythrocytes, plasma and whole blood 692(1997)233
- Wilding, G., see Glen, V.L. 692(1997)181
- Wu, M., see Heggie, J.R. 692(1997)437
- Wu, S.T., Benet, L.Z. and Lin, E.T.
Determination of amiprilose in human plasma by high-performance liquid chromatography with fluorimetric detection 692(1997)149
- Wu, S.T., Ping Chang, Yu., Gee, W.L., Benet, L.Z. and Lin, E.T.
Stereoselective high-performance liquid chromatography determination of propranolol and 4-hydroxypropranolol in human plasma after pre-column derivatization 692(1997)133
- Wu, X.-J., see Song, J.-Z. 692(1997)445
- Xia, L.-W., see Chen, B.-M. 692(1997)467
- Yabuuchi, M., see Tanabe, T. 692(1997)23
- Yamaguchi, M., see Ishida, J. 692(1997)31
- Yuan, Z., Russlie, H.Q. and Canafax, D.M.
High-performance liquid chromatographic analysis of amoxicillin in human and chinchilla plasma, middle ear fluid and whole blood 692(1997)361
- Zeece, M.G., see Chu, Q. 692(1997)293
- Zhao, R.-Q., see Chen, B.-M. 692(1997)467
- Zhou, X., see Logsdon, T.W. 692(1997)472