

Compound Index Vol. 692

Acetylcholine

Microbore high-performance liquid chromatographic method for measuring acetylcholine in microdialysis samples: optimizing performance of platinum electrodes 692(1997)207

Acetyldigitoxin

High-performance liquid chromatography–ionspray mass spectrometry for the specific determination of digoxin and some related cardiac glycosides in human plasma 692(1997)101

N-Acetylserotonin

Hydroxyindole-*O*-methyltransferase activity assay using high-performance liquid chromatography with fluorometric detection: determination of melatonin enzymatically formed from *N*-acetylserotonin and *S*-adenosyl-L-methionine 692(1997)217

Acrolein

High-performance liquid chromatographic determination of acrolein as a marker for cyclophosphamide bioactivation in human liver microsomes 692(1997)163

S-Adenosyl-L-methionine

Hydroxyindole-*O*-methyltransferase activity assay using high-performance liquid chromatography with fluorometric detection: determination of melatonin enzymatically formed from *N*-acetylserotonin and *S*-adenosyl-L-methionine 692(1997)217

Albumin

Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15

Albuterol

Determination of albuterol in plasma after aerosol inhalation by gas chromatography–mass spectrometry with selected-ion monitoring 692(1997)472

Aldehydes

Fast specific separation and sensitive quantification of bactericidal and sporicidal aldehydes by high-performance liquid chromatography: example of glutaraldehyde determination 692(1997)79

Ambroxol

Determination of bromhexine and ambroxol in pharmaceutical dosage forms, urine and blood serum 692(1997)199

Amiprilose

Determination of amiprilose in human plasma by high-performance liquid chromatography with fluorimetric detection 692(1997)149

Amitriptyline

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405

Amoxapine

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405

Amoxicillin

High-performance liquid chromatographic analysis of amoxicillin in human and chinchilla plasma, middle ear fluid and whole blood 692(1997)361

1,5-Anhydro-D-glucitol

Quantification of 1,5-anhydro-D-glucitol in urine by automated borate complex anion-exchange chromatography with an immobilized enzyme reactor 692(1997)23

Anticoagulants

High-performance liquid chromatographic method for determination of DX-9065a, a novel anticoagulant, in human urine and feces using cation-exchange solid-phase extraction 692(1997)389

Arecaidine propargyl ester

Quantitative colorimetric and gas chromatographic determination of arecaidine propargyl ester 692(1997)345

Artesunic acid

Simultaneous determination of artesunic acid and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 692(1997)157

Bovine serum albumin

Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263

Bromhexine

Determination of bromhexine and ambroxol in pharmaceutical dosage forms, urine and blood serum 692(1997)199

Bromide

Determination of the halothane metabolites trifluoroacetic acid and bromide in plasma and urine by ion chromatography 692(1997)413

Buprenorphine

Gas chromatographic–mass spectrometric quantitation of urinary buprenorphine and norbuprenorphine after derivatization by direct extractive alkylation 692(1997)67

Busulfan

Validation of a high-performance liquid chromatographic assay method for pharmacokinetic evaluation of busulfan 692(1997)437

Caffeic acid

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Caffeine

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Catechin

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Chlortetracycline

Confirmatory assay for the determination of tetracycline, oxytetracycline, chlortetracycline and its isomers in muscle and kidney using liquid chromatography–mass spectrometry 692(1997)351

Ciprofloxacin

Capillary electrophoresis with laser-induced fluorescence detection, an adequate alternative to high-performance liquid chromatography, for the determination of ciprofloxacin and its metabolite desethyleneciprofloxacin in human plasma 692(1997)453

Clomipramine

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μm porous microspherical silica gel 692(1997)405

Cocaine

Rapid liquid–liquid extraction of cocaine from urine for gas chromatographic–mass spectrometric analysis 692(1997)61

Corticosteroids

Quantification of corticosteroids in human plasma by liquid chromatography–thermospray mass spectrometry using stable isotope dilution 692(1997)7

Determination of dexamethasone in tears by capillary electrophoresis 692(1997)222

Cortisol

Quantification of corticosteroids in human plasma by liquid chromatography–thermospray mass spectrometry using stable isotope dilution 692(1997)7

Clean-up and re-use of kieselguhr (Extrelut) for liquid–liquid extraction of urinary cortisol 692(1997)238

Cortisone

Quantification of corticosteroids in human plasma by liquid chromatography–thermospray mass spectrometry using stable isotope dilution 692(1997)7

Cyclopentenyl cytosine

Reversed-phase high-performance liquid chromatographic determination of the new antitumor agent cyclopentenyl cytosine in biological fluids 692(1997)169

Cyclophosphamide

High-performance liquid chromatographic determination of acrolein as a marker for cyclophosphamide bioactivation in human liver microsomes 692(1997)163

N-Demethyl-LSD

Determination of LSD and *N*-demethyl-LSD in urine by liquid chromatography coupled to electrospray ionization mass spectrometry 692(1997)329

Desethyleneciprofloxacin

Capillary electrophoresis with laser-induced fluorescence detection, an adequate alternative to high-performance liquid chromatography, for the determination of ciprofloxacin and its metabolite desethyleneciprofloxacin in human plasma 692(1997)453

Desipramine

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μm porous microspherical silica gel 692(1997)405

Dexamethasone

Determination of dexamethasone in tears by capillary electrophoresis 692(1997)222

Diclofenac

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Digitoxin

High-performance liquid chromatography–ionspray mass spectrometry for the specific determination of digoxin and some related cardiac glycosides in human plasma 692(1997)101

Digoxin

High-performance liquid chromatography–ionspray mass spectrometry for the specific determination of digoxin and some related cardiac glycosides in human plasma 692(1997)101

Dihydroartemesin

Simultaneous determination of artesunic acid and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 692(1997)157

Dihydroergotamine

Simplified solid-phase extraction method for determination of dihydroergotamine in rabbit and human serum using high-performance liquid chromatography with fluorescence detection 692(1997)227

3,4-Dimethoxybenzylamine

3,4-Dimethoxybenzylamine as a sensitive pre-column fluorescence derivatization reagent for the determination of serotonin in human platelet-poor plasma 692(1997)31

Dimethylarginine

Determination of dimethylated arginines in human plasma by high-performance liquid chromatography 692(1997)257

Determination of N^G, N^G -dimethylarginine in human plasma by high-performance liquid chromatography 692(1997)467

Dosulepine

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405

Doxepin

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405

DX-9065a

High-performance liquid chromatographic method for determination of DX-9065a, a novel anticoagulant, in human urine and feces using cation-exchange solid-phase extraction 692(1997)389

Elastin

Two-dimensional high-resolution electrophoresis of elastin-derived peptides 692(1997)303

Enzymes

Hydroxyindole-*O*-methyltransferase activity assay using high-performance liquid chromatography with fluorometric detection: determination of melatonin enzymatically formed from *N*-acetylserotonin and *S*-adenosyl-L-methionine 692(1997)217

Epicatechin

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Epicatechingallate

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Epigallocatechin

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Epigallocatechin gallate

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Erythromycin

Determination of erythromycin concentrations in rat plasma and liver by high-performance liquid chromatography with amperometric detection 692(1997)478

Fat, subcutaneous

Investigation of the triacylglycerol composition of iceman's mummified tissue by high-temperature gas chromatography 692(1997)1

Felbinac

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Fenbufen

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Fenfluramine

Determination of *D*-fenfluramine, *D*-norfenfluramine and fluoxetine in plasma, brain tissue and brain microdialysate using high-performance liquid chromatography after precolumn derivatization with dansyl chloride 692(1997)419

Fentanyl

Gas chromatographic-mass spectrometry and gas chromatographic-Fourier transform infrared spectroscopy assay for the simultaneous identification of fentanyl metabolites (1997)

Flunixin

Determination of flunixin in equine urine and serum by capillary electrophoresis 692(1997)187

5-Fluoro-2'-deoxyuridine

Determination of 5-fluorouracil and its main metabolites in plasma by high-performance liquid chromatography: 692(1997)427

5-Fluorouracil

High-performance liquid chromatographic assay of 5-fluorouracil in human erythrocytes, plasma and whole blood 692(1997)233

Determination of 5-fluorouracil and its main metabolites in plasma by high-performance liquid chromatography: 692(1997)427

5-Fluorouridine

Determination of 5-fluorouracil and its main metabolites in plasma by high-performance liquid chromatography: 692(1997)427

Fluoxetine

Direct analysis of fluoxetine and norfluoxetine in plasma by gas chromatography with nitrogen-phosphorus detection 692(1997)337

Determination of *D*-fenfluramine, *D*-norfenfluramine and fluoxetine in plasma, brain tissue and brain microdialysate using high-performance liquid chromatography after precolumn derivatization with dansyl chloride 692(1997)419

Flurbiprofen

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Fumonisin

Rapid method to determine sphinganine/sphingosine in human and animal urine as a biomarker for fumonisin exposure 692(1997)87

Glutaraldehyde

Fast specific separation and sensitive quantification of bactericidal and sporicidal aldehydes by high-performance liquid chromatography: example of glutaraldehyde determination 692(1997)79

Glycyl-L-histidyl-L-lysine

Simultaneous determination of glycyl-L-histidyl-L-lysine and its metabolite, L-histidyl-L-lysine, in rat plasma by high-performance liquid chromatography with post-column derivatization 692(1997)37

H3 heavy chain

Human pre- α -inhibitor: isolation from a by-product of industrial scale plasma fractionation and structural analysis of its H3 heavy chain 692(1997)281

Halothane

Determination of the halothane metabolites trifluoroacetic acid and bromide in plasma and urine by ion chromatography 692(1997)413

L-Histidyl-L-lysine

Simultaneous determination of glycyl-L-histidyl-L-lysine and its metabolite, L-histidyl-L-lysine, in rat plasma by high-performance liquid chromatography with post-column derivatization 692(1997)37

Homocysteine

Total plasma homocysteine determination by liquid chromatography before and after methionine loading. Results in cerebrovascular disease 692(1997)213

Hydroxyindole-O-methyltransferase

Hydroxyindole-O-methyltransferase activity assay using high-performance liquid chromatography with fluorometric detection: determination of melatonin enzymatically formed from *N*-acetylserotonin and *S*-adenosyl-L-methionine 692(1997)217

3-Hydroxy- β -lapachone

Quantitation of β -lapachone and 3-hydroxy- β -lapachone in human plasma samples by reversed-phase high-performance liquid chromatography 692(1997)181

Hydroxymidazolam

Simultaneous determination of midazolam and its metabolites 1-hydroxymidazolam and 4-hydroxymidazolam in human serum using gas chromatography-mass spectrometry 692(1997)95

Hydroxyproline

Quantitative separation of 4-hydroxyproline from skeletal muscle collagen by micellar electrokinetic capillary electrophoresis 692(1997)293

4-Hydroxypropranolol

Stereoselective high-performance liquid chromatography determination of propranolol and 4-hydroxypropranolol in human plasma after pre-column derivatization 692(1997)133

Hygromycin B

Development of a chromatographic method for the isolation and detection of hygromycin B in biological fluids 692(1997)367

Ibuprofen

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Imipenem

Determination of imipenem in plasma by high-performance liquid chromatography for pharmacokinetic studies in patients 692(1997)127

Imipramine

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405

Immunoglobulin

Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263

Indomethacin

Simple, rapid and sensitive method for the determination of indomethacin in plasma by high-performance liquid chromatography with ultraviolet detection 692(1997)241

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Iodine

Determination of total iodine in biological material by alkaline ashing and column-switching ion-pair liquid chromatography 692(1997)53

Ketoprofen

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Lanatoside

High-performance liquid chromatography-ionspray mass spectrometry for the specific determination of digoxin and some related cardiac glycosides in human plasma 692(1997)101

 β -Lapachone

Quantitation of β -lapachone and 3-hydroxy- β -lapachone in human plasma samples by reversed-phase high-performance liquid chromatography 692(1997)181

Leukotrienes

Efficient method for the quantitation of urinary leukotriene E_4 : extraction using an Empore C_{18} disk cartridge 692(1997)461

Loxoprofen

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

LSD

Determination of LSD and *N*-demethyl-LSD in urine by liquid chromatography coupled to electrospray ionization mass spectrometry 692(1997)329

Lysergic acid diethylamide

Determination of LSD and *N*-demethyl-LSD in urine by liquid chromatography coupled to electrospray ionization mass spectrometry 692(1997)329

Maprotiline

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 µm porous microspherical silica gel 692(1997)405

Mefenamic acid

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Melatonin

Hydroxyindole-*O*-methyltransferase activity assay using high-performance liquid chromatography with fluorometric detection: determination of melatonin enzymatically formed from *N*-acetylserotonin and *S*-adenosyl-L-methionine 692(1997)217

Melitracen

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 µm porous microspherical silica gel 692(1997)405

Methamphetamine

Application of ion mobility spectrometry to the rapid screening of methamphetamine incorporated in hair 692(1997)319

Methionine

Total plasma homocysteine determination by liquid chromatography before and after methionine loading. Results in cerebrovascular disease 692(1997)213

Mianserine

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 µm porous microspherical silica gel 692(1997)405

Midazolam

Simultaneous determination of midazolam and its metabolites 1-hydroxymidazolam and 4-hydroxymidazolam in human serum using gas chromatography-mass spectrometry 692(1997)95

Naproxen

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Norbuprenorphine

Gas chromatographic-mass spectrometric quantitation of urinary buprenorphine and norbuprenorphine after derivatization by direct extractive alkylation 692(1997)67

Norfenfluramine

Determination of *D*-fenfluramine, *D*-norfenfluramine and fluoxetine in plasma, brain tissue and brain microdialysate using high-performance liquid chromatography after precolumn derivatization with dansyl chloride 692(1997)419

Norfluoxetine

Direct analysis of fluoxetine and norfluoxetine in plasma by gas chromatography with nitrogen-phosphorus detection 692(1997)337

Nortriptyline

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 µm porous microspherical silica gel 692(1997)405

Oligodeoxynucleotides

Determination of antisense phosphorothioate oligonucleotides and catabolites in biological fluids and tissue extracts using anion-exchange high-performance liquid chromatography and capillary gel electrophoresis 692(1997)43

Oxytetracycline

Confirmatory assay for the determination of tetracycline, oxytetracycline, chlortetracycline and its isomers in muscle and kidney using liquid chromatography-mass spectrometry 692(1997)351

Peptides

Simultaneous determination of glycyl-L-histidyl-L-lysine and its metabolite, L-histidyl-L-lysine, in rat plasma by high-performance liquid chromatography with post-column derivatization 692(1997)37

Two-dimensional high-resolution electrophoresis of elastin-derived peptides 692(1997)303

Phospholipids

Molecular species analysis of phospholipids 692(1997)245

Phosphorothioates

Determination of antisense phosphorothioate oligonucleotides and catabolites in biological fluids and tissue extracts using anion-exchange high-performance liquid chromatography and capillary gel electrophoresis 692(1997)43

Piracetam

Determination of piracetam in human plasma by capillary electrophoresis 692(1997)483

Piroxicam

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

Placental protein 14

Development of a purification procedure for the placental protein 14 involving metal-chelate affinity chromatography and hydrophobic interaction chromatography 692(1997)273

Poly(ethylene glycol)

Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263

Polyphenols

Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311

Praziquantel

High-performance liquid chromatography determination of praziquantel enantiomers in human serum using a reversed-phase cellulose-based chiral stationary phase and disc solid-phase extraction 692(1997)141

Pre- α -inhibitor

Human pre- α -inhibitor: isolation from a by-product of industrial scale plasma fractionation and structural analysis of its H3 heavy chain 692(1997)281

Prednisolone

Quantification of corticosteroids in human plasma by liquid chromatography-thermospray mass spectrometry using stable isotope dilution 692(1997)7

Prednisone

Quantification of corticosteroids in human plasma by liquid chromatography-thermospray mass spectrometry using stable isotope dilution 692(1997)7

Propranolol

Stereoselective high-performance liquid chromatography determination of propranolol and 4-hydroxypropranolol in human plasma after pre-column derivatization 692(1997)133

Proteins

Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263

Selenite

Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15

Selenium

Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15

Selenoprotein P

Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15

Serotonin

3,4-Dimethoxybenzylamine as a sensitive pre-column fluorescence derivatization reagent for the determination of serotonin in human platelet-poor plasma 692(1997)31

Sphinganine

Rapid method to determine sphinganine/sphingosine in human and animal urine as a biomarker for fumonisin exposure 692(1997)87

Sphingosine

Rapid method to determine sphinganine/sphingosine in human and animal urine as a biomarker for fumonisin exposure 692(1997)87

Steroids

Determination of dexamethasone in tears by capillary electrophoresis 692(1997)222

Clean-up and re-use of kieselguhr (Extrelut) for liquid-liquid extraction of urinary cortisol 692(1997)238

Sulindac

Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375

***N*-(*trans*-4-Isopropylcyclohexanecarbonyl)-D-phenylalanine**

Determination of *N*-(*trans*-4-isopropylcyclohexanecarbonyl)-D-phenylalanine and its metabolites in human plasma and urine by column-switching high-performance liquid chromatography with ultraviolet detection 692(1997)397

Tetracycline

Confirmatory assay for the determination of tetracycline, oxytetracycline, chlortetracycline and its isomers in muscle and kidney using liquid chromatography-mass spectrometry 692(1997)351

Thiamphenicol

Determination of thiamphenicol in human plasma by micellar electrokinetic capillary chromatography 692(1997)445

Triacylglycerol

Investigation of the triacylglycerol composition of iceman's mummified tissue by high-temperature gas chromatography 692(1997)1

Trifluoroacetic acid

Determination of the halothane metabolites trifluoroacetic acid and bromide in plasma and urine by ion chromatography 692(1997)413