

Author Index Vol. 735

- Alba, G., see Rada, P. 735(1999)1
- Andrenšek, S., Šmidovnik, A., Pečavar, A. and Prošek, M.
Routine and sensitive method for determination of
nicorandil in human plasma developed for liquid
chromatography with ultraviolet and mass spectrometric
detection 735(1999)103
- Bach, C.A., see Kim, H. 735(1999)11
- Balland, A., see Gaillard, Y. 735(1999)189
- Bertrand, O., see Cochet, S. 735(1999)207
- Bienert, A., see Langmann, P. 735(1999)41
- Blancher, A., see Cochet, S. 735(1999)207
- Caballero, A., see Ibarra, N. 735(1999)271
- Camilleri, P., see Shah, A.J. 735(1999)133
- Cartron, J.-P., see Cochet, S. 735(1999)207
- Chassaing, C., Gonin, J., Wilcox, C.S. and Wainer, I.W.
Determination of reduced and oxidized homocysteine and
related thiols in plasma by thiol-specific pre-column
derivatization and capillary electrophoresis with laser-
induced fluorescence detection 735(1999)219
- Chen, C.F., see Tsai, T.H. 735(1999)25
- Chen, K.C., see Tsai, T.H. 735(1999)25
- Chen, L.-C., Lee, M.-H., Chou, M.-H., Lin, M.-F. and Yang,
L.-L.
Pharmacokinetic study of paeoniflorin in mice after oral
administration of *Paenoniae radix* extract 735(1999)33
- Chen, Y.F., see Tsai, T.H. 735(1999)25
- Cheng, F.C., see Tsai, T.H. 735(1999)25
- Chi, J.D. and Franklin, M.
Measurement of hyperforin a constituent of *St. John's wort*
in plasma by high-performance liquid chromatography
735(1999)285
- Chou, M.-H., see Chen, L.-C. 735(1999)33
- Cochet, S., Blancher, A., Roubinet, F., Hattab, C., Cartron, J.-P.
and Bertrand, O.
Immunopurification of the blood group RhD protein from
human erythrocyte membranes 735(1999)207
- Couch, R.A., see Murday, M. 735(1999)151
- De Biasi, V., see Shah, A.J. 735(1999)133
- De Bruijn, P., see Loos, W.J. 735(1999)293
- Del Corral, J., see Rada, P. 735(1999)1
- Ehrenreich, H., see Haber, H. 735(1999)299
- Fandiño, A.S., see Toennes, S.W. 735(1999)127
- Farinotti, R., see Lamotte, C. 735(1999)159
- Farver, O., see Sidenius, U. 735(1999)85
- Franklin, M., see Chi, J.D. 735(1999)285
- Gaillard, Y., Vayssette, F., Balland, A. and Pépin, G.
Gas chromatographic–tandem mass spectrometric
determination of anabolic steroids and their esters in hair.
Application in doping control and meat quality control
735(1999)189
- Gammelgaard, B., see Sidenius, U. 735(1999)85
- García, Y., see Rada, P. 735(1999)1
- Gentili, S., see Mancinelli, R. 735(1999)243
- Gonin, J., see Chassaing, C. 735(1999)219
- González, E., see Ibarra, N. 735(1999)271
- Groll, A.H., Mickiene, D., Werner, K., Piscitelli, S.C. and
Walsh, T.J.
High-performance liquid chromatographic determination of
liposomal nystatin in plasma and tissues for
pharmacokinetic and tissue distribution studies
735(1999)51
- Guiducci, M.S., see Mancinelli, R. 735(1999)243
- Guillaume, Y.C., Peyrin, E. and Millet, J.
Chromatographic approach to study β -cyclodextrin as a
promoter of the penetration of bifonazole into keratinic
tissue 735(1999)289
- Haber, H., Stender, N., Mangholz, A., Ehrenreich, H. and
Melzig, M.F.
Quantitative determination of endogenous
tetrahydroisoquinoline salsolinol in peripheral blood
mononuclear cells by gas chromatography–mass
spectrometry 735(1999)299
- Hasegawa, H., Matsukawa, T., Shinohara, Y. and Hashimoto, T.
Simultaneous determination of the enantiomers of leucine
and [$^2\text{H}_7$]leucine in plasma by capillary gas
chromatography–mass spectrometry 735(1999)141
- Hashimoto, T., see Hasegawa, H. 735(1999)141
- Hattab, C., see Cochet, S. 735(1999)207
- Heinig, K. and Henion, J.
Determination of carnitine and acylcarnitines in biological
samples by capillary electrophoresis–mass spectrometry
735(1999)171
- Hemmati, P., see Shah, A.J. 735(1999)133
- Henion, J., see Heinig, K. 735(1999)171
- Hernandez, L., see Rada, P. 735(1999)1
- Hettesheimer, H., see Juza, M. 735(1999)93
- Hulse, J.D., see Naidong, W. 735(1999)255
- Hussain-Yusuf, H., Onodera, R., Nasser, M.E.A. and Sato, H.
Simple method for the simultaneous analysis of pipecolic
acid and lysine by high-performance liquid chromatography
and its application to rumen liquor and plasma of
ruminants 735(1999)63

- Ibarra, N., Caballero, A., González, E. and Valdés, R.
Comparison of different elution conditions for the immunopurification of recombinant hepatitis B surface antigen 735(1999)271
- Jakubetz, H., see Juza, M. 735(1999)93
- Jiang, X., see Naidong, W. 735(1999)255
- Jøns, O., see Sidenius, U. 735(1999)85
- Julianto, T., see Yap, S.P. 735(1999)279
- Juza, M., Jakubetz, H., Hettessheimer, H. and Schurig, V.
Quantitative determination of isoflurane enantiomers in blood samples during and after surgery via headspace gas chromatography-mass spectrometry 735(1999)93
- Kauert, G., see Toennes, S.W. 735(1999)127
- Kessel, D.
Protein-binding patterns of the antitumor antibiotic cryptophycin 52 as measured with a two-phase partitioning system 735(1999)121
- Kim, H., Schuessler, D.G., Bach, C.A., Lin, C.-C. and Nomeir, A.A.
High-performance liquid chromatographic analysis of the D₄ receptor antagonist SCH 66712 in rat plasma 735(1999)11
- Klinker, H., see Langmann, P. 735(1999)41
- Kuhara, T., Niwa, T. and Matsumoto, I.
Erratum to the special issue of the Japanese Society for Biomedical Mass Spectrometry [J. Chromatogr. B, 731 (1999)] 735(1999)305
- Lamotte, C., Peytavin, G. and Farinotti, R.
Determination of nelfinavir, a potent HIV protease inhibitor, and its active metabolite M8 in human plasma by high-performance liquid chromatography with photodiode-array detection 735(1999)159
- Langmann, P., Klinker, H., Schirmer, D., Zilly, M., Bienert, A. and Richter, E.
High-performance liquid chromatographic method for the simultaneous determination of HIV-1 protease inhibitors indinavir, saquinavir and zidovudine in plasma of patients during highly active antiretroviral therapy 735(1999)41
- Lee, J.W., see Naidong, W. 735(1999)255
- Lee, M.-H., see Chen, L.-C. 735(1999)33
- Lin, C.-C., see Kim, H. 735(1999)11
- Lin, M.-F., see Chen, L.-C. 735(1999)33
- Lin, P.P., see Naidong, W. 735(1999)255
- Loos, W.J., de Bruijn, P., van Zuylen, L., Verweij, J., Nooter, K., Stoter, G. and Sparreboom, A.
Determination of 5-fluorouracil in microvolumes of human plasma by solvent extraction and high-performance liquid chromatography 735(1999)293
- Loos, W.J., see Sparreboom, A. 735(1999)111
- Macchia, T., see Mancinelli, R. 735(1999)243
- Mancinelli, R., Gentili, S., Guiducci, M.S. and Macchia, T.
Simple and reliable high-performance liquid chromatography fluorimetric procedure for the determination of amphetamine-derived designer drugs 735(1999)243
- Mangholz, A., see Haber, H. 735(1999)299
- Matsukawa, T., see Hasegawa, H. 735(1999)141
- Matsumoto, I., see Kuhara, T. 735(1999)305
- McLean, A.M., see Murday, M. 735(1999)151
- Melzig, M.F., see Haber, H. 735(1999)299
- Mickiene, D., see Groll, A.H. 735(1999)51
- Millet, J., see Guillaume, Y.C. 735(1999)289
- Munton, R., see Shah, A.J. 735(1999)133
- Murday, M., McLean, A.M., Slaughter, E. and Couch, R.A.
Determination of dihydroergotamine in human plasma by high-performance liquid chromatography with fluorescence detection 735(1999)151
- Naidong, W., Lee, J.W., Jiang, X., Wehling, M., Hulse, J.D. and Lin, P.P.
Simultaneous assay of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human plasma using normal-phase liquid chromatography-tandem mass spectrometry with a silica column and an aqueous organic mobile phase 735(1999)255
- Nasser, M.E.A., see Hussain-Yusuf, H. 735(1999)63
- Niwa, T., see Kuhara, T. 735(1999)305
- Nolteernsting, E., see Rendic, S. 735(1999)73
- Nomeir, A.A., see Kim, H. 735(1999)11
- Nooter, K., see Loos, W.J. 735(1999)293
- Nooter, K., see Sparreboom, A. 735(1999)111
- Ogra, Y. and Suzuki, K.T.
Biological significance of non-acetylated metallothionein 735(1999)17
- Onodera, R., see Hussain-Yusuf, H. 735(1999)63
- Paez, X., see Rada, P. 735(1999)1
- Pečavar, A., see Andrenšek, S. 735(1999)103
- Pépin, G., see Gaillard, Y. 735(1999)189
- Perez, J., see Rada, P. 735(1999)1
- Peyrin, E., see Guillaume, Y.C. 735(1999)289
- Peytavin, G., see Lamotte, C. 735(1999)159
- Piscitelli, S.C., see Groll, A.H. 735(1999)51
- Prošek, M., see Andrenšek, S. 735(1999)103
- Rada, P., Tucci, S., Teneud, L., Paez, X., Perez, J., Alba, G., García, Y., Sacchettini, S., Del Corral, J. and Hernandez, L.
Monitoring γ -aminobutyric acid in human brain and plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 735(1999)1
- Rendic, S., Nolteernsting, E. and Schänzer, W.
Metabolism of anabolic steroids by recombinant human cytochrome P450 enzymes. Gas chromatographic-mass spectrometric determination of metabolites²⁰ 735(1999)73
- Richter, E., see Langmann, P. 735(1999)41
- Roberts, C., see Shah, A.J. 735(1999)133
- Roubinet, F., see Cochet, S. 735(1999)207
- Routledge, C., see Shah, A.J. 735(1999)133
- Sacchettini, S., see Rada, P. 735(1999)1
- Sato, H., see Hussain-Yusuf, H. 735(1999)63
- Schänzer, W., see Rendic, S. 735(1999)73
- Schirmer, D., see Langmann, P. 735(1999)41
- Schuessler, D.G., see Kim, H. 735(1999)11
- Schurig, V., see Juza, M. 735(1999)93
- Shah, A.J., de Biasi, V., Taylor, S.G., Roberts, C., Hemmati, P., Munton, R., West, A., Routledge, C. and Camilleri, P.
Development of a protocol for the automated analysis of amino acids in brain tissue samples and microdialysates 735(1999)133
- Shinohara, Y., see Hasegawa, H. 735(1999)141

- Sidenius, U., Farver, O., Jøns, O. and Gammelgaard, B.
Comparison of different transition metal ions for
immobilized metal affinity chromatography of selenoprotein
P from human plasma 735(1999)85
- Slaughter, E., see Murday, M. 735(1999)151
- Šmidovnik, A., see Andrenšek, S. 735(1999)103
- Sparreboom, A., Loos, W.J., Nooter, K., Stoter, G. and
Verweij, J.
Liquid chromatographic analysis and preliminary
pharmacokinetics of methotrexate in cancer patients co-
treated with docetaxel 735(1999)111
- Sparreboom, A., see Loos, W.J. 735(1999)293
- Stender, N., see Haber, H. 735(1999)299
- Stewart, M.J., see Talwar, D. 735(1999)229
- Stoter, G., see Loos, W.J. 735(1999)293
- Stoter, G., see Sparreboom, A. 735(1999)111
- Suzuki, K.T., see Ogra, Y. 735(1999)17
- Talwar, D., Watson, I.D. and Stewart, M.J.
Routine analysis of amphetamine class drugs as their
naphthaquinone derivatives in human urine by high-
performance liquid chromatography 735(1999)229
- Taylor, S.G., see Shah, A.J. 735(1999)133
- Teneud, L., see Rada, P. 735(1999)1
- Toennes, S.W., Fandiño, A.S. and Kauert, G.
Gas chromatographic–mass spectrometric detection of
anhydroecgonine methyl ester (methylecgonidine) in human
serum as evidence of recent smoking of crack
735(1999)127
- Tsai, T.H., Cheng, F.C., Chen, K.C., Chen, Y.F. and Chen, C.F.
Simultaneous measurement of cefuroxime in rat blood and
brain by microdialysis and microbore liquid
chromatography. Application to pharmacokinetics
735(1999)25
- Tucci, S., see Rada, P. 735(1999)1
- Valdés, R., see Ibarra, N. 735(1999)271
- Van Zuylen, L., see Loos, W.J. 735(1999)293
- Vayssette, F., see Gaillard, Y. 735(1999)189
- Verweij, J., see Loos, W.J. 735(1999)293
- Verweij, J., see Sparreboom, A. 735(1999)111
- Wainer, I.W., see Chassaing, C. 735(1999)219
- Walsh, T.J., see Groll, A.H. 735(1999)51
- Watson, I.D., see Talwar, D. 735(1999)229
- Wehling, M., see Naidong, W. 735(1999)255
- Werner, K., see Groll, A.H. 735(1999)51
- West, A., see Shah, A.J. 735(1999)133
- Wilcox, C.S., see Chassaing, C. 735(1999)219
- Wong, J.W., see Yap, S.P. 735(1999)279
- Yang, L.-L., see Chen, L.-C. 735(1999)33
- Yap, S.P., Julianto, T., Wong, J.W. and Yuen, K.H.
Simple high-performance liquid chromatographic method
for the determination of tocotrienols in human plasma
735(1999)279
- Yuen, K.H., see Yap, S.P. 735(1999)279
- Zilly, M., see Langmann, P. 735(1999)41