

Compound Index Vol. 735

Acylcarnitines

Determination of carnitine and acylcarnitines in biological samples by capillary electrophoresis–mass spectrometry 735(1999)171

Amino acids

Development of a protocol for the automated analysis of amino acids in brain tissue samples and microdialysates 735(1999)133

Simultaneous determination of the enantiomers of leucine and [²H₇]leucine in plasma by capillary gas chromatography–mass spectrometry 735(1999)141

γ-Aminobutyric acid

Monitoring γ-aminobutyric acid in human brain and plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 735(1999)1

Amphetamines

Routine analysis of amphetamine class drugs as their naphthaquinone derivatives in human urine by high-performance liquid chromatography 735(1999)229

Simple and reliable high-performance liquid chromatography fluorimetric procedure for the determination of amphetamine-derived designer drugs 735(1999)243

Anabolic steroids

Metabolism of anabolic steroids by recombinant human cytochrome P450 enzymes. Gas chromatographic–mass spectrometric determination of metabolites 735(1999)73

Gas chromatographic–tandem mass spectrometric determination of anabolic steroids and their esters in hair. Application in doping control and meat quality control 735(1999)189

Anhydroecgonine methyl ester

Gas chromatographic–mass spectrometric detection of anhydroecgonine methyl ester (methylecgonidine) in human serum as evidence of recent smoking of crack 735(1999)127

Bifonazole

Chromatographic approach to study β-cyclodextrin as a promoter of the penetration of bifonazole into keratinic tissue 735(1999)289

Blood group proteins

Immunopurification of the blood group RhD protein from human erythrocyte membranes 735(1999)207

Carnitine

Determination of carnitine and acylcarnitines in biological samples by capillary electrophoresis–mass spectrometry 735(1999)171

Cefuroxime

Simultaneous measurement of cefuroxime in rat blood and brain by microdialysis and microbore liquid chromatography. Application to pharmacokinetics 735(1999)25

Cocaine

Gas chromatographic–mass spectrometric detection of anhydroecgonine methyl ester (methylecgonidine) in human serum as evidence of recent smoking of crack 735(1999)127

Cryptophycin 52

Protein-binding patterns of the antitumor antibiotic cryptophycin 52 as measured with a two-phase partitioning system 735(1999)121

Cyclodextrins

Chromatographic approach to study β-cyclodextrin as a promoter of the penetration of bifonazole into keratinic tissue 735(1999)289

Cytochrome P450

Metabolism of anabolic steroids by recombinant human cytochrome P450 enzymes. Gas chromatographic–mass spectrometric determination of metabolites 735(1999)73

Detergents

Immunopurification of the blood group RhD protein from human erythrocyte membranes 735(1999)207

Dihydroergotamine

Determination of dihydroergotamine in human plasma by high-performance liquid chromatography with fluorescence detection 735(1999)151

Docetaxel

Liquid chromatographic analysis and preliminary pharmacokinetics of methotrexate in cancer patients co-treated with docetaxel 735(1999)111

Dopamine D₄ receptor antagonist

High-performance liquid chromatographic analysis of the D₄ receptor antagonist SCH 66712 in rat plasma 735(1999)11

Enzymes

Metabolism of anabolic steroids by recombinant human cytochrome P450 enzymes. Gas chromatographic–mass spectrometric determination of metabolites 735(1999)73

5-Fluorouracil

Determination of 5-fluorouracil in microvolumes of human plasma by solvent extraction and high-performance liquid chromatography 735(1999)293

Homocysteine

Determination of reduced and oxidized homocysteine and related thiols in plasma by thiol-specific pre-column derivatization and capillary electrophoresis with laser-induced fluorescence detection 735(1999)219

Hyperforin

Measurement of hyperforin a constituent of St. John's wort in plasma by high-performance liquid chromatography 735(1999)285

Indinavir

High-performance liquid chromatographic method for the simultaneous determination of HIV-1 protease inhibitors indinavir, saquinavir and zidovudine in plasma of patients during highly active antiretroviral therapy 735(1999)41

Isoflurane

Quantitative determination of isoflurane enantiomers in blood samples during and after surgery via headspace gas chromatography–mass spectrometry 735(1999)93

Leucine

Simultaneous determination of the enantiomers of leucine and [²H₇]leucine in plasma by capillary gas chromatography–mass spectrometry 735(1999)141

Lysine

Simple method for the simultaneous analysis of pipecolic acid and lysine by high-performance liquid chromatography and its application to rumen liquor and plasma of ruminants 735(1999)63

M8

Determination of nelfinavir, a potent HIV protease inhibitor, and its active metabolite M8 in human plasma by high-performance liquid chromatography with photodiode-array detection 735(1999)159

Metallothionein

Biological significance of non-acetylated metallothionein 735(1999)17

Methotrexate

Liquid chromatographic analysis and preliminary pharmacokinetics of methotrexate in cancer patients co-treated with docetaxel 735(1999)111

Methylecgonidine

Gas chromatographic–mass spectrometric detection of anhydroecgonine methyl ester (methylecgonidine) in human serum as evidence of recent smoking of crack 735(1999)127

Methylenedioxyated amphetamines

Simple and reliable high-performance liquid chromatography fluorimetric procedure for the determination of amphetamine-derived designer drugs 735(1999)243

Morphine

Simultaneous assay of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human plasma using normal-phase liquid chromatography–tandem mass spectrometry with a silica column and an aqueous organic mobile phase 735(1999)255

Morphine glucuronides

Simultaneous assay of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human plasma using normal-phase liquid chromatography–tandem mass spectrometry with a silica column and an aqueous organic mobile phase 735(1999)255

Naphthaquinone-4-sulphonate

Routine analysis of amphetamine class drugs as their naphthaquinone derivatives in human urine by high-performance liquid chromatography 735(1999)229

Nelfinavir

Determination of nelfinavir, a potent HIV protease inhibitor, and its active metabolite M8 in human plasma by high-performance liquid chromatography with photodiode-array detection 735(1999)159

Nicorandil

Routine and sensitive method for determination of nicorandil in human plasma developed for liquid chromatography with ultraviolet and mass spectrometric detection 735(1999)103

Nystatin

High-performance liquid chromatographic determination of liposomal nystatin in plasma and tissues for pharmacokinetic and tissue distribution studies 735(1999)51

Opiates

Simultaneous assay of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human plasma using normal-phase liquid chromatography–tandem mass spectrometry with a silica column and an aqueous organic mobile phase 735(1999)255

Paeoniflorin

Pharmacokinetic study of paeoniflorin in mice after oral administration of *Paeoniae radix* extract 735(1999)33

Phenylethylamines

Routine analysis of amphetamine class drugs as their naphthaquinone derivatives in human urine by high-performance liquid chromatography 735(1999)229

Pipecolic acid

Simple method for the simultaneous analysis of pipecolic acid and lysine by high-performance liquid chromatography and its application to rumen liquor and plasma of ruminants 735(1999)63

Recombinant hepatitis B surface antigen

Comparison of different elution conditions for the immunopurification of recombinant hepatitis B surface antigen 735(1999)271

Red cell membrane proteins

Immunopurification of the blood group RhD protein from human erythrocyte membranes 735(1999)207

RhD

Immunopurification of the blood group RhD protein from human erythrocyte membranes 735(1999)207

Ritonavir

High-performance liquid chromatographic method for the simultaneous determination of HIV-1 protease inhibitors indinavir, saquinavir and ritonavir in plasma of patients during highly active antiretroviral therapy 735(1999)41

Salsolinol

Quantitative determination of endogenous tetrahydroisoquinoline salsolinol in peripheral blood mononuclear cells by gas chromatography–mass spectrometry 735(1999)299

Saquinavir

High-performance liquid chromatographic method for the simultaneous determination of HIV-1 protease inhibitors indinavir, saquinavir and ritonavir in plasma of patients during highly active antiretroviral therapy 735(1999)41

SCH 66712

High-performance liquid chromatographic analysis of the D₄ receptor antagonist SCH 66712 in rat plasma 735(1999)11

Selenoprotein P

Comparison of different transition metal ions for immobilized metal affinity chromatography of selenoprotein P from human plasma 735(1999)85

Steroids

Gas chromatographic–tandem mass spectrometric determination of anabolic steroids and their esters in hair. Application in doping control and meat quality control 735(1999)189

Testosterone esters

Gas chromatographic–tandem mass spectrometric determination of anabolic steroids and their esters in hair. Application in doping control and meat quality control 735(1999)189

Tetrahydroisoquinoliner

Quantitative determination of endogenous tetrahydroisoquinoline salsolinol in peripheral blood mononuclear cells by gas chromatography–mass spectrometry 735(1999)299

Thiols

Determination of reduced and oxidized homocysteine and related thiols in plasma by thiol-specific pre-column derivatization and capillary electrophoresis with laser-induced fluorescence detection 735(1999)219

Tocotrienols

Simple high-performance liquid chromatographic method for the determination of tocotrienols in human plasma 735(1999)279

Transition metal ions

Comparison of different transition metal ions for immobilized metal affinity chromatography of selenoprotein P from human plasma 735(1999)85

Vitamins

Simple high-performance liquid chromatographic method for the determination of tocotrienols in human plasma 735(1999)279