

Author Index Vol. 748

- Ackland, S.P., see Garg, M.B. 748(2000)383
- Aichholz, R., see Blum, W. 748(2000)349
- Astre, C., see Gauvin, A. 748(2000)389
- Atul, B.V. and Gupta, R.C.
Determination of centropazine and its metabolite in rat serum by high-performance liquid chromatography and fluorescence detection 748(2000)331
- Ayrton, J., see Dear, G.J. 748(2000)281
- Bartlett, M.G., see Vishwanathan, K. 748(2000)157
- Benet, L.Z., see Christians, U. 748(2000)41
- Berneman, Z.N., see Hoes, I. 748(2000)197
- Blaschke, G., see Meier, H. 748(2000)221
- Blaschke, G., see Strickmann, D.B. 748(2000)213
- Blum, W., Aichholz, R., Ramstein, P., Kühnöl, J., Froestl, W. and Desrayaud, S.
Determination of the GABA_B receptor agonist CGP 44532 (3-amino-2-hydroxypropylmethylphosphinic acid) in rat plasma after pre-column derivatization by micro-high-performance liquid chromatography combined with negative electrospray tandem mass spectrometry 748(2000)349
- Bobzin, S.C., Yang, S. and Kasten, T.P.
Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259
- Bogusz, M.J.
Liquid chromatography–mass spectrometry as a routine method in forensic sciences: a proof of maturity 748(2000)3
- Boss, B., see Schütze, D. 748(2000)55
- Bressolle, F., see Gauvin, A. 748(2000)389
- Brown, P.R., see Needham, S.R. 748(2000)77
- Burrows, G.D., see Dodd, S. 748(2000)439
- Ceccato, A., Vanderbist, F., Pabst, J.-Y. and Streel, B.
Enantiomeric determination of tramadol and its main metabolite *O*-desmethyltramadol in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)65
- Chavez-Eng, C.M., Constanzer, M.L. and Matuszewski, B.K.
Determination of Rofecoxib (MK-0966), a cyclooxygenase-2 inhibitor, in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection 748(2000)31
- Chong, B.E., Kim, J., Lubman, D.M., Tiedje, J.M. and Kathariou, S.
Use of non-porous reversed-phase high-performance liquid chromatography for protein profiling and isolation of proteins induced by temperature variations for Siberian permafrost bacteria with identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 748(2000)167
- Christians, U., Jacobsen, W., Serkova, N., Benet, L.Z., Vidal, C., Sewing, K.-Fr., Manns, M.P. and Kirchner, G.I.
Automated, fast and sensitive quantification of drugs in blood by liquid chromatography–mass spectrometry with on-line extraction: immunosuppressants 748(2000)41
- Clayton, E., see Scarfe, G.B. 748(2000)311
- Constanzer, M.L., see Chavez-Eng, C.M. 748(2000)31
- Dear, G.J., Plumb, R.S., Sweatman, B.C., Ayrton, J., Lindon, J.C., Nicholson, J.K. and Ismail, I.M.
Mass directed peak selection, an efficient method of drug metabolite identification using directly coupled liquid chromatography–mass spectrometry–nuclear magnetic resonance spectroscopy 748(2000)281
- Dear, G.J., Plumb, R.S., Sweatman, B.C., Parry, P.S., Roberts, A.D., Lindon, J.C., Nicholson, J.K. and Ismail, I.M.
Use of directly coupled ion-exchange liquid chromatography–mass spectrometry and liquid chromatography–nuclear magnetic resonance spectroscopy as a strategy for polar metabolite identification 748(2000)295
- Delépée, R., Maume, D., Le Bizec, B. and Pouliquen, H.
Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369
- Delsaut, P., see Simon, P. 748(2000)337
- Desrayaud, S., see Blum, W. 748(2000)349
- Desroches, R., see Gaulier, J.-M. 748(2000)407
- Dilger, K., see Hofmann, U. 748(2000)113
- Dodd, S., Burrows, G.D. and Norman, T.R.
Chiral determination of mirtazapine in human blood plasma by high-performance liquid chromatography 748(2000)439
- Eichelbaum, M., see Hofmann, U. 748(2000)113
- Esmans, E.L., see Hoes, I. 748(2000)197

- Estape, E.S., see Needham, S.R. 748(2000)77
- Forngren, B.H., Tyrefors, N., Markides, K.E. and Långström, B.
Determination of raclopride in human plasma by on-column focusing packed capillary liquid chromatography–electrospray ionisation mass spectrometry 748(2000)189
- Fouda, H., see Kamel, A. 748(2000)179
- Froestl, W., see Blum, W. 748(2000)349
- Garg, M.B. and Ackland, S.P.
Simple and sensitive high-performance liquid chromatography method for the determination of docetaxel in human plasma or urine 748(2000)383
- Gasco-Lopez, A.I., see Rosado-Maria, A. 748(2000)415
- Gaulier, J.-M., Marquet, P., Lacassie, E., Desroches, R. and Lachatre, G.
High-performance liquid chromatographic determination of tianeptine in plasma applied to pharmacokinetic studies 748(2000)407
- Gauvin, A., Pinguet, F., Poujol, S., Astre, C. and Bressolle, F.
High-performance liquid chromatographic determination of vinorelbine in human plasma and blood: application to a pharmacokinetic study 748(2000)389
- Gjøn, T., see Hvattum, E. 748(2000)137
- Grieb, S., see Knebel, N.G. 748(2000)97
- Gupta, R.C., see Atul, B.V. 748(2000)331
- Hamanaka, T., see Liu, J. 748(2000)401
- Hara, K., see Liu, J. 748(2000)401
- Harada, T., see Tomiyama, N. 748(2000)361
- Heinkele, G., see Hofmann, U. 748(2000)113
- Hoes, I., Van Dongen, W., Lemièrre, F., Esmans, E.L., Van Bockstaele, D. and Berneman, Z.N.
Comparison between capillary and nano liquid chromatography–electrospray mass spectrometry for the analysis of minor DNA–methylphalan adducts 748(2000)197
- Hofmann, U., Pecia, M., Heinkele, G., Dilger, K., Kroemer, H.K. and Eichelbaum, M.
Determination of propafenone and its phase I and phase II metabolites in plasma and urine by high-performance liquid chromatography–electrospray ionization mass spectrometry 748(2000)113
- Høy, C.-E., see Mu, H. 748(2000)425
- Hvattum, E., Røsjø, C., Gjøn, T., Rosenlund, G. and Ruyter, B.
Effect of soybean oil and fish oil on individual molecular species of Atlantic salmon head kidney phospholipids determined by normal-phase liquid chromatography coupled to negative ion electrospray tandem mass spectrometry 748(2000)137
- Ismail, I.M., see Dear, G.J. 748(2000)281
- Ismail, I.M., see Dear, G.J. 748(2000)295
- Izquierdo-Hornillos, R., see Rosado-Maria, A. 748(2000)415
- Jacobsen, W., see Christians, U. 748(2000)41
- Jeanville, P.M., see Needham, S.R. 748(2000)77
- Kageura, M., see Liu, J. 748(2000)401
- Kamel, A., Prakash, C., Saverino, C., Obach, B. and Fouda, H.
Narrow-bore high-performance liquid chromatography in combination with ionspray tandem mass spectrometry for the determination of the substance P receptor antagonist ezlopitant and its two active metabolites in plasma 748(2000)179
- Kashimura, S., see Liu, J. 748(2000)401
- Kashiwagi, M., see Liu, J. 748(2000)401
- Kasten, T.P., see Bobzin, S.C. 748(2000)259
- Kathariou, S., see Chong, B.E. 748(2000)167
- Kim, J., see Chong, B.E. 748(2000)167
- Kirchner, G.I., see Christians, U. 748(2000)41
- Knebel, N.G., Grieb, S., Leisenheimer, S. and Locher, M.
Determination of retigabine and its acetyl metabolite in biological matrices by on-line solid-phase extraction (column switching) liquid chromatography with tandem mass spectrometry 748(2000)97
- Kobayashi, H., see Tomiyama, N. 748(2000)361
- Kraemer, T., see Maurer, H.H. 748(2000)125
- Kroemer, H.K., see Hofmann, U. 748(2000)113
- Kühnöl, J., see Blum, W. 748(2000)349
- Lacassie, E., see Gaulier, J.-M. 748(2000)407
- Lachatre, G., see Gaulier, J.-M. 748(2000)407
- Lafontaine, M., see Simon, P. 748(2000)337
- Law, B. and Temesi, D.
Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21
- Långström, B., see Forngren, B.H. 748(2000)189
- Le Bizet, B., see Delépée, R. 748(2000)369
- Leisenheimer, S., see Knebel, N.G. 748(2000)97
- Lemièrre, F., see Hoes, I. 748(2000)197
- Lindon, J.C., see Dear, G.J. 748(2000)281
- Lindon, J.C., see Dear, G.J. 748(2000)295
- Lindon, J.C., Nicholson, J.K. and Wilson, I.D.
Directly coupled HPLC–NMR and HPLC–NMR–MS in pharmaceutical research and development 748(2000)233
- Lindon, J.C., see Shockcor, J.P. 748(2000)269
- Liu, J., Hara, K., Kashimura, S., Kashiwagi, M., Hamanaka, T., Miyoshi, A. and Kageura, M.
Headspace solid-phase microextraction and gas chromatographic–mass spectrometric screening for volatile hydrocarbons in blood 748(2000)401
- Locher, M., see Knebel, N.G. 748(2000)97
- Lubman, D.M., see Chong, B.E. 748(2000)167
- Manns, M.P., see Christians, U. 748(2000)41
- Markides, K.E., see Forngren, B.H. 748(2000)189
- Marquet, P., see Gaulier, J.-M. 748(2000)407
- Matuszewski, B.K., see Chavez-Eng, C.M. 748(2000)31
- Maume, D., see Delépée, R. 748(2000)369
- Maurer, H.H., Schmitt, C.J., Weber, A.A. and Kraemer, T.
Validated electrospray liquid chromatographic–mass spectrometric assay for the determination of the mushroom toxins α - and β -amanitin in urine after immunoaffinity extraction 748(2000)125
- Meier, H. and Blaschke, G.
Capillary electrophoresis–mass spectrometry, liquid chromatography–mass spectrometry and nanoelectrospray–mass spectrometry of praziquantel metabolites 748(2000)221
- Mitamura, K., Yatera, M. and Shimada, K.
Studies on neurosteroids XII. Determination of enzymatically formed catechol estrogens and guaiacol estrogens by rat brains using liquid chromatography–mass spectrometry–mass spectrometry 748(2000)89
- Miyoshi, A., see Liu, J. 748(2000)401
- Morele, Y., see Simon, P. 748(2000)337
- Morton, N.S., see Stumpe, M. 748(2000)321

- Mu, H. and Høy, C.-E.
Application of atmospheric pressure chemical ionization liquid chromatography–mass spectrometry in identification of lymph triacylglycerols 748(2000)425
- Needham, S.R., Jeanville, P.M., Brown, P.R. and Estape, E.S.
Performance of a pentafluorophenylpropyl stationary phase for the electrospray ionization high-performance liquid chromatography–mass spectrometry–mass spectrometry assay of cocaine and its metabolite ecgonine methyl ester in human urine 748(2000)77
- Nicholson, J.K., see Dear, G.J. 748(2000)281
- Nicholson, J.K., see Dear, G.J. 748(2000)295
- Nicholson, J.K., see Lindon, J.C. 748(2000)233
- Nicholson, J.K., see Scarfe, G.B. 748(2000)311
- Nicholson, J.K., see Shockcor, J.P. 748(2000)269
- Nicot, T., see Simon, P. 748(2000)337
- Norman, T.R., see Dodd, S. 748(2000)439
- Obach, B., see Kamel, A. 748(2000)179
- Pabst, J.-Y., see Ceccato, A. 748(2000)65
- Parry, P.S., see Dear, G.J. 748(2000)295
- Pecia, M., see Hofmann, U. 748(2000)113
- Pillans, P.I., see Willis, C. 748(2000)151
- Pinguet, F., see Gauvin, A. 748(2000)389
- Plumb, R.S., see Dear, G.J. 748(2000)281
- Plumb, R.S., see Dear, G.J. 748(2000)295
- Poujol, S., see Gauvin, A. 748(2000)389
- Pouliquen, H., see Delépée, R. 748(2000)369
- Prakash, C., see Kamel, A. 748(2000)179
- Ramstein, P., see Blum, W. 748(2000)349
- Roberts, A.D., see Dear, G.J. 748(2000)295
- Rosado-Maria, A., Gasco-Lopez, A.I., Santos-Montes, A. and Izquierdo-Hornillos, R.
High-performance liquid chromatographic separation of a complex mixture of diuretics using a micellar mobile phase of sodium dodecyl sulphate. Application to human urine samples 748(2000)415
- Rosenlund, G., see Hvattum, E. 748(2000)137
- Røsjø, C., see Hvattum, E. 748(2000)137
- Ruyter, B., see Hvattum, E. 748(2000)137
- Salm, P., see Willis, C. 748(2000)151
- Santos-Montes, A., see Rosado-Maria, A. 748(2000)415
- Saverino, C., see Kamel, A. 748(2000)179
- Savina, P., see Shockcor, J.P. 748(2000)269
- Scarfe, G.B., Clayton, E., Wilson, I.D. and Nicholson, J.K.
Identification and quantification of metabolites of 2,3,5,6-tetrafluoro-4-trifluoromethylaniline in rat urine using ¹⁹F nuclear magnetic resonance spectroscopy, high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–mass spectrometry 748(2000)311
- Schmid, J., see Schütze, D. 748(2000)55
- Schmitt, C.J., see Maurer, H.H. 748(2000)125
- Schütze, D., Boss, B. and Schmid, J.
Liquid chromatographic–tandem mass spectrometric method for the analysis of a neurokinin-1 antagonist and its metabolite using automated solid-phase sample preparation and automated data handling and reporting 748(2000)55
- Serkova, N., see Christians, U. 748(2000)41
- Sewing, K.-Fr., see Christians, U. 748(2000)41
- Shimada, K., see Mitamura, K. 748(2000)89
- Shockcor, J.P., Unger, S.E., Savina, P., Nicholson, J.K. and Lindon, J.C.
Application of directly coupled LC–NMR–MS to the structural elucidation of metabolites of the HIV-1 reverse-transcriptase inhibitor BW935U83 748(2000)269
- Simon, P., Lafontaine, M., Delsaut, P., Morele, Y. and Nicot, T.
Trace determination of urinary 3-hydroxybenzo[a]pyrene by automated column-switching high-performance liquid chromatography 748(2000)337
- Stewart, J.T., see Vishwanathan, K. 748(2000)157
- Streel, B., see Ceccato, A. 748(2000)65
- Strickmann, D.B. and Blaschke, G.
Capillary electrochromatography–electrospray ionization mass spectrometry for the qualitative investigation of the drug etodolac and its metabolites in biological samples 748(2000)213
- Stumpe, M., Morton, N.S. and Watson, D.G.
Determination of free concentrations of ropivacaine and bupivacaine in plasma from neonates using small-scale equilibrium–dialysis followed by liquid chromatography–mass spectrometry 748(2000)321
- Sweatman, B.C., see Dear, G.J. 748(2000)281
- Sweatman, B.C., see Dear, G.J. 748(2000)295
- Tackett, R.L., see Vishwanathan, K. 748(2000)157
- Takeda, M., see Tomiyama, N. 748(2000)361
- Taylor, P.J., see Willis, C. 748(2000)151
- Temesi, D., see Law, B. 748(2000)21
- Tett, S.E., see Willis, C. 748(2000)151
- Tiedje, J.M., see Chong, B.E. 748(2000)167
- Tomiyama, N., Tsuji, H., Watanabe, M., Takeda, M., Harada, T. and Kobayashi, H.
High-performance liquid chromatographic method for determination of DDT and its degradation products in rat plasma, liver and brain: validation and application to a pharmacokinetic study 748(2000)361
- Tsuji, H., see Tomiyama, N. 748(2000)361
- Tyrefors, N., see Forngren, B.H. 748(2000)189
- Unger, S.E., see Shockcor, J.P. 748(2000)269
- Van Bockstaele, D., see Hoes, I. 748(2000)197
- Vanderbist, F., see Ceccato, A. 748(2000)65
- Van Dongen, W., see Hoes, I. 748(2000)197
- Vidal, C., see Christians, U. 748(2000)41
- Vishwanathan, K., Tackett, R.L., Stewart, J.T. and Bartlett, M.G.
Determination of arginine and methylated arginines in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)157
- Watanabe, M., see Tomiyama, N. 748(2000)361
- Watson, D.G., see Stumpe, M. 748(2000)321
- Weber, A.A., see Maurer, H.H. 748(2000)125
- Willis, C., Taylor, P.J., Salm, P., Tett, S.E. and Pillans, P.I.
Quantification of free mycophenolic acid by high-performance liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 748(2000)151
- Wilson, I.
Foreword 748(2000)1
- Wilson, I.D., see Lindon, J.C. 748(2000)233
- Wilson, I.D., see Scarfe, G.B. 748(2000)311
- Yang, S., see Bobzin, S.C. 748(2000)259
- Yatera, M., see Mitamura, K. 748(2000)89