

Compound Index Vol. 748

Aaptamine

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

Amanitin

Validated electrospray liquid chromatographic–mass spectrometric assay for the determination of the mushroom toxins α - and β -amanitin in urine after immunoaffinity extraction 748(2000)125

3-Amino-2-hydroxypropylmethylphosphinic acid

Determination of the GABA_B receptor agonist CGP 44532 (3-amino-2-hydroxypropylmethylphosphinic acid) in rat plasma after pre-column derivatization by micro-high-performance liquid chromatography combined with negative electrospray tandem mass spectrometry 748(2000)349

Arginine

Determination of arginine and methylated arginines in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)157

Bupivacaine

Determination of free concentrations of ropivacaine and bupivacaine in plasma from neonates using small-scale equilibrium–dialysis followed by liquid chromatography–mass spectrometry 748(2000)321

BW935U83

Application of directly coupled LC–NMR–MS to the structural elucidation of metabolites of the HIV-1 reverse-transcriptase inhibitor BW935U83 748(2000)269

Catechol estrogens

Studies on neurosteroids XII. Determination of enzymatically formed catechol estrogens and guaiacol estrogens by rat brains using liquid chromatography–mass spectrometry–mass spectrometry 748(2000)89

Centropazine

Determination of centropazine and its metabolite in rat serum by high-performance liquid chromatography and fluorescence detection 748(2000)331

Chlortetracycline

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

Cocaine

Performance of a pentafluorophenylpropyl stationary phase for the electrospray ionization high-performance liquid chromatography–mass spectrometry–mass spectrometry assay of cocaine and its metabolite ecgonine methyl ester in human urine 748(2000)77

Cyclooxygenase-2 inhibitor

Determination of Rofecoxib (MK-0966), a cyclooxygenase-2 inhibitor, in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection 748(2000)31

Cyclosporine

Automated, fast and sensitive quantification of drugs in blood by liquid chromatography–mass spectrometry with on-line extraction: immunosuppressants 748(2000)41

DDT

High-performance liquid chromatographic method for determination of DDT and its degradation products in rat plasma, liver and brain: validation and application to a pharmacokinetic study 748(2000)361

Dereplication

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

O-Desmethyltramadol

Enantiomeric determination of tramadol and its main metabolite O-desmethyltramadol in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)65

Diuretics

High-performance liquid chromatographic separation of a complex mixture of diuretics using a micellar mobile phase of sodium dodecyl sulphate. Application to human urine samples 748(2000)415

DNA

Comparison between capillary and nano liquid chromatography–electrospray mass spectrometry for the analysis of minor DNA–melphalan adducts 748(2000)197

Docetaxel

Simple and sensitive high-performance liquid chromatography method for the determination of docetaxel in human plasma or urine 748(2000)383

Drug metabolites

Mass directed peak selection, an efficient method of drug metabolite identification using directly coupled liquid chromatography–mass spectrometry–nuclear magnetic resonance spectroscopy 748(2000)281

Drugs

Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21

Drugs of abuse

Liquid chromatography–mass spectrometry as a routine method in forensic sciences: a proof of maturity 748(2000)3

Ecgonine methyl ester

Performance of a pentafluorophenylpropyl stationary phase for the electrospray ionization high-performance liquid chromatography–mass spectrometry–mass spectrometry assay of cocaine and its metabolite ecgonine methyl ester in human urine 748(2000)77

ESI

Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21

Etodolac

Capillary electrochromatography–electrospray ionization mass spectrometry for the qualitative investigation of the drug etodolac and its metabolites in biological samples 748(2000)213

Ezlupitant

Narrow-bore high-performance liquid chromatography in combination with ionspray tandem mass spectrometry for the determination of the substance P receptor antagonist ezlopitant and its two active metabolites in plasma 748(2000)179

Frit FAB

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

GFAT

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

Guaiaicol estrogens

Studies on neurosteroids XII. Determination of enzymatically formed catechol estrogens and guaiaicol estrogens by rat brains using liquid chromatography–mass spectrometry–mass spectrometry 748(2000)89

High throughput screening

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

HIV-1 reverse-transcriptase inhibitor

Application of directly coupled LC–NMR–MS to the structural elucidation of metabolites of the HIV-1 reverse-transcriptase inhibitor BW935U83 748(2000)269

HPLC

Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21

HPLC-NMR

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

HTS

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

3-hydroxybenzo[*a*]pyrene

Trace determination of urinary 3-hydroxybenzo[*a*]pyrene by automated column-switching high-performance liquid chromatography 748(2000)337

Impurities

Directly coupled HPLC–NMR and HPLC–NMR–MS in pharmaceutical research and development 748(2000)233

Ion-suppression

Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21

Isotopes

Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21

LC-MS

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

LC-NMR

Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259

Lipids

Application of atmospheric pressure chemical ionization liquid chromatography–mass spectrometry in identification of lymph triacylglycerols 748(2000)425

Mass spectrometry

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

Melphalan

Comparison between capillary and nano liquid chromatography–electrospray mass spectrometry for the analysis of minor DNA–melphalan adducts 748(2000)197

Methylarginines

Determination of arginine and methylated arginines in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)157

Mirtazapone

Chiral determination of mirtazapine in human blood plasma by high-performance liquid chromatography 748(2000)439

Mobile phase

Factors to consider in the development of generic bioanalytical high-performance liquid chromatography–mass spectrometric methods to support drug discovery 748(2000)21

Mycophenolic acid

Quantification of free mycophenolic acid by high-performance liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 748(2000)151

Natural products

Directly coupled HPLC–NMR and HPLC–NMR–MS in pharmaceutical research and development 748(2000)233

Neurokinin-1 receptor antagonist

Liquid chromatographic–tandem mass spectrometric method for the analysis of a neurokinin-1 antagonist and its metabolite using automated solid-phase sample preparation and automated data handling and reporting 748(2000)55

Neurosteroids

Studies on neurosteroids XII. Determination of enzymatically formed catechol estrogens and guaiacol estrogens by rat brains using liquid chromatography–mass spectrometry–mass spectrometry 748(2000)89

Nitrobenzylcarbamate isopropylidene derivative

Determination of the GABA_B receptor agonist CGP 44532 (3-amino-2-hydroxypropylmethylphosphinic acid) in rat plasma after pre-column derivatization by micro-high-performance liquid chromatography combined with negative electrospray tandem mass spectrometry 748(2000)349

Oxytetracycline

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

Particle beam

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

Pentafluorophenylpropyl

Performance of a pentafluorophenylpropyl stationary phase for the electrospray ionization high-performance liquid chromatography–mass spectrometry–mass spectrometry assay of cocaine and its metabolite ecgonine methyl ester in human urine 748(2000)77

Pharmaceuticals

Directly coupled HPLC–NMR and HPLC–NMR–MS in pharmaceutical research and development 748(2000)233

Phospholipids

Effect of soybean oil and fish oil on individual molecular species of Atlantic salmon head kidney phospholipids determined by normal-phase liquid chromatography coupled to negative ion electrospray tandem mass spectrometry 748(2000)137

Polar metabolites

Use of directly coupled ion-exchange liquid chromatography–mass spectrometry and liquid chromatography–nuclear magnetic resonance spectroscopy as a strategy for polar metabolite identification 748(2000)295

Praziquantel

Capillary electrophoresis–mass spectrometry, liquid chromatography–mass spectrometry and nanoelectrospray-mass spectrometry of praziquantel metabolites 748(2000)221

Propafenone

Determination of propafenone and its phase I and phase II metabolites in plasma and urine by high-performance liquid chromatography–electrospray ionization mass spectrometry 748(2000)113

Proteins

Use of non-porous reversed-phase high-performance liquid chromatography for protein profiling and isolation of proteins induced by temperature variations for Siberian permafrost bacteria with identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 748(2000)167

Raclopride

Determination of raclopride in human plasma by on-column focusing packed capillary liquid chromatography–electrospray ionisation mass spectrometry 748(2000)189

Retigabine

Determination of retigabine and its acetyl metabolite in biological matrices by on-line solid-phase extraction (column switching) liquid chromatography with tandem mass spectrometry 748(2000)97

Rofecoxib

Determination of Rofecoxib (MK-0966), a cyclooxygenase-2 inhibitor, in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection 748(2000)31

Ropivacaine

Determination of free concentrations of ropivacaine and bupivacaine in plasma from neonates using small-scale equilibrium–dialysis followed by liquid chromatography–mass spectrometry 748(2000)321

SDZ-RAD

Automated, fast and sensitive quantification of drugs in blood by liquid chromatography–mass spectrometry with on-line extraction: immunosuppressants 748(2000)41

Sirolimus

Automated, fast and sensitive quantification of drugs in blood by liquid chromatography–mass spectrometry with on-line extraction: immunosuppressants 748(2000)41

Substance P

Narrow-bore high-performance liquid chromatography in combination with ionspray tandem mass spectrometry for the determination of the substance P receptor antagonist ezlopitant and its two active metabolites in plasma 748(2000)179

Tacrolimus

Automated, fast and sensitive quantification of drugs in blood by liquid chromatography–mass spectrometry with on-line extraction: immunosuppressants 748(2000)41

Tetracycline

Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369

2,3,5,6-Tetrafluoro-4-trifluoromethylaniline

Identification and quantification of metabolites of 2,3,5,6-tetrafluoro-4-trifluoromethylaniline in rat urine using ^{19}F nuclear magnetic resonance spectroscopy, high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–mass spectrometry 748(2000)311

Tianeptine

High-performance liquid chromatographic determination of tianeptine in plasma applied to pharmacokinetic studies 748(2000)407

Tramadol

Enantiomeric determination of tramadol and its main metabolite *O*-desmethyltramadol in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)65

Triacylglycerol

Application of atmospheric pressure chemical ionization liquid chromatography–mass spectrometry in identification of lymph triacylglycerols 748(2000)425

Vinorelbine

High-performance liquid chromatographic determination of vinorelbine in human plasma and blood: application to a pharmacokinetic study 748(2000)389

Volatile hydrocarbons

Headspace solid-phase microextraction and gas chromatography–mass spectrometric screening for volatile hydrocarbons in blood 748(2000)401