



ELSEVIER

Journal of Chromatography B, 769 (2002) 375–377

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 769

N⁴-Acetylsulfadiazine

New simple liquid chromatographic method for the determination of trimethoprim, sulfadiazine and *N⁴-acetylsulfadiazine* in plasma of broilers 769(2002)253

Amino groups

Reversible fluorescence labeling of amino groups of protein using dansylaminomethylmaleic anhydride 769(2002)47

Amphetamines

Rapid screening method for determination of Ecstasy and amphetamines in urine samples using gas chromatography–chemical ionisation mass spectrometry 769(2002)243

Amyloid β peptides

Combined use of micro-preparative gel electrophoresis and reversed-phase high-performance liquid chromatography for purification of amyloid β peptides deposited in brains of Alzheimer's disease patients 769(2002)363

Boronic acid

Nucleotide adsorption–desorption behaviour of boronic acid functionalized uniform-porous particles 769(2002)283

1,4-Butanediol

Capillary gas chromatographic determination of 1,4-butanediol and γ -hydroxybutyrate in human plasma and urine 769(2002)221

Carbamazepine

Determination of carbamazepine and carbamazepine 10,11-epoxide in human plasma by tandem liquid chromatography–mass spectrometry with electrospray ionisation 769(2002)1

Carbamazepine 10,11-epoxide

Determination of carbamazepine and carbamazepine 10,11-epoxide in human plasma by tandem liquid chromatography–mass spectrometry with electrospray ionisation 769(2002)1

Catecholamines

Extraction and separation of urinary catecholamines as their diphenyl boronate complexes using C₁₈ solid-phase extraction sorbent and high-performance liquid chromatography 769(2002)341

Cotinine

Sensitive and simple method for the determination of nicotine and cotinine in human urine, plasma and saliva by gas chromatography–mass spectrometry 769(2002)177

Cyclosporin A

Determination of diclofenac in rat bile and its interaction with cyclosporin A using on-line microdialysis coupled to liquid chromatography 769(2002)351

Cytosolic phospholipase A₂

Determination of the cell lytic properties of amphiphilic inhibitors of the cytosolic phospholipase A₂ against human platelets by measuring the liberation of serotonin with high-performance liquid chromatography and fluorescence detection 769(2002)185

Cymoxanil

Metabolism of cymoxanil and analogs in strains of the fungus *Botrytis cinerea* using high-performance liquid chromatography and ion-pair high-performance thin-layer chromatography 769(2002)35

Dansylaminomethylmaleic anhydride

Reversible fluorescence labeling of amino groups of protein using dansylaminomethylmaleic anhydride 769(2002)47

Delavirdine

Determination of delavirdine in very small volumes of plasma by high-performance liquid chromatography with fluorescence detection 769(2002)297

Diclofenac

Determination of diclofenac in rat bile and its interaction with cyclosporin A using on-line microdialysis coupled to liquid chromatography 769(2002)351

Dihydrouracil

Measurement of endogenous uracil and dihydrouracil in plasma and urine of normal subjects by liquid chromatography–tandem mass spectrometry 769(2002)169

3,4-Dihydroxymethamphetamine

High-performance liquid chromatography with electrochemical detection applied to the analysis of 3,4-dihydroxymethamphetamine in human plasma and urine 769(2002)313

3,4-Dihydroxyphenylacetic acid

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenone and indole derivatives of tryptophan 769(2002)145

Diphenyl boronate

Extraction and separation of urinary catecholamines as their diphenyl boronate complexes using C₁₈ solid-phase extraction sorbent and high-performance liquid chromatography 769(2002)341

Dopamine

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenone and indole derivatives of tryptophan 769(2002)145

Doxorubicin

Detection of doxorubicin and metabolites in cell extracts and in single cells by capillary electrophoresis with laser-induced fluorescence detection 769(2002)97

Ecstasy

Rapid screening method for determination of Ecstasy and amphetamines in urine samples using gas chromatography-chemical ionisation mass spectrometry 769(2002)243

Enzymes

Strategies for the purification and on-column cleavage of glutathione-S-transferase fusion target proteins 769(2002)133

Fluoxetine

Micellar electrokinetic capillary chromatography for the determination of fluoxetine and its metabolite norfluoxetine in biological fluids 769(2002)261

Simultaneous determination of fluoxetine and its metabolite *p*-trifluoromethylphenol in human liver microsomes using a gas chromatographic-electron-capture detection procedure 769(2002)305

Fusion target proteins

Strategies for the purification and on-column cleavage of glutathione-S-transferase fusion target proteins 769(2002)133

Gentamicin

Determination of gentamicin in urine samples after inhalation by reversed-phase high-performance liquid chromatography using pre-column derivatisation with *o*-phthalaldehyde 769(2002)89

Glutathione-S-transferase

Strategies for the purification and on-column cleavage of glutathione-S-transferase fusion target proteins 769(2002)133

Homovanillic acid

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenone and indole derivatives of tryptophan 769(2002)145

Hydrocodone

Simultaneous determination of hydrocodone and hydromorphone in human plasma by liquid chromatography with tandem mass spectrometric detection 769(2002)55

Hydromorphone

Simultaneous determination of hydrocodone and hydromorphone in human plasma by liquid chromatography with tandem mass spectrometric detection 769(2002)55

γ-Hydroxybutyrate

Capillary gas chromatographic determination of 1,4-butanediol and γ-hydroxybutyrate in human plasma and urine 769(2002)221

Hydroxytriamterene sulfate

Determination of triamterene and its main metabolite hydroxytriamterene sulfate in human urine by capillary electrophoresis using ultraviolet absorbance and laser-induced fluorescence detection 769(2002)107

Kynurenone

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenone and indole derivatives of tryptophan 769(2002)145

α-Lipoic acid

High-performance liquid chromatographic assay for α-lipoic acid and five of its metabolites in human plasma and urine 769(2002)269

Luteinizing hormone-releasing hormones

Quantitative capillary electrophoresis assay for the proteolytic stability of luteinizing hormone-releasing hormones 769(2002)235

Nicotine

Sensitive and simple method for the determination of nicotine and cotinine in human urine, plasma and saliva by gas chromatography-mass spectrometry 769(2002)177

Noradrenaline

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenone and indole derivatives of tryptophan 769(2002)145

Norfluoxetine

Micellar electrokinetic capillary chromatography for the determination of fluoxetine and its metabolite norfluoxetine in biological fluids 769(2002)261

Nucleotides

Nucleotide adsorption-desorption behaviour of boronic acid functionalized uniform-porous particles 769(2002)283

Organochlorine pesticides

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Organophosphate pesticides

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Paclitaxel

On-line solid-phase extraction and determination of paclitaxel in human plasma 769(2002)357

Peptides

Combined use of micro-preparative gel electrophoresis and reversed-phase high-performance liquid chromatography for purification of amyloid β peptides deposited in brains of Alzheimer's disease patients 769(2002)363

Perphenazine

Quantification of perphenazine in Eurasian otter (*Lutra lutra lutra*) urine samples by gas chromatography–mass spectrometry 769(2002)79

Persistent organic pollutants

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Pesticides

Headspace solid-phase microextraction in combination with gas chromatography and tandem mass spectrometry for the determination of organochlorine and organophosphorus pesticides in whole human blood 769(2002)65

Biological monitoring of pesticide exposure: a review of analytical methods (Review) 769(2002)191

Pharmaceuticals

Application of column-switching liquid chromatography–tandem mass spectrometry for the determination of pharmaceutical compounds in tissue samples 769(2002)9

Phenylbutazone

Determination by high-performance liquid chromatography of phenylbutazone in samples of plasma from fighting bulls 769(2002)119

Polychlorinated biphenyls

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Proteins

Reversible fluorescence labeling of amino groups of protein using dansylaminomethylmaleic anhydride 769(2002)47

Proteomic analysis of rat soleus and tibialis anterior muscle following immobilization 769(2002)323

Serotonin

Determination of the cell lytic properties of amphiphilic inhibitors of the cytosolic phospholipase A₂ against human platelets by measuring the liberation of serotonin with high-performance liquid chromatography and fluorescence detection 769(2002)185

Sertraline

Rapid and sensitive determination of sertraline in human plasma using gas chromatography–mass spectrometry 769(2002)333

Sodium 3,4-diaminonaphthalene-1-sulfonate

Determination of sodium 3,4-diaminonaphthalene-1-sulfonate, a Congo Red derivative, in plasma and brain of hamsters by high-performance liquid chromatography after solid-phase extraction and ultraviolet absorbance 769(2002)27

Sufentanil

Very sensitive and specific determination of sufentanil in human serum applying liquid chromatography–two stage mass spectrometry 769(2002)227

Sulfadiazine

New simple liquid chromatographic method for the determination of trimethoprim, sulfadiazine and N^4 -acetylsulfadiazine in plasma of broilers 769(2002)253

Tafenoquine

Rapid determination of tafenoquine in small volume human plasma samples by high-performance liquid chromatography–tandem mass spectrometry 769(2002)127

Triamterene

Determination of triamterene and its main metabolite hydroxytriamterene sulfate in human urine by capillary electrophoresis using ultraviolet absorbance and laser-induced fluorescence detection 769(2002)107

p-Trifluoromethylphenol

Simultaneous determination of fluoxetine and its metabolite p-trifluoromethylphenol in human liver microsomes using a gas chromatographic–electron-capture detection procedure 769(2002)305

Trimethoprim

New simple liquid chromatographic method for the determination of trimethoprim, sulfadiazine and N^4 -acetylsulfadiazine in plasma of broilers 769(2002)253

Tryptophan

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenone and indole derivatives of tryptophan 769(2002)145

Uracil

Measurement of endogenous uracil and dihydrouracil in plasma and urine of normal subjects by liquid chromatography–tandem mass spectrometry 769(2002)169