

Author Index Vol. 796

- Adamson, P.C., see Zuppa, A.F. 796(2003)293
- Andón, B., see Sanz-Nebot, V. 796(2003)379
- André, C., Jacquot, Y., Truong, T.T., Thomassin, M., Robert, J.F. and Guillaume, Y.C.
Analysis of the progesterone displacement of its human serum albumin binding site by β -estradiol using biochromatographic approaches: effect of two salt modifiers 796(2003)267
- Badaloni, E., D'Acquarica, I., Gasparrini, F., Lalli, S., Misiti, D., Pazzucconi, F. and Sirtori, C.R.
Enantioselective liquid chromatographic-electrospray mass spectrometric assay of β -adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma 796(2003)45
- Baidoo, E.E.K., Clench, M.R., Smith, R.F. and Tetler, L.W.
Determination of nicotine and its metabolites in urine by solid-phase extraction and sample stacking capillary electrophoresis-mass spectrometry 796(2003)303
- Barathi, A., see Xiong, X. 796(2003)63
- Barbosa, J., see Sanz-Nebot, V. 796(2003)379
- Basun, H., see Bohnstedt, K.C. 796(2003)11
- Bautista, J.M., see Kayali-Sayadi, M.N. 796(2003)55
- Beuerman, R.W., see Xiong, X. 796(2003)63
- Biondi, P.A., see Sangalli, L. 796(2003)201
- Blanco-Prieto, M.J., see Echevarría, L. 796(2003)233
- Böhm, J., see Razzazi-Fazeli, E. 796(2003)21
- Bohnstedt, K.C., Karlberg, B., Wahlund, L.-O., Jönhagen, M.E., Basun, H. and Schmidt, S.
Determination of isoprostanes in urine samples from Alzheimer patients using porous graphitic carbon liquid chromatography-tandem mass spectrometry 796(2003)11
- Bonato, P.S., Del Lama, M.P.F.M. and de Carvalho, R.
Enantioselective determination of ibuprofen in plasma by high-performance liquid chromatography-electrospray mass spectrometry 796(2003)413
- Bonato, P.S., see Jabor, V.A.P. 796(2003)429
- Buerger, C., Joukadar, C., Muller, M. and Kloft, C.
Development of a liquid chromatography method for the determination of linezolid and its application to in vitro and human microdialysis samples 796(2003)155
- Campanero, M.A., see Echevarría, L. 796(2003)233
- Casellato, R., see Mauri, L. 796(2003)1
- Chen, X., see Zhong, D. 796(2003)439
- Chiesa, L.M., see Sangalli, L. 796(2003)201
- Cho, H.-Y. and Lee, Y.-B.
Improvement and validation of a liquid chromatographic method for the determination of levosulpiride in human serum and urine 796(2003)243
- Cho, H.-Y., see Lee, H.W. 796(2003)395
- Chow, M.S.S., see Yin, O.Q.P. 796(2003)165
- Clench, M.R., see Baidoo, E.E.K. 796(2003)303
- Coelho, E.B., see Jabor, V.A.P. 796(2003)429
- Cojocar, M., see Kaplan, B. 796(2003)141
- D'Acquarica, I., see Badaloni, E. 796(2003)45
- Davies, N.M., see Teng, X.W. 796(2003)225
- de Carvalho, R., see Bonato, P.S. 796(2003)413
- Del Lama, M.P.F.M., see Bonato, P.S. 796(2003)413
- Demuth, H.-U., see Meyer, A. 796(2003)401
- D'Incalci, M., see Zaffaroni, M. 796(2003)113
- dos Santos, N.A.G., see Jabor, V.A.P. 796(2003)429
- Du, L.-J., see Lei, F. 796(2003)189
- Echevarría, L., Blanco-Prieto, M.J., Campanero, M.A., Santoyo, S. and Ygartua, P.
Development and validation of a liquid chromatographic method for in vitro mupirocin quantification in both skin layers and percutaneous penetration studies 796(2003)233
- El-Kholy, H. and Kemppainen, B.W.
Liquid chromatographic method with ultraviolet absorbance detection for measurement of levamisole in chicken tissues, eggs and plasma 796(2003)371
- Epstein, D.H., see Rosas, M.E.R. 796(2003)355
- Erb, N., Haverland, U., Harms, D.O., Escherich, G. and Janka-Schaub, G.
High-performance liquid chromatographic assay of metabolites of thioguanine and mercaptopurine in capillary blood 796(2003)87
- Escherich, G., see Erb, N. 796(2003)87
- Fan, J.-J., see Ma, J. 796(2003)195
- Figg, W.D., see Lepper, E.R. 796(2003)181
- Frapolli, R., see Zaffaroni, M. 796(2003)113
- Frittschi, G., see Springer, D. 796(2003)253
- Gasparrini, F., see Badaloni, E. 796(2003)45
- Gilch, G., see Urban, M. 796(2003)131
- Girault, J., see Meyer, A. 796(2003)401
- Gourinchas, E., see Meyer, A. 796(2003)401
- Guillaume, Y.C., see André, C. 796(2003)267
- Hale, T.W., see Page-Sharp, M. 796(2003)173

- Harms, D.O., see Erb, N. 796(2003)87
- Harris, H.A., see Mallis, L.M. 796(2003)71
- Haverland, U., see Erb, N. 796(2003)87
- Honma, S., see Mitamura, K. 796(2003)121
- Hsiong, C.-H., see Wang, C.-J. 796(2003)283
- Hu, O.Y.-P., see Wang, C.-J. 796(2003)283
- Ifa, D.R., see Jabor, V.A.P. 796(2003)429
- Ilett, K.F., see Page-Sharp, M. 796(2003)173
- Jabor, V.A.P., Coelho, E.B., Ifa, D.R., Bonato, P.S., dos Santos, N.A.G. and Lanchote, V.L.
Enantioselective determination of lercanidipine in human plasma for pharmacokinetic studies by normal-phase liquid chromatography–tandem mass spectrometry 796(2003)429
- Jacquot, Y., see André, C. 796(2003)267
- Janka-Schaub, G., see Erb, N. 796(2003)87
- Jarukamjorn, K., see Razzazi-Fazeli, E. 796(2003)21
- Ji, H.Y., see Lee, H.W. 796(2003)395
- Jia, Z.-P., see Ma, J. 796(2003)195
- Jiang, N.-X., see Ma, J. 796(2003)195
- Jönköping, M.E., see Bohnstedt, K.C. 796(2003)11
- Joukhadar, C., see Buerger, C. 796(2003)155
- Kadaba, P.K., see Tao, X. 796(2003)35
- Kamata, T., Nishikawa, M., Katagi, M. and Tsuchihashi, H.
Optimized glucuronide hydrolysis for the detection of psilocin in human urine samples 796(2003)421
- Kaplan, B., Cojocar, M., Unsworth, E., Knecht, A. and Martin, B.M.
Search for peptidic “middle molecules” in uremic sera: isolation and chemical identification of fibrinogen fragments 796(2003)141
- Karlberg, B., see Bohnstedt, K.C. 796(2003)11
- Katagi, M., see Kamata, T. 796(2003)421
- Kayali-Sayadi, M.N., Bautista, J.M., Polo-Díez, L.M. and Salazar, I.
Identification of pheromones in mouse urine by head-space solid phase microextraction followed by gas chromatography–mass spectrometry 796(2003)55
- Kemppainen, B.W., see El-Kholy, H. 796(2003)371
- Khalikova, E., Susi, P., Usanov, N. and Korpela, T.
Purification and properties of extracellular dextranase from a *Bacillus* sp. 796(2003)315
- Kharasch, E.D., see Whittington, D. 796(2003)95
- Kim, H.H., see Lee, H.W. 796(2003)395
- Kloft, C., see Buerger, C. 796(2003)155
- Knecht, A., see Kaplan, B. 796(2003)141
- Koh, E., see Mitamura, K. 796(2003)121
- Korpela, T., see Khalikova, E. 796(2003)315
- Korte, W.D., see Needham, S.R. 796(2003)347
- Kristensen, J.H., see Page-Sharp, M. 796(2003)173
- Lalli, S., see Badaloni, E. 796(2003)45
- Lanchote, V.L., see Jabor, V.A.P. 796(2003)429
- Lee, H.S., see Lee, H.W. 796(2003)395
- Lee, H.W., Ji, H.Y., Kim, H.H., Cho, H.-Y., Lee, Y.-B. and Lee, H.S.
Determination of tiopramide in human plasma by liquid chromatography–tandem mass spectrometry 796(2003)395
- Lee, Y.-B., see Cho, H.-Y. 796(2003)243
- Lee, Y.-B., see Lee, H.W. 796(2003)395
- Lei, F., Xing, D.-M., Xiang, L., Zhao, Y.-N., Wang, W., Zhang, L.-J. and Du, L.-J.
Pharmacokinetic study of ellagic acid in rat after oral administration of pomegranate leaf extract 796(2003)189
- Lepper, E.R., Swain, S.M., Tan, A.R., Figg, W.D. and Sparreboom, A.
Liquid-chromatographic determination of erlotinib (OSI-774), an epidermal growth factor receptor tyrosine kinase inhibitor 796(2003)181
- Li, K., see Zhong, D. 796(2003)439
- Li, S.-C., see Mauri, L. 796(2003)1
- Li, Y.-T., see Mauri, L. 796(2003)1
- Ma, J., Jia, Z.-P., Zhang, Q., Fan, J.-J., Jiang, N.-X., Wang, R., Xie, H. and Wang, J.
Liquid chromatography determination of 10-hydroxycampothecin in human serum by a column-switching system containing a pre-column with restricted access media and its application to a clinical pharmacokinetic study 796(2003)195
- Maffeo, G., see Sangalli, L. 796(2003)201
- Mallis, L.M., Sarkahian, A.B., Harris, H.A., Zhang, M.-Y. and McConnell, O.J.
Determination of rat oral bioavailability of soy-derived phytoestrogens using an automated on-column extraction procedure and electrospray tandem mass spectrometry 796(2003)71
- Manzocchi, A., see Sangalli, L. 796(2003)201
- Martin, B.M., see Kaplan, B. 796(2003)141
- Maurer, H.H., see Springer, D. 796(2003)253
- Mauri, L., Valsecchi, M., Casellato, R., Li, S.-C., Li, Y.-T. and Sonnino, S.
Procedure for separation of GM2 ganglioside species with different ceramide structures by a flash reversed-phase silica gel liquid chromatography 796(2003)1
- Mayersohn, M., see Pak, Y. 796(2003)339
- McConnell, O.J., see Mallis, L.M. 796(2003)71
- Meyer, A., Gourinchas, E., Girault, J. and Demuth, H.-U.
Quantitative analysis of dipeptidyl peptidase inhibitor P32/98 and its main metabolite in rat, dog, mouse, monkey, human plasma and human urine using liquid chromatography–tandem mass spectrometry: application to pharmacokinetic evaluation 796(2003)401
- Misiti, D., see Badaloni, E. 796(2003)45
- Mitamura, K., Nagaoka, Y., Shimada, K., Honma, S., Namiki, M., Koh, E. and Mizokami, A.
Simultaneous determination of androstenediol 3-sulfate and dehydroepiandrosterone sulfate in human serum using isotope diluted liquid chromatography–electrospray ionization-mass spectrometry 796(2003)121
- Mizokami, A., see Mitamura, K. 796(2003)121
- Moolchan, E.T., see Rosas, M.E.R. 796(2003)355
- Mucignat, C., see Zaffaroni, M. 796(2003)113
- Muller, M., see Buerger, C. 796(2003)155
- Nagaoka, Y., see Mitamura, K. 796(2003)121
- Naidong, W.
Bioanalytical liquid chromatography tandem mass spectrometry methods on underivatized silica columns with aqueous/organic mobile phases 796(2003)209

- Namiki, M., see Mitamura, K. 796(2003)121
- Needham, S.R., Ye, B., Richard Smith, J. and Korte, W.D.
Development and validation of a liquid chromatography–
tandem mass spectrometry method for the determination
of pyridostigmine bromide from guinea pig plasma
796(2003)347
- Nishikawa, M., see Kamata, T. 796(2003)421
- Nnane, I.P., see Tao, X. 796(2003)35
- Novakovic, J., Tesoro, A., Spino, M. and Thiessen, J.
Improved high-performance liquid chromatographic method
for the pharmacokinetic studies of a novel iron chelator, CP502,
in rats 796(2003)105
- Page-Sharp, M., Hale, T.W., Peter Hackett, L., Kristensen, J.H. and
Ilett, K.F.
Measurement of nicotine and cotinine in human milk by high-
performance liquid chromatography with ultraviolet absor-
bance detection 796(2003)173
- Pak, Y., Patek, R. and Mayersohn, M.
Sensitive and rapid isocratic liquid chromatography
method for the quantitation of curcumin in plasma
796(2003)339
- Pao, L.-H., see Wang, C.-J. 796(2003)283
- Passerò, E., see Sangalli, L. 796(2003)201
- Patek, R., see Pak, Y. 796(2003)339
- Pazzucconi, F., see Badaloni, E. 796(2003)45
- Pecere, T., see Zaffaroni, M. 796(2003)113
- Peter Hackett, L., see Page-Sharp, M. 796(2003)173
- Polo-Díez, L.M., see Kayali-Sayadi, M.N. 796(2003)55
- Preston, K.L., see Rosas, M.E.R. 796(2003)355
- Razzazi-Fazeli, E., Böhm, J., Jarukamjorn, K. and Zentek, J.
Simultaneous determination of major B-trichothecenes and the
de-epoxy-metabolite of deoxynivalenol in pig urine and maize
using high-performance liquid chromatography–mass spec-
trometry 796(2003)21
- Richard Smith, J., see Needham, S.R. 796(2003)347
- Robert, J.F., see André, C. 796(2003)267
- Rosas, M.E.R., Preston, K.L., Epstein, D.H., Moolchan, E.T. and
Wainer, I.W.
Quantitative determination of the enantiomers of methadone
and its metabolite (EDDP) in human saliva by enantioselective
liquid chromatography with mass spectrometric detec-
tion 796(2003)355
- Salazar, I., see Kayali-Sayadi, M.N. 796(2003)55
- Sangalli, L., Chiesa, L.M., Passerò, E., Manzocchi, A., Maffeo, G.
and Biondi, P.A.
Improved procedure for the determination of malonaldehyde by
gas-chromatography with electron-capture detection as 2,4,6-
trichlorophenylhydrazine derivative 796(2003)201
- Santoyo, S., see Echevarría, L. 796(2003)233
- Sanz-Nebot, V., Andón, B. and Barbosa, J.
Characterization of metallothionein isoforms from rabbit liver
by liquid chromatography coupled to electrospray mass spec-
trometry 796(2003)379
- Sarkahian, A.B., see Mallis, L.M. 796(2003)71
- Schepers, G., see Urban, M. 796(2003)131
- Scherer, G., see Urban, M. 796(2003)131
- Schmidt, S., see Bohnstedt, K.C. 796(2003)11
- Shi, H., see Zuppa, A.F. 796(2003)293
- Shi, X., see Yin, O.Q.P. 796(2003)165
- Shimada, K., see Mitamura, K. 796(2003)121
- Sirtori, C.R., see Badaloni, E. 796(2003)45
- Smith, R.F., see Baidoo, E.E.K. 796(2003)303
- Sonnino, S., see Mauri, L. 796(2003)1
- Sparreboom, A., see Lepper, E.R. 796(2003)181
- Spino, M., see Novakovic, J. 796(2003)105
- Springer, D., Fritsch, G. and Maurer, H.H.
Metabolism of the new designer drug α -pyrrolidinopropio-
phenone (PPP) and the toxicological detection of PPP and 4'-
methyl- α -pyrrolidinopropiophenone (MPPP) studied in rat
urine using gas chromatography-mass spectrometry
796(2003)253
- Stenzen, J.A., see Sun, L. 796(2003)327
- Sun, L. and Stenzen, J.A.
Quantitation of nitric oxide-derived nitrite from activated
macrophages using microdialysis sampling 796(2003)327
- Susi, P., see Khalikova, E. 796(2003)315
- Swain, S.M., see Lepper, E.R. 796(2003)181
- Tan, A.R., see Lepper, E.R. 796(2003)181
- Tan, D.T.H., see Xiong, X. 796(2003)63
- Tao, X., Kadaba, P.K. and Nnane, I.P.
Chiral liquid chromatography resolution and stereoselective
pharmacokinetic study of the enantiomers of a novel antic-
onvulsant, *N*-(4-chlorophenyl)-1-(4-pyridyl)ethylamine, in
rats 796(2003)35
- Teng, X.W., Wang, S.W.J. and Davies, N.M.
Stereospecific high-performance liquid chromatographic ana-
lysis of ibuprofen in rat serum 796(2003)225
- Tesoro, A., see Novakovic, J. 796(2003)105
- Tetler, L.W., see Baidoo, E.E.K. 796(2003)303
- Thiessen, J., see Novakovic, J. 796(2003)105
- Thomassin, M., see André, C. 796(2003)267
- Truong, T.T., see André, C. 796(2003)267
- Tsuchihashi, H., see Kamata, T. 796(2003)421
- Unsworth, E., see Kaplan, B. 796(2003)141
- Urban, M., Gilch, G., Schepers, G., van Miert, E. and Scherer, G.
Determination of the major mercapturic acids of 1,3-butadiene
in human and rat urine using liquid chromatography with
tandem mass spectrometry 796(2003)131
- Usanov, N., see Khalikova, E. 796(2003)315
- Valsecchi, M., see Mauri, L. 796(2003)1
- van Miert, E., see Urban, M. 796(2003)131
- Wahlund, L.-O., see Bohnstedt, K.C. 796(2003)11
- Wainer, I.W., see Rosas, M.E.R. 796(2003)355
- Wang, C.-J., Pao, L.-H., Hsiong, C.-H., Wu, C.-Y., Whang-Peng,
J.J.-K. and Hu, O.Y.-P.
Novel inhibition of *cis/trans* retinoic acid interconversion in
biological fluids—an accurate method for determination of
trans and 13-*cis* retinoic acid in biological fluids
796(2003)283
- Wang, J., see Ma, J. 796(2003)195
- Wang, R., see Ma, J. 796(2003)195
- Wang, S.W.J., see Teng, X.W. 796(2003)225
- Wang, W., see Lei, F. 796(2003)189
- Whang-Peng, J.J.-K., see Wang, C.-J. 796(2003)283

- Whittington, D. and Kharasch, E.D.
Determination of morphine and morphine glucuronides in human plasma by 96-well plate solid-phase extraction and liquid chromatography–electrospray ionization mass spectrometry 796(2003)95
- Wu, C.-Y., see Wang, C.-J. 796(2003)283
- Xiang, L., see Lei, F. 796(2003)189
- Xie, H., see Ma, J. 796(2003)195
- Xing, D.-M., see Lei, F. 796(2003)189
- Xiong, X., Barathi, A., Beuerman, R.W. and Tan, D.T.H.
Assay of leucine aminopeptidase activity in vitro using large-pore reversed-phase chromatography with fluorescence detection 796(2003)63
- Xu, J., see Zhong, D. 796(2003)439
- Yang, B., see Zhong, D. 796(2003)439
- Ye, B., see Needham, S.R. 796(2003)347
- Ygartua, P., see Echevarría, L. 796(2003)233
- Yin, O.Q.P., Shi, X. and Chow, M.S.S.
Reliable and specific high-performance liquid chromatographic method for simultaneous determination of loratadine and its metabolite in human plasma 796(2003)165
- Zaffaroni, M., Mucignat, C., Pecere, T., Zagotto, G., Frapolli, R., D'Incalci, M. and Zucchetti, M.
High-performance liquid chromatographic assay for the determination of Aloe Emodin in mouse plasma 796(2003)113
- Zagotto, G., see Zaffaroni, M. 796(2003)113
- Zentek, J., see Razzazi-Fazeli, E. 796(2003)21
- Zhang, L.-J., see Lei, F. 796(2003)189
- Zhang, M.-Y., see Mallis, L.M. 796(2003)71
- Zhang, Q., see Ma, J. 796(2003)195
- Zhao, Y.-N., see Lei, F. 796(2003)189
- Zhong, D., Yang, B., Chen, X., Li, K. and Xu, J.
Determination of scutellarin in rat plasma by high-performance liquid chromatography with ultraviolet detection 796(2003)439
- Zucchetti, M., see Zaffaroni, M. 796(2003)113
- Zuppa, A.F., Shi, H. and Adamson, P.C.
Liquid chromatography–electrospray mass spectrometry (LC–MS) method for determination of esmolol concentration in human plasma 796(2003)293