

CUMULATIVE AUTHOR INDEX

J. CHROMATOGR. B VOLS. 776–800

A

- Abbas, R., see Lin, Z.J. 788(2003)159
- Abe, K., see Igarashi, K. 792(2003)55
- Abib, E., see Oliveira, C.H. 783(2003)453
- Abrahamsson, A., see Larsson, M. 783(2003)335
- Abu-Qare, A.W., see Johnson, J.L. 799(2004)149
- AbuRuz, S., Millership, J. and McElnay, J.
Determination of metformin in plasma using a new ion pair solid phase extraction technique and ion pair liquid chromatography
798(2003)203
- AbuRuz, S., Millership, J., Heaney, L. and McElnay, J.
Simple liquid chromatography method for the rapid simultaneous determination of prednisolone and cortisol in plasma and urine using hydrophilic lipophilic balanced solid phase extraction cartridges
798(2003)193
- Acampora, A., see Pieri, M. 795(2003)347
- Accinni, R., Campolo, J., Parolini, M., De Maria, R., Caruso, R., Maiorana, A., Galluzzo, C., Bartesaghi, S., Melotti, D. and Parodi, O.
Newborn screening of homocystinuria: quantitative analysis of total homocyst(e)ine on dried blood spot by liquid chromatography with fluorimetric detection
785(2003)219
- Acosta, E.P., see Turner, M.L. 784(2003)331
- Adam, T., see Hušková, R. 799(2004)303
- Adams, A., see Asad, Y. 785(2003)175
- Adams, E., see Dehouck, P. 794(2003)293
- Adamson, P.C., see Zuppa, A.F. 796(2003)293
- Addová, G., see Kubinec, R. 800(2004)295
- Adlercreutz, H., see Farhan, H. 777(2002)261
- Adlercreutz, H., see Nurmi, T. 798(2003)101
- Agarwal, R., Vasavada, N. and Chase, S.D.
Liquid chromatography for iothalamate in biological samples
785(2003)345
- Aghdasi, F., see Rouini, M.-R. 800(2004)189
- Agrawal, Y.K., see Patel, G. 795(2003)157
- Ahmad, A., see Guo, W. 791(2003)85
- Ahmad, A., see Johnson, J.L. 799(2004)149
- Ahmad, I., see Guo, W. 791(2003)85
- Ahmad, I., see Johnson, J.L. 799(2004)149
- Ahmadiani, A., see Amini, H. 795(2003)209
- Ahmadzadeh, H., see Stoyanov, A.V. 780(2002)283
- Ahn, H.-S., see Shin, H.-S. 783(2003)125
- Ahnoff, M., see Larsson, M. 783(2003)335
- Ai, S., see Zhang, W. 785(2003)327
- Ai, S., see Zhang, W. 791(2003)217
- Aichholz, R., see Blum, W. 787(2003)255
- Aikawa, T., see Komoto, I. 799(2004)141
- Ajenjo Carazo, E., see Huetos Hidalgo, O. 788(2003)137
- Akashi, S., see Komoto, I. 799(2004)141
- Akiyama, S., see Kishikawa, N. 789(2003)257
- Akiyama, T., see Tokunaga, N. 798(2003)163
- Akrill, P. and Cocker, J.
Determination of nitroglycerin and its dinitrate metabolites in urine by gas chromatography–mass spectrometry as potential biomarkers for occupational exposure 778(2002)193
- Aksoy, Y., see Yilmaz, B. 791(2003)103
- Al Katheeri, N.A., see Wasfi, I.A. 799(2004)331
- Al Tamimi, J.I., see Salem, I.I. 799(2004)103
- Alaiya, A.A., Roblick, U.J., Franzén, B., Bruch, H.-P. and Auer, G.
Protein expression profiling in human lung, breast, bladder, renal, colorectal and ovarian cancers (Review)
787(2003)207
- Al-Awadhi, A.H., see Wasfi, I.A. 799(2004)331
- Alawode, O.A., see Babalola, C.P. 795(2003)265
- Albani, F., see Mandrioli, R. 783(2003)253
- Alés Barrero, F., see García-Campaña, A.M. 793(2003)49
- Alexander, G., see Karlsen, A. 795(2003)17
- Alexander, M.S., Kiser, M.M., Culley, T., Kern, J.R., Dolan, J.W., McChesney, J.D., Zygmunt, J. and Bannister, S.J.
Measurement of paclitaxel in biological matrices: high-throughput liquid–chromatographic–tandem mass spectrometric quantification of paclitaxel and metabolites in human and dog plasma
785(2003)253
- Alfaro, Y., see Yritia, M. 779(2002)271
- Al-Hatali, Z.N., see Wasfi, I.A. 799(2004)331
- Aligiannis, N., see Tsarbopoulos, A. 785(2003)157
- Alkan, M., see Denizli, A. 795(2003)93
- Allain, N., see Desille, M. 784(2003)265
- Allaouchiche, B., see Djabarouti, S. 799(2004)165
- Allen, J.P., see Mancinelli, R. 789(2003)355
- Alonso-Rodríguez, A., see de Carlos, A. 786(2003)7
- Al-Rayami, F.J., see Wasfi, I.A. 799(2004)331
- Altmann, E., see Blum, W. 787(2003)255
- Alušik, Š., see Jedličková, V. 780(2002)193
- Alvarez García, C., see Flores Pérez, C. 795(2003)141
- Alvarez, L., see Mottier, L. 798(2003)117
- Alvarez-Pez, J.M., see Bermejo, R. 790(2003)317
- Alves Silva, O., see Yonamine, M. 789(2003)73
- Ameno, K., see Jamal, M. 798(2003)155
- Ameno, S., see Jamal, M. 798(2003)155
- Amilon, A., see Jönsson, B.A.G. 784(2003)63

- Amini, H. and Ahmadiani, A.
Simple determination of cyclosporine in human whole blood by high-performance liquid chromatography 795(2003)209
- Amini, N. and Crescenzi, C.
Feasibility of an on-line restricted access material/liquid chromatography/tandem mass spectrometry method in the rapid and sensitive determination of organophosphorus triesters in human blood plasma 795(2003)245
- Amirkhani, A., Heldin, E., Markides, K.E. and Bergquist, J.
Quantitation of tryptophan, kynurenine and kynurenic acid in human plasma by capillary liquid chromatography–electrospray ionization tandem mass spectrometry 780(2002)381
- Ämmälä, J., see Saarinen, N.M. 777(2002)311
- Ananieva, I.A., see Janča, J. 800(2004)33
- Andersen, H. Sune, see Pedersen, A.K. 799(2004)1
- Andersen, M.P. and Nielsen, K.K.
Determination of ragaglitazar, a novel dual acting peroxisome proliferator-activated receptor (PPAR) α and γ agonist, in human plasma by high-performance liquid chromatography coupled with tandem mass spectrometry 788(2003)45
- Anderson, L.N., see Tu, J. 789(2003)323
- Andersson, J., see Josefsson, M. 789(2003)151
- Anderton, M.J., Jukes, R., Lamb, J.H., Manson, M.M., Gescher, A., Steward, W.P. and Williams, M.L.
Liquid chromatographic assay for the simultaneous determination of indole-3-carbinol and its acid condensation products in plasma 787(2003)281
- Andón, B., see Sanz-Nebot, V. 796(2003)379
- Andon, N.L., see Hunter, T.C. 782(2002)165
- André, C., Jacquot, Y., Truong, T.T., Thomassin, M., Robert, J.F. and Guillaume, Y.C.
Analysis of the progesterone displacement of its human serum albumin binding site by β -estradiol using biochromatographic approaches: effect of two salt modifiers 796(2003)267
- Andre, C., see Guillaume, Y. 798(2003)217
- André, C., see Ismaili, L. 780(2002)467
- Andrew Spencer, S., see Korchazhkina, O. 794(2003)353
- Andrisano, V., see Bertucci, C. 797(2003)111
- Andujar-Sánchez, M., Cámara-Artigas, A. and Jara-Pérez, V.
Purification of angiotensin I converting enzyme from pig lung using concanavalin-A sepharose chromatography 783(2003)247
- Anfossi, L., see Tozzi, C. 797(2003)289
- Ang, C.Y.W., see Cui, Y. 780(2002)129
- Angenendt, P., see Glöckler, J. 797(2003)229
- Anger, J.-P., see Desille, M. 784(2003)265
- Angerer, J., see Koch, H.M. 784(2003)169
- Angerer, J. and Kafferlein, H.U.
Preface 778(2002)1
- Angerer, J., see Schaller, K.H. 778(2002)403
- Angerer, J., see Schettgen, T. 778(2002)121
- Angerer, J., see Weiss, T. 778(2002)179
- Ansmant, I., see Urban, A. 786(2003)187
- Antignac, J.P., see Moreau, N.M. 784(2003)395
- Anton, M., see Castellani, O. 791(2003)273
- Anufrieva, R.M., see Komarova, N.V. 800(2004)135
- Apitz-Castro, R., see Garcia, A.J. 779(2002)359
- Apostoli, P.
Elements in environmental and occupational medicine (Review) 778(2002)63
- Appolonova, S.A., Shpak, A.V. and Semenov, V.A.
Liquid chromatography—electrospray ionization ion trap mass spectrometry for analysis of mesocarb and its metabolites in human urine 800(2004)281
- Aprea, C., Centi, L., Lunghini, L., Banchi, B., Forti, M.A. and Sciarra, G.
Evaluation of respiratory and cutaneous doses of chlorothalonil during re-entry in greenhouses 778(2002)131
- Arab, K., see Steghens, J.-P. 798(2003)343
- Araki, T., see Nagai, R. 788(2003)75
- Arancibia, V., Valderrama, M., Silva, K. and Tapia, T.
Determination of chromium in urine samples by complexation–supercritical fluid extraction and liquid or gas chromatography 785(2003)303
- Aranda, A., see Ramos, M. 789(2003)373
- Aranda, A., see Ramos, M. 791(2003)31
- Aránguiz, T., see Fernández, M. 791(2003)357
- Ardakani, Y.H., see Rouini, M.-R. 800(2004)189
- Arinobu, T., Hattori, H., Iwai, M., Ishii, A., Kumazawa, T., Suzuki, O. and Seno, H.
Liquid chromatographic–mass spectrometric determination of haloperidol and its metabolites in human plasma and urine 776(2002)107
- Armstrong, D.W., see Oswald, P. 779(2002)283
- Armstrong, D.W., see Rodriguez, M.A. 800(2004)7
- Arnaud, P., see Azzimonti, F. 784(2003)33
- Arnold, M., see Xue, Y.-J. 795(2003)215
- Arnold, N., Peper, H., Bandick, K., Kreikemeier, M., Karow, D., Teegen, B. and Jonat, W.
Establishing a control population to screen for the occurrence of nineteen unclassified variants in the BRCA1 gene by denaturing high-performance liquid chromatography 782(2002)99
- Arnosti, C.
Fluorescent derivatization of polysaccharides and carbohydrate-containing biopolymers for measurement of enzyme activities in complex media 793(2003)181
- Arriaga, E.A., see Pinto, D. 793(2003)107
- Arriaga, E.A., see Presley, A.D. 793(2003)141
- Arvholm, I.L., see Pei, L. 786(2003)319
- Asad, Y., Cropp, G., Adams, A., O'Donnell, A., Raynaud, F., Judson, I. and Workman, P.
Validation of liquid chromatography assay for the quantitation of (Z)-3-[2,4-dimethyl-5-(2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrol-3-yl]propionic acid (SU006668) in human plasma and its application to a phase I clinical trial 785(2003)175
- Asadipour, A., see Rouini, M.-R. 800(2004)189
- Asakawa, N., see Kawano, S.-i. 792(2003)49
- Ascenzi, P., see Fundueanu, G. 791(2003)407
- Ashton, M., see Jansson, B. 791(2003)179
- Atcheson, B., Taylor, P.J., Mudge, D.W., Johnson, D.W., Pillans, P.I. and Tett, S.E.
Quantification of free mycophenolic acid and its glucuronide metabolite in human plasma by liquid-chromatography using mass spectrometric and ultraviolet absorbance detection 799(2004)157
- Atchley, D.H., see Azzimonti, F. 784(2003)33
- Atsumi, R., see Soepenber, O. 799(2004)15
- Attilia, M.L., see Mancinelli, R. 789(2003)355
- Aubin, F., see Guillaume, Y. 798(2003)217
- Auer, G., see Alaiya, A.A. 787(2003)207
- Augsburger, M., see Giroud, C. 789(2003)131
- Aulagner, G., see Janoly, A. 780(2002)155
- Austin, C.
Novel approach to obtain biologically active recombinant heterodimeric proteins in *Escherichia coli* 786(2003)93
- Aviles, P., see Yin, J. 794(2003)89
- Avino, P., see Russo, M.V. 780(2002)431
- Aymard, G., see Sentenac, S. 793(2003)317
- Ayoub, J.E., see Johnson, J.L. 799(2004)149
- Azarkan, M., El Moussaoui, A., van Wuytswinkel, D., Dehon, G. and Looze, Y.
Fractionation and purification of the enzymes stored in the latex of *Carica papaya* 790(2003)229
- Azzimonti, F., Atchley, D.H., Morrison, C.A., Dodd, S., Boulton, D.W., DeVane, C.L. and Arnaud, P.
One step purification of α_1 -acid glycoprotein from human plasma. Fractionation of its polymorphic allele products 784(2003)33

B

- Ba, B., see Djabarouti, S. 799(2004)165
- Babalola, C.P., Scriba, G.K.E., Sowunmi, A. and Alawode, O.A.
Liquid chromatographic determination of pyronaridine in human plasma and oral dosage form 795(2003)265
- Babnigg, G., see Giometti, C.S. 782(2002)227
- Badaloni, E., D'Acquarica, I., Gasparrini, F., Lalli, S., Misiti, D., Pazzucconi, F. and Sirtori, C.R.
Enantioselective liquid chromatographic-electrospray mass spectrometric assay of β -adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma 796(2003)45
- Bae, K.-S., see Cho, J.-Y. 784(2003)25
- Bae, S.K., Kim, E.J., Kwon, J.W., Kim, W.B. and Lee, M.G.
High-performance liquid chromatographic analysis of DA-7867, a new oxazolidinone, in human plasma and urine and in rat tissue homogenates 794(2003)397
- Baetens, D., see Fierens, C. 792(2003)249
- Baeyens, W.R.G., see García-Campaña, A.M. 793(2003)49
- Bagool, M.A., see Kolte, B.L. 788(2003)37
- Bai, F., Kirstein, M.N., Hanna, S.K., Iacono, L.C., Johnston, B. and Stewart, C.F.
Determination of plasma topotecan and its metabolite *N*-desmethyl topotecan as both lactone and total form by reversed-phase liquid chromatography with fluorescence detection 784(2003)225
- Baidoo, E.E.K., Clench, M.R., Smith, R.F. and Tetler, L.W.
Determination of nicotine and its metabolites in urine by solid-phase extraction and sample stacking capillary electrophoresis-mass spectrometry 796(2003)303
- Bailey, C.J., see Oe, T. 792(2003)217
- Bairachtari, K., see Tsakalof, A. 783(2003)425
- Bajad, S., Singla, A.K. and Bedi, K.L.
Liquid chromatographic method for determination of piperine in rat plasma: application to pharmacokinetics 776(2002)245
- Bakalara, N., see Lemercier, G. 786(2003)305
- Bakalara, N., see Noubhani, A.M. 790(2003)153
- Baker, S.D., see Zhao, M. 793(2003)413
- Bakhtiar, R., see Xia, Y.-Q. 788(2003)317
- Balazs, N.D.H., see Su, Q. 781(2002)393
- Balduini, L., Matoga, M., Cavalli, E., Seilles, E., Riethmuller, D., Thomassin, M. and Guillaume, Y.C.
Triazinic herbicide determination by gas chromatography-mass spectrometry in breast milk 794(2003)389
- Balíková, M.A. and Habrdová, V.
Hair analysis for opiates: evaluation of washing and incubation procedures 789(2003)93
- Ballestar, E., see Fraga, M.F. 789(2003)431
- Ballesteros, O., Toro, I., Sanz-Nebot, V., Navalón, A., Vílchez, J.L. and Barbosa, J.
Determination of fluoroquinolones in human urine by liquid chromatography coupled to pneumatically assisted electrospray ionization mass spectrometry 798(2003)137
- Banan, A., see Farhadi, A. 784(2003)145
- Banchi, B., see Aprea, C. 778(2002)131
- Bandick, K., see Arnold, N. 782(2002)99
- Banks, P.R., see Harvey, M.D. 793(2003)115
- Banmairui, V., see Hanpitakpong, W. 788(2003)221
- Bannister, S.J., see Alexander, M.S. 785(2003)253
- Bao, J.J., see Tu, J. 789(2003)323
- Baran, E.T., Özer, N. and Hascırcı, V.
Solid-phase enzyme modification via affinity chromatography 794(2003)311
- Barathi, A., see Xiong, X. 796(2003)63
- Barbanj, M.J., see Yritia, M. 779(2002)271
- Barbarin, N., Mawhinney, D.B., Black, R. and Henion, J.
High-throughput selected reaction monitoring liquid chromatography-mass spectrometry determination of methylphenidate and its major metabolite, ritalinic acid, in rat plasma employing monolithic columns 783(2003)73
- Barbas, C., García, A., de Miguel, L. and Simó, C.
Evaluation of filter paper collection of urine samples for detection and measurement of organic acidurias by capillary electrophoresis 780(2002)73
- Barbas, C., García, A., Saavedra, L. and Muros, M.
Urinary analysis of nephrolithiasis markers (Review) 781(2002)433
- Barbas, C., see García, A. 785(2003)237
- Barbas, C., see Rupérez, F.J. 800(2004)225
- Barbera, S., see Muntoni, E. 799(2004)133
- Barbosa, J., see Ballesteros, O. 798(2003)137
- Barbosa, J., see Sanz-Nebot, V. 796(2003)379
- Barbosa, J., see Sanz-Nebot, V. 798(2003)1
- Barder, T.J., see Lubman, D.M. 782(2002)183
- Barker, S.A., see Ling, S.S.N. 783(2003)297
- Barnes, A., see Gustafson, R.A. 798(2003)145
- Barnes, S., see Wang, C.-C. 777(2002)3
- Barr, D.B., see Barr, J.R. 794(2003)137
- Barr, D.B. and Needham, L.L.
Analytical methods for biological monitoring of exposure to pesticides: a review (Review) 778(2002)5
- Barr, D.B., Barr, J.R., Maggio, V.L., Whitehead Jr., R.D., Sadowski, M.A., Whyatt, R.M. and Needham, L.L.
A multi-analyte method for the quantification of contemporary pesticides in human serum and plasma using high-resolution mass spectrometry 778(2002)99
- Barr, J.R., Maggio, V.L., Barr, D.B., Turner, W.E., Sjödin, A., Sandau, C.D., Pirkle, J.L., Needham, L.L. and Patterson Jr., D.G.
New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum 794(2004)137
- Barr, D.B., see Silva, M.J. 789(2003)393
- Barr, J.R., see Barr, D.B. 778(2002)99
- Barratt, G., see Pellequer, Y. 783(2003)151
- Barré, J., see Hervé, F. 798(2003)283
- Barrett, D.A., see Wibawa, J.I.D. 783(2003)359
- Barrientos-Astigarraga, R.E., see Oliveira, C.H. 783(2003)453
- Barry Delclos, K., see Dalu, A. 777(2002)249
- Barták, P., see Hušková, R. 799(2004)303
- Barták, P., see Vespalec, R. 797(2003)357
- Bartesaghi, S., see Accinni, R. 785(2003)219
- Bartges, J., see Cox, S.K. 784(2003)111
- Bartlett, M.G., see Brown, S.D. 783(2003)319
- Bartoletti, C., see Pucci, V. 792(2003)313
- Bartolini, M., see Bertucci, C. 797(2003)111
- Bartolini, P., see De Oliveira, J.E. 787(2003)345
- Bartolini, P., see Ribela, M.T.C.P. 790(2003)285
- Barua, K., see Murphy, P.A. 777(2002)129
- Barut, M., see Branović, K. 790(2003)175
- Basileo, G., see Breda, M. 794(2003)167
- Basilico, F., see Mauri, P.L. 788(2003)9
- Bastian, K.C., see Yang, J.Z. 780(2002)269
- Basun, H., see Bohnstedt, K.C. 796(2003)11
- Batchelor, T.T., see He, X. 799(2004)281
- Batista-Viera, F., see Franco-Fraguas, L. 790(2003)365
- Battu, S., see Lautrette, C. 791(2003)149
- Bauer, S., see Störmer, E. 783(2003)207
- Bautista, J.M., see Kayali-Sayadi, M.N. 796(2003)55
- Baxmann, S., see Liepke, C. 791(2003)345
- Bayle, C., see Siri, N. 793(2003)151

- Baynes, R.E., Yeatts, J.L. and Riviere, J.E.
Analysis of *N,N*-diethyl-*m*-toluamide in porcine skin perfusates using solid-phase extraction disks and reversed-phase high-performance liquid chromatography 780(2002)45
- Beatriz de la Calle Guntiñas, M., Wissiack, R., Bordin, G. and Rodríguez, A.R.
Determination of haemoglobin A_{1c} by liquid chromatography using a new cation-exchange column 791(2003)73
- Beaudry, F., see Yang, L. 792(2003)229
- Becher, F., see Henneré, G. 789(2003)273
- Beck, V., see Jungbauer, A. 777(2002)167
- Bedi, K.L., see Bajad, S. 776(2002)245
- Beechem, J.M., see Schulenberg, B. 793(2003)127
- Bégaud, B., see Péhourcq, F. 789(2003)101
- Beijnen, J.H., see Kappelhoff, B.S. 792(2003)353
- Beijnen, J.H., see Kemper, E.M. 798(2003)63
- Beijnen, J.H., see Sparidans, R.W. 780(2002)423
- Beijnen, J.H., see Sparidans, R.W. 791(2003)227
- Bejjani, B.A., see Song, J. 791(2003)127
- Beland, F.A., see Williams, L.D. 798(2003)55
- Benassayag, C., Perrot-Appanat, M. and Ferre, F.
Phytoestrogens as modulators of steroid action in target cells 777(2002)233
- Benech, H., see Henneré, G. 789(2003)273
- Beneš, M.J., see Rittich, B. 800(2004)169
- Benoit, J.-P., see Lamprecht, A. 787(2003)415
- Bérard, M., see Leveque, N. 780(2002)119
- Berecz, R., see Dorado, P. 789(2003)437
- Berecz, R., see LLerena, A. 783(2003)25
- Berecz, R., see LLerena, A. 783(2003)213
- Berek, D. and Mendichi, R.
Evaluation of liquid chromatography column retentivity using macromolecular probes. IV. Poly(ethylene glycol) bonded phase 800(2004)69
- Berezkin, V.G., see Kubinec, R. 800(2004)295
- Berg, J.D., see Ford, L.T. 798(2003)111
- Bergemann, C., see Frenzel, A. 793(2003)325
- Bergemann, T., see Schleyer, E. 799(2004)23
- Berger, B., Hölzl, G., Oberacher, H., Niederstätter, H., Huber, C.G. and Parson, W.
Single nucleotide polymorphism genotyping by on-line liquid chromatography–mass spectrometry in forensic science of the Y-chromosomal locus M9 782(2002)89
- Berger, G. and Girault, G.
Macromolecule–ligand binding studied by the Hummel and Dreyer method: current state of the methodology 797(2003)51
- Berger, S.J., see Liu, H. 782(2002)267
- Berger-Preiss, E., see Elflein, L. 795(2003)195
- Bergh, S., see Svennberg, H. 787(2003)231
- Bergquist, J., see Amirkhani, A. 780(2002)381
- Bergström, J., see Thorén, K. 782(2002)219
- Bergwerff, A.A. and Scherpenisse, P.
Determination of residues of malachite green in aquatic animals 788(2003)351
- Bermejo, R., Gabriel Ación, F., Ibáñez, M^a J., Fernández, J.M., Molina, E. and Alvarez-Pez, J.M.
Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317
- Bernadou, J.M., see Djabarouti, S. 799(2004)165
- Berović, M., see Vodopivec, M. 795(2003)105
- Bertolaso, L., see Previati, M. 780(2002)331
- Bertucci, C., Bartolini, M., Gotti, R. and Andrisano, V.
Drug affinity to immobilized target bio-polymers by high-performance liquid chromatography and capillary electrophoresis 797(2003)111
- Berzas, J.J., see Rodríguez Flores, J. 794(2003)381
- Bessard, G., see Jourdil, N. 788(2003)207
- Bessard, J., see Jourdil, N. 788(2003)207
- Betteridge, D.J., see Smith, C.C.T. 779(2002)201
- Beuerman, R.W., see Xiong, X. 796(2003)63
- B'Hymer, C., Cheever, K.L., Butler, M.A. and Brown, K.K.
Procedure for the quantification of the biomarker (2-methoxyethoxy) acetic acid in human urine samples 795(2003)145
- Bi, K., see Li, Y. 787(2003)421
- Bi, K., see Song, Z. 788(2003)387
- Bialer, M., see Isoherranen, N. 788(2003)125
- Bianchi, M., see Ferrario, P. 785(2003)227
- Bieniek, G.
Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389
- Bilke, S., see Muth, A. 792(2003)269
- Bindini, D., see Previati, M. 780(2002)331
- Biondi, P.A., see Sangalli, L. 796(2003)201
- Birk, K.L., see Musson, D.G. 779(2002)341
- Birk, K.L., see Musson, D.G. 783(2003)1
- Bitsch, I., see Rychlik, M. 792(2003)167
- Black, R., see Barbarin, N. 783(2003)73
- Blair, I.A., see Oe, T. 792(2003)217
- Blais, C., see Viau, C. 778(2002)165
- Blanca, J., see Ramos, M. 791(2003)31
- Blanco-Príeto, M.J., see Echevarría, L. 796(2003)233
- Blaschke, G., see Heinemann, U. 793(2003)389
- Blashko, E.L., see Zhloba, A.A. 800(2004)275
- Blaydes, B.S., see Dalu, A. 777(2002)249
- Bleyzac, N., see Janoly, A. 780(2002)155
- Blo, G., see Previati, M. 780(2002)331
- Bloch, C., see Castro, M.S. 794(2003)109
- Blomhoff, R., see Karlsen, A. 795(2003)17
- Blum, W., Buhl, T., Altmann, E., Kühnöl, J., Ramstein, P. and Aichholz, R.
Complementary use of ion trap/time-of-flight mass spectrometry in combination with capillary high-pressure liquid chromatography: early characterization of in vivo metabolites of the cathepsin K inhibitor NVP-AAV490 in rat 787(2003)255
- Bocca, B., Di Mattia, M., Cartoni, C., Fiori, M., Felli, M., Neri, B. and Brambilla, G.
Extraction, clean-up and gas chromatography–mass spectrometry characterization of zilpaterol as feed additive in fattening cattle 783(2003)141
- Boddy, A.V., see Veal, G.J. 795(2003)237
- Bode-Böger, S.M., see Martens-Lobenhoffer, J. 798(2003)231
- Böhles, H., see Muth, A. 791(2003)235
- Böhles, H., see Muth, A. 792(2003)269
- Böhm, J., see Razzazi-Fazeli, E. 796(2003)21
- Bohnstedt, K.C., Karlberg, B., Wahlund, L.-O., Jönköping, M.E., Basun, H. and Schmidt, S.
Determination of isoprostanes in urine samples from Alzheimer patients using porous graphitic carbon liquid chromatography–tandem mass spectrometry 796(2003)11
- Bohr, H.-H., see Niedorf, F. 791(2003)421
- Boisdron-Celle, M., see Rouits, E. 793(2003)357
- Bolcato, C.A., Frye, R.F., Zemaitis, M.A. and Poloyac, S.M.
Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography–mass spectrometry (HPLC–MS) 794(2003)363
- Bombardelli, E., see Zaffaroni, M. 780(2002)93
- Bonato, P.S., Del Lama, M.P.F.M. and de Carvalho, R.
Enantioselective determination of ibuprofen in plasma by high-performance liquid chromatography–electrospray mass spectrometry 796(2003)413
- Bonato, P.S., Lanchote, V.L. and Takayanagui, O.M.
Simultaneous liquid chromatography–tandem mass spectrometric determination of alendazole sulfoxide and alendazole sulfone in plasma 783(2003)237

- Bonato, P.S., see Cerqueira, P.M. 783(2003)433
- Bonato, P.S., see Jabor, V.A.P. 796(2003)429
- Bonato, P.S., see Orlando, R.M. 795(2003)227
- Bondesson, U., see Lampinen, M. 789(2003)347
- Bonin, M., see Schleyer, E. 799(2004)23
- Bonn, G.K., see Pirker, R. 777(2002)147
- Bonomi, I., see Gatti, G. 784(2003)375
- Boogaard, P.J.
Use of haemoglobin adducts in exposure monitoring and risk assessment (Review) 778(2002)309
- Boralli, V.B., see Cerqueira, P.M. 783(2003)433
- Borchardt, T., see Yang, J.Z. 780(2002)269
- Bordin, G., see Beatriz de la Calle Guntiñas, M. 791(2003)73
- Borlak, J., see Walles, M. 798(2003)265
- Bornhäuser, M., see Schleyer, E. 799(2004)23
- Borrull, F., see Long, Y.H. 784(2003)255
- Bortolotti, F., De Paoli, G., Gottardo, R., Trattene, M. and Tagliaro, F.
Determination of γ -hydroxybutyric acid in biological fluids by using capillary electrophoresis with indirect detection 800(2004)239
- Bortolotti, F., see Fundueanu, G. 791(2003)407
- Boschet, F., see Pommier, F. 783(2003)199
- Boschetti, E., see Shiloach, J. 790(2003)327
- Boschetti, E., see Weinberger, S.R. 782(2002)307
- Bose, D., see Capella-Peiró, M.-E. 780(2002)241
- Boselli, E., see Djabarouti, S. 799(2004)165
- Bosma, M., see Verschaagen, M. 783(2003)33
- Bouchard, M., see Viau, C. 778(2002)165
- Bouchet, S., see Titier, K. 788(2003)179
- Boudinot, F. Douglas, see Kong, L. 795(2003)371
- Boulton, D.W., see Azzimonti, F. 784(2003)33
- Bourhis, Y., see Janoly, A. 780(2002)155
- Bowerbank, C.R., see Peterson, Z.D. 776(2002)221
- Boyle, R.R., McLean, S., Brandon, S., Pass, G.J. and Davies, N.W.
Application of solid-phase microextraction to the quantitative analysis of 1,8-cineole in blood and expired air in a *Eucalyptus* herbivore, the brushtail possum (*Trichosurus vulpecula*) 780(2002)397
- Boyle, R.R., McLean, See Application 780(2002)397
- Bracke, M.E., see Maubach, J. 784(2003)137
- Brambilla, G., see Bocca, B. 783(2003)141
- Brambilla, G., see Buratti, M. 776(2002)237
- Brandon, S., see Boyle, R.R. 780(2002)397
- Branner, B., see Richter, E. 778(2002)49
- Branner, S., see Pedersen, A.K. 799(2004)1
- Branović, K., Buchacher, A., Barut, M., Strancar, A. and Josic, D.
Application of semi-industrial monolithic columns for downstream processing of clotting factor IX 790(2003)175
- Braun, V., see Sauter, S.R. 786(2003)33
- Bräutigam, L., Nefflen, J.U. and Geisslinger, G.
Determination of etoricoxib in human plasma by liquid chromatography–tandem mass spectrometry with electrospray ionisation 788(2003)309
- Bräutigam, L., Seegel, M., Tegeder, I., Schmidt, H., Meier, S., Podda, M., Kaufmann, R., Grundmann-Kollmann, M. and Geisslinger, G.
Determination of 8-methoxypsoralen in human plasma, and microdialysates using liquid chromatography–tandem mass spectrometry 798(2003)223
- Brazeau, G.A., see Persky, A.M. 794(2003)157
- Breau, A.P., see Zhang, J.Y. 785(2003)123
- Breau, A.P., see Zhang, J.Y. 787(2003)333
- Breda, M., Basileo, G. and James, C.A.
Simultaneous determination of JTT-501 and its main metabolite in human plasma by liquid chromatography–ionspray mass spectrometry 794(2003)167
- Bredl, C.R., see Gmur, D.J. 789(2003)365
- Breilh, D., see Djabarouti, S. 799(2004)165
- Breinhold, P., Mosca, L. and Lindner, W.
Concept of sequential analysis of free and conjugated phytosterols in different plant matrices 777(2002)67
- Breithaupt, N., see Liepke, C. 791(2003)345
- Brenac, V., see Weinberger, S.R. 782(2002)307
- Brennan, J., and O’Kennedy, R.
Production, purification and characterisation of genetically derived scFv and bifunctional antibody fragments capable of detecting illicit drug residues 786(2003)327
- Brenneisen, R., see Spichiger, M. 799(2004)111
- Brenner, D.E., see Heath, D.D. 783(2003)287
- Brock, J.W., see Silva, M.J. 789(2003)393
- Brockmüller, J., see Störmer, E. 783(2003)207
- Brocks, D.R., see Ewaschuk, J.B. 781(2002)39
- Brodie, R., Peard, A., Roth, A., Persiani, S., Makovec, F. and D’Amato, M.
Development and validation of a bioanalytical method for the determination of the cholecystokinin type-1 (CCK₁) receptor antagonist dexloxiglumide in human plasma 784(2003)91
- Brondz, I., Hamdani, E.H. and Døving, K.
Neurophysiologic detector—a selective and sensitive tool in high-performance liquid chromatography 800(2004)41
- Brondz, I., Høiland, K. and Ekeberg, D.
Multivariate analysis of fatty acids in spores of higher basidiomycetes: a new method for chemotaxonomical classification of fungi 800(2004)303
- Brondz, I., Mantzilas, D., Klein, U., Ekeberg, D., Hvattum, E., Lebedeva, M.N., Mikhailitsyn, F.S., Souleimanov, G.D. and Røe, J.
Nature of the main contaminant in the anti malaria drug primaquine diphosphate: a qualitative isomer analysis 800(2004)211
- Brosens, E., see Messens, J. 790(2003)217
- Brown, K.K., see B’Hymer, C. 795(2003)145
- Brown, K.K., Cheever, K.L., Butler, M.A., Shaw, P.B. and McLaurin, J.L.
Synthesis characterization, and use of 2- [(²H₅)butoxy]acetic acid and 2-(3-methylbutoxy)acetic acid as an internal standard and an instrument performance surrogate, respectively, for the gas chromatographic–mass spectrometric determination of 2-butoxyacetic acid, a human metabolite of 2-butoxyethanol 792(2003)153
- Brown, S.D., Muralidhara, S., Bruckner, J.V. and Bartlett, M.G.
Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography–magnetic sector mass spectrometry 783(2003)319
- Bruce, H.L., see Hewavitharana, A.K. 784(2003)275
- Bruch, H.-P., see Alaiya, A.A. 787(2003)207
- Bruckner, J.V., see Brown, S.D. 783(2003)319
- Brugnone, F., see Perbellini, L. 778(2002)199
- Bruins, A.P., see van Hout, M.W.J. 794(2003)185
- Brun, Y.V., see Karty, J.A. 782(2002)363
- Brunner, G., see Tsikas, D. 784(2003)351
- Brunnkvist, H., Karlberg, B. and Granelli, I.
Enantiomeric separation of TAPP, H–Tyr–(D)Ala–Phe–Phe–NH₂, by capillary electrophoresis using 18-crown-6-tetracarboxylic acid as a chiral selector 793(2003)343
- Bryant, C.W., see Dalu, A. 777(2002)249
- Bu, W., Myers, N., McCarty, J.D., O’Neill, T., Hollar, S., Stetson, P.L. and Sved, D.W.
Simultaneous determination of six urinary porphyrins using liquid chromatography–tandem mass spectrometry 783(2003)411
- Buchacher, A., see Branović, K. 790(2003)175
- Buchacher, A., see Josic, D. 790(2003)183
- Buchanan, N.S., see Lubman, D.M. 782(2002)183
- Buchanan, D., see Tu, J. 789(2003)323
- Büchele, B. and Simmet, T.
Analysis of 12 different pentacyclic triterpenic acids from frankincense in human plasma by high-performance liquid chromatography and photodiode array detection 795(2003)355

- Büchle, B., Zugmaier, W. and Simmet, T.
Analysis of pentacyclic triterpenic acids from frankincense gum resins and related phytopharmaceuticals by high-performance liquid chromatography. Identification of lupeolic acid, a novel pentacyclic triterpene 791(2003)21
- Bucheli, F., see Heinig, K. 795(2003)337
- Buchner, J., see Wegele, H. 786(2003)109
- Budman, Y., see Fountain, K.J. 783(2003)61
- Buechler, J., Schwab, M., Mikus, G., Fischer, B., Hermle, L., Marx, C., Grön, G., Spitzer, M. and Kovar, K.-A.
Enantioselective quantitation of the ecstasy compound (*R*)- and (*S*)-N-ethyl-3, 4-methylenediamphetamine and its major metabolites in human plasma and urine 793(2003)207
- Buerger, C., Joukhadar, C., Muller, M. and Kloft, C.
Development of a liquid chromatography method for the determination of linezolid and its application to in vitro and human microdialysis samples 796(2003)155
- Bugamelli, F., see Pucci, V. 792(2003)313
- Buhl, T., see Blum, W. 787(2003)255
- Buiarelli, F., Cartoni, G.P., Coccioli, F., De Rossi, A. and Neri, B.
Determination of trenbolone and its metabolite in bovine fluids by liquid chromatography–tandem mass spectrometry 781(2002)73
- Buiarelli, F., Cartoni, G.P., Coccioli, F., De Rossi, A. and Neri, B.
Determination of trenbolone and its metabolite in bovine fluids by liquid chromatography–tandem mass spectrometry 784(2003)1
- Bujard, H., see Epp, C. 786(2003)61
- Bullock, P.L., see Moaddel, R. 799(2004)255
- Bumelis, V., see Zaveckas, M. 786(2003)17
- Buratti, M., Valla, C., Xaiz, D., Brambilla, G. and Colombi, A.
Determination of hexafluoroisopropanol, a sevoflurane urinary metabolite, by 9-fluorenylmethyl chloroformate derivatization 776(2002)237
- Bürger, K., see Heine, G. 782(2002)353
- Burhenne, J., Riedel, K.-D., Martin-Facklam, M., Mikus, G. and Haefeli, W.E.
Highly sensitive determination of saquinavir in biological samples using liquid chromatography–tandem mass spectrometry 784(2003)233
- Burke, T.G., see Zhang, J. 795(2003)309
- Burnouf, T., see Radosevich, M. 790(2003)199
- Burns, K.L. and May, S.W.
Separation methods applicable to the evaluation of enzyme–inhibitor and enzyme–substrate interactions 797(2003)175
- Bursen, A., see Muth, A. 791(2003)235
- Buryakov, I.A.
Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75
- Burzawa, S., see Schuster, A. 788(2003)377
- Burzewski, B., Jezierska-Światała, M. and Kowalska, S.
Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279
- Burzewski, B., see Michel, M. 800(2004)309
- Butcher, A.J., Gaston, K. and Jayaraman, P.-S.
Purification of the proline-rich homeodomain protein 786(2003)3
- Butler, M.A., see B'Hymer, C. 795(2003)145
- Butler, M.A., see Brown, K.K. 792(2003)153
- Butt, G., see Wen, J. 779(2002)221
- Buttler, G.W., see Narayanan, L. 788(2003)393
- Cáceres, M., see LLerena, A. 783(2003)25
- Cáceres, M., see LLerena, A. 783(2003)213
- Cai, S., see Gmur, D.J. 789(2003)365
- Calabrò, M.L., Tommasini, S., Raneri, D., Donato, P., Ficarra, P. and Ficarra, R.
Selective reversed-phase liquid chromatography method for the kinetic investigation of 3-hydroxyflavone photostability 800(2004)245
- Calleri, E., see Massolini, G. 797(2003)255
- Calull, M., see Long, Y.H. 784(2003)255
- Calvo, P., see Yin, J. 794(2003)89
- Cámara-Artigas, A., see Andujar-Sánchez, M. 783(2003)247
- Camera, E. and Picardo, M.
Analytical methods to investigate glutathione and related compounds in biological and pathological processes (Review) 781(2002)181
- Campanella, L., see Russo, M.V. 780(2002)431
- Campanero, M.A., see Echevarría, L. 796(2003)233
- Campbell, W.B., see Nithipatikom, K. 785(2003)135
- Campolo, J., see Accinni, R. 785(2003)219
- Campos, M.E., see Mühling, J. 789(2003)383
- Canaparo, R., see Muntoni, E. 799(2004)133
- Candito, M., see Ducros, V. 781(2002)207
- Cannavan, A., see Yakkundi, S. 788(2003)29
- Cannon, R.D., see Niimi, M. 782(2002)245
- Cao, X., see Zhang, W. 785(2003)327
- Čáp, L., see Hušková, R. 799(2004)303
- Capella-Peiró, M.-E., Bose, D., Martinavarro-Domínguez, A., Gil-Agustí, M. and Esteve-Romero, J.
Direct injection micellar liquid chromatographic determination of benzodiazepines in serum 780(2002)241
- Capitani, S., see Prevati, M. 780(2002)331
- Cárdenas, S., see Criado, A. 792(2003)299
- Cardoso, J., see Damasceno, L. 780(2002)61
- Cardot, P.J.P., see Lautrette, C. 791(2003)149
- Carducci, C.N., see Tripodi, V.P. 785(2003)147
- Carr, A., see Tu, J. 789(2003)323
- Carr, P.W., see Sarkar, S. 790(2003)143
- Carratù, R., see Generoso, M. 783(2003)349
- Carrilho, E., see Delmar Cantú, M. 799(2004)127
- Carteni, M., see Generoso, M. 783(2003)349
- Carter, G., see Kerns, E.H. 791(2003)381
- Cartoni, C., see Bocca, B. 783(2003)141
- Cartoni, G.P., see Buiarelli, F. 781(2002)73
- Cartoni, G.P., see Buiarelli, F. 784(2003)1
- Caruso, R., see Accinni, R. 785(2003)219
- Carvalho, D., see Queiroz, M.E.C. 794(2003)337
- Casale, F., see Muntoni, E. 799(2004)133
- Casellato, R., see Mauri, L. 796(2003)1
- Cass, Q.B., Lima, V.V., Oliveira, R.V., Cassiano, N.M., Degani, A.L.G. and Pedrazzoli Jr., J.
Enantiomeric determination of the plasma levels of omeprazole by direct plasma injection using high-performance liquid chromatography with achiral–chiral column-switching 798(2003)275
- Cassiano, N.M., see Cass, Q.B. 798(2003)275
- Castagnola, M., see Zuppi, C. 793(2003)223
- Castañeda, G., see Rodríguez Flores, J. 794(2003)381
- Castellani, O., Martinet, V., David-Briand, E., Guérin-Dubiard, C. and Anton, M.
Egg yolk phosvitin: preparation of metal-free purified protein by fast protein liquid chromatography using aqueous solvents 791(2003)273
- Castillo, A., see Yritia, M. 779(2002)271
- Castro, M.S., Gerhardt, I.R., Orrù, S., Pucci, P. and Bloch, C.
Purification and characterization of a small (7.3 kDa) putative lipid transfer protein from maize seeds 794(2003)109
- Catlin, D.H., see Starcevic, B. 792(2003)197
- Catterick, T., see Wahlen, R. 783(2003)221
- Caudle, R.M., see Mannes, A.J. 780(2002)475
- Caussé, E., see Ducros, V. 781(2002)207

C

- Cavalli, E., see Balduini, L. 794(2003)389
- Cavalli, E., see Ismaili, L. 780(2002)467
- Cavanaugh, J.Y., see Mazza, C.B. 790(2003)91
- Cebrián-Pérez, J.A., see Grasa, P. 795(2003)83
- Ceccanti, M., see Mancinelli, R. 789(2003)355
- Cedano, J., see Ferrer Soler, L. 788(2003)113
- Celli, N., Motos-Gallardo, A., Tamburro, A., Favaloro, B. and Rotilio, D.
Liquid chromatography–electrospray mass spectrometry study of
cysteine-10 S-glutathiolation in recombinant glutathione S-transferase
of *Ochrobactrum anthropi* 787(2003)405
- Celli, N., see Del Boccio, P. 785(2003)47
- Cello, D., see Christiaens, B. 795(2003)73
- Centi, L., see Aprea, C. 778(2002)131
- Cerqueira, P.M., Boralli, V.B., Coelho, E.B., Lopes, N.P., Guimarães,
L.F.L., Bonato, P.S. and Lanchote, V.L.
Enantioselective determination of metoprolol acidic metabolite in
plasma and urine using liquid chromatography chiral columns:
applications to pharmacokinetics 783(2003)433
- Cetta, G., see Lupi, A. 795(2003)133
- Cha, J.K., see Musiek, E.S. 799(2004)95
- Chakraborty, A.B., see Liu, H. 782(2002)267
- Champ, M.M., see Moreau, N.M. 784(2003)395
- Chan, E., see Li, J. 799(2004)311
- Chan, S.C., see Dmitrovic, J. 778(2002)147
- Chang, T.M., see Liao, C.Y. 790(2003)209
- Chang, H.-T., see Lin, Y.-W. 793(2003)37
- Chang, C.-S., see Suen, S.-Y. 797(2003)305
- Chang, H.C., see Doerge, D.R. 777(2002)269
- Chang, H.-Y., see Chien, C.M. 795(2003)1
- Chang, S.Y. and Lin, W.-C.
Determination of vigabatrin by capillary electrophoresis with laser-
induced fluorescence detection 794(2003)17
- Chang, S.Y. and Wang, F.-Y.
Determination of gabapentin in human plasma by capillary electro-
phoresis with laser-induced fluorescence detection and acetonitrile
stacking technique 799(2004)265
- Chang, T.-H., see Liu, C.-M. 791(2003)315
- Chang, W., see Zhao, M. 783(2003)401
- Chang, W.-T., see Chien, C.M. 795(2003)1
- Chang, Y.-H., see Chien, C.M. 795(2003)1
- ChangChien, C.-C., see Liu, Y.-C. 794(2003)67
- Charles-Williams, S., see Gounder, M.K. 799(2004)63
- Charvátová, J., Deyl, Z., Klevar, M., Mikšík, I. and Eckhardt, A.
Plastic substrates based separation channels in electromigration
techniques 800(2004)83
- Charvátová, J., see Mikšík, I. 800(2004)155
- Charvátová, J., see Mikšík, I. 800(2004)161
- Chase, S.D., see Agarwal, R. 785(2003)345
- Chaufer, B., see Rabiller-Baudry, M. 797(2003)331
- Chaumont, J.P., see Ismaili, L. 780(2002)467
- Chauret, N., see Lévesque, J.-F. 780(2002)145
- Chauret, N., see Lévesque, J.-F. 787(2003)427
- Chavez, T. de J., see González, H.M. 780(2002)459
- Chaw, C.S., see Zhao, B. 784(2003)323
- Cheever, K.L., see B'Hymer, C. 795(2003)145
- Cheever, K.L., see Brown, K.K. 792(2003)153
- Chen, G.-Q., see Zhou, Q. 780(2002)161
- Chen, W.L., see Liao, C.Y. 790(2003)209
- Chen, D.D.Y., see Grob, M.K. 788(2003)103
- Chen, J., Lu, W., Zhang, Q. and Jiang, X.
Determination of the active metabolite of sibutramine by liquid
chromatography–electrospray ionization tandem mass spectrometry
785(2003)197
- Chen, J.-h., see Li, H. 788(2003)93
- Chen, L., see Melikian, A.A. 778(2002)211
- Chen, L., see Xie, J. 788(2003)233
- Chen, L.-R., see Wang, R. 785(2003)353
- Chen, L.R., see Zhang, H. 784(2003)131
- Chen, M.-C., see Wu, C.-H. 785(2003)317
- Chen, N., see Zhou, L. 776(2002)213
- Chen, Yu.-L., Hanson, G.D., Weng, N., Powala, C. and Zerler, B.
Quantification of 6-deoxy-6-demethyl-4-dedimethylaminotetracycline
(COL-3) in human plasma using liquid chromatography coupled with
electrospray ionization tandem mass spectrometry 794(2003)77
- Chen, S.-H., see Feng, C.-H. 780(2002)349
- Chen, S.-H., see Huang, W.-S. 795(2003)329
- Chen, S.-T., see Chien, C.M. 795(2003)1
- Chen, X., see Huang, D. 784(2003)101
- Chen, X., see Zhong, D. 791(2003)45
- Chen, X., see Zhong, D. 796(2003)439
- Chen, X., Zhong, D., Huang, B. and Cui, J.
Determination of cefaclor in human plasma by a sensitive and specific
liquid chromatographic–tandem mass spectrometric
method 784(2003)17
- Chen, X.H., see Liu, X. 785(2003)101
- Chen, Y.-H., see Fung, E.N. 795(2003)187
- Chen, Z., see Li, J. 791(2003)55
- Cheng, C.-L., Lin, E.-G. and Chou, C.-H.
Rapid and sensitive quantitation of the antiproliferative agent mito-
guazone in small volumes of plasma by highperformance liquid
chromatography with ultraviolet detection 793(2003)281
- Cheng, F.-C., Jen, J.-F. and Tsai, T.-H.
Hydroxyl radical in living systems and its separation meth-
ods 781(2002)481
- Cheng, J., see Zhang, L. 792(2003)381
- Cheng, J.-L., see Chien, C.M. 795(2003)1
- Cheng, K.-C., see Wang, G. 780(2002)451
- Cheng, Y.Y., see Wu, Y.J. 784(2003)219
- Chi, C., Liang, L., Padovani, P. and Unger, S.
Development and validation of a liquid chromatography–mass spec-
trometric method for the determination of DPC 423, an antithrombotic
agent, in rat and dog plasma 783(2003)163
- Chiap, P., see Christiaens, B. 795(2003)73
- Chiarotti, M., see Gentili, S. 780(2002)183
- Chien, C.-C., see Liu, C.-M. 791(2003)315
- Chien, C.M., Cheng, J.-L., Chang, W.-T., Tien, M.-H., Wu, W.-Y., Chang,
Y.-H., Chang, H.-Y. and Chen, S.-T.
Cell phenotype analysis using a cell fluid-based microchip with high
sensitivity and accurate quantitation 795(2003)1
- Chiesa, L.M., see Sangalli, L. 796(2003)201
- Chin, D.L., Lum, B.L. and Sikic, B.I.
Rapid determination of PEGylated liposomal doxorubicin and its major
metabolite in human plasma by ultraviolet–visible high-performance
liquid chromatography 779(2002)259
- Chiu, T.-C., see Lin, Y.-W. 793(2003)37
- Chmieliauskaitė, V., see Zaveckas, M. 786(2003)17
- Cho, H.-Y. and Lee, Y.-B.
Improvement and validation of a liquid chromatographic method for
the determination of levosulpiride in human serum and urine
796(2003)243
- Cho, H.-Y., Jeong, T.-J. and Lee, Y.-B.
Simultaneous determination of triflusal and its major active
metabolite, 2-hydroxy-4-trifluoromethyl benzoic acid, in rat and
human plasma by high-performance liquid chromatography
798(2003)257
- Cho, H.-Y., see Lee, H.W. 796(2003)395
- Cho, J.Y., Lim, H.S., Yu, K.S., Shim, H.J., Jang, I.J. and Shin, S.G.
Sensitive liquid chromatography assay with ultraviolet detection for a
new phosphodiesterase V inhibitor, DA-8159, in human plasma and
urine 795(2003)179
- Cho, J.-Y., Seo, H.-B., Yu, K.-S., Bae, K.-S., Yi, S.-Y., Jang, I.-J. and Shin, S.-G.
Simple and sensitive determination of the new antitumor drug
CKD-602 in human plasma by liquid chromatography 784(2003)25
- Cho, S.-H., see Yoon, H.-R. 788(2003)85

- Choi, S.O., see Kim, H. 792(2003)307
- Chou, C.-H., see Cheng, C.-L. 793(2003)281
- Chou, S.-H., see Lin, L.-C. 798(2003)241
- Chou, S.-H., see Shu, P.-Y. 783(2003)93
- Chou, S.-H., see Wu, C.-H. 785(2003)317
- Chou, S.-L., Yang, M.-H., Ling, Y.-C. and Giang, Y.-S.
Gas chromatography-isotope dilution mass spectrometry preceded by liquid-liquid extraction and chemical derivatization for the determination of ketamine and norketamine in urine 799(2004)37
- Chou, S.S.-H., see Pinto, D. 793(2003)107
- Chow, M.S.S., see Yin, O.Q.P. 796(2003)165
- Christensen, A., see Menelaou, A. 785(2003)81
- Christopoulou, K., see Raikos, N. 789(2003)59
- Christiaens, B., Chiap, P., Rbeida, O., Cello, D., Crommen, J. and Hubert, Ph.
Fully automated method for the liquid chromatographic determination of cyproterone acetate in plasma using restricted access material for sample pre-treatment 795(2003)73
- Christopoulou, K., see Raikos, N. 789(2003)59
- Chu, C.K., see Kong, L. 795(2003)371
- Chu, D., Gu, J., Liu, W., Paul Fawcett, J. and Dong, Q.
Sensitive liquid chromatographic assay for the simultaneous determination of 5-fluorouracil and its prodrug, tegafur, in beagle dog plasma 795(2003)377
- Chu, J.J., see Grob, M.K. 788(2003)103
- Chung, S.Y., see Kim, H. 792(2003)307
- Churchwell, M.I., see Twaddle, N.C. 777(2002)139
- Churchwell, M.I., see Twaddle, N.C. 793(2003)309
- Cichna, M., Raab, M., Daxecker, H., Griesmacher, A., Müller, M.M. and Markl, P.
Determination of fifteen nucleotides in cultured human mononuclear blood and umbilical vein endothelial cells by solvent generated ion-pair chromatography 787(2003)381
- Ciesielski, W., see Zakrzewski, R. 784(2003)283
- Cifuentes, A., see Simó, C. 797(2003)37
- Cimino Brown, D., see Mannes, A.J. 780(2002)475
- Cirimele, V., see Villain, M. 792(2003)83
- Cirimele, V., see Villain, M. 798(2003)351
- Cirimele, V., Villain, M., Pépin, G., Ludes, B. and Kintz, P.
Screening procedure for eight quaternary nitrogen muscle relaxants in blood by high-performance liquid chromatography-electrospray ionization mass spectrometry 789(2003)107
- Claerhout, I.J., see Sinnaeve, B.A. 785(2003)193
- Clark, G., see Jefferson, W.N. 777(2002)179
- Clauwaert, K.M., see Mortier, K.A. 779(2002)321
- Clément, B., see Desille, M. 784(2003)265
- Clement, R.P., see Yang, L. 792(2003)229
- Clement, R.P., see Yang, L. 799(2004)271
- Clemmer, D.E., see Lee, Y.J. 782(2002)343
- Clench, M.R., see Baidoo, E.E.K. 796(2003)303
- Clevnert, A., see Thorén, K. 782(2002)219
- Closas, N., see Ventura, R. 795(2003)167
- Coates, A.R.M., see Maguire, M. 786(2003)117
- Coccioli, F., see Buiarelli, F. 781(2002)73
- Coccioli, F., see Buiarelli, F. 784(2003)1
- Cocker, J., see Akrill, P. 778(2002)193
- Coelho, E.B., see Cerqueira, P.M. 783(2003)433
- Coelho, E.B., see Jabor, V.A.P. 796(2003)429
- Cohen, B., see Melikian, A.A. 778(2002)211
- Cohen, S.A., see Liu, H. 782(2002)267
- Cojocar, M., see Kaplan, B. 796(2003)141
- Collins, D.C., see Peterson, Z.D. 776(2002)221
- Collombel, C., see Steghens, J.-P. 798(2003)343
- Colombi, A., see Buratti, M. 776(2002)237
- Colombo, T., see Zaffaroni, M. 780(2002)93
- Colovic, M. and Caccia, S.
Liquid chromatographic determination of minocycline in brain-to-plasma distribution studies in the rat 791(2003)337
- Colyer, C.L., see Welder, F. 793(2003)93
- Colyer, C.L.,
Preface: Derivatization of large biomolecules 793(2003)1
- Cong, R., see Li, J. 791(2003)55
- Conn, G., see Lin, M.-F. 792(2003)205
- Connell, J.M.C., see Shakerdi, L.A. 784(2003)367
- Conrads, T.P., see Janini, G.M. 787(2003)43
- Constantin, M., see Fundueanu, G. 791(2003)407
- Conte Jr., J., see Huang, Y. 799(2004)51
- Cool, D.R. and DeBrosse, D.
Extraction of oxytocin and arginine-vasopressin from serum and plasma for radioimmunoassay and surface-enhanced laser desorption-ionization time-of-flight mass spectrometry 792(2003)375
- Cooper, D.P., see Keevil, B.G. 794(2003)329
- Cooper, T.B., see Suckow, R.F. 799(2004)201
- Cooperwood, J.S., see Kong, L. 795(2003)371
- Coopman, E.M., see Decaestecker, T.N. 789(2003)19
- Corbacella, E., see Previati, M. 780(2002)331
- Cordwell, S.J., see Hecker, M. 787(2003)179
- Correa, T., see Jardines, D. 783(2003)517
- Correll, C.U., see Suckow, R.F. 799(2004)201
- Cortesi, R., see Fundueanu, G. 791(2003)407
- Corthésy, B., see Favre, L.I. 786(2003)143
- Costa Queiroz, M.E., see Delmar Cantú, M. 799(2004)127
- Couderc, F., see Siri, N. 793(2003)151
- Coudray, S., see Janoly, A. 780(2002)155
- Couerbe, P., see Schuster, A. 788(2003)377
- Coulon, D., see Dieryck, W. 786(2003)153
- Cowgill, C., see Happersberger, H.P. 782(2002)393
- Cox, S.K., Hamner, T. and Bartges, J.
Determination of 6-hydroxychlorzoxazone and chlorzoxazone in porcine microsome samples 784(2003)111
- Crawford, M.E., see Hutson, P.R. 791(2003)427
- Crescenzi, C., see Amini, N. 795(2003)245
- Crespi, F., see Shah, A.J. 781(2002)151
- Cresteil, T., see Hoellinger, H. 799(2004)195
- Crews, K.R., see Owens, T.S. 788(2003)65
- Criado, A., Cárdenas, S., Gallego, M. and Valcárcel, M.
Direct screening of lyophilised biological fluids for bile acids using an evaporative light scattering detector 792(2003)299
- Crifò, C., see Salerno, C. 781(2002)57
- Crommen, J., see Christiaens, B. 795(2003)73
- Crommentuyn, K.M.L., see Sparidans, R.W. 791(2003)227
- Cromwell, O., see Suck, R. 787(2003)357
- Cropp, G., see Asad, Y. 785(2003)175
- Cross, H.S., see Farhan, H. 777(2002)261
- Croubels, S., De Baere, S. and De Backer, P.
Comparison of a liquid chromatographic method with ultraviolet and ion-trap tandem mass spectrometric detection for the simultaneous determination of sulfadiazine and trimethoprim in plasma from dogs 788(2003)167
- Crul, M., see Sparidans, R.W. 780(2002)423
- Cserhádi, T., see Forgács, E. 800(2004)259
- Cserhádi, T., see Mikšfik, I. 800(2004)161
- Cucinotta, V., Giuffrida, A., Mendola, D.L., Maccarrone, G., Puglisi, A., Rizzarelli, E. and Vecchio, G.
3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127
- Cui, J., see Chen, X. 784(2003)17
- Cui, Y., Gurley, B., Ang, C.Y.W. and Leakey, J.
Determination of hyperforin in human plasma using solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 780(2002)129
- Culley, T., see Alexander, M.S. 785(2003)253
- Curry, S.M., see Vassallo, J.D. 794(2003)257

Custer, L.J., see Franke, A.A. 777(2002)45
 Cuypers, G., see ter Horst, P.G.J. 791(2003)389

D

da Silva e Mouta Junior, S., Otávio Alves Vianna, C., Ennes, I., De Andrade Gomes, S., da Silva Freire, M., Domingos da Silva, E., Giovanni De Simone, S. and Terezinha Baroni de Moraes, M.
 Simple immunoaffinity method to purify recombinant hepatitis B surface antigen secreted by transpected mammalian cells 787(2003)303
 da Silva Freire, M., see da Silva e Mouta Junior, S. 787(2003)303
 da Silva, D.R., see Oliveira, C.H. 783(2003)453
 Da, S., see Zhang, W. 798(2003)323
 Daban, J.-R., see Salerno, D. 793(2003)75
 Dabrowski, K., see Lee, K.-J. 779(2002)313
 D'Acquarica, I., see Badaloni, E. 796(2003)45
 Dahhani, F., see Guo, W. 791(2003)85
 Dai, J., see Tu, J. 789(2003)323
 Daldrup, Th., see Tarbah, F. 789(2003)115
 Dale, Y., Mackey, V., Mushi, R., Nyanda, A., Maleque, M. and Ike, J.
 Simultaneous measurement of phenylalanine and tyrosine in phenylketonuric plasma and dried blood by high-performance liquid chromatography 788(2003)1
 Dalu, A., Blaydes, B.S., Bryant, C.W., Latendresse, J.R., Weis, C.C. and Barry Delclos, K.
 Estrogen receptor expression in the prostate of rats treated with dietary genistein 777(2002)249
 Damasceno, L., Ventura, R., Cardoso, J. and Segura, J.
 Diagnostic evidence for the presence of β -agonists using two consecutive derivatization procedures and gas chromatography–mass spectrometric analysis 780(2002)61
 D'Amato, M., see Brodie, R. 784(2003)91
 Dash, A.K. and Elmquist, W.F.
 Separation methods that are capable of revealing blood–brain barrier permeability 797(2003)241
 Dash, A.P., see Sarin, R. 799(2004)233
 Daston, G.P., see Vassallo, J.D. 794(2003)257
 d'Athis, P., see Hervé, F. 798(2003)283
 Davankov, V.A.
 Foreword 800(2004)1
 David-Briand, E., see Castellani, O. 791(2003)273
 Davies, N.W., see Boyle, R.R. 780(2002)397
 Davies, N., see Wen, J. 779(2002)221
 Davies, N.M., see Teng, X.W. 796(2003)225
 Davis, T.M.E., see Hung, T.-Yu. 791(2003)93
 Dawidowicz, A.L., see Waksmundzka-Hajnos, M. 800(2004)181
 Daxecker, H., see Cichna, M. 787(2003)381
 Daykin, C.A., see Pham-Tuan, H. 789(2003)283
 de Andrade Gomes, S., see da Silva e Mouta Junior, S. 787(2003)303
 De Backer, P., see Croubels, S. 788(2003)167
 De Baere, S., see Croubels, S. 788(2003)167
 de Boer, M., see Kasche, V. 790(2003)115
 de Bruijn, P., see de Jong, F.A. 795(2003)383
 de Bruijn, P., see Soepenbergh, O. 799(2004)15
 de Carlos, A., Montenegro, D., Alonso-Rodríguez, A., Páez de la Cadena, M., Rodríguez-Berrocá, F.J. and Martínez-Zorzano, V.S.
 Purification of human α -L-fucosidase precursor expressed in *Escherichia coli* as a glutathione S-transferase fusion protein 786(2003)7
 de Carvalho, R., see Bonato, P.S. 796(2003)413
 De Curtis, A., see Del Boccio, P. 785(2003)47

de Jager, A.D., see Wiesner, J.L. 785(2003)115
 de Jong, F.A., Mathijssen, R.H.J., de Bruijn, P., Loos, W.J., Verweij, J. and Sparreboom, A.
 Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383
 de Jong, G.J., see van Hout, M.W.J. 794(2003)185
 de Jong, J., see Remmerie, B.M.M. 783(2003)461
 de Jong, J., see Verhaeghe, T. 789(2003)337
 De Keukeleire, D., see Maubach, J. 784(2003)137
 De Keukeleire, D., see Vanhoenacker, G. 799(2004)323
 de Kok, T.M.C.M., Moonen, H.J.J., van Delft, J. and van Schooten, F.J.
 Methodologies for bulky DNA adduct analysis and biomonitoring of environmental and occupational exposures (Review) 778(2002)345
 de la Garza, C.S., see LLerena, A. 783(2003)213
 de la Maza, A., see García, A. 785(2003)237
 de la Rubia, A., see LLerena, A. 783(2003)25
 de la Torre, R., see Pujadas, M. 798(2003)249
 De la Torre, R., see Ventura, R. 795(2003)167
 de la Torre, R., see Yritia, M. 779(2002)271
 De Leenheer, A.P., see Fierens, C. 792(2003)249
 De Leenheer, A.P., see Mortier, K.A. 779(2002)321
 de l'Escaille, F., see Vanhoenacker, G. 799(2004)323
 de Llorens, R., see Ferrer Soler, L. 788(2003)113
 De Magistris, L., see Generoso, M. 783(2003)349
 De Maria, R., see Accinni, R. 785(2003)219
 de Meer, K., see Kulik, W. 791(2003)399
 de Mendonça, F., see De Oliveira, J.E. 787(2003)345
 De Meulder, M., see Verhaeghe, T. 789(2003)337
 de Miguel, L., see Barbas, C. 780(2002)73
 de Moraes Moreau, R.L., see De Toledo, F.C.P. 798(2003)361
 de Nucci, G., see Oliveira, C.H. 783(2003)453
 De Oliveira, J.E., De Mendonça, F., Peroni, C.N., Bartolini, P. and Ribela, M.T.C.P.
 Determination of Chinese hamster ovary cell-derived recombinant thyrotropin by reversed-phase liquid chromatography 787(2003)345
 De Paoli, G., see Bortolotti, F. 800(2004)239
 De Pauw, E., see Focant, J.-F. 776(2002)199
 De Rosa, M., see Generoso, M. 783(2003)349
 De Rosa, R., see Generoso, M. 783(2003)349
 De Rossi, A., see Buiarelli, F. 781(2002)73
 De Rossi, A., see Buiarelli, F. 784(2003)1
 de Souza Nascimento, E., see dos Santos, C.R. 778(2002)237
 de Toledo, F.C.P., Yonamine, M., de Moraes Moreau, R.L. and Silva, O.A.
 Determination of cocaine, benzoylecgonine and cocaethylene in human hair by solid-phase microextraction and gas chromatography–mass spectrometry 798(2003)361
 de Vries, R., see Remmerie, B.M.M. 783(2003)461
 de Vries, R., see Verhaeghe, T. 789(2003)337
 De Winne, A.J., see Mathy, F.-X. 787(2003)323
 de Zeeuw, R.A., see van Hout, M.W.J. 794(2003)185
 DeBrosse, D., see Cool, D.R. 792(2003)375
 Decaestecker, T.N., Coopman, E.M., Van Peteghem, C.H. and Van Bocxlaer, J.F.
 Suitability testing of commercial solid-phase extraction sorbents for sample clean-up in systematic toxicological analysis using liquid chromatography–(tandem) mass spectrometry 789(2003)19
 Decaestecker, T.N., see Sinnaeve, B.A. 785(2003)193
 Deckers, K., see Dehouck, P. 794(2003)293
 Deforce, D.L., see Mortier, K.A. 779(2002)321
 Degani, A.L.G., see Cass, Q.B. 798(2003)275
 Dehne, M.G., see Mühling, J. 789(2003)383
 Dehon, G., see Azarkan, M. 790(2003)229
 Dehouck, P., Van Looy, E., Haghebooren, E., Deckers, K., Vander Heyden, Y., Adams, E., Roets, E. and Hoogmartens, J.
 Analysis of erythromycin and benzoyleperoxide in topical gels by liquid chromatography 794(2003)293

- Dehring, K., see Poole, S.K. 793(2003)265
- Deinhofer, K., see Hahn, R. 790(2003)99
- Del Boccio, P., Di Deo, A., De Curtis, A., Celli, N., Iacoviello, L. and Rotilio, D.
Liquid chromatography–tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration 785(2003)47
- Del Lama, M.P.F.M., see Bonato, P.S. 796(2003)413
- Delatour, T., Richoz, J., Vouros, P. and Turesky, R.J.
Simultaneous determination of 3-nitrotyrosine and tyrosine in plasma proteins of rats and assessment of artifactual tyrosine nitration 779(2002)189
- Delbeke, F.T., see Van Thuyne, W. 785(2003)245
- Delcarte, J., Fauconnier, M.-L., Jacques, P., Matsui, K., Thonart, P. and Marlier, M.
Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229
- Delclos, K.B., see Twaddle, N.C. 793(2003)309
- Della Pepa, C., see Muntoni, E. 799(2004)133
- Della Torre, S., see Lupi, A. 795(2003)133
- delli Quadri, F., see Draisci, R. 789(2003)219
- Delmar Cantú, M., Hillebrand, S., Costa Queiroz, M.E., Lanças, F.M. and Carrilho, E.
Validation of non-aqueous capillary electrophoresis for simultaneous determination of four tricyclic antidepressants in pharmaceutical formulations and plasma samples 799(2004)127
- Delwar Hussain, M., see Stith, C. 794(2003)9
- Demuth, H.-U., see Meyer, A. 796(2003)401
- Demuth, K., see Ducros, V. 781(2002)207
- Demuth, W., see Stimpfl, Th. 789(2003)3
- Deng, C. and Deng, Y.
Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography–mass spectrometry 792(2003)261
- Deng, C., Deng, Y., Wang, B. and Yang, X.
Gas chromatography–mass spectrometry method for determination of phenylalanine and tyrosine in neonatal blood spots 780(2002)407
- Deng, Y., see Deng, C. 780(2002)407
- Deng, Y., see Deng, C. 792(2003)261
- Deng, Y., see Zeng, H. 788(2003)331
- Denizli, A., Alkan, M., Garipcan, B., Özkara, S. and Pişkin, E.
Novel metal-chelate affinity adsorbent for purification of immunoglobulin-G from human plasma 795(2003)93
- Deo, A.A., see Kolte, B.L. 788(2003)37
- Depypere, H.T., see Maubach, J. 784(2003)137
- Deroussent, A., see Hoellinger, H. 799(2004)195
- Desille, M., Allain, N., Anger, J.-P., Mahler, S., Lognoné, V., Mallédant, Y. and Clément, B.
Method for monitoring alginate released in biological fluids by high-performance anion-exchange chromatography with pulsed amperometric detection 784(2003)265
- Desmarais, S., see Vazquez, M. 779(2002)163
- Desmet, K., see Oswald, P. 779(2002)283
- Desmoulin, F., Gilard, V., Martino, R. and Malet-Martino, M.
Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuronide conjugate of 5'-deoxy-5-fluorocytidine, namely 2'-(β-D-glucuronic acid)-5'-deoxy-5-fluorocytidine 792(2003)323
- Desta, Z., see Lee, K.H. 791(2003)245
- Desta, Z., see Lee, K.-H. 791(2003)245
- Deussen, A., see Haink, G. 784(2003)189
- Deutschbauer, A.M., see Steinmetz, L.M. 782(2002)151
- DeVane, C.L., see Azzimonti, F. 784(2003)33
- Deyl, Z.
75 Birthday of Dr Karel Macek 799(2004)193
- Deyl, Z., Tagliaro, F.
Indicators of (patho)physiological processes 781(2002)1
- Deyl, Z., Mikšík, I. and Eckhardt, A.
Preparative procedures and purity assessment of collagen proteins (Review) 790(2003)245
- Deyl, Z., see Charvátová, J. 800(2004)83
- Deyl, Z., see Forgács, E. 800(2004)259
- Deyl, Z., see Miksik, I. 797(2003)1
- Deyl, Z., see Mikšík, I. 800(2004)145
- Deyl, Z., see Mikšík, I. 800(2004)155
- Deyl, Z., see Mikšík, I. 800(2004)161
- Deyl, Z., see Ruangyuttikarn, W. 800(2004)315
- Di Deo, A., see Del Boccio, P. 785(2003)47
- Di Donato, L., see Yang, L. 792(2003)229
- Di Mattia, M., see Bocca, B. 783(2003)141
- Di, L., see Kerns, E.H. 791(2003)381
- Diakité, A., see Viau, C. 778(2002)165
- Diamandis, E.P., see Rosenberg Zand, R.S. 777(2002)219
- Díaz, G., see Ramírez, A. 784(2003)315
- Diaz, R., see Ramos, M. 791(2003)31
- Diedrich, E., see Suck, R. 787(2003)357
- Diekmann, S., see Sauter, S.R. 786(2003)33
- Diel, P., Schmidt, S. and Vollmer, G.
In vivo test systems for the quantitative and qualitative analysis of the biological activity of phytoestrogens 777(2002)191
- Diels, L., see Verhaeghe, T. 789(2003)337
- Dieryck, W., Noubhani, A.M., Coulon, D. and Santarelli, X.
Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in *Escherichia coli* 786(2003)153
- Dieryck, W., see Noubhani, A.M. 790(2003)153
- DiFrancesco, R., see Frerichs, V.A. 787(2003)393
- Dillon, P., see Brennan, J. 786(2003)327
- D'Incalci, M., see Zaffaroni, M. 780(2002)93
- D'Incalci, M., see Zaffaroni, M. 796(2003)113
- Ding, X., see Mou, S. 781(2002)251
- Dingemanse, J., see Van Giersbergen, P.L.M. 792(2003)369
- DiStefano, E., see Starcevic, B. 792(2003)197
- Djabarouti, S., Boselli, E., Allaouchiche, B., Ba, B., Nguyen, A.T., Gordien, J.B., Bernadou, J.M., Saux, M.C. and Breilh, D.
Determination of levofloxacin in plasma, bronchoalveolar lavage and bone tissues by high-performance liquid chromatography with ultraviolet detection using a fully automated extraction method 799(2004)165
- Djazenhenko, E.V., see Safarova, V.I. 800(2004)325
- Dmitrovic, J. and Chan, S.C.
Determination of polychlorinated biphenyl congeners in human milk by gas chromatography–negative chemical ionization mass spectrometry after sample clean-up by solid-phase extraction 778(2002)147
- Dobos, Zs., Lóránd, T., Hollósy, F., Hallgas, B., Erős, D., Mészáros, Gy., Kéri, Gy. and Idei, M.
Determination of the basicity of Mannich ketones by capillary electrophoresis 799(2004)179
- Dodd, S., see Azzimonti, F. 784(2003)33
- Dodds, H., see Owens, T.S. 788(2003)65
- Doerge, D.R. and Chang, H.C.
Inactivation of thyroid peroxidase by soy isoflavones, in vitro and in vivo 777(2002)269
- Doerge, D.R., see Twaddle, N.C. 777(2002)139
- Doerge, D.R., see Twaddle, N.C. 793(2003)309
- Doerge, D.R., see Williams, L.D. 798(2003)55
- Doi, N., see Kato, K. 788(2003)407
- Dolan, J.W., see Alexander, M.S. 785(2003)253

- Domijan, A.-M., Peraica, M., Miletić-Medved, M., Lucić, A. and Fuchs, R.
Two different clean-up procedures for liquid chromatographic determination of ochratoxin A in urine 798(2003)317
- Domingos da Silva, E., see da Silva e Mouta Junior, S. 787(2003)303
- Donato, P., see Calabrò, M.L. 800(2004)245
- Dong, J., see Poole, S.K. 793(2003)265
- Dong, Q., see Chu, D. 795(2003)377
- Dong, Y., Wang, L., Shangguan, D., Zhao, R. and Liu, G.
Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193
- Donnelly, M., see Tamvakopoulos, C.S. 776(2002)161
- Donoghue, D.J., see Schneider, M.J. 780(2002)83
- Dorado, P., Berecz, R., Cáceres, M.C. and LLerena, A.
Analysis of diclofenac and its metabolites by high-performance liquid chromatography: relevance of *CYP2C9* genotypes in diclofenac urinary metabolic ratios 789(2003)437
- Dorado, P., see LLerena, A. 783(2003)25
- Dorado, P., see LLerena, A. 783(2003)213
- Dorta, L., see González, Y. 784(2003)183
- dos Santos, N.A.G., see Jaber, V.A.P. 796(2003)429
- dos Santos, C.R., Meyer Passarelli, M. and de Souza Nascimento, E.
Evaluation of 2,5-hexanedione in urine of workers exposed to *n*-hexane in Brazilian shoe factories 778(2002)237
- Dosemeci, M., see Rappaport, S.M. 778(2002)367
- Dott, W., see Sandner, F. 780(2002)225
- Douglas Boudinot, F., see Kong, L. 795(2003)371
- Dovich, N.J., see Pinto, D. 793(2003)107
- D'Ovidio, R., see Patacchini, C. 786(2003)215
- Dowling, T.C., see Iqbal, T. 799(2004)337
- Dragan, A., see Waksmundzka-Hajnos, M. 800(2004)181
- Drai, J., see Ducros, V. 781(2002)207
- Draisci, R., Palleschi, L., Ferretti, E., Lucentini, L. and delli Quadri, F.
Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androst-1,4-diene-3,17-dione in bovine urine by liquid chromatography–tandem mass spectrometry 789(2003)219
- Drexler, H., see Schaller, K.H. 778(2002)403
- Drexler, H., see Schettgen, T. 778(2002)121
- Du, L., Xu, Y. and Musson, D.G.
Simultaneous determination of clofibrate and its active metabolite clofibric acid in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 794(2003)343
- Du, L.-J., see Lei, F. 796(2003)189
- Dua, V.K., see Sarin, R. 799(2004)233
- Ducharme, J., see Projean, D. 787(2003)243
- Ducros, V., Demuth, K., Sauvart, M.-P., Quillard, M., Caussé, E., Candito, M., Read, M.-H., Drai, J., Garcia, I. and Gerhardt, M.-F.
Methods for homocysteine analysis and biological relevance of the results (Review) 781(2002)207
- Dumasia, M.C., Ginn, A., Hyde, W., Peterson, J. and Houghton, E.
Detection and identification of carprofen and its in vivo metabolites in greyhound urine by capillary gas chromatography–mass spectrometry 788(2003)297
- Dumon, H.J., see Moreau, N.M. 784(2003)395
- Dürkop, A., see Wetzl, B. 793(2003)83
- Dušková, Š., see Mráz, J. 778(2002)357
- Døving, K., see Brondz, I. 800(2004)41
- Dzubak, P., see Kovarova, H. 787(2003)53
- Echardt, A., see Forgács, E. 800(2004)259
- Echevarría, L., Blanco-Prieto, M.J., Campanero, M.A., Santoyo, S. and Ygartua, P.
Development and validation of a liquid chromatographic method for in vitro mupirocin quantification in both skin layers and percutaneous penetration studies 796(2003)233
- Eckelman, W.C., see Ma, Y. 780(2002)99
- Eckert, C., see Zur Stadt, U. 792(2003)287
- Eckhardt, A., see Charvátová, J. 800(2004)83
- Eckhardt, A., see Deyl, Z. 790(2003)245
- Eckhardt, A., see Mikšík, I. 800(2004)155
- Eckhardt, A., see Mikšík, I. 800(2004)161
- Edman, K., Eriksson, B., Svensson, L. and Gunnarsson, P.O.
Determination of laquinimod in plasma by coupled-column liquid chromatography with ultraviolet absorbance detection 785(2003)311
- Edwards, J.W., see Smith, P.A. 778(2002)113
- Egorin, M.J., see Parise, R.A. 783(2003)231
- Egorin, M.J., see Parise, R.A. 791(2003)39
- Ehninger, G., see Schleyer, E. 799(2004)23
- Ehrlich, D., see Vazquez, M. 779(2002)163
- Ehrsson, H. and Wallin, I.
Liquid chromatographic determination of oxaliplatin in blood using post-column derivatization in a microwave field followed by photometric detection 795(2003)291
- Eichelbaum, M., see Hofmann, U. 791(2003)371
- Eidelman, D.H., see Govindaraju, K. 788(2003)369
- Ekeberg, D., see Brondz, I. 800(2004)211
- Ekeberg, D., see Brondz, I. 800(2004)303
- El Moussaoui, A., see Azarkan, M. 790(2003)229
- Elahi, E., see Ronaghi, M. 782(2002)67
- Elend, M., see Elflein, L. 795(2003)195
- Elflein, L., Berger-Preiss, E., Preiss, A., Elend, M., Levsen, K. and Wünsch, G.
Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors: Determination of the metabolites *E-cis/trans*-chrysanthemumdicarboxylic acid in human urine by gas chromatography–mass spectrometry with negative chemical ionization 795(2003)195
- El-Kholy, H. and Kemppainen, B.W.
Liquid chromatographic method with ultraviolet absorbance detection for measurement of levamisole in chicken tissues, eggs and plasma 796(2003)371
- Elliott, C.T., see Yakkundi, S. 788(2003)29
- Elmqvist, W.F., see Dash, A.K. 797(2003)241
- Els, J., see Wiesner, J.L. 785(2003)115
- Emmrich, M., Floss, H., Zühlsdorf, B. and Martiny, H.
Automated method for determination of glutardialdehyde residues in flexible endoscopes after disinfection 795(2003)363
- Endo, G., see Okina, M. 799(2004)209
- Engel, J.M., see Mühling, J. 789(2003)383
- Engelhardt, H.
One century of liquid chromatography. From Tswett's columns to modern high speed and high performance separations 800(2004)3
- Engelmann, S., see Hecker, M. 787(2003)179
- Engstrom, J., see Huang, Y. 799(2004)51
- Ennes, I., see da Silva e Mouta Junior, S. 787(2003)303
- Epp, C., Kauth, C.W., Bujard, H. and Lutz, R.
Expression and purification of *Plasmodium falciparum* MSP-1₄₂: A malaria vaccine candidate 786(2003)61
- Epstein, D.H., see Rosas, M.E.R. 796(2003)355
- Erb, N., Haverland, U., Harms, D.O., Escherich, G. and Janka-Schaub, G.
High-performance liquid chromatographic assay of metabolites of thioguanine and mercaptopurine in capillary blood 796(2003)87
- Ericsson, Ö., see Minzi, O.M.S. 783(2003)473
- Eriksson, B., see Edman, K. 785(2003)311

E

Eandi, M., see Muntoni, E. 799(2004)133

Echan, L., see Zuo, X. 782(2002)253

- Eriksson, K., Östin, A. and Levin, J.-O.
Quantification of melatonin in human saliva by liquid chromatography–tandem mass spectrometry using stable isotope dilution 794(2003)115
- Erk, N.
Simultaneous determination of irbesartan and hydrochlorothiazide in human plasma by liquid chromatography 784(2003)195
- Erős, D., see Dobos, Zs. 799(2004)179
- Erős, D., see Hollósy, F. 780(2002)355
- Erpenbeck, V.J., see Tsikas, D. 794(2003)237
- Errington, J., see Veal, G.J. 795(2003)237
- Ersson, B., see Gottschalk, I. 784(2003)203
- Ertürk, S., Önal, A. and Müge Çetin, S.
Analytical methods for the quantitative determination of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors in biological samples (Review) 793(2003)193
- Erwa, W., see Khoschorur, G. 799(2004)355
- Esaka, Y., Inagaki, S. and Goto, M.
Separation procedures capable of revealing DNA adducts 797(2003)321
- Escherich, G., see Erb, N. 796(2003)87
- Escuder-Gilbert, L., Martínez-Pla, J.J., Sagrado, S., Villanueva-Camañas, R.M. and Medina-Hernández, M.J.
Biopartitioning micellar separation methods: modelling drug absorption 797(2003)21
- Esmans, E.L., see Van den Driessche, B. 785(2003)21
- Esteller, M., see Fraga, M.F. 789(2003)431
- Esteve-Romero, J., see Capella-Peiró, M.-E. 780(2002)241
- Evseeva, T.G., see Janča, J. 800(2004)33
- Ewaschuk, J.B., Zello, G.A., Naylor, J.M. and Brocks, D.R.
Metabolic acidosis: separation methods and biological relevance of organic acids and lactic acid enantiomers (Review) 781(2002)39
- Exley, C., see Korchazhkina, O. 794(2003)353
- Eysseric, H., see Jourdil, N. 788(2003)207
- F**
- Fagioli, F., see Previati, M. 780(2002)331
- Faircloth, G., see Yin, J. 794(2003)89
- Fakt, C., see Larsson, M. 783(2003)335
- Falk, M., see Rittich, B. 800(2004)169
- Falla, J., see Magalhães, I. 799(2004)87
- Fan, J.-J., see Ma, J. 796(2003)195
- Fan, Y., see Li, H. 788(2003)93
- Fandiño, A.S., see Toennes, S.W. 792(2003)345
- Fang, J., see Mosier, K.E. 783(2003)377
- Fang, W., see Musson, D.G. 783(2003)1
- Farhadi, A., Keshavarzian, A., Holmes, E.W., Fields, J., Zhang, L. and Banan, A.
Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145
- Farhan, H., Wähälä, K., Adlercreutz, H. and Cross, H.S.
Isoflavonoids inhibit catabolism of vitamin D in prostate cancer cells 777(2002)261
- Farias, A., see Queiroz, M.E.C. 794(2003)337
- Farrar, H., Letzig, L. and Gill, M.
Validation of a liquid chromatographic method for the determination of ibuprofen in human plasma 780(2002)341
- Farré, M., see Pujadas, M. 798(2003)249
- Farruggia, B., Nerli, B. and Picó, G.
Study of the serum albumin-polyethyleneglycol interaction to predict the protein partitioning in aqueous two-phase systems 798(2003)25
- Farwanah, H., Neubert, R., Zellmer, S. and Raith, K.
Improved procedure for the separation of major stratum corneum lipids by means of automated multiple development thin-layer chromatography 780(2002)443
- Fast, D.M., see Zhang, J.Y. 785(2003)123
- Fast, D.M., see Zhang, J.Y. 787(2003)333
- Fattore, C., see Gatti, G. 784(2003)375
- Fauconnier, M.-L., see Delcarte, J. 786(2003)229
- Fauler, G., see Jörg Leis, H. 784(2003)69
- Fauler, G., see Leis, H.J. 794(2003)205
- Fauler, G., see Leis, H.J. 779(2002)353
- Favaloro, B., see Celli, N. 787(2003)405
- Favetta, P., see Janoly, A. 780(2002)155
- Favre, L.I., Spertini, F. and Corthésy, B.
Simplified procedure to recover recombinant antigenized secretory IgA to be used as a vaccine vector 786(2003)143
- Fay, L.B., see Richelle, M. 794(2003)1
- Federici, G., see Pastore, A. 776(2002)251
- Fehn, J., see Staack, R.F. 789(2003)27
- Feiertag, H., see Gauchel, G. 787(2003)271
- Fein, M., see Suckow, R.F. 799(2004)201
- Felli, M., see Bocca, B. 783(2003)141
- Feng, C.-H., Lin, S.-J., Wu, H.-L. and Chen, S.-H.
Trace analysis of tobramycin in human plasma by derivatization and high-performance liquid chromatography with ultraviolet detection 780(2002)349
- Feng, Y., see Yang, H. 785(2003)369
- Feng, Y., see Zhang, W. 798(2003)323
- Fernandez, C., see Sentenac, S. 793(2003)317
- Fernández, J.M., see Bermejo, R. 790(2003)317
- Fernández, M., Sepúlveda, J., Aránguiz, T. and von Plessing, C.
Technique validation by liquid chromatography for the determination of acyclovir in plasma 791(2003)357
- Fernández-Figares, I., Rodríguez, L.C. and González-Casado, A.
Effect of different matrices on physiological amino acids analysis by liquid chromatography: evaluation and correction of the matrix effect 799(2004)73
- Ferrario, P. and Bianchi, M.
Simultaneous determination of nimesulide and hydroxynimesulide in rat plasma, cerebrospinal fluid and brain by liquid chromatography using solid-phase extraction 785(2003)227
- Ferre, F., see Benassayag, C. 777(2002)233
- Ferreira, F., see Franco-Fraguas, L. 790(2003)365
- Ferrer Soler, L., Cedano, J., Querol, E. and de Llorens, R.
Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113
- Ferretti, E., see Draisci, R. 789(2003)219
- Fiandra, R., see Generoso, M. 783(2003)349
- Ficarra, P., see Calabrò, M.L. 800(2004)245
- Ficarra, R., see Calabrò, M.L. 800(2004)245
- Fiebig, H., see Suck, R. 787(2003)357
- Fields, J., see Farhadi, A. 784(2003)145
- Fierens, C., Stöckl, D., Baetens, D., De Leenheer, A.P. and Thienpont, L.M.
Application of a C-peptide electrospray ionization-isotope dilution–liquid chromatography–tandem mass spectrometry measurement procedure for the evaluation of five C-peptide immunoassays for urins 792(2003)249
- Figg, W.D., see Lepper, E.R. 796(2003)181
- Filser, J.G., see Ríos-Blanco, M.N. 778(2002)383
- Finnell, R.H., see Isoherranen, N. 788(2003)125
- Fiori, M., see Bocca, B. 783(2003)141
- Fischer, B., see Buechler, J. 793(2003)207

- Fisher, A.L., see Kitchen, C.J. 799(2004)9
- Fisher, J.W., see Narayanan, L. 788(2003)393
- Fliter, K.L., see Vassallo, J.D. 794(2003)257
- Flock, J.-I., see Pei, L. 786(2003)319
- Flockhart, D.A., see Lee, K.-H. 791(2003)245
- Flores Pérez, C., Juárez Olguín, H., Flores Pérez, J., Toledo López, A., Lares Asseff, I. and Alvarez García, C.
Reliable method for the determination of ranitidine by liquid chromatography using a microvolume of plasma 795(2003)141
- Flores Pérez, J., see Flores Pérez, C. 795(2003)141
- Florian, P., see Maraschiello, C. 791(2003)1
- Floss, H., see Emmrich, M. 795(2003)363
- Flourié, F., see Steghens, J.-P. 798(2003)343
- Focant, J.-F. and De Pauw, E.
Fast automated extraction and clean-up of biological fluids for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis 776(2002)199
- Foley, J.P., see McCormick, T.J. 785(2003)1
- Ford, L.T. and Berg, J.D.
Determination of thiopurine *S*-methyltransferase activity in erythrocytes using 6-thioguanine as substrate and a non-extraction liquid chromatographic technique 798(2003)111
- Forfar-Bares, I., see Garay Garcia, L. 795(2003)257
- Forgács, E., Cserhádi, T., Miksik, I., Echardt, A. and Deyl, Z.
Simultaneous effect of organic modifier and physicochemical parameters of barbiturates on their retention on a narrow-bore PGC column 800(2004)259
- Forgács, E., see Mikšik, I. 800(2004)161
- Forlino, A., see Lupi, A. 795(2003)133
- Fornara, J., see Sandner, F. 780(2002)225
- Fornstedt, T., see Lindholm, J. 791(2003)323
- Forssmann, W.-G., see Liepke, C. 791(2003)345
- Forti, M.A., see Aprea, C. 778(2002)131
- Foss, J.F., see Osinski, J. 780(2002)251
- Foudraire, N.A., see ter Horst, P.G.J. 791(2003)389
- Fountain, K.J., Gilar, M., Budman, Y. and Gebler, J.C.
Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography 783(2003)61
- Fountoulakis, M. and Suter, L.
Proteomic analysis of the rat liver 782(2002)197
- Fox, A., see Walters, J.J. 782(2002)57
- Fox, K.F., see Walters, J.J. 782(2002)57
- Foy, Bruun, C.
Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355
- Fraga, M.F., Ballestar, E. and Esteller, M.
Capillary electrophoresis-based method to quantitate DNA–protein interactions 789(2003)431
- Frahnert, C., Rao, M.L. and Grasmäder, K.
Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35
- Franco Maggi Tavares, M., see Vincenzi Jager, A. 785(2003)285
- Franco-Fraguas, L., Plá, A., Ferreira, F., Massaldi, H., Suárez, N. and Batista-Viera, F.
Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365
- Frank, T., see Rychlik, M. 792(2003)167
- Franke, A.A., Custer, L.J., Wilkens, L.R., Le Marchand, L., Nomura, A.M.Y., Goodman, M.T. and Kolonel, L.N.
Liquid chromatographic–photodiode array mass spectrometric analysis of dietary phytoestrogens from human urine and blood 777(2002)45
- Franklin, R.B., see Xia, Y.-Q. 788(2003)317
- Franzén, B., see Alaiya, A.A. 787(2003)207
- Frapolli, R., see Zaffaroni, M. 780(2002)93
- Frapolli, R., see Zaffaroni, M. 796(2003)113
- Fraser, R., see Shakerdi, L.A. 784(2003)367
- Fred, C., see Törnqvist, M. 778(2002)279
- Fredriksson, E., see Lampinen, M. 789(2003)347
- Freiberg-Richter, J., see Schleyer, E. 799(2004)23
- Freitag, R., see Hilbrig, F. 790(2003)1
- Freitag, R., see Hilbrig, F. 790(2003)79
- Frenzel, A., Bergemann, C., Köhl, G. and Reinard, T.
Novel purification system for 6xHis-tagged proteins by magnetic affinity separation 793(2003)325
- Frerichs, V.A., DiFrancesco, R. and Morse, G.D.
Determination of protease inhibitors using liquid chromatography–tandem mass spectrometry 787(2003)393
- Freudinger, R., see Seefelder, W. 780(2002)137
- Fricke, K., see Owens, T.S. 788(2003)65
- Friedecký, D., see Hušková, R. 799(2004)303
- Friedrich, G., Rose, T. and Rissler, K.
Determination of testosterone metabolites in human hepatocytes. I. Development of an on-line sample preparation liquid chromatography technique and mass spectroscopic detection of 6β-hydroxytestosterone 784(2003)49
- Friess, U., Waldner, M., Wahl, H.-G., Lehmann, R., Haring, H.-U., Voelter, W. and Schleicher, E.
Liquid chromatography-based determination of urinary free and total *N*(epsilon)-(carboxymethyl)lysine excretion in normal and diabetic subjects 794(2003)273
- Frigola, R., see Pommier, F. 784(2003)301
- Fritsch, G., see Springer, D. 789(2003)79
- Fritsch, G., see Springer, D. 793(2003)331
- Fritsch, G., see Springer, D. 793(2003)377
- Fritsch, G., see Springer, D. 796(2003)253
- Frölich, J.C., see Tsikas, D. 784(2003)77
- Frölich, J.C., see Tsikas, D. 784(2003)351
- Frölich, J.C., see Tsikas, D. 794(2003)237
- Frölich, J.C., see Tsikas, D. 798(2003)87
- Fruscio, R., see Zaffaroni, M. 780(2002)93
- Frýdlová, J., Kučerová, Z. and Tichá, M.
Affinity chromatography of porcine pepsin and pepsinogen using immobilized ligands derived from the specific substrate for this enzyme 800(2004)109
- Frye, R.F., see Bolcato, C.A. 794(2003)363
- Frye, R.F., see Nolin, T.D. 783(2003)265
- Fu, X.-Q., see Zhou, Q. 780(2002)161
- Fu, E.W., see Wang, Y.K. 782(2002)291
- Fuchs, M., see Mühling, J. 789(2003)383
- Fuchs, R., see Domijan, A.-M. 798(2003)317
- Fuentes-Noriega, I., see Reyes, L. 791(2003)111
- Fujii, Y., see Higashi, Y. 799(2004)349
- Fujisawa, M., see Hori, Y. 776(2002)191
- Fujishima, A., see Ivandini, T.A. 791(2003)63
- Fujiwaki, T., Yamaguchi, S., Tasaka, M., Sakura, N. and Taketomi, T.
Application of delayed extraction–matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for analysis of sphingolipids in pericardial fluid, peritoneal fluid and serum from Gaucher disease patients 776(2002)115
- Fujiwara, T., see Shibusawa, Y. 799(2004)239
- Fukui, Y., Matsushima, E., Muramoto, K., Nagai, N., Ohama, K. and Yamashita, K.
Validation of a simple gas chromatographic–mass spectrometric method for the determination of gamma-butyrolactone in human plasma 785(2003)73
- Fukushima, S., see Okina, M. 799(2004)209
- Fukuwatari, Y., Niwa, T. and Kojima, T.
Preface 776(2002)1
- Fuller, K.M., see Presley, A.D. 793(2003)141

- Funakoshi, Y., see Inoue, K. 798(2003)17
- Fundueanu, G., Constantin, M., Mihai, D., Bortolotti, F., Cortesi, R., Ascenzi, P. and Menegatti, E.
Pullulan–cyclodextrin microspheres. A chromatographic approach for the evaluation of the drug–cyclodextrin interactions and the determination of the drug release profiles 791(2003)407
- Fung, E.N., Chen, Y.-H. and Lau, Y.Y.
Semi-automatic high-throughput determination of plasma protein binding using a 96-well plate filtrate assembly and fast liquid chromatography–tandem mass spectrometry 795(2003)187
- Furukawa, H., see Kishino, S. 780(2002)289
- Furuta, T., see Ishii, K. 794(2003)49
- Furuta, T., see Suzuki, A. 794(2003)373
- G**
- Gabriel Acién, F., see Bermejo, R. 790(2003)317
- Gad, M., see Kasche, V. 790(2003)115
- Gagneu, M.C., see Janoly, A. 780(2002)155
- Galaev, I.Yu., see Li, Y. 776(2002)149
- Galceran, M.T., see Ruiz-Calero, V. 791(2003)193
- Galera, R., see Pérez-Ruiz, T. 798(2003)303
- Gallardo, A., see Simó, C. 797(2003)37
- Gallego, M., see Criado, A. 792(2003)299
- Gallo, J.M., see Guo, P. 783(2003)43
- Gallo, J.M., see Guo, P. 798(2003)79
- Galluzzo, C., see Accinni, R. 785(2003)219
- Gálová, E., see Mráz, J. 778(2002)357
- Gam, L.-H., Tham, S.-Y. and Latiff, A.
Immunoaffinity extraction and tandem mass spectrometric analysis of human chorionic gonadotropin in doping analysis 792(2003)187
- Gamble, T.N., see Marquet, P. 789(2003)9
- Gamelin, E., see Rouits, E. 793(2003)357
- Gámiz-Gracia, L., see García-Campaña, A.M. 793(2003)49
- Gao, N., see He, Z. 784(2003)343
- Gao, R., see Kong, Y. 795(2003)9
- Gao, W., see Shibata, N. 789(2003)211
- Gárate, T., see Montero, E. 786(2003)255
- Garay García, L., Forfar-Bares, I., Pehourcq, F. and Jarry, C.
Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257
- García, A., Rupérez, F.J., Marín, A., de la Maza, A. and Barbas, C.
Poly(ethyleneglycol) column for the determination of acetaminophen, phenylephrine and chlorpheniramine in pharmaceutical formulations 785(2003)237
- García, A., see Barbas, C. 780(2002)73
- García, A., see Barbas, C. 781(2002)433
- García-Algar, O., see Pichini, S. 794(2003)281
- García-Campaña, A.M., Gámiz-Gracia, L., Baeyens, W.R.G. and Alés Barrero, F.
Derivatization of biomolecules for chemiluminescent detection in capillary electrophoresis (Review) 793(2003)49
- Garcés, R., see Josefa Serrano-Vega, M. 786(2003)221
- García, A.J. and Apitz-Castro, R.
Plasma total homocysteine quantification: an improvement of the classical high-performance liquid chromatographic method with fluorescence detection of the thiol-SBD derivatives 779(2002)359
- Garcia, E., see Ramos, M. 789(2003)373
- Garcia, I., see Ducros, V. 781(2002)207
- Garipcan, B., see Denizli, A. 795(2003)93
- Gasparrini, F., see Badaloni, E. 796(2003)45
- Gaston, K., see Butcher, A.J. 786(2003)3
- Gatti, G., Bonomi, I., Marchiselli, R., Fattore, C., Spina, E., Scordo, G., Pacifici, R. and Perucca, E.
Improved enantioselective assay for the determination of fluoxetine and norfluoxetine enantiomers in human plasma by liquid chromatography 784(2003)375
- Gatz, M., see Jemal, M. 795(2003)273
- Gauchel, G., Huppertz, B., Feiertag, H. and Keller, R.
Clinical use of polyethylene glycols as marker substances and determination in urine by liquid chromatography 787(2003)271
- Gaudreault, M., see Lévesque, J.-F. 780(2002)145
- Gaudreault, M., see Lévesque, J.-F. 787(2003)427
- Gebler, J.C., see Fountain, K.J. 783(2003)61
- Gehin, A., see Guillaume, Y. 798(2003)217
- Geisslinger, G., see Bräutigam, L. 788(2003)309
- Geisslinger, G., see Bräutigam, L. 798(2003)223
- Gekle, M., see Seefelder, W. 780(2002)137
- Gendreau, S., Schirmer, J. and Schmalzing, G.
Identification of a tubulin binding motif on the P2X₂ receptor 786(2003)311
- Generoso, M., De Rosa, M., De Rosa, R., De Magistris, L., Secondulfo, M., Fiandra, R., Carratù, R. and Carteni, M.
Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349
- Geng, Q., see Li, C. 794(2003)227
- Genovese, G., see Pieri, M. 795(2003)347
- Gentili, S., Torresi, A., Marsili, R., Chiarotti, M. and Macchia, T.
Simultaneous detection of amphetamine-like drugs with headspace solid-phase microextraction and gas chromatography–mass spectrometry 780(2002)183
- Georgarakis, M., see Tsakalof, A. 783(2003)425
- George Weir, D., see Rose Sweeney, M. 788(2003)187
- Gergov, M., Ojanperä, I. and Vuori, E.
Simultaneous screening for 238 drugs in blood by liquid chromatography–ionspray tandem mass spectrometry with multiple-reaction monitoring 795(2003)41
- Gerhardt, I.R., see Castro, M.S. 794(2003)109
- Gerhardt, M.-F., see Ducros, V. 781(2002)207
- Germadnik, D., see Pilger, A. 778(2002)393
- Gerson, S.L., see Yang, S. 795(2003)295
- Gescher, A., see Anderton, M.J. 787(2003)281
- Ghedini, N., see Mandrioli, R. 783(2003)253
- Ghittori, S., see Imbriani, M. 778(2002)231
- Giang, Y.-S., see Chou, S.-L. 799(2004)37
- Giardina, B., see Zuppi, C. 793(2003)223
- Gika, H., Lämmerhofer, M., Papadoyannis, I. and Lindner, W.
Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193
- Gikas, E., see Tsarbopoulos, A. 785(2003)157
- Gil, C., see Pitarch, A. 787(2003)101
- Gil, C., see Pitarch, A. 787(2003)129
- Gil-Agustí, M., see Capella-Peiró, M.-E. 780(2002)241
- Gilar, M., see Fountain, K.J. 783(2003)61
- Gilard, V., see Desmoulin, F. 792(2003)323
- Gilch, G., see Urban, M. 796(2003)131
- Gill, M., see Farrar, H. 780(2002)341
- Gillig, K.J., see Ruotolo, B.T. 782(2002)385
- Gingerich, W.H., see Vue, C. 780(2002)111
- Ginn, A., see Dumasia, M.C. 788(2003)297

- Giometti, C.S., Reich, C., Tollaksen, S., Babnigg, G., Lim, H., Zhu, W., Yates III, J. and Olsen, G.
Global analysis of a “simple” proteome: *Methanococcus jannaschii* 782(2002)227
- Giovanni De Simone, S., see da Silva e Mouta Junior, S. 787(2003)303
- Giraudi, G., see Tozzi, C. 797(2003)289
- Girault, G., see Berger, G. 797(2003)51
- Girault, J., see Meyer, A. 796(2003)401
- Giroud, C., Augsburg, M., Menetrey, A. and Mangin, P.
Determination of zaleplon and zolpidem by liquid chromatography–turbo-ion-spray mass spectrometry: application to forensic cases 789(2003)131
- Gitau, E.N., Muchohi, S.N., Ogotu, B.R., Githiga, I.M. and Kokwaro, G.O.
Selective and sensitive liquid chromatographic assay of amodiaquine and desethylamodiaquine in whole blood spotted on filter paper 799(2004)173
- Githiga, I.M., see Gitau, E.N. 799(2004)173
- Giuffrida, A., see Cucinotta, V. 800(2004)127
- Głab, S., see Poboży, E. 789(2003)417
- Glansbeek, H., see Scharstuhl, A. 786(2003)271
- Glatt, H., see Schneider, H. 789(2003)227
- Glickman, R.D., see Zhou, L. 776(2002)213
- Glocker, M.O., see Peter Happersberger, H. 782(2002)393
- Gloddek, K., see Schwabe, T.M.E. 786(2003)45
- Glöckler, J. and Angenendt, P.
Protein and antibody microarray technology 797(2003)229
- Gmur, D.J., Bredl, C.R., Steele, S.J., Cai, S., VanDevanter, D.R. and Nardella, P.A.
Determination of polymyxin E₁ in rat plasma by high-performance liquid chromatography 789(2003)365
- Golden, J., see Huang, Y. 799(2004)51
- Goldiner, I., Overmars, H., Groen, A.K. and Kulik, W.
Method for the quantitative assay of fatty acid–bile acid conjugates by tandem mass spectrometry 795(2003)35
- Golta, S., see Zur Stadt, U. 792(2003)287
- Gómez, H., see González, Y. 784(2003)183
- Gong, S., see Lubman, D.M. 782(2002)183
- Gonter, J., see Mühling, J. 789(2003)383
- Gonthier, M.-P., Rios, L.Y., Verny, M.-A., Révész, C. and Scalbert, A.
Novel liquid chromatography–electrospray ionization mass spectrometry method for the quantification in human urine of microbial aromatic acid metabolites derived from dietary polyphenols 789(2003)247
- Gonzales, J., Jim Yeung, S.-C. and Smith, J.A.
High-performance liquid chromatographic assay validation of Manumycin A in mouse plasma 776(2002)177
- González, A., see LLerena, A. 783(2003)25
- González, C., see Ramírez, A. 784(2003)315
- González, H.M., Romero, E.M., Chavez, T. de J., Peregrina, A.A., Quezada, V. and Hoyo-Vadillo, C.
Phenotype of CYP2C19 and CYP3A4 by determination of omeprazole and its two main metabolites in plasma using liquid chromatography with liquid–liquid extraction 780(2002)459
- Gonzalez, L.E., see Rossell, S. 784(2003)385
- González, L.M., see Montero, E. 786(2003)255
- González, M., see González, Y. 784(2003)183
- González, P., see Sanz-Nebot, V. 798(2003)1
- González, Y., Ibarra, N., Gómez, H., González, M., Dorta, L., Padilla, S. and Valdés, R.
Expanded bed adsorption processing of mammalian cell culture fluid: comparison with packed bed affinity chromatography 784(2003)183
- González-Casado, A., see Fernández-Figares, I. 799(2004)73
- Gonzalez-Reche, L.M., see Koch, H.M. 784(2003)169
- Gonzalo-Lumbreras, R. and Izquierdo-Hornillos, R.
Method development for corticosteroids and anabolic steroids by micellar liquid chromatography 794(2003)215
- Gonzalo-Lumbreras, R., see Izquierdo-Hornillos, R. 798(2003)69
- Goodman, M.T., see Franke, A.A. 777(2002)45
- Gordien, J.B., see Djabarouti, S. 799(2004)165
- Górová, R., see Kubinec, R. 800(2004)295
- Gosset, G., see Pommier, F. 783(2003)199
- Goto, J., see Mano, N. 776(2002)125
- Goto, J., see Suzuki, N. 783(2003)383
- Goto, M., see Esaka, Y. 797(2003)321
- Gottardo, R., see Bortolotti, F. 800(2004)239
- Gotti, R., see Bertucci, C. 797(2003)111
- Gottschalk, I., Gustavsson, P.-E., Ersson, B. and Lundahl, P.
Improved lectin-mediated immobilization of human red blood cells in superporous agarose beads 784(2003)203
- Goujard, C., see Henneré, G. 789(2003)273
- Gounder, M.K., Sun, S.-L., Sands, H., Lin, Y., Shih, W.J., Gu, Z., Charles-Williams, S., Roychowdhury, M., Rajendra, R. and Rubin, E.H.
Development of a bioanalytical liquid chromatography method for quantitation of 9-nitrocamptothecin in human plasma 799(2004)63
- Goupriy, S.M., see Moreau, N.M. 784(2003)395
- Gourinchas, E., see Meyer, A. 796(2003)401
- Gout, P.W., see Ribela, M.T.C.P. 790(2003)285
- Govindaraju, K., Govindaraju, V. and Eidelman, D.H.
Analysis of glutathione in rat airway surface liquid by capillary zone electrophoresis with conductivity detection 788(2003)369
- Govindaraju, V., see Govindaraju, K. 788(2003)369
- Gowda, B.G., see Nagaralli, B.S. 798(2003)49
- Grainger, J., see Smith, C.J. 778(2002)157
- Grallert, H., see Haslbeck, M. 786(2003)127
- Grandmaison, C., see Yang, L. 792(2003)229
- Granelli, I., see Brunnkvist, H. 793(2003)343
- Grant, R., see Polson, C. 785(2003)263
- Grasa, P., Martí, J.I., Muñio-Blanco, T. and Cebrián-Pérez, J.A.
Different functional states of ram spermatozoa analysed by partition in an aqueous two-phase system 795(2003)83
- Grasmäder, K., see Frahnert, C. 794(2003)35
- Grassi, J., see Henneré, G. 789(2003)273
- Graves, S.W., see Peterson, Z.D. 776(2002)221
- Graybill, J.R., see Zhou, L. 776(2002)213
- Gregory, A., see Shiran, M.R. 783(2003)303
- Greibrokk, T., see Holm, A. 794(2003)175
- Grem, J.L., see Keith, B. 785(2003)65
- Grem, J.L., see Xu, Y. 783(2003)273
- Greube, A. and Rommelspacher, H.
Isolation and identification of two [³H]norharman- ([³H]β-carboline)-binding proteins from rat liver 784(2003)155
- Griesmacher, A., see Cichna, M. 787(2003)381
- Griffin, M.J., see Veal, G.J. 795(2003)237
- Griffin, P.R., see Tamvakopoulos, C.S. 776(2002)161
- Grob, M.K., O’Brien, K., Chu, J.J. and Chen, D.D.Y.
Optimization of cellular nucleotide extraction and sample preparation for nucleotide pool analyses using capillary electrophoresis 788(2003)103
- Groen, A.K., see Goldiner, I. 795(2003)35
- Grön, G., see Buechler, J. 793(2003)207
- Grooten, J., see Willems, A. 786(2003)161
- Grosset, C., see Slama, I. 795(2003)115
- Grossman, S., see He, X. 799(2004)281
- Gruber, M., see Wetzl, B. 793(2003)83
- Grundmann-Kollmann, M., see Bräutigam, L. 798(2003)223
- Gruner, M., see Schleyer, E. 799(2004)23
- Gryniewicz, G., see Ksycińska, H. 799(2004)217
- Gschaidmeier, H., see Schleyer, E. 799(2004)23
- Gu, J., see Chu, D. 795(2003)377
- Gu, Z., see Gounder, M.K. 799(2004)63
- Guérin-Dubiard, C., see Castellani, O. 791(2003)273
- Guiducci, M.S., see Mancinelli, R. 789(2003)355

- Guillaume, Y., Andre, C., Simon, N., Gehin, A., Guyon, C., Thomassin, M.,
Ismaili, L., Aubin, F. and Nicod, L.
Chromatographic determination of the association constant
between 8-methoxypsoralen and modified β -cyclodextrin:
protective effect of hydroxypropyl- β -cyclodextrin on
8-methoxypsoralen toxicity in human keratinocytes 798(2003)217
- Guillaume, Y.C., see André, C. 796(2003)267
- Guillaume, Y.C., see Balduini, L. 794(2003)389
- Guillaume, Y.C., see Ismaili, L. 780(2002)467
- Guillen, M.J., see Yin, J. 794(2003)89
- Guimarães, L.F.L., see Cerqueira, P.M. 783(2003)433
- Gunaratna, C. and Zhang, T.
Application of liquid chromatography–electrospray ionization-ion trap
mass spectrometry to investigate the metabolism of silibinin in human
liver microsomes 794(2003)303
- Gunaratna, C., see Zhang, T. 780(2002)371
- Gundersen, T.E., see Karlsen, A. 795(2003)17
- Gunnarsson, P.O., see Edman, K. 785(2003)311
- Guo, P., Li, S. and Gallo, J.M.
Determination of carboplatin in plasma and tumor by high-
performance liquid chromatography–mass spectrometry 783(2003)43
- Guo, P., Ma, J., Li, S. and Gallo, J.M.
Determination of paclitaxel in mouse plasma and brain
tissue by liquid chromatography–mass spectrometry 798(2003)79
- Guo, T., see Sun, Y. 792(2003)147
- Guo, W. and Ruckenstein, E.
Crosslinked glass fiber affinity membrane chromatography and its
application to fibronectin separation 795(2003)61
- Guo, W., Ahmad, A., Khan, S., Dahhani, F., Wang, Y.F. and Ahmad, I.
Determination by liquid chromatography with fluorescence
detection of total 7-ethyl-10-hydroxy-camptothecin (SN-38)
in beagle dog plasma after intravenous administration
of liposome-based SN-38 (LE–SN38) 791(2003)85
- Guo, Y.-L., see Lu, H.-j. 788(2003)291
- Gupta, R.C., see Nitin, M. 793(2003)253
- Gupta, R.C., see Rajanikanth, M. 783(2003)391
- Gurley, B., see Cui, Y. 780(2002)129
- Gurley, B.J., see Hendrickson, H.P. 788(2003)261
- Gustafson, R.A., Moolchan, E.T., Barnes, A., Levine, B. and
Huestis, M.A.
Validated method for the simultaneous determination of Δ^9 -tetrahy-
drocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC
in human plasma using solid phase extraction and gas chromatography–
mass spectrometry with positive chemical ionization 798(2003)145
- Gustafsson, E., see Thorén, K. 782(2002)219
- Gustafsson, L.L., see Jansson, A. 795(2003)151
- Gustafsson, L.L., see Minzi, O.M.S. 783(2003)473
- Gustavsson, P.-E., see Gottschalk, I. 784(2003)203
- Gut, I.G., see Sauer, S. 782(2002)73
- Gutiérrez, J.R., see LLerena, A. 783(2003)213
- Gutiérrez, R., see Ramírez, A. 784(2003)315
- Gutzki, F.-M., see Tsikas, D. 784(2003)77
- Gutzki, F.-M., see Tsikas, D. 784(2003)351
- Gutzki, F.-M., see Tsikas, D. 794(2003)237
- Gutzki, F.-M., see Tsikas, D. 798(2003)87
- Guyon, C., see Guillaume, Y. 798(2003)217
- Hafner, D., see Tarbah, F. 789(2003)115
- Haghedooren, E., see Dehouck, P. 794(2003)293
- Haginaka, J., see Yamaguchi, Yu. 781(2002)313
- Haglund, J., see Törnqvist, M. 778(2002)279
- Hahn, R., Deinhofer, K., Machold, C. and Jungbauer, A.
Hydrophobic interaction chromatography of proteins. II. Binding
capacity, recovery and mass transfer properties 790(2003)99
- Hahn, R., Schlegel, R. and Jungbauer, A.
Comparison of protein A affinity sorbents 790(2003)35
- Haink, G. and Deussen, A.
Liquid chromatography method for the analysis of adenosine com-
pounds 784(2003)189
- Hajdich, M., see Kovarova, H. 787(2003)53
- Hakala, K., see Saarinen, N.M. 777(2002)311
- Hakala, K., see Smeds, A. 793(2003)297
- Hale, J., see Veal, G.J. 795(2003)237
- Hale, T.W., see Page-Sharp, M. 796(2003)173
- Hallgas, B., see Dobos, Zs. 799(2004)179
- Halling-Sørensen, B., see Loke, M.-L. 783(2003)11
- Hamase, K., Morikawa, A. and Zaitzu, K.
D-Amino acids in mammals and their diagnostic value
(Review) 781(2002)73
- Hamdani, E.H., see Brondz, I. 800(2004)41
- Hamler, R.L., see Lubman, D.M. 782(2002)183
- Hamner, T., see Cox, S.K. 784(2003)111
- Hampel, H., see Heine, G. 782(2002)353
- Han, S.B., see Kim, H. 792(2003)307
- Hanash, S., see Wang, H. 787(2003)11
- Hanna, S.K., see Bai, F. 784(2003)225
- Hanna, S.K., see Owens, T.S. 788(2003)65
- Hanpitakpong, W., Kamanikom, B., Banmairuoi, V. and Na-Bangchang, K.
High-performance liquid chromatographic method for determination of
2-difluoromethyl-DL-ornithine in plasma and cerebrospinal fluid
788(2003)221
- Hansen, E., see Pedersen, L. 790(2003)161
- Hanson, G.D., see Chen, Yu.L. 794(2003)77
- Hapeshi, E.A., see Samanidou, V.F. 788(2003)147
- Happersberger, H.P., Cowgill, C. and GLocker, M.O.
Structural characterization of monomeric folding intermediates of
recombinant human macrophage-colony stimulating factor β (rhM-
CSF β) by chemical trapping, chromatographic separation and mass
spectrometric peptide mapping 782(2002)393
- Haring, H.-U., see Friess, U. 794(2003)273
- Harms, D.O., see Erb, N. 796(2003)87
- Harris, H.A., see Mallis, L.M. 796(2003)71
- Harrison, L.J.S., see Montero, E. 786(2003)255
- Härtter, S., see Sachse, J. 784(2003)405
- Harvey, M.D. and Banks, P.R.
Site-specific fluorescent derivatization and liquid chromatographic–
mass spectrometric characterization of Long R³ IGF-I for bioanalytical
applications 793(2003)115
- Hasegawa, T., see Ueyama, J. 798(2003)35
- Hasegawa, Y., see Kimura, M. 792(2003)143
- Hasirci, V., see Baran, E.T. 794(2003)311
- Haslbeck, M., Schuster, I. and Grallert, H.
GroE-dependent expression and purification of pig heart mitochondrial
citrate synthase in *Escherichia coli* 786(2003)127
- Haslbeck, M., see Wegele, H. 786(2003)109
- Hasselström, J. and Linnet, K.
Fully automated on-line quantification of quetiapine in human serum by
solid phase extraction and liquid chromatography 798(2003)9
- Hata, I., see Shigematsu, Y. 776(2002)39
- Hata, I., see Shigematsu, Y. 792(2003)63
- Hata, I., see Yoshino, M. 792(2003)73
- Hatano, T., see Nishijima, S. 780(2002)13
- Hattori, H., see Arinobu, T. 776(2002)107
- Hauck, C.C., see Murphy, P.A. 777(2002)129

H

- Habrdová, V., see Balíková, M.A. 789(2003)93
- Haefeli, W.E., see Burhenne, J. 784(2003)233

- Haufroid, V., see Ligocka, D. 778(2002)223
- Haverland, U., see Erb, N. 796(2003)87
- Havlasová, J., see Hubálek, M. 787(2003)149
- Havliš, J. and Trbušek, M.
5-Methylcytosine as a marker for the monitoring of DNA methylation (Review) 781(2002)373
- Hayasaka, S., see Sano, K. 795(2003)25
- Hayase, F., see Nagai, R. 788(2003)75
- Hayashi, C.M., see Nagai, R. 788(2003)75
- Hayball, P.J., see Tan, H.-W. 785(2003)187
- Hayday, A.C., see Steele, C.R. 786(2003)297
- Hayenga, K., see Lin, M.-F. 792(2003)205
- Hayes, M.J., see Parise, R.A. 791(2003)39
- Hayes, R.B., see Rappaport, S.M. 778(2002)367
- Haynes, P.A., see Hunter, T.C. 782(2002)165
- He, H., see Zhang, W. 798(2003)323
- He, P., see Zhao, M. 793(2003)413
- He, X., Batchelor, T.T., Grossman, S. and Supko, J.G.
Determination of procabazine in human plasma by liquid chromatography with electrospray ionization mass spectrometry 799(2004)281
- He, Y., Zhong, W. and Yeung, E.S.
Multiplexed on-column protein digestion and capillary electrophoresis for high-throughput comprehensive peptide mapping 782(2002)331
- He, Z., Gao, N. and Jin, W.
Capillary electrophoretic enzyme immunoassay with electrochemical detection using a noncompetitive format 784(2003)343
- Heaney, L., see AbuRuz, S. 798(2003)193
- Heath, D.D., Pruitt, M.A., Brenner, D.E. and Rock, C.L.
Curcumin in plasma and urine: quantitation by high-performance liquid chromatography 783(2003)287
- Hecker, M., Engelmann, S. and Cordwell, S.J.
Proteomics of *Staphylococcus aureus*—current state and future challenges (Review) 787(2003)179
- Hedeland, M., see Lampinen, M. 789(2003)347
- Heidbreder, C., see Shah, A.J. 781(2002)151
- Heine, C., see Liepke, C. 791(2003)345
- Heine, G., Zucht, H.-D., Schuhmann, M.U., Bürger, K., Jürgens, M., Zumkeller, M., Schneekloth, C.G., Hampel, H., Schulz-Knappe, P. and Selle, H.
High-resolution peptide mapping of cerebrospinal fluid: a novel concept for diagnosis and research in central nervous system diseases 782(2002)353
- Heinemann, U., Blaschke, G. and Knebel, N.
Simultaneous enantioselective separation of azelastine and three of its metabolites for the investigation of the enantiomeric metabolism in rats. I. Liquid chromatography–ionspray tandem mass spectrometry and electrokinetic capillary chromatography 793(2003)389
- Heinig, K. and Bucheli, F.
Ultra-fast quantitative bioanalysis of a pharmaceutical compound using liquid chromatography–tandem mass spectrometry 795(2003)337
- Heinrich-Ramm, R., Mindt-Prüfert, S. and Szadkowski, D.
Arsenic species excretion after controlled seafood consumption 778(2002)263
- Heinz, C., Karosi, S. and Niederweis, M.
High-level expression of the mycobacterial porin MspA in *Escherichia coli* and purification of the recombinant protein 790(2003)337
- Heldin, E., see Amirkhani, A. 780(2002)381
- Helene Garde, A., see Jönsson, B.A.G. 784(2003)63
- Helleberg, H., see Törnqvist, M. 778(2002)279
- Hembach, P., see Zuo, X. 782(2002)253
- Hempelmann, G., see Mühling, J. 789(2003)383
- Henderson, B., see Maguire, M. 786(2003)117
- Hendrich, S.
Bioavailability of isoflavones 777(2002)203
- Hendrickson, H.P., Gurley, B.J. and Wessinger, W.D.
Determination of dextromethorphan and its metabolites in rat serum by liquid–liquid extraction and liquid chromatography with fluorescence detection 788(2003)261
- Henion, J., see Barbarin, N. 783(2003)73
- Henneré, G., Becher, F., Pruvost, A., Goujard, C., Grassi, J. and Benech, H.
Liquid chromatography–tandem mass spectrometry assays for intracellular deoxyribonucleotide triphosphate competitors of nucleoside antiretrovirals 789(2003)273
- Heon Lee, J., see Shin, H.-S. 783(2003)125
- Hermle, L., see Buechler, J. 793(2003)207
- Hernández, L., see Rossell, S. 784(2003)385
- Hernandez, M., see Long, Y.H. 784(2003)255
- Hernandez, S.C., see Jozwiak, K. 797(2003)373
- Hernychová, L., see Hubálek, M. 787(2003)149
- Hervé, F., d'Athis, P., Tremblay, D., Tillement, J.-P. and Barré, J.
Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283
- Hesse, F.-J., see Toennes, S.W. 792(2003)345
- Hesse, J., Wechselberger, C., Sonnleitner, M., Schindler, H. and Schütz, G.J.
Single-molecule reader for proteomics and genomics (Review) 782(2002)127
- Hewavitharana, A.K. and Bruce, H.L.
Simultaneous determination of creatinine and pseudouridine concentrations in bovine plasma by reversed-phase liquid chromatography with photodiode array detection 784(2003)275
- Heyerick, A., see Maubach, J. 784(2003)137
- Hidalgo, M., see Zhao, M. 793(2003)413
- Hiemke, C., see Sachse, J. 784(2003)405
- Higashi, Y. and Fujii, Y.
Liquid chromatographic determination of 1-adamantanamine and 2-adamantanamine in human plasma after pre-column derivatization with *o*-phthalaldehyde and 1-thio- β -D-glucose 799(2004)349
- Hiki, Y., see Nakamura, I. 776(2002)101
- Hilbrig, F. and Freitag, R.
Continuous annular chromatography (Review) 790(2003)1
- Hilbrig, F. and Freitag, R.
Protein purification by affinity precipitation (Review) 790(2003)79
- Hilderbrand, A.E., see Lee, Y.J. 782(2002)343
- Hillebrand, S., see Delmar Cantú, M. 799(2004)127
- Hirano, S., see Shigematsu, Y. 776(2002)39
- Hirano, S., see Shigematsu, Y. 792(2003)63
- Hirayama, C. and Sakata, M.
Chromatographic removal of endotoxin from protein solutions by polymer particles (Review) 781(2002)419
- Hirose, S., see Shinka, T. 776(2002)57
- Hirose, S., see Shinka, T. 792(2003)99
- Hirose, Y., see Hori, Y. 776(2002)191
- Hisamitsu, H., see Miyazaki, A. 792(2003)23
- Hishinuma, T., see Suzuki, N. 783(2003)383
- Ho, J.W., see Song, J.Z. 789(2003)303
- Ho, F.-L., see Tseng, W.-C. 791(2003)263
- Ho, H.-O., see Sheu, M.-T. 791(2003)255
- Hoaglund-Hyzer, C.S., see Lee, Y.J. 782(2002)343
- Hochhaus, G., see Persky, A.M. 794(2003)157
- Hodge, C.C., see Silva, M.J. 789(2003)393
- Hoellinger, H., Re, M., Deroussent, A., Singh, R.P. and Cresteil, T.
Quantitative liquid chromatographic determination of sanguinarine in cell culture medium and in rat urine and plasma 799(2004)195
- Hofmann, U., Schwab, M., Seefried, S., Marx, C., Zanger, U.M., Eichelbaum, M. and Mürdter, T.E.
Sensitive method for the quantification of urinary pyrimidine metabolites in healthy adults by gas chromatography–tandem mass spectrometry 791(2003)371
- Hoffer, L., see Josic, D. 790(2003)183

- Hofland, C.M., see van Hout, M.W.J. 794(2003)185
- Hohlfeld, J.M., see Tsikas, D. 794(2003)237
- Hoidal, J.R., see Liu, X. 785(2003)101
- Hoikkala, A., see Raffaelli, B. 777(2002)29
- Hokari, S., see Matsunaga, T. 781(2002)331
- Høiland, K., see Brondz, I. 800(2004)303
- Hollar, S., see Bu, W. 783(2003)411
- Hollender, J., see Sandner, F. 780(2002)225
- Hollósy, F., see Dobos, Zs. 799(2004)179
- Hollósy, F., Seprődi, J., Örfi, L., Erős, D., Kéri, G. and Idei, M.
Evaluation of lipophilicity and antitumour activity of parallel carboxamide libraries 780(2002)355
- Holm, A., Molander, P., Lundanes, E., Øvrebø, S. and Greibrokk, T.
Fast and sensitive determination of urinary 1-hydroxypyrene by packed capillary column switching liquid chromatography coupled to micro-electrospray time-of-flight mass spectrometry 794(2003)175
- Holmes, E.W., see Farhadi, A. 784(2003)145
- Hölzl, G., see Berger, B. 782(2002)89
- Hölzl, G., see Walcher, W. 782(2002)111
- Honda, M., see Hori, Y. 776(2002)191
- Honma, S., see Mitamura, K. 796(2003)121
- Hooghuis, H., see Ramos, M. 789(2003)373
- Hoogmartens, J., see Dehouck, P. 794(2003)293
- Hoogmartens, J., see Long, Y.H. 784(2003)255
- Hooijschuur, E.W.J., see Remmerie, B.M.M. 783(2003)461
- Horák, D., see Španová, A. 800(2004)27
- Hori, Y., Fujisawa, M., Shimada, K., Sato, M., Honda, M. and Hirose, Y.
Enantioselective analysis of glufosinate using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase liquid chromatography 776(2002)191
- Horiguchi, T., see Obata, T. 792(2003)131
- Horimoto, S., see Wang, H. 779(2002)173
- Horiuchi, S., see Nagai, R. 788(2003)75
- Hoshino, E., see Kashimura, K. 791(2003)13
- Hosotani, K. and Kitagawa, M.
Improved simultaneous determination method of β -carotene and retinol with saponification in human serum and rat liver 791(2003)305
- Hotta, K., see Igarashi, K. 792(2003)55
- Houghton, E., see Dumasia, M.C. 788(2003)297
- Houle, R., see Lévesque, J.-F. 780(2002)145
- Houle, R., see Lévesque, J.-F. 787(2003)427
- Hoyo-Vadillo, C., see González, H.M. 780(2002)459
- Hrubý, M., see Rittich, B. 800(2004)169
- Hsia, A., see Sheu, M.-T. 791(2003)255
- Hsieh, J.Y.-K., see Musson, D.G. 779(2002)341
- Hsieh, J.Y.K., see Musson, D.G. 783(2003)1
- Hsieh, Y., see Wang, G. 780(2002)451
- Hsiong, C.-H., see Wang, C.-J. 796(2003)283
- Hu, K. and Morris, M.E.
Determination of α -naphthylisothiocyanate and metabolites α -naphthylamine and α -naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17
- Hu, O.Y.-P., see Wang, C.-J. 796(2003)283
- Hu, P., see Wang, H. 779(2002)173
- Hu, X.-L., see Wang, R. 785(2003)353
- Huang, B., see Chen, X. 784(2003)17
- Huang, D., Zhang, Y. and Chen, X.
Analysis of intracellular nucleoside triphosphate levels in normal and tumor cell lines by high-performance liquid chromatography 784(2003)101
- Huang, J.-F., see Liu, Z.-J. 793(2003)405
- Huang, W., see Smith, C.J. 778(2002)157
- Huang, W.-S., Lin, S.-J., Wu, H.L. and Chen, S.-H.
Simultaneous determination of theophylline and dyphylline by micellar electrokinetic chromatography and application in drug formulations 795(2003)329
- Huang, X., see Luo, Q. 776(2002)139
- Huang, Y., Zurlinden, E., Lin, E., Li, X., Tokumoto, J., Golden, J., Murr, A., Engstrom, J. and Conte Jr., J.
Liquid chromatographic–tandem mass spectrometric assay for the simultaneous determination of didanosine and stavudine in human plasma, bronchoalveolar lavage fluid, alveolar cells, peripheral blood mononuclear cells, seminal plasma, cerebrospinal fluid and tonsil tissue 799(2004)51
- Huang, Z. and Zhang, S.
Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography–mass spectrometry after immunoassay screening 792(2003)241
- Huart, J.-J., see Radosevich, M. 790(2003)199
- Hubálek, M., Hernychová, L., Havlasová, J., Kasalová, I., Neubauerová, V., Stulík, J., Macela, A., Lundqvist, M. and Larsson, P.
Towards proteome database of *Francisella tularensis* (Review) 787(2003)149
- Hubbard, J.W., see Mosier, K.E. 783(2003)377
- Huber, C.G., Lubman, D.M. and Oefner, P.J.
Preface 782(2002)1
- Huber, C.G., see Berger, B. 782(2002)89
- Huber, C.G., see Oefner, P.J. 782(2002)27
- Huber, C.G., see Walcher, W. 782(2002)111
- Hubert, Ph., see Christiaens, B. 795(2003)73
- Huck, C.W., see Pirker, R. 777(2002)147
- Huestis, M.A., see Gustafson, R.A. 798(2003)145
- Huetos Hidalgo, O., Jiménez López, M., Ajenjo Carazo, E., San Andrés Larrea, M. and Reuvers, T.B.A.
Determination of dexamethasone in urine by gas chromatography with negative chemical ionization mass spectrometry 788(2003)137
- Hughes, P.M., see Koeberle, M.J. 787(2003)313
- Huitema, A.D.R., see Kappelhoff, B.S. 792(2003)353
- Humbert, P., see Leveque, N. 780(2002)119
- Humpf, H.-U., see Seefelder, W. 780(2002)137
- Hundt, A.F., see Wiesner, J.L. 785(2003)115
- Hundt, A.F., see Wiesner, J.L. 788(2003)361
- Hundt, H.K.L., see Wiesner, J.L. 785(2003)115
- Hundt, H.K.L., see Wiesner, J.L. 788(2003)361
- Hung, T.-Y., Davis, T.M.E. and Ilett, K.F.
Measurement of piperazine in plasma by liquid chromatography with ultraviolet absorbance detection 791(2003)93
- Hunter, R.P., Koch, D.E., Mutlow, A. and Isaza, R.
Extraction and quantitation of carfentanil and naltrexone in goat plasma with liquid chromatography–mass spectrometry 793(2003)351
- Hunter, T.C., Andon, N.L., Koller, A., Yates III, J.R. and Haynes, P.A.
The functional proteomics toolbox: methods and applications (Review) 782(2002)165
- Huppertz, B., see Gauchel, G. 787(2003)271
- Hury, D., see Kerns, E.H. 791(2003)381
- Hušek, P., Matucha, P., Vráňková, A. and Šimek, P.
Simple plasma work-up for a fast chromatographic analysis of homocysteine, cysteine, methionine and aromatic amino acids 789(2003)311
- Hušková, R., Barták, P., Čáp, L., Friedecký, D. and Adam, T.
Analytical derivatization—a tool for determination of orotic acid 799(2004)303
- Hutchinson, M.R., see Menelaou, A. 785(2003)81
- Hutson, P.R., Crawford, M.E. and Sorkness, R.L.
Liquid chromatographic determination of hydroxyproline in tissue samples 791(2003)427
- Hutta, M., see Mišl'ánová, C. 797(2003)91
- Huynh, H., see Li, J. 799(2004)311
- Hvattum, E., see Brondz, I. 800(2004)211
- Hyde, W., see Dumasia, M.C. 788(2003)297

- I**
- Iacono, L.C., see Bai, F. 784(2003)225
- Iacoviello, L., see Del Boccio, P. 785(2003)47
- Iadarola, M.J., see Mannes, A.J. 780(2002)475
- Ibáñez, M^aJ., see Bermejo, R. 790(2003)317
- Ibarra, N., see González, Y. 784(2003)183
- Ichida, S., see Minami, T. 779(2002)211
- Ichida, S., see Minami, T. 781(2002)303
- Ichinomiya, M., see Sato, K. 790(2003)277
- Idei, M., see Dobos, Zs. 799(2004)179
- Idei, M., see Hollósy, F. 780(2002)355
- Idrees, J., see Salem, I.I. 799(2004)103
- Ifa, D.R., see Jabor, V.A.P. 796(2003)429
- Igarashi, K., Hotta, K., Kasuya, F., Abe, K. and Sakoda, S.
Determination of cabergoline and L-dopa in human plasma using liquid chromatography–tandem mass spectrometry 792(2003)55
- Igarashi, Y., Lee, M.Y. and Matsuzaki, S.
Acid phosphatases as markers of bone metabolism
(Review) 781(2002)345
- Iida, T., see Imai, K. 780(2002)1
- Ijiri, I., see Jamal, M. 798(2003)155
- Ikawa, H., see Inoue, Y. 792(2003)89
- Ike, J., see Dale, Y. 788(2003)1
- Ikeda, N., see Kudo, K. 791(2003)171
- Ikeda, T., see Koyama, R. 792(2003)5
- Ikeda, T., see Nakanishi, T. 776(2002)89
- Ikegami, Y., see Sano, K. 795(2003)25
- Ilett, K.F., see Hung, T.-Y. 791(2003)93
- Ilett, K.F., see Page-Sharp, M. 796(2003)173
- Imai, K., Iida, T., Takano, Y. and Uozumi, N.
Membrane-bound heparin binding proteins from HL-60 cells purified in a two-step affinity chromatography differentially eluted with divalent cations 780(2002)1
- Imbriani, M., Negri, S., Ghittori, S. and Maestri, L.
Measurement of urinary *N*-acetyl-*S*-(*N*-methylcarbamoyl)cysteine by high-performance liquid chromatography with direct ultraviolet detection 778(2002)231
- Inagaki, S., see Esaka, Y. 797(2003)321
- Incedon, B., see Polson, C. 785(2003)263
- Ino, Y., see Shibusawa, Y. 793(2003)275
- Inoue, H., see Tsuruta, Y. 788(2003)401
- Inoue, K., Kawaguchi, M., Funakoshi, Y. and Nakazawa, H.
Size-exclusion flow extraction of bisphenol A in human urine for liquid chromatography–mass spectrometry 798(2003)17
- Inoue, K., Namiki, T., Iwasaki, Y., Yoshimura, Y. and Nakazawa, H.
Determination of uric acid in human saliva by high-performance liquid chromatography with amperometric electrochemical detection 785(2003)57
- Inoue, K., see Kawaguchi, M. 799(2004)119
- Inoue, Y. and Kuhara, T.
Rapid and sensitive method for prenatal diagnosis of propionic acidemia using stable isotope dilution gas chromatography–mass spectrometry and urease pretreatment 776(2002)71
- Inoue, Y., Masuyama, H., Ikawa, H., Mitsubuchi, H. and Kuhara, T.
Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89
- Inoue, Y., see Shinka, T. 776(2002)57
- Inoue, Y., see Shinka, T. 776(2002)65
- Inoue, Y., see Yasui-Furukori, N. 789(2003)239
- Iqbal, T., Karyekar, C.S., Kinjo, M., Ngan, G.C. and Dowling, T.C.
Validation of a simplified method for determination of cimetidine in human plasma and urine by liquid chromatography with ultraviolet detection 799(2004)337
- Ireland, M.M.E., see Karty, J.A. 782(2002)363
- Isaza, R., see Hunter, R.P. 793(2003)351
- Isbell, M.A., see Nithipatikom, K. 785(2003)135
- Ishibashi, M., see Kikura-Hanajiri, R. 789(2003)139
- Ishibashi, T., see Niino, T. 780(2002)35
- Ishida, M., see Shibata, N. 789(2003)211
- Ishiguro, H., see Ivandini, T.A. 791(2003)63
- Ishii, A., see Arinobu, T. 776(2002)107
- Ishii, A., Tanaka, M., Kurihara, R., Watanabe-Suzuki, K., Kumazawa, T., Seno, H., Suzuki, O. and Katsumata, Y.
Sensitive determination of pethidine in body fluids by gas chromatography–tandem mass spectrometry 792(2003)117
- Ishii, A., Watanabe-Suzuki, K., Seno, H., Suzuki, O. and Katsumata, Y.
Application of gas chromatography–surface ionization organic mass spectrometry to forensic toxicology 776(2002)3
- Ishii, K., Furuta, T. and Kasuya, Y.
High-performance liquid chromatographic determination of quercetin in human plasma and urine utilizing solid-phase extraction and ultraviolet detection 794(2003)49
- Ishikawa, T., see Sano, K. 795(2003)25
- Ishiwata, H., see Niino, T. 780(2002)35
- Ismaili, L., André, C., Nicod, L., Truong, T.T., Millet, J., Thomassin, M., Cavalli, E., Chaumont, J.P., Xicluna, A. and Guillaume, Y.C.
Triazine–human serum albumin association: thermodynamic approach and sodium effect 780(2002)467
- Ismaili, L., see Guillaume, Y. 798(2003)217
- Isobe, T., see Kaji, H. 787(2003)91
- Isogashi, F., see Okamoto, K. 790(2003)349
- Isogashi, F., see Okamoto, K. 797(2003)367
- Isogashi, F., see Suematsu, N. 790(2003)239
- Isoherranen, N., Yagen, B., Spiegelstein, O., Steinman, A., Finnell, R.H. and Bialer, M.
Gas chromatographic determination of novel valproyl taurinamide derivatives in mouse and dog plasma 788(2003)125
- Issaq, H.J., see Janini, G.M. 787(2003)43
- Itho, T., see Niino, T. 780(2002)35
- Ito, A., see Shinka, T. 776(2002)57
- Ito, R., see Kawaguchi, M. 799(2004)119
- Ito, T., see Kuhara, T. 792(2003)107
- Ito, Y., see Shibusawa, Y. 776(2002)183
- Ito, Y., see Shibusawa, Y. 793(2003)275
- Ito, Y., see Shibusawa, Y. 799(2004)239
- Itoh, Y., see Teshima, D. 780(2002)21
- Ivancsits, S., see Pilger, A. 778(2002)393
- Ivandini, T.A., Sarada, B.V., Terashima, C., Rao, T.N., Tryk, D.A., Ishiguro, H., Kubota, Y. and Fujishima, A.
Gradient liquid chromatography of leucine-enkephalin peptide and its metabolites with electrochemical detection using highly boron-doped diamond electrode 791(2003)63
- Ivanovic, D., Medenica, M., Jancic, B. and Malenovic, A.
Reversed-phase liquid chromatography analysis of imatinib mesylate and impurity product in Glivec[®] capsules 800(2004)253
- Ivanovic, I., see Zivanovic, L. 800(2004)175
- Iversen, L.F., see Pedersen, A.K. 799(2004)1
- Iwai, M., see Arinobu, T. 776(2002)107
- Iwasaki, Y., see Inoue, K. 785(2003)57
- Iwase, H., see Nakamura, I. 776(2002)101
- Iwase, M., see Ueyama, J. 798(2003)35
- Izquierdo-Hornillos, R. and Gonzalo-Lumbreras, R.
Optimization of the separation of a complex mixture of natural and synthetic anabolic steroids by micellar liquid chromatography 798(2003)69
- Izquierdo-Hornillos, R., see Gonzalo-Lumbreras, R. 794(2003)215
- Izumi, S.-i., see Kawaguchi, M. 799(2004)119

J

- Jabor, V.A.P., Coelho, E.B., Ifa, D.R., Bonato, P.S., dos Santos, N.A.G. and Lanchote, V.L.
Enantioselective determination of lercanidipine in human plasma for pharmacokinetic studies by normal-phase liquid chromatography–tandem mass spectrometry 796(2003)429
- Jacob, J. and Seidel, A.
Biomonitoring of polycyclic aromatic hydrocarbons in human urine (Review) 778(2002)31
- Jacques, P., see Delcarte, J. 786(2003)229
- Jacquot, Y., see André, C. 796(2003)267
- Jakobs, C., see Schor, D.S.M. 780(2002)199
- Jamal, M., Ameno, K., Kumihashi, M., Ameno, S., Kubota, T., Wang, W. and Ijiri, I.
Microdialysis for the determination of acetaldehyde and ethanol concentrations in the striatum of freely moving rats 798(2003)155
- James, C.A., see Breda, M. 794(2003)167
- Janča, J., Ananieva, I.A., Menshikova, A.Yu. and Evseeva, T.G.
Micro-thermal focusing field-flow fractionation 800(2004)33
- Jancic, B., see Ivanovic, D. 800(2004)253
- Jang, I.-J., see Cho, J.-Y. 784(2003)25
- Jang, I.J., see Cho, J.Y. 795(2003)179
- Janini, G.M., Conrads, T.P., Veenstra, T.D. and Issaq, H.J.
Development of a two-dimensional protein–peptide separation protocol for comprehensive proteome measurements (Review) 787(2003)43
- Janka-Schaub, G., see Erb, N. 796(2003)87
- Janket, D., see Meger, M. 778(2002)251
- Janoly, A., Bleyzac, N., Favetta, P., Gagneu, M.C., Bourhis, Y., Coudray, S., Oger, I. and Aulagner, G.
Simple and rapid high-performance liquid chromatographic method for nelfinavir, M8 nelfinavir metabolite, ritonavir and saquinavir assay in plasma 780(2002)155
- Janssen, H.-G., see Pham-Tuan, H. 789(2003)283
- Jansson, Å., Gustafsson, L.L. and Mirghani, R.A.
High-performance liquid chromatographic method for the determination of quinine and 3-hydroxyquinine in blood samples dried on filter paper 795(2003)151
- Jansson, B., Simonsson, U.S.H. and Ashton, M.
Simultaneous enantiospecific separation and quantitation of mephennitoine and its metabolites nirvanol and 4'-hydroxymephennitoine in human plasma by liquid chromatography 791(2003)179
- Jara-Pérez, V., see Andujar-Sánchez, M. 783(2003)247
- Jardines, D., Correa, T., Ledea, O., Zamora, Z., Rosado, A. and Molerio, J.
Gas chromatography–mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517
- Jarrett, H.W., see Moxley, R.A. 797(2003)269
- Jarry, C., see Garay Garcia, L. 795(2003)257
- Jarukamjorn, K., see Razzazi-Fazeli, E. 796(2003)21
- Jauberteau, M.O., see Lautrette, C. 791(2003)149
- Jayaraman, P.-S., see Butcher, A.J. 786(2003)3
- Jedličková, V., Paluch, Z. and Alušik, Š.
Determination of nitrate and nitrite by high-performance liquid chromatography in human plasma 780(2002)193
- Jefferson, W.N., Padilla-Banks, E., Clark, G. and Newbold, R.R.
Assessing estrogenic activity of phytochemicals using transcriptional activation and immature mouse uterotropic responses 777(2002)179
- Jelínková, P., see Liberda, J. 780(2002)231
- Jemal, M., Rao, S., Gatz, M. and Whigan, D.
Liquid chromatography–tandem mass spectrometric quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human peripheral blood mononuclear cells (PBMC): practical approaches to PBMC preparation and PBMC assay design for high-throughput analysis 795(2003)273
- Jemal, M., see Schuster, A. 788(2003)377
- Jen, J.-F., see Cheng, F.-C. 781(2002)481
- Jenke, A., see Schleyer, E. 799(2004)23
- Jenkins, D.J.A., see Rosenberg Zand, R.S. 777(2002)219
- Jeong, T.-J., see Cho, H.-Y. 798(2003)257
- Jeppsson, J.-O., see Li, Y. 776(2002)149
- Jespersen, S., see Loke, M.-L. 783(2003)11
- Jesús Norberto, M., see LLerena, A. 783(2003)25
- Jezierska-Świtała, M., see Buszewski, B. 792(2003)279
- Ji, H.Y., see Lee, H.W. 796(2003)395
- Jia, Z.-P., see Ma, J. 796(2003)195
- Jia, Z.-P., see Wang, R. 785(2003)353
- Jiang, G., see Shi, G. 785(2003)361
- Jiang, J., see Wang, H. 779(2002)173
- Jiang, N.-X., see Ma, J. 796(2003)195
- Jiang, X., see Chen, J. 785(2003)197
- Jiang, Y., Zhang, Y. and Zhang, Z.R.
Simultaneous determination of *N*-butyramide-tacrine and tacrine in mouse plasma and brain homogenate by high-performance liquid chromatography with a simple gradient solvent system 791(2003)285
- Jim Yeung, S.-C., see Gonzales, J. 776(2002)177
- Jiménez López, M., see Huetos Hidalgo, O. 788(2003)137
- Jiménez, C., see Ventura, R. 795(2003)167
- Jin, J., see Zhang, W. 785(2003)327
- Jin, J., see Zhang, W. 791(2003)217
- Jin, L., see Zhang, W. 785(2003)175
- Jin, L., see Zhang, W. 791(2003)217
- Jin, W., see He, Z. 784(2003)343
- Jin, W., see Liu, D. 783(2003)509
- Jin, W., see Liu, D. 789(2003)411
- Jin, W., see Wang, W. 789(2003)425
- Jin, W., see Wang, W. 798(2003)175
- Jin, W., see Weng, Q. 779(2002)347
- Jin, X., see Melikian, A.A. 778(2002)211
- Johansson, M., see Lindholm, J. 791(2003)323
- Johnson, D.W., see Atcheson, B. 799(2004)157
- Johnson, D.W., Trinh, M.-U. and Oe, T.
Measurement of plasma pristanic, phytanic and very long chain fatty acids by liquid chromatography–electrospray tandem mass spectrometry for the diagnosis of peroxisomal disorders 798(2003)159
- Johnson, J.L., Ahmad, A., Khan, S., Wang, Y.-F., Abu-Qare, A.W., Ayoub, J.E., Zhang, A. and Ahmad, I.
Improved liquid chromatographic method for mitoxantrone quantification in mouse plasma and tissues to study the pharmacokinetics of a liposome entrapped mitoxantrone formulation 799(2004)149
- Johnston, B., see Bai, F. 784(2003)225
- Jonáková, V., see Liberda, J. 780(2002)231
- Jonas, G., see Preusser, A. 786(2003)39
- Jonat, W., see Arnold, N. 782(2002)99
- Jones, D.R., see Lee, K.-H. 791(2003)245
- Jönhagen, M.E., see Bohnstedt, K.C. 796(2003)11
- Jönsson, B.A.G., Malmberg, B., Amilon, A., Helene Garde, A. and Ørbæk, P.
Determination of cortisol in human saliva using liquid chromatography–electrospray tandem mass spectrometry 784(2003)63
- Jörg Leis, H., Windischhofer, W., Rechberger, G.N. and Fauler, G.
Synthesis of [¹⁸O₂]valproic acid and its use as an internal standard for the quantitative measurement by gas chromatography–electron ionization mass spectrometry 784(2003)69
- Jörntén-Karlsson, M., see Li, Y. 776(2002)149
- Josefa Serrano-Vega, M., Venegas-Calerón, M., Garcés, R. and Martínez-Force, E.
Cloning and expression of fatty acids biosynthesis key enzymes from sunflower (*Helianthus annuus* L.) in *Escherichia coli* 786(2003)221
- Josefsson, M., Kronstrand, R., Andersson, J. and Roman, M.
Evaluation of electrospray ionisation liquid chromatography–tandem mass spectrometry for rational determination of a number of

- neuroleptics and their major metabolites in human body fluids and tissues 789(2003)151
- Josic, D., Hoffer, L. and Buchacher, A.
Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C
(Review) 790(2003)183
- Josic, D., see Branović, K. 790(2003)175
- Joukhadar, C., see Buerger, C. 796(2003)155
- Jourdan, E., see Slama, I. 795(2003)115
- Jourdil, N., Bessard, J., Vincent, F., Eysseric, H. and Bessard, G.
Automated solid-phase extraction and liquid chromatography–electrospray ionization–mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207
- Jozwiak, K., Hernandez, S.C., Kellar, K.J. and Wainer, I.W.
Enantioselective interactions of dextromethorphan and levomethorphan with the $\alpha 3\beta 4$ -nicotinic acetylcholine receptor: comparison of chromatographic and functional data 797(2003)373
- Juárez Olguín, H., see Flores Pérez, C. 795(2003)141
- Judson, I., see Asad, Y. 785(2003)175
- Jukes, R., see Anderton, M.J. 787(2003)281
- Juliano, M.A., see Pelegrini-da-Silva, A. 780(2002)301
- Jullien, V., Tréluyer, J.-M., Pons, G. and Rey, E.
Determination of tenofovir in human plasma by high-performance liquid chromatography with spectrofluorimetric detection 785(2003)377
- Jun, F., see Sato, K. 790(2003)277
- Jung, J., see Muth, A. 792(2003)269
- Jungbauer, A. and Beck, V.
Yeast reporter system for rapid determination of estrogenic activity 777(2002)167
- Jungbauer, A., see Hahn, R. 790(2003)35
- Jungbauer, A., see Hahn, R. 790(2003)99
- Jungbauer, A., see Pedersen, L. 790(2003)161
- Jungvid, H., see Li, Y. 776(2002)149
- Juntunen, L., see Lampi, A.-M. 777(2002)83
- Jürgens, M., see Heine, G. 782(2002)353
- Justesen, U.S., Pedersen, C. and Klitgaard, N.A.
Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491
- Kadioglu, Y.(Yaşar), see Yılmaz, B. 791(2003)103
- Kafatos, A., see Tsaropoulos, A. 785(2003)157
- Käfferlein, H.U. see Angerer, J. 778(2002)1
- Kageoka, T., see Kanemitsu, F. 783(2003)191
- Kaji, H. and Isobe, T.
Protein database of *Caenorhabditis elegans* (Review) 787(2003)91
- Kajita, M., see Kimura, M. 792(2003)141
- Kajita, M., see Tsukushi, S. 776(2002)133
- Takehi, K., Kinoshita, M. and Yasueda, S.-i.
Hyaluronic acid: separation and biological implications 797(2003)347
- Kakinoki, S., see Machida, M. 798(2003)187
- Kakinuma, H., see Shinka, T. 776(2002)65
- Kallio, A., see Valkonen, S. 778(2002)419
- Kaleja, M.
Preface 786(2003)1
- Kalthoff, C.
A novel strategy for the purification of recombinantly expressed unstructured protein domains 786(2003)247
- Kamanikom, B., see Hanpitakpong, W. 788(2003)221
- Kamata, T., Nishikawa, M., Katagi, M. and Tsuchihashi, H.
Optimized glucuronide hydrolysis for the detection of psilocin in human urine samples 796(2003)421
- Kamentsev, J.S., see Komarova, N.V. 800(2004)135
- Kamimori, H., see Sano, M. 794(2003)149
- Kamionka, T., see Suck, R. 787(2003)357
- Kanemitsu, F., Kageoka, T. and Kira, S.
Mitochondrial creatine kinase with atypical pI values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191
- Kaniwa, N., see Kikura-Hanajiri, R. 789(2003)139
- Kankaanpää, H., see Karlsson, K. 784(2003)243
- Kantesaria, B., see Yang, L. 792(2003)229
- Kantelip, J.P., see Leveque, N. 780(2002)119
- Kapinus, E.N., Revelsky, I.A., Ulogov, V.O. and Lyalikov, Yu.A.
Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321
- Kaplan, B., Cojocar, M., Unsworth, E., Knecht, A. and Martin, B.M.
Search for peptidic “middle molecules” in uremic sera: isolation and chemical identification of fibrinogen fragments 796(2003)141
- Kappelhoff, B.S., Rosing, H., Huitema, A.D.R. and Beijnen, J.H.
Simple and rapid method for the simultaneous determination of the non-nucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma using liquid chromatography 792(2003)353
- Karamanos, N.K., see Lamari, F.N. 781(2002)3
- Karamanos, N.K., see Lamari, F.N. 793(2003)15
- Karamanos, N.K., see Vynios, D.H. 781(2002)21
- Kardel, B., see Tarbah, F. 789(2003)115
- Karjalainen, U., see Vuorensola, K. 788(2003)277
- Karlberg, B., see Bohnstedt, K.C. 796(2003)11
- Karlberg, B., see Brunnkvist, H. 793(2003)343
- Karlsen, A., Alexander, G., Blomhoff, R. and Gundersen, T.E.
Capillary high-performance liquid chromatographic determination of lutein and zeaxanthin in aqueous humor from a single mouse eye 795(2003)17
- Karlsson, K., Sipä, V., Kankaanpää, H. and Meriluoto, J.
Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders 784(2003)243
- Karosi, S., see Heinz, C. 790(2003)337
- Karow, D., see Arnold, N. 782(2002)99
- Karttunen, A., see Sirén, H. 783(2003)113
- Karty, J.A., Ireland, M.M.E., Brun, Y.V. and Reilly, J.P.
Artifacts and unassigned masses encountered in peptide mass mapping 782(2002)363
- Karyekar, C.S., see Iqbal, T. 799(2004)337
- Kasalová, I., see Hubálek, M. 787(2003)149

K

- Kasche, V., de Boer, M., Lazo, C. and Gad, M.
Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115
- Kase, Y., see Obata, T. 792(2003)131
- Kashimura, K., Mizushima, Y., Hoshino, E. and Matsubara, S.
Kinetic differentiation mode chromatography using 8-quinolinol and fluorimetric detection for sensitive determination of aluminum adhering to the gastric mucosa 791(2003)13
- Kashino, Y.
Separation methods in the analysis of protein membrane complexes 797(2003)191
- Kashuba, A.D.M., see Rezk, N.L. 791(2003)137
- Kaskavelis, L., see Pham-Tuan, H. 789(2003)283
- Kasuya, F., see Igarashi, K. 792(2003)55
- Kasuya, Y., see Ishii, K. 794(2003)49
- Kasuya, Y., see Suzuki, A. 794(2003)373
- Katagi, M., see Kamata, T. 796(2003)421
- Kataoka, M. and Seto, Y.
Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography–mass spectrometry after *tert*-butyldimethylsilylation 795(2003)123
- Kato, K., see Silva, M.J. 789(2003)393
- Kato, K., Shoda, S., Takahashi, M., Doi, N., Yoshimura, Y. and Nakazawa, H.
Determination of three phthalate metabolites in human urine using on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry 788(2003)407
- Katsumata, T., see Nakamura, I. 776(2002)101
- Katsumata, Y., see Ishii, A. 776(2002)3
- Katsumata, Y., see Ishii, A. 792(2003)117
- Kauert, G.F., see Toennes, S.W. 792(2003)345
- Kaufmann, R., see Bräutigam, L. 798(2003)223
- Kauth, C.W., see Epp, C. 786(2003)61
- Kawabata, M., see Sato, K. 790(2003)277
- Kawaguchi, M., Inoue, K., Sakui, N., Ito, R., Izumi, S.-i., Makino, T., Okanouchi, N. and Nakazawa, H.
Stir bar sorptive extraction and thermal desorption–gas chromatography–mass spectrometry for the measurement of 4-nonylphenol and 4-*tert*-octylphenol in human biological samples 799(2004)119
- Kawaguchi, M., see Inoue, K. 798(2003)17
- Kawai, T., Saito, K. and Lee, W.
Protein binding to polymer brush, based on ion-exchange, hydrophobic, and affinity interactions 790(2003)131
- Kawakami, T., Nagata, T., Muraguchi, A. and Nishimura, T.
Proteomic approach to apoptotic thymus maturation 787(2003)223
- Kawano, S.-i., Murakita, H., Yamamoto, E. and Asakawa, N.
Direct analysis of drugs in plasma by column-switching liquid chromatography–mass spectrometry using a methylcellulose-immobilized reversed-phase pretreatment column 792(2003)49
- Kay, J.E., see Pemberton, T.J. 786(2003)81
- Kayali-Sayadi, M.N., Bautista, J.M., Polo-Díez, L.M. and Salazar, I.
Identification of pheromones in mouse urine by head-space solid phase microextraction followed by gas chromatography–mass spectrometry 796(2003)55
- Kays, M.B., see Overholser, B.R. 798(2003)167
- Keefer, L.K., see Xu, X. 780(2002)315
- Keevil, B.G., Lockhart, S.J. and Cooper, D.P.
Determination of tobramycin in serum using liquid chromatography–tandem mass spectrometry and comparison with a fluorescence polarisation assay 794(2003)329
- Keinänen, M.M., Korhonen, L.K., Martikainen, P.J., Vartiainen, T., Miettinen, I.T., Lehtola, M.J., Nenonen, K., Pajunen, H. and Kontro, M.H.
Gas chromatographic–mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443
- Keith, B., Xu, Y. and Grem, J.L.
Measurement of the anti-cancer agent gemcitabine in human plasma by high-performance liquid chromatography 785(2003)65
- Kellar, K.J., see Jozwiak, K. 797(2003)373
- Keller, B.O., Wang, Z. and Li, L.
Low-mass proteome analysis based on liquid chromatography fractionation, nanoliter protein concentration/digestion, and microspot matrix-assisted laser desorption ionization mass spectrometry 782(2002)317
- Keller, J., see Mannes, A.J. 780(2002)475
- Keller, R., see Gauchel, G. 787(2003)271
- Kemper, E.M., Ouwehand, M., Beijnen, J.H. and van Tellingen, O.
Bioanalysis of zosuquidar trihydrochloride (LY335979) in small volumes of human and murine plasma by ion–pairing reversed-phase high-performance liquid chromatography 798(2003)63
- Kemppainen, B.W., see El-Kholy, H. 796(2003)371
- Kenndler, E., see Mandrioli, R. 783(2003)253
- Kennedy, D.G., see Yakkundi, S. 788(2003)29
- Kéri, G., see Hollósy, F. 780(2002)355
- Kéri, Gy., see Dobos, Zs. 799(2004)179
- Kern, J.R., see Alexander, M.S. 785(2003)253
- Kerns, E.H., Di, L., Petusky, S., Kleintop, T., Huryn, D., McConnell, O. and Carter, G.
Pharmaceutical profiling method for lipophilicity and integrity using liquid chromatography–mass spectrometry 791(2003)381
- Keshavarzian, A., see Farhadi, A. 784(2003)145
- Kestell, P., see Zhou, S. 776(2002)231
- Kestell, P., see Zhou, S. 785(2003)165
- Kestelyn, P., see Sinnaeve, B.A. 785(2003)193
- Khalikova, E., Susi, P., Usanov, N. and Korpela, T.
Purification and properties of extracellular dextranase from a *Bacillus* sp. 796(2003)315
- Khan, S., see Guo, W. 791(2003)85
- Khan, S., see Johnson, J.L. 799(2004)149
- Kharasch, E.D., see Whittington, D. 796(2003)95
- Khoschsorur, G. and Erwa, W.
Liquid chromatographic method for simultaneous determination of mycophenolic acid and its phenol- and acylglucuronide metabolites in plasma 799(2004)355
- Khuahawar, M.Y. and Rajper, A.D.
Liquid chromatographic determination of γ -aminobutyric acid in cerebrospinal fluid using 2-hydroxynaphthaldehyde as derivatizing reagent 788(2003)413
- Kiesewetter, D.O., see Ma, Y. 780(2002)99
- Kietzmann, M., see Niedorf, F. 791(2003)421
- Kihara, T., see Minamino, N. 792(2003)33
- Kikura-Hanajiri, R., Kaniwa, N., Ishibashi, M., Makino, Y. and Kojima, S.
Liquid chromatographic–atmospheric pressure chemical ionization mass spectrometric analysis of opiates and metabolites in rat urine after inhalation of opium 789(2003)139
- Kim, E.J., see Bae, S.K. 794(2003)397
- Kim, H., Roh, H., Lee, H.J., Chung, S.Y., Choi, S.O., Lee, K.R. and Han, S.B.
Determination of phloroglucinol in human plasma by high-performance liquid chromatography–mass spectrometry 792(2003)307
- Kim, H., see Yoon, H.-R. 788(2003)85
- Kim, H.H., see Lee, H.W. 796(2003)395
- Kim, W.B., see Bae, S.K. 794(2003)397
- Kimura, M., Hasegawa, Y., Nakagawa, K., Kajita, M., Watanabe, K. and Yamaguchi, S.
A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography–mass spectrometry 792(2003)141
- Kimura, M., see Yoshino, M. 792(2003)73
- Kinebuchi, T., see Shibusawa, Y. 793(2003)275
- King, J.R., see Turner, M.L. 784(2003)331
- Kinjo, M., see Iqbal, T. 799(2004)337
- Kinoshita, M., see Kakehi, K. 797(2003)347

- Kinsella, J., see Talwar, D. 792(2003)333
- Kintz, P., see Cirimele, V. 789(2003)107
- Kintz, P., see Villain, M. 792(2003)83
- Kintz, P., see Marquet, P. 789(2003)1
- Kintz, P., see Villain, M. 798(2003)351
- Kira, S., see Kanemitsu, F. 783(2003)191
- Kirchheiner, J., see Störmer, E. 783(2003)207
- Kirstein, M.N., see Bai, F. 784(2003)225
- Kiser, M.M., see Alexander, M.S. 785(2003)253
- Kishikawa, M., see Shimizu, A. 776(2002)15
- Kishikawa, N., Wada, M., Kuroda, N., Akiyama, S. and Nakashima, K.
Determination of polycyclic aromatic hydrocarbons in milk samples by high-performance liquid chromatography with fluorescence detection 789(2003)257
- Kishino, S., Takekuma, Y., Sugawara, M., Shimamura, T., Furukawa, H., Todo, S. and Miyazaki, K.
Liquid chromatographic method for the determination of ganciclovir and/or acyclovir in human plasma using pulsed amperometric detection 780(2002)289
- Kitagawa, M., see Hosotani, K. 791(2003)305
- Kitagawa, N., see Teshima, D. 780(2002)21
- Kitaichi, K., see Ueyama, J. 798(2003)35
- Kitchen, C.J., Musson, D.G. and Fisher, A.L.
Column-switching technique for the sensitive determination of ertapenem in human cerebrospinal fluid using liquid chromatography and ultraviolet absorbance detection 799(2004)9
- Kitchen, C.J., see Musson, D.G. 779(2002)341
- Kitchen, C.J., see Musson, D.G. 783(2003)1
- Kiyoshima, A., see Kudo, K. 791(2003)171
- Klausen, K.M., see Pedersen, A.K. 799(2004)1
- Klein, U., see Brondz, I. 800(2004)211
- Kleines, M., Nellessen, M., Schaade, L. and Ritter, K.
In vitro cell free synthesis of human manganese superoxide dismutase with the RTS 500 system 786(2003)137
- Kleintop, T., see Kerns, E.H. 791(2003)381
- Klevar, M., see Charvátová, J. 800(2004)83
- Kline, W.F., see Vallano, P.T. 794(2003)23
- Klinker, H., see Zilly, M. 798(2003)179
- Klitgaard, N.A., see Justesen, U.S. 783(2003)491
- Klíma, J., see Ptáček, P. 789(2003)405
- Klíma, J., see Ptáček, P. 794(2003)323
- Kloft, C., see Buerger, C. 796(2003)155
- Kmetec, V., see Roškar, R. 788(2003)57
- Knebel, N., see Heinemann, U. 793(2003)389
- Knecht, A., see Kaplan, B. 796(2003)141
- Knudsen, C.R., see Mathu, S.G.J. 786(2003)279
- Kobayashi, Y., see Nakamura, I. 776(2002)101
- Koc, H. and Swenberg, J.A.
Applications of mass spectrometry for quantitation of DNA adducts (Review) 778(2002)323
- Koch, D.E., see Hunter, R.P. 793(2003)351
- Koch, H.M., Gonzalez-Reche, L.M. and Angerer, J.
On-line clean-up by multidimensional liquid chromatography–electrospray ionization tandem mass spectrometry for high throughput quantification of primary and secondary phthalate metabolites in human urine 784(2003)169
- Koch, H.M., see Schettgen, T. 778(2002)121
- Koeberle, M.J., Hughes, P.M., Wilson, C.G. and Skellern, G.G.
Development of a liquid chromatography–mass spectrometric method for measuring the binding of memantine to different melanins 787(2003)313
- Koh, E., see Mitamura, K. 796(2003)121
- Köhl, G., see Frenzel, A. 793(2003)325
- Köhne, C.H., see Schleyer, E. 799(2004)23
- Kojima, S., see Kikura-Hanajiri, R. 789(2003)139
- Kojima, T., see Fukuwatari, Y. 776(2002)1
- Kojima, T., see Namera, A. 776(2002)49
- Kojima, T., see Nishida, M. 789(2003)65
- Kojima, T., see Takamoto, S. 791(2003)365
- Kojima, T., see Takamoto, S. 792(2003)145
- Kojima, T., see Yoshino, M. 792(2003)3
- Kok, R.M., see Kulik, W. 791(2003)399
- Kokwaro, G.O., see Gitau, E.N. 799(2004)173
- Koller, A., see Hunter, T.C. 782(2002)165
- Kolonel, L.N., see Franke, A.A. 777(2002)45
- Kolte, B.L., Raut, B.B., Deo, A.A., Bagool, M.A. and Shinde, D.B.
Liquid chromatographic method for the determination of rosiglitazone in human plasma 788(2003)37
- Komarova, N.V., Kametsev, J.S., Solomonova, A.P. and Anufrieva, R.M.
Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135
- Komoda, T., see Matsunaga, T. 781(2002)331
- Komoto, I., Yoshida, K.-i., Matsushima, E., Yamashita, K., Aikawa, T. and Akashi, S.
Validation of a simple liquid chromatography–tandem mass spectrometric method for the determination of propiverine hydrochloride and its *N*-oxide metabolite in human plasma 799(2004)141
- Koncki, R., see Poboży, E. 789(2003)417
- Kong, H., see Yang, J. 780(2002)27
- Kong, L., Cooperwood, J.S., Oh, C.H., Chu, C.K. and Douglas Boudinot, F.
Simultaneous determination of 3'-azido-2',3'-dideoxyuridine and novel prodrugs in rat plasma by liquid chromatography 795(2003)371
- Kong, L., see Luo, Q. 776(2002)139
- Kong, L., see Mao, X. 779(2002)331
- Kong, Y., Zheng, N., Zhang, Z. and Gao, R.
Optimization stacking by transient pseudo-isotachopheresis for capillary electrophoresis: example analysis of plasma glutathione 795(2003)9
- Kontinen, I., see Rasanen, I. 788(2003)243
- Kontro, M.H., see Keinänen, M.M. 783(2003)443
- Kontsas, H. and Pekari, K.
Determination of polychlorinated biphenyls in serum using gas chromatography–mass spectrometry with negative chemical ionization for exposure estimation 791(2003)117
- Kopp, B., see Marchart, E. 792(2003)363
- Korchazhkina, O., Exley, C. and Andrew Spencer, S.
Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353
- Korfmacher, W.A., see Wang, G. 780(2002)451
- Korhonen, L.K., see Keinänen, M.M. 783(2003)443
- Korpela, T., see Khalikova, E. 796(2003)315
- Korpela, T., see Muronetz, V.I. 790(2003)53
- Korte, W.D., see Needham, S.R. 796(2003)347
- Kotani, A., Miyashita, N. and Kusu, F.
Determination of catechins in human plasma after commercial canned green tea ingestion by high-performance liquid chromatography with electrochemical detection using a microbore column 788(2003)269
- Kovar, K.-A., see Buechler, J. 793(2003)207
- Kovarova, H., Hajdich, M., Livingstone, M., Dzubak, P. and Lefkovits, I.
Analysis of state-specific phosphorylation of proteins by two-dimensional gel electrophoresis approach 787(2003)53
- Kowalska, S., see Buszewski, B. 792(2003)279
- Koyama, I., see Matsunaga, T. 781(2002)331
- Koyama, R., Nakanishi, T., Ikeda, T. and Shimizu, A.
Catalogue of soluble proteins in human vitreous humor by one-dimensional sodium dodecyl sulfate–polyacrylamide gel electrophoresis and electrospray ionization mass spectrometry including seven angiogenesis-regulating factors 792(2003)5
- Koyama, R., see Nakanishi, T. 776(2002)89
- Kraal, B., see Mathu, S.G.J. 786(2003)279
- Kraushofer, T. and Sontag, G.
Determination of matairesinol in flax seed by HPLC with coulometric electrode array detection 777(2002)61

- Krausová, P., see Mráz, J. 778(2002)357
- Krayukhina, M.A., see Samojlova, N.A. 800(2004)263
- Kreikemeier, M., see Arnold, N. 782(2002)99
- Krenn, L., Unterrieder, I. and Ruprechter, R.
Quantification of isoflavones in red clover by high-performance liquid chromatography 777(2002)123
- Kristensen, J.H., see Page-Sharp, M. 796(2003)173
- Krogh, M., see Ugland, H.G. 798(2003)127
- Krone, N., see Riepe, F.G. 785(2003)293
- Kronstrand, R., see Josefsson, M. 789(2003)151
- Krüger, M., Pfitzer, G. and Stehle, R.
Expression and purification of human cardiac troponin subunits and their functional incorporation into isolated cardiac mouse myofibrils 786(2003)287
- Kruip, J., see Schwabe, T.M.E. 786(2003)45
- Krull, I.S., see Wang, Y. 793(2003)3
- Krüll, M., see Mühling, J. 789(2003)383
- Krupčík, J., see Oswald, P. 779(2002)283
- Krylov, S.N., see Stoyanov, A.V. 780(2002)283
- Krzeczyński, P., see Ksycińska, H. 799(2004)217
- Ksycińska, H., Sobik, B., Popiołkiewicz, J., Polkowski, K., Krzeczyński, P., Ramza, J., Pucko, W. and Gryniewicz, G.
Determination of new derivatives of genistein in culture media by liquid chromatography 799(2004)217
- Kubinec, R., Berezkin, V.G., Górová, R., Addová, G., Mračnová, H. and Soják, L.
Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295
- Kubo, K., see Minami, T. 779(2002)211
- Kubo, K., see Minami, T. 781(2002)303
- Kubota, T., see Jamal, M. 798(2003)155
- Kubota, Y., see Ivandini, T.A. 791(2003)63
- Kučerová, Z., see Frýdlová, J. 800(2004)109
- Kučka, M., see Mikšík, I. 800(2004)145
- Kudasheva, F.Kh., see Safarova, V.I. 800(2004)325
- Kudo, K., Kiyoshima, A., Ohtsuka, Y. and Ikeda, N.
Simultaneous determination of bromvalerylurea and allylisopropylacetylurea in human blood and urine by gas chromatography–mass spectrometry 791(2003)171
- Kudryavtsev, A.S., see Makas, A.L. 800(2004)63
- Kuhara, T.
Diagnosis and monitoring of inborn errors of metabolism using urease-pretreatment of urine, isotope dilution, and gas chromatography–mass spectrometry (Review) 781(2002)497
- Kuhara, T., Ohdoi, C., Ohse, M., van Kuilenburg, A.B.P., van Gennip, A.H., Sumi, S., Ito, T., Wada, Y. and Matsumoto, I.
Rapid gas chromatographic–mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107
- Kuhara, T., see Inoue, Y. 776(2002)71
- Kuhara, T., see Inoue, Y. 792(2003)89
- Kuhara, T., see Ohdoi, C. 792(2003)123
- Kuhara, T., see Shinka, T. 776(2002)57
- Kuhara, T., see Shinka, T. 776(2002)65
- Kuhara, T., see Shinka, T. 792(2003)99
- Kuhn, R., see Lamari, F.N. 793(2003)15
- Kühnöl, J., see Blum, W. 787(2003)255
- Kulik, W., Oosterveld, M.J.S., Kok, R.M. and de Meer, K.
Determination of ^{13}C and ^{15}N enrichments of urea in plasma by gas chromatography–combustion isotope ratio mass spectrometry and gas chromatography–mass spectrometry using the 2-methoxypyrimidine derivative 791(2003)399
- Kulik, W., see Goldiner, I. 795(2003)35
- Kulling, S.E., Lehmann, L. and Metzler, M.
Oxidative metabolism and genotoxic potential of major isoflavone phytoestrogens 777(2002)211
- Kumazawa, T., see Arinobu, T. 776(2002)107
- Kumazawa, T., see Ishii, A. 792(2003)117
- Kumihashi, M., see Jamal, M. 798(2003)155
- Kunitomo, M., see Yamaguchi, Y. 781(2002)313
- Kurihara, R., see Ishii, A. 792(2003)117
- Kuroda, K., see Okina, M. 799(2004)209
- Kuroda, N., see Kishikawa, N. 789(2003)257
- Kusu, F., see Kotani, A. 788(2003)269
- Kuwahara, H., see Minamino, N. 792(2003)33
- Kuzovkina, I.N., see Szőke, É. 800(2004)231
- Kvasnička, F.
Proteomics: general strategies and application to nutritionally relevant proteins (Review) 787(2003)77
- Květina, J., see Pastera, J. 800(2004)271
- Kwon, J.W., see Bae, S.K. 794(2003)397

L

- Laabs, N.D., see Nithipatikom, K. 785(2003)135
- Labrou, N.E.
Design and selection of ligands for affinity chromatography (Review) 790(2003)67
- Lafiandra, D., see Patacchini, C. 786(2003)215
- Lakso, H.-Å. and Norström, Å.
Determination of dextropropoxyphene and nordextropropoxyphene in urine by liquid chromatography–electrospray ionization mass spectrometry 794(2003)57
- Lal, J., see Nitin, M. 793(2003)253
- Lalli, S., see Badaloni, E. 796(2003)45
- Lam, K.-W., see Zhou, L. 776(2002)213
- Lamari, F.N. and Karamanos, N.K.
Separation methods for sialic acids and critical evaluation of their biologic relevance (Review) 781(2002)3
- Lamari, F.N., Kuhn, R. and Karamanos, N.K.
Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis (Review) 793(2003)15
- Lamb, J.H., see Anderton, M.J. 787(2003)281
- Lambert, W.E., see Mortier, K.A. 779(2002)321
- Lämmerhofer, M., see Gika, H. 800(2004)193
- Lampi, A.-M., Juntunen, L., Toivo, J. and Piironen, V.
Determination of thermo-oxidation products of plant sterols 777(2002)83
- Lampinen, M., Bondesson, U., Fredriksson, E. and Hedeland, M.
Validation of a method for quantification of ketobemidone in human plasma with liquid chromatography–tandem mass spectrometry 789(2003)347
- Lamprecht, A. and Benoit, J.-P.
Simple liquid-chromatographic method for Nile Red quantification in cell culture in spite of photobleaching 787(2003)415
- Lañas, F.M., see Delmar Cantú, M. 799(2004)127
- Lañas, F.M., see Queiroz, M.E.C. 794(2003)337
- Lanchote, V.L., see Bonato, P.S. 783(2003)237
- Lanchote, V.L., see Cerqueira, P.M. 783(2003)433
- Lanchote, V.L., see Jabor, V.A.P. 796(2003)429
- Lanckriet, H., see Morreale, G. 786(2003)237
- Lang, L., see Ma, Y. 780(2002)99
- Lange, J., Thomas, K. and Wittmann, C.
Comparison of a capillary electrophoresis method with high-performance liquid chromatography for the determination of biogenic amines in various food samples 779(2002)229

- Langmann, P., see Zilly, M. 798(2003)179
- Lanusse, C., see Mottier, L. 798(2003)117
- Lanzoni, I., see Prevati, M. 780(2002)331
- Lares Asseff, I., see Flores Pérez, C. 795(2003)141
- Larsson, M., Ahnoff, M., Abrahamsson, A., Logren, U., Fakt, C., Öhrman, I. and Persson, B.-A.
Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335
- Larsson, P., see Hubálek, M. 787(2003)149
- Larsson, T., see Thorén, K. 782(2002)219
- Latendresse, J.R., see Dalu, A. 777(2002)249
- Latiff, A., see Gam, L.-H. 792(2003)187
- Lattova, E. and Perreault, H.
Labelling saccharides with phenylhydrazine for electrospray and matrix-assisted laser desorption–ionization mass spectrometry 793(2003)167
- Latus, L.J., see Zhang, J. 795(2003)309
- Latxague, L., see Noubhani, A.M. 790(2003)153
- Lau, J.Y.N., see Lin, C.-c. 779(2002)241
- Lau, Y., see Wang, G. 780(2002)451
- Lau, Y.Y., see Fung, E.N. 795(2003)187
- Lautrette, C., Cardot, P.J.P., Vermot-Desroches, C., Wijdenes, J., Jauberteau, M.O. and Battu, S.
Sedimentation field flow fractionation purification of immature neural cells from a human tumor neuroblastoma cell line 791(2003)149
- Lazo, C., see Kasche, V. 790(2003)115
- Le Bizec, B.J., see Moreau, N.M. 784(2003)395
- le Coutre, P., see Schleyer, E. 799(2004)23
- Le Marchand, L., see Franke, A.A. 777(2002)45
- Leakey, J., see Cui, Y. 780(2002)129
- Lebedeva, M.N., see Brondz, I. 800(2004)211
- Leblanc, J.C.Y., see Marquet, P. 789(2003)9
- Lechat, P., see Sentenac, S. 793(2003)317
- Ledeá, O., see Jardines, D. 783(2003)517
- Ledger, R., see Wen, J. 779(2002)221
- Ledrich, M.-L., see Magalhães, I. 799(2004)87
- Lee, H.J., see Kim, H. 792(2003)307
- Lee, H.S., see Lee, H.W. 796(2003)395
- Lee, H.W., Ji, H.Y., Kim, H.H., Cho, H.-Y., Lee, Y.-B. and Lee, H.S.
Determination of tiropamide in human plasma by liquid chromatography–tandem mass spectrometry 796(2003)395
- Lee, K.-H., Ward, B.A., Desta, Z., Flockhart, D.A. and Jones, D.R.
Quantification of tamoxifen and three metabolites in plasma by high-performance liquid chromatography with fluorescence detection: application to a clinical trial 791(2003)245
- Lee, K.-J. and Dabrowski, K.
High-performance liquid chromatographic determination of gossypol and gossypolone enantiomers in fish tissues using simultaneous electrochemical and ultraviolet detectors 779(2002)313
- Lee, K.R., see Kim, H. 792(2003)307
- Lee, M.G., see Bae, S.K. 794(2003)397
- Lee, M.L., see Peterson, Z.D. 776(2002)221
- Lee, M.S., see Ríos-Blanco, M.N. 778(2002)383
- Lee, M.Y., see Igarashi, Y. 781(2002)345
- Lee, S.K. and Row, K.H.
Optimum separation condition of peptides in reversed-phase liquid chromatography 800(2004)115
- Lee, W., see Kawai, T. 790(2003)131
- Lee, W., see Yin, J. 794(2003)89
- Lee, Y.-B., see Cho, H.-Y. 796(2003)243
- Lee, Y.-B., see Cho, H.-Y. 798(2003)257
- Lee, Y.-B., see Lee, H.W. 796(2003)395
- Lefkovits, I.
Functional and structural proteomics: a critical appraisal (Review) 787(2003)1
- Lee, Y.J., Hoaglund-Hyzer, C.S., Srebalus Barnes, C.A., Hilderbrand, A.E., Valentine, S.J. and Clemmer, D.E.
Development of high-throughput liquid chromatography injected ion mobility quadrupole time-of-flight techniques for analysis of complex peptide mixture 782(2002)343
- Lefkovits, I., see Kovarova, H. 787(2003)53
- Lehman-McKeeman, L.D., see Vassallo, J.D. 794(2003)257
- Lehmann, L., see Kulling, S.E. 777(2002)211
- Lehmann, R., see Friess, U. 794(2003)273
- Lehr, M., see Schmitt, M. 783(2003)327
- Lehtola, M.J., see Keinänen, M.M. 783(2003)443
- Lei, F., Xing, D.-M., Xiang, L., Zhao, Y.-N., Wang, W., Zhang, L.-J. and Du, L.-J.
Pharmacokinetic study of ellagic acid in rat after oral administration of pomegranate leaf extract 796(2003)189
- Leis, H.J., Windischhofer, W. and Fauler, G.
Improved sample preparation for the quantitative analysis of paroxetine in human plasma by stable isotope dilution negative ion chemical ionization gas chromatography–mass spectrometry 779(2002)353
- Leis, H.J., Fauler, G., Rechberger, G.N. and Windischhofer, W.
Quantitative trace analysis of estril in human plasma by negative ion chemical ionization gas chromatography–mass spectrometry using a deuterated internal standard 794(2003)205
- Lekomtsev, A.S. and Vekhter, E.P.
Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291
- Lemberkovics, E., see Szőke, É. 800(2004)231
- Lemercier, G., Bakalara, N. and Santarelli, X.
On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from *Trypanosoma brucei* overexpressed in *Escherichia coli* 786(2003)305
- Lemière, F., see Van den Driessche, B. 785(2003)21
- Lemmens, R., Olsson, U., Nyhammar, T. and Stadler, J.
Supercoiled plasmid DNA: selective purification by thiophilic/aromatic adsorption 784(2003)291
- Lemus Gallego, J.M. and Pérez Arroyo, J.
Determination of prednisolone and the most important associated compounds in ocular and cutaneous pharmaceutical preparations by micellar electrokinetic capillary chromatography 784(2003)39
- Lenker, U., see Zilly, M. 798(2003)179
- Lennard, M.S., see Shiran, M.R. 783(2003)303
- Leonen, J., see Willems, A. 786(2003)161
- Leopold, T., see Schleyer, E. 799(2004)23
- Leppälä, E., see Raffaelli, B. 777(2002)29
- Lepper, E.R., Swain, S.M., Tan, A.R., Figg, W.D. and Sparreboom, A.
Liquid-chromatographic determination of erlotinib (OSI-774), an epidermal growth factor receptor tyrosine kinase inhibitor 796(2003)181
- Letzig, L., see Farrar, H. 780(2002)341
- Leveque, N., Muret, P., Mary, S., Bérard, M., Makki, S., Kantelip, J.P. and Humbert, P.
Validation of a microdialysis–gas chromatographic–mass spectrometric method to assess 8-methoxypsoralen in psoriatic patient dermis 780(2002)119
- Lévesque, J.-F., Gaudreault, M., Houle, R. and Chauret, N.
Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective 780(2002)145
- Lévesque, J.-F., Gaudreault, M., Houle, R. and Chauret, N.
Erratum to “Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective”. [J. Chromatogr. B. 780 (2002) 145–153] 787(2003)427
- Levin, J.-O., see Eriksson, K. 794(2003)115
- Levine, B., see Gustafson, R.A. 798(2003)145

- Levison, P.R.
Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17
- Levsen, K., see Elflein, L. 795(2003)195
- Levsen, K., see Walles, M. 798(2003)265
- Li, C., Geng, Q., Nicolau, D.P. and Nightingale, C.H.
Simultaneous determination of ticarcillin and clavulanate in rabbit serum and tissue cage fluid by liquid chromatography 794(2003)227
- Li, C., see Xie, J. 788(2003)233
- Li, F., see Sun, Y. 792(2003)147
- Li, G., see Melikian, A.A. 778(2002)211
- Li, G., see Rappaport, S.M. 778(2002)367
- Li, H., see Melikian, A.A. 778(2002)211
- Li, H., Wang, H., Chen, J.-h., Wang, L.-h., Zhang, H.-s. and Fan, Y.
Determination of amino acid neurotransmitters in cerebral cortex of rats administered with baicalin prior to cerebral ischemia by capillary electrophoresis–laser-induced fluorescence detection 788(2003)93
- Li, J., Huynh, H. and Chan, E.
Reversed-phase liquid chromatography method to determine COL-3, a matrix metalloproteinase inhibitor, in biological samples 799(2004)311
- Li, J., Shao, Y., Chen, Z., Cong, R., Wang, J. and Liu, X.
Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55
- Li, K., see Zhong, D. 796(2003)439
- Li, L., see Keller, B.O. 782(2002)317
- Li, S., see Guo, P. 783(2003)43
- Li, S., see Guo, P. 798(2003)79
- Li, S.-C., see Mauri, L. 796(2003)1
- Li, X., see Huang, Y. 799(2004)51
- Li, X., see Mao, X. 779(2002)331
- Li, Y., Jeppsson, J.-O., Jörntén-Karlsson, M., Linné Larsson, E., Jungvid, H., Galaev, I.Yu. and Mattiasson, B.
Application of shielding boronate affinity chromatography in the study of the glycation pattern of haemoglobin 776(2002)149
- Li, Y., Liang, X., Xiao, H. and Bi, K.
Determination of spinosin in rat plasma by reversed-phase high-performance chromatography after oral administration of Suanzaoren decoction 787(2003)421
- Li, Y., see Melikian, A.A. 778(2002)211
- Li, Y., see Zhao, M. 783(2003)401
- Li, Y., see Zhou, S. 785(2003)165
- Li, Y.-M., see Wang, R. 785(2003)353
- Li, Y.M., see Zhang, H. 784(2003)131
- Li, Y.-T., see Mauri, L. 796(2003)1
- Liang, L., see Chi, C. 783(2003)163
- Liang, X., see Li, Y. 787(2003)421
- Liau, C.Y., Chang, T.M., Pan, J.P., Chen, W.L. and Mao, S.J.T.
Purification of human plasma haptoglobin by hemoglobin-affinity column chromatography 790(2003)209
- Liberda, J., Ryšlavá, H., Jelínková, P., Jonáková, V. and Tichá, M.
Affinity chromatography of bull seminal proteins on mannan–Sephacrose 780(2002)231
- Liepkke, C., Baxmann, S., Heine, C., Breithaupt, N., Ständker, L. and Forssmann, W.-G.
Human hemoglobin-derived peptides exhibit antimicrobial activity: a class of host defense peptides 791(2003)345
- Ligocka, D., Lison, D. and Haufroid, V.
Quantitative determination of 5-hydroxy-*N*-methylpyrrolidone in urine for biological monitoring of *N*-methylpyrrolidone exposure 778(2002)223
- Lim, H., see Giometti, C.S. 782(2002)227
- Lim, H.S., see Cho, J.Y. 795(2003)179
- Lima, V.V., see Cass, Q.B. 798(2003)275
- Lin, E.-G., see Cheng, C.-L. 793(2003)281
- Lin, C.-H., see Lin, L.-C. 798(2003)241
- Lin, C.-H., see Shu, P.-Y. 783(2003)93
- Lin, C.-H., see Su, A.-K. 785(2003)39
- Lin, C.-H., see Wu, C.-H. 785(2003)317
- Lin, E., see Huang, Y. 799(2004)51
- Lin, L.-C., Liu, J.-T., Chou, S.-H. and Lin, C.-H.
Identification of 2,5-dimethoxy-4-ethylthiophenethylamine and its metabolites in the urine of rats by gas chromatography–mass spectrometry 798(2003)241
- Lin, M.-F. Royal, M., Hayenga, K. and Conn, G.
Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205
- Lin, S.-J., see Feng, C.-H. 780(2002)349
- Lin, S.-J., see Huang, W.-S. 795(2003)329
- Lin, C.-c., Yeh, L.-T. and Lau, J.Y.N.
Specific, sensitive and accurate liquid chromatographic–tandem mass spectrometric method for the measurement of ribavirin in rat and monkey plasma 779(2002)241
- Lin, W.-C., see Chang, S.Y. 794(2003)17
- Lin, W.M., see Liu, X. 785(2003)101
- Lin, Y., see Gounder, M.K. 799(2004)63
- Lin, Y.-W., Chiu, T.-C. and Chang, H.-T.
Laser-induced fluorescence technique for DNA and proteins separated by capillary electrophoresis (Review) 793(2003)37
- Lin, Z.J., Abbas, R., Rusch, L.M. and Shum, L.
Development and validation of a sensitive liquid chromatographic–tandem mass spectrometric method for the determination of cromolyn sodium in human plasma 788(2003)159
- Lindholm, J., Johansson, M. and Fornstedt, T.
Guidelines for analytical method development and validation of biotechnological synthesis of drugs. Production of a hydroxyprogesterone as model 791(2003)323
- Lindner, W., see Breinhölder, P. 777(2002)67
- Lindner, W., see Gika, H. 800(2004)193
- Ling, S.S.N., Yuen, K.H. and Barker, S.A.
Simple liquid chromatographic method for the determination of cefotaxime in human and rat plasma 783(2003)297
- Ling, Y.-C., see Chou, S.-L. 799(2004)37
- Linhart, I., see Mráz, J. 778(2002)357
- Linné Larsson, E., see Li, Y. 776(2002)149
- Linnet, K., see Hasselström, J. 798(2003)9
- Lison, D., see Ligocka, D. 778(2002)223
- Liu, C.-M., Tung, K.-H., Chang, T.-H., Chien, C.-C. and Yen, M.-H.
Analysis of secretory immunoglobulin A in human saliva by laser-induced fluorescence capillary electrophoresis 791(2003)315
- Liu, C., see Tu, J. 789(2003)323
- Liu, C., see Wang, Y. 793(2003)3
- Liu, C., see Zhou, M. 798(2003)43
- Liu, D. and Jin, W.
Determination of midcamycin by capillary zone electrophoresis with electrochemical detection 783(2003)509
- Liu, D. and Jin, W.
Amperometric detection of perphenazine at a carbon fiber micro-disk bundle electrode by capillary zone electrophoresis 789(2003)411
- Liu, G., see Dong, Y. 788(2003)193
- Liu, G., see Liu, Y. 792(2003)177
- Liu, H., Berger, S.J., Chakraborty, A.B., Plumb, R.S. and Cohen, S.A.
Multidimensional chromatography coupled to electrospray ionization time-of-flight mass spectrometry as an alternative to two-dimensional gels for the identification and analysis of complex mixtures of intact proteins 782(2002)267
- Liu, J., see Shi, G. 785(2003)361
- Liu, J., see Shi, G. 785(2003)361
- Liu, J.-T., see Lin, L.-C. 798(2003)241
- Liu, L., see Yang, S. 795(2003)295
- Liu, Z.-J., Peng, W.-C., Yang, X., Huang, J.-F., Zhang, X.-B., Zhang, Y. and Maekawa, M.
Relative mRNA expression of the lactate dehydrogenase A and B subunits as determined by simultaneous amplification and single strand

- conformation polymorphism. Relation with subunit enzyme activity 793(2003)405
- Liu, W., see Chu, D. 795(2003)377
- Liu, X., Lin, W.M., Yan, X.H., Chen, X.H., Hoidal, J.R. and Xu, P. Improved method for measurement of human plasma xanthine oxidoreductase activity 785(2003)101
- Liu, X., see Li, J. 791(2003)55
- Liu, Y., see Mou, S. 781(2002)251
- Liu, Y., see Zhao, M. 783(2003)401
- Liu, Y., see Zhou, M. 798(2003)43
- Liu, Y., Zhao, R., Shangguan, D., Zhang, H. and Liu, G. Novel sulfamethazine ligand used for one-step purification of immunoglobulin G from human plasma 792(2003)177
- Liu, Y.-C., ChangChien, C.-C. and Suen, S.-Y. Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67
- Liu, Y.-C., see Suen, S.-Y. 797(2003)305
- Livingstone, M., see Kovarova, H. 787(2003)53
- LLerena, A., Berecz, R., Dorado, P., de la Garza, C.S., Norberto, M.J., Cáceres, M. and Gutiérrez, J.R. Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213
- LLerena, A., Dorado, P., Berecz, R., González, A., Jesús Norberto, M., de la Rubia, A. and Cáceres, M. Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients 783(2003)25
- LLerena, A., see Dorado, P. 789(2003)437
- Lloyd, D.K., see McCormick, T.J. 785(2003)1
- Lo Russo, A., see Pastore, A. 776(2002)251
- Lockhart, S.J., see Keevil, B.G. 794(2003)329
- Lognoné, V., see Desille, M. 784(2003)265
- Logren, U., see Larsson, M. 783(2003)335
- Loizillon, E., see Schuster, A. 788(2003)377
- Loke, M.-L., Jespersen, S., Vreeken, R., Halling-Sørensen, B. and Tjørnelund, J. Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11
- Long, Y.H., Hernandez, M., Kaale, E., Van Schepdael, A., Roets, E., Borrull, F., Calull, M. and Hoogmartens, J. Determination of kanamycin in serum by solid-phase extraction, pre-capillary derivatization and capillary electrophoresis 784(2003)255
- Lonnies, L., see Pei, L. 786(2003)319
- Loos, P., see Tu, J. 789(2003)323
- Loos, W.J., see de Jong, F.A. 795(2003)383
- Looze, Y., see Azarkan, M. 790(2003)229
- Lopes, N.P., see Cerqueira, P.M. 783(2003)433
- López, M., Mende, K., Steinmetzer, T. and Nowak, G. Cloning, purification and biochemical characterization of dipetarudin, a new chimeric thrombin inhibitor 786(2003)73
- Lopez, M.F. and Pluskal, M.G. Protein micro- and macroarrays: digitizing the proteome (Review) 787(2003)19
- Lóránd, T., see Dobos, Zs. 799(2004)179
- Lövgren, T., see Yakkundi, S. 788(2003)29
- Lowe, C.R., see Morrill, P.R. 793(2003)229
- Lu, H.-j., Guo, Y.-l., Zhang, H. and Ou, Q.-y. Rapid determination of 5-fluorouracil in plasma using capillary electrophoresis 788(2003)291
- Lu, L., see Zhou, M. 798(2003)43
- Lu, W., see Chen, J. 785(2003)197
- Lu, X., see Wang, R. 779(2002)157
- Lu, Y., see Shi, G. 785(2003)361
- Luan, Y., see Yang, H. 785(2003)369
- Lubman, D.M., see Huber, C.G., 782(2002)1
- Lubman, D.M., Kachman, M.T., Wang, H., Gong, S., Yan, F., Hamler, R.L., O'Neil, K.A., Zhu, K., Buchanan, N.S. and Barder, T.J. Two-dimensional liquid separations–mass mapping of proteins from human cancer cell lysates (Review) 782(2002)183
- Lucangioli, S.E., see Tripodi, V.P. 785(2003)147
- Lucentini, L., see Draisci, R. 789(2003)219
- Lucić, A., see Domijan, A.-M. 798(2003)317
- Ludes, B., see Cirimele, V. 789(2003)107
- Ludes, B., see Villain, M. 792(2003)83
- Ludes, B., see Villain, M. 798(2003)351
- Lukša, V., see Zaveckas, M. 786(2003)17
- Lum, B.L., see Chin, D.L. 779(2002)259
- Lundahl, P., see Gottschalk, I. 784(2003)203
- Lundanes, E., see Holm, A. 794(2003)175
- Lundh, T., see Madej, A. 777(2002)281
- Lundqvist, M., see Hubálek, M. 787(2003)149
- Lunghini, L., see Aprea, C. 778(2002)131
- Lunin, V.M., see Makas, A.L. 800(2004)63
- Luo, G.A., see Yeung, W.S.B. 797(2003)217
- Luo, Q., Mao, X., Kong, L., Huang, X. and Zou, H. High-performance affinity chromatography for characterization of human immunoglobulin G digestion with papain 776(2002)139
- Luo, Q., see Mao, X. 779(2002)331
- Luo, X., see Song, Z. 788(2003)387
- Lupi, A., Della Torre, S., Rossi, A., Cetta, G. and Forlino, A. Optimization of a capillary electrophoretic method to detect and quantify the Gly–Pro dipeptide in complex matrices from long term cultured prolidase deficiency fibroblasts 795(2003)133
- Lutz, E.S.M., Markling, M.E. and Masimirembwa, C.M. Monolithic silica rod liquid chromatography with ultraviolet or fluorescence detection for metabolite analysis of cytochrome P450 marker reactions 780(2002)205
- Lutz, R., see Epp, C. 786(2003)61
- Lv, S., see Zhao, C. 795(2003)55
- Ly, C., see Yin, J. 794(2003)89
- Lyalikov, Yu.A., see Kapinus, E.N. 800(2004)321

M

- Ma, J., Jia, Z.-P., Zhang, Q., Fan, J.-J., Jiang, N.-X., Wang, R., Xie, H. and Wang, J. Liquid chromatography determination of 10-hydroxycamptothecin in human serum by a column-switching system containing a pre-column with restricted access media and its application to a clinical pharmacokinetic study 796(2003)195
- Ma, J., see Guo, P. 798(2003)79
- Ma, J., see Zhao, C. 795(2003)55
- Ma, L., see Schneider, H. 789(2003)227
- Ma, M.M., see Wu, Y.J. 784(2003)219
- Ma, W., see Wang, R. 779(2002)157
- Ma, Y., Lang, L., Kiesewetter, D.O. and Eckelman, W.C. Liquid chromatography–tandem mass spectrometry identification of metabolites of three phenylcarboxyl derivatives of the 5-HT_{1A} antagonist, *N*-(2-(4-(2-methoxyphenyl)-1-piperazinyl)ethyl)-*N*-(2-pyridyl) *trans*-4-fluorocyclohexanecarboxamide (FCWAY), produced by human and rat hepatocytes 780(2002)99
- Ma, Z., see Wang, Y.K. 782(2002)291
- Macías, L., see Reyes, L. 791(2003)111

- Maccarrone, G., see Cucinotta, V. 800(2004)127
- Macchia, T., see Gentili, S. 780(2002)183
- Macek, J., see Ptáček, P. 789(2003)405
- Macek, J., see Ptáček, P. 794(2003)323
- Macela, A., see Hubálek, M. 787(2003)149
- Mach, M., see Rupérez, F.J. 800(2004)225
- Machida, M., Watanabe, M., Takechi, S., Kakinoki, S. and Nomura, A.
Measurement of carvedilol in plasma by high-performance liquid chromatography with electrochemical detection 798(2003)187
- Machold, C., see Hahn, R. 790(2003)99
- Mackey, V., see Dale, Y. 788(2003)1
- Macone, A., see Nardini, M. 795(2003)319
- Máday, E., see Szőke, É. 800(2004)231
- Madej, A., Persson, E., Lundh, T. and Ridderstråle, Y.
Thyroid gland function in ovariectomized ewes exposed to phytoestrogens 777(2002)281
- Madhusudanan, K.P., see Nitin, M. 793(2003)253
- Madhusudanan, K.P., see Rajanikanth, M. 783(2003)391
- Maekawa, M., see Liu, Z.-J. 793(2003)405
- Maestri, L., see Imbriani, M. 778(2002)231
- Maffeo, G., see Sangalli, L. 796(2003)201
- Magalhães, I., Ledrich, M.-L., Pihan, J.-C. and Falla, J.
One-step, non-denaturing purification method of carp (*Cyprinus carpio*) vitellogenin 799(2004)87
- Maggio, V.L., see Barr, J.R. 794(2003)137
- Maggio, V., see Smith, C.J. 778(2002)157
- Maggio, V.L., see Barr, D.B. 778(2002)99
- Maguire, M., Coates, A.R.M. and Henderson, B.
Cloning, expression and purification of three Chaperonin 60 homologues 786(2003)117
- Mahler, H., see Tarbah, F. 789(2003)115
- Mahler, S., see Desille, M. 784(2003)265
- Maiorana, A., see Accinni, R. 785(2003)219
- Májek, P., see Oswald, P. 779(2002)283
- Majumdar, A.K., see Musson, D.G. 783(2003)1
- Makas, A.L. and Troshkov, M.L.
Field gas chromatography–mass spectrometry for fast analysis 800(2004)55
- Makas, A.L., Troshkov, M.L., Kudryavtsev, A.S. and Lunin, V.M.
Miniaturized mass-selective detector with atmospheric pressure chemical ionization 800(2004)63
- Mäkelä, S.I., see Saarinen, N.M. 777(2002)311
- Maki, T., see Kaddoumi, A. 791(2003)291
- Makino, K., see Teshima, D. 780(2002)21
- Makino, T., see Kawaguchi, M. 799(2004)119
- Makino, Y., see Kikura-Hanajiri, R. 789(2003)139
- Makki, S., see Leveque, N. 780(2002)119
- Makovec, F., see Brodie, R. 784(2003)91
- Malek, N.A., see Silva, M.J. 789(2003)393
- Malenovic, A., see Ivanovic, D. 800(2004)253
- Maleque, M., see Dale, Y. 788(2003)1
- Malet-Martino, M., see Desmoulin, F. 792(2003)323
- Mallédant, Y., see Desille, M. 784(2003)265
- Mallis, L.M., Sarkahian, A.B., Harris, H.A., Zhang, M.-Y. and McConnell, O.J.
Determination of rat oral bioavailability of soy-derived phytoestrogens using an automated on-column extraction procedure and electrospray tandem mass spectrometry 796(2003)71
- Malmberg, B., see Jönsson, B.A.G. 784(2003)63
- Manabe, T.
Analysis of complex protein–polypeptide systems for proteomic studies 787(2003)29
- Mancinelli, R., Ceccanti, M., Guiducci, M.S., Sasso, G.F., Sebastiani, G., Attilia, M.L. and Allen, J.P.
Simultaneous liquid chromatographic assessment of thiamine, thiamine monophosphate and thiamine diphosphate in human erythrocytes: a study on alcoholics 789(2003)355
- Mandrioli, R., Ghedini, N., Albani, F., Kenndler, E. and Raggi, M.A.
Liquid chromatographic determination of oxcarbazepine and its metabolites in plasma of epileptic patients after solid-phase extraction 783(2003)253
- Mandrioli, R., see Pucci, V. 792(2003)313
- Mangin, P., see Giroud, C. 789(2003)131
- Mangin, P., see Mateus-Avois, L. 791(2003)203
- Mannes, A.J., Cimino Brown, D., Perkowski, S.Z., Keller, J., Caudle, R.M., Iadarola, M.J. and Meng, Q.C.
Measurement of resiniferatoxin in cerebrospinal fluid by high-performance liquid chromatography 780(2002)475
- Mannucci, L., see Pastore, A. 776(2002)251
- Mano, N., Nikaido, A., Narui, T., Yamasaki, D. and Goto, J.
Rapid and simple quantitative assay method for diastereomeric flurbiprofen glucuronides in the incubation mixture 776(2002)125
- Manson, M.M., see Anderton, M.J. 787(2003)281
- Mantzilas, D., see Brondz, I. 800(2004)211
- Manzanares, I., see Yin, J. 794(2003)89
- Manzocchi, A., see Sangalli, L. 796(2003)201
- Mao, S.J.T., see Liao, C.Y. 790(2003)209
- Mao, X., Kong, L., Luo, Q., Li, X. and Zou, H.
Screening and analysis of permeable compounds in *Radix Angelica Sinensis* with immobilized liposome chromatography 779(2002)331
- Mao, X., see Luo, Q. 776(2002)139
- Maraschiello, C., Miranda, E., Millán, E., Floriano, P. and Vilageliu, J.
Phenylisothiocyanate and dansyl chloride precolumn derivatizations for the high-performance liquid chromatography analysis of the anti-tumoral agent ES-285 in dog plasma 791(2003)1
- Marchart, E. and Kopp, B.
Capillary electrophoretic separation and quantification of flavone-*O*- and *C*-glycosides in *Achillea setacea* W. et K. 792(2003)363
- Marchei, E., see Pichini, S. 794(2003)281
- Marchiselli, R., see Gatti, G. 784(2003)375
- Mareel, M.M., see Maubach, J. 784(2003)137
- Markides, K.E., see Amirkhani, A. 780(2002)381
- Markl, P., see Cichna, M. 787(2003)381
- Markling, M.E., see Lutz, E.S.M. 780(2002)205
- Marlier, M., see Delcarte, J. 786(2003)229
- Marín, A., see García, A. 785(2003)237
- Marquet, P. and Kintz, P.
Preface 789(2003)1
- Marquet, P., Saint-Marcoux, F., Gamble, T.N. and Leblanc, J.C.Y.
Comparison of a preliminary procedure for the general unknown screening of drugs and toxic compounds using a quadrupole-linear ion-trap mass spectrometer with a liquid chromatography–mass spectrometry reference technique 789(2003)9
- Marschalek, R., see Muth, A. 791(2003)235
- Marsili, R., see Gentili, S. 780(2002)183
- Martí, J.I., see Grasa, P. 795(2003)83
- Martens-Lobenhoffer, J. and Bode-Böger, S.M.
Simultaneous detection of arginine, asymmetric dimethylarginine, symmetric dimethylarginine and citrulline in human plasma and urine applying liquid chromatography–mass spectrometry with very straightforward sample preparation 798(2003)231
- Martens-Lobenhoffer, J. and Römhild, W.
Quantitative determination of piritramide in human serum applying liquid chromatography–two-stage mass spectrometry 783(2003)53
- Martikainen, P.J., see Keinänen, M.M. 783(2003)443
- Martin Scott, J., see Rose Sweeney, M. 788(2003)187
- Martin, B.M., see Kaplan, B. 796(2003)141
- Martin, L.J., see Moreau, N.M. 784(2003)395
- Martinavarró-Domínguez, A., see Capella-Peiró, M.-E. 780(2002)241
- Martinet, V., see Castellani, O. 791(2003)273
- Martin-Facklam, M., see Burhenne, J. 784(2003)233
- Martino, R., see Desmoulin, F. 792(2003)323
- Martins, A.R., see Pelegrini-da-Silva, A. 780(2002)301
- Martins, J.C., see Messens, J. 790(2003)217

- Martiny, H., see Emmrich, M. 795(2003)363
- Martínez-Force, E., see Josefa Serrano-Vega, M. 786(2003)221
- Martínez-Lozano, C., see Pérez-Ruiz, T. 798(2003)303
- Martínez-Pla, J.J., see Escuder-Gilabert, L. 797(2003)21
- Martínez-Zorzano, V.S., see de Carlos, A. 786(2003)7
- Marx, C., see Buechler, J. 793(2003)207
- Marx, C., see Hofmann, U. 791(2003)371
- Mary, S., see Leveque, N. 780(2002)119
- Masci, S., see Patacchini, C. 786(2003)215
- Masi, M., Pagès, J.-M. and Pradel, E.
Overexpression and purification of the three components of the *Enterobacter aerogenes* AcrA–AcrB–TolC multidrug efflux pump 786(2002)197
- Masimirembwa, C.M., see Lutz, E.S.M. 780(2002)205
- Massaldi, H., see Franco-Fraguas, L. 790(2003)365
- Masse, R., see Yang, L. 792(2003)229
- Massolini, G. and Calleri, E.
Survey of binding properties of fatty acid-binding proteins. Chromatographic methods 797(2003)255
- Masuyama, H., see Inoue, Y. 792(2003)89
- Matarese, R.M., see Nardini, M. 795(2003)319
- Mateus-Avois, L., Mangin, P. and Saugy, M.
Development and validation of a capillary zone electrophoresis method for the determination of ephedrine and related compounds in urine without extraction 791(2003)203
- Mathijssen, R.H.J., see de Jong, F.A. 795(2003)383
- Mathu, S.G.J., Knudsen, C.R., van Duin, J. and Kraal, B.
Isolation of Q β polymerase complexes containing mutant species of elongation factor Tu 786(2003)279
- Mathy, F.-X., Vroman, B., Ntivunwa, D., De Winne, A.J., Verbeeck, R.K. and Pr  at, V.
On-line determination of fluconazole in blood and dermal rat microdialysates by microbore high-performance liquid chromatography 787(2003)323
- Matoga, M., see Balduini, L. 794(2003)389
- Matsubae, M., see Minamino, N. 792(2003)33
- Matsubara, S., see Kashimura, K. 791(2003)13
- Matsuda, M., see Takagaki, T. 776(2002)169
- Matsudaira, P., see Vazquez, M. 779(2002)163
- Matsui, K., see Delcarte, J. 786(2003)229
- Matsumoto, I., see Kuhara, T. 792(2003)107
- Matsumura, Y., see Kaddoumi, A. 791(2003)291
- Matsunaga, T., Koyama, I., Hokari, S. and Komoda, T.
Detection of oxidized high-density lipoprotein (Review) 781(2002)331
- Matsushima, E., see Komoto, I. 799(2004)141
- Matsusima, E., see Fukui, Y. 785(2003)73
- Matsuzaki, S., see Igarashi, Y. 781(2002)345
- Mattiasson, B., see Li, Y. 776(2002)149
- Mattie, D.R., see Narayanan, L. 788(2003)393
- Matucha, P., see Hu  ek, P. 789(2003)311
- Matuszewski, B.K., see Schwartz, M.S. 780(2002)171
- Matuszewski, B.K., see Vallano, P.T. 779(2002)249
- Matuszewski, B.K., see Vallano, P.T. 794(2003)23
- Maubach, J., Bracke, M.E., Heyerick, A., Depypere, H.T., Serreyn, R.F., Mareel, M.M. and De Keukeleire, D.
Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography 784(2003)137
- Maudens, K.E., see Mortier, K.A. 779(2002)321
- Maurer, H.H., see Springer, D. 793(2003)331
- Maurer, H.H., see Springer, D. 793(2003)377
- Maurer, H.H., see Paul, L.D. 789(2003)43
- Maurer, H.H., see Springer, D. 789(2003)79
- Maurer, H.H., see Springer, D. 796(2003)253
- Maurer, H.H., see Staack, R.F. 789(2003)27
- Maurer, H.H., see Staack, R.F. 798(2003)333
- Mauri, L., Valsecchi, M., Casellato, R., Li, S.-C., Li, Y.-T. and Sonnino, S.
Procedure for separation of GM2 ganglioside species with different ceramide structures by a flash reversed-phase silica gel liquid chromatography 796(2003)1
- Mauri, P.L., Basilico, F., Pietta, P.G., Pasini, E., Monti, D. and Sauerwein, W.
New approach for the detection of BSH and its metabolites using capillary electrophoresis and electrospray ionization mass spectrometry 788(2003)9
- Mawhinney, D.B., see Barbarin, N. 783(2003)73
- May, S.W., see Burns, K.L. 797(2003)175
- Mayersohn, M., see Pak, Y. 796(2003)339
- Mayumi, T., see Wang, H. 779(2002)173
- Mazenko, R.S., see Vallano, P.T. 779(2002)249
- Mazza, C.B., Cavanaugh, J.Y., Neue, U.D. and Phillips, D.J.
Role of mass spectrometry in the purification of peptides and proteins 790(2003)91
- McCarty, J.D., see Bu, W. 783(2003)411
- McChesney, J.D., see Alexander, M.S. 785(2003)253
- McConnell, O., see Kerns, E.H. 791(2003)381
- McConnell, O.J., see Mallis, L.M. 796(2003)71
- McCormick, T.J., Foley, J.P. and Lloyd, D.K.
Chromatographic performance of large-pore versus small-pore columns in micellar liquid chromatography 785(2003)1
- McElroy, J., see AbuRuz, S. 798(2003)193
- McElroy, J., see AbuRuz, S. 798(2003)203
- McKay, G., see Mosier, K.E. 783(2003)377
- McKinley, G., see Vazquez, M. 779(2002)163
- McLaurin, J.L., see Brown, K.K. 792(2003)153
- McLean, S., see Boyle, R.R. 780(2002)397
- McLeod, B., see Wen, J. 779(2002)221
- McMillan, D.C., see Talwar, D. 792(2003)333
- McNair, H., see Teti, D. 781(2002)107
- McNeff, C.V., see Sarkar, S. 790(2003)143
- McPartlin, J., see Sweeney, M.R. 788(2003)187
- Medenica, M., see Ivanovic, D. 800(2004)253
- Medina-Hern  ndez, M.J., see Escuder-Gilabert, L. 797(2003)21
- Meeker, J.B., see Xue, Y.-J. 795(2003)215
- Meerman, J.H.N., see Orhan, H. 799(2004)245
- Meger, M., Meger-Kossien, I., Schuler-Metz, A., Janket, D. and Scherer, G.
Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography–tandem mass spectrometry 778(2002)251
- Meger-Kossien, I., see Meger, M. 778(2002)251
- Mehls, C., see Tsikas, D. 784(2003)77
- Meier, S., see Br  utigam, L. 798(2003)223
- Melikian, A.A., Qu, Q., Shore, R., Li, G., Li, H., Jin, X., Cohen, B., Chen, L., Li, Y., Yin, S., Mu, R., Zhang, X. and Wang, Y.
Personal exposure to different levels of benzene and its relationships to the urinary metabolites *S*-phenylmercapturic acid and *trans*, *trans*-muconic acid 778(2002)211
- Melotti, D., see Accinni, R. 785(2003)219
- Melwanki, M.B., see Nagaralli, B.S. 798(2003)49
- Mende, K., see L  pez, M. 786(2003)73
- Mendes, G.D., see Oliveira, C.H. 783(2003)453
- Mendichi, R., see Berek, D. 800(2004)69
- Mendola, D.L., see Cucinotta, V. 800(2004)127
- Menegatti, E., see Fundueanu, G. 791(2003)407
- Menelaou, A., Hutchinson, M.R., Quinn, I., Christensen, A. and Somogyi, A.A.
Quantification of the O- and N-demethylated metabolites of hydrocodone and oxycodone in human liver microsomes using liquid chromatography with ultraviolet absorbance detection 785(2003)81
- Menetrey, A., see Giroud, C. 789(2003)131
- Meng, Q.C., see Mannes, A.J. 780(2002)475
- Menges, T., see M  hling, J. 789(2003)383
- Menoyo, E., see Pujadas, M. 798(2003)249

- Menshikova, A.Yu., see Janča, J. 800(2004)33
- Meriluoto, J., see Karlsson, K. 784(2003)243
- Mertens, N., see Willems, A. 786(2003)161
- Messana, I., see Zuppi, C. 793(2003)223
- Messens, J., Martins, J.C., Zegers, I., Van Belle, K., Brosens, E. and Wyns, L.
Purification of an oxidation-sensitive enzyme, pI258 arsenate reductase from *Staphylococcus aureus* 790(2003)217
- Mészáros, Gy., see Dobos, Zs. 799(2004)179
- Metzler, M. and Sontag, G.
Foreword 777(2002)1
- Metzler, M., see Kulling, S.E. 777(2002)211
- Metzler, M., see Niemeyer, H.B. 777(2002)321
- Meyer Passarelli, M., see dos Santos, C.R. 778(2002)237
- Meyer, A., Gourinchas, E., Girault, J. and Demuth, H.-U.
Quantitative analysis of dipeptidyl peptidase inhibitor P32/98 and its main metabolite in rat, dog, mouse, monkey, human plasma and human urine using liquid chromatography–tandem mass spectrometry: application to pharmacokinetic evaluation 796(2003)401
- Meyer, H.H., see Tsikas, D. 784(2003)351
- Michael, K., see Zur Stadt, U. 792(2003)287
- Michalska, K., Pajchel, G. and Tyski, S.
Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203
- Michel, M. and Buszewski, B.
Optimization of a matrix solid-phase dispersion method for the determination analysis of carbendazim residue in plant material 800(2004)309
- Middelberg, A.P.J., see Morreale, G. 786(2003)237
- Miettinen, I.T., see Keinänen, M.M. 783(2003)443
- Mihai, D., see Fundueanu, G. 791(2003)407
- Mikhailitsyn, F.S., see Brondz, I. 800(2004)211
- Miksik, I., see Forgács, E. 800(2004)259
- Miksik, I., see Ruangyuttikarn, W. 800(2004)315
- Miksik, I. and Deyl, Z.
Foreword 797(2003)1
- Mikšík, I., Charvátová, J., Eckhardt, A. and Deyl, Z.
Peptide mapping by capillary electrophoresis with Pluronic F127 800(2004)155
- Mikšík, I., Charvátová, J., Eckhardt, A., Cserhádi, T., Forgács, E. and Deyl, Z.
Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161
- Mikšík, I., Mikulíková, K., Pácha, J., Kučka, M. and Deyl, Z.
Application of liquid chromatography–electrospray ionization mass spectrometry for study of steroid-converting enzymes 800(2004)145
- Mikšík, I., see Charvátová, J. 800(2004)83
- Mikšík, I., see Deyl, Z. 790(2003)245
- Mikulíková, K., see Mikšík, I. 800(2004)145
- Mikus, G., see Buechler, J. 793(2003)207
- Mikus, G., see Burhenne, J. 784(2003)233
- Miletić-Medved, M., see Domijan, A.-M. 798(2003)317
- Millán, E., see Maraschiello, C. 791(2003)1
- Miller, B., see Sobolevsky, T.G. 800(2004)101
- Miller, J.C., see Morreale, G. 786(2003)237
- Millership, J., see AbuRuz, S. 798(2003)193
- Millership, J., see AbuRuz, S. 798(2003)203
- Millet, J., see Ismaili, L. 780(2002)467
- Millington, R.B., see Morrill, P.R. 793(2003)229
- Millot, M.C.
Separation of drug enantiomers by liquid chromatography and capillary electrophoresis, using immobilized proteins as chiral selectors 797(2003)131
- Minami, T., Ichida, S. and Kubo, K.
Study of metallothionein using capillary zone electrophoresis (Review) 781(2002)303
- Minami, T., Kubo, K. and Ichida, S.
Determination of metallothionein-1/metallothionein-2 ratios in the mouse liver and pancreas by capillary zone electrophoresis using a polyacrylamide-coated capillary at neutral pH 779(2002)211
- Minamino, N., Tanaka, J., Kuwahara, H., Kihara, T., Satomi, Y., Matsubae, M. and Takao, T.
Determination of endogenous peptides in the porcine brain: possible construction of Peptidome, a fact database for endogenous peptides 792(2003)33
- Mindt-Prüfert, S., see Heinrich-Ramm, R. 778(2002)263
- Minegishi, Y., see Sato, K. 790(2003)277
- Minh Tu, T., see Projean, D. 787(2003)243
- Minoia, C., see Turci, R. 789(2003)169
- Minzi, O.M.S., Rais, M., Svensson, J.O., Gustafsson, L.L. and Ericsson, Ö.
High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473
- Miraglia, N., see Pieri, M. 795(2003)347
- Miranda, E., see Maraschiello, C. 791(2003)1
- Mirghani, R.A., see Jansson, A. 795(2003)151
- Misiti, D., see Badaloni, E. 796(2003)45
- Mišl'anová, C. and Hutta, M.
Role of biological matrices during the analysis of chiral drugs by liquid chromatography 797(2003)91
- Misu, N., see Shibusawa, Y. 776(2002)183
- Mitamura, K., Nagaoka, Y., Shimada, K., Honma, S., Namiki, M., Koh, E. and Mizokami, A.
Simultaneous determination of androstenediol 3-sulfate and dehydroepiandrosterone sulfate in human serum using isotope diluted liquid chromatography–electrospray ionization–mass spectrometry 796(2003)121
- Mitnik, L., see Vazquez, M. 779(2002)163
- Mitra, S., see Moxley, R.A. 797(2003)269
- Mitsubuchi, H., see Inoue, Y. 792(2003)89
- Miyashita, N., see Kotani, A. 788(2003)269
- Miyazaki, A., Nakanishi, T., Shimizu, A. and Hisamitsu, H.
First case of a single heterozygote of an abnormal hemoglobin, Hb Stanmore, [β 111(G13)Val $\rightarrow$ Ala] 792(2003)23
- Miyazaki, A., see Shimizu, A. 776(2002)15
- Miyazaki, K., see Kishino, S. 780(2002)289
- Miyazawa, M., Sugie, A. and Shimada, T.
High-performance liquid chromatographic method for the determination of (–)-verbenone 10-hydroxylation catalyzed by rat liver microsomes 793(2003)291
- Mizokami, A., see Mitamura, K. 796(2003)121
- Mizugaki, M., see Suzuki, N. 783(2003)383
- Mizuki, Y., see Takagaki, T. 776(2002)169
- Mizushima, Y., see Kashimura, K. 791(2003)13
- Møller, K.B., see Pedersen, A.K. 799(2004)1
- Møller, N.P.H., see Pedersen, A.K. 799(2004)1
- Moaddel, R., Bullock, P.L. and Wainer, I.W.
Development and characterization of an open tubular column containing immobilized P-glycoprotein for rapid on-line screening for P-glycoprotein substrates 799(2004)255
- Mobley, J., see Myong Song, J. 783(2003)501
- Mohajer, A., see Rouini, M.-R. 785(2003)383
- Molander, P., see Holm, A. 794(2003)175
- Molerio, J., see Jardines, D. 783(2003)517
- Molimard, M., see Titier, K. 788(2003)179
- Molina, E., see Bermejo, R. 790(2003)317
- Møllerup, J., see Pedersen, L. 790(2003)161
- Monk, B.C., see Niimi, M. 782(2002)245
- Monteau, F.J., see Moreau, N.M. 784(2003)395
- Montenegro, D., see de Carlos, A. 786(2003)7

- Montero, E., González, L.M., Harrison, L.J.S., Parkhouse, R.M.E. and Gárate, T.
Taenia solium cDNA sequence encoding a putative immunodiagnostic antigen for human cysticercosis 786(2003)255
- Monti, D., see Mauri, P.L. 788(2003)9
- Montine, T.J., see Musiek, E.S. 799(2004)95
- Moochhala, S.M., see Zhao, B. 784(2003)323
- Moolchan, E.T., see Gustafson, R.A. 798(2003)145
- Moolchan, E.T., see Rosas, M.E.R. 796(2003)355
- Moon, M.H., see Park, I. 780(2002)415
- Moonen, H.J.J., see de Kok, T.M.C.M. 778(2002)345
- Moore, R.D., see Yang, J.Z. 780(2002)269
- Moore, N., see Titier, K. 788(2003)179
- Morazzoni, P., see Zaffaroni, M. 780(2002)93
- Moreau, N.M., Gouptry, S.M., Antigac, J.P., Monteau, F.J., Le Bizet, B.J., Champ, M.M., Martin, L.J. and Dumon, H.J.
Simultaneous measurement of plasma concentrations and ¹³C-enrichment of short-chain fatty acids, lactic acid and ketone bodies by gas chromatography coupled to mass spectrometry 784(2003)395
- Moreau, R.L.d.M., see Yonamine, M. 789(2003)73
- Morel, A., see Rouits, E. 793(2003)357
- Morgan, P.E., Tapper, J. and Spencer, E.P.
Measurement of total mirtazapine and normirtazapine in plasma/serum by liquid chromatography with fluorescence detection 798(2003)211
- Mori, H., see Tokunaga, N. 798(2003)163
- Morikawa, A., see Hamase, K. 781(2002)73
- Morita, T., see Takahashi, Y. 776(2002)31
- Morita, Y., see Sakai, T. 778(2002)245
- Morozumi, M., see Nishijima, S. 780(2002)13
- Morrall, S.W., see Vassallo, J.D. 794(2003)257
- Morreale, G., Lanckriet, H., Miller, J.C. and Middelberg, A.P.J.
Continuous processing of fusion protein expressed as an *Escherichia coli* inclusion body 786(2003)237
- Morrill, P.R., Millington, R.B. and Lowe, C.R.
Imaging surface plasmon resonance system for screening affinity ligands 793(2003)229
- Morris, M.E., see Hu, K. 788(2003)17
- Morrison, C.A., see Azzimonti, F. 784(2003)33
- Morrow, J.D., see Musiek, E.S. 799(2004)95
- Morse, G.D., see Frerichs, V.A. 787(2003)393
- Mortensen, K.K., see Sørensen, H.P. 786(2003)207
- Mortensen, S.B., see Pedersen, A.K. 799(2004)1
- Mortier, K.A., Maudens, K.E., Lambert, W.E., Clauwaert, K.M., Van Boclaere, J.F., Deforce, D.L., Van Peteghem, C.H. and De Leenheer, A.P.
Simultaneous, quantitative determination of opiates, amphetamines, cocaine and benzoylecgonine in oral fluid by liquid chromatography quadrupole-time-of-flight mass spectrometry 779(2002)321
- Mosandl, A., see Muth, A. 791(2003)235
- Mosandl, A., see Muth, A. 792(2003)269
- Mosca, L., see Breinhölder, P. 777(2002)67
- Mosier, K.E., Song, J., McKay, G., Hubbard, J.W. and Fang, J.
Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine *N*-oxide in dog plasma using high-performance liquid chromatography 783(2003)377
- Motorin, Y., see Urban, A. 786(2003)187
- Motos-Gallardo, A., see Celli, N. 787(2003)405
- Mottier, L., Alvarez, L. and Lanusse, C.
Quantitative chromatographic determination of several benzimidazole anthelmintic molecules in parasite material 798(2003)117
- Mou, S., Ding, X. and Liu, Y.
Separation methods for taurine analysis in biological samples (Review) 781(2002)251
- Moxley, R.A., Jarrett, H.W. and Mitra, S.
Methods for transcription factor separation 797(2003)269
- Mračnová, H., see Kubinec, R. 800(2004)295
- Mráz, J., Dušková, Š., Gálová, E., Nohová, H., Krausová, P., Linhart, I. and Šimek, P.
Improved gas chromatographic–mass spectrometric determination of the *N*-methylcarbamoyl adduct at the N-terminal valine of globin, a metabolic product of the solvent *N,N*-dimethylformamide 778(2002)357
- Mu, R., see Melikian, A.A. 778(2002)211
- Muchohi, S.N., see Gitau, E.N. 799(2004)173
- Mucignat, C., see Zaffaroni, M. 796(2003)113
- Mudge, D.W., see Atcheson, B. 799(2004)157
- Mueller, S.O.
Overview of in vitro tools to assess the estrogenic and antiestrogenic activity of phytoestrogens 777(2002)155
- Müge Çetin, S., see Ertürk, S. 793(2003)193
- Mühlbauer, R.C., see Spichiger, M. 799(2004)111
- Mühling, J., Fuchs, M., Campos, M.E., Gonter, J., Engel, J.M., Sablotzki, A., Menges, T., Weiss, S., Dehne, M.G., Krüll, M. and Hempelmann, G.
Quantitative determination of free intracellular α -keto acids in neutrophils 789(2003)383
- Muhr, D., Wagner, T. and Oefner, P.J.
Polymerase chain reaction fidelity and denaturing high-performance liquid chromatography 782(2002)105
- Muñoz-Blanco, T., see Grasa, P. 795(2003)83
- Muller, M., see Buerger, C. 796(2003)155
- Müller, M., see Zur Stadt, U. 792(2003)287
- Müller, M.M., see Cichna, M. 787(2003)381
- Muñoz, P., see Ramos, M. 791(2003)31
- Muntoni, E., Canaparo, R., Della Pepa, C., Serpe, L., Casale, F., Barbera, S., Romano, P., Zara, G.P. and Eandi, M.
Determination of disodium clodronate in human plasma and urine using gas-chromatography–nitrogen-phosphorous detections: validation and application in pharmacokinetic study 799(2004)133
- Muraguchi, A., see Kawakami, T. 787(2003)223
- Murakita, H., see Kawano, S.-i. 792(2003)49
- Muralidhara, S., see Brown, S.D. 783(2003)319
- Muramoto, K., see Fukui, Y. 785(2003)73
- Mürdter, T.E., see Hofmann, U. 791(2003)371
- Muret, P., see Leveque, N. 780(2002)119
- Muronetz, V.I. and Korpela, T.
Isolation of antigens and antibodies by affinity chromatography (Review) 790(2003)53
- Muros, M., see Barbas, C. 781(2002)433
- Murphy, P.A., Barua, K. and Hauck, C.C.
Solvent extraction selection in the determination of isoflavones in soy foods 777(2002)129
- Murr, A., see Huang, Y. 799(2004)51
- Mushi, R., see Dale, Y. 788(2003)1
- Musiek, E.S., Cha, J.K., Yin, H., Zackert, W.E., Terry, E.S., Porter, N.A., Montine, T.J. and Morrow, J.D.
Quantification of F-ring isoprostane-like compounds (F₄-neuroprostanes) derived from docosahexaenoic acid in vivo in humans by a stable isotope dilution mass spectrometric assay 799(2004)95
- Musshoff, F.
Chromatographic methods for the determination of markers of chronic and acute alcohol consumption (Review) 781(2002)457
- Musson, D.G., Birk, K.L., Kitchen, C.J., Zhang, J., Hsieh, J.Y.K., Fang, W., Majumdar, A.K. and Rogers, J.D.
Assay methodology for the quantitation of unbound ertapenem, a new carbapenem antibiotic, in human plasma 783(2003)1
- Musson, D.G., Kitchen, C.J., Hsieh, J.Y.-K. and Birk, K.L.
Modified high-performance liquid chromatographic method for the determination of ertapenem in human urine: enhanced selectivity and automation 779(2002)341
- Musson, D.G., see Du, L. 794(2003)343
- Musson, D.G., see Kitchen, C.J. 799(2004)9
- Musson, D.G., see Roadcap, B.A. 791(2003)161

- Muth, A., Jung, J., Bilke, S., Scharrer, A., Mosandl, A., Sewell, A.C. and Böhles, H.
Simultaneous enantioselective analysis of chiral urinary metabolites in patients with *Zellweger* syndrome 792(2003)269
- Muth, A., Mosandl, A., Bursen, A., Marschalek, R., Sewell, A.C. and Böhles, H.
Multidimensional gas chromatography–mass spectrometry for tracer studies of fatty acid metabolism via stable isotopes in cultured human trophoblast cells 791(2003)235
- Mutlow, A., see Hunter, R.P. 793(2003)351
- Myers, N., see Bu, W. 783(2003)411
- Myong Song, J., Mobley, J. and Vo-Dinh, T.
Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501
- Na-Bangchang, K., see Hanpitakpong, W. 788(2003)221
- Nagai, N., see Fukui, Y. 785(2003)73
- Nagai, R., Araki, T., Hayashi, C.M., Hayase, F. and Horiuchi, S.
Identification of *N*^ε-(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75
- Nagai, Y., see Niimi, M. 782(2002)245
- Nagaoka, Y., see Mitamura, K. 796(2003)121
- Nagaralli, B.S., Seetharamappa, J., Gowda, B.G. and Melwanki, M.B.
Liquid chromatographic determination of ceterizine hydrochloride and paracetamol in human plasma and pharmaceutical formulations 798(2003)49
- Nagata, T., see Kawakami, T. 787(2003)223
- Naidong, W.
Bioanalytical liquid chromatography tandem mass spectrometry methods on underivatized silica columns with aqueous/organic mobile phases 796(2003)209
- Naidoo, D., see Sim, A.S. 785(2003)337
- Nakagawa, K., see Kimura, M. 792(2003)141
- Nakamura, I., Iwase, H., Ohba, Y., Hiki, Y., Katsumata, T. and Kobayashi, Y.
Quantitative analysis of IgA1 binding protein prepared from human serum by hypoglycosylated IgA1/Sepharose affinity chromatography 776(2002)101
- Nakamura, J., see Kaddoumi, A. 791(2003)291
- Nakamura, S., see Tsukushi, S. 776(2002)133
- Nakamura, Y., see Sato, K. 790(2003)277
- Nakanishi, T., Koyama, R., Ikeda, T. and Shimizu, A.
Catalogue of soluble proteins in the human vitreous humor: comparison between diabetic retinopathy and macular hole 776(2002)89
- Nakanishi, T., see Koyama, R. 792(2003)5
- Nakanishi, T., see Miyazaki, A. 792(2003)23
- Nakanishi, T., see Shimizu, A. 776(2002)15
- Nakashima, K., see Kaddoumi, A. 791(2003)291
- Nakashima, K., see Kishikawa, N. 789(2003)257
- Nakashima, M.N., see Kaddoumi, A. 791(2003)291
- Nakazawa, H., see Inoue, K. 785(2003)57
- Nakazawa, H., see Inoue, K. 798(2003)17
- Nakazawa, H., see Kato, K. 788(2003)407
- Nakazawa, H., see Kawaguchi, M. 799(2004)119
- Nakazumi, H., see Welder, F. 793(2003)93
- Namera, A., see Nishida, M. 789(2003)65
- Namera, A., Yashiki, M., Nishida, M. and Kojima, T.
Direct extract derivatization for determination of amino acids in human urine by gas chromatography and mass spectrometry 776(2002)49
- Namiki, M., see Mitamura, K. 796(2003)121
- Namiki, T., see Inoue, K. 785(2003)57
- Narayanan, L., Buttler, G.W., Yu, K.O., Mattie, D.R. and Fisher, J.W.
Sensitive high-performance liquid chromatography method for the determination of low levels of perchlorate in biological samples 788(2003)393
- Nardella, P.A., see Gmur, D.J. 789(2003)365
- Nardini, M., Maccone, A. and Matarese, R.M.
Determination of aminoethylcysteine ketimine decarboxylated dimer in human plasma and cultured cells by high-performance liquid chromatography with electrochemical detection 795(2003)319
- Narui, T., see Mano, N. 776(2002)125
- Navalón, A., see Ballesteros, O. 798(2003)137
- Naylor, J.M., see Ewaschuk, J.B. 781(2002)39
- Needham, L.L., see Barr, J.R. 794(2003)137
- Needham, L.L., see Barr, D.B. 778(2002)5
- Needham, L.L., see Barr, D.B. 778(2002)99
- Needham, L.L., see Silva, M.J. 789(2003)393
- Needham, S.R., Ye, B., Richard Smith, J. and Korte, W.D.
Development and validation of a liquid chromatography–tandem mass spectrometry method for the determination of pyridostigmine bromide from guinea pig plasma 796(2003)347
- Nefflen, J.U., see Bräutigam, L. 788(2003)309
- Negri, S., see Imbriani, M. 778(2002)231
- Neirinck, L., see Tessier, E. 798(2003)295
- Neirinck, L., see Zhu, Z. 779(2002)297
- Neirinck, L., see Zhu, Z. 779(2002)307
- Neirinck, L., see Zhu, Z. 780(2002)295
- Neirinck, L., see Zhu, Z. 783(2003)133
- Neirinck, L., see Zhu, Z. 785(2003)277
- Nellessen, M., see Kleines, M. 786(2003)137
- Nenonen, K., see Keinänen, M.M. 783(2003)443
- Neri, B., see Bocca, B. 783(2003)141
- Neri, B., see Buiairelli, F. 781(2002)73
- Neri, B., see Buiairelli, F. 784(2003)1
- Nerli, B., see Farruggia, B. 798(2003)25
- Nerli, B., see Reh, G. 780(2002)389
- Nerli, B., see Tubio, G. 799(2004)293
- Netzel, M., see Rychlik, M. 792(2003)167
- Neubauerová, V., see Hubálek, M. 787(2003)149
- Neubert, R., see Farwanah, H. 780(2002)443
- Neue, U.D., see Mazza, C.B. 790(2003)91
- Neugebauer, J.M., see Tamvakopoulos, C.S. 776(2002)161
- Newbold, R.R., see Jefferson, W.N. 777(2002)179
- Newbold, R.R., see Twaddle, N.C. 793(2003)309
- Ng, B.H. and Yuen, K.H.
Determination of plasma testosterone using a simple liquid chromatographic method 793(2003)421
- Ng, K., see Wang, G. 780(2002)451
- Ngan, G.C., see Iqbal, T. 799(2004)337
- Nguyen, A.T., see Djabarouti, S. 799(2004)165
- Nicod, L., see Guillaume, Y. 798(2003)217
- Nicod, L., see Ismaili, L. 780(2002)467
- Nicolau, D.P., see Li, C. 794(2003)227
- Nicotra, C.M.A., see Taibi, G. 780(2002)261
- Niederländer, H.A.G., see van Hout, M.W.J. 794(2003)185
- Niederstätter, H., see Berger, B. 782(2002)89
- Niederweis, M., see Heinz, C. 790(2003)337
- Niedorf, F., Bohr, H.-H. and Kietzmann, M.
Simultaneous determination of ketamine and xylazine in canine plasma by liquid chromatography with ultraviolet absorbance detection 791(2003)421
- Niedzielska, J., see Posyniak, A. 780(2002)309
- Nielsen, K.K., see Andersen, M.P. 788(2003)45

- Nielsen, S.E. and Sandström, B.
Simultaneous determination of hydroxycinnamates and catechins in human urine samples by column switching liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry 787(2003)369
- Niemann, J., see Tsikas, D. 794(2003)237
- Niemeyer, H.B. and Metzler, M.
Oxidative metabolites and genotoxic potential of mammalian and plant lignans in vitro 777(2002)321
- Nightingale, C.H., see Li, C. 794(2003)227
- Niimi, K., see Niimi, M. 782(2002)245
- Niimi, M., Nagai, Y., Niimi, K., Wada, S.-i., Cannon, R.D., Uehara, Y. and Monk, B.C.
Identification of two proteins induced by exposure of the pathogenic fungus *Candida glabrata* to fluconazole 782(2002)245
- Niino, T., Ishibashi, T., Itho, T., Sakai, S., Ishiwata, H., Yamada, T. and Onodera, S.
Simultaneous determination of phthalate di- and monoesters in poly(vinylchloride) products and human saliva by gas chromatography–mass spectrometry 780(2002)35
- Nikaido, A., see Mano, N. 776(2002)125
- Nilsson, C.L., see Thorén, K. 782(2002)219
- Nisar, U.-R., see Wong, J.W. 798(2003)355
- Nishida, M., Namera, A., Yashiki, M. and Kojima, T.
Routine analysis of amphetamine and methamphetamine in biological materials by gas chromatography–mass spectrometry and on-column derivatization 789(2003)65
- Nishida, M., see Namera, A. 776(2002)49
- Nishijima, S., Sugaya, K., Morozumi, M., Hatano, T. and Ogawa, Y.
Capillary electrophoresis assay of alanine:glyoxylate aminotransferase activity in rat liver 780(2002)13
- Nishikawa, M., see Kamata, T. 796(2003)421
- Nishimura, T., see Kawakami, T. 787(2003)223
- Nithipatikom, K., Laabs, N.D., Isbell, M.A. and Campbell, W.B.
Liquid chromatographic–mass spectrometric determination of cyclooxygenase metabolites of arachidonic acid in cultured cells 785(2003)135
- Nitin, M., Rajanikanth, M., Lal, J., Madhusudanan, K.P. and Gupta, R.C.
Liquid chromatography–tandem mass spectrometric assay with a novel method of quantitation for the simultaneous determination of bulaquine and its metabolite, primaquine, in monkey plasma 793(2003)253
- Niwa, T., see Fukuwatari, Y. 776(2002)1
- Niwa, T., see Tsukushi, S. 776(2002)133
- Niwa, T., see Yoshino, M. 792(2003)3
- Nnane, I.P., see Tao, X. 796(2003)35
- Noa, M., see Ramírez, A. 784(2003)315
- Nohová, H., see Mráz, J. 778(2002)357
- Nokua, J., see Rasanen, I. 788(2003)243
- Nolin, T.D. and Frye, R.F.
Stereoselective determination of the CYP2C19 probe drug mephenytoin in human urine by gas chromatography–mass spectrometry 783(2003)265
- Nombela, C., see Pitarch, A. 787(2003)101
- Nombela, C., see Pitarch, A. 787(2003)129
- Nomura, A., see Machida, M. 798(2003)187
- Nomura, A.M.Y., see Franke, A.A. 777(2002)45
- Norberto, M.J., see LLerena, A. 783(2003)213
- Norström, Å., see Lakso, H.-Å. 794(2003)57
- Northfleet Albuquerque, C., see Xu, Y. 780(2002)53
- Noubhani, A.M., Dieryck, W., Bakalara, N., Latxague, L. and Santarelli, X.
Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins 790(2003)153
- Noubhani, A.M., see Dieryck, W. 786(2003)153
- Novakovic, J., Tesoro, A., Spino, M. and Thiessen, J.
Improved high-performance liquid chromatographic method for the pharmacokinetic studies of a novel iron chelator, CP502, in rats 796(2003)105

- Nowak, G., see López, M. 786(2003)73
- Ntivunwa, D., see Mathy, F.-X. 787(2003)323
- Nurmi, T., Voutilainen, S., Nyyssönen, K., Adlercreutz, H. and Salonen, J.T.
Liquid chromatography method for plant and mammalian lignans in human urine 798(2003)101
- Nyanda, A., see Dale, Y. 788(2003)1
- Nyhammar, T., see Lemmens, R. 784(2003)291
- Nyhan, W.L., see Ohdoi, C. 792(2003)123
- Nyyssönen, K., see Nurmi, T. 798(2003)101
- # O
- Obata, T., Sakurai, Y., Kase, Y., Tanifuji, Y. and Horiguchi, T.
Simultaneous determination of endocannabinoids (arachidonyl ethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F_{2α}) by gas chromatography–mass spectrometry–selected ion monitoring for medical samples 792(2003)131
- Oberacher, H., see Berger, B. 782(2002)89
- Oberacher, H., see Walcher, W. 782(2002)111
- O'Brien, K., see Grob, M.K. 788(2003)103
- O'Brien, W.E., see Song, J. 791(2003)127
- O'Connor, G., see Stokes, P. 794(2003)125
- O'Donnell, A., see Asad, Y. 785(2003)175
- O'Dwyer, P.J., see Oe, T. 792(2003)217
- Oe, T., see Johnson, D.W. 798(2003)159
- Oe, T., Tian, Y., O'Dwyer, P.J., Roberts, D.W., Bailey, C.J. and Blair, I.A.
Determination of the platinum drug *cis*-amminedichloro(2-methylpyridine)platinum(II) in human urine by liquid chromatography–tandem mass spectrometry 792(2003)217
- Oefner, P., see Walcher, W. 782(2002)111
- Oefner, P.J.
Sequence variation and the biological function of genes: methodological and biological considerations (Review) 782(2002)3
- Oefner, P.J. and Huber, C.G.
A decade of high-resolution liquid chromatography of nucleic acids on styrene–divinylbenzene copolymers (Review) 782(2002)27
- Ofener, P.J., see Huber, C.G. 782(2002)1
- Oefner, P.J., see Muhr, D. 782(2002)105
- Ogawa, Y., see Nishijima, S. 780(2002)173
- Oger, L., see Janoly, A. 780(2002)155
- Oguri, S. and Yoneya, Y.
Assay and biological relevance of endogenous histamine and its metabolites: application of microseparation techniques (Review) 781(2002)165
- Ogut, B.R., see Gitau, E.N. 799(2004)173
- Oh, C.H., see Kong, L. 795(2003)371
- Ohama, K., see Fukui, Y. 785(2003)73
- Ohba, Y., see Nakamura, I. 776(2002)101
- Ohdoi, C., Nyhan, W.L. and Kuhara, T.
Chemical diagnosis of Lesch–Nyhan syndrome using gas chromatography–mass spectrometry detection 792(2003)123
- Ohdoi, C., see Kuhara, T. 792(2003)107
- Ohfu, M., see Shinka, T. 776(2002)57
- Ohfu, M., see Shinka, T. 792(2003)99
- Öhrman, I., see Larsson, M. 783(2003)335
- Ohse, M., see Kuhara, T. 792(2003)107
- Ohse, M., see Shinka, T. 776(2002)57

- Ohtsuka, Y., see Kudo, K. 791(2003)171
 Ohtsuki, K., see Sato, K. 790(2003)277
 Oishi, R., see Teshima, D. 780(2002)21
 Ojanperä, I., see Gergov, M. 795(2003)41
 Ojanperä, I., see Rasanen, I. 788(2003)243
 Okamoto, K. and Isohashi, F.
 New purification method for glucocorticoid receptors 797(2003)367
 Okamoto, K., see Suematsu, N. 790(2003)239
 Okamoto, K., Suematsu, N. and Isohashi, F.
 Purification of a full-length recombinant glucocorticoid receptor
 790(2003)349
 Okanouchi, N., see Kawaguchi, M. 799(2004)119
 O'Kennedy, R., see Brennan, J. 786(2003)327
 Okina, M., Yoshida, K., Kuroda, K., Wanibuchi, H., Fukushima, S. and
 Endo, G.
 Determination of trivalent methylated arsenicals in rat urine by liquid
 chromatography–inductively coupled plasma mass spectrometry after
 solvent extraction 799(2004)209
 Oldenhof, N.J.J., see ter Horst, P.G.J. 791(2003)389
 Oliveira, C.H., Barrientos-Astigarraga, R.E., Abib, E., Mendes, G.D., Da
 Silva, D.R. and De Nucci, G.
 Lansoprazole quantification in human plasma by liquid chromatogra-
 phy–electrospray tandem mass spectrometry 783(2003)453
 Oliveira, R.V., see Cass, Q.B. 798(2003)275
 Ollivon, M., see Pellequer, Y. 783(2003)151
 Olsen, G., see Giometti, C.S. 782(2002)227
 Olsson, U., see Lemmens, R. 784(2003)291
 Önal, A., see Ertürk, S. 793(2003)193
 O'Neil, K.A., see Lubman, D.M. 782(2002)183
 O'Neill, T., see Bu, W. 783(2003)411
 Onodera, S., see Niino, T. 780(2002)35
 Ooms, B., see Schellen, A. 788(2003)251
 Oosterveld, M.J.S., see Kulik, W. 791(2003)399
 Oppermann, U., see Wu, X. 786(2003)177
 O'Reilly, D.S.J., see Talwar, D. 792(2003)333
 Ørbæk, P., see Jönsson, B.A.G. 784(2003)63
 Örfi, L., see Hollósy, F. 780(2002)355
 Orhan, H., Vermeulen, N.P.E., Tump, C., Zappey, H. and Meerman, J.H.N.
 Simultaneous determination of tyrosine, phenylalanine and deoxy-
 guanosine oxidation products by liquid chromatography–tandem mass
 spectrometry as non-invasive biomarkers for oxidative damage
 799(2004)245
 Oriado, V., see Sobolevsky, T.G. 800(2004)101
 Orlando, R.M. and Bonato, P.S.
 Simple and efficient method for enantioselective determination of
 omeprazole in human plasma 795(2003)227
 Orr, J.D., see Wang, Y. 793(2003)3
 Orrù, S., see Castro, M.S. 794(2003)109
 Ortelli, D., see Souverain, S. 784(2003)117
 Ortuño, J., see Yritia, M. 779(2002)271
 Osinski, J., Wang, A., Wu, J.A., Foss, J.F. and Yuan, C.-S.
 Determination of methylnaltrexone in clinical samples by solid-phase
 extraction and high-performance liquid chromatography for a phar-
 macokinetics study 780(2002)251
 Osorio-Pérez, A., Salazar-Cavazos, M., Piñeyro-López, A. and
 Waksman de Torres, N.
 Optimization and validation of an analytical procedure by high-per-
 formance liquid chromatography for the quantification of peroxiso-
 micines and isoperoxisomicines 783(2003)85
 Östin, A., see Eriksson, K. 794(2003)115
 Oswald, B., see Wetzl, B. 793(2003)83
 Oswald, P., Desmet, K., Sandra, P., Krupčík, J., Májek, P. and Armstrong,
 D.W.
 Determination of the enantiomerization energy barrier of some 3-
 hydroxy-1,4-benzodiazepine drugs by supercritical fluid chromato-
 graphy 779(2002)283
 Otávio Alves Vianna, C., see da Silva e Mouta Junior, S. 787(2003)303
 Otsubo, K., see Teshima, D. 780(2002)21
 Ottmann, O.G., see Schleyer, E. 799(2004)23
 Ou, J.P., see Yeung, W.S.B. 797(2003)217
 Ou, Q.-y., see Lu, H.-j. 788(2003)291
 Ouariqi, S., see Péhourcq, F. 789(2003)101
 Ouchi, K. and Watanabe, S.
 Measurement of bisphenol A in human urine using liquid chromato-
 graphy with multi-channel coulometric electrochemical detec-
 tion 780(2002)365
 Ouwehand, M., see Kemper, E.M. 798(2003)63
 Øvrebø, S., see Holm, A. 794(2003)175
 Overholser, B.R., Kays, M.B. and Sowinski, K.M.
 Determination of gatifloxacin in human serum and urine by high-
 performance liquid chromatography with ultraviolet detection
 798(2003)167
 Overmars, H., see Goldiner, I. 795(2003)35
 Owens, T.S., Dodds, H., Fricke, K., Hanna, S.K. and Crews, K.R.
 High-performance liquid chromatographic assay with fluorescence
 detection for the simultaneous measurement of carboxylate and lactone
 forms of irinotecan and three metabolites in human plasma
 788(2003)65
 Özer, N., see Baran, E.T. 794(2003)311
 Özkar, S., see Denizli, A. 795(2003)93
- ## P
- Pácha, J., see Mikšík, I. 800(2004)145
 Pacifici, R., see Gatti, G. 784(2003)375
 Pacifici, R., see Pichini, S. 794(2003)281
 Padilla, S., see González, Y. 784(2003)183
 Padilla-Banks, E., see Jefferson, W.N. 777(2002)179
 Padovani, P., see Chi, C. 783(2003)163
 Paeng, K.-J., see Park, I. 780(2002)415
 Páez de la Cadena, M., see de Carlos, A. 786(2003)7
 Pagès, J.-M., see Masi, M. 786(2003)197
 Page-Sharp, M., Hale, T.W., Peter Hackett, L., Kristensen, J.H. and
 Ilett, K.F.
 Measurement of nicotine and cotinine in human milk by high-per-
 formance liquid chromatography with ultraviolet absorbance
 detection 796(2003)173
 Pajchel, G., see Michalska, K. 800(2004)203
 Pajunen, H., see Keinänen, M.M. 783(2003)443
 Pak, Y., Patek, R. and Mayersohn, M.
 Sensitive and rapid isocratic liquid chromatography method for the
 quantitation of curcumin in plasma 796(2003)339
 Palleschi, L., see Draisci, R. 789(2003)219
 Paluch, Z., see Jedličková, V. 780(2002)193
 Pan, J.P., see Liao, C.Y. 790(2003)209
 Pang, T., see Yang, J. 780(2002)27
 Pao, L.-H., see Wang, C.-J. 796(2003)283
 Papadopoulos, N., see Tsarbopoulos, A. 785(2003)157
 Papadoyannis, I., see Gika, H. 800(2004)193
 Papadoyannis, I.N., see Samanidou, V.F. 788(2003)147
 Parikka, K., see Wähälä, K. 777(2002)111
 Parise, R.A., Ramanathan, R.K., Hayes, M.J. and Egorin, M.J.
 Liquid chromatographic–mass spectrometric assay for quantitation of
 imatinib and its main metabolite (CGP 74588) in plasma
 791(2003)39

- Parise, R.A., Ramanathan, R.K., Zamboni, W.C. and Egorin, M.J.
Sensitive liquid chromatography–mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma 783(2003)231
- Park, I., Paeng, K.-J., Yoon, Y., Song, J.-H. and Moon, M.H.
Separation and selective detection of lipoprotein particles of patients with coronary artery disease by frit-inlet asymmetrical flow field-flow fractionation 780(2002)415
- Parkhouse, R.M.E., see Montero, E. 786(2003)255
- Parmeggiani, A., see Previati, M. 780(2002)331
- Parodi, O., see Accinni, R. 785(2003)219
- Parolini, M., see Accinni, R. 785(2003)219
- Parry, A., see Veal, G.J. 795(2003)237
- Parson, W., see Berger, B. 782(2002)89
- Partsch, C.-J., see Riepe, F.G. 785(2003)293
- Pasini, E., see Mauri, P.L. 788(2003)9
- Pasini, F., see Perbellini, L. 778(2002)199
- Pass, G.J., see Boyle, R.R. 780(2002)397
- Passerò, E., see Sangalli, L. 796(2003)201
- Pastera, J., Vysloulzil, L. and Květa, J.
Determination of isosorbide-5-mononitrate in human plasma by high-resolution gas chromatography 800(2004)271
- Pastore, A., Lo Russo, A., Piemonte, F., Mannucci, L. and Federici, G.
Rapid determination of mycophenolic acid in plasma by reversed-phase high-performance liquid chromatography 776(2002)251
- Patacchini, C., Masci, S., D'Ovidio, R. and Lafiandra, D.
Heterologous expression and purification of native and mutated low molecular mass glutenin subunits from durum wheat 786(2003)215
- Patek, R., see Pak, Y. 796(2003)339
- Patel, G. and Agrawal, Y.K.
Separation and trace estimation of benzidine and its macromolecular adducts using supercritical fluid chromatography 795(2003)157
- Patel, S., see Poole, S.K. 793(2003)265
- Patel, S., see Rodriguez Rosas, M.E. 794(2003)99
- Patterson Jr., D.G., see Barr, J.R. 794(2003)137
- Patterson Jr., D.G., see Smith, C.J. 778(2002)157
- Patton, W.F., see Schulenberg, B. 793(2003)127
- Paul Fawcett, J., see Chu, D. 795(2003)377
- Paul, B., see Welder, F. 793(2003)93
- Paul, L.D. and Maurer, H.H.
Studies on the metabolism and toxicological detection of the *Eschscholtzia californica* alkaloids californine and protopine in urine using gas chromatography–mass spectrometry 789(2003)43
- Paulsson, B., see Törnqvist, M. 778(2002)279
- Paxton, J.W., see Zhou, S. 776(2002)231
- Paxton, J.W., see Zhou, S. 785(2003)165
- Pazzucconi, F., see Badaloni, E. 796(2003)45
- Peard, A., see Brodie, R. 784(2003)91
- Pearson, A.D.J., see Veal, G.J. 795(2003)237
- Pecere, T., see Zaffaroni, M. 796(2003)113
- Pedersen, A.K., Branner, S., Mortensen, S.B., Sune Andersen, H., Klausen, K.M., Møller, K.B., Møller, N.P.H. and Iversen, L.F.
Affinity purification of recombinant protein-tyrosine phosphatase 1B using a highly selective inhibitor 799(2004)1
- Pedersen, C., see Justesen, U.S. 783(2003)491
- Pedersen, L., Møllerup, J., Hansen, E. and Jungbauer, A.
Whey proteins as a model system for chromatographic separation of proteins 790(2003)161
- Pedrazzoli Jr., J., see Cass, Q.B. 798(2003)275
- Peerapornpisal, Y., see Ruangyuttikarn, W. 800(2004)315
- Péhourcq, F., Ouariki, S. and Bégaud, B.
Rapid high-performance liquid chromatographic measurement of amisulpride in human plasma: application to manage acute intoxication 789(2003)101
- Péhourcq, F., see Garay Garcia, L. 795(2003)257
- Péhourcq, F., see Titier, K. 788(2003)179
- Pei, L., Arvholm, I.L., Lonnie, L. and Flock, J.-I.
GST-Fbe can recognize β -chains of fibrin(ogen) on explanted materials 786(2003)319
- Pekari, K., see Kontsas, H. 791(2003)117
- Pekkoh, J., see Ruangyuttikarn, W. 800(2004)315
- Pellegrini, M., see Pichini, S. 794(2003)281
- Pelegrini-da-Silva, A., Prado, W.A., Juliano, M.A., Wilk, S. and Martins, A.R.
High-performance liquid chromatographic separation of renin–angiotensin system peptides and most of their metabolic fragments 780(2002)301
- Pellequer, Y., Ollivon, M. and Barratt, G.
Methodology for assaying recombinant interleukin-2 associated with liposomes by combined gel exclusion chromatography and fluorescence 783(2003)151
- Pemberton, T.J., Rulten, S.L. and Kay, J.E.
Identification and characterisation of *Schizosaccharomyces pombe* cyclophilin 3, a cyclosporin A insensitive orthologue of human USA-CyP 786(2003)81
- Peng, S.Q., see Qin, Y. 794(2003)193
- Peng, W.-C., see Liu, Z.-J. 793(2003)405
- Peper, H., see Arnold, N. 782(2002)99
- Pépin, G., see Cirimele, V. 789(2003)107
- Peraica, M., see Domijan, A.-M. 798(2003)317
- Perbellini, L., Pasini, F., Romani, S., Princivalle, A. and Brugnone, F.
Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population 778(2002)199
- Perbellini, L., Veronese, N. and Princivalle, A.
Mercapturic acids in the biological monitoring of occupational exposure to chemicals (Review) 781(2002)269
- Peregrina, A. Aaron, see González, H.M. 780(2002)459
- Pérez Arroyo, J., see Lemus Gallego, J.M. 784(2003)39
- Pérez, N., see Ramírez, A. 784(2003)315
- Pérez-Alarcón, E., see Pichini, S. 794(2003)281
- Pérez-Ruiz, T., Martínez-Lozano, C., Tomás, V. and Galera, R.
Development of a capillary electrophoresis method for the determination of allopurinol and its active metabolite oxypurinol 798(2003)303
- Perkowski, S.Z., see Mannes, A.J. 780(2002)475
- Perona, J.S. and Ruiz-Gutierrez, V.
Simultaneous determination of molecular species of monoacylglycerols, diacylglycerols and triacylglycerols in human very-low-density lipoproteins by reversed-phase liquid chromatography 785(2003)89
- Peroni, C.N., see De Oliveira, J.E. 787(2003)345
- Perreault, H., see Lattova, E. 793(2003)167
- Perrot-Appianat, M., see Benassayag, C. 777(2002)233
- Persiani, S., see Brodie, R. 784(2003)91
- Persky, A.M., Hochhaus, G. and Brazeau, G.A.
Validation of a simple liquid chromatography assay for creatine suitable for pharmacokinetic applications, determination of plasma protein binding and verification of percent labeled claim of various creative products 794(2003)157
- Persson, B.-A., see Larsson, M. 783(2003)335
- Persson, E., see Madej, A. 777(2002)281
- Perucca, E., see Gatti, G. 784(2003)375
- Pesliakas, H., see Zaveckas, M. 786(2003)17
- Pessoa Jr., A., see Xu, Y. 780(2002)53
- Peter Hackett, L. see Page-Sharp, M. 796(2003)173
- Peter Happersberger, H., Cowgill, C. and Glocker, M.O.
Structural characterization of monomeric folding intermediates of recombinant human macrophage-colony stimulating factor β (rhM-CSF β) by chemical trapping, chromatographic separation and mass spectrometric peptide mapping 782(2002)393
- Peter, M., see Riepe, F.G. 785(2003)293
- Peters, F.T., see Springer, D. 789(2003)79
- Peters, K., see Tu, J. 789(2003)323
- Peterson, J., see Dumas, M.C. 788(2003)297

- Peterson, Z.D., Collins, D.C., Bowerbank, C.R., Lee, M.L. and Graves, S.W.
Determination of catecholamines and metanephrines in urine by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry 776(2002)221
- Petruczyński, A., see Waksmundzka-Hajnos, M. 800(2004)181
- Petuský, S., see Kerns, E.H. 791(2003)381
- Peyrin, E., see Slama, I. 795(2003)115
- Pfannebecker, I., see Rychlik, M. 792(2003)167
- Pfitzer, G., see Krüger, M. 786(2003)287
- Pham-Tuan, H., Kaskavelis, L., Daykin, C.A. and Janssen, H.-G.
Method development in high-performance liquid chromatography for high-throughput profiling and metabonomic studies of biofluid samples 789(2003)283
- Phillips, D.J., see Mazza, C.B. 790(2003)91
- Picardo, M., see Camera, E. 781(2002)181
- Pichini, S., Pacifici, R., Pellegrini, M., Marchei, E., Pérez-Alarcón, E., Puig, C., Vall, O. and García-Algar, O.
Development and validation of a liquid chromatography–mass spectrometry assay for the determination of opiates and cocaine in meconium 794(2003)281
- Pichini, S., see Pujadas, M. 798(2003)249
- Picó, G., see Farruggia, B. 798(2003)25
- Picó, G., see Reh, G. 780(2002)389
- Picó, G., see Tubio, G. 799(2004)293
- Piemonte, F., see Pastore, A. 776(2002)251
- Pieri, M., Miraglia, N., Acampora, A., Genovese, G., Soleo, L. and Sannolo, N.
Determination of urinary S-phenylmercapturic acid by liquid chromatography–tandem mass spectrometry 795(2003)347
- Pierre Kantelip, J., see Leveque, N. 780(2002)119
- Pietta, P.G., see Mauri, P.L. 788(2003)9
- Pihan, J.-C., see Magalhães, I. 799(2004)87
- Pihlava, J.-M., see Saarinen, N.M. 777(2002)311
- Pihlavisto, P. and Reenilä, I.
Separation methods for catechol *O*-methyltransferase activity assay: physiological and pathophysiological relevance (Review) 781(2002)359
- Piironen, V., see Lampi, A.-M. 777(2002)83
- Pilger, A., Ivancsits, S., Germadnik, D. and Rüdiger, H.W.
Urinary excretion of 8-hydroxy-2'-deoxyguanosine measured by high-performance liquid chromatography with electrochemical detection 778(2002)393
- Pillans, P.I., see Atcheson, B. 799(2004)157
- Piñeyro-López, A., see Osorio-Pérez, A. 783(2003)85
- Pinto, D., Arriaga, E.A., Schoenherr, R.M., Chou, S.S.-H. and Dovichi, N.J.
Kinetics and apparent activation energy of the reaction of the fluorogenic reagent 5-furoylquinoline-3-carboxaldehyde with ovalbumin 793(2003)107
- Pirker, R., Huck, C.W. and Bonn, G.K.
Simultaneous determination of hypericin and hyperforin in human plasma and serum using liquid–liquid extraction, high-performance liquid chromatography and liquid chromatography–tandem mass spectrometry 777(2002)147
- Pirkle, J.L., see Barr, J.R. 794(2003)137
- Pirogov, A.V., see Shpak, A.V. 800(2004)91
- Pişkin, E., see Denizli, A. 795(2003)93
- Pitarch, A., Sánchez, M., Nombela, C. and Gil, C.
Analysis of the *Candida albicans* proteome. I. Strategies and applications (Review) 787(2003)101
- Pitarch, A., Sánchez, M., Nombela, C. and Gil, C.
Analysis of the *Candida albicans* proteome. II. Protein information technology on the Net (update 2002) (Review) 787(2003)129
- Plá, A., see Franco-Fraguas, L. 790(2003)365
- Plomion, C., see Thiellement, H. 782(2002)137
- Plowman, J.E.
Proteomic database of wool components (Review) 787(2003)63
- Plumb, R.S., see Liu, H. 782(2002)267
- Pluskal, M.G., see Lopez, M.F. 787(2003)19
- Poboży, E., Radomska, A., Koncki, R. and Głąb, S.
Determination of dialysate creatinine by micellar electrokinetic chromatography 789(2003)417
- Podda, M., see Bräutigam, L. 798(2003)223
- Podgornik, A., see Podgornik, H. 799(2004)343
- Podgornik, A., see Vodopivec, M. 795(2003)105
- Podgornik, H. and Podgornik, A.
Separation of manganese peroxidase isoenzymes on strong anion-exchange monolithic column using pH–salt gradient 799(2004)343
- Poljak, A., see Stanley, S.M.R. 785(2003)205
- Polkowski, K., see Ksycińska, H. 799(2004)217
- Polo-Diez, L.M., see Kayali-Sayadi, M.N. 796(2003)55
- Poloyac, S.M., see Bolcato, C.A. 794(2003)363
- Polson, C., Sarkar, P., Incledon, B., Raguvanan, V. and Grant, R.
Optimization of protein precipitation based upon effectiveness of protein removal and ionization effect in liquid chromatography–tandem mass spectrometry 785(2003)263
- Pommier, F. and Frigola, R.
Quantitative determination of rivastigmine and its major metabolite in human plasma by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 784(2003)301
- Pommier, F., Boschet, F. and Gosset, G.
Quantitative determination of benazepril and benazeprilat in human plasma by gas chromatography–mass spectrometry using automated 96-well disk plate solid-phase extraction for sample preparation 783(2003)199
- Pons, G., see Jullien, V. 785(2003)377
- Poole, C.F., see Poole, S.K. 797(2003)3
- Poole, S.K. and Poole, C.F.
Separation methods for estimating octanol–water partition coefficients 797(2003)3
- Poole, S.K., Patel, S., Dehring, K., Workman, H. and Dong, J.
Estimation of octanol–water partition coefficients for neutral and weakly acidic compounds by microemulsion electrokinetic chromatography using dynamically coated capillary columns 793(2003)265
- Popiołkiewicz, J., see Ksycińska, H. 799(2004)217
- Porter, N.A., see Musiek, E.S. 799(2004)95
- Posyniak, A., Zmudzki, J. and Niedzińska, J.
Liquid chromatography analysis of enrofloxacin and ciprofloxacin in chicken blood spotted on filter-paper disks 780(2002)309
- Poudevida, S., see Pujadas, M. 798(2003)249
- Powala, C., see Chen, Yu.-L. 794(2003)77
- Pradel, E., see Masi, M. 786(2003)197
- Prado, W.A., see Pelegrini-da-Silva, A. 780(2002)301
- Prasain, J.K., see Wang, C.-C. 777(2002)3
- Préat, V., see Mathy, F.-X. 787(2003)323
- Preiss, A., see Elflein, L. 795(2003)195
- Presley, A.D., Fuller, K.M. and Arriaga, E.A.
MitoTracker Green labeling of mitochondrial proteins and their subsequent analysis by capillary electrophoresis with laser-induced fluorescence detection 793(2003)141
- Preston, K.L., see Rosas, M.E.R. 796(2003)355
- Preusser, A., Jonas, G. and Willbold, D.
Purification of recombinantly expressed human cluster determinant 4 cytoplasmic domain 786(2003)39
- Prevati, M., Raspadori, A., Bertolaso, L., Parmeggiani, A., Bindini, D., Vitali, C., Lanzoni, I., Corbaceella, E., Saviano, M., Fagioli, F., Blo, G. and Capitani, S.
Determination of histamine in the whole blood of colon cancer patients 780(2002)331
- Price, L., see Veal, G.J. 795(2003)237
- Princivalle, A., see Perbellini, L. 778(2002)199
- Princivalle, A., see Perbellini, L. 781(2002)269

- Probst, M., see Wetzl, B. 793(2003)83
- Projean, D., Minh Tu, T. and Ducharme, J.
Rapid and simple method to determine morphine and its metabolites in rat plasma by liquid chromatography–mass spectrometry 787(2003)243
- Proshkin, S.A. and Shpakovski, G.V.
Heterologous overexpression and purification of four common subunits of nuclear RNA polymerases I, II and III of *Schizosaccharomyces pombe* 800(2004)121
- Pruitt, M.A., see Heath, D.D. 783(2003)287
- Pruvost, A., see Henneré, G. 789(2003)273
- Psaroulis, D., see Raikos, N. 789(2003)59
- Ptáček, P., Klíma, J. and Macek, J.
Determination of mirtazapine in human plasma by liquid chromatography 794(2003)323
- Ptáček, P., Macek, J. and Klíma, J.
Liquid chromatographic determination of carvedilol in human plasma 789(2003)405
- Pucci, P., see Castro, M.S. 794(2003)109
- Pucci, V., Bugamelli, F., Mandrioli, R., Bartoletti, C., Rossi, N. and Raggi, M.A.
Liquid chromatographic analysis of the *cis(Z)*- and *trans(E)*-isomers of clopenthixol in human plasma using a novel solid phase extraction procedure 792(2003)313
- Pucko, W., see Ksycińska, H. 799(2004)217
- Puglisi, A., see Cucinotta, V. 800(2004)127
- Puig, C., see Pichini, S. 794(2003)281
- Puignou, L., see Ruiz-Calero, V. 791(2003)193
- Pujadas, M., Pichini, S., Poudevida, S., Menoyo, E., Zuccaro, P., Farré, M. and de la Torre, R.
Development and validation of a gas chromatography–mass spectrometry assay for hair analysis of amphetamine, methamphetamine and methylenedioxy derivatives 798(2003)249
- Pursche, S., see Schleyer, E. 799(2004)23
- Pursley, J., see Xue, Y.-J. 795(2003)215

Q

- Qin, Y., Wang, X.B., Wang, C., Zhao, M., Wu, M.T., Xu, Y.X. and Peng, S.Q.
Application of high-performance liquid chromatography–mass spectrometry to detection of diuretics in human urine 794(2003)193
- Qu, A.A., Shore, R., Li, G., Li, H., Jin, X., Cohen, B., Chen, L., Li, Y., Yin, S., Mu, R., Zhang, X. and Wang, Y.
Personal exposure to different levels of benzene and its relationships to the urinary metabolites *S*-phenylmercapturic acid and *trans,trans*-muconic acid 778(2002)211
- Quasim, T., see Talwar, D. 792(2003)333
- Queiroz, M.E.C., Valadão, C.A.A., Farias, A., Carvalho, D. and Lanças, F.M.
Determination of amitraz in canine plasma by solid-phase microextraction–gas chromatography with thermionic specific detection 794(2003)337
- Querol, E., see Ferrer Soler, L. 788(2003)113
- Quezada, V., see González, H.M. 780(2002)459
- Quillard, M., see Ducros, V. 781(2002)207
- Quinn, D.F., see Wang, Y.K. 782(2002)291
- Quinn, I., see Menelaou, A. 785(2003)81
- Qu, Q., see Melikian, A.A., 778(2002)211
- Qv, S., see Zhang, L. 792(2003)381
- Raab, M., see Cichna, M. 787(2003)381
- Rabiller-Baudry, M. and Chaufer, B.
Small molecular ion adsorption on proteins and DNAs revealed by separation techniques 797(2003)331
- Radomska, A., see Pobozy, E. 789(2003)417
- Radosevich, M., Zhou, F.-L., Huat, J.-J. and Burnouf, T.
Chromatographic purification and properties of a therapeutic human protein C concentrate 790(2003)199
- Raffaelli, B., Hoikkala, A., Leppälä, E. and Wähälä, K.
Enterolignans 777(2002)29
- Raggi, M.A., see Mandrioli, R. 783(2003)253
- Raggi, M.A., see Pucci, V. 792(2003)313
- Raguvaran, V., see Polson, C. 785(2002)443
- Raikos, N., Christopoulou, K., Theodoridis, G., Tsoukali, H. and Psaroulis, D.
Determination of amphetamines in human urine by headspace solid-phase microextraction and gas chromatography 789(2003)59
- Rais, M., see Minzi, O.M.S. 783(2003)473
- Raith, K., see Farwanah, H. 780(2002)443
- Rajanikanth, M., Madhusudanan, K.P. and Gupta, R.C.
Liquid chromatographic–mass spectrometric method for the determination of α -, β -arteether in rat serum 783(2003)391
- Rajanikanth, M., see Nitin, M. 793(2003)253
- Rajendra, R., see Gounder, M.K. 799(2004)63
- Rajper, A.D., see Khuhawar, M.Y. 788(2003)413
- Ramanathan, R.K., see Parise, R.A. 783(2003)231
- Ramanathan, R.K., see Parise, R.A. 791(2003)39
- Ramirez, A., see Yritia, M. 779(2002)271
- Ramos, M., Aranda, A., Garcia, E., Reuvers, T. and Hooghuis, H.
Simple and sensitive determination of five quinolones in food by liquid chromatography with fluorescence detection 789(2003)373
- Ramos, M., Muñoz, P., Aranda, A., Rodríguez, I., Diaz, R. and Blanca, J.
Determination of chloramphenicol residues in shrimps by liquid chromatography–mass spectrometry 791(2003)31
- Ramírez, A., Gutiérrez, R., Díaz, G., González, C., Pérez, N., Vega, S. and Noa, M.
High-performance thin-layer chromatography–bioautography for multiple antibiotic residues in cow's milk 784(2003)315
- Ramstein, P., see Blum, W. 787(2003)255
- Ramza, J., see Ksycińska, H. 799(2004)217
- Ranasinghe, A., see Ríos-Blanco, M.N. 778(2002)383
- Raneri, D., see Calabrò, M.L. 800(2004)245
- Rao, M.L., see Frahnert, C. 794(2003)35
- Rao, S., see Jemal, M. 795(2003)273
- Rao, T.N., see Ivandini, T.A. 791(2003)63
- Rappaport, S.M., Yeowell-O'Connell, K., Smith, M.T., Dosemeci, M., Hayes, R.B., Zhang, L., Li, G., Yin, S. and Rothman, N.
Non-linear production of benzene oxide–albumin adducts with human exposure to benzene 778(2002)367
- Rasanen, I., Kontinen, I., Nokua, J., Ojanperä, I. and Vuori, E.
Precise gas chromatography with retention time locking in comprehensive toxicological screening for drugs in blood 788(2003)243
- Rashidova, S.Sh., Shakarova, D.Sh., Ruzimuradov, O.N., Satubaldieva, D.T., Zalyalieva, S.V., Shpigun, O.A., Varlamov, V.P. and Kabulov, B.D.
Bionanocompositional chitosan–silica sorbent for liquid chromatography 800(2004)49
- Rasku, S., see Wähälä, K. 777(2002)111
- Raspadori, A., see Previati, M. 780(2002)331

- Raut, B.B., see Kolte, B.L. 788(2003)37
- Ravel, A., see Slama, I. 795(2003)115
- Raynaud, F., see Asad, Y. 785(2003)175
- Razzazi-Fazeli, E., Böhm, J., Jarukamjorn, K. and Zentek, J.
Simultaneous determination of major B-trichothecenes and the de-epoxy-metabolite of deoxynivalenol in pig urine and maize using high-performance liquid chromatography–mass spectrometry 796(2003)21
- Rbeida, O., see Christiaens, B. 795(2003)73
- Røe, J., see Brondz, I. 800(2004)211
- Re, M., see Hoellinger, H. 799(2004)195
- Read, M.-H., see Ducros, V. 781(2002)207
- Rechberger, G.N., see Leis, H.J. 794(2003)205
- Rechberger, G.N., see Jörg Leis, H. 784(2003)69
- Reed-Walker, K., see Turner, M.L. 784(2003)331
- Reenilä, I., see Pihlavisto, P. 781(2002)359
- Regnier, F.E., see Xiong, L. 782(2002)405
- Reh, G., Nerli, B. and Picó, G.
Isolation of alpha-1-antitrypsin from human plasma by partitioning in aqueous biphasic systems of polyethyleneglycol–phosphate 780(2002)389
- Reich, C., see Giometti, C.S. 782(2002)227
- Reidy, J.A., see Silva, M.J. 789(2003)393
- Reilly, J.P., see Karty, J.A. 782(2002)363
- Reinard, T., see Frenzel, A. 793(2003)325
- Rémésy, C., see Gonthier, M.-P. 789(2003)247
- Remmerie, B.M.M., Sips, L.L.A., de Vries, R., de Jong, J., Schothuis, A.M., Hooijschuur, E.W.J. and van de Merbel, N.C.
Validated method for the determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography–tandem mass spectrometry 783(2003)461
- Remon, J.-P., see Sinnaeve, B.A. 785(2003)193
- Renner, U., see Schleyer, E. 799(2004)23
- Rentsch, K.M.
Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339
- Reubsæet, L., see Ugland, H.G. 798(2003)127
- Reuvers, T., see Ramos, M. 789(2003)373
- Reuvers, T.B.A., see Huetos Hidalgo, O. 788(2003)137
- Revelsky, A.I., see Sobolevsky, T.G. 800(2004)101
- Revelsky, I.A., see Kapinus, E.N. 800(2004)321
- Revelsky, I.A., see Sobolevsky, T.G. 800(2004)101
- Rey, E., see Jullien, V. 785(2003)377
- Reyderman, L., see Yang, L. 792(2003)229
- Reyes, L., Fuentes-Noriega, I., Ruiz-Ramírez, L. and Macías, L.
Development and validation of a liquid chromatographic method for Casiopeina IIgly[®] in rat plasma 791(2003)111
- Rezaee, S., see Sadray, S. 787(2003)293
- Rezakhah, S., see Sadray, S. 787(2003)293
- Rezk, N.L., Tidwell, R.R. and Kashuba, A.D.M.
Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137
- Riba, J., see Yritia, M. 779(2002)271
- Ribela, M.T.C.P., Gout, P.W. and Bartolini, P.
Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285
- Ribela, M.T.C.P., see De Oliveira, J.E. 787(2003)345
- Ribes, A., see Sanz-Nebot, V. 798(2003)1
- Ricaut, F.X., see Villain, M. 798(2003)351
- Richard Smith, J., see Nidham, S.R. 796(2003)347
- Richelle, M., Tavazzi, I. and Fay, L.B.
Simultaneous determination of deuterated and non-deuterated α -tocopherol in human plasma by high-performance liquid chromatography 794(2003)1
- Richoz, J., see Delatour, T. 779(2002)189
- Richter, E. and Branner, B.
Biomonitoring of exposure to aromatic amines: haemoglobin adducts in humans (Review) 778(2002)49
- Ridderstråle, Y., see Madej, A. 777(2002)281
- Riedel, K.-D., see Burhenne, J. 784(2003)233
- Riepe, F.G., Krone, N., Peter, M., Sippell, W.G. and Partsch, C.-J.
Chromatographic system for the simultaneous measurement of plasma 18-hydroxy-11-deoxycorticosterone and 18-hydroxycorticosterone by radioimmunoassay: reference data for neonates and infants and its application in aldosterone-synthase deficiency 785(2003)293
- Riethmuller, D., see Balduini, L. 794(2003)389
- Riolet, P., see Siri, N. 793(2003)151
- Ríos-Blanco, M.N., Ranasinghe, A., Upton, P., Lee, M.S., Filser, J.G. and Swenberg, J.A.
Exposure-dependent accumulation of *N*-(2-hydroxypropyl)valine in hemoglobin of F344 rats exposed to propylene oxide by the inhalation route 778(2002)383
- Rios, L.Y., see Gonthier, M.-P. 789(2003)247
- Rischewski, J., see Zur Stadt, U. 792(2003)287
- Rissler, K., see Friedrich, G. 784(2003)49
- Ritter, K., see Kleines, M. 786(2003)137
- Rittich, B., see Španová, A. 800(2004)27
- Rittich, B., Španová, A., Falk, M., Beneš, M.J. and Hrubý, M.
Cleavage of double stranded plasmid DNA by lanthanide complexes 800(2004)169
- Riva, A., see Zaffaroni, M. 780(2002)93
- Riviere, J.E., see Baynes, R.E. 780(2002)45
- Rizzarelli, E., see Cucinotta, V. 800(2004)127
- Roadcap, B.A., Musson, D.G., Rogers, J.D. and Zhao, J.J.
Sensitive method for the quantitative determination of gemfibrozil in dog plasma by liquid–liquid cartridge extraction and liquid chromatography–tandem mass spectrometry 791(2003)161
- Robert, J.F., see André, C. 796(2003)267
- Roberts, D.W., see Oe, T. 792(2003)217
- Roblick, U.J., see Alaiya, A.A. 787(2003)207
- Rock, C.L., see Heath, D.D. 783(2003)287
- Rode, I., see Tsikas, D. 784(2003)77
- Rodríguez Flores, J., Berzas, J.J., Castañeda, G. and Rodríguez, N.
Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine 794(2003)381
- Rodríguez, A.R., see Beatriz de la Calle Guntiñas, M. 791(2003)73
- Rodríguez, L.C., see Fernández-Fígares, I. 799(2004)73
- Rodríguez, N., see Rodríguez Flores, J. 794(2003)381
- Rodríguez-Berrocal, F.J., see de Carlos, A. 786(2003)7
- Rodríguez Rosas, M.E., Patel, S. and Wainer, I.W.
Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99
- Rodríguez, I., see Ramos, M. 791(2003)31
- Rodríguez, M.A. and Armstrong, D.W.
Separation and analysis of colloidal/nano-particles including micro-organisms by capillary electrophoresis: a fundamental review 800(2004)7
- Roets, E., see Dehouck, P. 794(2003)293
- Roets, E., see Long, Y.H. 784(2003)255
- Rogers, J.D., see Roadcap, B.A. 791(2003)161
- Rogers, J.D., see Musson, D.G. 783(2003)1
- Roh, H., see Kim, H. 792(2003)307
- Roman, M., see Josefsson, M. 789(2003)151
- Romani, S., see Perbellini, L. 778(2002)199
- Romano, P., see Muntoni, E. 799(2004)133
- Romero, E.M., see González, H.M. 780(2002)459
- Römhild, W., see Martens-Lobenhoffer, J. 783(2003)53
- Rommelspacher, H., see Greube, A. 784(2003)155
- Ronaghi, M. and Elahi, E.
Pyrosequencing for microbial typing (Review) 782(2002)67

- Roots, I., see Störmer, E. 783(2003)207
 - Rosado, A., see Jardines, D. 783(2003)517
 - Rosas, M.E.R., Preston, K.L., Epstein, D.H., Moolchan, E.T. and Wainer, I.W.
Quantitative determination of the enantiomers of methadone and its metabolite (EDDP) in human saliva by enantioselective liquid chromatography with mass spectrometric detection 796(2003)355
 - Rose Sweeney, M., McPartlin, J., George Weir, D. and Martin Scott, J.
Measurements of sub-nanomolar concentrations of unmetabolised folic acid in serum 788(2003)187
 - Rose, T., see Friedrich, G. 784(2003)49
 - Rosenberg Zand, R.S., Jenkins, D.J.A. and Diamandis, E.P.
Flavonoids and steroid hormone-dependent cancers 777(2002)219
 - Rosing, H., see Kappelhoff, B.S. 792(2003)353
 - Roškar, R. and Kmetec, V.
Liquid chromatographic determination of diclofenac in human synovial fluid 788(2003)57
 - Rossell, S., Gonzalez, L.E. and Hernández, L.
One-second time resolution brain microdialysis in fully awake rats. Protocol for the collection, separation and sorting of nanoliter dialysate volumes 784(2003)385
 - Rossetti, D.V., see Zuppi, C. 793(2003)223
 - Rossi, A., see Lupi, A. 795(2003)133
 - Rossi, N., see Pucci, V. 792(2003)313
 - Rostami-Hodjegan, A., see Shiran, M.R. 783(2003)303
 - Roth, A., see Brodie, R. 784(2003)91
 - Rothman, N., see Rappaport, S.M. 778(2002)367
 - Rotilio, D., see Celli, N. 787(2003)405
 - Rotilio, D., see Del Boccio, P. 785(2003)47
 - Roudaut, B. and Yorke, J.-C.
High-performance liquid chromatographic method with fluorescence detection for the screening and quantification of oxolinic acid, flumequine and sarafloxacin in fish 780(2002)481
 - Rouini, M.-R., Asadipour, A., Ardakani, Y.H. and Aghdasi, F.
Liquid chromatography method for determination of mefenamic acid in human serum 800(2004)189
 - Rouini, M.-R., Mohajer, A. and Tahami, M.-H.
A simple and sensitive HPLC method for determination of gliclazide in human serum 785(2003)383
 - Rouits, E., Boisdron-Celle, M., Morel, A. and Gamelin, E.
Simple and sensitive high-performance liquid chromatography method for simultaneous determination of urinary free cortisol and 6 β -hydroxycortisol in routine practice. For CYP 3A4 activity evaluation in basal conditions and after grapefruit juice intake 793(2003)357
 - Row, K.H., see Lee, S.K. 800(2004)115
 - Rowley, K.G., see Su, Q. 781(2002)393
 - Royal, M., see Lin, M.-F. 792(2003)205
 - Roychowdhury, M., see Gounder, M.K. 799(2004)63
 - Ruangyuttikarn, W., Miksik, I., Pekkoh, J., Peerapornpisal, Y. and Deyl, Z.
Reversed-phase liquid chromatographic–mass spectrometric determination of microcystin-LR in cyanobacteria blooms under alkaline conditions 800(2004)315
 - Rubin, E.H., see Gounder, M.K. 799(2004)63
 - Rubio, L.A.
Determination of diaminopimelic acid in rat feces by high-performance liquid chromatography using the Pico Tag method 784(2003)125
 - Ruckenstein, E., see Guo, W. 795(2003)61
 - Rudaz, S., see Souverain, S. 784(2003)117
 - Rudek, M.A., see Zhao, M. 793(2003)413
 - Rudewicz, P.J., see Yang, L. 792(2003)229
 - Rudewicz, P.J., see Yang, L. 799(2004)271
 - Rüdiger, H.W., see Pilger, A. 778(2002)393
 - Rühl, R. and Schweigert, F.J.
Automated solid-phase extraction and liquid chromatographic method for retinoid determination in biological samples 798(2003)309
 - Ruiz-Calero, V., Puignou, L. and Galceran, M.T.
Determination of glycosaminoglycan monosaccharides by capillary electrophoresis using laser-induced fluorescence detection 791(2003)193
 - Ruiz-Gutierrez, V., see Perona, J.S. 785(2003)89
 - Ruiz-Ramirez, L., see Reyes, L. 791(2003)111
 - Rulten, S.L., see Pemberton, T.J. 786(2003)81
 - Ruotolo, B.T., Gillig, K.J., Stone, E.G. and Russell, D.H.
Peak capacity of ion mobility mass spectrometry: Separation of peptides in helium buffer gas 782(2002)385
 - Rupérez, F.J., Mach, M. and Barbas, C.
Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225
 - Rupérez, F.J., see García, A. 785(2003)237
 - Rupprechter, R., see Krenn, L. 777(2002)123
 - Rusch, L.M., see Lin, Z.J. 788(2003)159
 - Russell, D.H., see Ruotolo, B.T. 782(2002)385
 - Russo, M.V., Campanella, L. and Avino, P.
Determination of organophosphorus pesticide residues in human tissues by capillary gas chromatography–negative chemical ionization mass spectrometry analysis 780(2002)431
 - Ruzgytė, A., see Viau, C. 778(2002)165
 - Ruzimuradov, O.N., see Rashidova, S.Sh. 800(2004)49
 - Rychlik, M., Netzel, M., Pfannebecker, I., Frank, T. and Bitsch, I.
Application of stable isotope dilution assays based on liquid chromatography–tandem mass spectrometry for the assessment of folate bioavailability 792(2003)167
 - Rydberg, P., see Törnqvist, M. 778(2002)279
 - Ryhänen, E.-L., see Saarinen, N.M. 777(2002)311
 - Ryšlavá, H., see Liberda, J. 780(2002)231
- # S
- Saarinen, N.M., Smeds, A., Mäkelä, S.I., Ämmälä, J., Hakala, K., Pihlava, J.-M., Ryhänen, E.-L., Sjöholm, R. and Santti, R.
Structural determinants of plant lignans for the formation of enterolactone in vivo 777(2002)311
 - Saavedra, J.E., see Xu, X. 780(2002)315
 - Saavedra, L., see Barbas, C. 781(2002)433
 - Sablotzki, A., see Mühling, J. 789(2003)383
 - Sachse, J., Härtter, S., Weigmann, H. and Hiemke, C.
Automated determination of amisulpride by liquid chromatography with column switching and spectrophotometric detection 784(2003)405
 - Sadowski, M.A., see Barr, D.B. 778(2002)99
 - Sadray, S., Rezaee, S. and Rezakhah, S.
Non-linear heteroscedastic regression model for determination of methotrexate in human plasma by high-performance liquid chromatography 787(2003)293
 - Safarova, V.I., Sapelnikova, S.V., Djazhenko, E.V., Teplova, G.I., Shajdulina, G.F. and Kudasheva, F.Kh.
Gas chromatography–mass spectrometry with headspace for the analysis of volatile organic compounds in waste water 800(2004)325
 - Saga, T., see Suzuki, N. 783(2003)383
 - Sagrado, S., see Escuder-Gilabert, L. 797(2003)21
 - Saint-Marcoux, F., see Marquet, P. 789(2003)9
 - Saito, K., see Kawai, T. 790(2003)131

- Sajiki, J.
Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography-electrochemical detection 783(2003)367
- Sakaguchi, M., see Yoshino, M. 792(2003)73
- Sakai, S., see Niino, T. 780(2002)35
- Sakai, T., Morita, Y. and Wakui, C.
Biological monitoring of workers exposed to dichloromethane, using head-space gas chromatography 778(2002)245
- Sakata, M., see Hirayama, C. 781(2002)419
- Sakoda, S., see Igarashi, K. 792(2003)55
- Sakui, N., see Kawaguchi, M. 799(2004)119
- Sakura, N., see Fujiwaki, T. 776(2002)115
- Sakura, N., see Shigematsu, Y. 776(2002)39
- Sakura, N., see Shigematsu, Y. 792(2003)63
- Sakura, N., see Takamoto, S. 791(2003)365
- Sakura, N., see Takamoto, S. 792(2003)145
- Sakurai, Y., see Obata, T. 792(2003)131
- Salazar, I., see Kayali-Sayadi, M.N. 796(2003)55
- Salazar-Cavazos, M., see Osorio-Pérez, A. 783(2003)85
- Salem, I.I., Idrees, J. and Al Tamimi, J.I.
Determination of glimepiride in human plasma by liquid chromatography-electrospray ionization tandem mass spectrometry 799(2004)103
- Salerno, C. and Crifò, C.
Diagnostic value of urinary orotic acid levels: applicable separation methods (Review) 781(2002)57
- Salerno, D. and Daban, J.-R.
Comparative study of different fluorescent dyes for the detection of proteins on membranes using the peroxyoxalate chemiluminescent reaction 793(2003)75
- Salonen, J.T., see Nurmi, T. 798(2003)101
- Salonikas, C., see Sim, A.S. 785(2003)337
- Samanidou, V.F., Hapeshi, E.A. and Papadoyannis, I.N.
Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147
- Samojlova, N.A., Krayukhina, M.A. and Yamskov, I.A.
Use of the affinity chromatography principle in creating new thromboresistant materials 800(2004)263
- San Andrés Larrea, M., see Huetos Hidalgo, O. 788(2003)137
- Sánchez, M., see Pitarch, A. 787(2003)101
- Sánchez, M., see Pitarch, A. 787(2003)129
- Sandau, C.D., see Barr, J.R. 794(2003)137
- Sandmann, J., see Tsikas, D. 798(2003)87
- Sandner, F., Fornara, J., Dott, W. and Hollender, J.
Sensitive biomonitoring of monoterpene exposure by gas chromatographic-mass spectrometric measurement of hydroxy terpenes in urine 780(2002)225
- Sandra, P., see Oswald, P. 779(2002)283
- Sandra, P., see Vanhoenacker, G. 799(2004)323
- Sands, H., see Gounder, M.K. 799(2004)63
- Sandström, B., see Nielsen, S.E. 787(2003)369
- Sangalli, L., Chiesa, L.M., Passerò, E., Manzocchi, A., Maffeo, G. and Biondi, P.A.
Improved procedure for the determination of malonaldehyde by gas-chromatography with electron-capture detection as 2,4,6-trichlorophenylhydrazine derivative 796(2003)201
- Sannolo, N., see Pieri, M. 795(2003)347
- Sano, K., Yoshikawa, M., Hayasaka, S., Satake, K., Ikegami, Y., Yoshida, H., Ishikawa, T., Sawada, S. and Tanabe, S.
Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25
- Sano, M., Ueno, K. and Kamimori, H.
Enzyme assay for protein kinase using micellar electrokinetic chromatography with laser-induced fluorescence detection 794(2003)149
- Santambien, P., see Shiloach, J. 790(2003)327
- Santambien, P., see Weinberger, S.R. 782(2002)307
- Santarelli, X., see Dieryck, W. 786(2003)153
- Santarelli, X., see Lemerrier, G. 786(2003)305
- Santarelli, X., see Noubhani, A.M. 790(2003)153
- Santos, N.A.G.d., see Jabor, V.A.P. 796(2003)429
- Santoyo, S., see Echevarría, L. 796(2003)233
- Santti, R., see Saarinen, N.M. 777(2002)311
- Sanz-Nebot, V., Andón, B. and Barbosa, J.
Characterization of metallothionein isoforms from rabbit liver by liquid chromatography coupled to electrospray mass spectrometry 796(2003)379
- Sanz-Nebot, V., González, P., Toro, I., Ribes, A. and Barbosa, J.
Characterization of human transferrin glycoforms by capillary electrophoresis and electrospray ionization mass spectrometry 798(2003)1
- Sanz-Nebot, V., see Ballesteros, O. 798(2003)137
- Sapelnikova, S.V., see Safarova, V.I. 800(2004)325
- Sarada, B.V., see Ivandini, T.A. 791(2003)63
- Sarin, R., Dash, A.P. and Dua, V.K.
Albendazole sulfoxide concentrations in plasma of endemic normals from a lymphatic filariasis endemic region using liquid chromatography 799(2004)233
- Sarkahian, A.B., see Mallis, L.M. 796(2003)71
- Sarkar, P., see Polson, C. 785(2003)263
- Sarkar, S., Carr, P.W., McNeff, C.V. and Subramanian, A.
Characterization and optimization of a chromatographic process based on ethylenediamine-*N,N,N',N'*-tetra(methylphosphonic) acid-modified zirconia particles 790(2003)143
- Sasso, G.F., see Mancinelli, R. 789(2003)355
- Satake, K., see Sano, K. 795(2003)25
- Sato, J., see Suzuki, N. 783(2003)383
- Sato, K., Tanahashi-Shiina, T., Jun, F., Watanabe-Kawamura, A., Ichinomiya, M., Minegishi, Y., Tsukamasa, Y., Nakamura, Y., Kawabata, M. and Ohtsuki, K.
Simple and rapid chromatographic purification of type V collagen from a pepsin digest of porcine intestinal connective tissue, an unmanageable starting material for conventional column chromatography 790(2003)277
- Sato, M., see Hori, Y. 776(2002)191
- Satomii, Y., see Minamino, N. 792(2003)33
- Satubaldieva, D.T., see Rashidova, S.Sh. 800(2004)49
- Satzinger, V., see Zilly, M. 798(2003)179
- Sauer, S. and Gut, I.G.
Genotyping single-nucleotide polymorphisms by matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry (Review) 782(2002)73
- Sauerwein, W., see Mauri, P.L. 788(2003)9
- Saugy, M., see Mateus-Avois, L. 791(2003)203
- Sauter, S.R., Diekmann, S. and Braun, V.
Two-step purification of the outer membrane transporter and activator protein ShlB from *Escherichia coli* using internally His₆-tagged constructs 786(2003)33
- Sauvant, M.-P., see Ducros, V. 781(2002)207
- Saux, M.C., see Djabarouti, S. 799(2004)165
- Saviano, M., see Prevati, M. 780(2002)331
- Sawa, M., see Tsikas, D. 784(2003)351
- Sawada, S., see Sano, K. 795(2003)25
- Scalbert, A., see Gonther, M.-P. 789(2003)247
- Schaade, L., see Kleines, M. 786(2003)137
- Schäffer, B., see Suck, R. 787(2003)357
- Schaller, K.H., Angerer, J. and Drexler, H.
Quality assurance of biological monitoring in occupational and environmental medicine 778(2002)403
- Schapman, A., see Shiloach, J. 790(2003)327
- Scharrer, A., see Muth, A. 792(2003)269

- Scharstuhl, A., Glansbeek, H., Vitters, E.L., van der Kraan, P.M. and van den Berg, W.B.
Large scale protein production of the extracellular domain of the transforming growth factor- β type II receptor using the *Pichia pastoris* expression system 786(2003)271
- Schellen, A., Ooms, B., van de Lagemaat, D., Vreeken, R. and van Dongen, W.D.
Generic solid phase extraction–liquid chromatography–tandem mass spectrometry method for fast determination of drugs in biological fluids 788(2003)251
- Schellens, J.H.M., see Sparidans, R.W. 780(2002)423
- Schellens, J.H.M., see Sparidans, R.W. 791(2003)227
- Schepers, G., see Urban, M. 796(2003)131
- Scherer, G., see Meger, M. 778(2002)251
- Scherer, G., see Urban, M. 796(2003)131
- Scherpenisse, P., see Bergwerff, A.A. 788(2003)351
- Schettgen, T., Koch, H.M., Drexler, H. and Angerer, J.
New gas chromatographic–mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine 778(2002)121
- Schindler, H., see Hesse, J. 782(2002)127
- Schirmer, D., see Zilly, M. 798(2003)179
- Schirmer, J., see Gendreau, S. 786(2003)311
- Schlegel, R., see Hahn, R. 790(2003)35
- Schleicher, E., see Friess, U. 794(2003)273
- Schleyer, E., Pursche, S., Köhne, C.H., Schuler, U., Renner, U., Gschaidmeier, H., Freiberg-Richter, J., Leopold, T., Jenke, A., Bonin, M., Bergemann, T., le Coutre, P., Gruner, M., Bornhäuser, M., Ottmann, O.G. and Ehninger, G.
Liquid chromatographic method for detection and quantitation of STI-571 and its main metabolite *N*-desmethyl-STI in plasma, urine, cerebrospinal fluid, culture medium and cell preparations 799(2004)23
- Schluesener, D., see Schwabe, T.M.E. 786(2003)45
- Schmalzing, G., see Gendreau, S. 786(2003)311
- Schmidt, H., see Bräutigam, L. 798(2003)223
- Schmidt, L.J., see Vue, C. 780(2002)111
- Schmidt, S., see Bohnstedt, K.C. 796(2003)11
- Schmidt, S., see Diel, P. 777(2002)191
- Schmidt, S., see Sebastian, P. 786(2003)343
- Schmitt, M. and Lehr, M.
High-performance liquid chromatographic assay with ultraviolet spectrometric detection for the evaluation of inhibitors of secretory phospholipase A₂ 783(2003)327
- Schmitt, T.C.
Determination of chloral hydrate and its metabolites in blood plasma by capillary gas chromatography with electron capture detection 780(2002)217
- Schneekloth, C.G., see Heine, G. 782(2002)353
- Schneider, H., Ma, L. and Glatt, H.
Extractionless method for the determination of urinary caffeine metabolites using high-performance liquid chromatography coupled with tandem mass spectrometry 789(2003)227
- Schneider, M.J. and Donoghue, D.J.
Multiresidue analysis of fluoroquinolone antibiotics in chicken tissue using liquid chromatography–fluorescence–multiple mass spectrometry 780(2002)83
- Schneppenheim, R., see Zur Stadt, U. 792(2003)287
- Schoenherr, R.M., see Pinto, D. 793(2003)107
- Schoonooghe, S., see Willems, A. 786(2003)161
- Schor, D.S.M., Verhoeven, N.M., Struys, E.A., ten Brink, H.J. and Jakobs, C.
Quantification of 3-hydroxyglutaric acid in urine, plasma, cerebrospinal fluid and amniotic fluid by stable-isotope dilution negative chemical ionization gas chromatography–mass spectrometry 780(2002)199
- Schothuis, A.M., see Remmerie, B.M.M. 783(2003)461
- Schramel, P.
Determination of ²³⁵U and ²³⁸U in urine samples using sector field inductively coupled plasma mass spectrometry 778(2002)275
- Schubert, B., see Tsikas, D. 798(2003)87
- Schuhmann, M.U., see Heine, G. 782(2002)353
- Schulenberg, B., Beechem, J.M. and Patton, W.F.
Mapping glycosylation changes related to cancer using the Multiplexed Proteomics technology: a protein differential display approach 793(2003)127
- Schuler, U., see Schleyer, E. 799(2004)23
- Schuler-Metz, A., see Meger, M. 778(2002)251
- Schulz-Knappe, P., see Heine, G. 782(2002)353
- Schuster, A., Burzawa, S., Jemal, M., Loizillon, E., Couerbe, P. and Whigan, D.
Quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human plasma by liquid chromatography–tandem mass spectrometry following automated solid-phase extraction 788(2003)377
- Schuster, I., see Haslbeck, M. 786(2003)127
- Schütz, G.J., see Hesse, J. 782(2002)127
- Schwab, M., see Buechler, J. 793(2003)207
- Schwab, M., see Hofmann, U. 791(2003)371
- Schwabe, T.M.E., Gloddek, K., Schluesener, D. and Kruip, J.
Purification of recombinant BtpA and Ycf3, proteins involved in membrane protein biogenesis in *Synechocystis* PCC 6803 786(2003)45
- Schwartz, M.S. and Matuszewski, B.K.
Determination of a peptide–doxorubicin, prostate-specific antigen activated prodrug, and its active metabolites in human plasma using high-performance liquid chromatography with fluorescence detection. Stabilization of the peptide prodrug with EDTA 780(2002)171
- Schwedhelm, E., see Tsikas, D. 784(2003)77
- Schwedhelm, E., see Tsikas, D. 794(2003)237
- Schweigert, F.J., see Rühl, R. 798(2003)309
- Schwerdt, G., see Seefelder, W. 780(2002)137
- Sciarra, G., see Aprea, C. 778(2002)131
- Scioscia, S.L., see Tripodi, V.P. 785(2003)147
- Scott, J.M., see Sweeney, M.R. 788(2003)187
- Scordo, G., see Gatti, G. 784(2003)375
- Scriba, G.K.E., see Babalola, C.P. 795(2003)265
- Sebastian, P., Wallwitz, J. and Schmidt, S.
Semi automated production of a set of different recombinant GST–Streptag fusion proteins 786(2003)343
- Sebastiani, G., see Mancinelli, R. 789(2003)355
- Secondulfo, M., see Generoso, M. 783(2003)349
- Seefelder, W., Schwerdt, G., Freudinger, R., Gekle, M. and Humpf, H.-U.
Liquid chromatography/electrospray ionisation–mass spectrometry method for the quantification of sphingosine and sphinganine in cell cultures exposed to fumonisins 780(2002)137
- Seefried, S., see Hofmann, U. 791(2003)371
- Seegel, M., see Bräutigam, L. 798(2003)223
- Seetharamappa, J., see Nagaralli, B.S. 798(2003)49
- Segura, J., see Damasceno, L. 780(2002)61
- Segura, J., see Ventura, R. 795(2003)167
- Seidel, A., see Jacob, J. 778(2002)31
- Seilles, E., see Balduini, L. 794(2003)389
- Selle, H., see Heine, G. 782(2002)353
- Semenov, V.A., see Appolonova, S.A. 800(2004)281
- Seno, H., see Arinobu, T. 776(2002)107
- Seno, H., see Ishii, A. 776(2002)3
- Seno, H., see Ishii, A. 792(2003)117
- Sentenac, S., Fernandez, C., Thuillier, A., Lechat, P. and Aymard, G.
Sensitive determination of tenofovir in human plasma samples using reversed-phase liquid chromatography 793(2003)317
- Seo, H.-B., see Cho, J.-Y. 784(2003)25
- Seprödi, J., see Hollósy, F. 780(2002)355
- Sepúlveda, J., see Fernández, M. 791(2003)357

- Serpe, L., see Muntoni, E. 799(2004)133
- Serrey, R.F., see Maubach, J. 784(2003)137
- Seto, Y., see Kataoka, M. 795(2003)123
- Seto, Y., see Tsuge, K. 776(2002)79
- Sewell, A.C., see Muth, A. 791(2003)235
- Sewell, A.C., see Muth, A. 792(2003)269
- Shah, A.J., Crespi, F. and Heidbreder, C.
Amino acid neurotransmitters: separation approaches and diagnostic value (Review) 781(2002)151
- Shajdulina, G.F., see Safarova, V.I. 800(2004)325
- Shakarova, D.Sh., see Rashidova, S.Sh. 800(2004)49
- Shakerdi, L.A., Connell, J.M.C., Fraser, R. and Wallace, A.M.
Analysis of biological samples by gas chromatography–mass spectrometry without a reference standard: measurement of urinary 18-hydroxytetrahydro-11-dehydrocorticosterone excretion rate in human subjects 784(2003)367
- Shangguan, D., see Dong, Y. 788(2003)193
- Shangguan, D., see Liu, Y. 792(2003)177
- Shao, H., see Wang, W. 789(2003)425
- Shao, J., see Shi, G. 785(2003)361
- Shao, Y., see Li, J. 791(2003)55
- Shaw, P.B., see Brown, K.K. 792(2003)153
- Shaw, P.N., see Wibawa, J.I.D. 783(2003)359
- Sheu, M.-T., Wu, A.-B., Yeh, G.-C., Hsia, A. and Ho, H.-O.
Development of a liquid chromatographic method for bioanalytical applications with sildenafil 791(2003)255
- Shi, G., Shao, J., Jiang, G., Wang, Q., Lu, Y., Liu, J. and Liu, J.
Membrane chromatographic method for the rapid purification of vitellogenin from fish plasma 785(2003)361
- Shi, H., see Zuppa, A.F. 796(2003)293
- Shi, X., see Yin, O.Q.P. 796(2003)165
- Shi, X., see Zhao, C. 795(2003)55
- Shi, X., see Zhong, D. 791(2003)45
- Shibasaki, H., see Suzuki, A. 794(2003)373
- Shibata, N., Ishida, M., Venkata Rama Prasad, Y., Gao, W., Yoshikawa, Y. and Takada, K.
Highly sensitive quantification of vancomycin in plasma samples using liquid chromatography–tandem mass spectrometry and oral bioavailability in rats 789(2003)211
- Shibusawa, Y., Fujiwara, T., Shindo, H. and Ito, Y.
Purification of alcohol dehydrogenase from bovine liver crude extract by dye–ligand affinity counter-current chromatography 799(2004)239
- Shibusawa, Y., Ino, Y., Kinebuchi, T., Shimizu, M., Shindo, H. and Ito, Y.
Purification of single-strand DNA binding protein from an *Escherichia coli* lysate using counter-current chromatography, partition and precipitation 793(2003)275
- Shibusawa, Y., Misu, N., Shindo, H. and Ito, Y.
Purification of lactic acid dehydrogenase from crude bovine heart extract by pH-peak focusing counter-current chromatography 776(2002)183
- Shigematsu, Y., Hirano, S., Hata, I., Tanaka, Y., Sudo, M., Sakura, N., Tajima, T. and Yamaguchi, S.
Newborn mass screening and selective screening using electrospray tandem mass spectrometry in Japan 776(2002)39
- Shigematsu, Y., Hirano, S., Hata, I., Tanaka, Y., Sudo, M., Tajima, T., Sakura, N., Yamaguchi, S. and Takayanagi, M.
Selective screening for fatty acid oxidation disorders by tandem mass spectrometry: difficulties in practical discrimination 792(2003)63
- Shigematsu, Y., see Yoshino, M. 792(2003)73
- Shih, W.J., see Gounder, M.K. 799(2004)63
- Shiloach, J., Santambien, P., Trinh, L., Schapman, A. and Boschetti, E.
Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327
- Shim, H.J., see Cho, J.Y. 795(2003)179
- Shimada, K., see Hori, Y. 776(2002)191
- Shimada, K., see Mitamura, K. 796(2003)121
- Shimada, T., see Miyazawa, M. 793(2003)291
- Shimamura, T., see Kishino, S. 780(2002)289
- Shimizu, A., Nakanishi, T., Kishikawa, M. and Miyazaki, A.
Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis 776(2002)15
- Shimizu, A.
Complimentary address to Mr. Koichi Tanaka, the winner of Nobel Prize in chemistry 2002 792(2003)1
- Shimizu, A., see Koyama, R. 792(2003)5
- Shimizu, A., see Miyazaki, A. 792(2003)23
- Shimizu, A., see Nakanishi, T. 776(2002)89
- Shimizu, M., see Shibusawa, Y. 793(2003)275
- Shin, H.-S., Heon Lee, J., Ahn, H.-S. and Shin, U.-S.
New sensitive determination method of benzidine–hemoglobin adducts by gas chromatography–electron impact mass spectrometry 783(2003)125
- Shin, S.-G., see Cho, J.-Y. 784(2003)25
- Shin, S.G., see Cho, J.Y. 795(2003)179
- Shin, U.-S., see Shin, H.-S. 783(2003)125
- Shinde, D.B., see Kolte, B.L. 788(2003)37
- Shindo, H., see Shibusawa, Y. 776(2002)183
- Shindo, H., see Shibusawa, Y. 793(2003)275
- Shindo, H., see Shibusawa, Y. 799(2004)239
- Shinka, T., Inoue, Y., Ohse, M., Ito, A., Ohfu, M., Hirose, S. and Kuhara, T.
Rapid and sensitive detection of urinary 4-hydroxybutyric acid and its related compounds by gas chromatography–mass spectrometry in a patient with succinic semialdehyde dehydrogenase deficiency 776(2002)57
- Shinka, T., Inoue, Y., Yoshino, M., Kakinuma, H., Takahashi, H. and Kuhara, T.
Two cases of benign methylmalonic aciduria detected during a pilot study of neonatal urine screening 776(2002)65
- Shinka, T., Ohfu, M., Hirose, S. and Kuhara, T.
Effect of valproic acid on the urinary metabolic profile of a patient with succinic semialdehyde dehydrogenase deficiency 792(2003)99
- Shiran, M.R., Gregory, A., Rostami-Hodjegan, A., Tucker, G.T. and Lennard, M.S.
Determination of midazolam and 1'-hydroxymidazolam by liquid chromatography–mass spectrometry in plasma of patients undergoing methadone maintenance treatment 783(2003)303
- Shoda, S., see Kato, K. 788(2003)407
- Shore, R., see Melikian, A.A. 778(2002)211
- Shpak, A.V., Pirogov, A.V. and Shpigun, O.A.
Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91
- Shpak, A.V., see Appolonova, S.A. 800(2004)281
- Shpakovski, G.V., see Proshkin, S.A. 800(2004)121
- Shpigun, O.A., see Rashidova, S.Sh. 800(2004)49
- Shpigun, O.A., see Shpak, A.V. 800(2004)91
- Shu, P.-Y., Chou, S.-H. and Lin, C.-H.
Determination of corticosterone in rat and mouse plasma by gas chromatography–selected ion monitoring mass spectrometry 783(2003)93
- Shu, P.-Y., see Wu, C.-H. 785(2003)317
- Shugarts, S.B., see Vallano, P.T. 794(2003)23
- Shum, L., see Lin, Z.J. 788(2003)159
- Sikic, B.I., see Chin, D.L. 779(2002)259
- Silva, K., see Arancibia, V. 785(2003)303
- Silva, M.J., Malek, N.A., Hodge, C.C., Reidy, J.A., Kato, K., Barr, D.B., Needham, L.L. and Brock, J.W.
Improved quantitative detection of 11 urinary phthalate metabolites in humans using liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 789(2003)393

- Silva, O.A., see de Toledo, F.C.P. 798(2003)361
- Sim, A.S., Salonikas, C., Naidoo, D. and Wilcken, D.E.L.
Improved method for plasma malondialdehyde measurement by high-performance liquid chromatography using methyl malondialdehyde as an internal standard 785(2003)337
- Šimánek, V., see Vespaľec, R. 797(2003)357
- Šimek, P., see Hušek, P. 789(2003)311
- Šimek, P., see Mráz, J. 778(2002)357
- Simmet, T., see Büchele, B. 791(2003)21
- Simmet, T., see Büchele, B. 795(2003)355
- Simó, C., Cifuentes, A. and Gallardo, A.
Drug delivery systems: polymers and drugs monitored by capillary electromigration methods 797(2003)37
- Simó, C., see Barbas, C. 780(2002)73
- Simon, N., see Guillaume, Y. 798(2003)217
- Simonsson, U.S.H., see Jansson, B. 791(2003)179
- Singh, R.P., see Hoellinger, H. 799(2004)195
- Singla, A.K., see Bajad, S. 776(2002)245
- Sinnaeve, B.A., Decaestecker, T.N., Claerhout, I.J., Kestelyn, P., Remon, J.-P. and Van Bocxlaer, J.F.
Confirmation of ofloxacin precipitation in corneal deposits by micro-bore liquid chromatography–quadrupole time-of-flight tandem mass spectrometry 785(2003)193
- Sipiä, V., see Karlsson, K. 784(2003)243
- Sippell, W.G., see Riepe, F.G. 785(2003)293
- Sips, L.L.A., see Remmerie, B.M.M. 783(2003)461
- Sirén, H. and Karttunen, A.
Microemulsion electrokinetic chromatographic analysis of some polar compounds 783(2003)113
- Sirén, H., see Vuorenola, K. 788(2003)277
- Siri, N., Riolet, P., Bayle, C. and Couderc, F.
Automated large-volume sample stacking procedure to detect labeled peptides at picomolar concentration using capillary electrophoresis and laser-induced fluorescence detection 793(2003)151
- Sirtori, C.R., see Badaloni, E. 796(2003)45
- Sjödin, A., see Barr, J.R. 794(2003)137
- Sjöholm, R., see Saarinen, N.M. 777(2002)311
- Skellern, G.G., see Koeberle, M.J. 787(2003)313
- Skipper, P.L.
Precision and sensitivity of aminobiphenyl hemoglobin adduct assays in a long-term population study 778(2002)375
- Slama, I., Jourdan, E., Grosset, C., Ravel, A., Villet, A. and Peyrin, E.
Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115
- Sludden, J., see Veal, G.J. 795(2003)237
- Smeds, A. and Hakala, K.
Liquid chromatographic–tandem mass spectrometric method for the plant lignan 7-hydroxymatairesinol and its potential metabolites in human plasma 793(2003)297
- Smeds, A., see Saarinen, N.M. 777(2002)311
- Smith, C.C.T., Stanyer, L. and Betteridge, D.J.,
Evaluation of methods for the extraction of nitrite and nitrate in biological fluids employing high-performance anion-exchange liquid chromatography for their determination 779(2002)201
- Smith, C.J., Walcott, C.J., Huang, W., Maggio, V., Grainger, J. and Patterson Jr., D.G.
Determination of selected monohydroxy metabolites of 2-, 3- and 4-ring polycyclic aromatic hydrocarbons in urine by solid-phase microextraction and isotope dilution gas chromatography–mass spectrometry 778(2002)157
- Smith, J.A., see Gonzales, J. 776(2002)177
- Smith, M.T., see Rappaport, S.M. 778(2002)367
- Smith, P.A., Thompson, M.J. and Edwards, J.W.
Estimating occupational exposure to the pyrethroid termiticide bifenthrin by measuring metabolites in urine 778(2002)113
- Smith, R.F., see Baidoo, E.E.K. 796(2003)303
- Smith-Palmer, T.
Separation methods applicable to urinary creatine and creatinine (Review) 781(2002)93
- Sobik, B., see Ksycińska, H. 799(2004)217
- Sobolevsky, T.G., Revelsky, A.I., Revelsky, I.A., Miller, B. and Oriedo, V.
Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography–positive ion chemical ionization mass spectrometry 800(2004)101
- Soepenbergh, O., de Bruijn, P., Verweij, J., Atsumi, R. and Sparreboom, A.
Liquid chromatographic assays for DE-310, a novel camptothecin analog, and two major enzymatic products in human matrices 799(2004)15
- Soják, L., see Kubinec, R. 800(2004)295
- Soleo, L., see Pieri, M. 795(2003)347
- Solomonova, A.P., see Komarova, N.V. 800(2004)135
- Somogyi, A.A., see Menelaou, A. 785(2003)81
- Song, J.-H., see Park, I. 780(2002)415
- Song, J., see Mosier, K.E. 783(2003)377
- Song, J., Wadhwa, L., Bejjani, B.A. and O'Brien, W.E.
Determination of 3-keto-4-ene steroids and their hydroxylated metabolites catalyzed by recombinant human cytochrome P450 1B1 enzyme using gas chromatography–mass spectrometry with trimethylsilyl derivatization 791(2003)127
- Song, J.Z. and Ho, J.W.
Simultaneous detection of trichloroethylene alcohol and acetate in rat urine by gas chromatography–mass spectrometry 789(2003)303
- Song, Z., Bi, K. and Luo, X.
High-performance liquid chromatographic method for the determination and pharmacokinetic study of dehydrotumulosic acid in the plasma of rats having taken the traditional chinese medicinal preparation Ling-Gui-Zhu-Gan decoction 788(2003)387
- Sonnino, S., see Mauri, L. 796(2003)1
- Sonnleitner, M., see Hesse, J. 782(2002)127
- Sontag, G., see Kraushofer, T. 777(2002)61
- Sontag, G., see Metzler, M. 777(2002)1
- Sørensen, H.P., Sperling-Petersen, H.U. and Mortensen, K.K.
Production of recombinant thermostable proteins expressed in *Escherichia coli*: completion of protein synthesis is the bottle-neck 786(2003)207
- Sorkness, R.L., see Hutson, P.R. 791(2003)427
- Sottani, C., see Turci, R. 789(2003)169
- Soudková, E., see Španová, A. 800(2004)27
- Souleimanov, G.D., see Brondz, I. 800(2004)211
- Souverain, S., Rudaz, S., Ortell, D., Varesio, E. and Veuthey, J.-L.
Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography–mass spectrometry 784(2003)117
- Sowa, I., see Waksmundzka-Hajnos, M. 800(2004)181
- Sowinski, K.M., see Overholser, B.R. 798(2003)167
- Sowunmi, A., see Babalola, C.P. 795(2003)265
- Spagnoli, G., see Turci, R. 789(2003)169
- Španová, A., Horák, D., Soudková, E. and Rittich, B.
Magnetic hydrophilic methacrylate-based polymer microspheres designed for polymerase chain reactions applications 800(2004)27
- Španová, A., see Rittich, B. 800(2004)169
- Sparidans, R.W., Crommentuyn, K.M.L., Schellens, J.H.M. and Beijnen, J.H.
Liquid chromatographic assay for the antiviral nucleotide analogue tenofovir in plasma using derivatization with chloroacetaldehyde 791(2003)227
- Sparidans, R.W., Crul, M., Schellens, J.H.M. and Beijnen, J.H.
Isocratic ion-exchange chromatographic assay for the nucleotide gemcitabine triphosphate in human white blood cells 780(2002)423
- Sparreboom, A., see de Jong, F.A. 795(2003)383
- Sparreboom, A., see Lepper, E.R. 796(2003)181
- Sparreboom, A., see Soepenbergh, O. 799(2004)15

- Speicher, D.W., see Zuo, X. 782(2002)253
- Spencer, E.P., see Morgan, P.E. 798(2003)211
- Sperling-Petersen, H.U., see Sørensen, H.P. 786(2003)207
- Spertini, F., see Favre, L.I. 786(2003)143
- Spichiger, M., Mühlbauer, R.C. and Brenneisen, R.
Determination of menthol in plasma and urine of rats and humans by headspace solid phase microextraction and gas chromatography–mass spectrometry 799(2004)111
- Spiegelstein, O., see Isoherranen, N. 788(2003)125
- Spina, E., see Gatti, G. 784(2003)375
- Spino, M., see Novakovic, J. 796(2003)105
- Spitzer, M., see Buechler, J. 793(2003)207
- Sponsel, W.E., see Zhou, L. 776(2002)213
- Springer, D., Fritsch, G. and Maurer, H.H.
Metabolism of the new designer drug α -pyrrolidinopropiophenone (PPP) and the toxicological detection of PPP and 4'-methyl- α -pyrrolidinopropiophenone (MPPP) studied in rat urine using gas chromatography–mass spectrometry 796(2003)253
- Springer, D., Fritsch, G. and Maurer, H.H.
Metabolism and toxicological detection of the new designer drug 3',4'-methylenedioxy- α -pyrrolidinopropiophenone studied in urine using gas chromatography–mass spectrometry 793(2003)377
- Springer, D., Fritsch, G. and Maurer, H.H.
Metabolism and toxicological detection of the new designer drug 4'-methoxy- α -pyrrolidinopropiophenone studied in rat urine using gas chromatography–mass spectrometry 793(2003)331
- Springer, D., Peters, F.T., Fritsch, G. and Maurer, H.H.
New designer drug 4'-methyl- α -pyrrolidinohexanophenone: studies on its metabolism and toxicological detection in urine using gas chromatography–mass spectrometry 789(2003)79
- Srebalus Barnes, C.A., see Lee, Y.J. 782(2002)343
- Staack, R.F. and Maurer, H.H.
Toxicological detection of the new designer drug 1-(4-methoxyphenyl)piperazine and its metabolites in urine and differentiation from an intake of structurally related medicaments using gas chromatography–mass spectrometry 798(2003)333
- Staack, R.F., Fehn, J. and Maurer, H.H.
New designer drug *p*-methoxymethamphetamine: studies on its metabolism and toxicological detection in urine using gas chromatography–mass spectrometry 789(2003)27
- Stadler, J., see Lemmens, R. 784(2003)291
- Stafilov, T., see Zendelovska, D. 788(2003)199
- Ständker, L., see Liepke, C. 791(2003)345
- Stanley, S.M.R. and Poljak, A.
Matrix-assisted laser-desorption time-of flight ionisation and high-performance liquid chromatography–electrospray ionisation mass spectral analyses of two glycosylated recombinant epoetins 785(2003)205
- Stanyer, L., see Smith, C.C.T. 779(2002)201
- Starcevic, B., DiStefano, E., Wang, C. and Catlin, D.H.
Liquid chromatography–tandem mass spectrometry assay for human serum testosterone and trideuterated testosterone 792(2003)197
- Steele, C.R., Van Remoortere, K.C. and Hayday, A.C.
Production of a soluble $\gamma\delta$ T-cell receptor to identify ligands for the murine intestinal intraepithelial $\gamma\delta$ T cell population 786(2003)297
- Steele, S.J., see Gmur, D.J. 789(2003)365
- Stefova, M., see Zendelovska, D. 788(2003)199
- Steghens, J.-P., Flourié, F., Arab, K. and Collombel, C.
Fast liquid chromatography–mass spectrometry glutathione measurement in whole blood: micromolar GSSG is a sample preparation artifact 798(2003)343
- Stehle, R., see Krüger, M. 786(2003)287
- Stehly, G.R., see Vue, C. 780(2002)111
- Steinman, A., see Isoherranen, N. 788(2003)125
- Steinmetz, L.M. and Deutschbauer, A.M.
Gene function on a genomic scale (Review) 782(2002)107
- Steinmetzer, T., see López, M. 786(2003)73
- Stenhoff, H., see Svennberg, H. 787(2003)231
- Stenzen, J.A., see Sun, L. 796(2003)327
- Stetson, P.L., see Bu, W. 783(2003)411
- Steward, W.P., see Anderton, M.J. 787(2003)281
- Stewart, C.F., see Bai, F. 784(2003)225
- Stimpfl, Th., Demuth, W., Varmuza, K. and Vycudilik, W.
Systematic toxicological analysis: computer-assisted identification of poisons in biological materials 789(2003)3
- Stith, C. and Delwar Hussain, M.
Determination of mifepristone levels in wild canid serum using liquid chromatography 794(2003)9
- Stobaugh, J.F., see Yang, J.Z. 780(2002)269
- Stöckl, D., see Fierens, C. 792(2003)249
- Stokes, P. and O'Connor, G.
Development of a liquid chromatography–mass spectrometry method for the high-accuracy determination of creatinine in serum 794(2003)125
- Stone, E.G., see Ruotolo, B.T. 782(2002)385
- Störmer, E., Bauer, S., Kirchheiner, J., Brockmöller, J. and Roots, I.
Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelecoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207
- Stoyanov, A.V., Ahmadzadeh, H. and Krylov, S.N.
Heterogeneity of protein labeling with a fluorogenic reagent, 3-(2-furoyl)quinoline-2-carboxaldehyde 780(2002)283
- Strancar, A., see Branović, K. 790(2003)175
- Štrancar, A., see Vodopivec, M. 795(2003)105
- Struys, E.A., see Schor, D.S.M. 780(2002)199
- Stulík, J., see Hubálek, M. 787(2003)149
- Stupans, I., see Tan, H.-W. 785(2003)187
- Stutzer, F.K., see Tsikas, D. 784(2003)77
- Su, A.-K. and Lin, C.-H.
Determination of riboflavin in urine by capillary electrophoresis–blue light emitting diode-induced fluorescence detection combined with a stacking technique 785(2003)39
- Su, A.-K., see Wu, C.-H. 785(2003)317
- Su, Q., Rowley, K.G. and Balazs, N.D.H.
Carotenoids: separation methods applicable to biological samples 781(2002)393
- Suárez, N., see Franco-Fraguas, L. 790(2003)365
- Subramanian, A., see Sarkar, S. 790(2003)143
- Suchy, M.-T., see Tsikas, D. 794(2003)237
- Suck, R., Weber, B., Schäffer, B., Diedrich, E., Kamionka, T., Fiebig, H. and Cromwell, O.
Purification strategy for recombinant Phl p 6 is applicable to the natural allergen and yields biochemically and immunologically comparable preparations 787(2003)357
- Suckow, R.F., Fein, M., Correll, C.U. and Cooper, T.B.
Determination of plasma ziprasidone using liquid chromatography with fluorescence detection 799(2004)201
- Sudo, M., see Shigematsu, Y. 776(2002)39
- Sudo, M., see Shigematsu, Y. 792(2003)63
- Suematsu, N., Okamoto, K. and Isohashi, F.
Simple and unique purification by size-exclusion chromatography for an oligomeric enzyme, rat liver cytosolic acetyl-coenzyme A hydroxylase 790(2003)239
- Suematsu, N., see Okamoto, K. 790(2003)349
- Suen, S.-Y., see Liu, Y.-C. 794(2003)67
- Suen, S.-Y., Liu, Y.-C. and Chang, C.-S.
Exploiting immobilized metal affinity membranes for the isolation or purification of therapeutically relevant species 797(2003)305
- Sugawara, M., see Kishino, S. 780(2002)289
- Sugaya, K., see Nishijima, S. 780(2002)13

- Sugie, A., see Miyazawa, M. 793(2003)291
 Sugimoto, M., see Toda, T. 787(2003)197
 Sui, Y., see Sun, Y. 792(2003)147
 Sumi, S., see Kuhara, T. 792(2003)107
 Sun, L. and Stenken, J.A.
 Quantitation of nitric oxide-derived nitrite from activated macrophages using microdialysis sampling 796(2003)327
 Sun, L., see Zhong, D. 791(2003)45
 Sun, S.-L., see Gounder, M.K. 799(2004)63
 Sun, X., see Wang, W. 798(2003)175
 Sun, Y., Guo, T., Sui, Y. and Li, F.
 Fingerprint analysis of *Flos Carthami* by capillary electrophoresis 792(2003)147
 Sun, Y., see Zhou, M. 798(2003)43
 Sune Andersen, H., see Pedersen, A.K. 799(2004)1
 Supko, J.G., see He, X. 799(2004)281
 Surdacki, A., see Tsikas, D. 794(2003)237
 Susi, P., see Khalikova, E. 796(2003)315
 Suter, L., see Fountoulakis, M. 782(2002)197
 Sutherland, F.C.W., see Wiesner, J.L. 785(2003)115
 Sutherland, F.C.W., see Wiesner, J.L. 788(2003)361
 Suzuki, A., Shibasaki, H., Kasuya, Y. and Furuta, T.
 Simultaneous determination of endogenous and stable isotope-labelled 6 β -hydroxycortisol in human urine by stable isotope dilution mass spectrometry 794(2003)373
 Suzuki, N., Hishinuma, T., Saga, T., Sato, J., Toyota, T., Goto, J. and Mizugaki, M.
 Determination of urinary 12(*S*)-hydroxyeicosatetraenoic acid by liquid chromatography–tandem mass spectrometry with column-switching technique: sex difference in healthy volunteers and patients with diabetes mellitus 783(2003)383
 Suzuki, O., see Arinobu, T. 776(2002)107
 Suzuki, O., see Ishii, A. 776(2002)3
 Suzuki, O., see Ishii, A. 792(2003)117
 Sved, D.W., see Bu, W. 783(2003)411
 Svennberg, H., Bergh, S. and Stenhoff, H.
 Factorial design for the development of automated solid-phase extraction in the 96-well format for determination of tesaglitazar, in plasma, by liquid chromatography–mass spectrometry 787(2003)231
 Svensson, J.O., see Minzi, O.M.S. 783(2003)473
 Svensson, L., see Edman, K. 785(2003)311
 Swain, S.M., see Lepper, E.R. 796(2003)181
 Swart, K.J., see Wiesner, J.L. 785(2003)115
 Swart, K.J., see Wiesner, J.L. 788(2003)361
 Sweeney, M.R., McPartlin, J., Weir, D.G. and Scott, J.M.
 Measurements of sub-nanomolar concentrations of unmetabolised folic acid in serum 788(2003)187
 Swenberg, J.A., see Koc, H. 778(2002)323
 Swenberg, J.A., see Ríos-Blanco, M.N. 778(2002)383
 Szadkowski, D., see Heinrich-Ramm, R. 778(2002)263
 Szőke, E., Máday, E., Tyihák, E., Kuzovkina, I.N. and Lemberkovics, E.
 New terpenoids in cultivated and wild chamomile (in vivo and in vitro) 800(2004)231
- Tahami, M.-H., see Rouini, M.-R. 785(2003)383
 Taibi, G. and Nicotra, C.M.A.
 Development and validation of a fast and sensitive chromatographic assay for all-*trans*-retinol and tocopherols in human serum and plasma using liquid–liquid extraction 780(2002)261
 Tajima, T., see Shigematsu, Y. 776(2002)39
 Tajima, T., see Shigematsu, Y. 792(2003)63
 Takada, K., see Shibata, N. 789(2003)211
 Takagaki, T., Matsuda, M., Mizuki, Y. and Terauchi, Y.
 Simple and sensitive method for the determination of chlorpheniramine maleate in human plasma using liquid chromatography–mass spectrometry 776(2002)169
 Takagi, K., see Ueyama, J. 798(2003)35
 Takahashi, H., see Shinka, T. 776(2002)65
 Takahashi, M., see Kato, K. 788(2003)407
 Takahashi, Y., Morita, T. and Ueda, Y.
 Accurate mass measurement using multiple sprayer nano-electrospray mass spectrometry combined with nano-scale high-performance liquid chromatography on a magnetic sector instrument 776(2002)31
 Takamoto, S., Sakura, N., Yashiki, M. and Kojima, T.
 Inactivation of acrolein by sodium 2-mercaptoethanesulfonate using headspace-solid-phase microextraction gas chromatography and mass spectrometry 791(2003)365
 Takamoto, S., Sakura, N., Yashiki, M. and Kojima, T.
 Erratum to “Inactivation of acrolein by sodium 2-mercaptoethanesulfonate using headspace-solid-phase microextraction gas chromatography and mass spectrometry”. [J. Chromatogr. B 791/1–2 (2003) 365–369] 792(2003)333
 Takano, Y., see Imai, K. 780(2002)1
 Takao, T., see Minamino, N. 792(2003)33
 Takayanagi, M., see Shigematsu, Y. 792(2003)63
 Takayanagui, O.M., see Bonato, P.S. 783(2003)237
 Takechi, S., see Machida, M. 798(2003)187
 Takekuma, Y., see Kishino, S. 780(2002)289
 Taketomi, T., see Fujiwaki, T. 776(2002)115
 Talwar, D., Quasim, T., McMillan, D.C., Kinsella, J., Williamson, C. and O'Reilly, D.S.J.
 Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333
 Tamburro, A., see Celli, N. 787(2003)405
 Tamvakopoulos, C.S., Neugebauer, J.M., Donnelly, M. and Griffin, P.R.
 Analysis of betamethasone in rat plasma using automated solid-phase extraction coupled with liquid chromatography–tandem mass spectrometry. Determination of plasma concentrations in rat following oral and intravenous administration 776(2002)161
 Tan, A.R., see Lepper, E.R. 796(2003)181
 Tan, D.T.H., see Xiong, X. 796(2003)63
 Tan, H.-W., Tuck, K.L., Stupans, I. and Hayball, P.J.
 Simultaneous determination of oleuropein and hydroxytyrosol in rat plasma using liquid chromatography with fluorescence detection 785(2003)187
 Tanabe, S., see Sano, K. 795(2003)25
 Tanahashi-Shiina, T., see Sato, K. 790(2003)277
 Tanaka, J., see Minamino, N. 792(2003)33
 Tanaka, M., see Ishii, A. 792(2003)117
 Tanaka, Y., see Shigematsu, Y. 776(2002)39
 Tanaka, Y., see Shigematsu, Y. 792(2003)63
 Tang, H., see Zhang, K. 783(2003)173
 Tanifuji, Y., see Obata, T. 792(2003)131
 Tao, X., Kadaba, P.K. and Nnane, I.P.
 Chiral liquid chromatography resolution and stereoselective pharmacokinetic study of the enantiomers of a novel anticonvulsant, *N*-(4-chlorophenyl)-1-(4-pyridyl)ethylamine, in rats 796(2003)35
 Tapia, T., see Arancibia, V. 785(2003)303
 Tapper, J., see Morgan, P.E. 798(2003)211

T

Tagliaro, F. see Deyl, Z. 781(2002)1
 Tagliaro, F., see Bortolotti, F. 800(2004)239

- Tarbah, F., Mahler, H., Kardel, B., Weinmann, W., Hafner, D. and Daldrup, Th.
Kinetics of kavain and its metabolites after oral application 789(2003)115
- Tasaka, M., see Fujiwaki, T. 776(2002)115
- Tateishi, T., see Yasui-Furukori, N. 789(2003)239
- Tavazzi, I., see Richelle, M. 794(2003)1
- Tawil, N., see Yonamine, M. 789(2003)73
- Taylor, P.J., see Atcheson, B. 799(2004)157
- Teegen, B., see Arnold, N. 782(2002)99
- Tegeder, I., see Bräutigam, L. 798(2003)223
- ten Brink, H.J., see Schor, D.S.M. 780(2002)199
- Teng, X.W., Wang, S.W.J. and Davies, N.M.
Stereospecific high-performance liquid chromatographic analysis of ibuprofen in rat serum 796(2003)225
- Teplova, G.I., see Safarova, V.I. 800(2004)325
- ter Horst, P.G.J., Foudraïne, N.A., Cuypers, G., van Dijk, E.A. and Oldenhof, N.J.J.
Simultaneous determination of levomepromazine, midazolam and their major metabolites in human plasma by reversed-phase liquid chromatography 791(2003)389
- Terado, I., see Tsuruta, Y. 788(2003)401
- Terashima, C., see Ivandini, T.A. 791(2003)63
- Terauchi, Y., see Takagaki, T. 776(2002)169
- Terezinha Baroni de Moraes, M., see da Silva e Mouta Junior, S. 787(2003)303
- Terry, E.S., see Musiek, E.S. 799(2004)95
- Teshima, D., Kitagawa, N., Otsubo, K., Makino, K., Itoh, Y. and Oishi, R.
Simple determination of mycophenolic acid in human serum by column-switching high-performance liquid chromatography 780(2002)21
- Tesoro, A., see Novakovic, J. 796(2003)105
- Tessier, E., Neirinck, L. and Zhu, Z.
High-performance liquid chromatographic mass spectrometric method for the determination of ursodeoxycholic acid and its glycine and taurine conjugates in human plasma 798(2003)295
- Teti, D., Visalli, M. and McNair, H.
Analysis of polyamines as markers of (patho)physiological conditions (Review) 781(2002)107
- Tetler, L.W., see Baidoo, E.E.K. 796(2003)303
- Tett, S.E., see Atcheson, B. 799(2004)157
- Tham, S.-Y., see Gam, L.-H. 792(2003)187
- Theodoridis, G., see Raikos, N. 789(2003)59
- Thiellement, H., Zivy, M. and Plomion, C.
Combining proteomic and genetic studies in plants (Review) 782(2002)137
- Thienpont, L.M., see Fierens, C. 792(2003)249
- Thiessen, J., see Novakovic, J. 796(2003)105
- Thomas, K., see Lange, J. 779(2002)229
- Thomassin, M., see André, C. 796(2003)267
- Thomassin, M., see Balduini, L. 794(2003)389
- Thomassin, M., see Guillaume, Y. 798(2003)217
- Thomassin, M., see Ismaili, L. 780(2002)467
- Thompson, M.J., see Smith, P.A. 778(2002)113
- Thonart, P., see Delcarte, J. 786(2003)229
- Thorén, K., Gustafsson, E., Clevnert, A., Larsson, T., Bergström, J. and Nilsson, C.L.
Proteomic study of non-typable *Haemophilus influenzae* 782(2002)219
- Thuillier, A., see Sentenac, S. 793(2003)317
- Thum, T., see Walles, M. 798(2003)265
- Tian, Y., see Oe, T. 792(2003)217
- Tichá, M., see Frýdlová, J. 800(2004)109
- Tichá, M., see Liberda, J. 780(2002)231
- Tidwell, R.R., see Rezk, N.L. 791(2003)137
- Tien, M.-H., see Chien, C.M. 795(2003)1
- Tillement, J.-P., see Hervé, F. 798(2003)283
- Titier, K., Bouchet, S., Péhourcq, F., Moore, N. and Molimard, M.
High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179
- Tjørnelund, J., see Loke, M.-L. 783(2003)11
- Toda, T. and Sugimoto, M.
Proteome analysis of Epstein–Barr virus-transformed B-lymphoblasts and the proteome database (Review) 787(2003)197
- Todo, S., see Kishino, S. 780(2002)289
- Toennes, S.W., Fandiño, A.S., Hesse, F.-J. and Kauert, G.F.
Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography–mass spectrometry 792(2003)345
- Toivo, J., see Lampi, A.-M. 777(2002)83
- Tokumoto, J., see Huang, Y. 799(2004)51
- Tokunaga, N., Yamazaki, T., Akiyama, T. and Mori, H.
Detection of 3-methoxy-4-hydroxyphenylglycol in rabbit skeletal muscle microdialysate 798(2003)163
- Tokunaga, Y., see Yoshino, M. 792(2003)73
- Toledo López, A., see Flores Pérez, C. 795(2003)141
- Tollaksen, S., see Giometti, C.S. 782(2002)227
- Tomás, V., see Pérez-Ruiz, T. 798(2003)303
- Tommasini, S., see Calabrò, M.L. 800(2004)245
- Törnqvist, M., Fred, C., Haglund, J., Helleberg, H., Paulsson, B. and Rydberg, P.
Protein adducts: quantitative and qualitative aspects of their formation, analysis and applications (Review) 778(2002)279
- Toro, I., see Ballesteros, O. 798(2003)137
- Toro, I., see Sanz-Nebot, V. 798(2003)1
- Torresi, A., see Gentili, S. 780(2002)183
- Torun, E., see Verschraagen, M. 783(2003)33
- Toyota, T., see Suzuki, N. 783(2003)383
- Tozzi, C., Anfossi, L. and Giraudi, G.
Affinity chromatography techniques based on the immobilisation of peptides exhibiting specific binding activity 797(2003)289
- Tracqui, A., see Villain, M. 798(2003)351
- Trattene, M., see Bortolotti, F. 800(2004)239
- Trbušek, M., see Havliš, J. 781(2002)373
- Tréluyer, J.-M., see Jullien, V. 785(2003)377
- Tremblay, D., see Hervé, F. 798(2003)283
- Trinh, L., see Shiloach, J. 790(2003)327
- Trinh, M.-U., see Johnson, D.W. 798(2003)159
- Tripodi, V.P., Lucangioli, S.E., Scioscia, S.L. and Carducci, C.N.
Simultaneous determination of free and conjugated bile acids in serum by cyclodextrin-modified micellar electrokinetic chromatography 785(2003)147
- Troiani, S., see Walcher, W. 782(2002)111
- Troshkov, M.L., see Makas, A.L. 800(2004)55
- Troshkov, M.L., see Makas, A.L. 800(2004)63
- Truong, T.T., see André, C. 796(2003)267
- Truong, T.T., see Ismaili, L. 780(2002)467
- Tryk, D.A., see Ivandini, T.A. 791(2003)63
- Tsai, T.-H.
Assaying protein unbound drugs using microdialysis techniques 797(2003)161
- Tsai, T.-H., see Cheng, 781(2002)481
- Tsakalof, A., Bairachtari, K. and Georgarakis, M.
Development of a liquid chromatography–mass spectrometry method for monitoring the angiotensin-converting enzyme inhibitor lisinopril in serum 783(2003)425
- Tsarbopoulos, A., Gikas, E., Papadopoulos, N., Aliogiannis, N. and Kafatos, A.
Simultaneous determination of oleuropein and its metabolites in plasma by high-performance liquid chromatography 785(2003)157
- Tseng, W.-C. and Ho, F.-L.
Enhanced purification of plasmid DNA using Q-Sepharose by modulation of alcohol concentrations 791(2003)263

- Tsiganos, C.P., see Vynios, D.H. 781(2002)21
- Tsikakos, D., Sawa, M., Brunner, G., Gutzki, F.-M., Meyer, H.H. and Frölich, J.C.
Gas chromatography–mass spectrometry of *cis*-9,10-epoxyoctadecanoic acid (*cis*-EODA). I. Direct evidence for *cis*-EODA formation from oleic acid oxidation by liver microsomes and isolated hepatocytes 784(2003)351
- Tsikakos, D., Schubert, B., Gutzki, F.-M., Sandmann, J. and Frölich, J.C.
Quantitative determination of circulating and urinary asymmetric dimethylarginine (ADMA) in humans by gas chromatography–tandem mass spectrometry as methyl ester tri(*N*-pentafluoropropionyl) derivative 798(2003)87
- Tsikakos, D., Schwedhelm, E., Stutzer, F.K., Gutzki, F.-M., Rode, I., Mehls, C. and Frölich, J.C.
Accurate quantification of basal plasma levels of 3-nitrotyrosine and 3-nitrotyrosinoalbumin by gas chromatography–tandem mass spectrometry 784(2003)77
- Tsikakos, D., Schwedhelm, E., Suchy, M.-T., Niemann, J., Gutzki, F.-M., Erpenbeck, V.J., Hohlfeld, J.M., Surdacki, A. and Frölich, J.C.
Divergence in urinary 8-*iso*-PGF_{2α} (iPF_{2α}-III, 15-F_{2t}-IsoP) levels from gas chromatography–tandem mass spectrometry quantification after thin-layer chromatography and immunoaffinity column chromatography reveals heterogeneity of 8-*iso*-PGF_{2α}. Possible methodological, mechanistic and clinical implications 794(2003)237
- Tsoukali, H., see Raikos, N. 789(2003)59
- Tsuchihashi, H., see Kamata, T. 796(2003)421
- Tsuge, K. and Seto, Y.
Analysis of organophosphorus compound adducts of serine proteases by liquid chromatography–tandem mass spectrometry 776(2002)79
- Tsukakasa, Y., see Sato, K. 790(2003)277
- Tsukushi, S., Kajita, M., Nakamura, S. and Niwa, T.
Gas chromatographic–mass spectrometric determination of erythrocyte 3-deoxyglucosone in diabetic patients 776(2002)133
- Tsuruta, Y., Terado, I. and Inoue, H.
Determination of free *N*-acetylneuraminic acid in urine by high-performance liquid chromatography using 3-[(1-[(4-(5,6-dimethoxy-1-oxoisindolin-2-yl)-2-methoxyphenyl)sulfonyl]pyrrolidin-2-yl)carboxylamino]phenylboronic acid as a fluorescent labeling reagent 788(2003)401
- Tu, J., Anderson, L.N., Dai, J., Peters, K., Carr, A., Loos, P., Buchanan, D., Bao, J.J., Liu, C. and Wehmeyer, K.R.
Application of multiplexed capillary electrophoresis with laser-induced fluorescence (MCE-LIF) detection for the rapid measurement of endogenous extracellular signal-regulated protein kinase (ERK) levels in cell extracts 789(2003)323
- Tubio, G., Nerli, B. and Picó, G.
Relationship between the protein surface hydrophobicity and its partitioning behaviour in aqueous two-phase systems of polyethylene-glycol–dextran 799(2004)293
- Tuchweber, B., see Viau, C. 778(2002)165
- Tuck, K.L., see Tan, H.-W. 785(2003)187
- Tucker, G.T., see Shiran, M.R. 783(2003)303
- Tucker, I.G., see Wen, J. 779(2002)221
- Tump, C., see Orhan, H. 799(2004)245
- Tung, K.-H., see Liu, C.-M. 791(2003)315
- Turci, R., Sottani, C., Spagnoli, G. and Minoia, C.
Biological and environmental monitoring of hospital personnel exposed to antineoplastic agents: a review of analytical methods (Review) 789(2003)169
- Turesky, R.J., see Delatour, T. 779(2002)189
- Turner, W.E., see Barr, J.R. 794(2003)137
- Turner, K.C., see Xue, Y.-J. 795(2003)215
- Turner, M.L., Reed-Walker, K., King, J.R. and Acosta, E.P.
Simultaneous determination of nine antiretroviral compounds in human plasma using liquid chromatography 784(2003)331

- Twaddle, N.C., Churchwell, M.I. and Doerge, D.R.
High-throughput quantification of soy isoflavones in human and rodent blood using liquid chromatography with electrospray mass spectrometry and tandem mass spectrometry detection 777(2002)139
- Twaddle, N.C., Churchwell, M.I., Newbold, R.R., Delclos, K.B. and Doerge, D.R.
Determination using liquid-chromatography–electrospray tandem mass spectrometry of ethinylestradiol serum pharmacokinetics in adult Sprague–Dawley rats 793(2003)309
- Tyihak, E., see Szöke, É. 800(2004)231
- Tyski, S., see Michalska, K. 800(2004)203

U

- Ubuka, T.
Assay methods and biological roles of labile sulfur in animal tissues (Review) 781(2002)227
- Ueda, T., see Yamauchi, T. 799(2004)81
- Ueda, Y., see Takahashi, Y. 776(2002)31
- Uehara, Y., see Niimi, M. 782(2002)245
- Ueno, K., see Sano, M. 794(2003)149
- Ueyama, J., Kitaichi, K., Iwase, M., Takagi, K., Takagi, K. and Hasegawa, T.
Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography 798(2003)35
- Ugland, H.G., Krogh, M. and Reubsaet, L.
Three-phase liquid-phase microextraction of weakly basic drugs from whole blood 798(2003)127
- Ulogov, V.O., see Kapinus, E.N. 800(2004)321
- Ulrich, S.
Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481
- Unger, S., see Chi, C. 783(2003)163
- Unger, S., see Xue, Y.-J. 795(2003)215
- Unsworth, E., see Kaplan, B. 796(2003)141
- Unterrieder, I., see Krenn, L. 777(2002)123
- Uozumi, N., see Imai, K. 780(2002)1
- Upton, P., see Ríos-Blanco, M.N. 778(2002)383
- Urban, A., Ansmant, I. and Motorin, Y.
Optimisation of expression and purification of the recombinant Yol066 (Rib2) protein from *Saccharomyces cerevisiae* 786(2003)187
- Urban, M., Gilch, G., Schepers, G., van Miert, E. and Scherer, G.
Determination of the major mercapturic acids of 1,3-butadiene in human and rat urine using liquid chromatography with tandem mass spectrometry 796(2003)131
- Usanov, N., see Khalikova, E. 796(2003)315

V

- Vachareau, A., see Zhu, Z. 779(2002)297
- Valadão, C.A.A., see Queiroz, M.E.C. 794(2003)337

- Valcárcel, M., see Criado, A. 792(2003)299
- Valderrama, M., see Arancibia, V. 785(2003)303
- Valdés, R., see González, Y. 784(2003)183
- Valentine, S.J., see Lee, Y.J. 782(2002)343
- Valkonen, S. and Kallio, A.
Finnish quality assurance programme for biological monitoring of organic solvents 778(2002)419
- Vall, O., see Pichini, S. 794(2003)281
- Valla, C., see Buratti, M. 776(2002)237
- Vallano, P.T., Mazenko, R.S., Woolf, E.J. and Matuszewski, B.K.
Monolithic silica liquid chromatography columns for the determination of cyclooxygenase II inhibitors in human plasma 779(2002)249
- Vallano, P.T., Shugarts, S.B., Kline, W.F., Woolf, E.J. and Matuszewski, B.K.
Determination of risidronate in human urine by column-switching ion-pair high-performance liquid chromatography with ultraviolet detection 794(2003)23
- Valsecchi, M., see Mauri, L. 796(2003)1
- Van Belle, K., see Messens, J. 790(2003)217
- Van Bocxlaer, J.F., see Decaestecker, T.N. 789(2003)19
- Van Bocxlaer, J.F., see Mortier, K.A. 779(2002)321
- Van Bocxlaer, J.F., see Sinnaeve, B.A. 785(2003)193
- van de Lagemaat, D., see Schellen, A. 788(2003)251
- van de Merbel, N.C., see Remmerie, B.M.M. 783(2003)461
- van Delft, J., see de Kok, T.M.C.M. 778(2002)345
- van den Berg, W.B., see Scharstuhl, A. 786(2003)271
- Van den Driessche, B., Lemièrre, F., Van Dongen, W. and Esmans, E.L.
Alkylation of DNA by melphalan: investigation of capillary liquid chromatography–electrospray ionization tandem mass spectrometry in the study of the adducts at the nucleoside level 785(2003)21
- van der Kraan, P.M., see Scharstuhl, A. 786(2003)271
- van der Vijgh, W.J.F., see Verschraagen, M. 783(2003)33
- van Dijk, E.A., see ter Horst, P.G.J. 791(2003)389
- Van Dongen, W., see Van den Driessche, B. 785(2003)21
- van Dongen, W.D., see Schellen, A. 788(2003)251
- van Duin, J., see Mathu, S.G.J. 786(2003)279
- Van Eenoo, P., see Van Thuyne, W. 785(2003)245
- van Essen, G.H., see Wiesner, J.L. 788(2003)361
- van Gennip, A.H., see Kuhara, T. 792(2003)107
- van Giersbergen, P.L.M., Wipfli, P. and Dingemanse, J.
Determination of tezosentan, a parenteral endothelin receptor antagonist, in human plasma by liquid chromatography–tandem mass spectrometry 792(2003)369
- van Hout, M.W.J., Hoffland, C.M., Niederländer, H.A.G., Bruins, A.P., de Zeeuw, R.A. and de Jong, G.J.
On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. III. Determination of prednisolone in serum 794(2003)185
- van Kuilenburg, A.B.P., see Kuhara, T. 792(2003)107
- van Looy, E., see Dehouck, P. 794(2003)293
- van Miert, E., see Urban, M. 796(2003)131
- Van Peteghem, C.H., see Decaestecker, T.N. 789(2003)19
- Van Peteghem, C.H., see Mortier, K.A. 779(2002)321
- Van Remoortere, K.C., see Steele, C.R. 786(2003)297
- Van Schepdael, A., see Long, Y.H. 784(2003)255
- van Schooten, F.J., see de Kok, T.M.C.M. 778(2002)345
- van Tellingen, O., see Kemper, E.M. 798(2003)63
- Van Thuyne, W., Van Eenoo, P. and Delbeke, F.T.
Urinary concentrations of morphine after the administration of herbal teas containing *Papaveris fructus* in relation to doping analysis 785(2003)245
- van Wuytswinkel, D., see Azarkan, M. 790(2003)229
- Vander Heyden, Y., see Dehouck, P. 794(2003)293
- VanDevanter, D.R., see Gmur, D.J. 789(2003)365
- Vanhoenacker, G., de l'Escaille, F., De Keukeleire, D. and Sandra, P.
Dynamic coating for fast and reproducible determination of basic drugs by capillary electrophoresis with diode-array detection and mass spectrometry 799(2004)323
- Varesio, E., see Souverain, S. 784(2003)117
- Varin, F., see Kabbaj, M. 783(2003)103
- Varlamov, V.P., see Rashidova, S.Sh. 800(2004)49
- Varmuza, K., see Stimpfl, Th. 789(2003)3
- Vartiainen, T., see Keinänen, M.M. 783(2003)443
- Vasavada, N., see Agarwal, R. 785(2003)345
- Vassallo, J.D., Morrall, S.W., Fliter, K.L., Curry, S.M., Daston, G.P. and Lehman-McKeeman, L.D.
Liquid chromatographic determination of the glutathione conjugate and ring-opened metabolites formed from coumarin epoxidation 794(2003)257
- Vazquez, M., McKinley, G., Mitnik, L., Desmarais, S., Matsudaira, P. and Ehrlich, D.
Electrophoresis using ultra-high voltages 779(2002)163
- Veal, G.J., Errington, J., Sludden, J., Griffin, M.J., Price, L., Parry, A., Hale, J., Pearson, A.D.J. and Boddy, A.V.
Determination of anti-cancer drug actinomycin D in human plasma by liquid chromatography–mass spectrometry 795(2003)237
- Vecchio, G., see Cucinotta, V. 800(2004)127
- Veenstra, T.D., see Janini, G.M. 787(2003)43
- Vega, S., see Ramírez, A. 784(2003)315
- Veit, M., see Wittemer, S.M. 793(2003)367
- Vekhter, E.P., see Lekomtsev, A.S. 800(2004)291
- Venegas-Calerón, M., see Josefa Serrano-Vega, M. 786(2003)221
- Venkata Rama Prasad, Y., see Shibata, N. 789(2003)211
- Ventura, R., Jiménez, C., Closas, N., Segura, J. and De la Torre, R.
Stability studies of selected doping agents in urine: caffeine 795(2003)167
- Ventura, R., see Damasceno, L. 780(2002)61
- Verbeeck, R.K., see Mathy, F.-X. 787(2003)323
- Verhaeghe, T., Diels, L., de Vries, R., De Meulder, M. and De Jong, J.
Development and validation of a liquid chromatographic–tandem mass spectrometric method for the determination of galantamine in human heparinised plasma 789(2003)337
- Verhoeven, N.M., see Schor, D.S.M. 780(2002)199
- Vermeulen, N.P.E., see Orhan, H. 799(2004)245
- Vermot-Desroches, C., see Lautrette, C. 791(2003)149
- Verny, M.-A., see Gonthier, M.-P. 789(2003)247
- Veronese, N., see Perbellini, L. 781(2002)269
- Verschraagen, M., Bosma, M., Zwiers, T.H.U., Torun, E. and Van der Vijgh, W.J.F.
Quantification of mesna and total mesna in kidney tissue by high-performance liquid chromatography with electrochemical detection 783(2003)33
- Verweij, J., see de Jong, F.A. 795(2003)383
- Verweij, J., see Soepenbergh, O. 799(2004)15
- Vespalec, R., Barták, P., Šimánek, V. and Vlčková, M.
Electrophoretic investigation of interactions of sanguinarine and chelerythrine with molecules containing mercapto group 797(2003)357
- Veuthey, J.-L., see Souverain, S. 784(2003)117
- Viau, C., Diakité, A., Ruzgytė, A., Tuchweber, B., Blais, C., Bouchard, M. and Vyskocil, A.
Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165
- Vilageliu, J., see Maraschiello, C. 791(2003)1
- Villain, M., Cirimele, V., Ludes, B. and Kintz, P.
Ultra-rapid procedure to test for γ -hydroxybutyric acid in blood and urine by gas chromatography–mass spectrometry 792(2003)83
- Villain, M., Cirimele, V., Tracqui, A., Ricaut, F.X., Ludes, B. and Kintz, P.
Testing for kavain in human hair using gas chromatography–tandem mass spectrometry 798(2003)351
- Villain, M., see Cirimele, V. 789(2003)107

- Villanueva-Camañas, R.M., see Escuder-Gilabert, L. 797(2003)21
- Villet, A., see Slama, I. 795(2003)115
- Vincent, F., see Jourdil, N. 788(2003)207
- Vincenzi Jager, A. and Franco Maggi Tavares, M.
Novel approach for the analysis of glycated hemoglobin using capillary isoelectric focusing with chemical mobilization 785(2003)285
- Vincenzoni, F., see Zuppi, C. 793(2003)223
- Visalli, M., see Teti, D. 781(2002)107
- Vitali, A., see Zuppi, C. 793(2003)223
- Vitali, C., see Prevati, M. 780(2002)331
- Vitolo, M., see Xu, Y. 780(2002)53
- Vitters, E.L., see Scharstuhl, A. 786(2003)271
- Vladimirov, S., see Zivanovic, L. 800(2004)175
- Vílchez, J.L., see Ballesteros, O. 798(2003)137
- Vlčková, M., see Vespalec, R. 797(2003)357
- Vo-Dinh, T., see Myong Song, J. 783(2003)501
- Vodopivec, M., Podgornik, A., Berovič, M. and Štrancar, A.
Characterization of CIM monoliths as enzyme reactors 795(2003)105
- Voelter, W., see Friess, U. 794(2003)273
- Vollmer, G., see Diel, P. 777(2002)191
- von Plessing, C., see Fernández, M. 791(2003)357
- Von Tungeln, L.S., see Williams, L.D. 798(2003)55
- Vouros, P., see Delatour, T. 779(2002)189
- Voutilainen, S., see Nurmi, T. 798(2003)101
- Vránková, A., see Hušek, P. 789(2003)311
- Vreeken, R., see Loke, M.-L. 783(2003)11
- Vreeken, R., see Schellen, A. 788(2003)251
- Vroman, B., see Mathy, F.V.-X. 787(2003)323
- Vue, C., Schmidt, L.J., Stehly, G.R. and Gingerich, W.H.
Liquid chromatographic determination of florfenicol in the plasma of multiple species of fish 780(2002)111
- Vuorensola, K., Sirén, H. and Karjalainen, U.
Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry 788(2003)277
- Vuori, E., see Gergov, M. 795(2003)41
- Vuori, E., see Rasanen, I. 788(2003)243
- Vycudilik, W., see Stimpfl, Th. 789(2003)3
- Vynios, D.H., Karamanos, N.K. and Tsiganos, C.P.
Advances in analysis of glycosaminoglycans: its application for the assessment of physiological and pathological states of connective tissues (Review) 781(2002)21
- Vyskocil, A., see Viau, C. 778(2002)165
- Vysloužil, L., see Pastera, J. 800(2004)271
- Wada, M., see Kishikawa, N. 789(2003)257
- Wada, S.-i., see Niimi, M. 782(2002)245
- Wada, Y.
Advanced analytical methods for hemoglobin variants (Review) 781(2002)291
- Wada, Y., see Kuhara, T. 792(2003)107
- Wadhwa, L., see Song, J. 791(2003)127
- Wagner, T., see Muhr, D. 782(2002)105
- Wähälä, K., Rasku, S. and Parikka, K.
Deuterated phytoestrogen flavonoids and isoflavonoids for quantitation 777(2002)111
- Wähälä, K., see Farhan, H. 777(2002)261
- Wähälä, K., see Raffaelli, B. 777(2002)29
- Wähälä, K., see Wilkinson, A.P. 777(2002)93
- Wahl, H.-G., see Friess, U. 794(2003)273
- Wahlen, R. and Catterick, T.
Comparison of different liquid chromatography conditions for the separation and analysis of organotin compounds in mussel and oyster tissue by liquid chromatography–inductively coupled plasma mass spectrometry 783(2003)221
- Wahlund, L.-O., see Bohnstedt, K.C. 796(2003)11
- Wainer, I.W., see Rodriguez Rosas, M.E. 794(2003)99
- Wainer, I.W., see Jozwiak, K. 797(2003)373
- Wainer, I.W., see Moaddel, R. 799(2004)255
- Wainer, I.W., see Rosas, M.E.R. 796(2003)355
- Waksman de Torres, N., see Osorio-Pérez, A. 783(2003)85
- Waksmundzka-Hajnos, M., Petruczynik, A., Dragan, A., Wianowska, D., Dawidowicz, A.L. and Sowa, I.
Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181
- Wakui, C., see Sakai, T. 778(2002)245
- Walcher, W., Oberacher, H., Troiani, S., Hölzl, G., Oefner, P., Zolla, L. and Huber, C.G.
Monolithic capillary columns for liquid chromatography–electrospray ionization mass spectrometry in proteomic and genomic research 782(2002)111
- Walcott, C.J., see Smith, C.J. 778(2002)157
- Waldner, M., see Friess, U. 794(2003)273
- Wallace, A.M., see Shakerdi, L.A. 784(2003)367
- Walles, M., Thum, T., Levsen, K. and Borlak, J.
Metabolism of verapamil: 24 new phase I and phase II metabolites identified in cell cultures of rat hepatocytes by liquid chromatography–tandem mass spectrometry 798(2003)265
- Wallin, I., see Ehrsson, H. 795(2003)291
- Wallwitz, J., see Sebastian, P. 786(2003)343
- Walters, J.J., Fox, K.F. and Fox, A.
Mass spectrometry and tandem mass spectrometry, alone or after liquid chromatography, for analysis of polymerase chain reaction products in the detection of genomic variation (Review) 782(2002)57
- Wan, F., see Zhang, W. 791(2003)217
- Wang, A., see Osinski, J. 780(2002)251
- Wang, B., see Deng, C. 780(2002)407
- Wang, C., see Qin, Y. 794(2003)193
- Wang, C.-C., Prasain, J.K. and Barnes, S. Review of the Methods used in the determination of phytoestrogens (Review) 777(2002)3
- Wang, C., see Starcevic, B. 792(2003)197
- Wang, C.-J., Pao, L.-H., Hsiong, C.-H., Wu, C.-Y., Whang-Peng, J.J.-K. and Hu, O.Y.-P.
Novel inhibition of *cis/trans* retinoic acid interconversion in biological fluids—an accurate method for determination of *trans* and 13-*cis* retinoic acid in biological fluids 796(2003)283
- Wang, F.-Y., see Chang, S.Y. 799(2004)265
- Wang, G., Hsieh, Y., Lau, Y., Cheng, K.-C., Ng, K., Korfmacher, W.A. and White, R.E.
Semi-automated determination of plasma stability of drug discovery compounds using liquid chromatography–tandem mass spectrometry 780(2002)451
- Wang, H. and Hanash, S.
Multi-dimensional liquid phase based separations in proteomics (Review) 787(2003)11
- Wang, H., see Li, H. 788(2003)93
- Wang, H., see Lubman, D.M. 782(2002)183

- Wang, H., Zhou, H., Horimoto, S., Jiang, J., Mayumi, T. and Hu, P.
Quantitative determination of trimebutine maleate and its three metabolites in human plasma by liquid chromatography-tandem mass spectrometry 779(2002)173
- Wang, J., see Li, J. 791(2003)55
- Wang, J., see Ma, J. 796(2003)195
- Wang, J., see Zhang, W. 791(2003)217
- Wang, L., see Dong, Y. 788(2003)193
- Wang, L.-h., see Li, H. 788(2003)93
- Wang, L.-Q.
Mammalian phytoestrogens: enterodiol and enterolactone (Review) 777(2002)289
- Wang, Q., see Shi, G. 785(2003)361
- Wang, Q.G., see Yeung, W.S.B. 797(2003)217
- Wang, R., Jia, Z.-P., Hu, X.-L., Xu, L.-T., Li, Y.-M. and Chen, L.-R.
Determination of serum thyroxine enantiomers in patients by liquid chromatography with a chiral mobile phase 785(2003)353
- Wang, R., Lu, X. and Ma, W.
Non-competitive immunoassay for alpha-fetoprotein using micellar electrokinetic capillary chromatography and laser-induced fluorescence detection 779(2002)157
- Wang, R., see Ma, J. 796(2003)195
- Wang, C.-C., Prasain, J.K. and Barnes, S.
Review of the methods used in the determination of phytoestrogens 777(2002)3
- Wang, S.W.J., see Teng, X.W. 796(2003)225
- Wang, W., see Jamal, M. 798(2003)155
- Wang, W., see Lei, F. 796(2003)189
- Wang, W., Sun, X. and Jin, W.
Determination of lactate dehydrogenase in human erythrocytes by capillary electrophoresis with electrochemical detection 798(2003)175
- Wang, W., Xin, H., Shao, H. and Jin, W.
Determination of glutathione in single human hepatocarcinoma cells by capillary electrophoresis with electrochemical detection 789(2003)425
- Wang, X.B., see Qin, Y. 794(2003)193
- Wang, Y., Krull, I.S., Liu, C. and Orr, J.D.
Derivatization of phospholipids (Review) 793(2003)3
- Wang, Y., see Melikian, A.A. 778(2002)211
- Wang, Y.F., see Guo, W. 791(2003)85
- Wang, Y.-F., see Johnson, J.L. 799(2004)149
- Wang, Y.K., Quinn, D.F., Ma, Z. and Fu, E.W.
Inverse labeling-mass spectrometry for the rapid identification of differentially expressed protein markers/targets 782(2002)291
- Wang, Z., see Keller, B.O. 782(2002)317
- Wang, Z., see Zhang, L. 792(2003)381
- Wanibuchi, H., see Okina, M. 799(2004)209
- Ward, B.A., see Lee, K.-H. 791(2003)245
- Wasfi, I.A., Al-Awadhi, A.H., Al-Hatali, Z.N., Al-Rayami, F.J. and Al Katheeri, N.A.
Rapid and sensitive static headspace gas chromatography-mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331
- Watanabe, K., see Kimura, M. 792(2003)143
- Watanabe, M., see Machida, M. 798(2003)187
- Watanabe, S., see Ouchi, K. 780(2002)365
- Watanabe, Y., see Yoshino, M. 792(2003)73
- Watanabe-Kawamura, A., see Sato, K. 790(2003)277
- Watanabe-Suzuki, K., see Ishii, A. 776(2002)3
- Watanabe-Suzuki, K., see Ishii, A. 792(2003)117
- Waterhouse, D.J., see Xu, X. 780(2002)315
- Weber, B., see Suck, R. 787(2003)357
- Wechselberger, C., see Hesse, J. 782(2002)127
- Wegele, H., Haslbeck, M. and Buchner, J.
Recombinant expression and purification of Ssa1p (Hsp70) from *Saccharomyces cerevisiae* using *Pichia pastoris* 786(2003)109
- Wehmeyer, K.R., see Tu, J. 789(2003)323
- Wei, G., see Zhou, M. 798(2003)43
- Weidgans, B., see Wetzl, B. 793(2003)83
- Weigmann, H., see Sachse, J. 784(2003)405
- Weinberger, S.R., Boschetti, E., Santambien, P. and Brenac, V.
Surface-enhanced laser desorption-ionization retentate chromatographyTM mass spectrometry (SELDI-RC-MS): a new method for rapid development of process chromatography conditions 782(2002)307
- Weinmann, W., see Tarbah, F. 789(2003)115
- Weir, D.G., see Sweeney, M.R. 788(2003)187
- Weis, C.C., see Dalu, A. 777(2002)249
- Weiss, S., see Mühling, J. 789(2003)383
- Weiss, T. and Angerer, J.
Simultaneous determination of various aromatic amines and metabolites of aromatic nitro compounds in urine for low level exposure using gas chromatography-mass spectrometry 778(2002)179
- Welder, F., Paul, B., Nakazumi, H., Yagi, S. and Colyer, C.L.
Symmetric and asymmetric squarylium dyes as noncovalent protein labels: a study by fluorimetry and capillary electrophoresis 793(2003)93
- Wen, J., Davies, N., Ledger, R., Butt, G., McLeod, B. and Tucker, I.G.
Isocratic liquid chromatographic assay for monitoring the degradation of luteinizing hormone releasing hormone by extracts from the gastrointestinal tract of possums 779(2002)221
- Weng, N., see Chen, Yu.-L. 794(2003)77
- Weng, Q., Xia, F. and Jin, W.
Measurement of histamine in individual rat peritoneal mast cells by capillary zone electrophoresis with electrochemical detection 779(2002)347
- Wessinger, W.D., see Hendrickson, H.P. 788(2003)261
- Wetzl, B., Gruber, M., Oswald, B., Dürkop, A., Weidgans, B., Probst, M. and Wolfbeis, O.S.
Set of fluorochromophores in the wavelength range from 450 to 700 nm and suitable for labeling proteins and amino-modified DNA 793(2003)83
- Wang-Peng, J.J.-K., see Wang, C.-J. 796(2003)283
- Whigan, D., see Jemal, M. 795(2003)273
- Whigan, D., see Schuster, A. 788(2003)377
- White, R.E., see Wang, G. 780(2002)451
- Whitehead, R.D., see Barr, D.B. 778(2002)99
- Whittington, D. and Kharasch, E.D.
Determination of morphine and morphine glucuronides in human plasma by 96-well plate solid-phase extraction and liquid chromatography-electrospray ionization mass spectrometry 796(2003)95
- Whyatt, R.M., see Barr, D.B. 778(2002)99
- Wianowska, D., see Waksmundzka-Hajnos, M. 800(2004)181
- Wibawa, J.I.D., Shaw, P.N. and Barrett, D.A.
Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359
- Wiesner, J.L., De Jager, A.D., Sutherland, F.C.W., Hundt, H.K.L., Swart, K.J., Hundt, A.F. and Els, J.
Sensitive and rapid liquid chromatography-tandem mass spectrometry method for the determination of meloxicam in human plasma 785(2003)115
- Wiesner, J.L., Sutherland, F.C.W., van Essen, G.H., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Selective, sensitive and rapid liquid chromatography-tandem mass spectrometry method for the determination of alfuzosin in human plasma 788(2003)361
- Wijdenes, J., see Lautrette, C. 791(2003)149
- Wilcken, D.E.L., see Sim, A.S. 785(2003)337

- Wilk, S., see Pelegrini-da-Silva, A. 780(2002)301
- Wilkens, L.R., see Franke, A.A. 777(2002)45
- Wilkinson, A.P., Wähälä, K. and Williamson, G.
Identification and quantification of polyphenol phytoestrogens
in foods and human biological fluids (Review)
777(2002)93
- Willbold, D., see Preusser, A. 786(2003)39
- Willems, A., Leoen, J., Schoonooghe, S., Grooten, J. and Mertens, N.
Optimizing expression and purification from cell culture
medium of trispecific recombinant antibody derivatives
786(2003)161
- Williams, L.D., Von Tungeln, L.S., Beland, F.A. and Doerge, D.R.
Liquid chromatographic–mass spectrometric determination of the
metabolism and disposition of the anti-retroviral nucleoside analogs
zidovudine and lamivudine in C57BL/6N and B6C3F1 mice
798(2003)55
- Williams, M.L., see Anderton, M.J. 787(2003)281
- Williamson, C., see Talwar, D. 792(2003)333
- Williamson, G., see Wilkinson, A.P. 777(2002)93
- Wilson, C.G., see Koeberle, M.J. 787(2003)313
- Windischhofer, W., see Jörg Leis, H. 784(2003)69
- Windischhofer, W., see Leis, 794(2003)205
- Windischhofer, W., see Leis, H.J. 779(2002)353
- Wipfli, P., see van Giersbergen, P.L.M. 792(2003)369
- Wissiac, R., see Beatriz de la Calle Guntiñas, M.
791(2003)73
- Witteimer, S.M. and Veit, M.
Validated method for the determination of six metabolites
derived from artichoke leaf extract in human plasma by
high-performance liquid chromatography–coulometric-array
detection 793(2003)367
- Wittmann, C., see Lange, J. 779(2002)229
- Wolfbeis, O.S., see Wetzl, B. 793(2003)83
- Wong, J.W., Nisar, U.-R. and Yuen, K.H.
Liquid chromatographic method for the determination
of plasma itraconazole and its hydroxy metabolite in
pharmacokinetic/bioavailability studies
798(2003)355
- Wooll, E.J., see Vallano, P.T. 779(2002)249
- Wooll, E.J., see Vallano, P.T. 794(2003)23
- Workman, H., see Poole, S.K. 793(2003)265
- Workman, P., see Asad, Y. 785(2003)175
- Wu, A.-B., see Sheu, M.-T. 791(2003)255
- Wu, C.-Y., see Wang, C.-J. 796(2003)283
- Wu, C.-H., Chen, M.-C., Su, A.-K., Shu, P.-Y., Chou, S.-H. and Lin, C.-H.
Determination of corticosterone in mouse plasma by a sweeping
technique using micellar electrokinetic chromatography
785(2003)317
- Wu, H.-L., see Feng, C.-H. 780(2002)349
- Wu, H.L., see Huang, W.-S. 795(2003)329
- Wu, J.A., see Osinski, J. 780(2002)251
- Wu, J.-T., see Zeng, H. 788(2003)331
- Wu, L., see Zeng, Q. 789(2003)265
- Wu, M.T., see Qin, Y. 794(2003)193
- Wu, N., see Yang, L. 799(2004)271
- Wu, W.-Y., see Chien, C.M. 795(2003)1
- Wu, X. and Oppermann, U.
High-level expression and rapid purification of rare-codon genes from
hyperthermophilic archaea by the GST gene fusion system
786(2003)177
- Wu, Y.J., Cheng, Y.Y., Zeng, S. and Ma, M.M.
Determination of dextromethorphan and its metabolite
dextrorphan in human urine by capillary gas
chromatography without derivatization
784(2003)219
- Wünsch, G., see Elflein, L. 795(2003)195
- Wyns, L., see Messens, J. 790(2003)217

X

- Yaiz, D., see Buratti, M. 776(2002)237
- Xia, F., see Weng, Q. 779(2002)347
- Xia, Y.-Q., Bakhtiar, R. and Franklin, R.B.
Automated online dual-column extraction coupled with teicoplanin
stationary phase for simultaneous determination of (*R*)- and (*S*)-pro-
pranolol in rat plasma using liquid chromatography–tandem mass
spectrometry 788(2003)317
- Xiang, L., see Lei, F. 796(2003)189
- Xiao, H., see Li, Y. 787(2003)421
- Xiao, S., see Zhou, M. 798(2003)43
- Xicluna, A., see Ismaili, L. 780(2002)467
- Xie, H., see Ma, J. 796(2003)195
- Xie, J., Chen, L., Li, C. and Xu, X.
Selective extraction of functional components derived from
herb in plasma by using a molecularly imprinted polymer
based on 2,2-bis(hydroxymethyl)butanol trimethacrylate
788(2003)233
- Xie, Y., see Zhang, W. 785(2003)327
- Xie, Y., see Zhang, W. 791(2003)217
- Xin, H., see Wang, W. 789(2003)425
- Xing, D.-M., see Lei, F. 796(2003)189
- Xiong, L. and Regnier, F.E.
Use of a lectin affinity selector in the search for unusual glycosylation
in proteomics 782(2002)405
- Xiong, X., Barathi, A., Beuerman, R.W. and Tan, D.T.H.
Assay of leucine aminopeptidase activity in vitro using large-pore
reversed-phase chromatography with fluorescence detection
796(2003)63
- Xu, G., see Yang, J. 780(2002)27
- Xu, G., see Zhao, C. 795(2003)55
- Xu, J., see Zhang, L. 793(2003)159
- Xu, J., see Zhong, D. 796(2003)439
- Xu, L.-T., see Wang, R. 785(2003)353
- Xu, P., see Liu, X. 785(2003)101
- Xu, X., see Xie, J. 788(2003)233
- Xu, X., Ziegler, R.G., Waterhouse, D.J., Saavedra, J.E. and Keefer, L.K.
Stable isotope dilution high-performance liquid chromatography–
electrospray ionization mass spectrometry method for endogenous
2- and 4-hydroxyestrogens in human urine 780(2002)315
- Xu, Y., Vitolo, M., Northfleet Albuquerque, C. and Pessoa, A.
Affinity partitioning of glucose-6-phosphate dehydrogenase and
hexokinase in aqueous two-phase systems with free triazine dye
ligands 780(2002)53
- Xu, Y. and Grem, J.L.
Liquid chromatography–mass spectrometry method for the analysis of
the anti-cancer agent capecitabine and its nucleoside metabolites in
human plasma 783(2003)273
- Xu, Y., see Du, L. 794(2003)343
- Xu, Y., see Keith, B. 785(2003)65
- Xu, Y., see Yang, S. 795(2003)295
- Xu, Y., Vitolo, M., Northfleet Albuquerque, C. and Pessoa Jr., A.
Affinity partitioning of glucose-6-phosphate dehydrogenase and hex-
okinase in aqueous two-phase systems with free triazine dye
ligands 780(2002)53
- Xu, Y.X., see Qin, Y. 794(2003)193
- Xue, Y.-J., Turner, K.C., Meeker, J.B., Pursley, J., Arnold, M. and Unger, S.
Quantitative determination of pioglitazone in human serum by
direct-injection high-performance liquid chromatography mass
spectrometry and its application to a bioequivalence study
795(2003)215

Y

- Yagen, B., see Isoherranen, N. 788(2003)125
- Yagi, S., see Welder, F. 793(2003)93
- Yakkundi, S., Cannavan, A., Elliott, C.T., Lövgren, T. and Kennedy, D.G.
Development and validation of a method for the confirmation of
halofuginone in chicken liver and eggs using electrospray tandem mass
spectrometry 788(2003)29
- Yamada, T., see Niino, T. 780(2002)35
- Yamaguchi, S., see Fujiwaki, T. 776(2002)115
- Yamaguchi, S., see Kimura, M. 792(2003)141
- Yamaguchi, S., see Shigematsu, Y. 776(2002)39
- Yamaguchi, S., see Shigematsu, Y. 792(2003)63
- Yamaguchi, S., see Yoshino, M. 792(2003)73
- Yamaguchi, Yu., Kunitomo, M. and Haginaka, J.
Assay methods of modified lipoproteins in plasma (Review)
781(2002)313
- Yamamoto, E., see Kawano, S.-i. 792(2003)49
- Yamane, M.
Simultaneous quantitative determination method for ceramide species
from crude cellular extracts by high-performance liquid chromatography–thermospray mass spectrometry 783(2003)181
- Yamasaki, D., see Mano, N. 776(2002)125
- Yamashita, K., see Fukui, Y. 785(2003)73
- Yamashita, K., see Komoto, I. 799(2004)141
- Yamauchi, T. and Ueda, T.
Simple and sensitive method for quantification of fludarabine triphosphate intracellular concentration in leukemic cells using isocratic liquid chromatography 799(2004)81
- Yamazaki, T., see Tokunaga, N. 798(2003)163
- Yamakov, I.A., see Samojlova, N.A. 800(2004)263
- Yan, F., see Lubman, D.M. 782(2002)183
- Yan, X.H., see Liu, X. 785(2003)101
- Yang, B., see Zhong, D. 796(2003)439
- Yang, H., Feng, Y. and Luan, Y.
Determination of Simvastatin in human plasma by liquid chromatography–mass spectrometry 785(2003)369
- Yang, J., Xu, G., Kong, H., Zheng, Y., Pang, T. and Yang, Q.
Artificial neural network classification based on high-performance liquid chromatography of urinary and serum nucleosides for the clinical diagnosis of cancer 780(2002)27
- Yang, L., Clement, R.P., Kantesaria, B., Reyderman, L., Beaudry, F., Grandmaison, C., Di Donato, L., Masse, R. and Rudewicz, P.J.
Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography–tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma 792(2003)229
- Yang, L., Wu, N., Clement, R.P. and Rudewicz, P.J.
Validation and application of a liquid chromatography–tandem mass spectrometric method for the determination of SCH 211803 in rat and monkey plasma using automated 96-well protein precipitation 799(2004)271
- Yang, M.-H., see Chou, S.-L. 799(2004)37
- Yang, Q., see Yang, J. 780(2002)27
- Yang, Q., see Zhao, C. 795(2003)55
- Yang, J.Z., Bastian, K.C., Moore, R.D., Stobaugh, J.F. and Borchardt, R.T.
Quantitative analysis of a model opioid peptide and its cyclic prodrugs in rat plasma using high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection 780(2002)269
- Yang, S., Liu, L., Gerson, S.L. and Xu, Y.
Measurement of anti-cancer agent methoxyamine in plasma by tandem mass spectrometry with on-line sample extraction 795(2003)295
- Yang, X., see Deng, C. 780(2002)407
- Yang, X., see Liu, Z.-J. 793(2003)405
- Yang, Y.Y., see Zhao, B. 784(2003)323
- Yashiki, M., see Namera, A. 776(2002)49
- Yashiki, M., see Nishida, M. 789(2003)65
- Yashiki, M., see Takamoto, S. 791(2003)365
- Yashiki, M., see Takamoto, S. 792(2003)145
- Yasueda, S.-i., see Kakehi, K. 797(2003)347
- Yasui-Furukori, N., Inoue, Y. and Tateishi, T.
Determination of a new atypical antipsychotic agent perospirone and its metabolite in human plasma by automated column-switching high-performance liquid chromatography 789(2003)239
- Yates III, J., see Giometti, C.S. 782(2002)227
- Yates III, J.R., see Hunter, T.C. 782(2002)165
- Ye, B., see Needham, S.R. 796(2003)347
- Yeatts, J.L., see Baynes, R.E. 780(2002)45
- Yeh, G.-C., see Sheu, M.-T. 791(2003)255
- Yeh, L.-T., see Lin, C.-c. 779(2002)241
- Yen, M.-H., see Liu, C.-M. 791(2003)315
- Yeowell-O'Connell, K., see Rappaport, S.M. 778(2002)367
- Yeung, E.S., see He, Y. 782(2002)331
- Yeung, W.S.B., Luo, G.A., Wang, Q.G. and Ou, J.P.
Capillary electrophoresis-based immunoassay 797(2003)217
- Ygartua, P., see Echevarría, L. 796(2003)233
- Yi, S.-Y., see Cho, J.-Y. 784(2003)25
- Yin, H., see Musiek, E.S. 799(2004)95
- Yin, J., Aviles, P., Lee, W., Ly, C., Guillen, M.J., Calvo, P., Manzanares, I. and Faircloth, G.
Validation of a sensitive assay for thiocoraline in mouse plasma using liquid chromatography–tandem mass spectrometry 794(2003)89
- Yin, O.Q.P., Shi, X. and Chow, M.S.S.
Reliable and specific high-performance liquid chromatographic method for simultaneous determination of loratadine and its metabolite in human plasma 796(2003)165
- Yin, S., see Melikian, A.A. 778(2002)211
- Yin, S., see Rappaport, S.M. 778(2002)367
- Yilmaz, B., Kadioğlu, Y.(Yaşar) and Aksoy, Y.
Simultaneous determination of gemcitabine and its metabolite in human plasma by high-performance liquid chromatography 791(2003)103
- Yonamine, M., see de Toledo, F.C.P. 798(2003)361
- Yonamine, M., Tawil, N., Moreau, R.L.d.M. and Alves Silva, O.
Solid-phase micro-extraction–gas chromatography–mass spectrometry and headspace–gas chromatography of tetrahydrocannabinol, amphetamine, methamphetamine, cocaine and ethanol in saliva samples 789(2003)73
- Yoneya, Y., see Oguri, S. 781(2002)165
- Yoon, H.-R., Kim, H. and Cho, S.-H.
Quantitative analysis of acyl-lysophosphatidic acid in plasma using negative ionization tandem mass spectrometry 788(2003)85
- Yoon, Y., see Park, I. 780(2002)415
- Yorke, J.-C., see Roudaut, B. 780(2002)481
- Yoshida, H., see Sano, K. 795(2003)25
- Yoshida, I., see Yoshino, M. 792(2003)73
- Yoshida, K., see Okina, M. 799(2004)209
- Yoshida, K.-i., see Komoto, I. 799(2004)141
- Yoshikawa, M., see Sano, K. 795(2003)25
- Yoshikawa, Y., see Shibata, N. 789(2003)211
- Yoshimura, Y., see Inoue, K. 785(2003)57
- Yoshimura, Y., see Kato, K. 788(2003)407
- Yoshino, M., see Shinka, T. 776(2002)65
- Yoshino, M., Niwa, T. and Kojima, T.
Preface 792(2003)3
- Yoshino, M., Tokunaga, Y., Watanabe, Y., Yoshida, I., Sakaguchi, M., Hata, I., Shigematsu, Y., Kimura, M. and Yamaguchi, S.
Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of

- acylcarnitines in a patient with multiple acylcoenzyme A dehydrogenation defect 792(2003)73
- Yrita, M., Riba, J., Ortuño, J., Ramirez, A., Castillo, A., Alfaro, Y., de la Torre, R. and Barbanj, M.J.
Determination of *N,N*-dimethyltryptamine and β -carboline alkaloids in human plasma following oral administration of *Ayahuasca* 779(2002)271
- Yu, K.O., see Narayanan, L. 788(2003)393
- Yu, K.-S., see Cho, J.-Y. 784(2003)25
- Yu, K.S., see Cho, J.Y. 795(2003)179
- Yuan, C.-S., see Osinski, J. 780(2002)251
- Yuen, K.H., see Ng, B.H. 793(2003)421
- Yuen, K.H., see Ling, S.S.N. 783(2003)297
- Yuen, K.H., see Wong, J.W. 798(2003)355

Z

- Zackert, W.E., see Musiek, E.S. 799(2004)95
- Zaffaroni, M., Frapolli, R., Colombo, T., Frusci, R., Bombardelli, E., Morazzoni, P., Riva, A., D'Incalci, M. and Zucchetti, M.
High-performance liquid chromatographic assay for the determination of the novel C-Seco-taxane derivative (IDN 5390) in mouse plasma 780(2002)93
- Zaffaroni, M., Mucignat, C., Pecere, T., Zagotto, G., Frapolli, R., D'Incalci, M. and Zucchetti, M.
High-performance liquid chromatographic assay for the determination of Aloe Emodin in mouse plasma 796(2003)113
- Zagotto, G., see Zaffaroni, M. 796(2003)113
- Zaitso, K., see Hamase, K. 781(2002)73
- Zakrzewski, R. and Ciesielski, W.
Application of improved iodine–azide procedure for the detection of thiouracils in blood serum and urine with planar chromatography 784(2003)283
- Zalyalieva, S.V., see Rashidova, S.Sh. 800(2004)49
- Zamboni, W.C., see Parise, R.A. 783(2003)231
- Zamora, Z., see Jardines, D. 783(2003)517
- Zanger, U.M., see Hofmann, U. 791(2003)371
- Zappey, H., see Orhan, H. 799(2004)245
- Zara, G.P., see Muntoni, E. 799(2004)133
- Zaveckas, M., Lukša, V., Žvirblis, G., Chmieliauskaitė, V., Bumelis, V. and Pesliakas, H.
Mutation of surface-exposed histidine residues of recombinant human granulocyte-colony stimulating factor (Cys17Ser) impacts on interaction with chelated metal ions and refolding in aqueous two-phase systems 786(2003)17
- Zecevic, M., see Zivanovic, L. 800(2004)175
- Zegers, I., see Messens, J. 790(2003)217
- Zellmer, S., see Farwanah, H. 780(2002)443
- Zello, G.A., see Ewaschuk, J.B. 781(2002)39
- Zemaitis, M.A., see Bolcato, C.A. 794(2003)363
- Zendelovska, D., Stafilov, T. and Stefova, M.
Optimization of a solid-phase extraction method for determination of indapamide in biological fluids using high-performance liquid chromatography 788(2003)199
- Zeng, H., Deng, Y. and Wu, J.-T.
Fast analysis using monolithic columns coupled with high-flow on-line extraction and electrospray mass spectrometric detection for the direct and simultaneous quantitation of multiple components in plasma 788(2003)331
- Zeng, Q. and Wu, L.
Properties of several glycidyl methacrylate–triallyl isocyanurate based affinity adsorbents for removing circulating immune complexes 789(2003)265
- Zeng, S., see Wu, Y.J. 784(2003)219
- Zentek, J., see Razzazi-Fazeli, E. 796(2003)21
- Zerler, B., see Chen, Yu.-L. 794(2003)77
- Zhai, S.D., see Zhang, H. 784(2003)131
- Zhang, A., see Johnson, J.L. 799(2004)149
- Zhang, H., see Liu, Y. 792(2003)177
- Zhang, H., see Lu, H.-j. 788(2003)291
- Zhang, H., Zhai, S.D., Li, Y.M. and Chen, L.R.
Effect of different sample pretreatment methods on the concentrations of excitatory amino acids in cerebrospinal fluid determined by high-performance liquid chromatography 784(2003)131
- Zhang, H.-s., see Li, H. 788(2003)93
- Zhang, J., Burke, T.G. and Latus, L.J.
Determination of 9-nitrocamptothecin by precolumn derivatization and its metabolite 9-aminocamptothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309
- Zhang, J., see Musson, D.G. 783(2003)1
- Zhang, J.Y., Fast, D.M. and Breau, A.P.
Determination of valdecoxib and its metabolites in human urine by automated solid-phase extraction–liquid chromatography–tandem mass spectrometry 785(2003)123
- Zhang, J.Y., Fast, D.M. and Breau, A.P.
Development and validation of a liquid chromatography–tandem mass spectrometric assay for Eplerenone and its hydrolyzed metabolite in human plasma 787(2003)333
- Zhang, K. and Tang, H.
Analysis of core histones by liquid chromatography–mass spectrometry and peptide mapping 783(2003)173
- Zhang, L., Qv, S., Wang, Z. and Cheng, J.
Determination of dopamine in single rat pheochromocytoma cell by capillary electrophoresis with amperometric detection 792(2003)381
- Zhang, L., see Farhadi, A. 784(2003)145
- Zhang, L., see Rappaport, S.M. 778(2002)367
- Zhang, L., see Zhang, L. 793(2003)159
- Zhang, L., see Zhou, Q. 780(2002)161
- Zhang, L., Xu, J., Zhang, L., Zhang, W. and Zhang, Y.
Determination of 1-phenyl-3-methyl-5-pyrazolone-labeled carbohydrates by liquid chromatography and micellar electrokinetic chromatography 793(2003)159
- Zhang, L.-J., see Lei, F. 796(2003)189
- Zhang, M.-Y., see Mallis, L.M. 796(2003)71
- Zhang, Q., see Chen, J. 785(2003)197
- Zhang, Q., see Ma, J. 796(2003)195
- Zhang, S., see Huang, Z. 792(2003)241
- Zhang, T., see Gunaratna, C. 794(2003)303
- Zhang, T., Zhu, Y. and Gunaratna, C.
Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography–electrospray ionization–ion trap mass spectrometry 780(2002)371
- Zhang, W., Cao, X., Xie, Y., Ai, S., Jin, L. and Jin, J.
Simultaneous determination of the monoamine neurotransmitters and glucose in rat brain by microdialysis sampling coupled with liquid chromatography–dual electrochemical detector 785(2003)327
- Zhang, W., He, H., Feng, Y. and Da, S.
Separation and purification of phosphatidylcholine and phosphatidylethanolamine from soybean degummed oil residues by using solvent extraction and column chromatography 798(2003)323
- Zhang, W., see Zhang, L. 793(2003)159

- Zhang, W., Xie, Y., Ai, S., Wan, F., Wang, J., Jin, L. and Jin, J.
Liquid chromatography with amperometric detection using functionalized multi-wall carbon nanotube modified electrode for the determination of monoamine neurotransmitters and their metabolites 791(2003)217
- Zhang, X., see Melikian, A.A. 778(2002)211
- Zhang, X., see Zhao, M. 783(2003)401
- Zhang, X.-B., see Liu, Z.-J. 793(2003)405
- Zhang, Y., see Huang, D. 784(2003)101
- Zhang, Y., see Jiang, Y. 791(2003)285
- Zhang, Y., see Liu, Z.-J. 793(2003)405
- Zhang, Y., see Zhang, L. 793(2003)159
- Zhang, Y., see Zhao, C. 795(2003)55
- Zhang, Z., see Kong, Y. 795(2003)9
- Zhang, Z.R., see Jiang, Y. 791(2003)285
- Zhao, B., Moochhala, S.M., Chaw, C.S. and Yang, Y.Y.
Simple liquid chromatographic method for the determination of physostigmine and its metabolite eseroline in rat plasma: application to a pharmacokinetic study 784(2003)323
- Zhao, C., Xu, G., Shi, X., Ma, J., Zhang, Y., Lv, S. and Yang, Q.
Simultaneous genotyping of multiplex single nucleotide polymorphisms of the K-ras gene with a home-made kit 795(2003)55
- Zhao, J.J., see Roadcap, B.A. 791(2003)161
- Zhao, M., He, P., Rudek, M.A., Hidalgo, M. and Baker, S.D.
Specific method for determination of OSI-774 and its metabolite OSI-420 in human plasma by using liquid chromatography–tandem mass spectrometry 793(2003)413
- Zhao, M., Liu, Y., Li, Y., Zhang, X. and Chang, W.
Development and characterization of an immunoaffinity column for the selective extraction of bisphenol A from serum samples 783(2003)401
- Zhao, M., see Qin, Y. 794(2003)193
- Zhao, R., see Dong, Y. 788(2003)193
- Zhao, R., see Liu, Y. 792(2003)177
- Zhao, Y.-N., see Lei, F. 796(2003)189
- Zheng, N., see Kong, Y. 795(2003)9
- Zheng, Y., see Yang, J. 780(2002)27
- Zhloba, A.A. and Blashko, E.L.
Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275
- Zhong, D., see Chen, X. 784(2003)17
- Zhong, D., see Zhou, M. 798(2003)43
- Zhong, D., Shi, X., Sun, L. and Chen, X.
Determination of three major components of bitespiramycin and their major active metabolites in rat plasma by liquid chromatography–ion trap mass spectrometry 791(2003)45
- Zhong, D., Yang, B., Chen, X., Li, K. and Xu, J.
Determination of scutellarin in rat plasma by high-performance liquid chromatography with ultraviolet detection 796(2003)439
- Zhong, W., see He, Y. 782(2002)331
- Zhou, F.-L., see Radosevich, M. 790(2003)199
- Zhou, H., see Wang, H. 779(2002)173
- Zhou, L., Glickman, R.D., Chen, N., Sponsel, W.E., Graybill, J.R. and Lam, K.-W.
Determination of voriconazole in aqueous humor by liquid chromatography–electrospray ionization–mass spectrometry 776(2002)213
- Zhou, M., Wei, G., Liu, Y., Sun, Y., Xiao, S., Lu, L., Liu, C. and Zhong, D.
Determination of vertilmicin in rat serum by high-performance liquid chromatography using 1-fluoro-2,4-dinitrobenzene derivatization 798(2003)43
- Zhou, Q., Zhang, L., Fu, X.-Q. and Chen, G.-Q.
Quantitation of yeast ceramides using high-performance liquid chromatography–evaporative light-scattering detection 780(2002)161
- Zhou, S.
Separation and detection methods for covalent drug–protein adducts 797(2003)63
- Zhou, S., Kestell, P. and Paxton, J.W.
Strain differences in the liver microsomal metabolism of the experimental anti-tumour agent 5,6-dimethylxanthene-4-acetic acid in mice 776(2002)231
- Zhou, S., Li, Y., Kestell, P. and Paxton, J.W.
Determination of thalidomide in transport buffer for Caco-2 cell monolayers by high-performance liquid chromatography with ultraviolet detection 785(2003)165
- Zhu, K., see Lubman, D.M. 782(2002)183
- Zhu, W., see Giometti, C.S. 782(2002)227
- Zhu, Y., see Zhang, T. 780(2002)371
- Zhu, Z. and Neirinck, L.
High-performance liquid chromatographic method for the determination of gabapentin in human plasma 779(2002)307
- Zhu, Z. and Neirinck, L.
High-performance liquid chromatography–mass spectrometry method for the determination of paroxetine in human plasma 780(2002)295
- Zhu, Z. and Neirinck, L.
High-performance liquid chromatography coupled with negative ion tandem mass spectrometry for determination of pravastatin in human plasma 783(2003)133
- Zhu, Z. and Neirinck, L.
Chiral separation and determination of *R*-(–)- and *S*-(+)-baclofen in human plasma by high-performance liquid chromatography 785(2003)277
- Zhu, Z., see Tessier, E. 798(2003)295
- Zhu, Z., Vachereau, A. and Neirinck, L.
Liquid chromatography–mass spectrometry method for determination of ramipril and its active metabolite ramiprilat in human plasma 779(2002)297
- Ziegler, R.G., see Xu, X. 780(2002)315
- Zilly, M., Langmann, P., Lenker, U., Satzinger, V., Schirmer, D. and Klinker, H.
Highly sensitive gas chromatographic determination of ethanol in human urine samples 798(2003)179
- Zivanovic, L., Ivanovic, I., Vladimirov, S. and Zecevic, M.
Investigation of chromatographic conditions for the separation of cefuroxime axetil and its geometric isomer 800(2004)175
- Zivy, M., see Thiellement, H. 782(2002)137
- Zmudzki, J., see Posyniak, A. 780(2002)309
- Zolla, L., see Walcher, W. 782(2002)111
- Zou, H., see Luo, Q. 776(2002)139
- Zou, H., see Mao, X. 779(2002)331
- Zuccaro, P., see Pujadas, M. 798(2003)249
- Zucchetti, M., see Zaffaroni, M. 780(2002)93
- Zucchetti, M., see Zaffaroni, M. 796(2003)113
- Zucht, H.-D., see Heine, G. 782(2002)353
- Zugmaier, W., see Büchele, B. 791(2003)21
- Zühlsdorf, B., see Emmrich, M. 795(2003)363
- Zumkeller, M., see Heine, G. 782(2002)353
- Zuo, X., Hembach, P., Echan, L. and Speicher, D.W.
Enhanced analysis of human breast cancer proteomes using micro-scale solution isoelectrofocusing combined with high resolution 1-D and 2-D gels 782(2002)253
- Zuppa, A.F., Shi, H. and Adamson, P.C.
Liquid chromatography–electrospray mass spectrometry (LC–MS) method for determination of esmolol concentration in human plasma 796(2003)293
- Zuppi, C., Rossetti, D.V., Vitali, A., Vincenzoni, F., Giardina, B., Castagnola, M. and Messana, I.
Determination of urinary hippuric acid by micellar electrokinetic capillary chromatography 793(2003)223

- Zur Stadt, U., Eckert, C., Rischewski, J., Michael, K., Goltz, S., Müller, M.,
Schneppenheim, R. and Kabisch, H.
Identification and characterisation of clonal incomplete T-cell-receptor
V δ 2–D δ 3/D δ 2–D δ 3 rearrangements by denaturing high-performance
liquid chromatography and subsequent fragment collection:
implications for minimal residual disease monitoring
- in childhood acute lymphoblastics leukemia
792(2003)287
- Zurlinden, E., see Huang, Y. 799(2004)51
- Žvirblis, G., see Zaveckas, M. 786(2003)17
- Zwiers, T.H.U., see Verschraagen, M. 783(2003)33
- Zygmunt, J., see Alexander, M.S. 785(2003)253