

CUMULATIVE SUBJECT INDEX

J. CHROMATOGR. B VOLS. 776–800

A

ABC transporters

Development and characterization of an open tubular column containing immobilized P-glycoprotein for rapid on-line screening for P-glycoprotein substrates 799(2004)255

Accelerated solvent extraction

Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181

Acetonitrile stacking technique

Determination of gabapentin in human plasma by capillary electrophoresis with laser-induced fluorescence detection and acetonitrile stacking technique 799(2004)265

Achillea setacea

Capillary electrophoretic separation and quantification of flavone-*O*- and *C*-glycosides in *Achillea setacea* W. et K. 792(2003)363

AcrA–AcrB–TolC multidrug efflux pump

Overexpression and purification of the three components of the *Enterobacter aerogenes* AcrA–AcrB–TolC multidrug efflux pump 786(2003)197

Adsorbents

Properties of several glycidyl methacrylate–triallyl isocyanurate based affinity adsorbents for removing circulating immune complexes 789(2003)265

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Adsorption constants

Characterization and optimization of a chromatographic process based on ethylenediamine-*N,N,N',N'*-tetra(methylphosphonic) acid-modified zirconia particles 790(2003)143

Adsorption isotherms

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Affinity adsorbents

Mutation of surface-exposed histidine residues of recombinant human granulocyte-colony stimulating factor (Cys17Ser) impacts on interaction with chelated metal ions and refolding in aqueous two-phase systems 786(2003)17

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Purification of human plasma haptoglobin by hemoglobin-affinity column chromatography 790(2003)209

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Affinity chromatography principle

Use of the affinity chromatography principle in creating new thromboresistant materials 800(2004)263

Affinity macroligands

Protein purification by affinity precipitation (Review) 790(2003)79

Affinity membranes

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

Affinity precipitation

Protein purification by affinity precipitation (Review) 790(2003)79

Affinity purification

Affinity purification of recombinant protein-tyrosine phosphatase 1B using a highly selective inhibitor 799(2004)1

Affinity sorbents

Comparison of protein A affinity sorbents 790(2003)35

Alarm pheromones

Neurophysiologic detector—a selective and sensitive tool in high-performance liquid chromatography 800(2004)41

Alcohol-related problems

Simultaneous liquid chromatographic assessment of thiamine, thiamine monophosphate and thiamine diphosphate in human erythrocytes: a study on alcoholics 789(2003)355

Aldosterone-synthase deficiency

Chromatographic system for the simultaneous measurement of plasma 18-hydroxy-11-deoxycorticosterone and 18-hydroxycorticosterone by

radioimmunoassay: reference data for neonates and infants and its application in aldosterone-synthase deficiency 785(2003)293

Anion exchangers

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Annular chromatography

Continuous annular chromatography (Review) 790(2003)1

Antibiotics

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

Antifungal

Determination of voriconazole in aqueous humor by liquid chromatography–electrospray ionization-mass spectrometry 776(2002)213

Apoptotic thymus maturation

Proteomic approach to apoptotic thymus maturation 787(2003)223

Apparent activation energy

Kinetics and apparent activation energy of the reaction of the fluorogenic reagent 5-furoylquinoline-3-carboxaldehyde with ovalbumin 793(2003)107

Aqueous humor

Determination of voriconazole in aqueous humor by liquid chromatography–electrospray ionization-mass spectrometry 776(2002)213

Aqueous two-phase extraction

Purification and properties of extracellular dextranase from a *Bacillus* sp. 796(2003)315

Aqueous two-phase systems

Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53

Isolation of alpha-1-antitrypsin from human plasma by partitioning in aqueous biphasic systems of polyethyleneglycol–phosphate 780(2002)389

Mutation of surface-exposed histidine residues of recombinant human granulocyte-colony stimulating factor (Cys17Ser) impacts on interaction with chelated metal ions and refolding in aqueous two-phase systems 786(2003)17

Different functional states of ram spermatozoa analysed by partition in an aqueous two-phase system 795(2003)83

Study of the serum albumin-polyethyleneglycol interaction to predict the protein partitioning in aqueous two-phase systems 798(2003)25

Aqueous/organic mobile phases

Bioanalytical liquid chromatography tandem mass spectrometry methods on underivatized silica columns with aqueous/organic mobile phases 796(2003)209

Artichoke

Validated method for the determination of six metabolites derived from artichoke leaf extract in human plasma by high-performance liquid chromatography–coulometric-array detection 793(2003)367

Artifact production

Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography–mass spectrometry 792(2003)345

Artifacts

Fast liquid chromatography–mass spectrometry glutathione measurement in whole blood: micromolar GSSG is a sample preparation artifact 798(2003)343

Artificial neural networks

Artificial neural network classification based on high-performance liquid chromatography of urinary and serum nucleosides for the clinical diagnosis of cancer 780(2002)27

Association constant

Chromatographic determination of the association constant between 8-methoxypsoralen and modified β -cyclodextrin: protective effect of hydroxypropyl- β -cyclodextrin on 8-methoxypsoralen toxicity in human keratinocytes 798(2003)217

Automated purification

Semi automated production of a set of different recombinant GST-Streptag fusion proteins 786(2003)343

Axial flow

Large-scale ion-exchange column chromatography of proteins
Comparison of different formats (Review) 790(2003)17

Ayahuasca

Determination of *N,N*-dimethyltryptamine and β -carboline alkaloids in human plasma following oral administration of *Ayahuasca* 779(2002)271

B

B. subtilis

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Bacillus

Purification and properties of extracellular dextranase from a *Bacillus* sp. 796(2003)315

Baculovirus

Production of a soluble $\gamma\delta$ T-cell receptor to identify ligands for the murine intestinal intraepithelial $\gamma\delta$ T cell population 786(2003)297

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Basicity

Determination of the basicity of Mannich ketones by capillary electrophoresis 799(2004)179

Basidiomycetes

Multivariate analysis of fatty acids in spores of higher basidiomycetes: a new method for chemotaxonomical classification of fungi 800(2004)303

Benign methylmalonic aciduria

Two cases of benign methylmalonic aciduria detected during a pilot study of neonatal urine screening 776(2002)65

Benzene exposure

Determination of urinary S-phenylmercapturic acid by liquid chromatography–tandem mass spectrometry 795(2003)347

BIAcore

Production, purification and characterisation of genetically derived scFv and bifunctional antibody fragments capable of detecting illicit drug residues 786(2003)327

Bilayer coatings

Use of the affinity chromatography principle in creating new thromboresistant materials 800(2004)263

Binding studies

Comparison of protein A affinity sorbents 790(2003)35

Hydrophobic interaction chromatography of proteins

II. Binding capacity, recovery and mass transfer properties 790(2003)99

Bioautography

High-performance thin-layer chromatography–bioautography for multiple antibiotic residues in cow's milk 784(2003)315

Bioavailability

Application of stable isotope dilution assays based on liquid chromatography–tandem mass spectrometry for the assessment of folate bioavailability 792(2003)167

Bioavailability of isoflavones (Review) 777(2002)203

Bioequivalence study

Quantitative determination of pioglitazone in human serum by direct-injection high-performance liquid chromatography mass spectrometry and its application to a bioequivalence study 795(2003)215

Biogenesis

Purification of recombinant BtpA and Ycf3, proteins involved in membrane protein biogenesis in *Synechocystis* PCC 6803 786(2003)45

Biological fluids

Method development in high-performance liquid chromatography for high-throughput profiling and metabonomic studies of biofluid samples 789(2003)283

Biological matrices

Role of biological matrices during the analysis of chiral drugs by liquid chromatography 797(2003)91

Biological monitoring

Analytical methods for biological monitoring of exposure to pesticides: a review 778(2002)5

New gas chromatographic–mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine 778(2002)121

Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165

Quality assurance of biological monitoring in occupational and environmental medicine (Review) 778(2002)403

Finnish quality assurance programme for biological monitoring of organic solvents 778(2002)419

Sensitive biomonitoring of monoterpene exposure by gas chromatographic–mass spectrometric measurement of hydroxy terpenes in urine 780(2002)225

On-line clean-up by multidimensional liquid chromatography–electrospray ionization tandem mass spectrometry for high throughput quantification of primary and secondary phthalate metabolites in human urine 784(2003)169

Biological and environmental monitoring of hospital personnel exposed to antineoplastic agents: a review of analytical methods (Review) 789(2003)169

Determination of polychlorinated biphenyls in serum using gas chromatography–mass spectrometry with negative chemical ionization for exposure estimation 791(2003)117

Determination of urinary S-phenylmercapturic acid by liquid chromatography–tandem mass spectrometry 795(2003)347

Biopartitioning

Biopartitioning micellar separation methods: modelling drug absorption 797(2003)21

Blood–brain barrier

Separation methods that are capable of revealing blood–brain barrier permeability 797(2003)241

Blue light emitting diode

Determination of riboflavin in urine by capillary electrophoresis–blue light emitting diode-induced fluorescence detection combined with a stacking technique 785(2003)39

Bone metabolism

Acid phosphatases as markers of bone metabolism (Review) 781(2002)345

Boron-doped diamond electrode

Gradient liquid chromatography of leucine-enkephalin peptide and its metabolites with electrochemical detection using highly boron-doped diamond electrode 791(2003)63

Brain-to-plasma distribution

Liquid chromatographic determination of minocycline in brain-to-plasma distribution studies in the rat 791(2003)337

Breakthrough curves

Comparison of protein A affinity sorbents 790(2003)353

Breath analysis

Application of solid-phase microextraction to the quantitative analysis of 1,8-cineole in blood and expired air in a *Eucalyptus* herbivore, the brushtail possum (*Trichosurus vulpecula*) 780(2002)397

C

¹³C Enrichment

Simultaneous measurement of plasma concentrations and ¹³C-enrichment of short-chain fatty acids, lactic acid and ketone bodies by gas chromatography coupled to mass spectrometry 784(2003)395

Caco-2 cell monolayers

Determination of thalidomide in transport buffer for Caco-2 cell monolayers by high-performance liquid chromatography with ultraviolet detection 785(2003)165

Caenorhabditis elegans

Protein database of *Caenorhabditis elegans* (Review) 787(2003)91

Candida albicans

Analysis of the *Candida albicans* proteome I. Strategies and applications (Review) 787(2003)101

Analysis of the *Candida albicans* proteome. II. Protein information technology on the Net (update 2002) (Review) 787(2003)129

Candida glabrata

Identification of two proteins induced by exposure of the pathogenic fungus *Candida glabrata* to fluconazole 782(2002)245

Canine plasma

Determination of amitraz in canine plasma by solid-phase microextraction–gas chromatography with thermionic specific detection 794(2003)337

Capillary electrophoresis

Drug delivery systems: polymers and drugs monitored by capillary electrophoresis methods 797(2003)37

Capillary electrophoresis-based immunoassay 797(2003)217

Carbohydrate deficient glycoprotein syndrome

Characterization of human transferrin glycoforms by capillary electrophoresis and electrospray ionization mass spectrometry 798(2003)1

Carbon fiber micro-disk bundle electrode

Amperometric detection of perphenazine at a carbon fiber micro-disk bundle electrode by capillary zone electrophoresis 789(2003)411

Carica papaya

Fractionation and purification of the enzymes stored in the latex of *Carica papaya* (Review) 790(2003)229

Cell fluid-based microchip

Cell phenotype analysis using a cell fluid-based microchip with high sensitivity and accurate quantitation 795(2003)1

Cell phenotype analysis

Cell phenotype analysis using a cell fluid-based microchip with high sensitivity and accurate quantitation 795(2003)1

Cell sorting

Sedimentation field flow fractionation purification of immature neural cells from a human tumor neuroblastoma cell line 791(2003)149

Cellulose membrane

Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55

Characterization

Purification and characterization of a small (7.3 kDa) putative lipid transfer protein from maize seeds 794(2003)109

Chemotaxonomy

Multivariate analysis of fatty acids in spores of higher basidiomycetes: a new method for chemotaxonomical classification of fungi 800(2004)303

Chinese hamster ovary cells

Determination of Chinese hamster ovary cell-derived recombinant thyrotropin by reversed-phase liquid chromatography 787(2003)345

Chip technology

Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327

Chiral selectors

Separation of drug enantiomers by liquid chromatography and capillary electrophoresis, using immobilized proteins as chiral selectors 797(2003)131

Chiral stationary phases, LC

Quantitative determination of the enantiomers of methadone and its metabolite (EDDP) in human saliva by enantioselective liquid chromatography with mass spectrometric detection 796(2003)355

Chiral stationary phases

Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193

Circular dichroism

Enantioselective determination of metoprolol acidic metabolite in plasma and urine using liquid chromatography chiral columns: applications to pharmacokinetics 783(2003)433

Clean-up procedures

Two different clean-up procedures for liquid chromatographic determination of ochratoxin A in urine 798(2003)317

Cleavage

Cleavage of double stranded plasmid DNA by lanthanide complexes 800(2004)169

Clinical diagnosis

Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis (Review) 776(2002)15

Cloning

Cloning, purification and biochemical characterization of dipetarudin, a new chimeric thrombin inhibitor 786(2003)73

Cloning, expression and purification of three Chaperonin 60 homologues 786(2003)117

Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in *Escherichia coli* 786(2003)153

Cloning and expression of fatty acids biosynthesis key enzymes from sunflower (*Helianthus annuus* L.) in *Escherichia coli* 786(2003)221

Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113

Heterologous overexpression and purification of four common subunits of nuclear RNA polymerases I, II and III of *Schizosaccharomyces pombe* 800(2004)121

Collisional-induced dissociation

Miniaturized mass-selective detector with atmospheric pressure chemical ionization 800(2004)63

Colon cancer

Determination of histamine in the whole blood of colon cancer patients 780(2002)331

Column switching

Direct analysis of drugs in plasma by column-switching liquid chromatography–mass spectrometry using a methylcellulose-immobilized reversed-phase pretreatment column 792(2003)49

Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography–mass spectrometry 784(2003)117

Simultaneous determination of hydroxycinnamates and catechins in human urine samples by column switching liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry 787(2003)369

Automated determination of amisulpride by liquid chromatography with column switching and spectrophotometric detection 784(2003)405

Combinatorial design

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Complementary metal oxide semiconductor microchip

Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501

Complexation

Determination of chromium in urine samples by complexation–supercritical fluid extraction and liquid or gas chromatography 785(2003)303

Computer-assisted identification of poisons

Systematic toxicological analysis: computer-assisted identification of poisons in biological materials 789(2003)3

Confocal laser scanning microscopy

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Continuous annular chromatography

Continuous annular chromatography (Review) 790(2003)1

Convective Interaction Media

Characterization of CIM monoliths as enzyme reactors 795(2003)105

Corneal precipitate

Confirmation of ofloxacin precipitation in corneal deposits by microbore liquid chromatography–quadrupole time-of-flight tandem mass spectrometry 785(2003)193

Correction of matrix bias

Effect of different matrices on physiological amino acids analysis by liquid chromatography: evaluation and correction of the matrix effect 799(2004)73

Counter-current chromatography

Purification of lactic acid dehydrogenase from crude bovine heart extract by pH-peak focusing counter-current chromatography 776(2002)183

Coupled columns

Determination of laquinimod in plasma by coupled-column liquid chromatography with ultraviolet absorbance detection 785(2003)311

Crystallization

Affinity purification of recombinant protein-tyrosine phosphatase 1B using a highly selective inhibitor 799(2004)1

Cutaneous exposure

Evaluation of respiratory and cutaneous doses of chlorothalonil during re-entry in greenhouses 778(2002)131

Cyanobacteria

Reversed-phase liquid chromatographic–mass spectrometric determination of microcystin-LR in cyanobacteria blooms under alkaline conditions 800(2004)315

Cyprinus carpio

One-step, non-denaturing purification method of carp (*Cyprinus carpio*) vitellogenin 799(2004)87

Cytochrome P450

Monolithic silica rod liquid chromatography with ultraviolet or fluorescence detection for metabolite analysis of cytochrome P450 marker reactions 780(2002)205

Cysticercosis

Taenia solium cDNA sequence encoding a putative immunodiagnostic antigen for human cysticercosis 786(2003)255

D

Data-dependent acquisition

Suitability testing of commercial solid-phase extraction sorbents for sample clean-up in systematic toxicological analysis using liquid chromatography–(tandem) mass spectrometry 789(2003)19

Denaturing HPLC

Sequence variation and the biological function of genes: methodological and biological considerations (Review) 782(2002)3

Establishing a control population to screen for the occurrence of nineteen unclassified variants in the BRCA1 gene by denaturing high-performance liquid chromatography (Review) 782(2002)99

Polymerase chain reaction fidelity and denaturing high-performance liquid chromatography (Review) 782(2002)105

Derivatization

Derivatization of phospholipids (Review) 793(2003)3

Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis (Review) 793(2003)15

Derivatization of biomolecules for chemiluminescent detection in capillary electrophoresis (Review) 793(2003)49

Derivatization, CE

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Derivatization, GC

Direct extract derivatization for determination of amino acids in human urine by gas chromatography and mass spectrometry 776(2002)49

Gas chromatographic determination of novel valproyl taurinamide derivatives in mouse and dog plasma 788(2003)125

Determination of 3-keto-4-ene steroids and their hydroxylated metabolites catalyzed by recombinant human cytochrome P450 1B1 enzyme using gas chromatography–mass spectrometry with trimethylsilyl derivatization 791(2003)127

Determination of ^{13}C and ^{15}N enrichments of urea in plasma by gas chromatography–combustion isotope ratio mass spectrometry and gas chromatography–mass spectrometry using the 2-methoxypyrimidine derivative 791(2003)399

Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography–mass spectrometry after *tert*.-butyldimethylsilylation 795(2003)123

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors: Determination of the metabolites *E-cis/trans*-chrysanthemumdicarboxylic acid in human urine by gas chromatography–mass spectrometry with negative chemical ionization 795(2003)195

Improved procedure for the determination of malonaldehyde by gas chromatography with electron-capture detection as 2,4,6-trichlorophenylhydrazine derivative 796(2003)201

Quantitative determination of circulating and urinary asymmetric dimethylarginine (ADMA) in humans by gas chromatography–tandem mass spectrometry as methyl ester tri(*N*-pentafluoropropionyl) derivative 798(2003)87

Development and validation of a gas chromatography–mass spectrometry assay for hair analysis of amphetamine, methamphetamine and methylenedioxy derivatives 798(2003)249

Gas chromatography–isotope dilution mass spectrometry preceded by liquid–liquid extraction and chemical derivatization for the determination of ketamine and norketamine in urine 799(2004)37

Analytical derivatization—a tool for determination of orotic acid 799(2004)303

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

Derivatization, GC-MS

Diagnostic evidence for the presence of β -agonists using two consecutive derivatization procedures and gas chromatography–mass spectrometric analysis 780(2002)61

Derivatization, LC

Enantioselective analysis of glufosinate using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase liquid chromatography 776(2002)191

Determination of hexafluoroisopropanol, a sevoflurane urinary metabolite, by 9-fluorenylmethyl chloroformate derivatization 776(2002)237

Quantitative analysis of a model opioid peptide and its cyclic prodrugs in rat plasma using high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection 780(2002)269

Determination of diaminopimelic acid in rat feces by high-performance liquid chromatography using the Pico Tag method 784(2003)125

Liquid chromatographic determination of γ -aminobutyric acid in cerebrospinal fluid using 2-hydroxynaphthaldehyde as derivatizing reagent 788(2003)413

Phenylisothiocyanate and dansyl chloride precolumn derivatizations for the high-performance liquid chromatography analysis of the antitumoral agent ES-285 in dog plasma 791(2003)1

Liquid chromatographic assay for the antiviral nucleotide analogue tenofovir in plasma using derivatization with chloroacetaldehyde 791(2003)227

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatization 792(2003)333

Site-specific fluorescent derivatization and liquid chromatographic–mass spectrometric characterization of Long R³ IGF-I for bioanalytical applications 793(2003)115

Fluorescent derivatization of polysaccharides and carbohydrate-containing biopolymers for measurement of enzyme activities in complex media 793(2003)181

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

Liquid chromatographic determination of oxaliplatin in blood using post-column derivatization in a microwave field followed by photometric detection 795(2003)291

Determination of 9-nitrocamptothecin by precolumn derivatization and its metabolite 9-aminocamptothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309

Determination of vertilmicin in rat serum by high-performance liquid chromatography using 1-fluoro-2,4-dinitrobenzene derivatization 798(2003)43

Liquid chromatographic determination of 1-adamantanamine and 2-adamantanamine in human plasma after pre-column derivatization with *o*-phthalaldehyde and 1-thio- β -D-glucose 799(2004)349

Designer drug

New designer drug *p*-methoxymethamphetamine: studies on its metabolism and toxicological detection in urine using gas chromatography–mass spectrometry 789(2003)27

New designer drug 4'-methyl- α -pyrrolidinohexanophenone: studies on its metabolism and toxicological detection in urine using gas chromatography–mass spectrometry 789(2003)79

Metabolism and toxicological detection of the new designer drug 4'-methoxy- α -pyrrolidinopropiophenone studied in rat urine using gas chromatography–mass spectrometry 793(2003)331

Metabolism and toxicological detection of the new designer drug 3',4'-methylenedioxy- α -pyrrolidinopropiophenone studied in urine using gas chromatography–mass spectrometry 793(2003)377

Toxicological detection of the new designer drug 1-(4-methoxyphenyl)-piperazine and its metabolites in urine and differentiation from an intake of structurally related medicaments using gas chromatography–mass spectrometry 798(2003)333

Diabetes

Determination of haemoglobin A_{1c} by liquid chromatography using a new cation-exchange column 791(2003)73

Diabetic retinopathy

Catalogue of soluble proteins in the human vitreous humor: comparison between diabetic retinopathy and macular hole 776(2002)89

Differential display

Mapping glycosylation changes related to cancer using the Multiplexed Proteomics technology: a protein differential display approach 793(2003)127

Direct injection

Determination of γ -hydroxybutyric acid in biological fluids by using capillary electrophoresis with indirect detection 800(2004)239

Direct plasma injection

Enantiomeric determination of the plasma levels of omeprazole by direct plasma injection using high-performance liquid chromatography with achiral–chiral column-switching 798(2003)275

Direct sample injection

Chromatographic performance of large-pore versus small-pore columns in micellar liquid chromatography 785(2003)1

Disk solid-phase extraction

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography–mass spectrometry after immunoassay screening 792(2003)241

Displacement

Analysis of the progesterone displacement of its human serum albumin binding site by β -estradiol using biochromatographic approaches: effect of two salt modifiers 796(2003)267

Doping analysis

Urinary concentrations of morphine after the administration of herbal teas containing *Papaveris fructus* in relation to doping analysis 785(2003)245

Drug absorption

Biopartitioning micellar separation methods: modelling drug absorption 797(2003)21

Drug analysis

Generic solid phase extraction–liquid chromatography–tandem mass spectrometry method for fast determination of drugs in biological fluids 788(2003)251

Rapid determination of 5-fluorouracil in plasma using capillary electrophoresis 788(2003)291

Drug binding

Development of a liquid chromatography–mass spectrometric method for measuring the binding of memantine to different melanins 787(2003)313

Drug-binding constants

Drug affinity to immobilized target bio-polymers by high-performance liquid chromatography and capillary electrophoresis 797(2003)111

Drug–cyclodextrin interactions

Pullulan–cyclodextrin microspheres. A chromatographic approach for the evaluation of the drug–cyclodextrin interactions and the determination of the drug release profiles 791(2003)407

Drug interaction

Liquid chromatography studies on the pharmacokinetics of phentermine and fenfluramine in brain and blood microdialysates after intraperitoneal administration to rats 791(2003)291

Drug release profiles

Pullulan–cyclodextrin microspheres. A chromatographic approach for the evaluation of the drug–cyclodextrin interactions and the determination of the drug release profiles 791(2003)407

Drug screening

Simultaneous screening for 238 drugs in blood by liquid chromatography–ionspray tandem mass spectrometry with multiple-reaction monitoring 795(2003)41

Drug stability

Semi-automated determination of plasma stability of drug discovery compounds using liquid chromatography–tandem mass spectrometry 780(2002)451

Dye–ligand affinity counter-current chromatography

Purification of alcohol dehydrogenase from bovine liver crude extract by dye–ligand affinity counter-current chromatography 799(2004)239

Dynamic binding capacity

Comparison of protein A affinity sorbents 790(2003)35

Dynamic capacity

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Characterization and optimization of a chromatographic process based on ethylenediamine-*N,N,N',N'*-tetra(methylphosphonic) acid-modified zirconia particles 790(2003)143

Dynamic coating

Dynamic coating for fast and reproducible determination of basic drugs by capillary electrophoresis with diode-array detection and mass spectrometry 799(2004)323

Dynamically coated capillary columns

Estimation of octanol–water partition coefficients for neutral and weakly acidic compounds by microemulsion electrokinetic chromatography using dynamically coated capillary columns 793(2003)265

E

E. coli

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Electrochemical detection

Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study 780(2002)251

Gradient liquid chromatography of leucine-enkephalin peptide and its metabolites with electrochemical detection using highly boron-doped diamond electrode 791(2003)63

Determination of lactate dehydrogenase in human erythrocytes by capillary electrophoresis with electrochemical detection 798(2003)175

Measurement of carvedilol in plasma by high-performance liquid chromatography with electrochemical detection 798(2003)187

Electrospray ionisation

Evaluation of electrospray ionisation liquid chromatography–tandem mass spectrometry for rational determination of a number of neuroleptics and their major metabolites in human body fluids and tissues 789(2003)151

Enantiomer separation

Enantioselective analysis of glufosinate using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase liquid chromatography 776(2002)191

Determination of the enantiomerization energy barrier of some 3-hydroxy-1,4-benzodiazepine drugs by supercritical fluid chromatography 779(2002)283

High-performance liquid chromatographic determination of gossypol and gossypolone enantiomers in fish tissues using simultaneous electrochemical and ultraviolet detectors 779(2002)313

Metabolic acidosis: separation methods and biological relevance of organic acids and lactic acid enantiomers (Review) 781(2002)39

D-Amino acids in mammals and their diagnostic value (Review) 781(2002)73

Enantioselective determination of metoprolol acidic metabolite in plasma and urine using liquid chromatography chiral columns: applications to pharmacokinetics 783(2003)433

Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481

Improved enantioselective assay for the determination of fluoxetine and norfluoxetine enantiomers in human plasma by liquid chromatography 784(2003)375

Chiral separation and determination of *R*-(–)- and *S*-(+)-baclofen in human plasma by high-performance liquid chromatography 785(2003)277

Determination of serum thyroxine enantiomers in patients by liquid chromatography with a chiral mobile phase 785(2003)353

Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography–tandem mass spectrometry 788(2003)317

Enantioselective quantitation of the ecstasy compound (*R*)- and (*S*)-*N*-ethyl-3,4-methylenedioxymphetamine and its major metabolites in human plasma and urine 793(2003)207

Simultaneous enantioselective separation of azelastine and three of its metabolites for the investigation of the enantiomeric metabolism in rats. I. Liquid chromatography–ionspray tandem mass spectrometry and electrokinetic capillary chromatography 793(2003)389

Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115

Simple and efficient method for enantioselective determination of omeprazole in human plasma 795(2003)227

Chiral liquid chromatography resolution and stereoselective pharmacokinetic study of the enantiomers of a novel anticonvulsant, *N*-(4-chlorophenyl)-1-(4-pyridyl)ethylamine, in rats 796(2003)35

Enantioselective liquid chromatographic-electrospray mass spectrometric assay of β -adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma 796(2003)45

Stereospecific high-performance liquid chromatographic analysis of ibuprofen in rat serum 796(2003)225

Quantitative determination of the enantiomers of methadone and its metabolite (EDDP) in human saliva by enantioselective liquid chromatography with mass spectrometric detection 796(2003)355

Enantioselective determination of ibuprofen in plasma by high-performance liquid chromatography–electrospray mass spectrometry 796(2003)413

Separation of drug enantiomers by liquid chromatography and capillary electrophoresis, using immobilized proteins as chiral selectors 797(2003)131

Enantioselective interactions of dextromethorphan and levomethorphan with the $\alpha 3\beta 4$ -nicotinic acetylcholine receptor: comparison of chromatographic and functional data 797(2003)373

Enantiomeric determination of the plasma levels of omeprazole by direct plasma injection using high-performance liquid chromatography with achiral–chiral column-switching 798(2003)275

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193

Enantiomerization energy barrier

Determination of the enantiomerization energy barrier of some 3-hydroxy-1,4-benzodiazepine drugs by supercritical fluid chromatography 779(2002)283

Enantioselective analysis

Simultaneous enantioselective analysis of chiral urinary metabolites in patients with *Zellweger* syndrome 792(2003)269

Encapsulated cells

Method for monitoring alginate released in biological fluids by high-performance anion-exchange chromatography with pulsed amperometric detection 784(2003)265

Endocrine disrupter testing

Assessing estrogenic activity of phytochemicals using transcriptional activation and immature mouse uterotrophic responses 777(2002)179

Endoscopes

Automated method for determination of glutardialdehyde residues in flexible endoscopes after disinfection 795(2003)363

Enterobacter aerogenes

Overexpression and purification of the three components of the *Enterobacter aerogenes* AcrA–AcrB–TolC multidrug efflux pump 786(2003)197

Environmental monitoring

Biological and environmental monitoring of hospital personnel exposed to antineoplastic agents: a review of analytical methods (Review) 789(2003)169

Enzyme activity

Fluorescent derivatization of polysaccharides and carbohydrate-containing biopolymers for measurement of enzyme activities in complex media 793(2003)181

Enzyme immunoassay

Capillary electrophoretic enzyme immunoassay with electrochemical detection using a noncompetitive format 784(2003)343

Enzyme–inhibitor interactions

Separation methods applicable to the evaluation of enzyme–inhibitor and enzyme–substrate interactions 797(2003)175

Enzyme reactors

Characterization of CIM monoliths as enzyme reactors 795(2003)105

Enzyme–substrate interactions

Separation methods applicable to the evaluation of enzyme–inhibitor and enzyme–substrate interactions 797(2003)175

Epstein–Barr virus

In vitro cell free synthesis of human manganese superoxide dismutase with the RTS 500 system 786(2003)137

Escherichia coli

Purification of human alpha-L-fucosidase precursor expressed in *Escherichia coli* as a glutathione S-transferase fusion protein 786(2003)7

Two-step purification of the outer membrane transporter and activator protein ShlB from *Escherichia coli* using internally His₆-tagged constructs 786(2003)33

Purification of recombinantly expressed human cluster determinant 4 cytoplasmic domain 786(2003)39

Novel approach to obtain biologically active recombinant heterodimeric proteins in *Escherichia coli* 786(2003)93

GroE-dependent expression and purification of pig heart mitochondrial citrate synthase in *Escherichia coli* 786(2003)127

Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in *Escherichia coli* 786(2003)153

Production of recombinant thermostable proteins expressed in *Escherichia coli*: completion of protein synthesis is the bottleneck 786(2003)207

Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229

Continuous processing of fusion protein expressed as an *Escherichia coli* inclusion body 786(2003)237

On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from *Trypanosoma brucei* overexpressed in *Escherichia coli* 786(2003)305

High-level expression of the mycobacterial porin MspA in *Escherichia coli* and purification of the recombinant protein 790(2003)337

Eschscholtzia californica

Studies on the metabolism and toxicological detection of the *Eschscholtzia californica* alkaloids californine and protopine in urine using gas chromatography–mass spectrometry 789(2003)43

Estrogen receptor expression

Estrogen receptor expression in the prostate of rats treated with dietary genistein 777(2002)249

Evaporative light scattering detector

Direct screening of lyophilised biological fluids for bile acids using an evaporative light scattering detector 792(2003)299

Expanded bed adsorption

Expanded bed adsorption processing of mammalian cell culture fluid: comparison with packed bed affinity chromatography 784(2003)183

Expanded-bed adsorption chromatography

Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Exposure monitoring

Use of haemoglobin adducts in exposure monitoring and risk assessment (Review) 778(2002)309

Expression

Cloning, expression and purification of three Chaperonin 60 homologues 786(2003)117

Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in *Escherichia coli* 786(2003)153

Optimizing expression and purification from cell culture medium of trispecific recombinant antibody derivatives 786(2003)161

Optimisation of expression and purification of the recombinant Yol066 (Rib2) protein from *Saccharomyces cerevisiae* 786(2003)187

Overexpression and purification of the three components of the *Enterobacter aerogenes* AcrA–AcrB–TolC multidrug efflux pump 786(2003)197

Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229

Expression and purification of human cardiac troponin subunits and their functional incorporation into isolated cardiac mouse myofibrils 786(2003)287

Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113

Relative mRNA expression of the lactate dehydrogenase A and B subunits as determined by simultaneous amplification and single strand conformation polymorphism. Relation with subunit enzyme activity 793(2003)405

Heterologous overexpression and purification of four common subunits of nuclear RNA polymerases I, II and III of *Schizosaccharomyces pombe* 800(2004)121

Expression, *Escherichia coli*

Cloning and expression of fatty acids biosynthesis key enzymes from sunflower (*Helianthus annuus* L.) in *Escherichia coli* 786(2003)221

Expression system

Large scale protein production of the extracellular domain of the transforming growth factor- β type II receptor using the *Pichia pastoris* expression system 786(2003)271

Expression vectors

Production, purification and characterisation of genetically derived scFv and bifunctional antibody fragments capable of detecting illicit drug residues 786(2003)327

F

Factorial design

Factorial design for the development of automated solid-phase extraction in the 96-well format for determination of tesaglitazar, in plasma, by liquid chromatography–mass spectrometry 787(2003)231

Fast analysis

Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography–mass spectrometry 784(2003)117

Fatty acid oxidation disorders

Selective screening for fatty acid oxidation disorders by tandem mass spectrometry: difficulties in practical discrimination 792(2003)63

Field amplified sample stacking

Determination of kanamycin in serum by solid-phase extraction, pre-capillary derivatization and capillary electrophoresis 784(2003)255

Field analysis

Field gas chromatography–mass spectrometry for fast analysis 800(2004)55

Filter paper collection

Evaluation of filter paper collection of urine samples for detection and measurement of organic acidurias by capillary electrophoresis 780(2002)73

Fingerprint analysis

Fingerprint analysis of *Flos Carthami* by capillary electrophoresis 792(2003)147

Fish

Liquid chromatographic determination of florfenicol in the plasma of multiple species of fish 780(2002)111

Flos Carthami

Fingerprint analysis of *Flos Carthami* by capillary electrophoresis 792(2003)147

Flounder

Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders 784(2003)243

Fluidized bed

Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327

Fluorescence detection

Determination of plasma topotecan and its metabolite *N*-desmethyl topotecan as both lactone and total form by reversed-phase liquid chromatography with fluorescence detection 784(2003)225

Fluorescent dyes

Comparative study of different fluorescent dyes for the detection of proteins on membranes using the peroxyoxalate chemiluminescent reaction 793(2003)75

Fluorochromophores

Set of fluorochromophores in the wavelength range from 450 to 700 nm and suitable for labeling proteins and amino-modified DNA 793(2003)83

Fodder

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Food

Proteomics: general strategies and application to nutritionally relevant proteins 787(2003)77

Forensic toxicology

Application of gas chromatography–surface ionization organic mass spectrometry to forensic toxicology (Review) 776(2002)3

Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography–mass spectrometry 792(2003)345

Francisella tularensis

Towards proteome database of *Francisella tularensis* (Review) 787(2003)149

Free drug

Quantification of free mycophenolic acid and its glucuronide metabolite in human plasma by liquid-chromatography using mass spectrometric and ultraviolet absorbance detection 799(2004)157

Frit-inlet asymmetrical flow field-flow fractionation

Separation and selective detection of lipoprotein particles of patients with coronary artery disease by frit-inlet asymmetrical flow field-flow fractionation 780(2002)415

Functional proteomics

Functional and structural proteomics: a critical appraisal (Review) 787(2003)1

Fusion proteins

Semi automated production of a set of different recombinant GST-Streptag fusion proteins 786(2003)343

G

Gene therapy

Supercoiled plasmid DNA: selective purification by thiophilic/aromatic adsorption 784(2003)291

General population

New gas chromatographic–mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine 778(2002)121

General unknown screening

Comparison of a preliminary procedure for the general unknown screening of drugs and toxic compounds using a quadrupole-linear ion-trap mass spectrometer with a liquid chromatography–mass spectrometry reference technique 789(2003)9

Generic method

Generic solid phase extraction–liquid chromatography–tandem mass spectrometry method for fast determination of drugs in biological fluids 788(2003)251

Genes

High-level expression of the mycobacterial porin MspA in *Escherichia coli* and purification of the recombinant protein 790(2003)337

Genetic variants

Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283

Genomic structure

Taenia solium cDNA sequence encoding a putative immunodiagnostic antigen for human cysticercosis 786(2003)255

Genomics

Mass spectrometry and tandem mass spectrometry, alone or after liquid chromatography, for analysis of polymerase chain reaction products in the detection of genomic variation (Review) 782(2002)57

Monolithic capillary columns for liquid chromatography–electrospray ionization mass spectrometry in proteomic and genomic research (Review) 782(2002)111

Single-molecule reader for proteomics and genomics (Review) 782(2002)127

Combining proteomic and genetic studies in plants (Review) 782(2002)137

Gene function on a genomic scale 782(2002)151

Genotyping

Pyrosequencing for microbial typing (Review) 782(2002)67

Genotyping single-nucleotide polymorphisms by matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry (Review) 782(2002)73

Single nucleotide polymorphism genotyping by on-line liquid chromatography–mass spectrometry in forensic science of the Y-chromosomal locus M9 (Review) 782(2002)89

Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography 783(2003)61

Glass fiber membranes

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

Glucocorticoid receptors

Purification of a full-length recombinant glucocorticoid receptor 790(2003)349

Glucuronide hydrolysis

Optimized glucuronide hydrolysis for the detection of psilocin in human urine samples 796(2003)421

Glycation pattern

Application of shielding boronate affinity chromatography in the study of the glycation pattern of haemoglobin 776(2002)149

Glycoforms

Characterization of human transferrin glycoforms by capillary electrophoresis and electrospray ionization mass spectrometry 798(2003)1

Glycosylation

Use of a lectin affinity selector in the search for unusual glycosylation in proteomics 782(2002)405

Mapping glycosylation changes related to cancer using the Multiplexed Proteomics technology: a protein differential display approach 793(2003)127

Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283

Gradient elution

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Gradient re-equilibration

Chromatographic performance of large-pore versus small-pore columns in micellar liquid chromatography 785(2003)1

H

Haemophilus influenzae

Proteomic study of non-typable *Haemophilus influenzae* 782(2002)219

Hair analysis

Hair analysis for opiates: evaluation of washing and incubation procedures 789(2003)93

Hepatocyte

Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective 780(2002)145

Heterodimerization

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115

Heterologous expression

Heterologous expression and purification of native and mutated low molecular mass glutenin subunits from durum wheat 786(2003)215

High-level expression and rapid purification of rare-codon genes from hyperthermophilic archaea by the GST gene fusion system 786(2003)177

High-throughput

Semi-automatic high-throughput determination of plasma protein binding using a 96-well plate filtrate assembly and fast liquid chromatography–tandem mass spectrometry 795(2003)187

High-throughput profiling

Method development in high-performance liquid chromatography for high-throughput profiling and metabonomic studies of biofluid samples 789(2003)283

High-throughput screening

Drug affinity to immobilized target bio-polymers by high-performance liquid chromatography and capillary electrophoresis 797(2003)111

Histamine determination

Determination of histamine in the whole blood of colon cancer patients 780(2002)331

Hollow-fiber membranes

Protein binding to polymer brush, based on ion-exchange, hydrophobic, and affinity interactions (Review) 790(2003)131

Homocystinuria

Newborn screening of homocystinuria: quantitative analysis of total homocyst(e)ine on dried blood spot by liquid chromatography with fluorimetric detection 785(2003)219

Hormonal carcinogenesis

Stable isotope dilution high-performance liquid chromatography–electrospray ionization mass spectrometry method for endogenous 2- and 4-hydroxyestrones in human urine 780(2002)315

Human vitreous humor

Catalogue of soluble proteins in the human vitreous humor: comparison between diabetic retinopathy and macular hole 776(2002)89

Hummel and Dreyer method

Macromolecule–ligand binding studied by the Hummel and Dreyer method: current state of the methodology 797(2003)51

Hydrophobic interaction chromatography

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355

Hyperthermophilic archaea

High-level expression and rapid purification of rare-codon genes from hyperthermophilic archaea by the GST gene fusion system 786(2003)177

I**Immobilisation**

Improved lectin-mediated immobilization of human red blood cells in superporous agarose beads 784(2003)203

Affinity chromatography techniques based on the immobilisation of peptides exhibiting specific binding activity 797(2003)289

Immobilized liposome chromatography

Screening and analysis of permeable compounds in *Radix Angelica Sinensis* with immobilized liposome chromatography 779(2002)331

Immobilized metal affinity chromatography

Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins 790(2003)153

Immobilized metal affinity membranes

Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67

Exploiting immobilized metal affinity membranes for the isolation or purification of therapeutically relevant species 797(2003)305

Immobilized proteins

Isolation of antigens and antibodies by affinity chromatography (Review) 790(2003)53

Immunoaffinity chromatography

Isolation of antigens and antibodies by affinity chromatography (Review) 790(2003)53

Immunoaffinity column

Development and characterization of an immunoaffinity column for the selective extraction of bisphenol A from serum samples 783(2003)401

Immunoassay

Application of a C-peptide electrospray ionization–isotope dilution–liquid chromatography–tandem mass spectrometry measurement procedure for the evaluation of five C-peptide immunoassays for urine 792(2003)249

Capillary electrophoresis-based immunoassay 797(2003)217

Inborn errors of metabolism

Diagnosis and monitoring of inborn errors of metabolism using urease-pretreatment of urine, isotope dilution, and gas chromatography–mass spectrometry (Review) 781(2002)497

Incomplete T-cell-receptor δ rearrangements

Identification and characterisation of clonal incomplete T-cell-receptor V δ 2–D δ 3/D δ 2–D δ 3 rearrangements by denaturing high-performance liquid chromatography and subsequent fragment collection: implications for minimal residual disease monitoring in childhood acute lymphoblastic leukemia 792(2003)287

Incubation

Hair analysis for opiates: evaluation of washing and incubation procedures 789(2003)93

Inherited metabolic disorders

Newborn mass screening and selective screening using electrospray tandem mass spectrometry in Japan 776(2002)39

Inhibitor

High-performance liquid chromatographic assay with ultraviolet spectrometric detection for the evaluation of inhibitors of secretory phospholipase A₂ 783(2003)327

Affinity purification of recombinant protein-tyrosine phosphatase 1B using a highly selective inhibitor 799(2004)1

Integrity

Pharmaceutical profiling method for lipophilicity and integrity using liquid chromatography–mass spectrometry 791(2003)381

Interconversion

Novel inhibition of *cis/trans* retinoic acid interconversion in biological fluids—an accurate method for determination of *trans* and 13-*cis* retinoic acid in biological fluids 796(2003)283

Internal standards

Synthesis of [¹⁸O₂]valproic acid and its use as an internal standard for the quantitative measurement by gas chromatography–electron ionization mass spectrometry 784(2003)69

Intestinal bacteria

Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145

Intestinal permeability

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145

Intoxication

Determination of zaleplon and zolpidem by liquid chromatography–turbospray mass spectrometry: application to forensic cases 789(2003)131

Inverse labeling

Inverse labeling–mass spectrometry for the rapid identification of differentially expressed protein markers/targets 782(2002)291

In vivo test systems

In vivo test systems for the quantitative and qualitative analysis of the biological activity of phytoestrogens (Review) 777(2002)191

Iodine–azide reaction

Application of improved iodine–azide procedure for the detection of thiouracils in blood serum and urine with planar chromatography 784(2003)283

Ion-exchange chromatography

Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17

Ion mobility increment spectrometry

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Ion mobility spectrometry

Development of high-throughput liquid chromatography injected ion mobility quadrupole time-of-flight techniques for analysis of complex peptide mixtures 782(2002)343

Ion-pairing reagents

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Isoelectric focusing

Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355

Isoform

Determination of metallothionein-1/metallothionein-2 ratios in the mouse liver and pancreas by capillary zone electrophoresis using a polyacrylamide-coated capillary at neutral pH 779(2002)211

Isotope labeling

Inverse labeling–mass spectrometry for the rapid identification of differentially expressed protein markers/targets 782(2002)291

Isotope ratio

Determination of ²³⁵U and ²³⁸U in urine samples using sector field inductively coupled plasma mass spectrometry 778(2002)275

K

Kinetic differentiation mode chromatography

Kinetic differentiation mode chromatography using 8-quinolinol and fluorimetric detection for sensitive determination of aluminum adhering to the gastric mucosa 791(2003)13

Kinetics

Kinetics of kavain and its metabolites after oral application 789(2003)115

Kinetics and apparent activation energy of the reaction of the fluorogenic reagent 5-furoylquinoline-3-carboxaldehyde with ovalbumin 793(2003)107

Selective reversed-phase liquid chromatography method for the kinetic investigation of 3-hydroxyflavone photostability 800(2004)245

K-ras gene

Simultaneous genotyping of multiplex single nucleotide polymorphisms of the K-ras gene with a home-made kit 795(2003)55

L

Large particle support

Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography–mass spectrometry 784(2003)117

Large pore columns

Chromatographic performance of large-pore versus small-pore columns in micellar liquid chromatography 785(2003)1

Large-volume sample stacking

Automated large-volume sample stacking procedure to detect labeled peptides at picomolar concentration using capillary electrophoresis and laser-induced fluorescence detection 793(2003)151

Latex

Fractionation and purification of the enzymes stored in the latex of *Carica papaya* (Review) 790(2003)229

Lecithin

Concept of sequential analysis of free and conjugated phytosterols in different plant matrices 777(2002)67

Lectin affinity selector

Use of a lectin affinity selector in the search for unusual glycosylation in proteomics 782(2002)405

Lesch–Nyhan syndrome

Chemical diagnosis of Lesch–Nyhan syndrome using gas chromatography–mass spectrometry detection 792(2003)123

Ligand design

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Linear trap

Comparison of a preliminary procedure for the general unknown screening of drugs and toxic compounds using a quadrupole-linear ion-trap mass spectrometer with a liquid chromatography–mass spectrometry reference technique 789(2003)9

Ling-Gui-Zhu-Gan decoction

High-performance liquid chromatographic method for the determination and pharmacokinetic study of dehydrotumulosic acid in the plasma of rats having taken the traditional chinese medicinal preparation Ling-Gui-Zhu-Gan decoction 788(2003)387

Lipophilicity

Evaluation of lipophilicity and antitumour activity of parallel carboxamide libraries 780(2002)355

Pharmaceutical profiling method for lipophilicity and integrity using liquid chromatography–mass spectrometry 791(2003)381

Liposomes

Methodology for assaying recombinant interleukin-2 associated with liposomes by combined gel exclusion chromatography and fluorescence 783(2003)151

Liquid chromatography, history

One century of liquid chromatography. From Tswett's columns to modern high speed and high performance separations 800(2004)3

Liver transplantation

Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89

M**Macroassays**

Protein micro- and macroarrays: digitizing the proteome (Review) 787(2003)19

Macromolecular probes

Evaluation of liquid chromatography column retentivity using macromolecular probes. IV. Poly(ethylene glycol) bonded phase 800(2004)69

Macromolecule–ligand binding

Macromolecule–ligand binding studied by the Hummel and Dreyer method: current state of the methodology 797(2003)51

Macrophages

Quantitation of nitric oxide-derived nitrite from activated macrophages using microdialysis sampling 796(2003)327

Macular hole

Catalogue of soluble proteins in the human vitreous humor: comparison between diabetic retinopathy and macular hole 776(2002)89

Magnetic affinity separation

Novel purification system for 6xHis-tagged proteins by magnetic affinity separation 793(2003)325

Magnetic microspheres

Magnetic hydrophilic methacrylate-based polymer microspheres designed for polymerase chain reactions applications 800(2004)27

Magnetic sector instrument

Accurate mass measurement using multiple sprayer nano-electrospray mass spectrometry combined with nano-scale high-performance liquid chromatography on a magnetic sector instrument 776(2002)31

Maillard reaction

Identification of *N*^ε-(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

Maple syrup urine disease

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography–mass spectrometry 792(2003)261

Mass mapping

Two-dimensional liquid separations–mass mapping of proteins from human cancer cell lysates (Review) 782(2002)183

Mass measurement

Accurate mass measurement using multiple sprayer nano-electrospray mass spectrometry combined with nano-scale high-performance liquid chromatography on a magnetic sector instrument 776(2002)31

Mass spectrometry

Role of mass spectrometry in the purification of peptides and proteins 790(2003)91

Mass transfer

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Mathematical modelling

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Matrix effect

Effect of different matrices on physiological amino acids analysis by liquid chromatography: evaluation and correction of the matrix effect 799(2004)73

Matrix solid-phase dispersion

Optimization of a matrix solid-phase dispersion method for the determination analysis of carbendazim residue in plant material 800(2004)309

Membrane cartridges

Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55

Metabolic acidosis

Metabolic acidosis: separation methods and biological relevance of organic acids and lactic acid enantiomers (Review) 781(2002)39

Metabolism

New designer drug *p*-methoxymethamphetamine: studies on its metabolism and toxicological detection in urine using gas chromatography–mass spectrometry 789(2003)27

New designer drug 4'-methyl- α -pyrrolidinohehexanophenone: studies on its metabolism and toxicological detection in urine using gas chromatography–mass spectrometry 789(2003)79

Metabolism and toxicological detection of the new designer drug 4'-methoxy- α -pyrrolidinopropiophenone studied in rat urine using gas chromatography–mass spectrometry 793(2003)331

Metabolism and toxicological detection of the new designer drug 3',4'-methylenedioxy- α -pyrrolidinopropiophenone studied in urine using gas chromatography–mass spectrometry 793(2003)377

Metabonomics

Method development in high-performance liquid chromatography for high-throughput profiling and metabonomic studies of biofluid samples 789(2003)283

Metal-chelate affinity beads

Novel metal-chelate affinity adsorbent for purification of immunoglobulin-G from human plasma 795(2003)93

Methanococcus jannaschii

Global analysis of a “simple” proteome: *Methanococcus jannaschii* 782(2002)227

Micellar electrokinetic chromatography

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Micellar liquid chromatography

Chromatographic performance of large-pore versus small-pore columns in micellar liquid chromatography 785(2003)1

Microarray technologies

Protein and antibody microarray technology 797(2003)229

Microassays

Protein micro- and macroarrays: digitizing the proteome (Review) 787(2003)19

Microbial community structure

Gas chromatographic–mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443

Microdialysis sampling

Simultaneous determination of the monoamine neurotransmitters and glucose in rat brain by microdialysis sampling coupled with liquid chromatography–dual electrochemical detector 785(2003)327

Quantitation of nitric oxide-derived nitrite from activated macrophages using microdialysis sampling 796(2003)327

Microdialysis techniques

Assaying protein unbound drugs using microdialysis techniques 797(2003)161

Microdialysis

Validation of a microdialysis–gas chromatographic–mass spectrometric method to assess 8-methoxypsoralen in psoriatic patient dermis 780(2002)119

One-second time resolution brain microdialysis in fully awake rats. Protocol for the collection, separation and sorting of nanoliter dialysate volumes 784(2003)385

On-line determination of fluconazole in blood and dermal rat microdialysates by microbore high-performance liquid chromatography 787(2003)323

Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193

Liquid chromatography studies on the pharmacokinetics of phentermine and fenfluramine in brain and blood microdialysates after intraperitoneal administration to rats 791(2003)291

Development of a liquid chromatography method for the determination of linezolid and its application to in vitro and human microdialysis samples 796(2003)155

Microdialysis for the determination of acetaldehyde and ethanol concentrations in the striatum of freely moving rats 798(2003)155

Microemulsion electrokinetic chromatography

Microemulsion electrokinetic chromatographic analysis of some polar compounds 783(2003)113

Estimation of octanol–water partition coefficients for neutral and weakly acidic compounds by microemulsion electrokinetic chromatography using dynamically coated capillary columns 793(2003)265

Microsomes

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography–mass spectrometry (HPLC–MS) 794(2003)363

Micro-thermal field-flow fractionation

Micro-thermal focusing field-flow fractionation 800(2004)33

Microwave-assisted solvent extraction

Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181

Middle molecules

Search for peptidic “middle molecules” in uremic sera: isolation and chemical identification of fibrinogen fragments 796(2003)141

Miniature instrumentation

Miniaturized mass-selective detector with atmospheric pressure chemical ionization 800(2004)63

Mobile phase composition

Optimum separation condition of peptides in reversed-phase liquid chromatography 800(2004)115

Molecular docking

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Molecularly imprinted polymers

Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxymethyl)butanol trimethacrylate 788(2003)233

Monolithic columns

Monolithic capillary columns for liquid chromatography–electrospray ionization mass spectrometry in proteomic and genomic research (Review) 782(2002)111

Fast analysis using monolithic columns coupled with high-flow on-line extraction and electrospray mass spectrometric detection for the direct and simultaneous quantitation of multiple components in plasma 788(2003)331

Method development in high-performance liquid chromatography for high-throughput profiling and metabonomic studies of biofluid samples 789(2003)283

Application of semi-industrial monolithic columns for downstream processing of clotting factor IX 790(2003)175

Monolithic rods

High-performance affinity chromatography for characterization of human immunoglobulin G digestion with papain 776(2002)139

Monolithic silica columns

Monolithic silica liquid chromatography columns for the determination of cyclooxygenase II inhibitors in human plasma 779(2002)249

Monolithic silica rod

Monolithic silica rod liquid chromatography with ultraviolet or fluorescence detection for metabolite analysis of cytochrome P450 marker reactions 780(2002)205

Monoliths

Characterization of CIM monoliths as enzyme reactors 795(2003)105

Multi-channel coulometric electrochemical detection

Measurement of bisphenol A in human urine using liquid chromatography with multi-channel coulometric electrochemical detection 780(2002)365

Multiple acyl-coenzyme A dehydrogenation defect

Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of acylcarnitines in a patient with multiple acyl-coenzyme A dehydrogenation defect 792(2003)73

Multiple-component analysis

Fast analysis using monolithic columns coupled with high-flow on-line extraction and electrospray mass spectrometric detection for the direct and

simultaneous quantitation of multiple components in plasma 788(2003)331

Multiple-reaction monitoring

Simultaneous screening for 238 drugs in blood by liquid chromatography–ionspray tandem mass spectrometry with multiple-reaction monitoring 795(2003)41

Multiplexed capillary electrophoresis

Application of multiplexed capillary electrophoresis with laser-induced fluorescence (MCE–LIF) detection for the rapid measurement of endogenous extracellular signal-regulated protein kinase (ERK) levels in cell extracts 789(2003)323

Multiplexed Proteomics

Mapping glycosylation changes related to cancer using the Multiplexed Proteomics technology: a protein differential display approach 793(2003)127

Multiplexing

Pyrosequencing for microbial typing (Review) 782(2002)67

Multi-wall carbon nanotube

Liquid chromatography with amperometric detection using functionalized multi-wall carbon nanotube modified electrode for the determination of monoamine neurotransmitters and their metabolites 791(2003)217

Mussel

Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders 784(2003)243

Mutation analysis

Polymerase chain reaction fidelity and denaturing high-performance liquid chromatography (Review) 782(2002)105

Mycobacterium smegmatis

High-level expression of the mycobacterial porin MspA in *Escherichia coli* and purification of the recombinant protein 790(2003)337

Myofibrils

Expression and purification of human cardiac troponin subunits and their functional incorporation into isolated cardiac mouse myofibrils 786(2003)287

N

Needle concentrator

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

Neonatal screening

Diagnosis and monitoring of inborn errors of metabolism using urease-pretreatment of urine, isotope dilution, and gas chromatography–mass spectrometry (Review) 781(2002)497

Neurophysiologic detector

Neurophysiologic detector—a selective and sensitive tool in high-performance liquid chromatography 800(2004)41

Neutrophils

Quantitative determination of free intracellular α -keto acids in neutrophils 789(2003)383

Newborn mass screening

Newborn mass screening and selective screening using electrospray tandem mass spectrometry in Japan 776(2002)39

Newborn screening

Newborn screening of homocystinuria: quantitative analysis of total homocyst(e)ine on dried blood spot by liquid chromatography with fluorimetric detection 785(2003)219

Nitration

Simultaneous determination of 3-nitrotyrosine and tyrosine in plasma proteins of rats and assessment of artifactual tyrosine nitration 779(2002)189

Non-covalent protein labeling

Symmetric and asymmetric squarylium dyes as noncovalent protein labels: a study by fluorimetry and capillary electrophoresis 793(2003)93

Non-invasive biomarkers

Simultaneous determination of tyrosine, phenylalanine and deoxyguanosine oxidation products by liquid chromatography–tandem mass spectrometry as non-invasive biomarkers for oxidative damage 799(2004)245

Nuclear envelope fraction

Simultaneous quantitative determination method for ceramide species from crude cellular extracts by high-performance liquid chromatography–thermospray mass spectrometry 783(2003)181

Optimization

Electrophoresis using ultra-high voltages 779(2002)163

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333

Investigation of chromatographic conditions for the separation of cefuroxime axetil and its geometric isomer 800(2004)175

Optimization of a matrix solid-phase dispersion method for the determination analysis of carbendazim residue in plant material 800(2004)309

Oral bioavailability

Determination of rat oral bioavailability of soy-derived phytoestrogens using an automated on-column extraction procedure and electrospray tandem mass spectrometry 796(2003)71

Organic acidurias

Evaluation of filter paper collection of urine samples for detection and measurement of organic acidurias by capillary electrophoresis 780(2002)73

Ovalbumin

Kinetics and apparent activation energy of the reaction of the fluorogenic reagent 5-furoylquinoline-3-carboxaldehyde with ovalbumin 793(2003)107

Oxcarbazepine

Liquid chromatographic determination of oxcarbazepine and its metabolites in plasma of epileptic patients after solid-phase extraction 783(2003)253

Ozonized sunflower oil

Gas chromatography–mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517

O

Ochrobactrum anthropi

Liquid chromatography–electrospray mass spectrometry study of cysteine-10 *S*-glutathiolation in recombinant glutathione *S*-transferase of *Ochrobactrum anthropi* 787(2003)405

Octanol–water partition coefficient

Separation methods for estimating octanol–water partition coefficients 797(2003)3

Oil seeds

Concept of sequential analysis of free and conjugated phytosterols in different plant matrices 777(2002)67

On-line solid-phase extraction

Determination of three phthalate metabolites in human urine using on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry 788(2003)407

P

pI values, atypical

Mitochondrial creatine kinase with atypical pI values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191

Paroxetine

High-performance liquid chromatography–mass spectrometry method for the determination of paroxetine in human plasma 780(2002)295

Partition coefficients

Mutation of surface-exposed histidine residues of recombinant human granulocyte-colony stimulating factor (Cys17Ser) impacts on interaction with chelated metal ions and refolding in aqueous two-phase systems 786(2003)17

Estimation of octanol–water partition coefficients for neutral and weakly acidic compounds by microemulsion electrokinetic chromatography using dynamically coated capillary columns 793(2003)265

Partitioning

Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53

Isolation of alpha-1-antitrypsin from human plasma by partitioning in aqueous biphasic systems of polyethyleneglycol–phosphate 780(2002)389

Different functional states of ram spermatozoa analysed by partition in an aqueous two-phase system 795(2003)83

Relationship between the protein surface hydrophobicity and its partitioning behaviour in aqueous two-phase systems of polyethyleneglycol–dextran 799(2004)293

Pathophysiological conditions

Analysis of polyamines as markers of (patho)physiological conditions (Review) 781(2002)107

Peptide mapping

Multiplexed on-column protein digestion and capillary electrophoresis for high-throughput comprehensive peptide mapping 782(2002)331

High-resolution peptide mapping of cerebrospinal fluid: a novel concept for diagnosis and research in central nervous system diseases 782(2002)353

Structural characterization of monomeric folding intermediates of recombinant human macrophage-colony stimulating factor β (rhM-CSF β) by chemical trapping, chromatographic separation and mass spectrometric peptide mapping 782(2002)393

Analysis of core histones by liquid chromatography–mass spectrometry and peptide mapping 783(2003)173

Peptide mapping by capillary electrophoresis with Pluronic F127 800(2004)155

Peptide mass fingerprinting

Advanced analytical methods for hemoglobin variants (Review) 781(2002)291

Peptide mass mapping

Artifacts and unassigned masses encountered in peptide mass mapping 782(2002)363

Peptidome

Determination of endogenous peptides in the porcine brain: possible construction of Peptidome, a fact database for endogenous peptides 792(2003)33

Peripheral blood mononuclear cells

Liquid chromatography–tandem mass spectrometric quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human peripheral blood mononuclear cells (PBMC): practical approaches to PBMC preparation and PBMC assay design for high-throughput analysis 795(2003)273

Permeability test

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

Peroxyoxalate chemiluminescence

Comparative study of different fluorescent dyes for the detection of proteins on membranes using the peroxyoxalate chemiluminescent reaction 793(2003)75

pH gradients

Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355

Separation of manganese peroxidase isoenzymes on strong anion-exchange monolithic column using pH–salt gradient 799(2004)343

Phage display

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Pharmaceutical profiling

Pharmaceutical profiling method for lipophilicity and integrity using liquid chromatography–mass spectrometry 791(2003)381

Pharmacodynamics

Role of biological matrices during the analysis of chiral drugs by liquid chromatography 797(2003)91

Pharmacokinetics

Determination using liquid-chromatography–electrospray tandem mass spectroscopy of ethinylestradiol serum pharmacokinetics in adult Sprague–Dawley rats 793(2003)309

Chiral liquid chromatography resolution and stereoselective pharmacokinetic study of the enantiomers of a novel anticonvulsant, *N*-(4-chlorophenyl)-1-(4-pyridyl)ethylamine, in rats 796(2003)35

Enantioselective liquid chromatographic–electrospray mass spectrometric assay of β -adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma 796(2003)45

Improved high-performance liquid chromatographic method for the pharmacokinetic studies of a novel iron chelator, CP502, in rats 796(2003)105

Liquid-chromatographic determination of erlotinib (OSI-774), an epidermal growth factor receptor tyrosine kinase inhibitor 796(2003)181

Pharmacokinetic study of ellagic acid in rat after oral administration of pomegranate leaf extract 796(2003)189

Liquid chromatography determination of 10-hydroxycamptothecin in human serum by a column-switching system containing a pre-column with restricted access media and its application to a clinical pharmacokinetic study 796(2003)195

Novel inhibition of *cis/trans* retinoic acid interconversion in biological fluids—an accurate method for determination of *trans* and 13-*cis* retinoic acid in biological fluids 796(2003)283

Quantitative analysis of dipeptidyl peptidase inhibitor P32/98 and its main metabolite in rat, dog, mouse, monkey, human plasma and human urine using liquid chromatography–tandem mass spectrometry: application to pharmacokinetic evaluation 796(2003)401

Enantioselective determination of lercanidipine in human plasma for pharmacokinetic studies by normal-phase liquid chromatography–tandem mass spectrometry 796(2003)429

Role of biological matrices during the analysis of chiral drugs by liquid chromatography 797(2003)91

Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283

Determination of disodium clodronate in human plasma and urine using gas-chromatography–nitrogen-phosphorous detections: validation and application in pharmacokinetic study 799(2004)133

Improved liquid chromatographic method for mitoxantrone quantification in mouse plasma and tissues to study the pharmacokinetics of a liposome entrapped mitoxantrone formulation 799(2004)149

Liquid chromatography method for determination of mefenamic acid in human serum 800(2004)189

Phenotype analysis

Determination of dextromethorphan and its metabolite dextrorphan in human urine by capillary gas chromatography without derivatization 784(2003)219

Phenotyping

Phenotype of CYP2C19 and CYP3A4 by determination of omeprazole and its two main metabolites in plasma using liquid chromatography with liquid–liquid extraction 780(2002)459

Photobleached samples

Simple liquid-chromatographic method for Nile Red quantification in cell culture in spite of photobleaching 787(2003)415

Photostability

Selective reversed-phase liquid chromatography method for the kinetic investigation of 3-hydroxyflavone photostability 800(2004)245

pH-peak focusing

Purification of lactic acid dehydrogenase from crude bovine heart extract by pH-peak focusing counter-current chromatography 776(2002)183

Pichia pastoris

Large scale protein production of the extracellular domain of the transforming growth factor- β type II receptor using the *Pichia pastoris* expression system 786(2003)271

Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327

Plasma protein binding

Semi-automatic high-throughput determination of plasma protein binding using a 96-well plate filtrate assembly and fast liquid chromatography–tandem mass spectrometry 795(2003)187

Plasma quantitation

Determination of rat oral bioavailability of soy-derived phytoestrogens using an automated on-column extraction procedure and electrospray tandem mass spectrometry 796(2003)71

Plasmid

Enhanced purification of plasmid DNA using Q-Sepharose by modulation of alcohol concentrations 791(2003)263

Plasmodium falciparum

Expression and purification of *Plasmodium falciparum* MSP-1₄₂: A malaria vaccine candidate 786(2003)61

Plastic separation channels

Plastic substrates based separation channels in electromigration techniques 800(2004)83

Plasticizers

On-line clean-up by multidimensional liquid chromatography–electrospray ionization tandem mass spectrometry for high throughput quantification of

primary and secondary phthalate metabolites in human urine 784(2003)169

Plate theory

Optimum separation condition of peptides in reversed-phase liquid chromatography 800(2004)115

Poisoning

Rapid high-performance liquid chromatographic measurement of amisulpride in human plasma: application to manage acute intoxication 789(2003)101

Polymer particles

Chromatographic removal of endotoxin from protein solutions by polymer particles (Review) 781(2002)419

Polymerase chain reaction

Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501

Polymerase chain reaction fidelity

Polymerase chain reaction fidelity and denaturing high-performance liquid chromatography (Review) 782(2002)105

Polymerase chain reaction inhibition

Magnetic hydrophilic methacrylate-based polymer microspheres designed for polymerase chain reactions applications 800(2004)27

Pore diffusion

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Porphyridium cruentum

Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Portable instrumentation

Field gas chromatography–mass spectrometry for fast analysis 800(2004)55

Post-translational modification

Advanced analytical methods for hemoglobin variants (Review) 781(2002)291

Prenatal diagnosis

Rapid and sensitive method for prenatal diagnosis of propionic acidemia using stable isotope dilution gas chromatography–mass spectrometry and urease pretreatment 776(2002)71

Preparative chromatography

Continuous annular chromatography (Review) 790(2003)1

Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17

Role of mass spectrometry in the purification of peptides and proteins 790(2003)91

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Application of semi-industrial monolithic columns for downstream processing of clotting factor IX 790(2003)175

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Preparative procedures and purity assessment of collagen proteins (Review) 790(2003)245

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Primary hyperoxaluria type I

Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89

Principal component analysis

Artificial neural network classification based on high-performance liquid chromatography of urinary and serum nucleosides for the clinical diagnosis of cancer 780(2002)27

Process residuals

Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205

Prolidase deficiency

Optimization of a capillary electrophoretic method to detect and quantify the Gly-Pro dipeptide in complex matrices from long term cultured prolidase deficiency fibroblasts 795(2003)133

Propionic acidemia

Rapid and sensitive method for prenatal diagnosis of propionic acidemia using stable isotope dilution gas chromatography–mass spectrometry and urease pretreatment 776(2002)71

Prostate

Estrogen receptor expression in the prostate of rats treated with dietary genistein 777(2002)249

Prostate cancer prevention

Isoflavonoids inhibit catabolism of vitamin D in prostate cancer cells 777(2002)261

Protein binding

Validation of a simple liquid chromatography assay for creatine suitable for pharmacokinetic applications, determination of plasma protein binding and verification of percent labeled claim of various creatine products 794(2003)157

Protein biochip arrays

Surface-enhanced laser desorption–ionization retentate chromatographyTM mass spectrometry (SELDI–RC–MS): a new method for rapid development of process chromatography conditions 782(2002)307

Protein databases

Analysis of the *Candida albicans* proteome. II. Protein information technology on the Net (update 2002) (Review) 787(2003)129

Protein digestion

Multiplexed on-column protein digestion and capillary electrophoresis for high-throughput comprehensive peptide mapping 782(2002)331

Protein expression

Production of a soluble $\gamma\delta$ T-cell receptor to identify ligands for the murine intestinal intraepithelial $\gamma\delta$ T cell population 786(2003)297

Protein partitioning

Study of the serum albumin–polyethyleneglycol interaction to predict the protein partitioning in aqueous two-phase systems 798(2003)25

Protein phosphorylation

Analysis of state-specific phosphorylation of proteins by two-dimensional gel electrophoresis approach (Review) 787(2003)53

Protein precipitation

Validation and application of a liquid chromatography–tandem mass spectrometric method for the determination of SCH 211803 in rat and monkey plasma using automated 96-well protein precipitation 799(2004)271

Protein production

Large scale protein production of the extracellular domain of the transforming growth factor- β type II receptor using the *Pichia pastoris* expression system 786(2003)271

Protein purification

Surface-enhanced laser desorption–ionization retentate chromatographyTM mass spectrometry (SELDI–RC–MS): a new method for rapid development of process chromatography conditions 782(2002)307

High-level expression and rapid purification of rare-codon genes from hyperthermophilic archaea by the GST gene fusion system 786(2003)177

Protein surface hydrophobicity

Relationship between the protein surface hydrophobicity and its partitioning behaviour in aqueous two-phase systems of polyethyleneglycol–dextran 799(2004)293

Protein variants

Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis (Review) 776(2002)15

Proteins

Semi-automatic high-throughput determination of plasma protein binding using a 96-well plate filtrate assembly and fast liquid chromatography–tandem mass spectrometry 795(2003)187

Proteome databases

Towards proteome database of *Francisella tularensis* (Review) 787(2003)149

Proteome analysis of Epstein–Barr virus-transformed B-lymphoblasts and the proteome database (Review) 787(2003)197

Proteomes

Development of a two-dimensional protein–peptide separation protocol for comprehensive proteome measurements (Review) 787(2003)43

Proteomics

Monolithic capillary columns for liquid chromatography–electrospray ionization mass spectrometry in proteomic and genomic research (Review) 782(2002)111

Single-molecule reader for proteomics and genomics (Review) 782(2002)127

Combining proteomic and genetic studies in plants (Review) 782(2002)137

The functional proteomics toolbox: methods and applications 782(2002)165

Two-dimensional liquid separations–mass mapping of proteins from human cancer cell lysates (Review) 782(2002)183

Proteomic analysis of the rat liver (Review) 782(2002)197

Proteomic study of non-typable *Haemophilus influenzae* 782(2002)219

Global analysis of a “simple” proteome: *Methanococcus jannaschii* 782(2002)227

Enhanced analysis of human breast cancer proteomes using micro-scale solution isoelectrofocusing combined with high resolution 1-D and 2-D gels 782(2002)253

Multidimensional chromatography coupled to electrospray ionization time-of-flight mass spectrometry as an alternative to two-dimensional gels for the identification and analysis of complex mixtures of intact proteins 782(2002)267

Inverse labeling–mass spectrometry for the rapid identification of differentially expressed protein markers/targets 782(2002)291

Low-mass proteome analysis based on liquid chromatography fractionation, nanoliter protein concentration/digestion, and microspot matrix-assisted laser desorption ionization mass spectrometry 782(2002)317

Development of high-throughput liquid chromatography injected ion mobility quadrupole time-of-flight techniques for analysis of complex peptide mixtures 782(2002)343

Artifacts and unassigned masses encountered in peptide mass mapping 782(2002)363

Use of a lectin affinity selector in the search for unusual glycosylation in proteomics 782(2002)405

Multi-dimensional liquid phase based separations in proteomics 787(2003)11

Analysis of complex protein–polypeptide systems for proteomic studies 787(2003)29

Proteomic database of wool components 787(2003)63

Proteomics: general strategies and application to nutritionally relevant proteins 787(2003)77

Protein database of *Caenorhabditis elegans* (Review) 787(2003)91

Analysis of the *Candida albicans* proteome. I. Strategies and applications (Review) 787(2003)101

Analysis of the *Candida albicans* proteome. II. Protein information technology on the Net (update 2002) (Review) 787(2003)129

Proteomics of *Staphylococcus aureus*—current state and future challenges (Review) 787(2003)179

Proteomic approach to apoptotic thymus maturation 787(2003)223

Protein and antibody microarray technology 797(2003)229

Proteomics, cancer

Protein expression profiling in human lung, breast, bladder, renal, colorectal and ovarian cancers (Review) 787(2003)207

Pseudo-stationary phases

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Psoriatic patient dermis

Validation of a microdialysis–gas chromatographic–mass spectrometric method to assess 8-methoxypsoralen in psoriatic patient dermis 780(2002)119

Pulsed amperometric detection

Method for monitoring alginate released in biological fluids by high-performance anion-exchange chromatography with pulsed amperometric detection 784(2003)265

Purification

Supercoiled plasmid DNA: selective purification by thiophilic/aromatic adsorption 784(2003)291

Purification of the proline-rich homeodomain protein 786(2003)3

Two-step purification of the outer membrane transporter and activator protein ShlB from *Escherichia coli* using internally His₆-tagged constructs 786(2003)33

Purification of recombinantly expressed human cluster determinant 4 cytoplasmic domain 786(2003)39

Purification of recombinant BtpA and Ycf3, proteins involved in membrane protein biogenesis in *Synechocystis* PCC 6803 786(2003)45

Expression and purification of *Plasmodium falciparum* MSP-1₄₂: A malaria vaccine candidate 786(2003)61

Cloning, purification and biochemical characterization of dipetarudin, a new chimeric thrombin inhibitor 786(2003)73

Recombinant expression and purification of Ssa1p (Hsp70) from *Saccharomyces cerevisiae* using *Pichia pastoris* 786(2003)109

Cloning, expression and purification of three Chaperonin 60 homologues 786(2003)117

Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in *Escherichia coli* 786(2003)153

Optimizing expression and purification from cell culture medium of trispecific recombinant antibody derivatives 786(2003)161

Optimisation of expression and purification of the recombinant Yol066 (Rib2) protein from *Saccharomyces cerevisiae* 786(2003)187

Overexpression and purification of the three components of the *Enterobacter aerogenes* AcrA–AcrB–TolC multidrug efflux pump 786(2003)197

Heterologous expression and purification of native and mutated low molecular mass glutenin subunits from durum wheat 786(2003)215

Cloning and expression of fatty acids biosynthesis key enzymes from sunflower (*Helianthus annuus* L.) in *Escherichia coli* 786(2003)221

Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229

A novel strategy for the purification of recombinantly expressed unstructured protein domains 786(2003)247

Expression and purification of human cardiac troponin subunits and their functional incorporation into isolated cardiac mouse myofibrils 786(2003)287

GST-Fbe can recognize β -chains of fibrin(ogen) on explanted materials 786(2003)319

Production, purification and characterisation of genetically derived scFv and bifunctional antibody fragments capable of detecting illicit drug residues 786(2003)327

Simple immunoaffinity method to purify recombinant hepatitis B surface antigen secreted by transfected mammalian cells 787(2003)303

Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113

Egg yolk phosvitin: preparation of metal-free purified protein by fast protein liquid chromatography using aqueous solvents 791(2003)273

Purification of single-strand DNA binding protein from an *Escherichia coli* lysate using counter-current chromatography, partition and precipitation 793(2003)275

Novel purification system for 6xHis-tagged proteins by magnetic affinity separation 793(2003)325

Purification and characterization of a small (7.3 kDa) putative lipid transfer protein from maize seeds 794(2003)109

Novel metal-chelate affinity adsorbent for purification of immunoglobulin-G from human plasma 795(2003)93

Exploiting immobilized metal affinity membranes for the isolation or purification of therapeutically relevant species 797(2003)305

New purification method for glucocorticoid receptors 797(2003)367

One-step, non-denaturing purification method of carp (*Cyprinus carpio*) vitellogenin 799(2004)87

Purification of alcohol dehydrogenase from bovine liver crude extract by dye–ligand affinity counter-current chromatography 799(2004)239

Heterologous overexpression and purification of four common subunits of nuclear RNA polymerases I, II and III of *Schizosaccharomyces pombe* 800(2004)121

Pyrosequencing

Sequence variation and the biological function of genes: methodological and biological considerations (Review) 782(2002)3

Pyrosequencing for microbial typing (Review) 782(2002)67

Q

Quadrupole time-of-flight mass spectrometry

Development of high-throughput liquid chromatography injected ion mobility quadrupole time-of-flight techniques for analysis of complex peptide mixtures 782(2002)343

Quality assurance

Finnish quality assurance programme for biological monitoring of organic solvents 778(2002)419

Quality control

Quality assurance of biological monitoring in occupational and environmental medicine (Review) 778(2002)403

R

Radial flow

Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17

Radix Angelica Sinensis

Screening and analysis of permeable compounds in *Radix Angelica Sinensis* with immobilized liposome chromatography 779(2002)331

Real-time analysis

Field gas chromatography–mass spectrometry for fast analysis 800(2004)55

Recombinant expression

A novel strategy for the purification of recombinantly expressed unstructured protein domains 786(2003)247

Red clover

Quantification of isoflavones in red clover by high-performance liquid chromatography 777(2002)123

Refolding

On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from *Trypanosoma brucei* overexpressed in *Escherichia coli* 786(2003)305

Renal stones

Urinary analysis of nephrolithiasis markers (Review) 781(2002)433

Residue analysis

Determination of residues of malachite green in aquatic animals 788(2003)351

Respiratory exposure

Evaluation of respiratory and cutaneous doses of chlorothalonil during entry in greenhouses 778(2002)131

Restricted access material

Feasibility of an on-line restricted access material/liquid chromatography/tandem mass spectrometry method in the rapid and sensitive determination of organophosphorus triesters in human blood plasma 795(2003)245

Restricted access media

Liquid chromatography determination of 10-hydroxycamptothecin in human serum by a column-switching system containing a pre-column with restricted access media and its application to a clinical pharmacokinetic study 796(2003)195

Retention parameters

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Retention time locking

Precise gas chromatography with retention time locking in comprehensive toxicological screening for drugs in blood 788(2003)243

Retentivity

Evaluation of liquid chromatography column retentivity using macromolecular probes. IV. Poly(ethylene glycol) bonded phase 800(2004)69

Review

Application of gas chromatography–surface ionization organic mass spectrometry to forensic toxicology (Review) 776(2002)3

Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis (Review) 776(2002)15

Review of the methods used in the determination of phytoestrogens (Review) 777(2002)3

Enterolignans (Review) 777(2002)29

Identification and quantification of polyphenol phytoestrogens in foods and human biological fluids (Review) 777(2002)93

Deuterated phytoestrogen flavonoids and isoflavonoids for quantitation (Review) 777(2002)111

Overview of in vitro tools to assess the estrogenic and antiestrogenic activity of phytoestrogens (Review) 777(2002)155

In vivo test systems for the quantitative and qualitative analysis of the biological activity of phytoestrogens (Review) 777(2002)191

Bioavailability of isoflavones (Review) 777(2002)203

Oxidative metabolism and genotoxic potential of major isoflavone phytoestrogens (Review) 777(2002)211

Flavonoids and steroid hormone-dependent cancers (Review) 777(2002)219

Phytoestrogens as modulators of steroid action in target cells (Review) 777(2002)233

Inactivation of thyroid peroxidase by soy isoflavones, in vitro and in vivo (Review) 777(2002)269

Mammalian phytoestrogens: enterodiol and enterolactone (Review) 777(2002)289

Analytical methods for biological monitoring of exposure to pesticides: a review 778(2002)5

Biomonitoring of exposure to aromatic amines: haemoglobin adducts in humans (Review) 778(2002)49

Elements in environmental and occupational medicine (Review) 778(2002)63

Protein adducts: quantitative and qualitative aspects of their formation, analysis and applications (Review) 778(2002)279

Quality assurance of biological monitoring in occupational and environmental medicine (Review) 778(2002)403

Separation methods for sialic acids and critical evaluation of their biologic relevance (Review) 781(2002)3

Advances in analysis of glycosaminoglycans: its application for the assessment of physiological and pathological states of connective tissues (Review) 781(2002)21

Metabolic acidosis: separation methods and biological relevance of organic acids and lactic acid enantiomers (Review) 781(2002)39

Diagnostic value of urinary orotic acid levels: applicable separation methods (Review) 781(2002)57

D-Amino acids in mammals and their diagnostic value (Review) 781(2002)73

Separation methods applicable to urinary creatine and creatinine (Review) 781(2002)93

Analysis of polyamines as markers of (patho)physiological conditions (Review) 781(2002)107

Amino acid neurotransmitters: separation approaches and diagnostic value (Review) 781(2002)151

Assay and biological relevance of endogenous histamine and its metabolites: application of microseparation techniques (Review) 781(2002)165

Analytical methods to investigate glutathione and related compounds in biological and pathological processes (Review) 781(2002)181

Methods for homocysteine analysis and biological relevance of the results (Review) 781(2002)207

Assay methods and biological roles of labile sulfur in animal tissues (Review) 781(2002)227

Separation methods for taurine analysis in biological samples (Review) 781(2002)251

Mercapturic acids in the biological monitoring of occupational exposure to chemicals (Review) 781(2002)269

Advanced analytical methods for hemoglobin variants (Review) 781(2002)291

Study of metallothionein using capillary zone electrophoresis (Review) 781(2002)303

Assay methods of modified lipoproteins in plasma (Review) 781(2002)313

Detection of oxidized high-density lipoprotein (Review) 781(2002)331

- Acid phosphatases as markers of bone metabolism (Review) 781(2002)345
- Separation methods for catechol *O*-methyltransferase activity assay: physiological and pathophysiological relevance (Review) 781(2002)359
- 5-Methylcytosine as a marker for the monitoring of DNA methylation (Review) 781(2002)373
- Carotenoids: separation methods applicable to biological samples (Review) 781(2002)393
- Chromatographic removal of endotoxin from protein solutions by polymer particles (Review) 781(2002)419
- Urinary analysis of nephrolithiasis markers (Review) 781(2002)433
- Chromatographic methods for the determination of markers of chronic and acute alcohol consumption (Review) 781(2002)457
- Hydroxyl radical in living systems and its separation methods (Review) 781(2002)481
- Diagnosis and monitoring of inborn errors of metabolism using urease-pretreatment of urine, isotope dilution, and gas chromatography–mass spectrometry (Review) 781(2002)497
- Sequence variation and the biological function of genes: methodological and biological considerations (Review) 782(2002)3
- A decade of high-resolution liquid chromatography of nucleic acids on styrene–divinylbenzene copolymers (Review) 782(2002)27
- Mass spectrometry and tandem mass spectrometry, alone or after liquid chromatography, for analysis of polymerase chain reaction products in the detection of genomic variation (Review) 782(2002)57
- Pyrosequencing for microbial typing (Review) 782(2002)67
- Genotyping single-nucleotide polymorphisms by matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry (Review) 782(2002)73
- Single-molecule reader for proteomics and genomics (Review) 782(2002)127
- Combining proteomic and genetic studies in plants (Review) 782(2002)137
- Gene function on a genomic scale 782(2002)151
- The functional proteomics toolbox: methods and applications 782(2002)165
- Two-dimensional liquid separations–mass mapping of proteins from human cancer cell lysates (Review) 782(2002)183
- Functional and structural proteomics: a critical appraisal (Review) 787(2003)1
- Multi-dimensional liquid phase based separations in proteomics 787(2003)11
- Protein micro- and macroarrays: digitizing the proteome (Review) 787(2003)19
- Proteomic database of wool components 787(2003)63
- Proteomics: general strategies and application to nutritionally relevant proteins 787(2003)77
- Protein database of *Caenorhabditis elegans* (Review) 787(2003)91
- Analysis of the *Candida albicans* proteome. I. Strategies and applications (Review) 787(2003)101
- Analysis of the *Candida albicans* proteome. II. Protein information technology on the Net (update 2002) (Review) 787(2003)129
- Towards proteome database of *Francisella tularensis* (Review) 787(2003)149
- Proteomics of *Staphylococcus aureus*—current state and future challenges (Review) 787(2003)179
- Proteome analysis of Epstein–Barr virus-transformed B-lymphoblasts and the proteome database (Review) 787(2003)197
- Protein expression profiling in human lung, breast, bladder, renal, colorectal and ovarian cancers (Review) 787(2003)207
- Biological and environmental monitoring of hospital personnel exposed to antineoplastic agents: a review of analytical methods (Review) 789(2003)169
- Continuous annular chromatography (Review) 790(2003)1
- Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17
- Isolation of antigens and antibodies by affinity chromatography (Review) 790(2003)53
- Design and selection of ligands for affinity chromatography (Review) 790(2003)67
- Protein purification by affinity precipitation (Review) 790(2003)79
- Protein binding to polymer brush, based on ion-exchange, hydrophobic, and affinity interactions (Review) 790(2003)131
- Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183
- Fractionation and purification of the enzymes stored in the latex of *Carica papaya* (Review) 790(2003)229
- Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285
- Preparative procedures and purity assessment of collagen proteins (Review) 790(2003)245
- Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355
- Derivatization of phospholipids (Review) 793(2003)3
- Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis (Review) 793(2003)15
- Laser-induced fluorescence technique for DNA and proteins separated by capillary electrophoresis 793(2003)37

Derivatization of biomolecules for chemiluminescent detection in capillary electrophoresis (Review) 793(2003)49

Analytical methods for the quantitative determination of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors in biological samples (Review) 793(2003)193

Bioanalytical liquid chromatography tandem mass spectrometry methods on underivatized silica columns with aqueous/organic mobile phases 796(2003)209

Separation methods for estimating octanol–water partition coefficients 797(2003)3

Biopartitioning micellar separation methods: modelling drug absorption 797(2003)21

Drug delivery systems: polymers and drugs monitored by capillary electromigration methods 797(2003)37

Macromolecule–ligand binding studied by the Hummel and Dreyer method: current state of the methodology 797(2003)51

Separation and detection methods for covalent drug–protein adducts 797(2003)63

Role of biological matrices during the analysis of chiral drugs by liquid chromatography 797(2003)91

Drug affinity to immobilized target bio-polymers by high-performance liquid chromatography and capillary electrophoresis 797(2003)111

Separation of drug enantiomers by liquid chromatography and capillary electrophoresis, using immobilized proteins as chiral selectors 797(2003)131

Assaying protein unbound drugs using microdialysis techniques 797(2003)161

Separation methods applicable to the evaluation of enzyme–inhibitor and enzyme–substrate interactions 797(2003)175

Capillary electrophoresis-based immunoassay 797(2003)217

Protein and antibody microarray technology 797(2003)229

Separation methods that are capable of revealing blood–brain barrier permeability 797(2003)241

Survey of binding properties of fatty acid-binding proteins. Chromatographic methods 797(2003)255

Methods for transcription factor separation 797(2003)269

Affinity chromatography techniques based on the immobilisation of peptides exhibiting specific binding activity 797(2003)289

Exploiting immobilized metal affinity membranes for the isolation or purification of therapeutically relevant species 797(2003)305

Separation procedures capable of revealing DNA adducts 797(2003)321

Small molecular ion adsorption on proteins and DNAs revealed by separation techniques 797(2003)331

Hyaluronic acid: separation and biological implications 797(2003)347

New purification method for glucocorticoid receptors 797(2003)367

Enantioselective interactions of dextromethorphan and levomethorphan with the $\alpha 3\beta 4$ -nicotinic acetylcholine receptor: comparison of chromatographic and functional data 797(2003)373

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

Ribosome display

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Ribosomes

Multidimensional chromatography coupled to electrospray ionization time-of-flight mass spectrometry as an alternative to two-dimensional gels for the identification and analysis of complex mixtures of intact proteins 782(2002)267

Risk assessment

Use of haemoglobin adducts in exposure monitoring and risk assessment (Review) 778(2002)309

S

Saccharomyces cerevisiae

Optimisation of expression and purification of the recombinant Yol066 (Rib2) protein from *Saccharomyces cerevisiae* 786(2003)187

Salt gradient

Separation of manganese peroxidase isoenzymes on strong anion-exchange monolithic column using pH–salt gradient 799(2004)343

Salt modifiers

Analysis of the progesterone displacement of its human serum albumin binding site by β -estradiol using biochromatographic approaches: effect of two salt modifiers 796(2003)267

Sample prefractionation

Enhanced analysis of human breast cancer proteomes using micro-scale solution isoelectrofocusing combined with high resolution 1-D and 2-D gels 782(2002)253

Sample preparation

Size-exclusion flow extraction of bisphenol A in human urine for liquid chromatography–mass spectrometry 798(2003)17

Sample pretreatment

Effect of different sample pretreatment methods on the concentrations of excitatory amino acids in cerebrospinal fluid determined by high-performance liquid chromatography 784(2003)131

Sample stacking

Determination of nicotine and its metabolites in urine by solid-phase extraction and sample stacking capillary electrophoresis-mass spectrometry 796(2003)303

Saponification

Improved simultaneous determination method of β -carotene and retinol with saponification in human serum and rat liver 791(2003)305

Schizosaccharomyces pombe

Identification and characterisation of *Schizosaccharomyces pombe* cyclophilin 3, a cyclosporin A insensitive orthologue of human USA-CyP 786(2003)81

Screening

Simultaneous screening for 238 drugs in blood by liquid chromatography–ionspray tandem mass spectrometry with multiple-reaction monitoring 795(2003)41

Development and characterization of an open tubular column containing immobilized P-glycoprotein for rapid on-line screening for P-glycoprotein substrates 799(2004)255

Seafood consumption

Arsenic species excretion after controlled seafood consumption 778(2002)263

Sedimentation field flow fractionation

Sedimentation field flow fractionation purification of immature neural cells from a human tumor neuroblastoma cell line 791(2003)149

Septic shock

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylethanolamide) and isoprostane (8-epi-prostaglandin F₂ α) by gas chromatography–mass spectrometry–selected ion monitoring for medical samples 792(2003)131

Sequential analysis

Concept of sequential analysis of free and conjugated phytosterols in different plant matrices 777(2002)67

Shielding boronate affinity chromatography

Application of shielding boronate affinity chromatography in the study of the glycation pattern of haemoglobin 776(2002)149

Shrimp

Determination of chloramphenicol residues in shrimps by liquid chromatography–mass spectrometry 791(2003)31

Silica columns

Bioanalytical liquid chromatography tandem mass spectrometry methods on underivatized silica columns with aqueous/organic mobile phases 796(2003)209

Single-molecule reader

Single-molecule reader for proteomics and genomics (Review) 782(2002)127

Single nucleotide polymorphism

Sequence variation and the biological function of genes: methodological and biological considerations (Review) 782(2002)3

Genotyping single-nucleotide polymorphisms by matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry (Review) 782(2002)73

Single nucleotide polymorphism genotyping by on-line liquid chromatography–mass spectrometry in forensic science of the Y-chromosomal locus M9 (Review) 782(2002)89

Simultaneous genotyping of multiplex single nucleotide polymorphisms of the K-ras gene with a home-made kit 795(2003)55

Single strand conformation polymorphism

Relative mRNA expression of the lactate dehydrogenase A and B subunits as determined by simultaneous amplification and single strand conformation polymorphism. Relation with subunit enzyme activity 793(2003)405

Skin recovery

Development and validation of a liquid chromatographic method for in vitro mupirocin quantification in both skin layers and percutaneous penetration studies 796(2003)233

Small molecular ion adsorption

Small molecular ion adsorption on proteins and DNAs revealed by separation techniques 797(2003)331

SNaPshot

Simultaneous genotyping of multiplex single nucleotide polymorphisms of the K-ras gene with a home-made kit 795(2003)55

Sodium effect

Triazine–human serum albumin association: thermodynamic approach and sodium effect 780(2002)467

Solid–liquid extraction

Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181

Solid-phase extraction

Suitability testing of commercial solid-phase extraction sorbents for sample clean-up in systematic toxicological analysis using liquid chromatography–(tandem) mass spectrometry 789(2003)19

Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxymethyl)butanol trimethacrylate 788(2003)233

Solid-phase microextraction

Determination of amitraz in canine plasma by solid-phase microextraction–gas chromatography with thermionic specific detection 794(2003)337

Solution isoelectrofocusing

Enhanced analysis of human breast cancer proteomes using micro-scale solution isoelectrofocusing combined with high resolution 1-D and 2-D gels 782(2002)253

Solvent generation

Determination of fifteen nucleotides in cultured human mononuclear blood and umbilical vein endothelial cells by solvent generated ion-pair chromatography 787(2003)381

Sorbents

Suitability testing of commercial solid-phase extraction sorbents for sample clean-up in systematic toxicological analysis using liquid chromatography–(tandem) mass spectrometry 789(2003)19

Bionanocompositional chitosan-silica sorbent for liquid chromatography 800(2004)49

Soy

Inactivation of thyroid peroxidase by soy isoflavones, in vitro and in vivo (Review) 777(2002)269

Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography 784(2003)137

Soy foods

Solvent extraction selection in the determination of isoflavones in soy foods 777(2002)129

Soybean

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Specific binding capacity

Affinity chromatography techniques based on the immobilisation of peptides exhibiting specific binding activity 797(2003)289

Spermatazoa

Different functional states of ram spermatozoa analysed by partition in an aqueous two-phase system 795(2003)83

Split sample measurements

Application of a C-peptide electrospray ionization-isotope dilution–liquid chromatography–tandem mass spectrometry measurement procedure for the evaluation of five C-peptide immunoassays for urine 792(2003)249

Squarylium dyes

Symmetric and asymmetric squarylium dyes as noncovalent protein labels: a study by fluorimetry and capillary electrophoresis 793(2003)93

Stable isotope dilution assay

Application of stable isotope dilution assays based on liquid chromatography–tandem mass spectrometry for the assessment of folate bioavailability 792(2003)167

Stable isotope dilution LC–MS

Stable isotope dilution high-performance liquid chromatography–electrospray ionization mass spectrometry method for endogenous 2- and 4-hydroxyestrone in human urine 780(2002)315

Stable isotopes

Multidimensional gas chromatography–mass spectrometry for tracer studies of fatty acid metabolism via stable isotopes in cultured human trophoblast cells 791(2003)235

Stacking

Optimization stacking by transient pseudo-isotachopheresis for capillary electrophoresis: example analysis of plasma glutathione 795(2003)9

Staphylococcus aureus

Proteomics of *Staphylococcus aureus*—current state and future challenges (Review) 787(2003)179

Purification of an oxidation-sensitive enzyme, pI258 arsenate reductase from *Staphylococcus aureus* 790(2003)217

Staphylococcus epidermidis

GST–Fbe can recognize β -chains of fibrin(ogen) on explanted materials 786(2003)319

Stationary phases, LC

Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography–tandem mass spectrometry 788(2003)317

Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17

Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279

Steric mass action

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Stir bar sorptive extraction

Stir bar sorptive extraction and thermal desorption–gas chromatography–mass spectrometry for the measurement of 4-nonylphenol and 4-*tert*-octylphenol in human biological samples 799(2004)119

Streptococcus pneumoniae

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Streptag

Semi automated production of a set of different recombinant GST–Streptag fusion proteins 786(2003)343

Structural proteomics

Functional and structural proteomics: a critical appraisal (Review) 787(2003)1

Structure analysis

Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis (Review) 793(2003)15

Substrates

Development and characterization of an open tubular column containing immobilized P-glycoprotein for rapid on-line screening for P-glycoprotein substrates 799(2004)255

Succinic semialdehyde dehydrogenase deficiency

Rapid and sensitive detection of urinary 4-hydroxybutyric acid and its related compounds by gas chromatography–mass spectrometry in a patient with succinic semialdehyde dehydrogenase deficiency 776(2002)57

Effect of valproic acid on the urinary metabolic profile of a patient with succinic semialdehyde dehydrogenase deficiency 792(2003)99

Supercoiled plasmid

Supercoiled plasmid DNA: selective purification by thiophilic/aromatic adsorption 784(2003)291

Supercritical fluid extraction

Determination of chromium in urine samples by complexation–supercritical fluid extraction and liquid or gas chromatography 785(2003)303

Superporous agarose

Improved lectin-mediated immobilization of human red blood cells in superporous agarose beads 784(2003)203

Surface-enhanced laser desorption

Surface-enhanced laser desorption–ionization retentate chromatographyTM mass spectrometry (SELDI–RC–MS): a new method for rapid development of process chromatography conditions 782(2002)307

Surface ionization

Application of gas chromatography–surface ionization organic mass spectrometry to forensic toxicology (Review) 776(2002)3

Surface plasmon resonance

Imaging surface plasmon resonance system for screening affinity ligands 793(2003)229

Sweeping

Determination of corticosterone in mouse plasma by a sweeping technique using micellar electrokinetic chromatography 785(2003)317

Synechocystis

Purification of recombinant BtpA and Ycf3, proteins involved in membrane protein biogenesis in *Synechocystis* PCC 6803 786(2003)45

Systematic evolution of ligand by exponential enrichment

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Systematic toxicological analysis

Systematic toxicological analysis: computer-assisted identification of poisons in biological materials 789(2003)3

Suitability testing of commercial solid-phase extraction sorbents for sample clean-up in systematic toxicological analysis using liquid chromatography–(tandem) mass spectrometry 789(2003)19

T

Taenia solium

Taenia solium cDNA sequence encoding a putative immunodiagnostic antigen for human cysticercosis 786(2003)255

 $\gamma\delta$ T cells

Production of a soluble $\gamma\delta$ T-cell receptor to identify ligands for the murine intestinal intraepithelial $\gamma\delta$ T cell population 786(2003)297

T-cells receptor

Production of a soluble $\gamma\delta$ T-cell receptor to identify ligands for the murine intestinal intraepithelial $\gamma\delta$ T cell population 786(2003)297

Temporal resolution

One-second time resolution brain microdialysis in fully awake rats. Protocol for the collection, separation and sorting of nanoliter dialysate volumes 784(2003)385

Therapeutic drug monitoring

Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35

Thermal desorption

Stir bar sorptive extraction and thermal desorption–gas chromatography–mass spectrometry for the measurement of 4-nonylphenol and 4-*tert*-octylphenol in human biological samples 799(2004)119

Thermodynamic

Triazine–human serum albumin association: thermodynamic approach and sodium effect 780(2002)467

Thermodynamic parameters

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Thermo-oxidation

Determination of thermo-oxidation products of plant sterols 777(2002)83

Thomas solution

Comparison of protein A affinity sorbents 790(2003)35

Three-phase liquid microextraction

Three-phase liquid-phase microextraction of weakly basic drugs from whole blood 798(2003)127

Thromboresistant materials

Use of the affinity chromatography principle in creating new thromboresistant materials 800(2004)263

Thyroid gland function

Thyroid gland function in ovariectomized ewes exposed to phytoestrogens 777(2002)281

Tobramycin

Trace analysis of tobramycin in human plasma by derivatization and high-performance liquid chromatography with ultraviolet 780(2002)349

Toxicological detection

Metabolism and toxicological detection of the new designer drug 4'-methoxy- α -pyrrolidinopropiophenone studied in rat urine using gas chromatography–mass spectrometry 793(2003)331

Metabolism and toxicological detection of the new designer drug 3',4'-methylenedioxy- α -pyrrolidinopropiophenone studied in urine using gas chromatography–mass spectrometry 793(2003)377

Toxicological screening

Precise gas chromatography with retention time locking in comprehensive toxicological screening for drugs in blood 788(2003)243

Trace analysis

Quantitative trace analysis of estriol in human plasma by negative ion chemical ionization gas chromatography–mass spectrometry using a deuterated internal standard 794(2003)205

Transcription factors

Methods for transcription factor separation 797(2003)269

Transient pseudo-isotachophoresis

Optimization stacking by transient pseudo-isotachophoresis for capillary electrophoresis: example analysis of plasma glutathione 795(2003)9

Trichosurus vulpecula

Application of solid-phase microextraction to the quantitative analysis of 1,8-cineole in blood and expired air in a *Eucalyptus* herbivore, the brushtail possum (*Trichosurus vulpecula*) 780(2002)397

Trophoblast cells

Multidimensional gas chromatography–mass spectrometry for tracer studies of fatty acid metabolism via stable isotopes in cultured human trophoblast cells 791(2003)235

Trypanosoma brucei

On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from *Trypanosoma brucei* overexpressed in *Escherichia coli* 786(2003)305

Tumor cells

Analysis of intracellular nucleoside triphosphate levels in normal and tumor cell lines by high-performance liquid chromatography 784(2003)101

Tumor markers

Determination of histamine in the whole blood of colon cancer patients 780(2002)331

Two-dimensional database

Proteomic analysis of the rat liver (Review) 782(2002)197

Two-dimensional electrophoresis

Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355

Two-dimensional gel electrophoresis

Global analysis of a “simple” proteome: *Methanococcus jannaschii* 782(2002)227

Enhanced analysis of human breast cancer proteomes using micro-scale solution isoelectrofocusing combined with high resolution 1-D and 2-D gels 782(2002)253

Functional and structural proteomics: a critical appraisal (Review) 787(2003)1

U

Ultra-fast quantitative bioanalysis

Ultra-fast quantitative bioanalysis of a pharmaceutical compound using liquid chromatography–tandem mass spectrometry 795(2003)337

Ultrafiltration

Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography 798(2003)35

Ultra-high voltages electrophoresis

Electrophoresis using ultra-high voltages 779(2002)163

Ultrasonification

Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181

Unclassified variants

Establishing a control population to screen for the occurrence of nineteen unclassified variants in the BRCA1 gene by denaturing high-performance liquid chromatography (Review) 782(2002)99

Urease pretreatment

Rapid and sensitive method for prenatal diagnosis of propionic acidemia using stable isotope dilution gas chromatography–mass spectrometry and urease pretreatment 776(2002)71

Diagnosis and monitoring of inborn errors of metabolism using urease-pretreatment of urine, isotope dilution, and gas chromatography–mass spectrometry (Review) 781(2002)497

Uterotrophic assay

In vivo test systems for the quantitative and qualitative analysis of the biological activity of phytoestrogens (Review) 777(2002)191

V

Validation

Development and validation of a liquid chromatographic method for Casiopeina IIgly[®] in rat plasma 791(2003)111

Development and validation of a capillary zone electrophoresis method for the determination of ephedrine and related compounds in urine without extraction 791(2003)203

Guidelines for analytical method development and validation of biotechnological synthesis of drugs. Production of a hydroxyprogesterone as model 791(2003)323

Technique validation by liquid chromatography for the determination of acyclovir in plasma 791(2003)357

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333

Validated method for the determination of six metabolites derived from artichoke leaf extract in human plasma by high-performance liquid chromatography–coulometric-array detection 793(2003)367

Determination of disodium clodronate in human plasma and urine using gas-chromatography–nitrogen-phosphorous detections: validation and application in pharmacokinetic study 799(2004)133

Selective reversed-phase liquid chromatography method for the kinetic investigation of 3-hydroxyflavone photostability 800(2004)245

Variance function estimation

Non-linear heteroscedastic regression model for determination of methotrexate in human plasma by high-performance liquid chromatography 787(2003)293

W

Washing

Hair analysis for opiates: evaluation of washing and incubation procedures 789(2003)93

Weighted least squares regression

Non-linear heteroscedastic regression model for determination of methotrexate in human plasma by high-performance liquid chromatography 787(2003)293

World Wide Web

Analysis of the *Candida albicans* proteome. II. Protein information technology on the Net (update 2002) (Review) 787(2003)129

Y

Y-chromosomal locus M9

Single nucleotide polymorphism genotyping by on-line liquid chromatography–mass spectrometry in forensic science of the Y-chromosomal locus M9 (Review) 782(2002)89

Yeast cells

Quantitation of yeast ceramides using high-performance liquid chromatography–evaporative light-scattering detection 780(2002)161

Yeast

Yeast reporter system for rapid determination of estrogenic activity 777(2002)167

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327

Z

Zellweger syndrome

Simultaneous enantioselective analysis of chiral urinary metabolites in patients with *Zellweger* syndrome 792(2003)269

Zirconia

Characterization and optimization of a chromatographic process based on ethylenediamine-*N,N,N',N'*-tetra(methylphosphonic) acid-modified zirconia particles 790(2003)143