

CUMULATIVE COMPOUND INDEX

J. CHROMATOGR. B VOLS. 776–800

For all compound groups: see also sub-groups and individual compounds**For all compound sub-groups: see also main groups and individual compounds****For all individual compounds: see also compound groups and sub-groups****A****Abacavir**

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137

Acetaldehyde

Microdialysis for the determination of acetaldehyde and ethanol concentrations in the striatum of freely moving rats 798(2003)155

Acetaminophen

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography–electrospray ionization-ion trap mass spectrometry 780(2002)371

Poly(ethyleneglycol) column for the determination of acetaminophen, phenylephrine and chlorpheniramine in pharmaceutical formulations 785(2003)237

Acetylcholine

Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193

N-Acetylneurameric acid

Determination of free *N*-acetylneurameric acid in urine by high-performance liquid chromatography using 3-[(1-[(4-(5,6-dimethoxy-1-oxoisoindolin-2-yl)-2-methoxyphenyl)sulfonyl]pyrrolidin-2-yl)carbonylaminophenylboronic acid as a fluorescent labeling reagent 788(2003)401

N-Acetyl-*S*-(*N*-methylcarbamoyl)cysteine

Measurement of urinary *N*-acetyl-*S*-(*N*-methylcarbamoyl)cysteine by high-performance liquid chromatography with direct ultraviolet detection 778(2002)231

 α_1 -Acid glycoprotein

One step purification of alpha₁-acid glycoprotein from human plasma. Fractionation of its polymorphic allele products 784(2003)33

Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283

Acid phosphatases

Acid phosphatases as markers of bone metabolism (Review) 781(2002)345

Acrolein

Inactivation of acrolein by sodium 2-mercaptopethanesulfonate using headspace-solid-phase microextraction gas chromatography and mass spectrometry 791(2003)365

Actinomycin D

Determination of anti-cancer drug actinomycin D in human plasma by liquid chromatography–mass spectrometry 795(2003)237

Acyclovir

Liquid chromatographic method for the determination of ganciclovir and/or acyclovir in human plasma using pulsed amperometric detection 780(2002)289

Technique validation by liquid chromatography for the determination of acyclovir in plasma 791(2003)357

Acylcarnitine

Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of acylcarnitines in a patient with multiple acyl-coenzyme A dehydrogenation defect 792(2003)73

Acylglycerols

Simultaneous determination of molecular species of monoacylglycerols, diacylglycerols and triacylglycerols in human very-low-density lipoproteins by reversed-phase liquid chromatography 785(2003)89

Acyl-lysophosphatidic acid

Quantitative analysis of acyl-lysophosphatidic acid in plasma using negative ionization tandem mass spectrometry 788(2003)85

Adamantanamine

Liquid chromatographic determination of 1-adamantanamine and 2-adamantanamine in human plasma after pre-column derivatization with *o*-phthalaldehyde and 1-thio- β -D-glucose 799(2004)349

Adenosine compounds

Liquid chromatography method for the analysis of adenosine compounds 784(2003)189

 β -Adrenergic blockers

Enantioselective liquid chromatographic-electrospray mass spectrometric assay of β -adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma 796(2003)45

Affinity ligands

Imaging surface plasmon resonance system for screening affinity ligands 793(2003)229

Agglutinin

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

 β -Agonists

Diagnostic evidence for the presence of β -agonists using two consecutive derivatization procedures and gas chromatography-mass spectrometric analysis 780(2002)61

Alanine:glyoxylate aminotransferase

Capillary electrophoresis assay of alanine:glyoxylate aminotransferase activity in rat liver 780(2002)13

Albendazole sulfone

Simultaneous liquid chromatography-tandem mass spectrometric determination of albendazole sulfoxide and albendazole sulfone in plasma 783(2003)237

Albendazole sulfoxide

Simultaneous liquid chromatography-tandem mass spectrometric determination of albendazole sulfoxide and albendazole sulfone in plasma 783(2003)237

Albendazole sulphoxide

Albendazole sulphoxide concentrations in plasma of endemic normals from a lymphatic filariasis endemic region using liquid chromatography 799(2004)233

Albumin

Non-linear production of benzene oxide-albumin adducts with human exposure to benzene 778(2002)367

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Study of the serum albumin-polyethyleneglycol interaction to predict the protein partitioning in aqueous two-phase systems 798(2003)25

Alcohol consumption markers

Chromatographic methods for the determination of markers of chronic and acute alcohol consumption (Review) 781(2002)457

Alcohol dehydrogenase

Purification of alcohol dehydrogenase from bovine liver crude extract by dye-ligand affinity counter-current chromatography 799(2004)239

Alcohols

Enhanced purification of plasmid DNA using Q-Sepharose by modulation of alcohol concentrations 791(2003)263

Aldehydes

Identification of *N*^ε-(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

Aldosterone synthase

Analysis of biological samples by gas chromatography-mass spectrometry without a reference standard: measurement of urinary 18-hydroxytetrahydro-11-dehydrocorticosterone excretion rate in human subjects 784(2003)367

Alfuzosin

Selective, sensitive and rapid liquid chromatography-tandem mass spectrometry method for the determination of alfuzosin in human plasma 788(2003)361

Alginate

Method for monitoring alginate released in biological fluids by high-performance anion-exchange chromatography with pulsed amperometric detection 784(2003)265

Alginate lyase

Method for monitoring alginate released in biological fluids by high-performance anion-exchange chromatography with pulsed amperometric detection 784(2003)265

Alkyl methylphosphonates

Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography-mass spectrometry after *tert*-butyldimethylsilylation 795(2003)123

Allopurinol

Development of a capillary electrophoresis method for the determination of allopurinol and its active metabolite oxypurinol 798(2003)303

Allylisopropylacetylurea

Simultaneous determination of bromvalerylurea and allylisopropylacetylurea in human blood and urine by gas chromatography-mass spectrometry 791(2003)171

Aloe Emodin

High-performance liquid chromatographic assay for the determination of Aloe Emodin in mouse plasma 796(2003)113

Aluminum

Kinetic differentiation mode chromatography using 8-quinolinol and fluorimetric detection for sensitive determination of aluminum adhering to the gastric mucosa 791(2003)13

Amino acid neurotransmitters

Amino acid neurotransmitters: separation approaches and diagnostic value (Review) 781(2002)151

Determination of amino acid neurotransmitters in cerebral cortex of rats administered with baicalin prior to cerebral ischemia by capillary electrophoresis-laser-induced fluorescence detection 788(2003)93

Amino acids

Direct extract derivatization for determination of amino acids in human urine by gas chromatography and mass spectrometry 776(2002)49

Liquid chromatographic determination of hydroxyproline in tissue samples 791(2003)427

Effect of different matrices on physiological amino acids analysis by liquid chromatography: evaluation and correction of the matrix effect 799(2004)73

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

D-Amino acids

D-Amino acids in mammals and their diagnostic value (Review) 781(2002)73

Aminobiphenyl hemoglobin adduct

Precision and sensitivity of aminobiphenyl hemoglobin adduct assays in a long-term population study 778(2002)375

γ -Aminobutyric acid

Liquid chromatographic determination of γ -aminobutyric acid in cerebrospinal fluid using 2-hydroxynaphthaldehyde as derivatizing reagent 788(2003)413

9-Aminocamptothecin

Determination of 9-nitrocamptothecin by precolumn derivatization and its metabolite 9-aminocamptothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309

Aminoethylcysteine ketimine decarboxylated dimer

Determination of aminoethylcysteine ketimine decarboxylated dimer in human plasma and cultured cells by high-performance liquid chromatography with electrochemical detection 795(2003)319

7-Aminoflunitrazepam

Automated solid-phase extraction and liquid chromatography–electrospray ionization–mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

4-Aminophenol

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography–electrospray ionization–ion trap mass spectrometry 780(2002)371

Amisulpride

Automated determination of amisulpride by liquid chromatography with column switching and spectrophotometric detection 784(2003)405

Rapid high-performance liquid chromatographic measurement of amisulpride in human plasma: application to manage acute intoxication 789(2003)101

Amitraz

Determination of amitraz in canine plasma by solid-phase microextraction–gas chromatography with thermionic specific detection 794(2003)337

Amitriptyline

Validation of non-aqueous capillary electrophoresis for simultaneous determination of four tricyclic antidepressants in pharmaceutical formulations and plasma samples 799(2004)127

cis-Amminedichloro(2-methylpyridine)platinum(II)

Determination of the platinum drug *cis*-amminedichloro- (2-methylpyridine)platinum(II) in human urine by liquid chromatography–tandem mass spectrometry 792(2003)217

Amodiaquine

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

Selective and sensitive liquid chromatographic assay of amodiaquine and desethylamodiaquine in whole blood spotted on filter paper 799(2004)173

Amphetamine

Routine analysis of amphetamine and methamphetamine in biological materials by gas chromatography–mass spectrometry and on-column derivatization 789(2003)65

Solid-phase micro-extraction–gas chromatography–mass spectrometry and headspace-gas chromatography of tetrahydrocannabinol, amphetamine, methamphetamine, cocaine and ethanol in saliva samples 789(2003)73

Development and validation of a gas chromatography–mass spectrometry assay for hair analysis of amphetamine, methamphetamine and methylenedioxymethamphetamine derivatives 798(2003)249

Amphetamine-like drugs

Simultaneous detection of amphetamine-like drugs with headspace solid-phase microextraction and gas chromatography–mass spectrometry 780(2002)183

Amphetamines

Simultaneous, quantitative determination of opiates, amphetamines, cocaine and benzoylecgonine in oral fluid by liquid chromatography–quadrupole-time-of-flight mass spectrometry 779(2002)321

Determination of amphetamines in human urine by headspace solid-phase microextraction and gas chromatography 789(2003)59

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography–mass spectrometry after immunoassay screening 792(2003)241

Ampholines

Functional and structural proteomics: a critical appraisal (Review) 787(2003)1

Amprenavir

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Anabolic steroids

Method development for corticosteroids and anabolic steroids by micellar liquid chromatography 794(2003)215

Optimization of the separation of a complex mixture of natural and synthetic anabolic steroids by micellar liquid chromatography 798(2003)69

Anandamide

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F2 α) by gas chromatography-mass spectrometry-selected ion monitoring for medical samples 792(2003)131

Androsta-1,4-diene-3,17-dione

Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androsta-1,4-diene-3,17-dione in bovine urine by liquid chromatography-tandem mass spectrometry 789(2003)219

Androstenediol 3-sulfate

Simultaneous determination of androstenediol 3-sulfate and dehydroepiandrosterone sulfate in human serum using isotope diluted liquid chromatography-electrospray ionization-mass spectrometry 796(2003)121

Androstenedione

Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective 780(2002)145

Angiogenesis-regulating factors

Catalogue of soluble proteins in human vitreous humor by one-dimensional sodium dodecyl sulfate-polyacrylamide gel electrophoresis and electrospray ionization mass spectrometry including seven angiogenesis-regulating factors 792(2003)5

Angiotensin converting enzyme

Purification of angiotensin I converting enzyme from pig lung using concanavalin-A sepharose chromatography 783(2003)247

Anhydroecgonine methyl ester

Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography-mass spectrometry 792(2003)345

Antibiotics

Multiresidue analysis of fluoroquinolone antibiotics in chicken tissue using liquid chromatography-fluorescence-multiple mass spectrometry 780(2002)83

Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

High-performance thin-layer chromatography-bioautography for multiple antibiotic residues in cow's milk 784(2003)315

Determination of three major components of bitespiramycin and their major active metabolites in rat plasma by liquid chromatography-ion trap mass spectrometry 791(2003)45

Antibodies

Isolation of antigens and antibodies by affinity chromatography (Review) 790(2003)53

Characterization and optimization of a chromatographic process based on ethylenediamine-*N,N,N',N'*-tetra(methylphosphonic) acid-modified zirconia particles 790(2003)143

Protein and antibody microarray technology 797(2003)229

Anti-cefuroxime axetil

Investigation of chromatographic conditions for the separation of cefuroxime axetil and its geometric isomer 800(2004)175

Antidepressants

Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35

Antigens

Isolation of antigens and antibodies by affinity chromatography (Review) 790(2003)53

Antimalarial drugs

Measurement of piperaquine in plasma by liquid chromatography with ultraviolet absorbance detection 791(2003)93

Antineoplastic drugs

Biological and environmental monitoring of hospital personnel exposed to antineoplastic agents: a review of analytical methods 789(2003)169

Antipsychotics, atypical

Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35

Antiretroviral compounds

Simultaneous determination of nine antiretroviral compounds in human plasma using liquid chromatography 784(2003)331

Antithrombotic agents

Development and validation of a liquid chromatography-mass spectrometric method for the determination of DPC 423, an antithrombotic agent, in rat and dog plasma 783(2003)163

α -1-antitrypsin

Isolation of alpha-1-antitrypsin from human plasma by partitioning in aqueous biphasic systems of polyethyleneglycol-phosphate 780(2002)389

AP180

A novel strategy for the purification of recombinantly expressed unstructured protein domains 786(2003)247

Apooxytetracycline

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography-tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

Arachidonic acid

Liquid chromatographic-mass spectrometric determination of cyclooxygenase metabolites of arachidonic acid in cultured cells 785(2003)135

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography-mass spectrometry (HPLC-MS) 794(2003)363

2-Arachidonylglycerol

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F2 α) by gas chromatography-mass spectrometry-selected ion monitoring for medical samples 792(2003)131

Arachidyl amido cholanoic acid

Method for the quantitative assay of fatty acid-bile acid conjugates by tandem mass spectrometry 795(2003)35

Arginine

Simultaneous detection of arginine, asymmetric dimethylarginine, symmetric dimethylarginine and citrulline in human plasma and urine applying

liquid chromatography–mass spectrometry with very straightforward sample preparation 798(2003)231

Arginine–vasopressin

Extraction of oxytocin and arginine–vasopressin from serum and plasma for radioimmunoassay and surface-enhanced laser desorption–ionization time-of-flight mass spectrometry 792(2003)375

Aromatic amines

Biomonitoring of exposure to aromatic amines: haemoglobin adducts in humans (Review) 778(2002)49

Simultaneous determination of various aromatic amines and metabolites of aromatic nitro compounds in urine for low level exposure using gas chromatography–mass spectrometry 778(2002)179

Aromatic amino acids

Simple plasma work-up for a fast chromatographic analysis of homocysteine, cysteine, methionine and aromatic amino acids 789(2003)311

Aromatic nitro compounds

Simultaneous determination of various aromatic amines and metabolites of aromatic nitro compounds in urine for low level exposure using gas chromatography–mass spectrometry 778(2002)179

Arsenate reductase

Purification of an oxidation-sensitive enzyme, pI258 arsenate reductase from *Staphylococcus aureus* 790(2003)217

Arsenic compounds

Arsenic species excretion after controlled seafood consumption 778(2002)263

α,β-Arteether

Liquid chromatographic–mass spectrometric method for the determination of α,β-arteether in rat serum 783(2003)391

L-asparaginase

Solid-phase enzyme modification via affinity chromatography 794(2003)311

Aspartate

Effect of different sample pretreatment methods on the concentrations of excitatory amino acids in cerebrospinal fluid determined by high-performance liquid chromatography 784(2003)131

Asymmetric dimethylarginine

Quantitative determination of circulating and urinary asymmetric dimethylarginine (ADMA) in humans by gas chromatography–tandem mass spectrometry as methyl ester tri(*N*-pentafluoropropionyl) derivative 798(2003)87

Atazanavir

Quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human plasma by liquid chromatography–tandem mass spectrometry following automated solid-phase extraction 788(2003)377

Liquid chromatography–tandem mass spectrometric quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human peripheral blood mononuclear cells (PBMC): practical approaches to PBMC preparation and PBMC assay design for high-throughput analysis 795(2003)273

ATPase

Recombinant expression and purification of Ssa1p (Hsp70) from *Saccharomyces cerevisiae* using *Pichia pastoris* 786(2003)109

Azelastine

Simultaneous enantioselective separation of azelastine and three of its metabolites for the investigation of the enantiomeric metabolism in rats. I. Liquid chromatography–ionspray tandem mass spectrometry and electrokinetic capillary chromatography 793(2003)389

3'-Azido-2',3'-dideoxyuridine

Simultaneous determination of 3'-azido-2',3'-dideoxyuridine and novel prodrugs in rat plasma by liquid chromatography 795(2003)371

B

Bacitracin, Zn

Determination of prednisolone and the most important associated compounds in ocular and cutaneous pharmaceutical preparations by micellar electrokinetic capillary chromatography 784(2003)39

Baclofen

Chiral separation and determination of *R*-(–)- and *S*-(+)-baclofen in human plasma by high-performance liquid chromatography 785(2003)277

Baicalin

Determination of amino acid neurotransmitters in cerebral cortex of rats administered with baicalin prior to cerebral ischemia by capillary electrophoresis–laser-induced fluorescence detection 788(2003)93

Barbiturates

Simultaneous effect of organic modifier and physicochemical parameters of barbiturates on their retention on a narrow-bore PGC column 800(2004)259

Basic drugs

Dynamic coating for fast and reproducible determination of basic drugs by capillary electrophoresis with diode-array detection and mass spectrometry 799(2004)323

Benazepril

Quantitative determination of benazepril and benazeprilat in human plasma by gas chromatography–mass spectrometry using automated 96-well disk plate solid-phase extraction for sample preparation 783(2003)199

Benazeprilat

Quantitative determination of benazepril and benazeprilat in human plasma by gas chromatography–mass spectrometry using automated 96-well disk plate solid-phase extraction for sample preparation 783(2003)199

Benzene

Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population 778(2002)199

Personal exposure to different levels of benzene and its relationships to the urinary metabolites *S*-phenylmercapturic acid and *trans,trans*-muconic acid 778(2002)211

Non-linear production of benzene oxide–albumin adducts with human exposure to benzene 778(2002)367

Rapid and sensitive static headspace gas chromatography-mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

Benzene oxide

Non-linear production of benzene oxide-albumin adducts with human exposure to benzene 778(2002)367

Benzidine

Separation and trace estimation of benzidine and its macromolecular adducts using supercritical fluid chromatography 795(2003)157

Benzidine-hemoglobin adducts

New sensitive determination method of benzidine-hemoglobin adducts by gas chromatography-electron impact mass spectrometry 783(2003)125

Benzimidazole anthelmintics

Quantitative chromatographic determination of several benzimidazole anthelmintic molecules in parasite material 798(2003)117

Benzo(a)pyrene

Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165

Direct injection micellar liquid chromatographic determination of benzodiazepines in serum 780(2002)241

Benzoylecgonine

Simultaneous, quantitative determination of opiates, amphetamines, cocaine and benzoylecgonine in oral fluid by liquid chromatography quadrupole-time-of-flight mass spectrometry 779(2002)321

Determination of cocaine, benzoylecgonine and cocaethylene in human hair by solid-phase microextraction and gas chromatography-mass spectrometry 798(2003)361

Benzoylperoxide

Analysis of erythromycin and benzoylperoxide in topical gels by liquid chromatography 794(2003)293

Betamethasone

Analysis of betamethasone in rat plasma using automated solid-phase extraction coupled with liquid chromatography-tandem mass spectrometry. Determination of plasma concentrations in rat following oral and intravenous administration 776(2002)161

Bicinchoninic acid

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Bifenthrin

Estimating occupational exposure to the pyrethroid termiticide bifenthrin by measuring metabolites in urine 778(2002)113

Bile acids

Simultaneous determination of free and conjugated bile acids in serum by cyclodextrin-modified micellar electrokinetic chromatography 785(2003)147

Direct screening of lyophilised biological fluids for bile acids using an evaporative light scattering detector 792(2003)299

Biogenic amines

Comparison of a capillary electrophoresis method with high-performance liquid chromatography for the determination of biogenic amines in various food samples 779(2002)229

Biomolecules

Derivatization of biomolecules for chemiluminescent detection in capillary electrophoresis 793(2003)49

Biopolymers

Fluorescent derivatization of polysaccharides and carbohydrate-containing biopolymers for measurement of enzyme activities in complex media 793(2003)181

Bio-polymers, immobilized

Drug affinity to immobilized target bio-polymers by high-performance liquid chromatography and capillary electrophoresis 797(2003)111

2,2-Bis(hydroxymethyl)butanoltrimethacrylate

Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxymethyl)butanol trimethacrylate 788(2003)233

Bispecific antibodies

Optimizing expression and purification from cell culture medium of trispecific recombinant antibody derivatives 786(2003)161

Bisphenol A

Measurement of bisphenol A in human urine using liquid chromatography with multi-channel coulometric electrochemical detection 780(2002)365

Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography-electrochemical detection 783(2003)367

Development and characterization of an immunoaffinity column for the selective extraction of bisphenol A from serum samples 783(2003)401

Size-exclusion flow extraction of bisphenol A in human urine for liquid chromatography-mass spectrometry 798(2003)17

Bitespiramycin

Determination of three major components of bitespiramycin and their major active metabolites in rat plasma by liquid chromatography-ion trap mass spectrometry 791(2003)45

BNP7787

Quantification of mesna and total mesna in kidney tissue by high-performance liquid chromatography with electrochemical detection 783(2003)33

Boldenone

Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androsta-1,4-diene-3,17-dione in bovine urine by liquid chromatography-tandem mass spectrometry 789(2003)219

Boron

New approach for the detection of BSH and its metabolites using capillary electrophoresis and electrospray ionization mass spectrometry 788(2003)9

BRCA1 gene

Establishing a control population to screen for the occurrence of nineteen unclassified variants in the BRCA1 gene by denaturing high-performance liquid chromatography 782(2002)99

Bromide

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Bromvalerylurea

Simultaneous determination of bromvalerylurea and allylisopropylacetylurea in human blood and urine by gas chromatography–mass spectrometry 791(2003)171

BSH

New approach for the detection of BSH and its metabolites using capillary electrophoresis and electrospray ionization mass spectrometry 788(2003)9

Bulaquine

Liquid chromatography–tandem mass spectrometric assay with a novel method of quantitation for the simultaneous determination of bulaquine and its metabolite, primaquine, in monkey plasma 793(2003)253

1,3-Butadiene

Determination of the major mercapturic acids of 1,3-butadiene in human and rat urine using liquid chromatography with tandem mass spectrometry 796(2003)131

2-Butoxyacetic acid

Synthesis, characterization, and use of 2-[$(^2\text{H}_9)$ butoxy]acetic acid and 2-(3-methylbutoxy)acetic acid as an internal standard and an instrument performance surrogate, respectively, for the gas chromatographic–mass spectrometric determination of 2-butoxyacetic acid, a human metabolite of 2-butoxyethanol 792(2003)153

***N*-Butyramide**

Simultaneous determination of *N*-butyramide-tacrine and tacrine in mouse plasma and brain homogenate by high-performance liquid chromatography with a simple gradient solvent system 791(2003)285

C**Cabergoline**

Determination of cabergoline and L-dopa in human plasma using liquid chromatography–tandem mass spectrometry 792(2003)55

Caffeine

Extractionless method for the determination of urinary caffeine metabolites using high-performance liquid chromatography coupled with tandem mass spectrometry 789(2003)227

Stability studies of selected doping agents in urine: caffeine 795(2003)167

Calcium-regulatory proteins

Expression and purification of human cardiac troponin subunits and their functional incorporation into isolated cardiac mouse myofibrils 786(2003)287

Californine

Studies on the metabolism and toxicological detection of the *Eschscholtzia californica* alkaloids californine and protopine in urine using gas chromatography–mass spectrometry 789(2003)43

Camptothecin

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

Liquid chromatographic assays for DE-310, a novel camptothecin analog, and two major enzymatic products in human matrices 799(2004)15

Capecitabine

Liquid chromatography–mass spectrometry method for the analysis of the anti-cancer agent capecitabine and its nucleoside metabolites in human plasma 783(2003)273

Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-(β -D-glucuronic acid)-5'-deoxy-5-fluorocytidine 792(2003)323

Carbapenem

Assay methodology for the quantitation of unbound ertapenem, a new carbapenem antibiotic, in human plasma 783(2003)1

Carbendazim

Optimization of a matrix solid-phase dispersion method for the determination analysis of carbendazim residue in plant material 800(2004)309

Carbohydrates

Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis (Review) 793(2003)15

Determination of 1-phenyl-3-methyl-5-pyrazolone-labeled carbohydrates by liquid chromatography and micellar electrokinetic chromatography 793(2003)159

Fluorescent derivatization of polysaccharides and carbohydrate-containing biopolymers for measurement of enzyme activities in complex media 793(2003)181

 β -Carboline

Isolation and identification of two [^3H]norharman- ($[^3\text{H}]$ β -carboline)-binding proteins from rat liver 784(2003)155

 β -Carboline alkaloids

Determination of *N,N*-dimethyltryptamine and β -carboline alkaloids in human plasma following oral administration of *Ayahuasca* 779(2002)271

Carboplatin

Determination of carboplatin in plasma and tumor by high-performance liquid chromatography–mass spectrometry 783(2003)43

Carboxamide parallel library

Evaluation of lipophilicity and antitumour activity of parallel carboxamide libraries 780(2002)355

Carboxycelecoxib

Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelecoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207

N(ε)-(Carboxymethyl)lysine

Liquid chromatography-based determination of urinary free and total *N*(epsilon)-(carboxymethyl)lysine excretion in normal and diabetic subjects 794(2003)273

Carfentanil

Extraction and quantitation of carfentanil and naltrexone in goat plasma with liquid chromatography-mass spectrometry 793(2003)351

Carnitine

Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of acylcarnitines in a patient with multiple acyl-coenzyme A dehydrogenation defect 792(2003)73

β-Carotene

Improved simultaneous determination method of β-carotene and retinol with saponification in human serum and rat liver 791(2003)305

Carotenoids

Carotenoids: separation methods applicable to biological samples (Review) 781(2002)393

Carprofen

Detection and identification of carprofen and its in vivo metabolites in greyhound urine by capillary gas chromatography-mass spectrometry 788(2003)297

Carvedilol

Liquid chromatographic determination of carvedilol in human plasma 789(2003)405

Measurement of carvedilol in plasma by high-performance liquid chromatography with electrochemical detection 798(2003)187

Casiopeina IgG

Development and validation of a liquid chromatographic method for Casiopeina IgG® in rat plasma 791(2003)111

Catechins

Simultaneous determination of hydroxycinnamates and catechins in human urine samples by column switching liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry 787(2003)369

Determination of catechins in human plasma after commercial canned green tea ingestion by high-performance liquid chromatography with electrochemical detection using a microbore column 788(2003)269

Catechol O-methyltransferase

Separation methods for catechol O-methyltransferase activity assay: physiological and pathophysiological relevance (Review) 781(2002)359

Catecholamines

Determination of catecholamines and metanephrines in urine by capillary electrophoresis-electrospray ionization-time-of-flight mass spectrometry 776(2002)221

Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography 798(2003)35

Cathepsin K inhibitor

Complementary use of ion trap/time-of-flight mass spectrometry in combination with capillary high-pressure liquid chromatography: early characterization of in vivo metabolites of the cathepsin K inhibitor NVP-AAV490 in rat 787(2003)255

cDNA

Taenia solium cDNA sequence encoding a putative immunodiagnostic antigen for human cysticercosis 786(2003)255

Cefaclor

Determination of cefaclor in human plasma by a sensitive and specific liquid chromatographic-tandem mass spectrometric method 784(2003)17

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cefadroxil

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cefotaxime

Simple liquid chromatographic method for the determination of cefotaxime in human and rat plasma 783(2003)297

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cefuroxime axetil

Investigation of chromatographic conditions for the separation of cefuroxime axetil and its geometric isomer 800(2004)175

Celecoxib

Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelecoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207

Cellobiose

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

T-cell receptor

Production of a soluble $\gamma\delta$ T-cell receptor to identify ligands for the murine intestinal intraepithelial $\gamma\delta$ T cell population 786(2003)297

Cellulose

Simple and rapid chromatographic purification of type V collagen from a pepsin digest of porcine intestinal connective tissue, an unmanageable starting material for conventional column chromatography 790(2003)277

Cephalexin

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cephalosporins

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Ceramide

Quantitation of yeast ceramides using high-performance liquid chromatography-evaporative light-scattering detection 780(2002)161

Improved procedure for the separation of major stratum corneum lipids by means of automated multiple development thin-layer chromatography 780(2002)443

Simultaneous quantitative determination method for ceramide species from crude cellular extracts by high-performance liquid chromatography–thermospray mass spectrometry 783(2003)181

Procedure for separation of GM2 ganglioside species with different ceramide structures by a flash reversed-phase silica gel liquid chromatography 796(2003)1

Ceterizine hydrochloride

Liquid chromatographic determination of ceterizine hydrochloride and paracetamol in human plasma and pharmaceutical formulations 798(2003)49

CGP 74588

Liquid chromatographic–mass spectrometric assay for quantitation of imatinib and its main metabolite (CGP 74588) in plasma 791(2003)39

Chamomilla recutita

New terpenoids in cultivated and wild chamomile (in vivo and in vitro) 800(2004)231

Chaperonin 60 proteins

Cloning, expression and purification of three Chaperonin 60 homologues 786(2003)117

Chemical warfare agents

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Chiral drugs

Role of biological matrices during the analysis of chiral drugs by liquid chromatography 797(2003)91

Chiral metabolites

Simultaneous enantioselective analysis of chiral urinary metabolites in patients with *Zellweger* syndrome 792(2003)269

Chitosan

Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55

Bionanocompositional chitosan-silica sorbent for liquid chromatography 800(2004)49

Chloral hydrate

Determination of chloral hydrate and its metabolites in blood plasma by capillary gas chromatography with electron capture detection 780(2002)217

Chloramphenicol

Determination of chloramphenicol residues in shrimps by liquid chromatography–mass spectrometry 791(2003)31

Chloride

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Chloroacetaldehyde

Liquid chromatographic assay for the antiviral nucleotide analogue tenofovir in plasma using derivatization with chloroacetaldehyde 791(2003)227

***N*-(4-Chlorophenyl)-1-(4-pyridyl)ethylamine**

Chiral liquid chromatography resolution and stereoselective pharmacokinetic study of the enantiomers of a novel anticonvulsant, *N*-(4-chlorophenyl)-1-(4-pyridyl)ethylamine, in rats 796(2003)35

Chloroquine

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

Chlorothalonil

Evaluation of respiratory and cutaneous doses of chlorothalonil during re-entry in greenhouses 778(2002)131

Chlorpheniramine

Poly(ethyleneglycol) column for the determination of acetaminophen, phenylephrine and chlorpheniramine in pharmaceutical formulations 785(2003)237

Chlorpheniramine maleate

Simple and sensitive method for the determination of chlorpheniramine maleate in human plasma using liquid chromatography–mass spectrometry 776(2002)169

Cholecystokinin type-1

Development and validation of a bioanalytical method for the determination of the cholecystokinin type-1 (CCK₁) receptor antagonist dexloxiglumide in human plasma 784(2003)91

Cholesterol

Improved procedure for the separation of major stratum corneum lipids by means of automated multiple development thin-layer chromatography 780(2002)443

Chorionic gonadotropin

Immunoaffinity extraction and tandem mass spectrometric analysis of human chorionic gonadotropin in doping analysis 792(2003)187

Chromium

Determination of chromium in urine samples by complexation–supercritical fluid extraction and liquid or gas chromatography 785(2003)303

Y-chromosomal locus M9

Single nucleotide polymorphism genotyping by on-line liquid chromatography–mass spectrometry in forensic science of the Y-chromosomal locus M9 782(2003)89

Chrysanthemumdicarboxylic acid

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors: Determination of the metabolites *E*-*cis/trans*-chrysanthemumdicarboxylic acid in human urine by gas chromatography–mass spectrometry with negative chemical ionization 795(2003)195

Cimetidine

Simultaneous determination of creatinine and pseudouridine concentrations in bovine plasma by reversed-phase liquid chromatography with photodiode array detection 784(2003)275

Validation of a simplified method for determination of cimetidine in human plasma and urine by liquid chromatography with ultraviolet detection 799(2004)337

1,8-Cineole

Application of solid-phase microextraction to the quantitative analysis of 1,8-cineole in blood and expired air in a *Eucalyptus* herbivore, the brushtail possum (*Trichosurus vulpecula*) 780(2002)397

Ciprofloxacin

Liquid chromatography analysis of enrofloxacin and ciprofloxacin in chicken blood spotted on filter-paper disks 780(2002)309

Circulating immune complexes

Properties of several glycidyl methacrylate-triallyl isocyanurate based affinity adsorbents for removing circulating immune complexes 789(2003)265

Citrate

Urinary analysis of nephrolithiasis markers (Review) 781(2002)433

Citrate synthase

GroE-dependent expression and purification of pig heart mitochondrial citrate synthase in *Escherichia coli* 786(2003)127

Citrulline

Simultaneous detection of arginine, asymmetric dimethylarginine, symmetric dimethylarginine and citrulline in human plasma and urine applying liquid chromatography-mass spectrometry with very straightforward sample preparation 798(2003)231

CKD-602

Simple and sensitive determination of the new antitumor drug CKD-602 in human plasma by liquid chromatography 784(2003)25

Clarithromycin

Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

Clavulanate

Simultaneous determination of ticarcillin and clavulanate in rabbit serum and tissue cage fluid by liquid chromatography 794(2003)227

Clofibrate

Simultaneous determination of clofibrate and its active metabolite clofibrate acid in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 794(2003)343

Clofibric acid

Simultaneous determination of clofibrate and its active metabolite clofibrate acid in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 794(2003)343

Clopenthixol

Liquid chromatographic analysis of the *cis*(Z)- and *trans*(E)-isomers of clopenthixol in human plasma using a novel solid phase extraction procedure 792(2003)313

Clozapine

Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine N-oxide in dog plasma using high-performance liquid chromatography 783(2003)377

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257

Clozapine N-oxide

Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine N-oxide in dog plasma using high-performance liquid chromatography 783(2003)377

Cluster determinant 4

Purification of recombinantly expressed human cluster determinant 4 cytoplasmic domain 786(2003)39

Cocaethylene

Determination of cocaine, benzoylecgonine and cocaethylene in human hair by solid-phase microextraction and gas chromatography-mass spectrometry 798(2003)361

Cocaine

Simultaneous, quantitative determination of opiates, amphetamines, cocaine and benzoylecgonine in oral fluid by liquid chromatography quadrupole-time-of-flight mass spectrometry 779(2002)321

Solid-phase micro-extraction-gas chromatography-mass spectrometry and headspace-gas chromatography of tetrahydrocannabinol, amphetamine, methamphetamine, cocaine and ethanol in saliva samples 789(2003)73

Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography-mass spectrometry 792(2003)345

Development and validation of a liquid chromatography-mass spectrometry assay for the determination of opiates and cocaine in meconium 794(2003)281

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

COL-3

Reversed-phase liquid chromatography method to determine COL-3, a matrix metalloproteinase inhibitor, in biological samples 799(2004)311

Collagens

Preparative procedures and purity assessment of collagen proteins 790(2003)245

Simple and rapid chromatographic purification of type V collagen from a pepsin digest of porcine intestinal connective tissue, an unmanageable starting material for conventional column chromatography 790(2003)277

Colloids

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

Copper(II) complexes

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Corticosteroids

Method development for corticosteroids and anabolic steroids by micellar liquid chromatography 794(2003)215

Corticosterone

Determination of corticosterone in rat and mouse plasma by gas chromatography-selected ion monitoring mass spectrometry 783(2003)93

Determination of corticosterone in mouse plasma by a sweeping technique using micellar electrokinetic chromatography 785(2003)317

Cortisol

Determination of cortisol in human saliva using liquid chromatography-electrospray tandem mass spectrometry 784(2003)63

Simple and sensitive high-performance liquid chromatography method for simultaneous determination of urinary free cortisol and 6 β -hydroxycortisol in routine practice. For CYP 3A4 activity evaluation in basal conditions and after grapefruit juice intake 793(2003)357

Simple liquid chromatography method for the rapid simultaneous determination of prednisolone and cortisol in plasma and urine using hydrophilic lipophilic balanced solid phase extraction cartridges 798(2003)193

Cotinine

Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography–tandem mass spectrometry 778(2002)251

Measurement of nicotine and cotinine in human milk by high-performance liquid chromatography with ultraviolet absorbance detection 796(2003)173

Cotinine-N-oxide

Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography–tandem mass spectrometry 778(2002)251

Coumarin

Liquid chromatographic determination of the glutathione conjugate and ring-opened metabolites formed from coumarin epoxidation 794(2003)257

CP502

Improved high-performance liquid chromatographic method for the pharmacokinetic studies of a novel iron chelator, CP502, in rats 796(2003)105

CPT-11

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383

Crack

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Creatine

Separation methods applicable to urinary creatine and creatinine (Review) 781(2002)93

Validation of a simple liquid chromatography assay for creatine suitable for pharmacokinetic applications, determination of plasma protein binding and verification of percent labeled claim of various creatine products 794(2003)157

Creatine kinase

Mitochondrial creatine kinase with atypical pI values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191

Creatinine

Separation methods applicable to urinary creatine and creatinine (Review) 781(2002)93

Simultaneous determination of creatinine and pseudouridine concentrations in bovine plasma by reversed-phase liquid chromatography with photodiode array detection 784(2003)275

Determination of dialysate creatinine by micellar electrokinetic chromatography 789(2003)417

Development of a liquid chromatography–mass spectrometry method for the high-accuracy determination of creatinine in serum 794(2003)125

Cromolyn sodium

Development and validation of a sensitive liquid chromatographic–tandem mass spectrometric method for the determination of cromolyn sodium in human plasma 788(2003)159

18-Crown-6-tetracarboxylic acid

Enantiomeric separation of TAPP, H-Tyr-(D)Ala-Phe-Phe-NH₂, by capillary electrophoresis using 18-crown-6-tetracarboxylic acid as a chiral selector 793(2003)343

Curcumin

Curcumin in plasma and urine: quantitation by high-performance liquid chromatography 783(2003)287

Sensitive and rapid isocratic liquid chromatography method for the quantitation of curcumin in plasma 796(2003)339

Cyan(dimethylamino)pyridinium tetrafluoroborate

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Cyclic prodrugs

Quantitative analysis of a model opioid peptide and its cyclic prodrugs in rat plasma using high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection 780(2002)269

Cyclodextrins

Simultaneous determination of free and conjugated bile acids in serum by cyclodextrin-modified micellar electrokinetic chromatography 785(2003)147

β -Cyclodextrins

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Cyclooxygenase

Liquid chromatographic–mass spectrometric determination of cyclooxygenase metabolites of arachidonic acid in cultured cells 785(2003)135

Cyclooxygenase II inhibitors

Monolithic silica liquid chromatography columns for the determination of cyclooxygenase II inhibitors in human plasma 779(2002)249

Cyclophilin

Identification and characterisation of *Schizosaccharomyces pombe* cyclophilin 3, a cyclosporin A insensitive orthologue of human USA-CyP 786(2003)81

Cyclosporine

Simple determination of cyclosporine in human whole blood by high-performance liquid chromatography 795(2003)209

CYP2C19

Stereoselective determination of the CYP2C19 probe drug mephenytoin in human urine by gas chromatography–mass spectrometry 783(2003)265

CYP2C9 genotypes

Analysis of diclofenac and its metabolites by high-performance liquid chromatography: relevance of CYP2C9 genotypes in diclofenac urinary metabolic ratios 789(2003)437

CYP2D6

Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213

CYP4A

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography-mass spectrometry (HPLC-MS) 794(2003)363

Cyproterone acetate

Fully automated method for the liquid chromatographic determination of cyproterone acetate in plasma using restricted access material for sample pre-treatment 795(2003)73

Cysteine

Liquid chromatography-electrospray mass spectrometry study of cysteine-10 S-glutathiolation in recombinant glutathione S-transferase of *Ochrobactrum anthropi* 787(2003)405

Simple plasma work-up for a fast chromatographic analysis of homocysteine, cysteine, methionine and aromatic amino acids 789(2003)311

Cystolic acetyl-coenzyme A hydrolase

Simple and unique purification by size-exclusion chromatography for an oligomeric enzyme, rat liver cytosolic acetyl-coenzyme A hydrolase 790(2003)239

Cytochalasin B

Improved lectin-mediated immobilization of human red blood cells in superporous agarose beads 784(2003)203

Cytochrome P450

Monolithic silica rod liquid chromatography with ultraviolet or fluorescence detection for metabolite analysis of cytochrome P450 marker reactions 780(2002)205

Determination of dextromethorphan and its metabolite dextrorphan in human urine by capillary gas chromatography without derivatization 784(2003)219

Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229

Cytochrome P450 1B1

Determination of 3-keto-4-ene steroids and their hydroxylated metabolites catalyzed by recombinant human cytochrome P450 1B1 enzyme using gas chromatography-mass spectrometry with trimethylsilyl derivatization 791(2003)127

D**DA-7867**

High-performance liquid chromatographic analysis of DA-7867, a new oxazolidinone, in human plasma and urine and in rat tissue homogenates 794(2003)397

DA-8159

Sensitive liquid chromatography assay with ultraviolet detection for a new phosphodiesterase V inhibitor, DA-8159, in human plasma and urine 795(2003)179

DADLE

Quantitative analysis of a model opioid peptide and its cyclic prodrugs in rat plasma using high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection 780(2002)269

Daidzein

Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography 784(2003)137

Dansyl chloride

Phenylisothiocyanate and dansyl chloride precolumn derivatizations for the high-performance liquid chromatography analysis of the antitumoral agent ES-285 in dog plasma 791(2003)1

Dansyltryptophan

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115

DE-310

Liquid chromatographic assays for DE-310, a novel camptothecin analog, and two major enzymatic products in human matrices 799(2004)15

Decladinose clarithromycin

Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

Dehydroepiandrosterone sulfate

Simultaneous determination of androstanediol 3-sulfate and dehydroepiandrosterone sulfate in human serum using isotope diluted liquid chromatography-electrospray ionization-mass spectrometry 796(2003)121

Demethylazelastine

Simultaneous enantioselective separation of azelastine and three of its metabolites for the investigation of the enantiomeric metabolism in rats. I. Liquid chromatography-ionspray tandem mass spectrometry and electrokinetic capillary chromatography 793(2003)389

Deoxycholate

Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55

6-Deoxy-6-demethyl-4-dedimethylaminotetracycline

Quantification of 6-deoxy-6-demethyl-4-dedimethylaminotetracycline (COL-3) in human plasma using liquid chromatography coupled with electrospray ionization tandem mass spectrometry 794(2003)77

5'-Deoxy-5-fluorocytidine

Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography-tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-(β -D-glucuronic acid)-5'-deoxy-5-fluorocytidine 792(2003)323

5-Deoxy-5-fluorocytidine

Liquid chromatography-mass spectrometry method for the analysis of the anti-cancer agent capecitabine and its nucleoside metabolites in human plasma 783(2003)273

3-Deoxyglucosone

Gas chromatographic-mass spectrometric determination of erythrocyte 3-deoxyglucosone in diabetic patients 776(2002)133

Deoxyguanosine

Simultaneous determination of tyrosine, phenylalanine and deoxyguanosine oxidation products by liquid chromatography-tandem mass spectrometry as non-invasive biomarkers for oxidative damage 799(2004)245

Deoxyribonucleotide triphosphate

Liquid chromatography-tandem mass spectrometry assays for intracellular deoxyribonucleotide triphosphate competitors of nucleoside antiretrovirals 789(2003)273

Derivatization, CE

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Descarboethoxyloratadine

Reliable and specific high-performance liquid chromatographic method for simultaneous determination of loratadine and its metabolite in human plasma 796(2003)165

Desethylamodiaquine

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

Selective and sensitive liquid chromatographic assay of amodiaquine and desethylamodiaquine in whole blood spotted on filter paper 799(2004)173

Desethylchloroquine

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

Desipramine

Validation of non-aqueous capillary electrophoresis for simultaneous determination of four tricyclic antidepressants in pharmaceutical formulations and plasma samples 799(2004)127

Desloratadine

Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography-tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma 792(2003)229

N-Desmethylclozapine

Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine N-oxide in dog plasma using high-performance liquid chromatography 783(2003)377

N-Desmethylflunitrazepam

Automated solid-phase extraction and liquid chromatography-electrospray ionization-mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

Desmethylnodularin

Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders 784(2003)243

N-Desmethyl-STI

Liquid chromatographic method for detection and quantitation of STI-571 and its main metabolite *N*-desmethyl-STI in plasma, urine, cerebrospinal fluid, culture medium and cell preparations 799(2004)23

N-Desmethyltamoxifen

Quantification of tamoxifen and three metabolites in plasma by high-performance liquid chromatography with fluorescence detection: application to a clinical trial 791(2003)245

N-Desmethyl topotecan

Determination of plasma topotecan and its metabolite *N*-desmethyl topotecan as both lactone and total form by reversed-phase liquid chromatography with fluorescence detection 784(2003)225

Dexamethasone

Determination of dexamethasone in urine by gas chromatography with negative chemical ionization mass spectrometry 788(2003)137

Dexloxioglumide

Development and validation of a bioanalytical method for the determination of the cholecystokinin type-1 (CCK₁) receptor antagonist dexloxioglumide in human plasma 784(2003)91

Dextranase

Purification and properties of extracellular dextranase from a *Bacillus* sp. 796(2003)315

Dextromethorphan

Determination of dextromethorphan and its metabolite dextrorphan in human urine by capillary gas chromatography without derivatization 784(2003)219

Determination of dextromethorphan and its metabolites in rat serum by liquid-liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

Enantioselective interactions of dextromethorphan and levomethorphan with the $\alpha 3\beta 4$ -nicotinic acetylcholine receptor: comparison of chromatographic and functional data 797(2003)373

Dextropropoxyphene

Determination of dextropropoxyphene and nordextropropoxyphene in urine by liquid chromatography-electrospray ionization mass spectrometry 794(2003)57

Dextrorphan

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography-electrospray ionization-ion trap mass spectrometry 780(2002)371

Determination of dextromethorphan and its metabolites in rat serum by liquid-liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

Diacetylbenzidine

Separation and trace estimation of benzidine and its macromolecular adducts using supercritical fluid chromatography 795(2003)157

Diaminopimelic acid

Determination of diaminopimelic acid in rat feces by high-performance liquid chromatography using the Pico Tag method 784(2003)125

Dicarboxylic acids

Gas chromatography-mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography-positive ion chemical ionization mass spectrometry 800(2004)101

Dichloromethane

Biological monitoring of workers exposed to dichloromethane, using head-space gas chromatography 778(2002)245

Rapid and sensitive static headspace gas chromatography-mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331

Diclofenac

Liquid chromatographic determination of diclofenac in human synovial fluid 788(2003)57

Analysis of diclofenac and its metabolites by high-performance liquid chromatography: relevance of *CYP2C9* genotypes in diclofenac urinary metabolic ratios 789(2003)437

Didanosine

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137

Liquid chromatographic-tandem mass spectrometric assay for the simultaneous determination of didanosine and stavudine in human plasma, bronchoalveolar lavage fluid, alveolar cells, peripheral blood mononuclear cells, seminal plasma, cerebrospinal fluid and tonsil tissue 799(2004)51

N-Didemethyltrimebutine

Quantitative determination of trimebutine maleate and its three metabolites in human plasma by liquid chromatography-tandem mass spectrometry 779(2002)173

N,Di-desmethylsibutramine

Determination of the active metabolite of sibutramine by liquid chromatography-electrospray ionization tandem mass spectrometry 785(2003)197

4-(N,N-diethylamino)benzaldehyde

Measurement of anti-cancer agent methoxyamine in plasma by tandem mass spectrometry with on-line sample extraction 795(2003)295

N,N-Diethyl-m-touamide

Analysis of *N,N*-diethyl-*m*-toluamide in porcine skin perfusates using solid-phase extraction disks and reversed-phase high-performance liquid chromatography 780(2002)45

Diethylstilbestrol

Assessing estrogenic activity of phytochemicals using transcriptional activation and immature mouse uterotrophic responses 777(2003)179

2'-Difluoro-2',2'-deoxyuridine

Simultaneous determination of gemcitabine and its metabolite in human plasma by high-performance liquid chromatography 791(2003)103

2-Difluoromethylornithine

High-performance liquid chromatographic method for determination of 2-difluoromethyl-DL-ornithine in plasma and cerebrospinal fluid 788(2003)221

Dihydropyrimidinase

Rapid gas chromatographic-mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107

Dihydropyrimidine dehydrogenase

Rapid gas chromatographic-mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107

Dihydrostreptomycin

Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203

3,3'-Diindolylmethane

Liquid chromatographic assay for the simultaneous determination of indole-3-carbinol and its acid condensation products in plasma 787(2003)281

2,5-Dimethoxy-4-ethylthiophenethylamine

Identification of 2,5-dimethoxy-4-ethylthiophenethylamine and its metabolites in the urine of rats by gas chromatography-mass spectrometry 798(2003)241

2,6-Dimethoxyphenol

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

N,N-Dimethylformamide

Improved gas chromatographic-mass spectrometric determination of the *N*-methylcarbamoyl adduct at the N-terminal valine of globin, a metabolic product of the solvent *N,N*-dimethylformamide 778(2002)357

N,N-Dimethyltryptamine

Determination of *N,N*-dimethyltryptamine and β -carboline alkaloids in human plasma following oral administration of Ayahuasca 779(2002)271

5,6-Dimethylxanthenone-4-acetic acid

Strain differences in the liver microsomal metabolism of the experimental anti-tumour agent 5,6-dimethylxanthenone-4-acetic acid in mice 776(2002)231

N,N-Dimethylformamide

Improved gas chromatographic-mass spectrometric determination of the *N*-methylcarbamoyl adduct at the N-terminal valine of globin, a metabolic product of the solvent *N,N*-dimethylformamide 778(2002)357

2,4-Dinitrophenylhydrazine

Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353

Dipeptide

Optimization of a capillary electrophoretic method to detect and quantify the Gly-Pro dipeptide in complex matrices from long term cultured prolidase deficiency fibroblasts 795(2003)133

Dipeptidyl peptidases

Quantitative analysis of dipeptidyl peptidase inhibitor P32/98 and its main metabolite in rat, dog, mouse, monkey, human plasma and human urine using liquid chromatography-tandem mass spectrometry: application to pharmacokinetic evaluation 796(2003)401

Dipetarudin

Cloning, purification and biochemical characterization of dipetarudin, a new chimeric thrombin inhibitor 786(2003)73

Disodium clodronate

Determination of disodium clodronate in human plasma and urine using gas-chromatography-nitrogen-phosphorous detections: validation and application in pharmacokinetic study 799(2004)133

Dithiothreitol

Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275

Diuretics

Application of high-performance liquid chromatography-mass spectrometry to detection of diuretics in human urine 794(2003)193

Divalent cations

Membrane-bound heparin binding proteins from HL-60 cells purified in a two-step affinity chromatography differentially eluted with divalent cations 780(2002)1

DNA

Methodologies for bulky DNA adduct analysis and biomonitoring of environmental and occupational exposures (Review) 778(2002)345

Electrophoresis using ultra-high voltages 779(2002)163

5-Methylcytosine as a marker for the monitoring of DNA methylation (Review) 781(2002)373

Genotyping single-nucleotide polymorphisms by matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry (Review) 782(2002)73

Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501

Supercoiled plasmid DNA: selective purification by thiophilic/aromatic adsorption 784(2003)291

Capillary electrophoresis-based method to quantitate DNA-protein interactions 789(2003)431

Continuous annular chromatography (Review) 790(2003)1

Enhanced purification of plasmid DNA using Q-Sepharose by modulation of alcohol concentrations 791(2003)263

Laser-induced fluorescence technique for DNA and proteins separated by capillary electrophoresis (Review) 793(2003)37

Small molecular ion adsorption on proteins and DNAs revealed by separation techniques 797(2003)331

DNA adducts

Applications of mass spectrometry for quantitation of DNA adducts (Review) 778(2002)323

Separation procedures capable of revealing DNA adducts 797(2003)321

DNA, amino-modified

Set of fluorochromophores in the wavelength range from 450 to 700 nm and suitable for labeling proteins and amino-modified DNA 793(2003)83

DNA polymerase

Polymerase chain reaction fidelity and denaturing high-performance liquid chromatography 782(2002)105

Docetaxel

Sensitive liquid chromatography-mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma 783(2003)231

L-Dopa

Determination of cabergoline and L-dopa in human plasma using liquid chromatography-tandem mass spectrometry 792(2003)55

Dopamine

Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry 788(2003)277

Determination of dopamine in single rat pheochromocytoma cell by capillary electrophoresis with amperometric detection 792(2003)381

Doxorubicin

Rapid determination of PEGylated liposomal doxorubicin and its major metabolite in human plasma by ultraviolet-visible high-performance liquid chromatography 779(2002)259

Determination of a peptide-doxorubicin, prostate-specific antigen activated prodrug, and its active metabolites in human plasma using high-performance liquid chromatography with fluorescence detection. Stabilization of the peptide prodrug with EDTA 780(2002)171

Doxorubicinol

Rapid determination of PEGylated liposomal doxorubicin and its major metabolite in human plasma by ultraviolet-visible high-performance liquid chromatography 779(2002)259

DP IV-inhibitor

Quantitative analysis of dipeptidyl peptidase inhibitor P32/98 and its main metabolite in rat, dog, mouse, monkey, human plasma and human urine using liquid chromatography-tandem mass spectrometry: application to pharmacokinetic evaluation 796(2003)401

DPC 423

Development and validation of a liquid chromatography-mass spectrometric method for the determination of DPC 423, an antithrombotic agent, in rat and dog plasma 783(2003)163

Dropopizine

Toxicological detection of the new designer drug 1-(4-methoxyphenyl)-piperazine and its metabolites in urine and differentiation from an intake of structurally related medicaments using gas chromatography-mass spectrometry 798(2003)333

Drug-protein adducts

Separation and detection methods for covalent drug-protein adducts 797(2003)63

Drugs

Drug delivery systems: polymers and drugs monitored by capillary electromigration methods 797(2003)37

Dyphylline

Simultaneous determination of theophylline and dyphylline by micellar electrokinetic chromatography and application in drug formulations 795(2003)329

E**Ecstasy**

Enantioselective quantitation of the ecstasy compound (R)- and (S)-N-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in human plasma and urine 793(2003)207

Efavirenz

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography-mass spectrometry 788(2003)339

Simple and rapid method for the simultaneous determination of the non-nucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma using liquid chromatography 792(2003)353

Eflorenthine

High-performance liquid chromatographic method for determination of 2-difluoromethyl-DL-ornithine in plasma and cerebrospinal fluid 788(2003)221

Egg yolk proteins

Egg yolk phosvitin: preparation of metal-free purified protein by fast protein liquid chromatography using aqueous solvents 791(2003)273

Eicosanoid

Quantification of F-ring isoprostane-like compounds (F₄-neuroprostanes) derived from docosahexaenoic acid in vivo in humans by a stable isotope dilution mass spectrometric assay 799(2004)95

Ellagic acid

Pharmacokinetic study of ellagic acid in rat after oral administration of pomegranate leaf extract 796(2003)189

Elongation factor-Tu

Isolation of Q β polymerase complexes containing mutant species of elongation factor Tu 786(2003)279

Endocannabinoids

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F2 α) by gas chromatography-mass spectrometry-selected ion monitoring for medical samples 792(2003)131

Endostatin

Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327

Endotoxin

Chromatographic removal of endotoxin from protein solutions by polymer particles (Review) 781(2002)419

Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55

Enhanced green fluorescent protein

Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins 790(2003)153

Enkephalins

Gradient liquid chromatography of leucine-enkephalin peptide and its metabolites with electrochemical detection using highly boron-doped diamond electrode 791(2003)63

Enrofloxacin

Liquid chromatography analysis of enrofloxacin and ciprofloxacin in chicken blood spotted on filter-paper disks 780(2002)309

Enterodiol

Mammalian phytoestrogens: enterodiol and enterolactone (Review) 777(2002)289

Liquid chromatographic-tandem mass spectrometric method for the plant lignan 7-hydroxymatairesinol and its potential metabolites in human plasma 793(2003)297

Enterolactone

Mammalian phytoestrogens: enterodiol and enterolactone 777(2002)289

Structural determinants of plant lignans for the formation of enterolactone in vivo 777(2002)311

Liquid chromatographic-tandem mass spectrometric method for the plant lignan 7-hydroxymatairesinol and its potential metabolites in human plasma 793(2003)297

Liquid chromatography method for plant and mammalian lignans in human urine 798(2003)101

Enterolignans

Enterolignans (Review) 777(2002)29

Enzyme

Capillary electrophoresis assay of alanine:glyoxylate aminotransferase activity in rat liver 780(2002)13

Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53

Separation methods for catechol O-methyltransferase activity assay: physiological and pathophysiological relevance (Review) 781(2002)359

Mitochondrial creatine kinase with atypical pI values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191

Purification of angiotensin I converting enzyme from pig lung using concanavalin-A sepharose chromatography 783(2003)247

Improved method for measurement of human plasma xanthine oxidoreductase activity 785(2003)101

GroE-dependent expression and purification of pig heart mitochondrial citrate synthase in *Escherichia coli* 786(2003)127

In vitro cell free synthesis of human manganese superoxide dismutase with the RTS 500 system 786(2003)137

Application of multiplexed capillary electrophoresis with laser-induced fluorescence (MCE-LIF) detection for the rapid measurement of endogenous extracellular signal-regulated protein kinase (ERK) levels in cell extracts 789(2003)323

Purification of an oxidation-sensitive enzyme, pI258 arsenate reductase from *Staphylococcus aureus* 790(2003)217

Fractionation and purification of the enzymes stored in the latex of *Carica papaya* (Review) 790(2003)229

Determination of 3-keto-4-ene steroids and their hydroxylated metabolites catalyzed by recombinant human cytochrome P450 1B1 enzyme using gas chromatography-mass spectrometry with trimethylsilyl derivatization 791(2003)127

Rapid gas chromatographic-mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107

Relative mRNA expression of the lactate dehydrogenase A and B subunits as determined by simultaneous amplification and single strand conformation polymorphism. Relation with subunit enzyme activity 793(2003)405

Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67

Enzyme assay for protein kinase using micellar electrokinetic chromatography with laser-induced fluorescence detection 794(2003)149

Solid-phase enzyme modification via affinity chromatography 794(2003)311

Assay of leucine aminopeptidase activity in vitro using large-pore reversed-phase chromatography with fluorescence detection 796(2003)63

Purification and properties of extracellular dextranase from a *Bacillus* sp. 796(2003)315

Separation methods applicable to the evaluation of enzyme–inhibitor and enzyme–substrate interactions 797(2003)175

Determination of thiopurine S-methyltransferase activity in erythrocytes using 6-thioguanine as substrate and a non-extraction liquid chromatographic technique 798(2003)111

Determination of lactate dehydrogenase in human erythrocytes by capillary electrophoresis with electrochemical detection 798(2003)175

Enzyme inhibitors

Fractionation and purification of the enzymes stored in the latex of *Carica papaya* (Review) 790(2003)229

Enzymes, steroid-converting

Application of liquid chromatography–electrospray ionization mass spectrometry for study of steroid-converting enzymes 800(2004)145

Ephedrine

Development and validation of a capillary zone electrophoresis method for the determination of ephedrine and related compounds in urine without extraction 791(2003)203

Epidermal growth factor

Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113

4-Epoxytetracycline

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

Eplerenone

Development and validation of a liquid chromatography–tandem mass spectrometric assay for Eplerenone and its hydrolyzed metabolite in human plasma 787(2003)333

Epoetins

Matrix-assisted laser-desorption time-of flight ionisation and high-performance liquid chromatography–electrospray ionisation mass spectral analyses of two glycosylated recombinant epoetins 785(2003)205

cis-9,10-Epoxyoctadecanoic acid

Gas chromatography–mass spectrometry of *cis*-9,10-epoxyoctadecanoic acid (*cis*-EODA). I. Direct evidence for *cis*-EODA formation from oleic acid oxidation by liver microsomes and isolated hepatocytes 784(2003)351

Epsin 1

A novel strategy for the purification of recombinantly expressed unstructured protein domains 786(2003)247

Epstein–Barr virus

Proteome analysis of Epstein–Barr virus-transformed B-lymphoblasts and the proteome database (Review) 787(2003)197

Equol

Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography 784(2003)137

Erlotinib

Liquid-chromatographic determination of erlotinib (OSI-774), an epidermal growth factor receptor tyrosine kinase inhibitor 796(2003)181

Ertapenem

Modified high-performance liquid chromatographic method for the determination of ertapenem in human urine: enhanced selectivity and automation 779(2002)341

Assay methodology for the quantitation of unbound ertapenem, a new carbapenem antibiotic, in human plasma 783(2003)1

Column-switching technique for the sensitive determination of ertapenem in human cerebrospinal fluid using liquid chromatography and ultraviolet absorbance detection 799(2004)9

Erythromycin

Analysis of erythromycin and benzoylperoxide in topical gels by liquid chromatography 794(2003)293

ES-285

Phenylisothiocyanate and dansyl chloride precolumn derivatizations for the high-performance liquid chromatography analysis of the antitumoral agent ES-285 in dog plasma 791(2003)1

Eseroline

Simple liquid chromatographic method for the determination of physostigmine and its metabolite eseroline in rat plasma: application to a pharmacokinetic study 784(2003)323

Esmolol

Liquid chromatography–electrospray mass spectrometry (LC–MS) method for determination of esmolol concentration in human plasma 796(2003)293

Esterases

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335

Estradiol

Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279

β-Estradiol

Analysis of the progesterone displacement of its human serum albumin binding site by β-estradiol using biochromatographic approaches: effect of two salt modifiers 796(2003)267

Estriol

Quantitative trace analysis of estriol in human plasma by negative ion chemical ionization gas chromatography–mass spectrometry using a deuterated internal standard 794(2003)205

Estrogen

Yeast reporter system for rapid determination of estrogenic activity 777(2002)167

Estrogen receptor

Assessing estrogenic activity of phytochemicals using transcriptional activation and immature mouse uterotrophic responses 777(2002)179

Ethanol

Solid-phase micro-extraction–gas chromatography–mass spectrometry and headspace-gas chromatography of tetrahydrocannabinol, amphetamine, methamphetamine, cocaine and ethanol in saliva samples 789(2003)73

Microdialysis for the determination of acetaldehyde and ethanol concentrations in the striatum of freely moving rats 798(2003)155

Highly sensitive gas chromatographic determination of ethanol in human urine samples 798(2003)179

Rapid and sensitive static headspace gas chromatography–mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331

Ethinylestradiol

Determination using liquid-chromatography–electrospray tandem mass spectroscopy of ethinylestradiol serum pharmacokinetics in adult Sprague–Dawley rats 793(2003)309

Ethyl acetate

Rapid and sensitive static headspace gas chromatography-mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331

Ethylbenzene

Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population 778(2002)199

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

7-Ethyl-10-hydroxy-camptothecin

Determination by liquid chromatography with fluorescence detection of total 7-ethyl-10-hydroxy-camptothecin (SN-38) in beagle dog plasma after intravenous administration of liposome-based SN-38 (LE-SN38) 791(2003)85

***N*-Ethyl-3,4-methylenedioxyamphetamine**

Enantioselective quantitation of the ecstasy compound (*R*)- and (*S*)-*N*-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in human plasma and urine 793(2003)207

2-Ethylene-1,5-dimethyl-3,3-diphenyl-pyrrolidine

Quantitative determination of the enantiomers of methadone and its metabolite (EDDP) in human saliva by enantioselective liquid chromatography with mass spectrometric detection 796(2003)355

2-Ethylidene-1,5-dimethyl-1,3-diphenylpyrrolidine

Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography-mass spectrometry 784(2003)117

Ethylenediaminetetraacetic acid

Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205

Etoricoxib

Determination of etoricoxib in human plasma by liquid chromatography-tandem mass spectrometry with electrospray ionisation 788(2003)309

Explosives

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

F**Fab fragment**

Optimizing expression and purification from cell culture medium of trispecific recombinant antibody derivatives 786(2003)161

Factor II

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Chromatographic purification and properties of a therapeutic human protein C concentrate 790(2003)199

Factor VII

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Chromatographic purification and properties of a therapeutic human protein C concentrate 790(2003)199

Factor IX

Application of semi-industrial monolithic columns for downstream processing of clotting factor IX 790(2003)175

Chromatographic purification and properties of a therapeutic human protein C concentrate 790(2003)199

Factor X

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Fatty acid-bile acid conjugates

Method for the quantitative assay of fatty acid-bile acid conjugates by tandem mass spectrometry 795(2003)35

Fatty acid-binding proteins

Survey of binding properties of fatty acid-binding proteins. Chromatographic methods 797(2003)255

Fatty acids

Improved procedure for the separation of major stratum corneum lipids by means of automated multiple development thin-layer chromatography 780(2002)443

Cloning and expression of fatty acids biosynthesis key enzymes from sunflower (*Helianthus annuus* L.) in *Escherichia coli* 786(2003)221

Multidimensional gas chromatography-mass spectrometry for tracer studies of fatty acid metabolism via stable isotopes in cultured human trophoblast cells 791(2003)235

Selective screening for fatty acid oxidation disorders by tandem mass spectrometry: difficulties in practical discrimination 792(2003)63

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

Multivariate analysis of fatty acids in spores of higher basidiomycetes: a new method for chemotaxonomical classification of fungi 800(2004)303

FCWAY analogues

Liquid chromatography-tandem mass spectrometry identification of metabolites of three phenylcarboxyl derivatives of the 5-HT_{1A} antagonist, *N*-(2-(4-(2-methoxyphenyl)-1-piperazinyl)ethyl)-*N*-(2-pyridyl) *trans*-4-fluorocyclohexanecarboxamide (FCWAY), produced by human and rat hepatocytes 780(2002)99

Fenfluramine

Liquid chromatography studies on the pharmacokinetics of phentermine and fenfluramine in brain and blood microdialysates after intraperitoneal administration to rats 791(2003)291

 α -Fetoprotein

Non-competitive immunoassay for alpha-fetoprotein using micellar electrokinetic capillary chromatography and laser-induced fluorescence detection 779(2002)157

Fibrin

GST-Fbe can recognize β -chains of fibrin(ogen) on explanted materials 786(2003)319

Fibrinogen

GST-Fbe can recognize β -chains of fibrin(ogen) on explanted materials 786(2003)319

Search for peptidic “middle molecules” in uremic sera: isolation and chemical identification of fibrinogen fragments 796(2003)141

Fibronectin

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

Flavonoids

Deuterated phytoestrogen flavonoids and isoflavonoids for quantitation (Review) 777(2002)111

Flavonoids and steroid hormone-dependent cancers 777(2002)219

Florfenicol

Liquid chromatographic determination of florfenicol in the plasma of multiple species of fish 780(2002)111

Fluconazole

Identification of two proteins induced by exposure of the pathogenic fungus *Candida glabrata* to fluconazole 782(2002)245

On-line determination of fluconazole in blood and dermal rat microdialysates by microbore high-performance liquid chromatography 787(2003)323

Fludarabine phosphate

Simple and sensitive method for quantification of fludarabine triphosphate intracellular concentration in leukemic cells using isocratic liquid chromatography 799(2004)81

Flumequine

High-performance liquid chromatographic method with fluorescence detection for the screening and quantification of oxolinic acid, flumequine and sarafoxacin in fish 780(2002)481

Flunitrazepam

Automated solid-phase extraction and liquid chromatography–electrospray ionization–mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

Fluorescein isothiocyanate

Automated large-volume sample stacking procedure to detect labeled peptides at picomolar concentration using capillary electrophoresis and laser-induced fluorescence detection 793(2003)151

Fluorescein isothiocyanate amino acid derivatives

Plastic substrates based separation channels in electromigration techniques 800(2004)83

Fluoride

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

1-Fluoro-2,4-dinitrobenzene

Determination of vertilmicin in rat serum by high-performance liquid chromatography using 1-fluoro-2,4-dinitrobenzene derivatization 798(2003)43

Fluoroquinolone

Multiresidue analysis of fluoroquinolone antibiotics in chicken tissue using liquid chromatography–fluorescence–multiple mass spectrometry 780(2002)83

Determination of fluoroquinolones in human urine by liquid chromatography coupled to pneumatically assisted electrospray ionization mass spectrometry 798(2003)137

5-Fluorouracil

Diagnosis and monitoring of inborn errors of metabolism using urease-pretreatment of urine, isotope dilution, and gas chromatography–mass spectrometry (Review) 781(2002)497

Rapid determination of 5-fluorouracil in plasma using capillary electrophoresis 788(2003)291

Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-(β -D-glucuronic acid)–5'-deoxy-5-fluorocytidine 792(2003)323

Sensitive liquid chromatographic assay for the simultaneous determination of 5-fluorouracil and its prodrug, tegafur, in beagle dog plasma 795(2003)377

Fluoxetine

Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients 783(2003)25

Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481

Improved enantioselective assay for the determination of fluoxetine and norfluoxetine enantiomers in human plasma by liquid chromatography 784(2003)375

Flupenthixol

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257

Flurbiprofen glucuronides

Rapid and simple quantitative assay method for diastereomeric flurbiprofen glucuronides in the incubation mixture 776(2002)125

Fodder

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Folates

Application of stable isotope dilution assays based on liquid chromatography–tandem mass spectrometry for the assessment of folate bioavailability 792(2003)167

Folic acid

Measurements of sub-nanomolar concentrations of unmetabolised folic acid in serum 788(2003)187

Follicle stimulating hormone

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

α -L-Fucosidase precursor

Purification of human alpha-L-fucosidase precursor expressed in *Escherichia coli* as a glutathione S-transferase fusion protein 786(2003)7

Fumonisins

Liquid chromatography/electrospray ionisation–mass spectrometry method for the quantification of sphingosine and sphinganine in cell cultures exposed to fumonisins 780(2002)137

Furanocoumarins

Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181

3-(2-furoyl)quinoline-2-carboxaldehyde

Heterogeneity of protein labeling with a fluorogenic reagent, 3-(2-furoyl)quinoline-2-carboxaldehyde 780(2002)283

5-Furoylquinoline-3-carboxaldehyde

Kinetics and apparent activation energy of the reaction of the fluorogenic reagent 5-furoylquinoline-3-carboxaldehyde with ovalbumin 793(2003)107

Fusion protein

Continuous processing of fusion protein expressed as an *Escherichia coli* inclusion body 786(2003)237

Semi automated production of a set of different recombinant GST-Streptag fusion proteins 786(2003)343

G**Gabapentin**

High-performance liquid chromatographic method for the determination of gabapentin in human plasma 779(2002)307

Determination of gabapentin in human plasma by capillary electrophoresis with laser-induced fluorescence detection and acetonitrile stacking technique 799(2004)265

Galantamine

Development and validation of a liquid chromatographic-tandem mass spectrometric method for the determination of galantamine in human heparinised plasma 789(2003)337

Galatin

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

Gamma-butyrolactone

Validation of a simple gas chromatographic-mass spectrometric method for the determination of gamma-butyrolactone in human plasma 785(2003)73

Ganciclovir

Liquid chromatographic method for the determination of ganciclovir and/or acyclovir in human plasma using pulsed amperometric detection 780(2002)289

Gatifloxacin

Determination of gatifloxacin in human serum and urine by high-performance liquid chromatography with ultraviolet detection 798(2003)167

Gemcitabine

Measurement of the anti-cancer agent gemcitabine in human plasma by high-performance liquid chromatography 785(2003)65

Simultaneous determination of gemcitabine and its metabolite in human plasma by high-performance liquid chromatography 791(2003)103

Gemcitabine triphosphate

Isocratic ion-exchange chromatographic assay for the nucleotide gemcitabine triphosphate in human white blood cells 780(2002)423

Gemfibrozil

Sensitive method for the quantitative determination of gemfibrozil in dog plasma by liquid-liquid cartridge extraction and liquid chromatography-tandem mass spectrometry 791(2003)161

Genetic variants

Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283

Genistein

Estrogen receptor expression in the prostate of rats treated with dietary genistein 777(2002)249

Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography 784(2003)137

Determination of new derivatives of genistein in culture media by liquid chromatography 799(2004)217

Gleevec

Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine 794(2003)381

Gliclazide

A simple and sensitive HPLC method for determination of gliclazide in human serum 785(2003)383

Glimepiride

Determination of glimepiride in human plasma by liquid chromatography-electrospray ionization tandem mass spectrometry 799(2004)103

Globin

Improved gas chromatographic-mass spectrometric determination of the *N*-methylcarbamoyl adduct at the N-terminal valine of globin, a metabolic product of the solvent *N,N*-dimethylformamide 778(2002)357

Glucocorticoid receptor

New purification method for glucocorticoid receptors 797(2003)367

Glucose

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

Simultaneous determination of the monoamine neurotransmitters and glucose in rat brain by microdialysis sampling coupled with liquid chromatography-dual electrochemical detector 785(2003)327

Glucose-6-phosphate dehydrogenase

Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53

Glucuronide

Quantification of free mycophenolic acid and its glucuronide metabolite in human plasma by liquid-chromatography using mass spectrometric and ultraviolet absorbance detection 799(2004)157

Glufosinate

Enantioselective analysis of glufosinate using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase liquid chromatography 776(2002)191

GLUT1

Improved lectin-mediated immobilization of human red blood cells in superporous agarose beads 784(2003)203

Glutamate

Effect of different sample pretreatment methods on the concentrations of excitatory amino acids in cerebrospinal fluid determined by high-performance liquid chromatography 784(2003)131

One-second time resolution brain microdialysis in fully awake rats. Protocol for the collection, separation and sorting of nanoliter dialysate volumes 784(2003)385

Glutardialdehyde

Automated method for determination of glutardialdehyde residues in flexible endoscopes after disinfection 795(2003)363

Glutathione

Analytical methods to investigate glutathione and related compounds in biological and pathological processes (Review) 781(2002)181

Analysis of glutathione in rat airway surface liquid by capillary zone electrophoresis with conductivity detection 788(2003)369

Determination of glutathione in single human hepatocarcinoma cells by capillary electrophoresis with electrochemical detection 789(2003)425

Liquid chromatographic determination of the glutathione conjugate and ring-opened metabolites formed from coumarin epoxidation 794(2003)257

Optimization stacking by transient pseudo-isotachophoresis for capillary electrophoresis: example analysis of plasma glutathione 795(2003)9

Fast liquid chromatography–mass spectrometry glutathione measurement in whole blood: micromolar GSSG is a sample preparation artifact 798(2003)343

Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275

Glutathione S-transferase

Liquid chromatography–electrospray mass spectrometry study of cysteine-10 S-glutathiolation in recombinant glutathione S-transferase of *Ochrobactrum anthropi* 787(2003)405

Glutathione S-transferase fusion protein

Purification of human alpha-L-fucosidase precursor expressed in *Escherichia coli* as a glutathione S-transferase fusion protein 786(2003)7

Glycerol dinitrate

Determination of nitroglycerin and its dinitrate metabolites in urine by gas chromatography–mass spectrometry as potential biomarkers for occupational exposure 778(2002)193

Glycine buffer, basic

Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography–electrochemical detection 783(2003)367

Glycolate

Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89

P-Glycoprotein

Development and characterization of an open tubular column containing immobilized P-glycoprotein for rapid on-line screening for P-glycoprotein substrates 799(2004)255

Glycoproteins

Use of a lectin affinity selector in the search for unusual glycosylation in proteomics 782(2002)405

Purification of human plasma haptoglobin by hemoglobin-affinity column chromatography 790(2003)209

Immunoaffinity extraction and tandem mass spectrometric analysis of human chorionic gonadotropin in doping analysis 792(2003)187

Glycosaminoglycan monosaccharides

Determination of glycosaminoglycan monosaccharides by capillary electrophoresis using laser-induced fluorescence detection 791(2003)193

Glycosaminoglycans

Advances in analysis of glycosaminoglycans: its application for the assessment of physiological and pathological states of connective tissues (Review) 781(2002)21

GM2 ganglioside

Procedure for separation of GM2 ganglioside species with different ceramide structures by a flash reversed-phase silica gel liquid chromatography 796(2003)1

Gossypol

High-performance liquid chromatographic determination of gossypol and gossypolone enantiomers in fish tissues using simultaneous electrochemical and ultraviolet detectors 779(2002)313

Gossypolone

High-performance liquid chromatographic determination of gossypol and gossypolone enantiomers in fish tissues using simultaneous electrochemical and ultraviolet detectors 779(2002)313

Growth hormone

Synthesis and chromatographic purification of recombinant human pituitary hormones 790(2003)285

GST fusion protein

Identification of a tubulin binding motif on the P2X₂ receptor 786(2003)311

H**Haemoglobin**

Application of shielding boronate affinity chromatography in the study of the glycation pattern of haemoglobin 776(2002)149

Haemoglobin A_{1c}

Determination of haemoglobin A_{1c} by liquid chromatography using a new cation-exchange column 791(2003)73

Haemoglobin adducts

Use of haemoglobin adducts in exposure monitoring and risk assessment (Review) 778(2002)309

Halofuginone

Development and validation of a method for the confirmation of halofuginone in chicken liver and eggs using electrospray tandem mass spectrometry 788(2003)29

Haloperidol

Liquid chromatographic–mass spectrometric determination of haloperidol and its metabolites in human plasma and urine 776(2002)107

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Haptoglobin

Purification of human plasma haptoglobin by hemoglobin-affinity column chromatography 790(2003)209

Mapping glycosylation changes related to cancer using the Multiplexed Proteomics technology: a protein differential display approach 793(2003)127

Heavy metals

Elements in environmental and occupational medicine (Review)
778(2002)63

Helium buffer gas

Peak capacity of ion mobility mass spectrometry: Separation of peptides in helium buffer gas 782(2002)385

Hemoglobin

Exposure-dependent accumulation of *N*-(2-hydroxypropyl)valine in hemoglobin of F344 rats exposed to propylene oxide by the inhalation route 778(2002)383

First case of a single heterozygote of an abnormal hemoglobin, Hb Stanmore, [β 111(G13)Val \rightarrow Ala] 792(2003)23

Hemoglobin adducts

Biomonitoring of exposure to aromatic amines: haemoglobin adducts in humans (Review) 778(2002)49

Hemoglobin, glycated

Novel approach for the analysis of glycated hemoglobin using capillary isoelectric focusing with chemical mobilization 785(2003)285

Hemoglobin variants

Advanced analytical methods for hemoglobin variants (Review)
781(2002)291

Heparin

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

Heparin binding proteins

Membrane-bound heparin binding proteins from HL-60 cells purified in a two-step affinity chromatography differentially eluted with divalent cations 780(2002)1

Heptanesulfonic acid

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Heroin

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Hexafluoroisopropanol

Determination of hexafluoroisopropanol, a sevoflurane urinary metabolite, by 9-fluorenylmethyl chloroformate derivatization 776(2002)237

Hexane

Evaluation of 2,5-hexanedione in urine of workers exposed to *n*-hexane in Brazilian shoe factories 778(2002)237

2,5-Hexanedione

Evaluation of 2,5-hexanedione in urine of workers exposed to *n*-hexane in Brazilian shoe factories 778(2002)237

Hexokinase

Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53

High-density lipoproteins

Detection of oxidized high-density lipoprotein (Review) 781(2002)331

Highly retained compounds

Chromatographic performance of large-pore versus small-pore columns in micellar liquid chromatography 785(2003)1

Hippuric acid

Determination of urinary hippuric acid by micellar electrokinetic capillary chromatography 793(2003)223

Histamine

Measurement of histamine in individual rat peritoneal mast cells by capillary zone electrophoresis with electrochemical detection 779(2002)347

Determination of histamine in the whole blood of colon cancer patients 780(2002)331

Assay and biological relevance of endogenous histamine and its metabolites: application of microseparation techniques (Review) 781(2002)165

Histidine tag

Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229

Histidine tag recombinant exopolyphosphatase

On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from *Trypanosoma brucei* overexpressed in *Escherichia coli* 786(2003)305

Histone

Analysis of core histones by liquid chromatography-mass spectrometry and peptide mapping 783(2003)173

Capillary electrophoresis-based method to quantitate DNA-protein interactions 789(2003)431

Homocysteine

Plasma total homocysteine quantification: an improvement of the classical high-performance liquid chromatographic method with fluorescence detection of the thiol-SBD derivatives 779(2002)359

Methods for homocysteine analysis and biological relevance of the results (Review) 781(2002)207

Newborn screening of homocystinuria: quantitative analysis of total homocyst(e)ine on dried blood spot by liquid chromatography with fluorimetric detection 785(2003)219

Simple plasma work-up for a fast chromatographic analysis of homocysteine, cysteine, methionine and aromatic amino acids 789(2003)311

Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275

Homologousgene

Relative mRNA expression of the lactate dehydrogenase A and B subunits as determined by simultaneous amplification and single strand conformation polymorphism. Relation with subunit enzyme activity 793(2003)405

Hormones

Synthesis and chromatographic purification of recombinant human pituitary hormones 790(2003)285

Horseradish peroxidase

Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193

Hsp70

Recombinant expression and purification of Ssa1p (Hsp70) from *Saccharomyces cerevisiae* using *Pichia pastoris* 786(2003)109

5-HT antagonists

Liquid chromatography–tandem mass spectrometry identification of metabolites of three phenylcarboxyl derivatives of the 5-HT_{1A} antagonist, *N*-(2-(4-(2-methoxyphenyl)-1-piperazinyl)ethyl)-*N*-(2-pyridyl) *trans*-4-fluorocyclohexanecarboxamide (FCWAY), produced by human and rat hepatocytes 780(2002)99

H-Tyr-(D)-Ala-Phe-Phe-NH₂

Enantiomeric separation of TAPP, H-Tyr-(D)Ala-Phe-Phe-NH₂, by capillary electrophoresis using 18-crown-6-tetracarboxylic acid as a chiral selector 793(2003)343

Human serum albumin

Triazine–human serum albumin association: thermodynamic approach and sodium effect 780(2002)467

Hyaluronic acid

Hyaluronic acid: separation and biological implications 797(2003)347

Hydrochlorothiazide

Determination of 6-hydroxychlorzoxazone and chlorzoxazone in porcine microsome samples 784(2003)111

Simultaneous determination of irbesartan and hydrochlorothiazide in human plasma by liquid chromatography 784(2003)195

Hydromorphone

Quantification of the O- and N-demethylated metabolites of hydrocodone and oxycodone in human liver microsomes using liquid chromatography with ultraviolet absorbance detection 785(2003)81

Hydroperoxide lyase

Optimisation of expression and immobilized metal ion affinity chromatographic purification of recombinant (His)₆-tagged cytochrome P450 hydroperoxide lyase in *Escherichia coli* 786(2003)229

γ-Hydroxybutyric acid

Ultra-rapid procedure to test for γ-hydroxybutyric acid in blood and urine by gas chromatography–mass spectrometry 792(2003)83

Determination of γ-hydroxybutyric acid in biological fluids by using capillary electrophoresis with indirect detection 800(2004)239

4-Hydroxybutyric acid

Rapid and sensitive detection of urinary 4-hydroxybutyric acid and its related compounds by gas chromatography–mass spectrometry in a patient with succinic semialdehyde dehydrogenase deficiency 776(2002)57

A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography–mass spectrometry 792(2003)141

4-Hydroxybutyric aciduria

A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography–mass spectrometry 792(2003)141

10-Hydroxycamptothecin

Liquid chromatography determination of 10-hydroxycamptothecin in human serum by a column-switching system containing a pre-column with restricted access media and its application to a clinical pharmacokinetic study 796(2003)195

Hydroxycelecoxib

Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelecoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207

Hydroxycinnamates

Simultaneous determination of hydroxycinnamates and catechins in human urine samples by column switching liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry 787(2003)369

Validated method for the determination of six metabolites derived from artichoke leaf extract in human plasma by high-performance liquid chromatography–coulometric-array detection 793(2003)367

14-Hydroxy-clarithromycin

Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

18-Hydroxycorticosterone

Chromatographic system for the simultaneous measurement of plasma 18-hydroxy-11-deoxycorticosterone and 18-hydroxycorticosterone by radioimmunoassay: reference data for neonates and infants and its application in aldosterone-synthase deficiency 785(2003)293

6β-Hydroxycortisol

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography–electrospray ionization–ion trap mass spectrometry 780(2002)371

Determination of testosterone metabolites in human hepatocytes. I.

Development of an on-line sample preparation liquid chromatography technique and mass spectroscopic detection of 6β-hydroxytestosterone 784(2003)49

Simple and sensitive high-performance liquid chromatography method for simultaneous determination of urinary free cortisol and 6β-hydroxycortisol in routine practice. For CYP 3A4 activity evaluation in basal conditions and after grapefruit juice intake 793(2003)357

Simultaneous determination of endogenous and stable isotope-labelled 6β-hydroxycortisol in human urine by stable isotope dilution mass spectrometry 794(2003)373

trans-3'-Hydroxycotinine

Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography–tandem mass spectrometry 778(2002)251

18-Hydroxy-11-deoxycorticosterone

Chromatographic system for the simultaneous measurement of plasma 18-hydroxy-11-deoxycorticosterone and 18-hydroxycorticosterone by radioimmunoassay: reference data for neonates and infants and its application in aldosterone-synthase deficiency 785(2003)293

8-Hydroxy-2'-deoxyguanosine

Urinary excretion of 8-hydroxy-2'-deoxyguanosine measured by high-performance liquid chromatography with electrochemical detection 778(2002)393

3-Hydroxydesloratadine

Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography–tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma 792(2003)229

Z-4-Hydroxy-N-desmethyltamoxifen

Quantification of tamoxifen and three metabolites in plasma by high-performance liquid chromatography with fluorescence detection: application to a clinical trial 791(2003)245

Hydroxydiclofenac

Analysis of diclofenac and its metabolites by high-performance liquid chromatography: relevance of *CYP2C9* genotypes in diclofenac urinary metabolic ratios 789(2003)437

12-(S)Hydroxyeicosatetraenoic acid

Determination of urinary 12(S)-hydroxyeicosatetraenoic acid by liquid chromatography-tandem mass spectrometry with column-switching technique: sex difference in healthy volunteers and patients with diabetes mellitus 783(2003)383

20-Hydroxyeicosatetraenoic acid

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography-mass spectrometry (HPLC-MS) 794(2003)363

7-Hydroxyenterolactone

Liquid chromatographic-tandem mass spectrometric method for the plant lignan 7-hydroxymatairesinol and its potential metabolites in human plasma 793(2003)297

Hydroxyestrones

Stable isotope dilution high-performance liquid chromatography-electrospray ionization mass spectrometry method for endogenous 2- and 4-hydroxyestrones in human urine 780(2002)315

Hydroxy fatty acid methyl esters

Gas chromatographic-mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443

3-Hydroxyflavone

Selective reversed-phase liquid chromatography method for the kinetic investigation of 3-hydroxyflavone photostability 800(2004)245

3-Hydroxyflunitrazepam

Automated solid-phase extraction and liquid chromatography-electrospray ionization-mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

3-Hydroxyglutaric acid

Quantification of 3-hydroxyglutaric acid in urine, plasma, cerebrospinal fluid and amniotic fluid by stable-isotope dilution negative chemical ionization gas chromatography-mass spectrometry 780(2002)199

Hydroxyitraconazole

Liquid chromatographic method for the determination of plasma itraconazole and its hydroxy metabolite in pharmacokinetic/bioavailability studies 798(2003)355

Hydroxyl radicals

Hydroxyl radical in living systems and its separation methods (Review) 781(2002)481

4-Hydroxymephenytoin

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography-electrospray ionization-ion trap mass spectrometry 780(2002)371

4'-Hydroxymephenytoin

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography-electrospray ionization-ion trap mass spectrometry 780(2002)371

Simultaneous enantiospecific separation and quantitation of mephenytoin and its metabolites nirvanol and 4'-hydroxymephenytoin in human plasma by liquid chromatography 791(2003)179

Hydroxymesocarb

Liquid chromatography-electrospray ionization ion trap mass spectrometry for analysis of mesocarb and its metabolites in human urine 800(2004)281

4'-Hydroxy-3'-methoxyacetophenone

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

3-Hydroxy-3-methylglutaryl

Analytical methods for the quantitative determination of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors in biological samples 793(2003)193

5-Hydroxy-N-methylpyrrolidone

Quantitative determination of 5-hydroxy-N-methylpyrrolidone in urine for biological monitoring of *N*-methylpyrrolidone exposure 778(2002)223

1'-Hydroxymidazolam

Determination of midazolam and 1'-hydroxymidazolam by liquid chromatography-mass spectrometry in plasma of patients undergoing methadone maintenance treatment 783(2003)303

3-Hydroxymorphinan

Determination of dextromethorphan and its metabolites in rat serum by liquid-liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

Hydroxynimesulide

Simultaneous determination of nimesulide and hydroxynimesulide in rat plasma, cerebrospinal fluid and brain by liquid chromatography using solid-phase extraction 785(2003)227

Hydroxymeprazole

Phenotype of *CYP2C19* and *CYP3A4* by determination of omeprazole and its two main metabolites in plasma using liquid chromatography with liquid-liquid extraction 780(2002)459

Hydroxy paclitaxel

Measurement of paclitaxel in biological matrices: high-throughput liquid chromatographic-tandem mass spectrometric quantification of paclitaxel and metabolites in human and dog plasma 785(2003)253

Hydroxyprogesterones

Guidelines for analytical method development and validation of biotechnological synthesis of drugs. Production of a hydroxyprogesterone as model 791(2003)323

Hydroxyproline

Liquid chromatographic determination of hydroxyproline in tissue samples 791(2003)427

Hydroxypropyl-cyclodextrin

Chromatographic determination of the association constant between 8-methoxysoralen and modified β -cyclodextrin: protective effect of hydroxypropyl- β -cyclodextrin on 8-methoxysoralen toxicity in human keratinocytes 798(2003)217

***N*-(2-Hydroxypropyl)valine**

Exposure-dependent accumulation of *N*-(2-hydroxypropyl)valine in hemoglobin of F344 rats exposed to propylene oxide by the inhalation route 778(2002)383

1-Hydroxypyrene

Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165

Fast and sensitive determination of urinary 1-hydroxypyrene by packed capillary column switching liquid chromatography coupled to micro-electrospray time-of-flight mass spectrometry 794(2003)175

3-Hydroxyquinine

High-performance liquid chromatographic method for the determination of quinine and 3-hydroxyquinine in blood samples dried on filter paper 795(2003)151

9-Hydroxyrisperidone

Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213

Validated method for the determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography-tandem mass spectrometry 783(2003)461

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Hydroxyterpenes

Sensitive biomonitoring of monoterpene exposure by gas chromatographic-mass spectrometric measurement of hydroxy terpenes in urine 780(2002)225

11-Hydroxy- Δ^9 -tetrahydrocannabinol

Validated method for the simultaneous determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in human plasma using solid phase extraction and gas chromatography-mass spectrometry with positive chemical ionization 798(2003)145

18-Hydroxytetrahydro-11-dehydrocorticosterone

Analysis of biological samples by gas chromatography-mass spectrometry without a reference standard: measurement of urinary 18-hydroxytetrahydro-11-dehydrocorticosterone excretion rate in human subjects 784(2003)367

4-Hydroxytolbutamide

Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography-electrospray ionization-ion trap mass spectrometry 780(2002)371

2-Hydroxy-4-trifluoromethylbenzoic acid

Simultaneous determination of triflusal and its major active metabolite, 2-hydroxy-4-trifluoromethylbenzoic acid, in rat and human plasma by high-performance liquid chromatography 798(2003)257

Hydroxytyrosol

Liquid chromatography-tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration 785(2003)47

Simultaneous determination of oleuropein and its metabolites in plasma by high-performance liquid chromatography 785(2003)157

Simultaneous determination of oleuropein and hydroxytyrosol in rat plasma using liquid chromatography with fluorescence detection 785(2003)187

(-)-10-Hydroxyverbenone

High-performance liquid chromatographic method for the determination of (-)-verbenone 10-hydroxylation catalyzed by rat liver microsomes 793(2003)291

Hyperforin

Simultaneous determination of hypericin and hyperforin in human plasma and serum using liquid-liquid extraction, high-performance liquid chromatography and liquid chromatography-tandem mass spectrometry 777(2002)147

Determination of hyperforin in human plasma using solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 780(2002)129

Hypericin

Simultaneous determination of hypericin and hyperforin in human plasma and serum using liquid-liquid extraction, high-performance liquid chromatography and liquid chromatography-tandem mass spectrometry 777(2002)147

Hypoxanthine-guanine phosphoribosyltransferase

Chemical diagnosis of Lesch-Nyhan syndrome using gas chromatography-mass spectrometry detection 792(2003)123

I

Ibuprofen

Validation of a liquid chromatographic method for the determination of ibuprofen in human plasma 780(2002)341

Stereospecific high-performance liquid chromatographic analysis of ibuprofen in rat serum 796(2003)225

Enantioselective determination of ibuprofen in plasma by high-performance liquid chromatography-electrospray mass spectrometry 796(2003)413

IDN 5390

High-performance liquid chromatographic assay for the determination of the novel C-Seco-taxane derivative (IDN 5390) in mouse plasma 780(2002)93

Imatinib

Liquid chromatographic-mass spectrometric assay for quantitation of imatinib and its main metabolite (CGP 74588) in plasma 791(2003)39

Imatinib mesylate

Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine 794(2003)381

Reversed-phase liquid chromatography analysis of imatinib mesylate and impurity product in Glivec[®] capsules 800(2004)253

Imidazole

Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins 790(2003)153

Imipramine

Validation of non-aqueous capillary electrophoresis for simultaneous determination of four tricyclic antidepressants in pharmaceutical formulations and plasma samples 799(2004)127

Immobilines

Functional and structural proteomics: a critical appraisal (Review)
787(2003)1

Immunoglobulin A

Simplified procedure to recover recombinant antigenized secretory IgA to be used as a vaccine vector 786(2003)143

Analysis of secretory immunoglobulin A in human saliva by laser-induced fluorescence capillary electrophoresis 791(2003)315

Immunoglobulin G

High-performance affinity chromatography for characterization of human immunoglobulin G digestion with papain 776(2002)139

Novel metal-chelate affinity adsorbent for purification of immunoglobulin-G from human plasma 795(2003)93

Immunoglobulins

Quantitative analysis of IgA1 binding protein prepared from human serum by hypoglycosylated IgA1/Sepharose affinity chromatography 776(2002)101

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Novel sulfamethazine ligand used for one-step purification of immunoglobulin G from human plasma 792(2003)177

Indapamide

Optimization of a solid-phase extraction method for determination of indapamide in biological fluids using high-performance liquid chromatography 788(2003)199

Indinavir

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography-mass spectrometry 788(2003)339

Indole-3-carbinol

Liquid chromatographic assay for the simultaneous determination of indole-3-carbinol and its acid condensation products in plasma 787(2003)281

Industrial pollutants

Mercapturic acids in the biological monitoring of occupational exposure to chemicals (Review) 781(2002)269

Interferon

Membrane cartridges for endotoxin removal from interferon preparations 791(2003)55

Interleukin-2

Methodology for assaying recombinant interleukin-2 associated with liposomes by combined gel exclusion chromatography and fluorescence 783(2003)151

Intrinsically disordered proteins

A novel strategy for the purification of recombinantly expressed unstructured protein domains 786(2003)247

Iothalamate

Liquid chromatography for iothalamate in biological samples 785(2003)345

Irbesartan

Simultaneous determination of irbesartan and hydrochlorothiazide in human plasma by liquid chromatography 784(2003)195

Irinotecan

High-performance liquid chromatographic assay with fluorescence detection for the simultaneous measurement of carboxylate and lactone forms of irinotecan and three metabolites in human plasma 788(2003)65

Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383

Iron chelator

Improved high-performance liquid chromatographic method for the pharmacokinetic studies of a novel iron chelator, CP502, in rats 796(2003)105

Isobutyl chloroformate

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

Isoflavone phytoestrogens

Oxidative metabolism and genotoxic potential of major isoflavone phytoestrogens (Review) 777(2002)211

Isoflavones

Quantification of isoflavones in red clover by high-performance liquid chromatography 777(2002)123

Solvent extraction selection in the determination of isoflavones in soy foods 777(2002)129

High-throughput quantification of soy isoflavones in human and rodent blood using liquid chromatography with electrospray mass spectrometry and tandem mass spectrometry detection 777(2002)139

Bioavailability of isoflavones (Review) 777(2002)203

Inactivation of thyroid peroxidase by soy isoflavones, in vitro and in vivo 777(2002)269

Isoflavonoids

Deuterated phytoestrogen flavonoids and isoflavonoids for quantitation (Review) 777(2002)111

Isoflavonoids inhibit catabolism of vitamin D in prostate cancer cells 777(2002)261

Isoform

Study of metallothionein using capillary zone electrophoresis (Review) 781(2002)303

Isoleucine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography-mass spectrometry 792(2003)261

Isoperoxisomicines

Optimization and validation of an analytical procedure by high-performance liquid chromatography for the quantification of peroxisomicines and isoperoxisomicines 783(2003)85

Isoprostane

Simultaneous determination of endocannabinoids (arachidonylethanola-mide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F_{2α}) by gas chromatography–mass spectrometry-selected ion monitoring for medical samples 792(2003)131

Determination of isoprostanes in urine samples from Alzheimer patients using porous graphitic carbon liquid chromatography–tandem mass spectrometry 796(2003)11

Quantification of F-ring isoprostane-like compounds (F₄-neuroprostanes) derived from docosahexaenoic acid *in vivo* in humans by a stable isotope dilution mass spectrometric assay 799(2004)95

Isosorbide mononitrate

Determination of isosorbide-5-mononitrate in human plasma by high-resolution gas chromatography 800(2004)271

Isovaleryspiramycin

Determination of three major components of bitespiramycin and their major active metabolites in rat plasma by liquid chromatography-ion trap mass spectrometry 791(2003)45

Itraconazole

Liquid chromatographic method for the determination of plasma itraconazole and its hydroxy metabolite in pharmacokinetic/bioavailability studies 798(2003)355

J**JTP-20604**

Simultaneous determination of JTT-501 and its main metabolite in human plasma by liquid chromatography–ionspray mass spectrometry 794(2003)167

JTT-501

Simultaneous determination of JTT-501 and its main metabolite in human plasma by liquid chromatography–ionspray mass spectrometry 794(2003)167

Kanamycin

Determination of kanamycin in serum by solid-phase extraction, pre-capillary derivatization and capillary electrophoresis 784(2003)255

Kavain

Kinetics of kavain and its metabolites after oral application 789(2003)115

Testing for kavain in human hair using gas chromatography–tandem mass spectrometry 798(2003)351

Keratins

Proteomic database of wool components (Review) 787(2003)63

Ketamine

Simultaneous determination of ketamine and xylazine in canine plasma by liquid chromatography with ultraviolet absorbance detection 791(2003)421

Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99

Gas chromatography-isotope dilution mass spectrometry preceded by liquid–liquid extraction and chemical derivatization for the determination of ketamine and norketamine in urine 799(2004)37

α-Keto acids

Quantitative determination of free intracellular α -keto acids in neutrophils 789(2003)383

Ketobemidone

Validation of a method for quantification of ketobemidone in human plasma with liquid chromatography–tandem mass spectrometry 789(2003)347

3-Keto-4-ene steroids

Determination of 3-keto-4-ene steroids and their hydroxylated metabolites catalyzed by recombinant human cytochrome P450 1B1 enzyme using gas chromatography–mass spectrometry with trimethylsilyl derivatization 791(2003)127

Ketone bodies

Simultaneous measurement of plasma concentrations and ^{13}C -enrichment of short-chain fatty acids, lactic acid and ketone bodies by gas chromatography coupled to mass spectrometry 784(2003)395

Kynurenic acid

Quantitation of tryptophan, kynurenine and kynurenic acid in human plasma by capillary liquid chromatography–electrospray ionization tandem mass spectrometry 780(2002)381

Kynurenone

Quantitation of tryptophan, kynurenine and kynurenic acid in human plasma by capillary liquid chromatography–electrospray ionization tandem mass spectrometry 780(2002)381

L**Lactalbumin**

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Lactate dehydrogenase

Relative mRNA expression of the lactate dehydrogenase A and B subunits as determined by simultaneous amplification and single strand conformation polymorphism. Relation with subunit enzyme activity 793(2003)405

Determination of lactate dehydrogenase in human erythrocytes by capillary electrophoresis with electrochemical detection 798(2003)175

Lactic acid

Metabolic acidosis: separation methods and biological relevance of organic acids and lactic acid enantiomers (Review) 781(2002)39

Simultaneous measurement of plasma concentrations and ^{13}C -enrichment of short-chain fatty acids, lactic acid and ketone bodies by gas chromatography coupled to mass spectrometry 784(2003)395

Lactic acid dehydrogenase

Purification of lactic acid dehydrogenase from crude bovine heart extract by pH-peak focusing counter-current chromatography 776(2002)183

Lactoferrin

Assessing estrogenic activity of phytochemicals using transcriptional activation and immature mouse uterotrophic responses 777(2002)179

Lactoglobulin

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Lactulose

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145

Lamivudine

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137

Liquid chromatographic-mass spectrometric determination of the metabolism and disposition of the anti-retroviral nucleoside analogs zidovudine and lamivudine in C57BL/6N and B6C3F1 mice 798(2003)55

Lansoprazole

Lansoprazole quantification in human plasma by liquid chromatography-electrospray tandem mass spectrometry 783(2003)453

Lanthanide complexes

Cleavage of double stranded plasmid DNA by lanthanide complexes 800(2004)169

Laquinimod

Determination of laquinimod in plasma by coupled-column liquid chromatography with ultraviolet absorbance detection 785(2003)311

Lectins

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Lercanidipine

Enantioselective determination of lercanidipine in human plasma for pharmacokinetic studies by normal-phase liquid chromatography-tandem mass spectrometry 796(2003)429

Leucine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography-mass spectrometry 792(2003)261

Leucine aminopeptidase

Assay of leucine aminopeptidase activity in vitro using large-pore reversed-phase chromatography with fluorescence detection 796(2003)63

Leucine-doxorubicin

Determination of a peptide-doxorubicin, prostate-specific antigen activated prodrug, and its active metabolites in human plasma using high-performance liquid chromatography with fluorescence detection. Stabilization of the peptide prodrug with EDTA 780(2002)171

Leucine-enkephalin

Gradient liquid chromatography of leucine-enkephalin peptide and its metabolites with electrochemical detection using highly boron-doped diamond electrode 791(2003)63

Levamisole

Liquid chromatographic method with ultraviolet absorbance detection for measurement of levamisole in chicken tissues, eggs and plasma 796(2003)371

Levofloxacin

Determination of levofloxacin in plasma, bronchoalveolar lavage and bone tissues by high-performance liquid chromatography with ultraviolet detection using a fully automated extraction method 799(2004)165

Levomepromazine

Simultaneous determination of levomepromazine, midazolam and their major metabolites in human plasma by reversed-phase liquid chromatography 791(2003)389

Levomethorphan

Enantioselective interactions of dextromethorphan and levomethorphan with the $\alpha 3\beta 4$ -nicotinic acetylcholine receptor: comparison of chromatographic and functional data 797(2003)373

Levosulpiride

Improvement and validation of a liquid chromatographic method for the determination of levosulpiride in human serum and urine 796(2003)243

Lignans

Oxidative metabolites and genotoxic potential of mammalian and plant lignans in vitro 777(2002)321

Liquid chromatography method for plant and mammalian lignans in human urine 798(2003)101

Linezolid

Development of a liquid chromatography method for the determination of linezolid and its application to in vitro and human microdialysis samples 796(2003)155

Lipid

Improved procedure for the separation of major stratum corneum lipids by means of automated multiple development thin-layer chromatography 780(2002)443

Quantification of F-ring isoprostane-like compounds (F₄-neuroprostanones) derived from docosahexaenoic acid in vivo in humans by a stable isotope dilution mass spectrometric assay 799(2004)95

Lipid transfer proteins

Purification and characterization of a small (7.3 kDa) putative lipid transfer protein from maize seeds 794(2003)109

Lipoproteins

Separation and selective detection of lipoprotein particles of patients with coronary artery disease by frit-inlet asymmetrical flow field-flow fractionation 780(2002)415

Assay methods of modified lipoproteins in plasma (Review)

781(2002)313

Liposome-based SN-38

Determination by liquid chromatography with fluorescence detection of total 7-ethyl-10-hydroxy-camptothecin (SN-38) in beagle dog plasma after intravenous administration of liposome-based SN-38 (LE-SN38) 791(2003)85

Lisinopril

Development of a liquid chromatography-mass spectrometry method for monitoring the angiotensin-converting enzyme inhibitor lisinopril in serum 783(2003)425

Long R³ IGF-I

Site-specific fluorescent derivatization and liquid chromatographic-mass spectrometric characterization of Long R³ IGF-I for bioanalytical applications 793(2003)115

Lopinavir

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography-mass spectrometry 788(2003)339

Loratadine

Reliable and specific high-performance liquid chromatographic method for simultaneous determination of loratadine and its metabolite in human plasma 796(2003)165

Lorazepam

Determination of the enantiomerization energy barrier of some 3-hydroxy-1,4-benzodiazepine drugs by supercritical fluid chromatography 779(2002)283

Low-density lipoproteins

Separation and selective detection of lipoprotein particles of patients with coronary artery disease by frit-inlet asymmetrical flow field-flow fractionation 780(2002)415

Low-mass proteomes

Low-mass proteome analysis based on liquid chromatography fractionation, nanoliter protein concentration/digestion, and microspot matrix-assisted laser desorption ionization mass spectrometry 782(2002)317

Low molecular mass glutenin subunits

Heterologous expression and purification of native and mutated low molecular mass glutenin subunits from durum wheat 786(2003)215

Loxapine

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257

Lupeolic acid

Analysis of pentacyclic triterpenic acids from frankincense gum resins and related phytopharmaceuticals by high-performance liquid chromatography. Identification of lupeolic acid, a novel pentacyclic triterpene 791(2003)21

Lutein

Capillary high-performance liquid chromatographic determination of lutein and zeaxanthin in aqueous humor from a single mouse eye 795(2003)17

Luteinizing hormone

Synthesis and chromatographic purification of recombinant human pituitary hormones 790(2003)285

Luteinizing hormone releasing hormone

Isocratic liquid chromatographic assay for monitoring the degradation of luteinizing hormone releasing hormone by extracts from the gastrointestinal tract of possums 779(2002)221

β-lymphoblasts

Proteome analysis of Epstein-Barr virus-transformed B-lymphoblasts and the proteome database (Review) 787(2003)197

Lysine

Use of the affinity chromatography principle in creating new thrombore-sistant materials 800(2004)263

Lysozyme

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Fractionation and purification of the enzymes stored in the latex of *Carica papaya* 790(2003)229

M**Malachite green**

Determination of residues of malachite green in aquatic ani-mals 788(2003)351

Malonaldehyde

Improved procedure for the determination of malonaldehyde by gas-chromatography with electron-capture detection as 2,4,6-trichlorophenylhydrazine derivative 796(2003)201

Malondialdehyde

Improved method for plasma malondialdehyde measurement by high-performance liquid chromatography using methyl malondialdehyde as an internal standard 785(2003)337

Mammalian lignans

Liquid chromatographic-tandem mass spectrometric method for the plant lignan 7-hydroxymatairesinol and its potential metabolites in human plasma 793(2003)297

Manganese peroxidase isoenzymes

Separation of manganese peroxidase isoenzymes on strong anion-exchange monolithic column using pH-salt gradient 799(2004)343

Manganese superoxide dismutase

In vitro cell free synthesis of human manganese superoxide dismutase with the RTS 500 system 786(2003)137

Mannan

Affinity chromatography of bull seminal proteins on mannan-Sepharose 780(2002)231

Mannich ketones

Determination of the basicity of Mannich ketones by capillary electrophoresis 799(2004)179

Mannitol

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145

Manumycin A

High-performance liquid chromatographic assay validation of Manumycin A in mouse plasma 776(2002)177

Matairesinol

Determination of matairesinol in flax seed by HPLC with coulometric electrode array detection 777(2002)61

Measurement

Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353

Mefenamic acid

Liquid chromatography method for determination of mefenamic acid in human serum 800(2004)189

Melagatran

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography-mass spectrometry 783(2003)335

Melanins

Development of a liquid chromatography-mass spectrometric method for measuring the binding of memantine to different melanins 787(2003)313

Melatonin

Quantification of melatonin in human saliva by liquid chromatography-tandem mass spectrometry using stable isotope dilution 794(2003)115

Meloxicam

Sensitive and rapid liquid chromatography-tandem mass spectrometry method for the determination of meloxicam in human plasma 785(2003)115

Melphalan

Alkylation of DNA by melphalan: investigation of capillary liquid chromatography-electrospray ionization tandem mass spectrometry in the study of the adducts at the nucleoside level 785(2003)21

Memantine

Development of a liquid chromatography-mass spectrometric method for measuring the binding of memantine to different melanins 787(2003)313

Membrane proteins

Purification of recombinant BtpA and Ycf3, proteins involved in membrane protein biogenesis in *Synechocystis* PCC 6803 786(2003)45

Menthol

Determination of menthol in plasma and urine of rats and humans by headspace solid phase microextraction and gas chromatography-mass spectrometry 799(2004)111

Mephenytoin

Stereoselective determination of the CYP2C19 probe drug mephenytoin in human urine by gas chromatography-mass spectrometry 783(2003)265

Simultaneous enantiospecific separation and quantitation of mephenytoin and its metabolites nirvanol and 4'-hydroxymephenytoin in human plasma by liquid chromatography 791(2003)179

Mercaptapurine

High-performance liquid chromatographic assay of metabolites of thioguanine and mercaptapurine in capillary blood 796(2003)87

Mercapturic acid

Mercapturic acids in the biological monitoring of occupational exposure to chemicals (Review) 781(2002)269

Determination of the major mercapturic acids of 1,3-butadiene in human and rat urine using liquid chromatography with tandem mass spectrometry 796(2003)131

Mesna

Quantification of mesna and total mesna in kidney tissue by high-performance liquid chromatography with electrochemical detection 783(2003)33

Mesocarb

Liquid chromatography-electrospray ionization ion trap mass spectrometry for analysis of mesocarb and its metabolites in human urine 800(2004)281

Metabolism

Metabolism of the new designer drug α -pyrrolidinopropiophenone (PPP) and the toxicological detection of PPP and 4'-methyl- α -pyrrolidinopropiophenone (MPPP) studied in rat urine using gas chromatography-mass spectrometry 796(2003)253

Metalloproteinase inhibitor

Reversed-phase liquid chromatography method to determine COL-3, a matrix metalloproteinase inhibitor, in biological samples 799(2004)311

Metallothionein

Determination of metallothionein-1/metallothionein-2 ratios in the mouse liver and pancreas by capillary zone electrophoresis using a polyacrylamide-coated capillary at neutral pH 779(2002)211

Study of metallothionein using capillary zone electrophoresis (Review) 781(2002)303

Characterization of metallothionein isoforms from rabbit liver by liquid chromatography coupled to electrospray mass spectrometry 796(2003)379

Metanephries

Determination of catecholamines and metanephries in urine by capillary electrophoresis-electrospray ionization-time-of-flight mass spectrometry 776(2002)221

Metformin

Determination of metformin in plasma using a new ion pair solid phase extraction technique and ion pair liquid chromatography 798(2003)203

Methacrylates

Magnetic hydrophilic methacrylate-based polymer microspheres designed for polymerase chain reactions applications 800(2004)27

Methadone

Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography-mass spectrometry 784(2003)117

Quantitative determination of the enantiomers of methadone and its metabolite (EDDP) in human saliva by enantioselective liquid chromatography with mass spectrometric detection 796(2003)355

Methamphetamine

Routine analysis of amphetamine and methamphetamine in biological materials by gas chromatography-mass spectrometry and on-column derivatization 789(2003)65

Solid-phase micro-extraction-gas chromatography-mass spectrometry and headspace-gas chromatography of tetrahydrocannabinol, amphetamine, methamphetamine, cocaine and ethanol in saliva samples 789(2003)73

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241

Development and validation of a gas chromatography-mass spectrometry assay for hair analysis of amphetamine, methamphetamine and methyleedioxy derivatives 798(2003)249

Methionine

Simple plasma work-up for a fast chromatographic analysis of homocysteine, cysteine, methionine and aromatic amino acids 789(2003)311

Methotrexate

Non-linear heteroscedastic regression model for determination of methotrexate in human plasma by high-performance liquid chromatography 787(2003)293

Methoxyamine

Measurement of anti-cancer agent methoxyamine in plasma by tandem mass spectrometry with on-line sample extraction 795(2003)295

Methoxycatecholamines

Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry 788(2003)277

(2-Methoxyethoxy)acetic acid

Procedure for the quantification of the biomarker (2-methoxyethoxy)acetic acid in human urine samples 795(2003)145

3-Methoxy-4-hydroxyphenylglycol

Detection of 3-methoxy-4-hydroxyphenylglycol in rabbit skeletal muscle microdialysate 798(2003)163

Methoxymethamphetamine

New designer drug *p*-methoxymethamphetamine: studies on its metabolism and toxicological detection in urine using gas chromatography-mass spectrometry 789(2003)27

2-Methoxy-4-methylphenol

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

3-Methoxymorphinan

Determination of dextromethorphan and its metabolites in rat serum by liquid-liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

2-Methoxyphenol

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

1-(4-Methoxyphenyl)piperazine

Toxicological detection of the new designer drug 1-(4-methoxyphenyl)piperazine and its metabolites in urine and differentiation from an intake of structurally related medicaments using gas chromatography-mass spectrometry 798(2003)333

8-Methoxysoralen

Validation of a microdialysis-gas chromatographic-mass spectrometric method to assess 8-methoxysoralen in psoriatic patient dermis 780(2002)119

Chromatographic determination of the association constant between 8-methoxysoralen and modified β -cyclodextrin: protective effect of hydroxypropyl- β -cyclodextrin on 8-methoxysoralen toxicity in human keratinocytes 798(2003)217

Determination of 8-methoxysoralen in human plasma, and microdialysates using liquid chromatography-tandem mass spectrometry 798(2003)223

4'-Methoxy- α -pyrrolidinopropiophenone

Metabolism and toxicological detection of the new designer drug 4'-methoxy- α -pyrrolidinopropiophenone studied in rat urine using gas chromatography-mass spectrometry 793(2003)331

N-Methylcarbamoylvaline adduct

Improved gas chromatographic-mass spectrometric determination of the *N*-methylcarbamoyl adduct at the N-terminal valine of globin, a metabolic product of the solvent *N,N*-dimethylformamide 778(2002)357

Methylcellulose

Direct analysis of drugs in plasma by column-switching liquid chromatography-mass spectrometry using a methylcellulose-immobilized reversed-phase pretreatment column 792(2003)49

Methylcitric acid

Rapid and sensitive method for prenatal diagnosis of propionic acidemia using stable isotope dilution gas chromatography-mass spectrometry and urease pretreatment 776(2002)71

5-Methylcytosine

5-Methylcytosine as a marker for the monitoring of DNA methylation 781(2002)373

3,4-Methylenedioxymphetamine

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241

3,4-Methylenedioxymethamphetamine

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241

3',4'-Methylenedioxo- α -pyrrolidinopropiophenone

Metabolism and toxicological detection of the new designer drug 3',4'-methylenedioxo- α -pyrrolidinopropiophenone studied in urine using gas chromatography-mass spectrometry 793(2003)377

Methylnaltrexone

Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study 780(2002)251

Methylphenidate

High-throughput selected reaction monitoring liquid chromatography-mass spectrometry determination of methylphenidate and its major metabolite, ritalinic acid, in rat plasma employing monolithic columns 783(2003)73

Methylphosphonates

Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography-mass spectrometry after *tert*-butyldimethylsilylation 795(2003)123

4'-Methyl- α -pyrrolidinohexanophenone

New designer drug 4'-methyl- α -pyrrolidinohexanophenone: studies on its metabolism and toxicological detection in urine using gas chromatography-mass spectrometry 789(2003)79

4'-Methyl- α -pyrrolidinopropiophenone

Metabolism of the new designer drug α -pyrrolidinopropiophenone (PPP) and the toxicological detection of PPP and 4'-methyl- α -pyrrolidinopropiophenone (MPPP) studied in rat urine using gas chromatography-mass spectrometry 796(2003)253

N-methylpyrrolidone

Quantitative determination of 5-hydroxy-*N*-methylpyrrolidone in urine for biological monitoring of *N*-methylpyrrolidone exposure 778(2002)223

Methylxanthines

Extractionless method for the determination of urinary caffeine metabolites using high-performance liquid chromatography coupled with tandem mass spectrometry 789(2003)227

Metoprolol

Enantioselective determination of metoprolol acidic metabolite in plasma and urine using liquid chromatography chiral columns: applications to pharmacokinetics 783(2003)433

Microbes

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

Microcystin

Reversed-phase liquid chromatographic-mass spectrometric determination of microcystin-LR in cyanobacteria blooms under alkaline conditions 800(2004)315

Midazolam

Determination of midazolam and 1'-hydroxymidazolam by liquid chromatography-mass spectrometry in plasma of patients undergoing methadone maintenance treatment 783(2003)303

Simultaneous determination of levomepromazine, midazolam and their major metabolites in human plasma by reversed-phase liquid chromatography 791(2003)389

Midecamycin

Determination of midecamycin by capillary zone electrophoresis with electrochemical detection 783(2003)509

Mifepristone

Determination of mifepristone levels in wild canid serum using liquid chromatography 794(2003)9

Minocycline

Liquid chromatographic determination of minocycline in brain-to-plasma distribution studies in the rat 791(2003)337

Mirtazapine

Determination of mirtazapine in human plasma by liquid chromatography 794(2003)323

Measurement of total mirtazapine and normirtazapine in plasma/serum by liquid chromatography with fluorescence detection 798(2003)211

Mitoguazone

Rapid and sensitive quantitation of the antiproliferative agent mitoguazone in small volumes of plasma by high-performance liquid chromatography with ultraviolet detection 793(2003)281

MitoTracker Green

MitoTracker Green labeling of mitochondrial proteins and their subsequent analysis by capillary electrophoresis with laser-induced fluorescence detection 793(2003)141

Mitoxantrone

Improved liquid chromatographic method for mitoxantrone quantification in mouse plasma and tissues to study the pharmacokinetics of a liposome entrapped mitoxantrone formulation 799(2004)149

Monoamine neurotransmitters

Simultaneous determination of the monoamine neurotransmitters and glucose in rat brain by microdialysis sampling coupled with liquid chromatography-dual electrochemical detector 785(2003)327

Liquid chromatography with amperometric detection using functionalized multi-wall carbon nanotube modified electrode for the determination of monoamine neurotransmitters and their metabolites 791(2003)217

Monoclonal antibodies

Expanded bed adsorption processing of mammalian cell culture fluid: comparison with packed bed affinity chromatography 784(2003)183

N-Monodemethyl trimebutine

Quantitative determination of trimebutine maleate and its three metabolites in human plasma by liquid chromatography-tandem mass spectrometry 779(2002)173

Monomeric folding intermediates

Structural characterization of monomeric folding intermediates of recombinant human macrophage-colony stimulating factor β (rhM-CSF β) by chemical trapping, chromatographic separation and mass spectrometric peptide mapping 782(2002)393

Monoterpene

Sensitive biomonitoring of monoterpene exposure by gas chromatographic-mass spectrometric measurement of hydroxy terpenes in urine 780(2002)225

Morphine

Urinary concentrations of morphine after the administration of herbal teas containing *Papaveris fructus* in relation to doping analysis 785(2003)245

Rapid and simple method to determine morphine and its metabolites in rat plasma by liquid chromatography-mass spectrometry 787(2003)243

Determination of morphine and morphine glucuronides in human plasma by 96-well plate solid-phase extraction and liquid chromatography-electrospray ionization mass spectrometry 796(2003)95

Morphine glucuronides

Rapid and simple method to determine morphine and its metabolites in rat plasma by liquid chromatography–mass spectrometry 787(2003)243

Determination of morphine and morphine glucuronides in human plasma by 96-well plate solid-phase extraction and liquid chromatography–electrospray ionization mass spectrometry 796(2003)95

MSP-1₄₂

Expression and purification of *Plasmodium falciparum* MSP-1₄₂: A malaria vaccine candidate 786(2003)61

***trans, trans*-Muconic acid**

Personal exposure to different levels of benzene and its relationships to the urinary metabolites *S*-phenylmercapturic acid and *trans, trans*-muconic acid 778(2002)211

Mupirocin

Development and validation of a liquid chromatographic method for in vitro mupirocin quantification in both skin layers and percutaneous penetration studies 796(2003)233

Mycophenolic acid

Rapid determination of mycophenolic acid in plasma by reversed-phase high-performance liquid chromatography 776(2002)251

Simple determination of mycophenolic acid in human serum by column-switching high-performance liquid chromatography 780(2002)21

Quantification of free mycophenolic acid and its glucuronide metabolite in human plasma by liquid-chromatography using mass spectrometric and ultraviolet absorbance detection 799(2004)157

Liquid chromatographic method for simultaneous determination of mycophenolic acid and its phenol- and acylglucuronide metabolites in plasma 799(2004)355

Mycotoxins

Liquid chromatography/electrospray ionisation-mass spectrometry method for the quantification of sphingosine and sphinganine in cell cultures exposed to fumonisins 780(2002)137

Myelin basic protein

Identification of a tubulin binding motif on the P2X₂ receptor 786(2003)311

N**Naltrexone**

Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study 780(2002)251

Extraction and quantitation of carfentanil and naltrexone in goat plasma with liquid chromatography–mass spectrometry 793(2003)351

Nano-particles

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

NAP

Quantitative determination of rivastigmine and its major metabolite in human plasma by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 784(2003)301

Naphazoline

Determination of prednisolone and the most important associated compounds in ocular and cutaneous pharmaceutical preparations by micellar electrokinetic capillary chromatography 784(2003)39

α-Naphthylisothiocyanate

Determination of α-naphthylisothiocyanate and metabolites α-naphthylamine and α-naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17

α-Naphthylamine

Determination of α-naphthylisothiocyanate and metabolites α-naphthylamine and α-naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17

α-Naphthylisocyanate

Determination of α-naphthylisothiocyanate and metabolites α-naphthylamine and α-naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17

Nelfinavir

Simple and rapid high-performance liquid chromatographic method for nelfinavir, M8 nelfinavir metabolite, ritonavir and saquinavir assay in plasma 780(2002)155

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Neuroleptics

Evaluation of electrospray ionisation liquid chromatography–tandem mass spectrometry for rational determination of a number of neuroleptics and their major metabolites in human body fluids and tissues 789(2003)151

Neurons

Sedimentation field flow fractionation purification of immature neural cells from a human tumor neuroblastoma cell line 791(2003)149

Neuropeptides

High-resolution peptide mapping of cerebrospinal fluid: a novel concept for diagnosis and research in central nervous system diseases 782(2002)353

Neuroprostane

Quantification of F-ring isoprostane-like compounds (F₄-neuroprostanates) derived from docosahexaenoic acid *in vivo* in humans by a stable isotope dilution mass spectrometric assay 799(2004)95

Nevirapine

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultra-violet absorbance detection 791(2003)137

Simple and rapid method for the simultaneous determination of the non-nucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma using liquid chromatography 792(2003)353

Nicotine

Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography-tandem mass spectrometry 778(2002)251

Measurement of nicotine and cotinine in human milk by high-performance liquid chromatography with ultraviolet absorbance detection 796(2003)173

Nicotine, metabolites

Determination of nicotine and its metabolites in urine by solid-phase extraction and sample stacking capillary electrophoresis-mass spectrometry 796(2003)303

Nicotine-*N'*-oxide

Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography-tandem mass spectrometry 778(2002)251

$\alpha\beta\gamma$ -Nicotinic acetylcholine receptor

Enantioselective interactions of dextromethorphan and levomethorphan with the $\alpha\beta\gamma$ -nicotinic acetylcholine receptor: comparison of chromatographic and functional data 797(2003)373

Nile Red

Simple liquid-chromatographic method for Nile Red quantification in cell culture in spite of photobleaching 787(2003)415

Nimesulide

Simultaneous determination of nimesulide and hydroxynimesulide in rat plasma, cerebrospinal fluid and brain by liquid chromatography using solid-phase extraction 785(2003)227

Nirvanol

Simultaneous enantiospecific separation and quantitation of mephenytoin and its metabolites nirvanol and 4'-hydroxymephenytoin in human plasma by liquid chromatography 791(2003)179

Nitrate

Evaluation of methods for the extraction of nitrite and nitrate in biological fluids employing high-performance anion-exchange liquid chromatography for their determination 779(2002)201

Determination of nitrate and nitrite by high-performance liquid chromatography in human plasma 780(2002)193

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Nitric oxide

Quantitation of nitric oxide-derived nitrite from activated macrophages using microdialysis sampling 796(2003)327

Nitrite

Evaluation of methods for the extraction of nitrite and nitrate in biological fluids employing high-performance anion-exchange liquid chromatography for their determination 779(2002)201

Determination of nitrate and nitrite by high-performance liquid chromatography in human plasma 780(2002)193

Quantitation of nitric oxide-derived nitrite from activated macrophages using microdialysis sampling 796(2003)327

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

9-Nitrocampothecin

Determination of 9-nitrocampothecin by precolumn derivatization and its metabolite 9-aminocampothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309

Development of a bioanalytical liquid chromatography method for quantitation of 9-nitrocampothecin in human plasma 799(2004)63

Nitroglycerin

Determination of nitroglycerin and its dinitrate metabolites in urine by gas chromatography-mass spectrometry as potential biomarkers for occupational exposure 778(2002)193

Nitrotyrosine

Simultaneous determination of 3-nitrotyrosine and tyrosine in plasma proteins of rats and assessment of artifactual tyrosine nitration 779(2002)189

3-Nitrotyrosine

Accurate quantification of basal plasma levels of 3-nitrotyrosine and 3-nitrotyrosinoalbumin by gas chromatography-tandem mass spectrometry 784(2003)77

3-Nitrotyrosinoalbumin

Accurate quantification of basal plasma levels of 3-nitrotyrosine and 3-nitrotyrosinoalbumin by gas chromatography-tandem mass spectrometry 784(2003)77

Nodularin

Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders 784(2003)243

Non-covalent protein labeling

Symmetric and asymmetric squarylium dyes as noncovalent protein labels: a study by fluorimetry and capillary electrophoresis 793(2003)93

4-Nonylphenol

Stir bar sorptive extraction and thermal desorption-gas chromatography-mass spectrometry for the measurement of 4-nonylphenol and 4-*tert*-octylphenol in human biological samples 799(2004)119

Norandrostenedione

Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective 780(2002)145

11-Nor-9-carboxy- Δ^9 -tetrahydrocannabinol

Validated method for the simultaneous determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in human plasma using solid phase extraction and gas chromatography-mass spectrometry with positive chemical ionization 798(2003)145

Norcotinine

Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography-tandem mass spectrometry 778(2002)251

Nordextropropoxyphene

Determination of dextropropoxyphene and nordextropropoxyphene in urine by liquid chromatography–electrospray ionization mass spectrometry 794(2003)57

Norephedrine

Development and validation of a capillary zone electrophoresis method for the determination of ephedrine and related compounds in urine without extraction 791(2003)203

Norfluoxetine

Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients 783(2003)25

Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481

Improved enantioselective assay for the determination of fluoxetine and norfluoxetine enantiomers in human plasma by liquid chromatography 784(2003)375

Norharman

Isolation and identification of two [³H]norharman-([³H]β-carboline)-binding proteins from rat liver 784(2003)155

Norhydrocodone

Quantification of the O- and N-demethylated metabolites of hydrocodone and oxycodone in human liver microsomes using liquid chromatography with ultraviolet absorbance detection 785(2003)81

Norketamine

Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99

Gas chromatography-isotope dilution mass spectrometry preceded by liquid–liquid extraction and chemical derivatization for the determination of ketamine and norketamine in urine 799(2004)37

Normirtazapine

Measurement of total mirtazapine and normirtazapine in plasma/serum by liquid chromatography with fluorescence detection 798(2003)211

Normorphine

Rapid and simple method to determine morphine and its metabolites in rat plasma by liquid chromatography–mass spectrometry 787(2003)243

Noroxycodone

Quantification of the O- and N-demethylated metabolites of hydrocodone and oxycodone in human liver microsomes using liquid chromatography with ultraviolet absorbance detection 785(2003)81

Norpseudoephedrine

Development and validation of a capillary zone electrophoresis method for the determination of ephedrine and related compounds in urine without extraction 791(2003)203

Nortriptyline

Validation of non-aqueous capillary electrophoresis for simultaneous determination of four tricyclic antidepressants in pharmaceutical formulations and plasma samples 799(2004)127

Nuclear RNA polymerases

Heterologous overexpression and purification of four common subunits of nuclear RNA polymerases I, II and III of *Schizosaccharomyces pombe* 800(2004)121

Nucleic acids

A decade of high-resolution liquid chromatography of nucleic acids on styrene–divinylbenzene copolymers (Review) 782(2002)27

Monolithic capillary columns for liquid chromatography–electrospray ionization mass spectrometry in proteomic and genomic research 782(2002)111

Nucleoside triphosphates

Analysis of intracellular nucleoside triphosphate levels in normal and tumor cell lines by high-performance liquid chromatography 784(2003)101

Nucleosides

Artificial neural network classification based on high-performance liquid chromatography of urinary and serum nucleosides for the clinical diagnosis of cancer 780(2002)27

Alkylation of DNA by melphalan: investigation of capillary liquid chromatography–electrospray ionization tandem mass spectrometry in the study of the adducts at the nucleoside level 785(2003)21

Liquid chromatography–tandem mass spectrometry assays for intracellular deoxyribonucleotide triphosphate competitors of nucleoside antiretrovirals 789(2003)273

Nucleotide

Isocratic ion-exchange chromatographic assay for the nucleotide gemcitabine triphosphate in human white blood cells 780(2002)423

Determination of fifteen nucleotides in cultured human mononuclear blood and umbilical vein endothelial cells by solvent generated ion-pair chromatography 787(2003)381

Optimization of cellular nucleotide extraction and sample preparation for nucleotide pool analyses using capillary electrophoresis 788(2003)103

NVP-AAV490-NX

Complementary use of ion trap/time-of-flight mass spectrometry in combination with capillary high-pressure liquid chromatography: early characterization of in vivo metabolites of the cathepsin K inhibitor NVP-AAV490 in rat 787(2003)255

O**Ochratoxin A**

Two different clean-up procedures for liquid chromatographic determination of ochratoxin A in urine 798(2003)317

4-*tert*-Octylphenol

Stir bar sorptive extraction and thermal desorption–gas chromatography–mass spectrometry for the measurement of 4-nonylphenol and 4-*tert*-octylphenol in human biological samples 799(2004)119

Ofloxacin

Confirmation of ofloxacin precipitation in corneal deposits by microbore liquid chromatography–quadrupole time-of-flight tandem mass spectrometry 785(2003)193

Olanzapine

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Oleic acid

Gas chromatography-mass spectrometry of *cis*-9,10-epoxyoctadecanoic acid (*cis*-EODA). I. Direct evidence for *cis*-EODA formation from oleic acid oxidation by liver microsomes and isolated hepatocytes 784(2003)351

Oleuropein

Liquid chromatography-tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration 785(2003)47

Simultaneous determination of oleuropein and its metabolites in plasma by high-performance liquid chromatography 785(2003)157

Simultaneous determination of oleuropein and hydroxytyrosol in rat plasma using liquid chromatography with fluorescence detection 785(2003)187

Oligomeric enzymes

Simple and unique purification by size-exclusion chromatography for an oligomeric enzyme, rat liver cytosolic acetyl-coenzyme A hydrolase 790(2003)239

Oligonucleotides

Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography 783(2003)61

Omeprazole

Phenotype of CYP2C19 and CYP3A4 by determination of omeprazole and its two main metabolites in plasma using liquid chromatography with liquid-liquid extraction 780(2002)459

Simple and efficient method for enantioselective determination of omeprazole in human plasma 795(2003)227

Enantiomeric determination of the plasma levels of omeprazole by direct plasma injection using high-performance liquid chromatography with achiral-chiral column-switching 798(2003)275

Omeprazole sulfone

Phenotype of CYP2C19 and CYP3A4 by determination of omeprazole and its two main metabolites in plasma using liquid chromatography with liquid-liquid extraction 780(2002)459

OPA

Determination of histamine in the whole blood of colon cancer patients 780(2002)331

Opiates

Simultaneous, quantitative determination of opiates, amphetamines, cocaine and benzoylecgonine in oral fluid by liquid chromatography quadrupole-time-of-flight mass spectrometry 779(2002)321

Hair analysis for opiates: evaluation of washing and incubation procedures 789(2003)93

Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of opiates and metabolites in rat urine after inhalation of opium 789(2003)139

Development and validation of a liquid chromatography-mass spectrometry assay for the determination of opiates and cocaine in meconium 794(2003)281

Opioid peptides

Quantitative analysis of a model opioid peptide and its cyclic prodrugs in rat plasma using high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection 780(2002)269

Opium

Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of opiates and metabolites in rat urine after inhalation of opium 789(2003)139

Organic acids

Metabolic acidosis: separation methods and biological relevance of organic acids and lactic acid enantiomers (Review) 781(2002)39

Characterization of CIM monoliths as enzyme reactors 795(2003)105

Organic solvents

Finnish quality assurance programme for biological monitoring of organic solvents 778(2002)419

Organochlorine pesticides

Analysis of organophosphorus compound adducts of serine proteases by liquid chromatography-tandem mass spectrometry 776(2002)79

New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum 794(2003)137

Organophosphorus pesticide residues

Determination of organophosphorus pesticide residues in human tissues by capillary gas chromatography-negative chemical ionization mass spectrometry analysis 780(2002)431

Organophosphorus triesters

Feasibility of an on-line restricted access material/liquid chromatography/tandem mass spectrometry method in the rapid and sensitive determination of organophosphorus triesters in human blood plasma 795(2003)245

Organotin compounds

Comparison of different liquid chromatography conditions for the separation and analysis of organotin compounds in mussel and oyster tissue by liquid chromatography-inductively coupled plasma mass spectrometry 783(2003)221

Orotic acid

Diagnostic value of urinary orotic acid levels: applicable separation methods (Review) 781(2002)57

Analytical derivatization-a tool for determination of orotic acid 799(2004)303

OSI-420

Specific method for determination of OSI-774 and its metabolite OSI-420 in human plasma by using liquid chromatography-tandem mass spectrometry 793(2003)413

OSI-774

Liquid-chromatographic determination of erlotinib (OSI-774), an epidermal growth factor receptor tyrosine kinase inhibitor 796(2003)181

Specific method for determination of OSI-774 and its metabolite OSI-420 in human plasma by using liquid chromatography-tandem mass spectrometry 793(2003)413

Outer membrane protein

Two-step purification of the outer membrane transporter and activator protein ShlB from *Escherichia coli* using internally His₆-tagged constructs 786(2003)33

Ovalbumin

Kinetics and apparent activation energy of the reaction of the fluorogenic reagent 5-furoylquinoline-3-carboxaldehyde with ovalbumin 793(2003)107

Oxalate

Urinary analysis of nephrolithiasis markers (Review) 781(2002)433

Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89

Oxaliplatin

Liquid chromatographic determination of oxaliplatin in blood using post-column derivatization in a microwave field followed by photometric detection 795(2003)291

Oxazepam

Determination of the enantiomerization energy barrier of some 3-hydroxy-1,4-benzodiazepine drugs by supercritical fluid chromatography 779(2002)283

Oxazolidinones

High-performance liquid chromatographic analysis of DA-7867, a new oxazolidinone, in human plasma and urine and in rat tissue homogenates 794(2003)397

Oxcarbazepine

Liquid chromatographic determination of oxcarbazepine and its metabolites in plasma of epileptic patients after solid-phase extraction 783(2003)253

Oxolinic acid

High-performance liquid chromatographic method with fluorescence detection for the screening and quantification of oxolinic acid, flumequine and sarafloxacin in fish 780(2002)481

Oxymorphone

Quantification of the O- and N-demethylated metabolites of hydrocodone and oxycodone in human liver microsomes using liquid chromatography with ultraviolet absorbance detection 785(2003)81

Oxypertine

Toxicological detection of the new designer drug 1-(4-methoxyphenyl)-piperazine and its metabolites in urine and differentiation from an intake of structurally related medicaments using gas chromatography–mass spectrometry 798(2003)333

Oxypurinol

Development of a capillary electrophoresis method for the determination of allopurinol and its active metabolite oxypurinol 798(2003)303

Oxytetracycline

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

Oxytocin

Extraction of oxytocin and arginine–vasopressin from serum and plasma for radioimmunoassay and surface-enhanced laser desorption–ionization time-of-flight mass spectrometry 792(2003)375

Ozonized triglycerides

Gas chromatography–mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517

P**P2X receptor isoforms**

Identification of a tubulin binding motif on the P2X₂ receptor 786(2003)311

Paclitaxel

Sensitive liquid chromatography–mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma 783(2003)231

Measurement of paclitaxel in biological matrices: high-throughput liquid chromatographic–tandem mass spectrometric quantification of paclitaxel and metabolites in human and dog plasma 785(2003)253

Determination of paclitaxel in mouse plasma and brain tissue by liquid chromatography–mass spectrometry 798(2003)79

Papain

High-performance affinity chromatography for characterization of human immunoglobulin G digestion with papain 776(2002)139

Fractionation and purification of the enzymes stored in the latex of *Carica papaya* (Review) 790(2003)229

Paracetamol

Liquid chromatographic determination of ceterizine hydrochloride and paracetamol in human plasma and pharmaceutical formulations 798(2003)49

Paroxetine

Improved sample preparation for the quantitative analysis of paroxetine in human plasma by stable isotope dilution negative ion chemical ionisation gas chromatography–mass spectrometry 779(2002)353

High-performance liquid chromatography–mass spectrometry method for the determination of paroxetine in human plasma 780(2002)295

Penicillin G

Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203

Penicillin G acylase

Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67

Pentacyclic triterpenic acids

Analysis of pentacyclic triterpenic acids from frankincense gum resins and related phytopharmaceuticals by high-performance liquid chromatography. Identification of lupeolic acid, a novel pentacyclic triterpene 791(2003)21

Analysis of 12 different pentacyclic triterpenic acids from frankincense in human plasma by high-performance liquid chromatography and photodiode array detection 795(2003)355

Pentazocine

Application of gas chromatography–surface ionization organic mass spectrometry to forensic toxicology 776(2002)3

Peptides

High-performance liquid chromatographic separation of renin–angiotensin system peptides and most of their metabolic fragments 780(2002)301

Monolithic capillary columns for liquid chromatography-electrospray ionization mass spectrometry in proteomic and genomic research 782(2002)111

Peak capacity of ion mobility mass spectrometry: Separation of peptides in helium buffer gas 782(2002)385

Development of a two-dimensional protein-peptide separation protocol for comprehensive proteome measurements 787(2003)43

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Role of mass spectrometry in the purification of peptides and proteins 790(2003)91

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Gradient liquid chromatography of leucine-enkephalin peptide and its metabolites with electrochemical detection using highly boron-doped diamond electrode 791(2003)63

Human hemoglobin-derived peptides exhibit antimicrobial activity: a class of host defense peptides 791(2003)345

Automated large-volume sample stacking procedure to detect labeled peptides at picomolar concentration using capillary electrophoresis and laser-induced fluorescence detection 793(2003)151

Enantiomeric separation of TAPP, H-Tyr-(D)Ala-Phe-Phe-NH₂, by capillary electrophoresis using 18-crown-6-tetracarboxylic acid as a chiral selector 793(2003)343

Affinity chromatography techniques based on the immobilisation of peptides exhibiting specific binding activity 797(2003)289

Optimum separation condition of peptides in reversed-phase liquid chromatography 800(2004)115

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Peptide-doxorubicin

Determination of a peptide-doxorubicin, prostate-specific antigen activated prodrug, and its active metabolites in human plasma using high-performance liquid chromatography with fluorescence detection. Stabilization of the peptide prodrug with EDTA 780(2002)171

Peptide mixtures

Development of high-throughput liquid chromatography injected ion mobility quadrupole time-of-flight techniques for analysis of complex peptide mixtures 782(2002)343

Peptides, endogenous

Determination of endogenous peptides in the porcine brain: possible construction of Peptidome, a fact database for endogenous peptides 792(2003)33

Peptidyl-prolyl cis/trans isomerase (PPIase)

Identification and characterisation of *Schizosaccharomyces pombe* cyclophilin 3, a cyclosporin A insensitive orthologue of human USA-CyP 786(2003)81

Perchlorate

Sensitive high-performance liquid chromatography method for the determination of low levels of perchlorate in biological samples 788(2003)393

Permeable compounds

Screening and analysis of permeable compounds in *Radix Angelica Sinensis* with immobilized liposome chromatography 779(2002)331

Perospirone

Determination of a new atypical antipsychotic agent perospirone and its metabolite in human plasma by automated column-switching high-performance liquid chromatography 789(2003)239

Peroxisomicines

Optimization and validation of an analytical procedure by high-performance liquid chromatography for the quantification of peroxisomicines and isoperoxisomicines 783(2003)85

Perphenazine

Amperometric detection of perphenazine at a carbon fiber micro-disk bundle electrode by capillary zone electrophoresis 789(2003)411

Pesticides

Analytical methods for biological monitoring of exposure to pesticides: a review (Review) 778(2002)5

A multi-analyte method for the quantification of contemporary pesticides in human serum and plasma using high-resolution mass spectrometry 778(2002)99

New gas chromatographic-mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine 778(2002)121

Pethidine

Application of gas chromatography-surface ionization organic mass spectrometry to forensic toxicology 776(2002)3

Sensitive determination of pethidine in body fluids by gas chromatography-tandem mass spectrometry 792(2003)117

pH gradient

Separation of manganese peroxidase isoenzymes on strong anion-exchange monolithic column using pH-salt gradient 799(2004)343

Pharmacokinetics

Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283

Phencyclidine

Application of gas chromatography-surface ionization organic mass spectrometry to forensic toxicology 776(2002)3

Phentermine

Liquid chromatography studies on the pharmacokinetics of phentermine and fenfluramine in brain and blood microdialysates after intraperitoneal administration to rats 791(2003)291

Phenylalanine

Gas chromatography-mass spectrometry method for determination of phenylalanine and tyrosine in neonatal blood spots 780(2002)407

Poly(ethyleneglycol) column for the determination of acetaminophen, phenylephrine and chlorpheniramine in pharmaceutical formulations 785(2003)237

Simultaneous measurement of phenylalanine and tyrosine in phenylketonuric plasma and dried blood by high-performance liquid chromatography 788(2003)1

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography–mass spectrometry 792(2003)261

Simultaneous determination of tyrosine, phenylalanine and deoxyguanosine oxidation products by liquid chromatography–tandem mass spectrometry as non-invasive biomarkers for oxidative damage 799(2004)245

Phenylefrine

Determination of prednisolone and the most important associated compounds in ocular and cutaneous pharmaceutical preparations by micellar electrokinetic capillary chromatography 784(2003)39

Phenylhydrazone

Labelling saccharides with phenylhydrazine for electrospray and matrix-assisted laser desorption–ionization mass spectrometry 793(2003)167

Phenylisothiocyanate

Determination of diaminopimelic acid in rat feces by high-performance liquid chromatography using the Pico Tag method 784(2003)125

Phenylisothiocyanate and dansyl chloride precolumn derivatizations for the high-performance liquid chromatography analysis of the antitumoral agent ES-285 in dog plasma 791(2003)1

S-Phenylmercapturic acid

Personal exposure to different levels of benzene and its relationships to the urinary metabolites S-phenylmercapturic acid and *trans,trans*-muconic acid 778(2002)211

Determination of urinary S-phenylmercapturic acid by liquid chromatography–tandem mass spectrometry 795(2003)337

1-Phenyl-3-methyl-5-pyrazolone

Determination of 1-phenyl-3-methyl-5-pyrazolone-labeled carbohydrates by liquid chromatography and micellar electrokinetic chromatography 793(2003)159

Pheromones

Identification of pheromones in mouse urine by head-space solid phase microextraction followed by gas chromatography–mass spectrometry 796(2003)55

Phl p 6

Purification strategy for recombinant Phl p 6 is applicable to the natural allergen and yields biochemically and immunologically comparable preparations 787(2003)357

Phloroglucinol

Determination of phloroglucinol in human plasma by high-performance liquid chromatography–mass spectrometry 792(2003)307

Phosphate

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to 10^{-8} % level by ion chromatography 800(2004)321

Phosphatidylcholine

Separation and purification of phosphatidylcholine and phosphatidylethanolamine from soybean degummed oil residues by using solvent extraction and column chromatography 798(2003)323

Phosphatidylethanolamine

Separation and purification of phosphatidylcholine and phosphatidylethanolamine from soybean degummed oil residues by using solvent extraction and column chromatography 798(2003)323

Phosphodiesterase inhibitor

Sensitive liquid chromatography assay with ultraviolet detection for a new phosphodiesterase V inhibitor, DA-8159, in human plasma and urine 795(2003)179

Phospholipids

Derivatization of phospholipids (Review) 793(2003)3

Phosphoprotein

Egg yolk phosvitin: preparation of metal-free purified protein by fast protein liquid chromatography using aqueous solvents 791(2003)273

Phosvitin

Egg yolk phosvitin: preparation of metal-free purified protein by fast protein liquid chromatography using aqueous solvents 791(2003)273

Photosystem I

Purification of recombinant BtpA and Ycf3, proteins involved in membrane protein biogenesis in *Synechocystis* PCC 6803 786(2003)45

Phthalate esters

Simultaneous determination of phthalate di- and monoesters in poly(vinylchloride) products and human saliva by gas chromatography–mass spectrometry 780(2002)35

Phthalate monoester

Determination of three phthalate metabolites in human urine using on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry 788(2003)407

Phthalates

On-line clean-up by multidimensional liquid chromatography–electrospray ionization tandem mass spectrometry for high throughput quantification of primary and secondary phthalate metabolites in human urine 784(2003)169

Improved quantitative detection of 11 urinary phthalate metabolites in humans using liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 789(2003)393

Phycobiliproteins

Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Phycoerythrins

Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Physostigmine

Simple liquid chromatographic method for the determination of physostigmine and its metabolite eseroline in rat plasma: application to a pharmacokinetic study 784(2003)323

Phytanic acid

Measurement of plasma pristanic, phytanic and very long chain fatty acids by liquid chromatography–electrospray tandem mass spectrometry for the diagnosis of peroxisomal disorders 798(2003)159

Phytoestrogens

Review of the methods used in the determination of phytoestrogens (Review) 777(2002)3

Liquid chromatographic–photodiode array mass spectrometric analysis of dietary phytoestrogens from human urine and blood 777(2002)45

Deuterated phytoestrogen flavonoids and isoflavonoids for quantitation (Review) 777(2002)111

Yeast reporter system for rapid determination of estrogenic activity 777(2002)167

Assessing estrogenic activity of phytochemicals using transcriptional activation and immature mouse uterotrophic responses 777(2002)179

In vivo test systems for the quantitative and qualitative analysis of the biological activity of phytoestrogens (Review) 777(2002)191

Phytoestrogens as modulators of steroid action in target cells (Review) 777(2002)233

Thyroid gland function in ovariectomized ewes exposed to phytoestrogens 777(2002)281

Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography 784(2003)137

Determination of rat oral bioavailability of soy-derived phytoestrogens using an automated on-column extraction procedure and electrospray tandem mass spectrometry 796(2003)71

Phytoestrogens, activity

Overview of in vitro tools to assess the estrogenic and antiestrogenic activity of phytoestrogens (Review) 777(2002)155

Phytoestrogens, mammalian

Mammalian phytoestrogens: enterodiol and enterolactone (Review) 777(2002)289

Phytosterols

Concept of sequential analysis of free and conjugated phytosterols in different plant matrices 777(2002)67

Phytosteryl glycosides

Concept of sequential analysis of free and conjugated phytosterols in different plant matrices 777(2002)67

Pigments

Preparative purification of B-phycocerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Pioglitazone

Quantitative determination of pioglitazone in human serum by direct-injection high-performance liquid chromatography mass spectrometry and its application to a bioequivalence study 795(2003)215

Piperaquine

Measurement of piperaquine in plasma by liquid chromatography with ultraviolet absorbance detection 791(2003)93

Piperine

Liquid chromatographic method for determination of piperine in rat plasma: application to pharmacokinetics 776(2002)245

Piritramide

Quantitative determination of piritramide in human serum applying liquid chromatography–two-stage mass spectrometry 783(2003)53

Plant lignans

Structural determinants of plant lignans for the formation of enterolactone in vivo 777(2002)311

Plasmid DNA pBR322

Cleavage of double stranded plasmid DNA by lanthanide complexes 800(2004)169

Plasminogen

Use of the affinity chromatography principle in creating new thrombore-sistant materials 800(2004)263

Platinum adduct

Determination of the platinum drug *cis*-amminedichloro(2-methylpyridine)platinum(II) in human urine by liquid chromatography–tandem mass spectrometry 792(2003)217

PLFA

Gas chromatographic–mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443

Pluronic F127

Peptide mapping by capillary electrophoresis with Pluronic F127 800(2004)155

Polar compounds

Microemulsion electrokinetic chromatographic analysis of some polar compounds 783(2003)113

Polyacrylic acid

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Polyamines

Analysis of polyamines as markers of (patho)physiological conditions (Review) 781(2002)107

Polychlorinated biphenyls

Fast automated extraction and clean-up of biological fluids for poly-chlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis 776(2002)199

Determination of polychlorinated biphenyl congeners in human milk by gas chromatography–negative chemical ionization mass spectrometry after sample clean-up by solid-phase extraction 778(2002)147

Determination of polychlorinated biphenyls in serum using gas chromatography–mass spectrometry with negative chemical ionization for exposure estimation 791(2003)117

New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum 794(2003)137

Polychlorinated dibenzofurans

Fast automated extraction and clean-up of biological fluids for poly-chlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis 776(2002)199

Polychlorinated dibenzo-*p*-dioxins

Fast automated extraction and clean-up of biological fluids for poly-chlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis 776(2002)199

Polycyclic aromatic hydrocarbon

Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165

Polyelectrolyte complexes

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Poly(ethylene glycol)

Clinical use of polyethylene glycols as marker substances and determination in urine by liquid chromatography 787(2003)271

Evaluation of liquid chromatography column retentivity using macromolecular probes. IV. Poly(ethylene glycol) bonded phase 800(2004)69

Polyethyleneglycol

Study of the serum albumin-polyethyleneglycol interaction to predict the protein partitioning in aqueous two-phase systems 798(2003)25

Polyethyleneglycol-dextran

Relationship between the protein surface hydrophobicity and its partitioning behaviour in aqueous two-phase systems of polyethyleneglycol-dextran 799(2004)293

Polymerase chain reaction products

Mass spectrometry and tandem mass spectrometry, alone or after liquid chromatography, for analysis of polymerase chain reaction products in the detection of genomic variation (Review) 782(2002)57

Polymers

Drug delivery systems: polymers and drugs monitored by capillary electromigration methods 797(2003)37

Polymorphic allele products

One step purification of alpha₁-acid glycoprotein from human plasma. Fractionation of its polymorphic allele products 784(2003)33

Polymyxin E₁

Determination of polymyxin E₁ in rat plasma by high-performance liquid chromatography 789(2003)365

Polynuclear aromatic hydrocarbons

Biomonitoring of polycyclic aromatic hydrocarbons in human urine (Review) 778(2002)31

Determination of selected monohydroxy metabolites of 2-, 3- and 4-ring polycyclic aromatic hydrocarbons in urine by solid-phase microextraction and isotope dilution gas chromatography-mass spectrometry 778(2002)157

Determination of polycyclic aromatic hydrocarbons in milk samples by high-performance liquid chromatography with fluorescence detection (Review) 789(2003)257

Polypeptides

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Polyphenol phytoestrogens

Identification and quantification of polyphenol phytoestrogens in foods and human biological fluids (Review) 777(2002)93

Polyphenols

Novel liquid chromatography-electrospray ionization mass spectrometry method for the quantification in human urine of microbial aromatic acid metabolites derived from dietary polyphenols 789(2003)247

Polysaccharides

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Fluorescent derivatization of polysaccharides and carbohydrate-containing biopolymers for measurement of enzyme activities in complex media 793(2003)181

Poly(vinylpyrrolidone)

Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501

Porcine pepsin

Affinity chromatography of porcine pepsin and pepsinogen using immobilized ligands derived from the specific substrate for this enzyme 800(2004)109

Porcine pepsinogen

Affinity chromatography of porcine pepsin and pepsinogen using immobilized ligands derived from the specific substrate for this enzyme 800(2004)109

Porous graphitic carbon

Determination of isoprostanes in urine samples from Alzheimer patients using porous graphitic carbon liquid chromatography-tandem mass spectrometry 796(2003)11

Porous graphitized carbon

Simultaneous effect of organic modifier and physicochemical parameters of barbiturates on their retention on a narrow-bore PGC column 800(2004)259

Porphyrins

Simultaneous determination of six urinary porphyrins using liquid chromatography-tandem mass spectrometry 783(2003)411

Pravastatin

High-performance liquid chromatography coupled with negative ion tandem mass spectrometry for determination of pravastatin in human plasma 783(2003)133

Prednisolone

Determination of prednisolone and the most important associated compounds in ocular and cutaneous pharmaceutical preparations by micellar electrokinetic capillary chromatography 784(2003)39

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. III. Determination of prednisolone in serum 794(2003)185

Simple liquid chromatography method for the rapid simultaneous determination of prednisolone and cortisol in plasma and urine using hydrophilic lipophilic balanced solid phase extraction cartridges 798(2003)193

Primaquine

Liquid chromatography-tandem mass spectrometric assay with a novel method of quantitation for the simultaneous determination of bulaquine and its metabolite, primaquine, in monkey plasma 793(2003)253

Nature of the main contaminant in the anti malaria drug primaquine diphosphate: a qualitative isomer analysis 800(2004)211

Pristanic acid

Measurement of plasma pristanic, phytanic and very long chain fatty acids by liquid chromatography-electrospray tandem mass spectrometry for the diagnosis of peroxisomal disorders 798(2003)159

Procaine

Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203

Procarbazine

Determination of procarbazine in human plasma by liquid chromatography with electrospray ionization mass spectrometry 799(2004)281

Progesterone

Analysis of the progesterone displacement of its human serum albumin binding site by β -estradiol using biochromatographic approaches: effect of two salt modifiers 796(2003)267

Prolactin

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Proline-rich homeodomain protein

Purification of the proline-rich homeodomain protein 786(2003)3

Propiverine

Validation of a simple liquid chromatography-tandem mass spectrometric method for the determination of propiverine hydrochloride and its *N*-oxide metabolite in human plasma 799(2004)141

Propiverine *N*-oxide

Validation of a simple liquid chromatography-tandem mass spectrometric method for the determination of propiverine hydrochloride and its *N*-oxide metabolite in human plasma 799(2004)141

Propranolol

Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography-tandem mass spectrometry 788(2003)317

Propylene oxide

Exposure-dependent accumulation of *N*-(2-hydroxypropyl)valine in hemoglobin of F344 rats exposed to propylene oxide by the inhalation route 778(2002)383

Prostaglandins

Divergence in urinary 8-*iso*-PGF_{2 α} (iPF_{2 α} -III, 15-F_{2 α} -IsoP) levels from gas chromatography-tandem mass spectrometry quantification after thin-layer chromatography and immunoaffinity column chromatography reveals heterogeneity of 8-*iso*-PGF_{2 α} . Possible methodological, mechanistic and clinical implications 794(2003)237

Protease inhibitors

Determination of protease inhibitors using liquid chromatography-tandem mass spectrometry 787(2003)393

Protein A

Comparison of protein A affinity sorbents 790(2003)35

Protein adducts

Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis 776(2002)15

Protein adducts: quantitative and qualitative aspects of their formation, analysis and applications (Review) 778(2002)279

Protein C

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Chromatographic purification and properties of a therapeutic human protein C concentrate 790(2003)199

Protein kinase

Application of multiplexed capillary electrophoresis with laser-induced fluorescence (MCE-LIF) detection for the rapid measurement of endogenous extracellular signal-regulated protein kinase (ERK) levels in cell extracts 789(2003)323

Enzyme assay for protein kinase using micellar electrokinetic chromatography with laser-induced fluorescence detection 794(2003)149

Protein markers

Inverse labeling-mass spectrometry for the rapid identification of differentially expressed protein markers/targets (Review) 782(2002)291

Protein mutations

Advanced analytical methods for hemoglobin variants (Review) 781(2002)291

Protein-polypeptide systems

Analysis of complex protein-polypeptide systems for proteomic studies 787(2003)29

Protein-tyrosine phosphatases

Affinity purification of recombinant protein-tyrosine phosphatase 1B using a highly selective inhibitor 799(2004)1

Protein variants

Detection and identification of protein variants and adducts in blood and tissues: an application of soft ionization mass spectrometry to clinical diagnosis 776(2002)15

Protein S

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Proteins

Catalogue of soluble proteins in the human vitreous humor: comparison between diabetic retinopathy and macular hole 776(2002)89

Quantitative analysis of IgA1 binding protein prepared from human serum by hypoglycosylated IgA1/Sepharose affinity chromatography 776(2002)101

Simultaneous determination of 3-nitrotyrosine and tyrosine in plasma proteins of rats and assessment of artifactual tyrosine nitration 779(2002)189

Affinity chromatography of bull seminal proteins on mannan-Sepharose 780(2002)231

Heterogeneity of protein labeling with a fluorogenic reagent, 3-(2-furyl)quinoline-2-carboxaldehyde 780(2002)283

Chromatographic removal of endotoxin from protein solutions by polymer particles (Review) 781(2002)419

Monolithic capillary columns for liquid chromatography-electrospray ionization mass spectrometry in proteomic and genomic research 782(2002)111

Two-dimensional liquid separations-mass mapping of proteins from human cancer cell lysates 782(2002)183

Identification of two proteins induced by exposure of the pathogenic fungus *Candida glabrata* to fluconazole 782(2002)245

Multidimensional chromatography coupled to electrospray ionization time-of-flight mass spectrometry as an alternative to two-dimensional gels for the

identification and analysis of complex mixtures of intact proteins 782(2002)267

Isolation and identification of two [³H]norharman- (³H]β-carboline)-binding proteins from rat liver 784(2003)155

Optimization of protein precipitation based upon effectiveness of protein removal and ionization effect in liquid chromatography–tandem mass spectrometry 785(2003)263

Mutation of surface-exposed histidine residues of recombinant human granulocyte-colony stimulating factor (Cys17Ser) impacts on interaction with chelated metal ions and refolding in aqueous two-phase systems 786(2003)17

High-level expression and rapid purification of rare-codon genes from hyperthermophilic archaea by the GST gene fusion system 786(2003)177

Protein micro- and macroarrays: digitizing the proteome (Review) 787(2003)19

Development of a two-dimensional protein–peptide separation protocol for comprehensive proteome measurements 787(2003)43

Proteomics: general strategies and application to nutritionally relevant proteins (Review) 787(2003)77

Protein database of *Caenorhabditis elegans* (Review) 787(2003)91

Proteomics of *Staphylococcus aureus*—current state and future challenges (Review) 787(2003)179

Identification of *N*^ε-(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

Capillary electrophoresis-based method to quantitate DNA–protein interactions 789(2003)431

Continuous annular chromatography (Review) 790(2003)1

Large-scale ion-exchange column chromatography of proteins. Comparison of different formats (Review) 790(2003)17

Comparison of protein A affinity sorbents 790(2003)35

Design and selection of ligands for affinity chromatography (Review) 790(2003)67

Protein purification by affinity precipitation (Review) 790(2003)79

Role of mass spectrometry in the purification of peptides and proteins 790(2003)91

Hydrophobic interaction chromatography of proteins. II. Binding capacity, recovery and mass transfer properties 790(2003)99

Direct observation of intraparticle equilibration and the rate-limiting step in adsorption of proteins in chromatographic adsorbents with confocal laser scanning microscopy 790(2003)115

Protein binding to polymer brush, based on ion-exchange, hydrophobic, and affinity interactions (Review) 790(2003)131

Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins 790(2003)153

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Chromatographic purification and properties of a therapeutic human protein C concentrate 790(2003)199

Purification of human plasma haptoglobin by hemoglobin-affinity column chromatography 790(2003)209

Preparative procedures and purity assessment of collagen proteins (Review) 790(2003)245

Simple and rapid chromatographic purification of type V collagen from a pepsin digest of porcine intestinal connective tissue, an unmanageable starting material for conventional column chromatography 790(2003)277

Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography 790(2003)317

Endostatin capture from *Pichia pastoris* culture in a fluidized bed. From on-chip process optimization to application 790(2003)327

High-level expression of the mycobacterial porin MspA in *Escherichia coli* and purification of the recombinant protein 790(2003)337

Purification of a full-length recombinant glucocorticoid receptor 790(2003)349

Enrichment of serum amyloid proteins by hydrophobic interaction chromatography combined with two-dimensional electrophoresis with immobilised pH gradients (Review) 790(2003)355

Preparative purification of soybean agglutinin by affinity chromatography and its immobilization for polysaccharide isolation 790(2003)365

Catalogue of soluble proteins in human vitreous humor by one-dimensional sodium dodecyl sulfate–polyacrylamide gel electrophoresis and electrospray ionization mass spectrometry including seven angiogenesis-regulating factors 792(2003)5

Laser-induced fluorescence technique for DNA and proteins separated by capillary electrophoresis (Review) 793(2003)37

Comparative study of different fluorescent dyes for the detection of proteins on membranes using the peroxyoxalate chemiluminescent reaction 793(2003)75

Set of fluorochromophores in the wavelength range from 450 to 700 nm and suitable for labeling proteins and amino-modified DNA 793(2003)83

Assaying protein unbound drugs using microdialysis techniques 797(2003)161

Protein and antibody microarray technology 797(2003)229

Small molecular ion adsorption on proteins and DNAs revealed by separation techniques 797(2003)331

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Proteins, immobilized
Separation of drug enantiomers by liquid chromatography and capillary electrophoresis, using immobilized proteins as chiral selectors 797(2003)131

Proteins, mitochondrial

MitoTracker Green labeling of mitochondrial proteins and their subsequent analysis by capillary electrophoresis with laser-induced fluorescence detection 793(2003)141

Proteins, rat liver

Proteomic analysis of the rat liver 782(2002)197

Proteins, single-strand DNA binding

Purification of single-strand DNA binding protein from an *Escherichia coli* lysate using counter-current chromatography, partition and precipitation 793(2003)275

Proteins, 6xHis-tagged

Novel purification system for 6xHis-tagged proteins by magnetic affinity separation 793(2003)325

Proteomes

Protein micro- and macroarrays: digitizing the proteome (Review) 787(2003)19

Protopin

Studies on the metabolism and toxicological detection of the *Eschscholtzia californica* alkaloids californine and protopine in urine using gas chromatography-mass spectrometry 789(2003)43

Pseudoephedrine

Development and validation of a capillary zone electrophoresis method for the determination of ephedrine and related compounds in urine without extraction 791(2003)203

Pseudouridine

Simultaneous determination of creatinine and pseudouridine concentrations in bovine plasma by reversed-phase liquid chromatography with photodiode array detection 784(2003)275

Psilocin

Optimized glucuronide hydrolysis for the detection of psilocin in human urine samples 796(2003)421

Pullulan-cyclodextrins

Pullulan-cyclodextrin microspheres. A chromatographic approach for the evaluation of the drug-cyclodextrin interactions and the determination of the drug release profiles 791(2003)407

Pyrene

Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165

Pyrethroid

Estimating occupational exposure to the pyrethroid termiteicide bifenthrin by measuring metabolites in urine 778(2002)113

New gas chromatographic-mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine 778(2002)121

Pyrethroid insecticides

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors: Determination of the metabolites *E-cis/trans*-chrysanthemumdi-carboxylic acid in human urine by gas chromatography-mass spectrometry with negative chemical ionization 795(2003)195

Pyrethrum

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors: Determination of the metabolites *E-cis/trans*-chrysanthemumdi-carboxylic acid in human urine by gas chromatography-mass spectrometry with negative chemical ionization 795(2003)195

Pyridostigmine bromide

Development and validation of a liquid chromatography-tandem mass spectrometry method for the determination of pyridostigmine bromide from guinea pig plasma 796(2003)347

Pyridoxal 5-phosphate

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333

Pyrimidine

Sensitive method for the quantification of urinary pyrimidine metabolites in healthy adults by gas chromatography-tandem mass spectrometry 791(2003)371

Pyronaridine

Liquid chromatographic determination of pyronaridine in human plasma and oral dosage form 795(2003)265

 α -Pyrrolidinopropiophenone

Metabolism of the new designer drug α -pyrrolidinopropiophenone (PPP) and the toxicological detection of PPP and 4'-methyl- α -pyrrolidinopropiophenone (MPPP) studied in rat urine using gas chromatography-mass spectrometry 796(2003)253

Q**Quaternary nitrogen muscle relaxants**

Screening procedure for eight quaternary nitrogen muscle relaxants in blood by high-performance liquid chromatography-electrospray ionization mass spectrometry 789(2003)107

Quercetin

Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxy-methyl)butanol trimethacrylate 788(2003)233

High-performance liquid chromatographic determination of quercetin in human plasma and urine utilizing solid-phase extraction and ultraviolet detection 794(2003)49

Quetiapine

Fully automated on-line quantification of quetiapine in human serum by solid phase extraction and liquid chromatography 798(2003)9

Quinine

High-performance liquid chromatographic method for the determination of quinine and 3-hydroxyquinine in blood samples dried on filter paper 795(2003)151

Quinocide

Nature of the main contaminant in the anti malaria drug primaquine diphosphate: a qualitative isomer analysis 800(2004)211

8-Quinolinol

Kinetic differentiation mode chromatography using 8-quinolinol and fluorimetric detection for sensitive determination of aluminum adhering to the gastric mucosa 791(2003)13

Quinolones

Simple and sensitive determination of five quinolones in food by liquid chromatography with fluorescence detection 789(2003)373

Taenia solium cDNA sequence encoding a putative immunodiagnostic antigen for human cysticercosis 786(2003)255

Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205

R**Ragaglitazar**

Determination of ragaglitazar, a novel dual acting peroxisome proliferator-activated receptor (PPAR) α and γ agonist, in human plasma by high-performance liquid chromatography coupled with tandem mass spectrometry 788(2003)45

Ramipril

Liquid chromatography–mass spectrometry method for determination of ramipril and its active metabolite ramiprilat in human plasma 779(2002)297

Ramiprilat

Liquid chromatography–mass spectrometry method for determination of ramipril and its active metabolite ramiprilat in human plasma 779(2002)297

Ranitidine

Reliable method for the determination of ranitidine by liquid chromatography using a microvolume of plasma 795(2003)141

Rare carbon gene

High-level expression and rapid purification of rare-codon genes from hyperthermophilic archaea by the GST gene fusion system 786(2003)177

Receptor antagonist

Development and validation of a bioanalytical method for the determination of the cholecystokinin type-1 (CCK₁) receptor antagonist dexloxioglumide in human plasma 784(2003)91

Recombinant allergen

Purification strategy for recombinant Phl p 6 is applicable to the natural allergen and yields biochemically and immunologically comparable preparations 787(2003)357

Recombinant hepatitis B surface antigen

Simple immunoaffinity method to purify recombinant hepatitis B surface antigen secreted by transfected mammalian cells 787(2003)303

Recombinant heterodimeric protein

Novel approach to obtain biologically active recombinant heterodimeric proteins in *Escherichia coli* 786(2003)93

Recombinant human macrophage-colony stimulating factor β

Structural characterization of monomeric folding intermediates of recombinant human macrophage-colony stimulating factor β (rhM-CSF β) by chemical trapping, chromatographic separation and mass spectrometric peptide mapping 782(2002)393

Recombinant proteins

Simplified procedure to recover recombinant antigenized secretory IgA to be used as a vaccine vector 786(2003)143

Recombinant thermostable proteins

Production of recombinant thermostable proteins expressed in *Escherichia coli*: completion of protein synthesis is the bottleneck 786(2003)207

Recombinant Yol066 protein

Optimisation of expression and purification of the recombinant Yol066 (Rib2) protein from *Saccharomyces cerevisiae* 786(2003)187

Remifentanil

Simultaneous solid-phase extraction combined with liquid chromatography with ultraviolet absorbance detection for the determination of remifentanil and its metabolite in dog plasma 783(2003)103

Renin–angiotensin

High-performance liquid chromatographic separation of renin–angiotensin system peptides and most of their metabolic fragments 780(2002)301

Resiniferatoxin

Measurement of resiniferatoxin in cerebrospinal fluid by high-performance liquid chromatography 780(2002)475

Retinoic acid

Novel inhibition of *cis/trans* retinoic acid interconversion in biological fluids—an accurate method for determination of *trans* and 13-*cis* retinoic acid in biological fluids 796(2003)283

Retinoid

Automated solid-phase extraction and liquid chromatographic method for retinoid determination in biological samples 798(2003)309

Retinol

Development and validation of a fast and sensitive chromatographic assay for all-*trans*-retinol and tocopherols in human serum and plasma using liquid–liquid extraction 780(2002)261

Improved simultaneous determination method of β -carotene and retinol with saponification in human serum and rat liver 791(2003)305

Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225

Reviews

Derivatization of phospholipids (Review) 793(2003)3

Derivatization of carbohydrates for chromatographic, electrophoretic and mass spectrometric structure analysis (Review) 793(2003)15

Laser-induced fluorescence technique for DNA and proteins separated by capillary electrophoresis (Review) 793(2003)37

Derivatization of biomolecules for chemiluminescent detection in capillary electrophoresis (Review) 793(2003)49

Ribavirin

Specific, sensitive and accurate liquid chromatographic–tandem mass spectrometric method for the measurement of ribavirin in rat and monkey plasma 779(2002)241

S

Riboflavin

Determination of riboflavin in urine by capillary electrophoresis-blue light emitting diode-induced fluorescence detection combined with a stacking technique 785(2003)39

Risedronate

Determination of risedronate in human urine by column-switching ion-pair high-performance liquid chromatography with ultraviolet detection 794(2003)23

Risperidone

Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213

Validated method for the determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography-tandem mass spectrometry 783(2003)461

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Ritalinic acid

High-throughput selected reaction monitoring liquid chromatography-mass spectrometry determination of methylphenidate and its major metabolite, ritalinic acid, in rat plasma employing monolithic columns 783(2003)73

Ritonavir

Simple and rapid high-performance liquid chromatographic method for nelfinavir, M8 nelfinavir metabolite, ritonavir and saquinavir assay in plasma 780(2002)155

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography-mass spectrometry 788(2003)339

Rivastigmine

Quantitative determination of rivastigmine and its major metabolite in human plasma by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 784(2003)301

RNA

Sequence variation and the biological function of genes: methodological and biological considerations (Review) 782(2002)3

RNA polymerase

Isolation of Q β polymerase complexes containing mutant species of elongation factor Tu 786(2003)279

Roscovitine

Analysis of state-specific phosphorylation of proteins by two-dimensional gel electrophoresis approach (Review) 787(2003)53

Rosiglitazone

Liquid chromatographic method for the determination of rosiglitazone in human plasma 788(2003)37

Saccharides

Labelling saccharides with phenylhydrazine for electrospray and matrix-assisted laser desorption-ionization mass spectrometry 793(2003)167

Salt gradient

Separation of manganese peroxidase isoenzymes on strong anion-exchange monolithic column using pH-salt gradient 799(2004)343

Sanguinarine

Quantitative liquid chromatographic determination of sanguinarine in cell culture medium and in rat urine and plasma 799(2004)195

Saquinavir

Simple and rapid high-performance liquid chromatographic method for nelfinavir, M8 nelfinavir metabolite, ritonavir and saquinavir assay in plasma 780(2002)155

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

Highly sensitive determination of saquinavir in biological samples using liquid chromatography-tandem mass spectrometry 784(2003)233

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography-mass spectrometry 788(2003)339

Sarafloxacin

High-performance liquid chromatographic method with fluorescence detection for the screening and quantification of oxolinic acid, flumequine and sarafloxacin in fish 780(2002)481

Sarin

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

scFv

Production, purification and characterisation of genetically derived scFv and bifunctional antibody fragments capable of detecting illicit drug residues 786(2003)327

SCH 211803

Validation and application of a liquid chromatography-tandem mass spectrometric method for the determination of SCH 211803 in rat and monkey plasma using automated 96-well protein precipitation 799(2004)271

Scutellarin

Determination of scutellarin in rat plasma by high-performance liquid chromatography with ultraviolet detection 796(2003)439

C-Seco-taxane derivatives

High-performance liquid chromatographic assay for the determination of the novel C-Seco-taxane derivative (IDN 5390) in mouse plasma 780(2002)93

Secretory phospholipase A₂

High-performance liquid chromatographic assay with ultraviolet spectrometric detection for the evaluation of inhibitors of secretory phospholipase A₂ 783(2003)327

Serine protease

Analysis of organophosphorus compound adducts of serine proteases by liquid chromatography–tandem mass spectrometry 776(2002)79

Sevoflurane

Determination of hexafluoroisopropanol, a sevoflurane urinary metabolite, by 9-fluorenylmethyl chloroformate derivatization 776(2002)237

Short-chain fatty acids

Simultaneous measurement of plasma concentrations and ¹³C-enrichment of short-chain fatty acids, lactic acid and ketone bodies by gas chromatography coupled to mass spectrometry 784(2003)395

Sialic acids

Separation methods for sialic acids and critical evaluation of their biologic relevance (Review) 781(2002)3

Sibutramine

Determination of the active metabolite of sibutramine by liquid chromatography–electrospray ionization tandem mass spectrometry 785(2003)197

Sildenafil

Development of a liquid chromatographic method for bioanalytical applications with sildenafil 791(2003)255

Silibinin

Application of liquid chromatography–electrospray ionization–ion trap mass spectrometry to investigate the metabolism of silibinin in human liver microsomes 794(2003)303

Silica

Bionanocompositional chitosan-silica sorbent for liquid chromatography 800(2004)49

Simvastatin

Determination of Simvastatin in human plasma by liquid chromatography–mass spectrometry 785(2003)369

Single-chain variable fragments

Optimizing expression and purification from cell culture medium of trispecific recombinant antibody derivatives 786(2003)161

Single-strand DNA

Purification of single-strand DNA binding protein from an *Escherichia coli* lysate using counter-current chromatography, partition and precipitation 793(2003)275

SN-38

High-performance liquid chromatographic assay with fluorescence detection for the simultaneous measurement of carboxylate and lactone forms of irinotecan and three metabolites in human plasma 788(2003)65

Determination by liquid chromatography with fluorescence detection of total 7-ethyl-10-hydroxy-camptothecin (SN-38) in beagle dog plasma after intravenous administration of liposome-based SN-38 (LE-SN38) 791(2003)85

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383

Sodium 2-mercaptopethanesulfonate (Mesna)

Inactivation of acrolein by sodium 2-mercaptopethanesulfonate using headspace-solid-phase microextraction gas chromatography and mass spectrometry 791(2003)365

Soman

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Sotalol

Enantioselective liquid chromatographic-electrospray mass spectrometric assay of β-adrenergic blockers: application to a pharmacokinetic study of sotalol in human plasma 796(2003)45

Sphinganine

Liquid chromatography/electrospray ionisation-mass spectrometry method for the quantification of sphingosine and sphinganine in cell cultures exposed to fumonisins 780(2002)137

Sphingolipids

Application of delayed extraction–matrix-assisted laser desorption ionization time-of-flight mass spectrometry for analysis of sphingolipids in pericardial fluid, peritoneal fluid and serum from Gaucher disease patients 776(2002)115

Sphingosine

Liquid chromatography/electrospray ionisation-mass spectrometry method for the quantification of sphingosine and sphinganine in cell cultures exposed to fumonisins 780(2002)137

Spinosin

Determination of spinosin in rat plasma by reversed-phase high-performance chromatography after oral administration of Suanzaoren decoction 787(2003)421

Spiramycin

Determination of three major components of bitespiramycin and their major active metabolites in rat plasma by liquid chromatography-ion trap mass spectrometry 791(2003)45

Squarylium dyes

Symmetric and asymmetric squarylium dyes as noncovalent protein labels: a study by fluorimetry and capillary electrophoresis 793(2003)93

Ssa1p

Recombinant expression and purification of Ssa1p (Hsp70) from *Saccharomyces cerevisiae* using *Pichia pastoris* 786(2003)109

St. John's wort

Determination of hyperforin in human plasma using solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 780(2002)129

Stavudine

Liquid chromatographic–tandem mass spectrometric assay for the simultaneous determination of didanosine and stavudine in human plasma, bronchoalveolar lavage fluid, alveolar cells, peripheral blood mononuclear cells, seminal plasma, cerebrospinal fluid and tonsil tissue 799(2004)51

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137

Stearoyl-acyl carrier protein desaturase

Cloning and expression of fatty acids biosynthesis key enzymes from sunflower (*Helianthus annuus* L.) in *Escherichia coli* 786(2003)221

Steroids

Flavonoids and steroid hormone-dependent cancers (Review) 777(2002)219

Phytoestrogens as modulators of steroid action in target cells 777(2002)233

Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective 780(2002)145

Determination of trenbolone and its metabolite in bovine fluids by liquid chromatography-tandem mass spectrometry 784(2003)1

Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279

Simple liquid chromatography method for the rapid simultaneous determination of prednisolone and cortisol in plasma and urine using hydrophilic lipophilic balanced solid phase extraction cartridges 798(2003)193

Application of liquid chromatography-electrospray ionization mass spectrometry for study of steroid-converting enzymes 800(2004)145

Sterols

Determination of thermo-oxidation products of plant sterols 777(2002)83

STI-571

Liquid chromatographic method for detection and quantitation of STI-571 and its main metabolite *N*-desmethyl-STI in plasma, urine, cerebrospinal fluid, culture medium and cell preparations 799(2004)23

Streptag

Semi automated production of a set of different recombinant GST-Streptag fusion proteins 786(2003)343

Styrene-divinylbenzene copolymers

A decade of high-resolution liquid chromatography of nucleic acids on styrene-divinylbenzene copolymers (Review) 782(2002)27

SU006668

Validation of liquid chromatography assay for the quantitation of (*Z*)-3-[2,4-dimethyl-5-(2-oxo-1,2-dihydro-indol-3-ylidene)methyl]-1*H*-pyrrol-3-yl]propionic acid (SU006668) in human plasma and its application to a phase I clinical trial 785(2003)175

Sucralose

Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145

Sucrose

Gas chromatographic method for detection of urinary sucralose: application to the assessment of intestinal permeability 784(2003)145

Sulfacetamide

Determination of prednisolone and the most important associated compounds in ocular and cutaneous pharmaceutical preparations by micellar electrokinetic capillary chromatography 784(2003)39

Sulfadiazine

Comparison of a liquid chromatographic method with ultraviolet and ion-trap tandem mass spectrometric detection for the simultaneous determination of sulfadiazine and trimethoprim in plasma from dogs 788(2003)167

Sulfamethazine

Novel sulfamethazine ligand used for one-step purification of immunoglobulin G from human plasma 792(2003)177

Sulfur mustard

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Sulphate

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Sulphur

Assay methods and biological roles of labile sulfur in animal tissues (Review) 781(2002)227

Symmetric dimethylarginine

Simultaneous detection of arginine, asymmetric dimethylarginine, symmetric dimethylarginine and citrulline in human plasma and urine applying liquid chromatography-mass spectrometry with very straightforward sample preparation 798(2003)231

Synovial fluid

Liquid chromatographic determination of diclofenac in human synovial fluid 788(2003)57

T**Tacrine**

Simultaneous determination of *N*-butyramide-tacrine and tacrine in mouse plasma and brain homogenate by high-performance liquid chromatography with a simple gradient solvent system 791(2003)285

Tamoxifen

Quantification of tamoxifen and three metabolites in plasma by high-performance liquid chromatography with fluorescence detection: application to a clinical trial 791(2003)245

Taurine

Separation methods for taurine analysis in biological samples (Review) 781(2002)251

Tegafur

Sensitive liquid chromatographic assay for the simultaneous determination of 5-fluorouracil and its prodrug, tegafur, in beagle dog plasma 795(2003)377

Teicoplanin

Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography-tandem mass spectrometry 788(2003)317

Temazepam

Determination of the enantiomerization energy barrier of some 3-hydroxy-1,4-benzodiazepine drugs by supercritical fluid chromatography 779(2002)283

Tenofovir

Determination of tenofovir in human plasma by high-performance liquid chromatography with spectrofluorimetric detection 785(2003)377

Liquid chromatographic assay for the antiviral nucleotide analogue tenofovir in plasma using derivatization with chloroacetaldehyde 791(2003)227

Sensitive determination of tenofovir in human plasma samples using reversed-phase liquid chromatography 793(2003)317

Terpenoids

New terpenoids in cultivated and wild chamomile (in vivo and in vitro) 800(2004)231

Tesaglitazar

Factorial design for the development of automated solid-phase extraction in the 96-well format for determination of tesaglitazar, in plasma, by liquid chromatography-mass spectrometry 787(2003)231

Testosterone

Determination of testosterone metabolites in human hepatocytes. I. Development of an on-line sample preparation liquid chromatography technique and mass spectroscopic detection of 6 β -hydroxytestosterone 784(2003)49

Liquid chromatography-tandem mass spectrometry assay for human serum testosterone and trideuterated testosterone 792(2003)197

Determination of plasma testosterone using a simple liquid chromatographic method 793(2003)421

Tetrahydrocannabinol

Solid-phase micro-extraction-gas chromatography-mass spectrometry and headspace-gas chromatography of tetrahydrocannabinol, amphetamine, methamphetamine, cocaine and ethanol in saliva samples 789(2003)73

 Δ^9 -Tetrahydrocannabinol

Validated method for the simultaneous determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in human plasma using solid phase extraction and gas chromatography-mass spectrometry with positive chemical ionization 798(2003)145

Tezosentan

Determination of tezosentan, a parenteral endothelin receptor antagonist, in human plasma by liquid chromatography-tandem mass spectrometry 792(2003)369

Thalidomide

Determination of thalidomide in transport buffer for Caco-2 cell monolayers by high-performance liquid chromatography with ultraviolet detection 785(2003)165

Theophylline

Simultaneous determination of theophylline and dyphylline by micellar electrokinetic chromatography and application in drug formulations 795(2003)329

Thiamine

Simultaneous liquid chromatographic assessment of thiamine, thiamine monophosphate and thiamine diphosphate in human erythrocytes: a study on alcoholics 789(2003)355

2-Thiobarbituric acid

Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatization with 2,4-dinitrophenylhydrazine 794(2003)353

Thiocoraline

Validation of a sensitive assay for thiocoraline in mouse plasma using liquid chromatography-tandem mass spectrometry 794(2003)89

Thioguanine

High-performance liquid chromatographic assay of metabolites of thioguanine and mercaptopurine in capillary blood 796(2003)87

6-Thioguanine

Determination of thiopurine S-methyltransferase activity in erythrocytes using 6-thioguanine as substrate and a non-extraction liquid chromatographic technique 798(2003)111

Thiopurine S-methyltransferase

Determination of thiopurine S-methyltransferase activity in erythrocytes using 6-thioguanine as substrate and a non-extraction liquid chromatographic technique 798(2003)111

Thiouracils

Application of improved iodine-azide procedure for the detection of thiouracils in blood serum and urine with planar chromatography 784(2003)283

Thrombin

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography-mass spectrometry 783(2003)335

Preparation of vitamin K-dependent proteins, such as clotting factors II, VII, IX and X and clotting inhibitor Protein C (Review) 790(2003)183

Thrombin inhibitor

Cloning, purification and biochemical characterization of dipetarudin, a new chimeric thrombin inhibitor 786(2003)73

Thyroid peroxidase

Inactivation of thyroid peroxidase by soy isoflavones, in vitro and in vivo (Review) 777(2002)269

Thyrotropin

Determination of Chinese hamster ovary cell-derived recombinant thyrotropin by reversed-phase liquid chromatography 787(2003)345

Synthesis and chromatographic purification of recombinant human pituitary hormones (Review) 790(2003)285

Thyroxine

Determination of serum thyroxine enantiomers in patients by liquid chromatography with a chiral mobile phase 785(2003)353

Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193

Ticarcillin

Simultaneous determination of ticarcillin and clavulanate in rabbit serum and tissue cage fluid by liquid chromatography 794(2003)227

Tiropramide

Determination of tiropramide in human plasma by liquid chromatography-tandem mass spectrometry 796(2003)395

Tobramycin

Trace analysis of tobramycin in human plasma by derivatization and high-performance liquid chromatography with ultraviolet detection 780(2002)349

Determination of tobramycin in serum using liquid chromatography-tandem mass spectrometry and comparison with a fluorescence polarisation assay 794(2003)329

α -Tocopherol

Simultaneous determination of deuterated and non-deuterated α -tocopherol in human plasma by high-performance liquid chromatography 794(2003)1

Tocopherols

Development and validation of a fast and sensitive chromatographic assay for all-*trans*-retinol and tocopherols in human serum and plasma using liquid-liquid extraction 780(2002)261

Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225

Toluene

Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population 778(2002)199

Rapid and sensitive static headspace gas chromatography-mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

***p*-Toluenesulfonhydrazide**

Stable isotope dilution high-performance liquid chromatography-electrospray ionization mass spectrometry method for endogenous 2- and 4-hydroxyestrones in human urine 780(2002)315

Topotecan

Determination of plasma topotecan and its metabolite *N*-desmethyl topotecan as both lactone and total form by reversed-phase liquid chromatography with fluorescence detection 784(2003)225

Transferrin

Characterization of human transferrin glycoforms by capillary electrophoresis and electrospray ionization mass spectrometry 798(2003)1

Transforming growth factor β

Large scale protein production of the extracellular domain of the transforming growth factor- β type II receptor using the *Pichia pastoris* expression system 786(2003)271

Trenbolone

Determination of trenbolone and its metabolite in bovine fluids by liquid chromatography-tandem mass spectrometry 784(2003)1

Triallyl isocyanurate

Properties of several glycidyl methacrylate-triallyl isocyanurate based affinity adsorbents for removing circulating immune complexes 789(2003)265

Triazinedyes

Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53

Triazines

Triazine-human serum albumin association: thermodynamic approach and sodium effect 780(2002)467

Triazinic herbicide determination by gas chromatography-mass spectrometry in breast milk 794(2003)389

Trichloroethylene

Simultaneous detection of trichloroethylene alcohol and acetate in rat urine by gas chromatography-mass spectrometry 789(2003)303

Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography-magnetic sector mass spectrometry 783(2003)319

Triiodothyronine

Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193

Trimebutine maleate

Quantitative determination of trimebutine maleate and its three metabolites in human plasma by liquid chromatography-tandem mass spectrometry 779(2002)173

Trimethoprim

Comparison of a liquid chromatographic method with ultraviolet and ion-trap tandem mass spectrometric detection for the simultaneous determination of sulfadiazine and trimethoprim in plasma from dogs 788(2003)167

3,4,5-Trimethoxybenzoic acid

Quantitative determination of trimebutine maleate and its three metabolites in human plasma by liquid chromatography-tandem mass spectrometry 779(2002)173

Triterpenes

Analysis of pentacyclic triterpenic acids from frankincense gum resins and related phytopharmaceuticals by high-performance liquid chromatography. Identification of lupeolic acid, a novel pentacyclic triterpene 791(2003)21

Trivalent methylated arsenicals

Determination of trivalent methylated arsenicals in rat urine by liquid chromatography-inductively coupled plasma mass spectrometry after solvent extraction 799(2004)209

Troponin

Expression and purification of human cardiac troponin subunits and their functional incorporation into isolated cardiac mouse myofibrils 786(2003)287

Trypsin

Crosslinked glass fiber affinity chromatography and its application to fibronectin separation 795(2003)61

Tryptophan

Quantitation of tryptophan, kynurenine and kynurenic acid in human plasma by capillary liquid chromatography-electrospray ionization tandem mass spectrometry 780(2002)381

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115

β -Tubulin

Identification of a tubulin binding motif on the P2X₂ receptor 786(2003)311

Tumor marker

Capillary electrophoretic enzyme immunoassay with electrochemical detection using a noncompetitive format 784(2003)343

Tyramine

Comparison of a capillary electrophoresis method with high-performance liquid chromatography for the determination of biogenic amines in various food samples 779(2002)229

Tyrosine

Gas chromatography–mass spectrometry method for determination of phenylalanine and tyrosine in neonatal blood spots 780(2002)407

Simultaneous measurement of phenylalanine and tyrosine in phenylketonuric plasma and dried blood by high-performance liquid chromatography 788(2003)1

Simultaneous determination of tyrosine, phenylalanine and deoxyguanosine oxidation products by liquid chromatography–tandem mass spectrometry as non-invasive biomarkers for oxidative damage 799(2004)245

Tyrosol

Simultaneous determination of oleuropein and its metabolites in plasma by high-performance liquid chromatography 785(2003)157

U**Unbound drugs**

Assaying protein unbound drugs using microdialysis techniques 797(2003)161

Uranium

Determination of ^{235}U and ^{238}U in urine samples using sector field inductively coupled plasma mass spectrometry 778(2002)275

Urea

Determination of ^{13}C and ^{15}N enrichments of urea in plasma by gas chromatography–combustion isotope ratio mass spectrometry and gas chromatography–mass spectrometry using the 2-methoxypyrimidine derivative 791(2003)399

Uric acid

Determination of uric acid in human saliva by high-performance liquid chromatography with amperometric electrochemical detection 785(2003)57

Uronic acids

Method for monitoring alginate released in biological fluids by high-performance anion-exchange chromatography with pulsed amperometric detection 784(2003)265

Ursodeoxycholic acid

High-performance liquid chromatographic mass spectrometric method for the determination of ursodeoxycholic acid and its glycine and taurine conjugates in human plasma 798(2003)295

V**Valdecoxib**

Determination of valdecoxib and its metabolites in human urine by automated solid-phase extraction–liquid chromatography–tandem mass spectrometry 785(2003)123

Valine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography–mass spectrometry 792(2003)261

Valproic acid

Effect of valproic acid on the urinary metabolic profile of a patient with succinic semialdehyde dehydrogenase deficiency 792(2003)99

[$^{18}\text{O}_2$]Valproic acid

Synthesis of [$^{18}\text{O}_2$]valproic acid and its use as an internal standard for the quantitative measurement by gas chromatography–electron ionization mass spectrometry 784(2003)69

Valproyl taurinamide

Gas chromatographic determination of novel valproyl taurinamide derivatives in mouse and dog plasma 788(2003)125

Vancomycin

Highly sensitive quantification of vancomycin in plasma samples using liquid chromatography–tandem mass spectrometry and oral bioavailability in rats 789(2003)211

Vancomycin-ristocetin

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115

Verapamil metabolites

Metabolism of verapamil: 24 new phase I and phase II metabolites identified in cell cultures of rat hepatocytes by liquid chromatography–tandem mass spectrometry 798(2003)265

Verbenone

High-performance liquid chromatographic method for the determination of (–)-verbenone 10-hydroxylation catalyzed by rat liver microsomes 793(2003)291

Vertilmicin

Determination of vertilmicin in rat serum by high-performance liquid chromatography using 1-fluoro-2,4-dinitrobenzene derivatization 798(2003)43

Very long chain fatty acids

Measurement of plasma pristanic, phytanic and very long chain fatty acids by liquid chromatography–electrospray tandem mass spectrometry for the diagnosis of peroxisomal disorders 798(2003)159

Very-low-density lipoproteins

Simultaneous determination of molecular species of monoacylglycerols, diacylglycerols and triacylglycerols in human very-low-density lipoproteins by reversed-phase liquid chromatography 785(2003)89

Vigabatrin

Determination of vigabatrin by capillary electrophoresis with laser-induced fluorescence detection 794(2003)17

Vitamin D

Isoflavonoids inhibit catabolism of vitamin D in prostate cancer cells 777(2002)261

Vitamins

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatization 792(2003)333

Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225

Vitellogenin

Membrane chromatographic method for the rapid purification of vitellogenin from fish plasma 785(2003)361

One-step, non-denaturing purification method of carp (*Cyprinus carpio*) vitellogenin 799(2004)87

Vitronectin

Application of semi-industrial monolithic columns for downstream processing of clotting factor IX (Review) 790(2003)175

Volatile organic compounds

Gas chromatography–mass spectrometry with headspace for the analysis of volatile organic compounds in waste water 800(2004)325

Voriconazole

Determination of voriconazole in aqueous humor by liquid chromatography–electrospray ionization–mass spectrometry 776(2002)213

W

Weak bases

Three-phase liquid-phase microextraction of weakly basic drugs from whole blood 798(2003)127

Wheatgerm agglutin

Improved lectin-mediated immobilization of human red blood cells in superporous agarose beads 784(2003)203

Whey proteins

Whey proteins as a model system for chromatographic separation of proteins 790(2003)161

Wool fibre proteins

Proteomic database of wool components (Review) 787(2003)63

X

Xanthine oxidoreductase

Improved method for measurement of human plasma xanthine oxidoreductase activity 785(2003)101

Xenoestrogens

Yeast reporter system for rapid determination of estrogenic activity 777(2002)167

Ximelagatran

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335

Xylazine

Simultaneous determination of ketamine and xylazine in canine plasma by liquid chromatography with ultraviolet absorbance detection 791(2003)421

Xylene

Rapid and sensitive static headspace gas chromatography–mass spectrometry method for the analysis of ethanol and abused inhalants in blood 799(2004)331

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

m-Xylene

Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population 778(2002)199

Z

Zalcitabine

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137

Zaleplon

Determination of zaleplon and zolpidem by liquid chromatography–turboionspray mass spectrometry: application to forensic cases 789(2003)131

Zeaxanthin

Capillary high-performance liquid chromatographic determination of lutein and zeaxanthin in aqueous humor from a single mouse eye 795(2003)17

Zidovudine

Simultaneous determination of six HIV nucleoside analogue reverse transcriptase inhibitors and nevirapine by liquid chromatography with ultraviolet absorbance detection 791(2003)137

Liquid chromatographic–mass spectrometric determination of the metabolism and disposition of the anti-retroviral nucleoside analogs zidovudine and lamivudine in C57BL/6N and B6C3F1 mice 798(2003)55

Zilpaterol

Extraction, clean-up and gas chromatography–mass spectrometry characterization of zilpaterol as feed additive in fattening cattle 783(2003)141

Ziprasidone

Determination of plasma ziprasidone using liquid chromatography with fluorescence detection 799(2004)201

Zolpidem

Determination of zaleplon and zolpidem by liquid chromatography–turboionspray mass spectrometry: application to forensic cases 789(2003)131

Zosuquidar trihydrochloride

Bioanalysis of zosuquidar trihydrochloride (LY335979) in small volumes of human and murine plasma by ion–pairing reversed-phase high-performance liquid chromatography 798(2003)63

Zuclopentixol

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257