

## Subject Index

- Agar**  
Stereoselective oxidation of alcohols using whole cells of *Rhizomucor miehei* CECT 2749 16
- Agarose**  
Stereoselective oxidation of alcohols using whole cells of *Rhizomucor miehei* CECT 2749 16
- Alcohol oxidase**  
Galactose oxidase and alcohol oxidase: Scope and limitations for the enzymatic synthesis of aldehydes 141
- Aldonic acids**  
New biotransformations of some reducing sugars to the corresponding (di)dehydro(glycosyl) aldoses or aldonic acids using fungal pyranose dehydrogenase 32
- Amide hydrolysis**  
The amidase activity of *Candida antarctica* lipase B is dependent on specific structural features of the substrates 136
- 1,4-Androstadiene-3,17-dione**  
Biotransformation of various natural sterols to androstenones by *Mycobacterium* sp. and some steroid-converting microbial strains 49
- 4-Androstene-3,17-dione**  
Biotransformation of various natural sterols to androstenones by *Mycobacterium* sp. and some steroid-converting microbial strains 49
- Aqueous organic solvents**  
Spectroscopic studies of stability of papain in aqueous organic solvents 43
- Arabidopsis thaliana***  
Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- Archaeon**  
Preliminary characterisation of a lipolytic activity from an extremely halophilic archaeon, *Natronococcus* sp. 21
- Aspergillus oryzae***  
Kinetic resolution of (*R*, *S*)-1,2-*O*-isopropylideneglycerol by esterification with dry mycelia of moulds 71
- AtNit1**  
Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- Benzylamides**  
The amidase activity of *Candida antarctica* lipase B is dependent on specific structural features of the substrates 136
- Biocatalysis**  
Galactose oxidase and alcohol oxidase: Scope and limitations for the enzymatic synthesis of aldehydes 141
- Biosensors**  
Biosensors for phenolic compounds: The catechol as a substrate model 97
- Biotransformations**  
New biotransformations of some reducing sugars to the corresponding (di)dehydro(glycosyl) aldoses or aldonic acids using fungal pyranose dehydrogenase 32  
Biotransformation of various natural sterols to androstenones by *Mycobacterium* sp. and some steroid-converting microbial strains 49
- Bromophenol blue**  
Enhanced dye decolorization efficiency by citraconic anhydride-modified horseradish peroxidase 81
- (+)- and (–)-Camphorquinone**  
Stereoselective reduction of ketones by various vegetables 103
- Candida antarctica***  
The amidase activity of *Candida antarctica* lipase B is dependent on specific structural features of the substrates 136
- Carbon dioxide**  
Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Catechol**  
Biosensors for phenolic compounds: The catechol as a substrate model 97
- CD spectroscopy**  
Spectroscopic studies of stability of papain in aqueous organic solvents 43
- Citraconic anhydride modification**  
Enhanced dye decolorization efficiency by citraconic anhydride-modified horseradish peroxidase 81
- Computer modeling**  
Lipase-catalyzed kinetic resolutions of racemic β- and γ-thiolactones 125
- Conjugated linoleic acid**  
Production of phosphatidylcholine containing conjugated linoleic acid mediated by phospholipase A<sub>2</sub> 92
- Cunninghamella elegans***  
Microbiological production of omeprazole metabolites by *Cunninghamella elegans* 87
- 1,2-Cyclohexanedione**  
Stereoselective reduction of ketones by various vegetables 103
- Cyclometalated compounds**  
Enantioselectivity of resolved Δ and Λ orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- 2-Dehydro-L-arabinose**  
New biotransformations of some reducing sugars to the corresponding (di)dehydro(glycosyl) aldoses or aldonic acids using fungal pyranose dehydrogenase 32
- Dicarbonyl sugars**  
New biotransformations of some reducing sugars to the corresponding (di)dehydro(glycosyl) aldoses or aldonic acids using fungal pyranose dehydrogenase 32
- Dye decolorization**  
Enhanced dye decolorization efficiency by citraconic anhydride-modified horseradish peroxidase 81
- Electron transfer**  
Enantioselectivity of resolved Δ and Λ orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- Enantioselective**  
Lipase-catalyzed kinetic resolutions of racemic β- and γ-thiolactones 125

- Enantioselective hydrolysis  
 Enantioselective epoxide hydrolase activity of a newly isolated microorganism, *Sphingomonas echinoides* EH-983, from seawater 130
- Enantioselectivity  
 Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- enzymatic esterification  
 Kinetic resolution of (*R*, *S*)-1,2-*O*-isopropylideneglycerol by esterification with dry mycelia of moulds 71
- Enzyme  
 Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Enzyme immobilization  
 Biosensors for phenolic compounds: The catechol as a substrate model 97
- Enzyme recycle  
 In search for practical advantages from the immobilisation of an enzyme: the case of laccase 61
- Epoxide hydrolase  
 Enantioselective epoxide hydrolase activity of a newly isolated microorganism, *Sphingomonas echinoides* EH-983, from seawater 130
- Epoxidized  
 Selective hydrolysis of epoxidized soybean oil by commercially available lipases: Effects of epoxy group on the enzymatic hydrolysis 55
- Esterification  
 Production of phosphatidylcholine containing conjugated linoleic acid mediated by phospholipase A<sub>2</sub> 92
- Ethyl acetate  
 Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Ethylene glycol  
 Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Expression optimization  
 Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- Fluorescent assay  
 Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- Funastrain  
 Comparative behaviour of proteinases from the latex of *Carica papaya* and *Funastrum clausum* as catalysts for the synthesis of Z-Ala-Phe-OMe 117
- Functional docking Monte-Carlo simulation  
 Enantioselectivity of resolved  $\Delta$  and  $\Lambda$  orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- Galactose oxidase  
 Galactose oxidase and alcohol oxidase: Scope and limitations for the enzymatic synthesis of aldehydes 141
- Glucose oxidase  
 Enantioselectivity of resolved  $\Delta$  and  $\Lambda$  orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- Graphite electrode  
 Biosensors for phenolic compounds: The catechol as a substrate model 97
- Halophile  
 Preliminary characterisation of a lipolytic activity from an extremely halophilic archaeon, *Natronococcus* sp. 21
- Heterologous expression  
 On the effects of site-specific mutations on activity and expression of the *Streptomyces* PMF phospholipase D 1
- HKD Domain  
 On the effects of site-specific mutations on activity and expression of the *Streptomyces* PMF phospholipase D 1
- Horseradish peroxidase  
 Enhanced dye decolorization efficiency by citraconic anhydride-modified horseradish peroxidase 81
- Hydrolysis  
 Selective hydrolysis of epoxidized soybean oil by commercially available lipases: Effects of epoxy group on the enzymatic hydrolysis 55
- Immobilised enzymes  
 In search for practical advantages from the immobilisation of an enzyme: the case of laccase 61
- Immobilization  
 Stereoselective oxidation of alcohols using whole cells of *Rhizomucor miehei* CECT 2749 16
- Intrinsic fluorescence  
 Spectroscopic studies of stability of papain in aqueous organic solvents 43
- 1,2-*O*-Isopropylideneglycerol  
 Kinetic resolution of (*R*, *S*)-1,2-*O*-isopropylideneglycerol by esterification with dry mycelia of moulds 71
- Kinetic resolution  
 Lipase-catalyzed kinetic resolutions of racemic  $\beta$ - and  $\gamma$ -thiolactones 125
- Laccase  
 In search for practical advantages from the immobilisation of an enzyme: the case of laccase 61
- Lipase  
 Preliminary characterisation of a lipolytic activity from an extremely halophilic archaeon, *Natronococcus* sp. 21  
 Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27  
 Selective hydrolysis of epoxidized soybean oil by commercially available lipases: Effects of epoxy group on the enzymatic hydrolysis 55  
 Lipase-catalyzed kinetic resolutions of racemic  $\beta$ - and  $\gamma$ -thiolactones 125  
 The amidase activity of *Candida antarctica* lipase B is dependent on specific structural features of the substrates 136
- Marine microorganism  
 Enantioselective epoxide hydrolase activity of a newly isolated microorganism, *Sphingomonas echinoides* EH-983, from seawater 130
- Mediators  
 In search for practical advantages from the immobilisation of an enzyme: the case of laccase 61
- Metabolites  
 Microbiological production of omeprazole metabolites by *Cunninghamella elegans* 87
- 3-Methoxybenzylamides vanillylamides  
 The amidase activity of *Candida antarctica* lipase B is dependent on specific structural features of the substrates 136
- 2-Methylcyclohexanone  
 Stereoselective reduction of ketones by various vegetables 103
- Methyl orange  
 Enhanced dye decolorization efficiency by citraconic anhydride-modified horseradish peroxidase 81
- Mycobacterium* sp.  
 Biotransformation of various natural sterols to androstenones by *Mycobacterium* sp. and some steroid-converting microbial strains 49
- Natronococcus*  
 Preliminary characterisation of a lipolytic activity from an extremely halophilic archaeon, *Natronococcus* sp. 21
- Nitrilase cloning  
 Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- NMR  
 Microbiological production of omeprazole metabolites by *Cunninghamella elegans* 87

- Novozym 435  
Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Oligomerization  
Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- Oligopeptides  
Comparative behaviour of proteinases from the latex of *Carica papaya* and *Funarium clausum* as catalysts for the synthesis of Z-Ala-Phe-OMe 117
- Omeprazole  
Microbiological production of omeprazole metabolites by *Cunninghamella elegans* 87
- Papain  
Spectroscopic studies of stability of papain in aqueous organic solvents 43  
Comparative behaviour of proteinases from the latex of *Carica papaya* and *Funarium clausum* as catalysts for the synthesis of Z-Ala-Phe-OMe 117
- Peptide synthesis  
Comparative behaviour of proteinases from the latex of *Carica papaya* and *Funarium clausum* as catalysts for the synthesis of Z-Ala-Phe-OMe 117
- Phenolic compounds  
Biosensors for phenolic compounds: The catechol as a substrate model 97
- Phospholipase A<sub>2</sub>  
Production of phosphatidylcholine containing conjugated linoleic acid mediated by phospholipase A<sub>2</sub> 92
- Phosphatidylcholine  
Production of phosphatidylcholine containing conjugated linoleic acid mediated by phospholipase A<sub>2</sub> 92
- Phospholipase D  
On the effects of site-specific mutations on activity and expression of the *Streptomyces* PMF phospholipase D 1
- Polyaromatic hydrocarbons  
Oxidative degradation of polyaromatic hydrocarbons and their derivatives catalyzed directly by the yellow laccase from *Pleurotus ostreatus* D1 8
- PQQ glucose dehydrogenase  
Enantioselectivity of resolved Δ and Λ orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- Protease catalysis  
Comparative behaviour of proteinases from the latex of *Carica papaya* and *Funarium clausum* as catalysts for the synthesis of Z-Ala-Phe-OMe 117
- Protein engineering  
Cloning and optimization of a nitrilase for the synthesis of (3*S*)-3-cyano-5-methyl hexanoic acid 75
- Pyranose dehydrogenase  
New biotransformations of some reducing sugars to the corresponding (di)dehydro(glycosyl) aldoses or aldonic acids using fungal pyranose dehydrogenase 32
- Reaction cascades  
Galactose oxidase and alcohol oxidase: Scope and limitations for the enzymatic synthesis of aldehydes 141
- Reduction  
Microbiological production of omeprazole metabolites by *Cunninghamella elegans* 87
- Rhizomucor miehei*  
Stereoselective oxidation of alcohols using whole cells of *Rhizomucor miehei* CECT 2749 16
- Rhizopus oryzae*  
Kinetic resolution of (*R*, *S*)-1,2-*O*-isopropylideneglycerol by esterification with dry mycelia of moulds 71
- Ruthenium  
Enantioselectivity of resolved Δ and Λ orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- Selective oxidation  
In search for practical advantages from the immobilisation of an enzyme: the case of laccase 61
- Selectivity  
Selective hydrolysis of epoxidized soybean oil by commercially available lipases: Effects of epoxy group on the enzymatic hydrolysis 55
- Site-directed mutagenesis  
On the effects of site-specific mutations on activity and expression of the *Streptomyces* PMF phospholipase D 1
- Solketal  
Kinetic resolution of (*R*, *S*)-1,2-*O*-isopropylideneglycerol by esterification with dry mycelia of moulds 71
- Soybean oil  
Selective hydrolysis of epoxidized soybean oil by commercially available lipases: Effects of epoxy group on the enzymatic hydrolysis 55
- Sphingomonas echinoides* EH-983  
Enantioselective epoxide hydrolase activity of a newly isolated microorganism, *Sphingomonas echinoides* EH-983, from seawater 130
- Stability  
Spectroscopic studies of stability of papain in aqueous organic solvents 43
- Stereoselective oxidation of alcohols  
Stereoselective oxidation of alcohols using whole cells of *Rhizomucor miehei* CECT 2749 16
- Stereoselectivity  
Stereoselective reduction of ketones by various vegetables 103
- Sterol  
Biotransformation of various natural sterols to androsthenones by *Mycobacterium* sp. and some steroid-converting microbial strains 49
- Streptomyces* PMF  
On the effects of site-specific mutations on activity and expression of the *Streptomyces* PMF phospholipase D 1
- Supercritical  
Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Synthesis  
Galactose oxidase and alcohol oxidase: Scope and limitations for the enzymatic synthesis of aldehydes 141
- Synthetic dyes  
Oxidative degradation of polyaromatic hydrocarbons and their derivatives catalyzed directly by the yellow laccase from *Pleurotus ostreatus* D1 8
- Thermostability  
Preliminary characterisation of a lipolytic activity from an extremely halophilic archaeon, *Natronococcus* sp. 21
- Thiolactone  
Lipase-catalyzed kinetic resolutions of racemic β- and γ-thiolactones 125
- Transesterification  
Transesterification reaction catalysed by Novozym 435 in supercritical carbon dioxide 27
- Vegetable  
Stereoselective reduction of ketones by various vegetables 103
- Water mimic  
Production of phosphatidylcholine containing conjugated linoleic acid mediated by phospholipase A<sub>2</sub> 92
- X-ray crystallography  
Enantioselectivity of resolved Δ and Λ orthoruthenated 2-phenylpyridine complexes [Ru(*o*-C<sub>6</sub>H<sub>4</sub>-2-py)(LL)<sub>2</sub>]PF<sub>6</sub> (LL = bpy and phen) toward glucose oxidase 110
- Yellow laccase  
Oxidative degradation of polyaromatic hydrocarbons and their derivatives catalyzed directly by the yellow laccase from *Pleurotus ostreatus* D1 8