

Subject Index of Volume 689

A2780/cp70

Novel titanocene anti-cancer drugs derived from fulvenes and titanium dichloride, 2242

Ab initio calculations

New boronates prepared from 2,4-pentanedione derived ligands of the NO₂ and N₂O₂ type – comparison to the complexes obtained from the corresponding salicylaldehyde derivatives, 811

Synthesis of the anisobidentate compound bis(2-amino-cyclopent-1-ene-carbodithioate)diethyltin (IV). Experimental and theoretical study, 2096

Acetate

Formation of anionic palladium(0) complexes ligated by the trifluoroacetate ion and their reactivity in oxidative addition, 3728

Acetylacetonate

The fragment bis(acetylacetonato)ruthenium: a meeting-point of coordination and organometallic chemistry, 4463

Acetylacetonato complexes

Preparation and molecular structure of a dinuclear rhodium complex having an unbalanced (15 + 17)-electron count, 4917

Acetylides

Alkynyl compounds and nonlinear optics, 3968

Five-coordinate organoaluminum acetylides and crystal structure of the hydrosylate, [Salophen(Bu)Al]₂O, 759

Acidity

Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of α -cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring, 3567

Actinide

Uranium-sulfilimine chemistry. Hydrolysis of Cp*₂UCl₂ with HNSPh₂ · H₂O and the crystal structure of Cp*₂UCl(OH)(HNSPh₂), a metallocene terminal hydroxy complex of tetravalent uranium, 2029

Activation

Reaction of ferrocenecarboxylic acid with *N,N'*-disubstituted carbodiimides: synthesis, spectroscopic and X-ray crystallographic analysis of *N,N'*-disubstituted *N*-ferrocenoylureas and identification of a one-pot coupling reagent for the formation of ferrocenecarboxamides in a non-aqueous solvent, 1472

Activation of σ (C–S) bonds

Knoevenagel condensation of [NC–CH₂C(O)–NH–CH(CO₂Et)–S]₂ with ferrocenecarbaldehyde and the activation of the σ (C–S) bond of [(η^5 -C₅H₅)Fe{(η^5 -C₅H₄)–CH=C(CN)–C(O)–NH–CH(CO₂Et)–CH₂–S–}]₂ induced by palladium(II), 2284

Acylpalladium complexes

The mechanism for palladium catalyzed carbonylation of cinnamyl chloride, 3800

Acylstanane

Nickel-catalyzed acylstannylation and alkynylstannylation of 1,2-dienes, 3701

Adamantynaphthalene diimide

Electrochemical gene detection based on supramolecular complex formation by ferrocenyl- β -cyclodextrin and adamantyl-naphthalene diimide bound to double stranded DNA, 4722

Addition

The thermally stable silylene Si[(NCH₂Bu')₂C₆H₄-1,2]: reaction with pyridine and quinoline, 1350

Adduct

Formation, structure, and reactivities of 1:1 adducts between quadricyclane and (η^5 -cyclopentadienyl)(1,2-diphenyl- or -dimethoxycarbonyl-1,2-ethenedithiolato)rhodium(III), 997

Adenosine

α -(Ferrocenyl)-aminomethanephosphonous acids. First synthesis and preparation of their esters with cholesterol and adenosine, 1684

Ag(I) complexes

Cu(I) and Ag(I) complexes of chalcogenide derivatives of the organometallic ligand dppf and the dppa analogue, 2808

Aggregation

Synthesis of a transition-metalated phosphinoborane dimer, 2425

Agostic interactions

Synthesis, characterization and reactivity of the molybdenum(VI) complex [MoCl(NAr)₂(CH₂CMe₂Ph)] (Ar = 2,6-Pr^{*i*}₂C₆H₃), 332

AIM

Folded 2,5-diazapent-3-ene metallacycle in ene-diamido group 4 metal compounds: DFT and AIM analyses, 2847

Albumin

Solution properties, electrochemical behavior and protein interactions of water soluble triosmium carbonyl clusters, 1796

Albnyl molecular wires

Synthesis, structures and some reactions of Ru(C \equiv CC \equiv CFc)(PP)Cp (PP = dppe, dppe) and related compounds, 2860

Alcohol

Synthesis, structures and reactions of some metallocene alcohols, 252

Alcohols

Magnesium triflate [Mg(OTf)₂] a highly stable, non-hygroscopic and a recyclable catalyst for the high yielding preparation of diethyl α -trimethylsilyloxyphosphonates from diethyl α -hydroxyphosphonates by HMDS under solventless conditions, 3197

Aldehyde

Carbonyl allylation of aldehydes catalyzed by a silica-supported poly- γ -diphenylarsinopropylsiloxane palladium(0) complex, 2436

Aldehyde olefination

Methyltrioxorhenium and its applications in olefin oxidation, metathesis and aldehyde olefination, 4149

Aldehyde synthesis

Design of catalytic processes based on studies of elementary processes, 4499

Aldehyde vs. ketone selectivity

Tris(trimethylsilylmethyl)alane: an aldehyde selective peterson methylenation reagent, 1856

Aliphatic polyesters

Online ATR-IR investigations and mechanistic understanding of the carbonylation of epoxides – the selective synthesis of lactones or polyesters from epoxides and CO, 971

Alkali metals

Lithium and sodium *N,N'*-di(2,6-dialkylphenyl)formamidinate complexes, 3093

Alkalide

Decomposition of vinyl ethers by alkalide K^+ , $K^+(15\text{-crown-5})_2$ via organopotassium intermediates, 1580

Electron-transfer reduction of selected alcohols with alkalide K^+ , $K^+(15\text{-crown-5})_2$ via organometallic intermediates, 2361

Alkane functionalization

Organometallic alkane CH activation, 4083

 η^2 -Alkene

Introduction of a phosphorus ylide moiety into $[\eta^2(\omega\text{-hydroxy)alkenyl}]chromium(0)$ carbene complexes with Ph_3PCCO and consecutive Wittig alkenations with 2-alkynals. Part 12: the chemistry of metallacyclic alkenylcarbene complexes, 2131

Synthesis and selective silylation of ω -hydroxy functionalized (η^2 -alkenyl)carbene complexes of chromium(0) and tungsten(0) Part 11. The chemistry of metallacyclic alkenylcarbene complexes, 1771

Alkene complexes

The fragment bis(acetylacetonato)ruthenium: a meeting-point of coordination and organometallic chemistry, 4463

Alkene dimerisation

Carbonylative dimerisation of norbornene by cobalt carbonyl: an overlooked by-product of the Pauson–Khand reaction, 694

Alkene formation

Fischer–Tropsch, organometallics, and other friends, 4366

Alkene ligands

Organometallic chemistry of 15-membered tri-olefinic macrocycles: catalysis by palladium(0) complexes in carbon–carbon bond-forming reactions, 3669

Alkenes

Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst, 2786

Reactions of free radicals with η^3 -allylpalladium(II) complexes: cyclohexyl radicals, 1257

Alkenyl pentamethyl phosphoric triamides

Lithiated anions derived from (alkenyl)pentamethyl phosphoric triamides: an accurate study of the carbanion formation mechanism, 1530

Alkoxide ligands

Heterobimetallic complexes as oxygen donor bidentate ligands: synthesis of early–late trinuclear complexes, 2641

Alkoxo

Synthesis and characterization of cyclopentadienyl/alkoxo titanium dichlorides: structural analysis of monocyclopentadienyl titanium dichlorides with ligands derived from menthol and borneol, 3492

Alkoxyhalosilane

Convenient synthesis of alkoxyhalosilanes from hydrosilanes, 3258

Alkoxyhydrosilane

Convenient synthesis of alkoxyhalosilanes from hydrosilanes, 3258

Alkoxysilane

A higher yielding route to octasilsesquioxane cages using tetrabutylammonium fluoride, Part 2: further synthetic advances, mechanistic investigations and X-ray crystal structure studies into the factors that determine cage geometry in the solid state, 3287

Alkyl manganese pentacarbonyls

A density functional theory study of alkyl group migration in $RMn(CO)_5$ complexes, 2354

Alkyl migration reaction

A density functional theory study of alkyl group migration in $RMn(CO)_5$ complexes, 2354

Alkyl(silyl) Pt complex

Alkyl group dependence of C–Si reductive eliminations from alkyl(silyl) Pt(II) complexes: a density functional study, 2236

Alkylarylacetylene

A facile stereoselective synthesis of (*E*)-1,2-disubstituted vinylstannanes via hydromagnesiation of alkylarylacetylenes, 2531

Alkylation

A personal account of some dinitrogen and organometallic chemistry research at the University of Sussex, 3999

Ligand electronic effects in the palladium catalyzed asymmetric allylic alkylation reaction with planar chiral diphosphine-oxazoline ferrocenyl ligands, 3847

Alkylidene

A zwitterionic triosmium cluster bearing a metallated azulene ligand coordinated perpendicularly as an alkylidene bridge, 2025

Alkylidene–ruthenium

The versatility of molecular ruthenium catalyst $RuCl(COD)-(C_5Me_5)$, 1382

Alkyne

Carbon–carbon coupling on tetrahedral iridium clusters: X-ray molecular structures and multinuclear NMR studies of the two isomeric forms of $[Ir_4(CO)_6(\mu_3-\eta^2\text{-HCCPh})(\mu_2-\eta^4\text{-C}_4\text{H}_2\text{Ph}_2)(\mu\text{-PPh}_2)_2]$, 3513

Dithiolene transfer from nickel to a dimolybdenum centre: the first dithiolene alkyne complex, 522

Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882

Titanocene-based group-11 metal ions; solid-state structure of $\{[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2Ti(C\equiv CPh)_2Ag]NO_3\}$, 2690

 π -alkyne complexes

Activation of alkynes by $\{[Cp^*Ru(CO)(PMe^iPr_2)]^+\}$: X-ray crystal structures of $[Cp^*Ru=C=CH^tBu(CO)(PMe^iPr_2)][BAR_4^-]$ and $[Cp^*Ru(CO)_2(PMe^iPr_2)][BAR_4^-]$, 2853

Alkyne complexes

The fragment bis(acetylacetonato)ruthenium: a meeting-point of coordination and organometallic chemistry, 4463

Alkyne cyclotrimerization

Synthesis, characterization, and alkyne cyclotrimerization chemistry of titanium complexes supported by calixarene-derived bis(aryloxy) ligation, 502

Alkyne dicobalt hexacarbonyl

The alkyne-anion promoted ring-contraction of hexachlorotropone: synthesis and structure of [trimethylsilyl-(pentachlorobenzoyl)ethyne]-hexacarbonyldicobalt, 8

Alkyne insertion

Reactions of a phosphido-bridged unsymmetrical diiron complex ($\eta^5\text{-C}_5\text{Me}_5$) $Fe_2(CO)_4(\mu\text{-CO})(\mu\text{-PPh}_2)$ with various alkynes, 1481

Stereochemistry of the insertion of disubstituted alkynes into the metal aminocarbyne bond in diiron complexes, 528

Alkyne thiolate clusters

Asymmetric acetylenic thioethers in ruthenium cluster chemistry, 552

Alkyne-diols

Reaction of $\text{Ru}_3(\text{CO})_{12}$ with but-2-yn-1,4-diol in $\text{CH}_3\text{OH}/\text{KOH}$ solution. Crystal structure of $(\mu\text{-Cl})\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^4\text{-H}_2\text{CCC}(\text{H})\text{CH}_2]$, 35

Alkynes

An alkynyltelluronium iodide and its solid state structure: evidence for $\text{p} \rightarrow \sigma^*$ interactions, 627

Bimetallic cluster complexes: synthesis, structures and applications to catalysis, 4521

Coupling of propargylsilanes with Fischer carbene chromium complexes: a new synthesis of conjugated dienes, 3379

Donor-substituted CpCo -stabilized cyclobutadienes and superphanes, 3132

Mechanism of the carbopalladation of alkynes by aryl-palladium complexes, 4642

N-terminus to C-terminus metallacyclicpeptides employing tungsten-alkyne coordination, 4837

Regioselective cyclotrimerization of phenylacetylenes to 1,2,4-triarylbenzenes catalyzed by iridium-diphosphine complexes, 14

Synthesis and characterisation of saturated and unsaturated triruthenium clusters containing electronically symmetrical and asymmetrical alkynes, 111

Synthesis of the first pentaethynylferrocene derivatives, 4345

The photochemical and thermal reactions of a triosmium cluster carrying a γ -pyrone ligand with alkynes, 25

The versatility of molecular ruthenium catalyst $\text{RuCl}(\text{COD})\text{-(C}_5\text{Me}_5\text{)}$, 1382

Alkynols

Synthesis, characterization and molecular structures of allenylidene, vinylidene-alkylidene complexes containing $[\text{CpOs}(\text{PPh}_3)_2]^+$ fragment, 539

Alkynyl

Luminescent metal alkynyls – from simple molecules to molecular rods and materials, 1393

Alkynyl complexes

Alkynyl compounds and nonlinear optics, 3968

Alkynyl ligands

Synthesis, characterization, electrochemistry and luminescence studies of heterometallic gold(I)-rhenium(I) alkynyl complexes, 4451

Alkynylsilane

A facile stereoselective synthesis of (*E*)- α -silylvinylstannanes via hydromagnesiation of alkynylsilanes, 3593

Stereoselective synthesis of (*E*)- α -aryl tellurenylvinylsilanes via hydromagnesiation reaction of alkynylsilanes, 1714

Alkynylstannane

Nickel-catalyzed acylstannylation and alkynylstannylation of 1,2-dienes, 3701

Allenylidene

Nucleophilic addition reactions to the allenylidene complex $[\text{Cp}^*\text{Ru}=\text{C}=\text{C}=\text{CPh}_2(\text{CO})(\text{PMe}^i\text{Pr}_2)]^+$: X-ray crystal structures of $[\text{Cp}^*\text{Ru}\{\text{C}(\text{N}=\text{CPh}_2)\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, $[\text{Cp}^*\text{Ru}\{\text{C}(\text{NHCH}_2\text{C}\equiv\text{CH})\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, $[\text{Cp}^*\text{Ru}\{\text{C}(\text{PMe}^i\text{Pr}_2)\text{C}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$ and $[\text{Cp}^*\text{Ru}\{\text{C}(\text{S}^i\text{Pr})\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, 2776

Syntheses and molecular structures of $\text{Ru}_3(\mu\text{-H})(\mu_3\text{-CPh}_2\text{C-CC}\equiv\text{CPh})(\text{CO})_9$ and $\text{Ru}_3\{\mu_3\text{-CPhCHCC}(\text{C}=\text{CPh}_2)\text{CH}=\text{CPh}\}(\mu\text{-CO})(\text{CO})_8$, 965

Synthesis, characterization and molecular structures of allenylidene, vinylidene-alkylidene complexes containing $[\text{CpOs}(\text{PPh}_3)_2]^+$ fragment, 539

Allenylidene complexes

Activation of alkynes by $\{[\text{Cp}^*\text{Ru}(\text{CO})(\text{PMe}^i\text{Pr}_2)]^+\}$: X-ray crystal structures of $[\text{Cp}^*\text{Ru}=\text{C}=\text{CH}^i\text{Bu}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$ and $[\text{Cp}^*\text{Ru}(\text{CO})_2(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, 2853

Allyl

Reactions of free radicals with η^3 -allylpalladium(II) complexes: cyclohexyl radicals, 1257

Solvent-controlled formation of η^3 -butadienyl or η^3 -allyl group 6 transition metal complexes in water or alcohols, 2114

Allyl complexes

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

Reactions of chelated η^3 -pentadienyl iron complexes with nucleophiles, 575

Allyl group

Self-immobilized metallocene catalysts bearing an allyl group for ethylene polymerization, X-ray crystal structure of $[(\text{CH}_2=\text{CHCH}_2)\text{CH}_3\text{Si}(\text{C}_{13}\text{H}_8)_2]\text{ZrCl}_2$, 678

Allylic alkylation

Palladium-catalyzed asymmetric allylic alkylation using chiral hydrazone ligands with ferrocene skeleton, 2833

Allylic oxidation

Synthesis of C_2 -symmetric and unsymmetrically substituted 2,2'-dipyridylamines and crystal structure of a chiral 2,2'-dipyridylamine copper(II) complex, 3767

Allylic substitution

Aziridine-derived iminophosphine ligands in palladium-catalyzed allylic substitution, 3604

Palladium complexes of a chiral P,C-chelating phosphino-(sulfinylmethyl)phosphonium ylide ligand, 380

 π -Allylpalladium complex

Carbonyl allylation of aldehydes catalyzed by a silica-supported poly- γ -diphenylarsinopropylsiloxane palladium(0) complex, 2436

Allylic transposition

Lithiated anions derived from (alkenyl)pentamethyl phosphoric triamides: an accurate study of the carbanion formation mechanism, 1530

Aluminium

Metal β -diketimines revisited: *ansa*- CH_2 -bridged bis(β -diketiminate)s of lithium and aluminium having diverse structures, 4357

Reactions of alkylalane diolates with water synthesis, characterisation and ϵ -caprolactone polymerisation activity of novel alane benzopinacolates, 2930

Sterically crowded diolates of group 13 metals, 2056

Synthesis and crystal structures of organometallic compounds containing the ligands $\text{C}(\text{SiMe}_3)_2(\text{SiMe}_2\text{H})$ and $\text{C}(\text{SiMe}_2\text{Ph})_2(\text{SiMe}_2\text{H})$, 1238

A structural study of dimethylaluminum carboxylato and hydrazonato complexes, 2186

Five-coordinate organoaluminum acetylides and crystal structure of the hydrosylate, $[\text{Salophen}^i\text{BuAl}]_2\text{O}$, 759

Aluminum complex

Fluxional behavior of $\text{Al}(\text{Et})(\text{q}')_2$ ($\text{q}' = 2\text{-methyl-8-quinolinolato}$) studied by temperature dependent ^1H NMR spectroscopy, 2421

Ambident anions

Lithiated anions derived from (alkenyl)pentamethyl phosphoric triamides: an accurate study of the carbanion formation mechanism, 1530

Ambidentate ligands

Syntheses and crystal structures of mono- and bi-metallic zinc compounds of symmetrically- and asymmetrically-substituted bis(amino)cyclodiphosph(V)azanes, 1110

Amide

Synthesis and X-ray crystallographic structures of $[\text{HGa}(\text{NMe}_2)_2]_2$ and $[\text{PhGa}(\text{NHNMe}_2)_2]_2$, and room-temperature conversions of $[\text{HGa}(\text{NMe}_2)_2]_2$ to $(\text{HGaNH})_n$ and $(\text{HGaNMe})_n$, 666

Amides

Lithium and sodium *N,N'*-di(2,6-dialkylphenyl)formamidinate complexes, 3093

Three-coordinate bis(phosphinimino)methanide derivatives of 'open shell' [M(II)] (M = Mn, Fe, Co) transition metals, 3163

Titanium-mediated syntheses of cyclopropylamines, 2033

Amidine

Reactivity studies of (η^6 -arene)ruthenium dimeric complexes towards pyrazoles: isolation of amidines, bis pyrazoles and chloro bridged pyrazole complexes, 3265

Amidocarbonylation

Efficient synthesis of *N*-acyl- α -amino acids via polymer incarcerated palladium-catalyzed amidocarbonylation, 3806

Amidoimidophosphoranes

Phosphinohydrazines and phosphinohydrazides M(–N(R)–N(R)–PPh₂)_n of some transition and main group metals: synthesis and characterization. Rearrangement of Ph₂P–NR–NR–ligands into aminoiminophosphorane, RN=PPh₂–NR–, and related chemistry, 3060

Amine

Aminorhenium carbon dioxide complexes: formal oxidation of a carbon monoxide ligand with peroxy-acids or bromine/hydroxide, 411

Amine-carboxyboranes

Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of α -cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring, 3567

Amines

Influence of organic ligands on the stabilization of palladium nanoparticles, 4601

2-Amino-cyclopentene-dithiocarboxylic acid

Synthesis of the anisobidentate compound bis(2-amino-cyclopent-1-ene-carbodithioate)diethyltin (IV). Experimental and theoretical study, 2096

Amino acid

Changes in the hydrogen bonding pattern in ferrocene peptides, 4669

(Amino)(oxy)carbene

α,β -(Phosphino)(aminocarbene) and α,ω -(phosphino)(oxyamino-carbene): new bidentate ligands for transition metal complexes, 1431

(Amino)(phosphino)carbene

α,β -(Phosphino)(aminocarbene) and α,ω -(phosphino)(oxyamino-carbene): new bidentate ligands for transition metal complexes, 1431

Efficient synthesis of *N*-acyl- α -amino acids via polymer incarcerated palladium-catalyzed amidocarbonylation, 3806

Preparation and characterization of rhenium(I) compounds with amino ester derivatized diimine ligands. Investigations of luminescence. Crystal structures of Re(CO)₃Cl(pyca- β -Ala-OEt) and Re(CO)₃Cl(pyca-l-Asp(OMe)-OMe), 4848

Amino acids

Ferrocenoyl peptides with sulfur-containing side chains: synthesis, solid state and solution structures, 4856

Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685

Titanium-mediated syntheses of cyclopropylamines, 2033

Aminoalcohols

Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631

Aminoarenethiolate

A recyclable nanosize aminoarenethiolato copper(I) catalyst for C–C coupling reactions, 3813

Aminobis(diphosphonite)

Synthesis and derivatization, structures and transition metal (Mo(0), Fe(II), Pd(II) and Pt(II)) complexes of phenylaminobis(diphosphonite), PhN{P(OC₆H₄OMe-*o*)₂}₂, 3388

Aminocyclopropanes

Titanium-mediated syntheses of cyclopropylamines, 2033

Aminolysis reactions

Chemistry of Fischer-type rhenacyclobutadiene complexes. I. Deprotonation, addition/substitution of nucleophilic reagents at α -carbon, and insertion of heteroatoms into rhenium–carbon bonds, 2000

Aminophosphonates

First synthesis of 1,1'-ferrocene bis-aminophosphonic esters, 1265

Aminophosphonous acids

α -(Ferrocenyl)-aminomethanephosphonous acids. First synthesis and preparation of their esters with cholesterol and adenosine, 1684

Aminotroponimate

Aminotroponimate alkyl and alkoxide complexes of zinc, 2720

Anilido

Mono-cyclopentadienyl complexes of lanthanum: synthesis and characterization of anilido derivatives, 2177

Anion effects

Kinetic and mechanistic aspects of metallocene polymerisation catalysts, 3982

Anionic cyanide complexes

Crown compounds for anions. Sandwich complexes of cyclic trimeric perfluoro-*o*-phenylenemercury with hexacyanoferrate(III) and nitroprusside anions, 82

ansa-bridged complexes

Metal β -diketiminates revisited: *ansa*-CH₂-bridged bis(β -diketimate)s of lithium and aluminium having diverse structures, 4357

ansa-Metallocene catalysts

Self-immobilized metallocene catalysts bearing an allyl group for ethylene polymerization, X-ray crystal structure of [(CH₂=CHCH₂)CH₃Si(C₁₃H₈)₂]ZrCl₂, 678

ansa-Metallocenes

Group 4 metallocene complexes with non-bridged and tetramethyldisiloxane-bridged methyl-phenyl-cyclopentadienyl ligands: synthesis, characterization and olefin polymerization studies, 4395

ansa-Zirconocene

Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene–norbornene copolymerization, 3402

Syntheses of methylene-bridged *ansa*-zirconocene complexes and copolymerization studies of ethylene and norbornene, 2586

Ansa-zirconocene

The effect that 6-*tert*-butoxyhexyl functionalization has on ethylene polymerization in *ansa*-zirconocene dichlorides, 214

Zirconocene dichloride complexes with a 1,2-naphthylidene bridge as catalysts for the polymerisation of ethylene and propylene, 1965

Anthracene

Five- and six-membered platinacycles derived from phenantryl and anthracenyl imines, 1956

Anti-cancer drug

Novel titanocene anti-cancer drugs derived from fulvenes and titanium dichloride, 2242

Antimony

9-Triptycenyl complexes of group 13 and 15 halides and hydrides, 781

Reactions of 2-arsa- and 2-stiba-1,3-dionato lithium complexes with group 4–7 metal halides, 1648

- Synthesis and structural characterization of η^3 -allyl(α -diimine)nickel(II) complexes bearing trimethylsilyl groups, 1057
- Synthesis and structures of organoantimony compounds containing intramolecular Sb–N interactions, 2593
- Synthesis, crystal structures and in vitro antitumor activities of some arylantimony derivatives of analogues of demethylcantharimide, 1631
- Antimony(V)
- Tetraphenylantimony carboxylates in the cascade Pd-catalyzed C-phenylation reaction of methyl acrylate in the presence of peroxide, 731
- Antitumor
- Bioorganometallic chemistry of molybdocene dichloride, 4655
- Antitumor activity
- Diorganotin(IV) derivatives of arylhydroxamic acids: synthesis, properties and antitumor activity, 4584
- Synthesis, crystal structures and in vitro antitumor activities of some arylantimony derivatives of analogues of demethylcantharimide, 1631
- Synthesis, structure and redox potentials of biologically active ferrocenylalkyl azoles, 2473
- Antitumor agent
- Synthesis, characterization and structural investigation of the first vanadocene(IV) carboxylic acid complexes prepared from the vanadocene dichloride, 1180
- Applications
- Where organometallics and dendrimers merge: the incorporation of organometallic species into dendritic molecules, 4016
- 2 + 1 Approach
- “2 + 1” Dithiocarbamate–isocyanide chelating systems for linking $M(CO)_3^+$ ($M = {}^{99m}Tc, Re$) fragment to biomolecules, 4757
- Aquaruthenium complex
- Reactions of ruthenium benzylidenes with H_2O to give benzaldehyde and (aqua)ruthenium complex, 3535
- Aqueous
- Suzuki cross-coupling in aqueous media catalyzed by a 1,1'-N-substituted ferrocenediyl Pd(II) complex, 18
- Aqueous biphasic catalysis
- Rhodium-catalyzed hydroformylation of C6 alkenes and alkene mixtures – a comparative study in homogeneous and aqueous-biphasic media using PPh_3 , TPPTS and TPPMS ligands, 3782
- Aqueous chemistry
- Solvent-controlled formation of η^3 -butadienyl or η^3 -allyl group 6 transition metal complexes in water or alcohols, 2114
- Aqueous medium
- $[Cp_2TiCl_2]$ as polymerization catalyst in aqueous medium: polymerization of styrene in water, 1091
- (Arene)ruthenium complexes
- Water-soluble (η^6 -arene)ruthenium(II)-phosphine complexes and their catalytic activity in the hydrogenation of bicarbonate in aqueous solution, 1036
- Arene
- Arene ruthenium complexes incorporating imine/azine hybrid-chelating N–N' donor ligands: synthetic, spectral, structural aspects and DFT studies, 1821
- Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332
- Ru(II) complexes imparting N_2O_2 donor bis chelating ligand *N,N'*-bis(salicylidine)-hydrazine in unusual coordination mode, 2073
- Synthesis, electrochemistry, and crystal and molecular structures of some molybdenum(0) arene derivatives with fluorinated and phenyl-substituted arene ligands, 2158
- Arene hydrogenation
- Nanostructured ruthenium on γ - Al_2O_3 catalysts for the efficient hydrogenation of aromatic compounds, 639
- Arene ligands
- Hydrogen-bonded systems between monocarboxylic acids and the trinuclear cluster cation $[H_3Ru_3(C_6H_6)(C_6Me_6)_2(O)]^+$: cold-spray ionisation mass spectroscopic and X-ray crystallographic studies, 2820
- Ruthenium(II) complexes with ferrocene-modified arene ligands: synthesis and electrochemistry, 2456
- Aromatic functionalization
- Palladium catalyzed multicomponent reactions in ordered sequence: new syntheses of *o,o'*-dialkylsubstituted diarylacetylenes and diarylalkylidenehexahydromethano- fluorenes, 3741
- Aromaticity
- An investigation of the aromaticity of transition metal heterocyclic complexes by conventional criteria and indices of aromaticity, 1050
- Aromaticity or non aromaticity in germanazenes? Theoretical studies on germanazenes, the *N*-cyano analogs and their carbodiimide isomers, 3279
- Aromaticity index
- An investigation of the aromaticity of transition metal heterocyclic complexes by conventional criteria and indices of aromaticity, 1050
- Arsenic
- 9-Triptyceny complexes of group 13 and 15 halides and hydrides, 781
- Reactions of 2-arsa- and 2-stiba-1,3-dionato lithium complexes with group 4–7 metal halides, 1648
- Arsine palladium(0) complex
- Carbonyl allylation of aldehydes catalyzed by a silica-supported poly- γ -diphenylarsinopropylsiloxane palladium(0) complex, 2436
- Artificial metalloenzyme
- Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868
- σ -Aryl ligand
- Synthesis and redistribution reactions of asymmetric σ -arylplatinum(II) complexes containing 4,7-phenanthroline, 1288
- Aryl bromides
- Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetrakisphosphine catalyst, 2786
- Aryl halides
- Improving palladium-catalyzed cyanation of aryl halides: development of a state-of-the-art methodology using potassium hexacyanoferrate(II) as cyanating agent, 4576
- The metal–halogen exchange reaction between *ortho*-substituted aryl halides and $Ph_2CuLi \cdot LiCN$: scope and applicability for coupling reactions, 154
- Aryl nitrile
- Catalytic Sandmeyer cyanation as a synthetic pathway to aryl nitriles, 3810
- Arylation
- Role of base in palladium-catalyzed arylation of carbanions, 1085
- Tetraphenylantimony carboxylates in the cascade Pd-catalyzed C-phenylation reaction of methyl acrylate in the presence of peroxide, 731
- Arylation of alkynes
- Rh-catalyzed addition of boronic acids to alkynes for the synthesis of trisubstituted alkenes in a biphasic system - Mechanistic study and recycling of the Rh/*m*-TPPTC catalyst, 3820
- Arylborane
- Doubly hydrogen-bridged 1,2-diphenylenediboranes derived from 9-chloro-9-borafluorene and ligand exchange reactions, 58

Arylboronic acids

Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst, 2786

Arylboronic esters

Syntheses of a 2,6-bis-(methylphospholyl)pyridine ligand and its cationic Pd(II) and Ni(II) complexes – application in the palladium-catalyzed synthesis of arylboronic esters, 2988

Aryldiazonium salts

Catalytic Sandmeyer cyanation as a synthetic pathway to aryl nitriles, 3810

Arylic tellurides

One-pot synthesis of aryl butyl tellurides from tellurium tetrachloride and activated aromatics through a solventless step, 3631

Arylimine

Substituent effect on cyclopalladation of arylimines, 1806

Aryllithiums

One-pot synthesis of aryl butyl tellurides from tellurium tetrachloride and activated aromatics through a solventless step, 3631

Aryloxide complexes

Aryloxide-based multidentate ligands for early transition metals and f-element metals, 4228

Asymmetric

Asymmetric Michael reactions of α -substituted acetates with cyclic enones catalyzed by multifunctional chiral Ru amido complexes, 1377

Ligand electronic effects in the palladium catalyzed asymmetric allylic alkylation reaction with planar chiral diphosphine-oxazoline ferrocenyl ligands, 3847

Asymmetric catalysis

Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110

Chiral bispyridylamide metal complexes as catalysts for the enantioselective addition of TMS-CN to aldehydes, 3750

Copper catalysed 1,4-addition of organozinc reagents to α,β -unsaturated carbonyl compounds: a mechanistic investigation, 2169

Molybdenum(VI)-complexes with chiral *N,O*-ligands derived from carbohydrazides: synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 2752

Palladium-catalyzed asymmetric allylic alkylation using chiral hydrazone ligands with ferrocene skeleton, 2833

Asymmetrical induction

First synthesis of 1,1'-ferrocene bis-aminophosphonic esters, 1265

Ate complexes

Ate complexes of Ge(II) and Sn(II) with bidentate ligands $[\text{LiE}^{14}(\text{OCH}_2\text{CH}_2\text{NMe}_2)_3]_2$ ($\text{E}^{14} = \text{Ge}, \text{Sn}$): synthesis and structure, 478

Atom economy reactions

The versatility of molecular ruthenium catalyst $\text{RuCl}(\text{COD})-(\text{C}_5\text{Me}_5)$, 1382

1-azaallyl

Synthesis and crystal structures of novel lithium- and palladium-1-azaallyls, 1230

Azaallenyl

Nucleophilic addition reactions to the allenylidene complex $[\text{Cp}^*\text{Ru}=\text{C}=\text{C}=\text{CPh}_2(\text{CO})(\text{PMe}^i\text{Pr}_2)]^+$: X-ray crystal structures of $[\text{Cp}^*\text{Ru}\{\text{C}(\text{N}=\text{CPh}_2)\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, $[\text{Cp}^*\text{Ru}\{\text{C}(\text{NHCH}_2\text{C}\equiv\text{CH})\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, $[\text{Cp}^*\text{Ru}\{\text{C}(\text{PMe}^i\text{Pr}_2)\text{C}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$ and $[\text{Cp}^*\text{Ru}\{\text{C}(\text{S}^n\text{Pr})\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, 2776

Azabutadiene

The chemistry of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 2543

Azabutadienes

Manganese carbonyl-mediated reactions of azabutadienes with phenylacetylene, methyl acrylate and other unsaturated molecules, 2523

Azaferrocene

Lithiation of 2,5-dimethylazaferrocene, 1046

Azaindole

Synthesis of Re(I) complexes bearing tridentate 2,6-bis(7'-azaindolyl)phenyl ligand with green emission properties, 1665

Azide

Synthesis, characterization and molecular structure of the $[(\eta^6-\text{C}_6\text{Me}_6)\text{Ru}(\mu-\text{N}_3)(\text{N}_3)_2]$ complex and its reactions with some monodentate ligands, 3108

Azobenzene

Observations on reaction pathways of dicobalt octacarbonyl with alkynyl amines, 3449

Azoligands and radical anions thereof

Chemistry of tricarbonylrhenium(I) chelates of azopyrimidines, azoimidazoles and anion radicals thereof, 1780

Azomethines

Chelate polymers. VI. New copolymers of the some siloxane containing bis(2,4-dihydroxybenzaldehyde-imine) Me^{2+} with bis(*p*-carboxyphenyl)diphenylsilane, 3005

Azoniabutadienyl

Nucleophilic addition reactions to the allenylidene complex $[\text{Cp}^*\text{Ru}=\text{C}=\text{C}=\text{CPh}_2(\text{CO})(\text{PMe}^i\text{Pr}_2)]^+$: X-ray crystal structures of $[\text{Cp}^*\text{Ru}\{\text{C}(\text{N}=\text{CPh}_2)\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, $[\text{Cp}^*\text{Ru}\{\text{C}(\text{NHCH}_2\text{C}\equiv\text{CH})\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, $[\text{Cp}^*\text{Ru}\{\text{C}(\text{PMe}^i\text{Pr}_2)\text{C}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$ and $[\text{Cp}^*\text{Ru}\{\text{C}(\text{S}^n\text{Pr})\text{CH}=\text{CPh}_2\}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, 2776

Azopyrimidines and azoimidazoles

Chemistry of tricarbonylrhenium(I) chelates of azopyrimidines, azoimidazoles and anion radicals thereof, 1780

Azulene

A zwitterionic triosmium cluster bearing a metallated azulene ligand coordinated perpendicularly as an alkylidene bridge, 2025

 π -Backdonation

DFT studies of structural preference of coordinated ethylene in $\text{W}(\text{CO})_5(\text{PX}_3)_2(\text{CH}_2=\text{CH}_2)$ ($\text{X} = \text{H}, \text{CH}_3, \text{F}, \text{Cl}, \text{Br}, \text{and I}$), 2275

Batteries

Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332

Bent metallocene

Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene-norbornene copolymerization, 3402

Benzannulation

Synthesis, structure and benzannulation of chalcogen-tethered Fischer carbene complexes, 3501

Benzonitriles

Improving palladium-catalyzed cyanation of aryl halides: development of a state-of-the-art methodology using potassium hexacyanoferrate(II) as cyanating agent, 4576

Benzopinacole

Reactions of alkylalane diolates with water synthesis, characterisation and ϵ -caprolactone polymerisation activity of novel alane benzopinacolates, 2930

Benzothiazilide

Reactions of benzothiazolide triosmium clusters with tetramethylthiourea, 2633

Benzoylhydrazine

Cyclopalladated complexes with *N*-(benzoyl)-*N'*-(2,4-dimethoxybenzylidene)hydrazine: syntheses, characterization and structural studies, 352

Benzyl complex

Cationic η^3 -benzyl nickel compounds with diphosphine ligands as catalyst precursors for ethylene oligomerization/polymerization: influence of the diphosphine bite angle, 833

Pyrrolide-imine benzyl complexes of zirconium and hafnium: synthesis, structures, and efficient ethylene polymerization catalysis, 1155

beta-Diketiminates

Synthesis and structures of four crystalline lithium β -diketiminates derived from $[\text{Li}\{\text{CH}(\text{SiMe}_3)(\text{SiMe}_2\text{OMe})\}]_8$ and PhCN or Bu⁴CN and PhCN, 1342

Biaryl formation

Effect of π -accepting substituent on the reactivity and spectroscopic characteristics of triarylbismuthanes and triarylbismuth dihalides, 3395

Bibenzyl-*O*-benzylidimethylglyoxime

Reactions of organocobaloximes with aryldisulfonyl chlorides, 1102

Bidentate ligand

Tethered silyl complexes from nucleophilic substitution reactions at the Si–Cl bond of the chloro(diphenyl)silyl ligand in $\text{Ru}(\text{SiClPh}_2)(\kappa^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)_2$, 2979

Bidentate ligands

α,β -(Phosphino)(aminocarbene) and α,ω -(phosphino)(oxamino-carbene): new bidentate ligands for transition metal complexes, 1431

Aziridine-derived iminophosphine ligands in palladium-catalyzed allylic substitution, 3604

Reaction of $[\text{CpRu}(\text{CH}_3\text{CN})_3]\text{PF}_6$ with bidentate ligands: structural characterization of $[\{\text{CpRu}(\text{CH}_3\text{CN})_2\}_2(\mu\text{-}\eta^{1:1}\text{-dppe})](\text{PF}_6)_2$ [dppe = 1,2-bis(diphenylphosphino)ethane], 1757

Bifunctional chelators

Rhenium(I)- and technetium(I) tricarbonyl complexes anchored by bifunctional pyrazole-diamine and pyrazole-dithioether chelators, 4764

Bimetallic

Bimetallic cluster complexes: synthesis, structures and applications to catalysis, 4521

Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110

Bimetallic compounds

Synthesis, structures and reactions of some metallocene alcohols, 252

Binuclear complex

Alkylation and metalation of binuclear anions containing a novel tricyclohexylphosphonioethanetrithiolate ligand $\text{S}(\text{SR})\text{C}\equiv\text{C}(\text{PCy}_3)_3$, 1949

Binuclear complexes

Bi- and trinuclear oxalamidate complexes of palladium as catalysts in the copper-free Sonogashira reaction and in the Negishi reaction, 3582

Reaction between palladium(II) and gallium(III) halogenides in arenes: influence of halogen nature on the formation of binuclear palladium(I) clusters, 489

Binucleating

New synthetic route to polyphosphine ligands bearing 1,2,4,5-tetrakis(phosphino)benzene framework: structural characterizations of 1,4-(PPh_2)₂-2,5-(PR_2)₂-C₆F₂ (R = Ph, ⁱPr, Et), 3350

Bio-markers

Selective covalent binding of a positively charged water-soluble benzoheterocycle triosmium cluster to single- and double-stranded DNA, 4729

Bio-organometallic chemistry

The use of 3,3-bis(2-imidazolyl) propionic acid (bip-OH) as a new chelating ligand for $\text{Re}(\text{CO})_3$ and Ru complexes: Formation of organometallic PNA oligomers with (bip) $\text{Re}(\text{CO})_3$ and their interaction with complementary DNA, 4745

Biocatalysis

Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD⁺/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783

Biodistribution

Conjugates of vitamin B12 with N₆-functionalized histidine for labeling with $[\text{}^{99\text{m}}\text{Tc}(\text{OH}_2)_3(\text{CO})_3]^+$: synthesis and biodistribution studies in tumor bearing mice, 4803

Bioinorganic chemistry

Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868

Biological activities

Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899

Biomolecules

"2 + 1" Dithiocarbamate-isocyanide chelating systems for linking $\text{M}(\text{CO})_3^+$ (M = ^{99m}Tc, Re) fragment to biomolecules, 4757

Bioorganometallic chemistry

A new ferrocene conjugate of a tyrosine PNA monomer: synthesis and electrochemical properties, 4791

Conjugates of vitamin B12 with N₆-functionalized histidine for labeling with $[\text{}^{99\text{m}}\text{Tc}(\text{OH}_2)_3(\text{CO})_3]^+$: synthesis and biodistribution studies in tumor bearing mice, 4803

Ferrocenoyl peptides with sulfur-containing side chains: synthesis, solid state and solution structures, 4856

Bioorganometallics

Easily synthesized antimalarial ferrocene triazacyclononane quinoline conjugates, 4678

Introduction of a planar chirality onto steroid substrates: synthesis of (*S*) and (*R*)-2'-formylcymantrenyl-17 α -ethynylestradiols using (*S*) and (*R*)-1-formyl-2-iodo-cymantrenes, 4872

Biotin–avidin

Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868

1,1'-Bis(diphenylphosphino)ferrocene

Chloride substitution of $[\text{CpRu}(\text{dppf})\text{Cl}]$ with sulfur-containing ligands, 1444

1,1'-bis(diphenylphosphino)ferrocene

Comparative reactivity studies of dppf-containing CpRu^{II} and $(\text{C}_6\text{Me}_6)\text{Ru}^{\text{II}}$ complexes towards different donor ligands (dppf = 1,1'-bis(diphenylphosphino)ferrocene), 1978

1,1'-bis-substituted ferrocene moiety

First synthesis of 1,1'-ferrocene bis-aminophosphonic esters, 1265

1,2-(2,2'-Biphenyl)ene-1,2-diethyldiborane

Doubly hydrogen-bridged 1,2-diphenylenediboranes derived from 9-chloro-9-borfluorene and ligand exchange reactions, 58

1,2-(2,2'-Biphenyl)ene)diborane

Doubly hydrogen-bridged 1,2-diphenylenediboranes derived from 9-chloro-9-borfluorene and ligand exchange reactions, 58

1,2-bis(2-pyridyl)ethene

Synthesis and molecular structure of $[\text{Re}_2(\mu\text{-C}_{24}\text{H}_{18}\text{N}_4)(\text{CO})_6]$ containing the rtct-tetrakis(2-pyridyl)cyclobutandiyl ligand, derived from the reaction of $[\text{Re}_2(\text{CO})_8(\text{MeCN})_2]$ and 1,2-bis(2-pyridyl)ethene, 2486

1,2-diene

Nickel-catalyzed acylstannylation and alkynylstannylation of 1,2-dienes, 3701

2-[bis(2,6-dimethylphenyl)amino]benzoic acid

Synthesis and spectroscopic studies of diorganotin derivatives with 2-[2,6-dimethylphenyl]amino]benzoic acid. Crystal and molecular structure of the first complexes of 2-[2,6-dimethylphenyl]amino]benzoic acid. Crystal and molecular

- structures of 1,2,3,4-di- μ_2 -2-[(2,6-dimethylphenyl)amino]benzoato-*O*, *O*-1,3-bis-2-[(2,6-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-*n*-butyltin(IV)] and bis-2-[(2,6-dimethylphenyl)amino]benzoato-di-*n*-butyltin(IV), 317
- Bis(diphenylphosphino)acetylene
W(η^2 -PhC \equiv CPh) $_3$ (η^1 -Ph $_2$ P \equiv CCPh $_2$) as a ligand to prepare homo- and hetero-nuclear cluster complexes, 105
- Bis(diphenylphosphino)methane
Addition of diphenyl diselenide (PhSeSePh) to the clusters [Os $_3$ (CO) $_{10}$ (μ -dppm)] and [(μ -H)Os $_3$ (CO) $_8$ {Ph $_2$ PCH $_2$ -P(Ph)C $_6$ H $_4$ }]; X-ray structures of [Os $_2$ (CO) $_4$ (μ -SePh) $_2$ (μ -dppm)], [Os $_3$ (CO) $_6$ (μ -CO)(μ -Se) $_2$ (μ -C $_6$ H $_4$)(μ -dppm)] and two isomers of [Os $_3$ (CO) $_8$ (μ -SePh) $_2$ (μ -dppm)], 1569
- Bis(diphenylphosphino)methane mono-oxide
Triruthenium clusters containing bridging dppm and capping sulfido and selenido ligands: X-ray structures of [Ru $_3$ (CO) $_5$ (μ_3 -CO)(μ_3 -Se)(μ -dppm) $_2$], [Ru $_3$ (CO) $_6$ (μ_3 -CO)(μ_3 -Se)(μ -dppm)(η^1 -Ph $_2$ PCH $_2$ P(=O)Ph $_2$)] and [Ru $_2$ (CO) $_4$ (μ -SePh) $_2$ (μ -dppm)], 3412
- Bis(imido) molybdenum
Synthesis, characterization and reactivity of the molybdenum(VI) complex [MoCl(NAr) $_2$ (CH $_2$ CMe $_2$ Ph)] (Ar = 2,6-Pr i $_2$ C $_6$ H $_3$), 332
- Bis(phosphinimino)methyl
Group 1 and 13 complexes of aryl-substituted bis(phosphinimino)methyls, 722
- Bis(trimethylsilyl)amide
Syntheses, crystal structures and catalytic properties of a series of lanthanide(III) bis(trimethylsilyl)amide chloride complexes: [((Me $_3$ Si) $_2$ N) $_2$ Nd(μ' -Cl)Li(THF) $_3$](μ -Cl) $_2$, [((Me $_3$ Si) $_2$ N) $_2$ -Ln(μ' -Cl)Li(THF) $_2$](μ_3 -Cl) $_2$ (Ln = Eu, Ho), and [((Me $_3$ Si) $_2$ N)Ln(μ' -Cl) $_2$ Li(THF) $_2$](μ -Cl) $_2$ (Ln = Nd, Sm, Eu, Ho, Yb), 3438
- Bis[2-(2-thienyl)ethyl] telluride
2-[2-(4-Methoxyphenyltelluro)ethyl]thiophene (L^1) bis[2-(2-thienyl)ethyl] telluride (L^2) and their metal complexes; crystal structure of *trans*-dichlorobis[2-(2-(4-methoxyphenyltelluro)ethyl)thiophene-Te]palladium(II) and {bis[2-(2-thienyl)ethyl] telluride}dichloro(*p*-cymene)ruthenium(II), 2346
- Biscarbene-ruthenium
The versatility of molecular ruthenium catalyst RuCl(COD)-(C $_5$ Me $_5$), 1382
- Bismuth
Effect of π -accepting substituent on the reactivity and spectroscopic characteristics of triaryl bismuthanes and triaryl bismuth dihalides, 3395
Synthesis and structure of 5,6,7,12-tetrahydrodibenz[c,f][1,5]-azabismocenes, 3012
- Bisoxazoline
Synthesis and X-ray crystal structure analysis of the first nickel bisoxazoline pincer complex, 3056
- Bisphosphine
Synthesis and molecular structures of dinuclear complexes with 1,2-dihydro-1,2-diphenyl-naphtho[1,8-c,d]1,2-diphosphole as a bridging ligand, 2624
- Bisphthalocyanine
Reverse saturable absorption of lanthanide bisphthalocyanines and their application for optical switches, 2138
- BNCT
Synthesis and X-ray structural characterisation of the tetramethylene oxonium derivative of the hydrodecaborate anion. A versatile route for derivative chemistry of [B $_{10}$ H $_{10}$] $^{2-}$, 2581
- σ Bond metathesis
Organometallic alkane CH activation, 4083
- σ -Bond metathesis
Synthesis and reactivity of bis(heptamethylindenyl) yttrium (Ind* $_2$ Y) complexes containing alkyl and hydride ligands: crystal structure of Ind* $_2$ YCl(THF), 870
- Bond cleavage
Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diyne-3-yl complexes – crystal structures and their retro reaction, 4592
- Bond fission
Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337
- Bonding
Complementary spherical electron density model and its implications for the 18 electron rule, 4420
- Bonding mode
Syntheses and crystal structures of di- and triorganotin derivatives with 2,5-dimercapto-1,3,4-thiadiazole, 96
- Borane
Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene-norbornene copolymerization, 3402
Non-covalent assemblies of negatively charged boronated porphyrins with different cationic moieties, 3242
- Boranes
Metallacarborane chemistry of the *hypho*-[6,7-C $_2$ B $_6$ H $_{13}$] $^-$ anion: the formation of uniquely structured metallacarboranes [5-Cp*-*arachno*-5,4,6-RhC $_2$ B $_6$ H $_{12}$] and [2,5-Cp $_2$ *-10-Me-*nido*-2,5,1-Rh $_2$ CB $_6$ H $_9$] (Cp* = η^5 -C $_5$ Me $_5$); complete rhodium analogues of *arachno*-4, 6-C $_2$ B $_7$ H $_{13}$ and *nido*-1-CB $_8$ H $_{12}$, 2702
- Borate
Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene-norbornene copolymerization, 3402
- Borates
Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of α -cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring, 3567
- Borazine
Olefin hydroboration of borazine with vinylsilanes as precursors of Si-B-C-N ceramics, 2311
- Boron
Exchange of boryl ligand substituents in Os[B(OEt) $_2$]-Cl(CO)(PPh $_3$) $_2$, 1609
Metal complexes of monocarbon carboranes bearing C-amine or -amino substituents, 3891
Synthesis and structural characterization of η^3 -allyl(α -diimine)nickel(II) complexes bearing trimethylsilyl groups, 1057
Synthesis and structure of a boron cation supported by a β -diketiminato ligand, 2562
- Boron cluster
Synthesis and X-ray structural characterisation of the tetramethylene oxonium derivative of the hydrodecaborate anion. A versatile route for derivative chemistry of [B $_{10}$ H $_{10}$] $^{2-}$, 2581
- Boronates
New boronates prepared from 2,4-pentanedione derived ligands of the NO $_2$ and N $_2$ O $_2$ type – comparison to the complexes obtained from the corresponding salicylaldehyde derivatives, 811
- Boronic acids
Rh-catalyzed addition of boronic acids to alkynes for the synthesis of trisubstituted alkenes in a biphasic system - Mechanistic study and recycling of the Rh/*m*-TPPTC catalyst, 3820
- Boryl complex
Exchange of boryl ligand substituents in Os[B(OEt) $_2$ Cl(CO)-(PPh $_3$) $_2$], 1609

Borylation

Developing some functional group chemistry at the Group 4 bent metallocene frameworks, 1402

Brain uptake

Cyclopentadienyl tricarbonyl complexes of ^{99m}Tc for the in vivo imaging of the serotonin 5-HT_{1A} receptor in the brain, 4739

Branched species

Functionalised tetraarylstannanes $\text{Sn}[\text{C}_6\text{H}_4\text{-R}]_4$ ($\text{R} = -\text{CH}(\text{CH}_2\text{O})_2$, $-\text{CH}=\text{O}$, $-\text{COOH}$, $-\text{CH}=\text{N}-\text{NH}-\text{C}_6\text{H}_3-2,4-(\text{NO}_2)_2$, $-\text{CH}_2\text{OH}$, $-\text{CO}-\text{NH}-\text{CH}_2-\text{COO}-\text{CH}_3$, $-\text{CH}[\text{N}(\text{C}_2\text{H}_4)_2\text{O}]_2$), 1546

Bridging carbene ligands

Preparation and molecular structure of a dinuclear rhodium complex having an unbalanced (15 + 17)-electron count, 4917

Bridging ligands

Synthesis and characterization of new sulfide aggregates of the type $[\{\text{Pt}_2(\mu_3\text{-S})_2(\text{P-P})_2\}\text{M}(\text{C}_6\text{F}_5)_2]$ ($\text{M} = \text{Ni}$, Pd , Pt ; $\text{P-P} = 2\text{PPh}_3$, $2\text{PMe}_2\text{Ph}$, dppf), 2080

Bromopropiophenone

A new set of nickelacyclic carboxylates ("nickelalactones") containing pyridine as supporting ligand: synthesis, structures and application in C–C– and C–S– linkage reactions, 2952

Bulky cyclopentadienyl

Mono-cyclopentadienyl complexes of lanthanum: synthesis and characterization of anilido derivatives, 2177

Bulky ligands

Some highlights from the development and use of bulky monodentate ligands, 3904

1,3-Butadiyne

Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diyne-3-yl complexes – crystal structures and their retro reaction, 4592

Butadienyl

Solvent-controlled formation of η^3 -butadienyl or η^3 -allyl group 6 transition metal complexes in water or alcohols, 2114

 γ -butyrolactam

Endo and *exo* cyclometallated iron carbonyl complexes derived from *N*-(*N'*-methyl-2-pyrrolylmethylidene)-2-thienylmethylamine, 3173

C–C bond formation

Asymmetric Michael reactions of α -substituted acetates with cyclic enones catalyzed by multifunctional chiral Ru amido complexes, 1377

Reactions of a phosphido-bridged unsymmetrical diiron complex ($\eta^5\text{-C}_5\text{Me}_5\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPh}_2)$) with various alkynes, 1481

C–C coupling

Carbon–carbon coupling on tetrahedral iridium clusters: X-ray molecular structures and multinuclear NMR studies of the two isomeric forms of $[\text{Ir}_4(\text{CO})_6(\mu_3\text{-}\eta^2\text{-HCCPh})(\mu_2\text{-}\eta^4\text{-C}_4\text{H}_2\text{Ph}_2)(\mu\text{-PPh}_2)_2]$, 3513

Investigation in the coupling of zirconocene complexes and trimethylsilyl(diphenylphosphino)acetylene. P–C bond cleavage chemistry from protonolysis reactions, 953

C–C coupling reactions

[1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system $[\text{Pd}(\text{dppf})(\text{SR}_\text{F})_2]$, 2464

C–Cl activation

A one-pot method to prepare the carbene complex $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{RhCl}_2(\text{CHN}^i\text{Pr}_2)]$ from $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{Rh}(\text{CO})_2]$, CHCl_3 , and NH^iPr_2 , 1763

The reaction of *ortho*-halogenated aromatic aldazine ligands with $\text{Fe}_2(\text{CO})_9$: symmetrical cleavage of the azine and carbon–halogen activation, 2707

C–F activation

The reaction of *ortho*-halogenated aromatic aldazine ligands with $\text{Fe}_2(\text{CO})_9$: symmetrical cleavage of the azine and carbon–halogen activation, 2707

C–F bond activation

Intramolecular oxidative addition of C–F and C–H bonds to $[\text{Pt}(\text{dba})_2]$. Crystal structure of $[\text{PtCl}\{\text{Me}_2\text{NCH}_2\text{CH}_2\text{NCH}(2,4,5\text{-C}_6\text{HF}_3)\}]$, 3088

C–H activation

C–H and N–H activation by Pt(0) in N- and O-heteroaromatic compounds, 1315

Complexation and C–H bond activation of 1,5-cyclooctadiene on triosmium carbonyl clusters, 1944

Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919

Study on carbon–hydrogen activation of ketones by Gold(III) complexes and the synthesis and characterization of two ketonylgold(III) complexes, 2969

C–H Activation

Palladium catalyzed multicomponent reactions in ordered sequence: new syntheses of *o,o'*-dialkylsubstituted diarylacetylenes and diarylalkylidenehexahydromethanofluorenes, 3741

Substituent effect on cyclopalladation of arylimines, 1806

C–H bond activation

Diastereoselective intramolecular C–H bond activation on a prochiral sp^3 carbon by a cationic Ir(I) complex having an optically active P–N hybrid ligand, 3

Intramolecular oxidative addition of C–F and C–H bonds to $[\text{Pt}(\text{dba})_2]$. Crystal structure of $[\text{PtCl}\{\text{Me}_2\text{NCH}_2\text{CH}_2\text{NCH}(2,4,5\text{-C}_6\text{HF}_3)\}]$, 3088

Novel C–H activation and C–S formation reactions on disulfide and diselenide ligands in dinuclear ruthenium complexes, 4564

C–H–O Hydrogen bonding

Synthesis and reactivity of *para*-substituted benzoyl-methyltellurium(II and IV) compounds: observation of intermolecular C–H–O hydrogen bonding in the crystal structure of $(p\text{-MeOC}_6\text{H}_4\text{COCH}_2)_2\text{TeBr}_2$, 345

C–H $\cdots \pi$ interactions

On the influence of the heterocyclic ring substituents on the structure of dimethylthallium pyrimidine-2-thionate complexes. Crystal structure of dimethyl-(4-trifluoromethylpyrimidine-2-thionate)thallium(III): a compound with intermolecular C–H $\cdots \pi$ interactions, 557

C–S bond formation

Novel C–H activation and C–S formation reactions on disulfide and diselenide ligands in dinuclear ruthenium complexes, 4564

C–Si reductive elimination

Alkyl group dependence of C–Si reductive eliminations from alkyl(silyl) Pt(II) complexes: a density functional study, 2236

C₃-symmetry

Study of the reactivity of tris(pyrazolyl)amine and bis(pyrazolyl)amine ligands toward Rh(I). Crystal structure of $[\text{Rh}_3\text{Cl}_3(\text{cod})_3\text{tdma}] \cdot \text{CH}_3\text{CN}$ (**tdma** = tris[(3,5-dimethyl-1-pyrazolyl)methyl]amine), a C₃-symmetric compound, 980

Caffeine

Purine-based carbenes at rhodium and iridium, 2995

Cage

Structural and mechanistic studies on ion insertion into the molecular box $\{[\text{CpCo}(\text{CN})_3]_4[\text{Cp}^*\text{Ru}]_4\}$, 1425

Calixarene compounds

Synthesis, characterization, and alkyne cyclotrimerization chemistry of titanium complexes supported by calixarene-derived bis(aryloxide) ligation, 502

Calixarenes

Calixarenes as platforms for the construction of multimetallic complexes, 4125

Camphene

Palladium catalyzed transformations of monoterpenes: stereoselective deuteration and oxidative dimerization of camphene, 302

Camphor

An effect of application of chiral aluminium alkoxides and amides as adducts to zirconium catalyzed carbo- and cycloalumination of olefins, 444

 ϵ -Caprolactone

Synthesis, characterization of homoleptic guanidino lanthanide complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 1019

 ϵ -Caprolactone

Organolanthanides with 3-(2-pyridylmethyl) indenyl ligands: synthesis, crystal structures and catalytic activities of divalent complexes for ϵ -caprolactone polymerization, 2646

Reactions of alkylalane diolates with water synthesis, characterisation and ϵ -caprolactone polymerisation activity of novel alane benzopinacولات, 2930

Carbene

A one-pot method to prepare the carbene complex $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{RhCl}_2(\text{CHN}^i\text{Pr}_2)]$ from $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{Rh}(\text{CO})_2]$, CHCl_3 , and NH^iPr_2 , 1763

Stable non-N-heterocyclic carbenes (non-NHC): recent progress, 3857

Carbene complexes

Coupling of propargylsilanes with Fischer carbene chromium complexes: a new synthesis of conjugated dienes, 3379

Efficient and regioselective chromium(0)-catalyzed reaction of 2-substituted furans with diazo compounds: stereoselective synthesis of (2*E*,4*Z*)-2-aryl-hexadienedioic acid diesters, 2662

Introduction of a phosphorus ylide moiety into $[\eta^2(\omega\text{-hydroxy})\text{alkenyl}]\text{chromium(0)}$ carbene complexes with Ph_3PCCO and consecutive Wittig alkenations with 2-alkynals. Part 12: the chemistry of metallacyclic alkenylcarbene complexes, 2131

Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten $\text{Ph}_3\text{E}-\text{C}\equiv\text{W}(\text{O}i\text{Bu}^t)_3$ (E = Si, Ge, Sn) with hydrogen chloride: crystal structures of carbene complexes $\text{Ph}_3\text{E}-\text{CH}=\text{WCl}_2(\text{O}i\text{Bu}^t)_2$ (E = Si, Ge), 1127

Synthesis and selective silylation of ω -hydroxy functionalized (η^2 -alkenyl)carbene complexes of chromium(0) and tungsten(0) Part 11. The chemistry of metallacyclic alkenylcarbene complexes, 1771

Carbene transfer

Copper-catalyzed dimerization of chromium Fischer carbene complexes: synthesis of dialkoxytrienes and their Nazarov-type cyclization to 2-alkoxy-2-cyclopentenones, 3793

Carboalumination

An effect of application of chiral aluminium alkoxides and amides as adducts to zirconium catalyzed carbo- and cycloalumination of olefins, 444

Carbocation

Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882

Carbocyclization

Pd-catalyzed one-pot coupling of allylamines, activated alkenes, and unsaturated halides (or triflate): an atom efficient synthesis of highly functionalized pyrrolidines, 3831

Carbodithioates

Synthesis of the anisobidentate compound bis(2-amino-cyclopent-1-ene-carbodithioate)diethyltin (IV). Experimental and theoretical study, 2096

Carbohydrate

Molybdenum(VI)-complexes with chiral *N,O*-ligands derived from carbohydrates: synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 2752

Carbometallation

Nickel-catalyzed acylstannylation and alkynylstannylation of 1,2-dienes, 3701

Carbomethoxypalladium complexes

The mechanism for palladium catalyzed carbonylation of cinnamyl chloride, 3800

Carbon chain

Synthesis, structures and some reactions of $\text{Ru}(\text{C}\equiv\text{CC}\equiv\text{CFC})(\text{PP})\text{Cp}$ (PP = dppm, dppe) and related compounds, 2860

Carbon dioxide

Aminorhenium carbon dioxide complexes: formal oxidation of a carbon monoxide ligand with peroxy-acids or bromine/hydroxide, 411

Water-soluble (η^6 -arene)ruthenium(II)-phosphine complexes and their catalytic activity in the hydrogenation of bicarbonate in aqueous solution, 1036

Carbon disulfide

IR laser decomposition of 1,3-disilacyclobutane in presence of carbon disulfide: chemical vapour deposition of polythiacarbosilane, 2697

Carbon monoxide

Facile generation and morphology of Pd nanoparticles from palladacycles and carbon monoxide, 170

Carbonyl

Exploring the nitrosyl-approach: “ $\text{Re}(\text{CO})_2(\text{NO})$ ”- and “ $\text{Tc}(\text{CO})_2(\text{NO})$ ”-complexes provide new pathways for bioorganometallic chemistry, 4833

Formation of 5-phenyl-1,2-dithiole-3-thione from molybdenum dithiopropiolato complexes, 1325

Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50

Oxalate-bridged dirhenium(I) hexacarbonyl complexes: synthesis, reactions, and crystal structures, 2837

Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319

Rhenium(I)- and technetium(I) tricarbonyl complexes anchored by bifunctional pyrazole-diamine and pyrazole-dithioether chelators, 4764

Synthesis, characterisation and redox behaviour of isocyanide incorporated, chalcogen stabilised mixed-metal clusters, 122

Tricarbonyl complexes of rhenium(I) and technetium(I) with thiourea derivatives, 2066

Carbonyl allylation

Carbonyl allylation of aldehydes catalyzed by a silica-supported poly- γ -diphenylarsinopropylsiloxane palladium(0) complex, 2436

Carbonyl compounds

Selective formation of *trans* and *cis*(CH_3CN) isomers of $[\text{Ru}(\text{bpy})(\text{CO})_2(\text{CH}_3\text{CN})_2]^{2+}$ (bpy = 2,2'-bipyridine) from $[\text{Ru}(\text{CO})_2(\text{CH}_3\text{CN})_3]_2(\text{PF}_6)_2$ using an electrochemical oxidation step, 484

Carbonyl insertion

Syntheses and structures of molybdenum and tungsten pentabenzylcyclopentadienyl complexes: new chlorination reactions, 2368

Carbonyl iron complexes

Synthesis and reactivity of tricarbonyl(1-methoxycarbonyl-5-phenylpentadienyl)iron(1+) cation, 1437

Carbonyl loss

Organometallic photochemistry at the end of its first century, 3939

Carbonyl phenylacetylene

Manganese carbonyl-mediated reactions of azabutadienes with phenylacetylene, methyl acrylate and other unsaturated molecules, 2523

Carbonyl(cyclopentadienyl)rhenium

Isolation of *fac*-[Re(CO)₃(HMPA)₃][BF₄]. Structural characterization of a key cationic intermediate in the exchange reaction between [Re(CO)₆][BF₄] and acetylferrocene. Implications in radiopharmaceutical chemistry, 273

Carbonyl-derived cyclopentadienyl ligands

Coordination chemistry of ester-functionalized cp ligands: synthesis and catalytic activity of [Rh{CpCO₂(CHPh)₂-OH}(NBD)] and [Rh{CpCO₂(CH₂)₃OH}(NBD)], 2216

Carbonylation

Endo and *exo* cyclometallated iron carbonyl complexes derived from *N*-(*N'*-methyl-2-pyrrolylmethylidene)-2-thienylmethylamine, 3173

Aminocarbonylation of 1,1'-diiodoferrocene, two-step synthesis of heterodisubstituted ferrocene derivatives via homogeneous catalytic carbonylation/coupling reactions, 2770

Carbonylative dimerisation of norbornene by cobalt carbonyl: an overlooked by-product of the Pauson–Khand reaction, 694

Observations on reaction pathways of dicobalt octacarbonyl with alkynyl amines, 3449

Carbopalladation

Mechanism of the carbopalladation of alkynes by aryl-palladium complexes, 4642

Carborane

Metal complexes of monocarbon carboranes bearing *C*-amine or -amino substituents, 3891

Sulfur and oxygen functionalized cyclopentadienyl half-sandwich cobalt complexes with 1,2-dicarba-*closa*-dodecaborane-1,2-dichalcogenolato ligands, 2228

Carbosilane

Chloromethylsilane functionalised dendrimers: synthesis and reactivity, 987

Carbosilane dendrimer

A recyclable nanosize aminoarenethiolato copper(I) catalyst for C–C coupling reactions, 3813

Carbosilanes

Selective lithiation and crystal structures of G1-carbosilane dendrimers with dimethoxybenzene functionalities, 1095

Carbosiloxane

Branched and dendritic metallo-carbosiloxanes with OCH₂PPh₂ML_{*n*} end-grafted units, 3598

Carboxylate

Oxalate-bridged dirhenium(II) hexacarbonyl complexes: synthesis, reactions, and crystal structures, 2837

Synthesis and structural characterization of mixed carbene-carboxylate complexes of palladium(II), 1766

Carboxylate ligands

A structural study of dimethylaluminum carboxylato and hydrazonato complexes, 2186

Carboxylates

Dibutyltin(IV) complexes of the 5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acid ligand: an investigation of structures by X-ray diffraction, solution and solid state tin NMR, electrospray ionisation MS and assessment of in vitro cytotoxicity, 4691

Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylidene]amino]aryls – crystal structures of polymeric (Bu₃Sn[O₂CC₆H₄{N=N(C₆H₃-4-OH-5-CHO)}-*o*])_{*n*} and (Bu₃Sn[O₂CC₆H₄{N=N(C₆H₃-4-OH(C(H)=NC₆H₄Cl-4)}-*o*)}-*o*])_{*n*} – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702

Carboxylation

The mechanism for palladium catalyzed carbonylation of cinnamyl chloride, 3800

Carboxylato ligand

Electron-transfer-catalyzed ligand substitution of carboxylato niobocene complex induced by electrochemical oxidation, 3473

Carbyl ligand

Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diyne-3-yl complexes – crystal structures and their retro reaction, 4592

Carbyne

Stereochemistry of the insertion of disubstituted alkynes into the metal aminocarbyne bond in diiron complexes, 528

Catalysis

[1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system [Pd(dppf)(SR_F)₂], 2464

A recyclable nanosize aminoarenethiolato copper(I) catalyst for C–C coupling reactions, 3813

Advances in selective ethylene trimerisation – a critical overview, 3641

Alkyldenverbrückte dissymmetrische zweikernige Metallocenkomplexe als Katalysatoren für die Ethylenpolymerisation, 1194

Bimetallic cluster complexes: synthesis, structures and applications to catalysis, 4521

Bucky ferrocene and ruthenocene: serendipity and discoveries, 4630

Effect of 5-Me substituent(s) on the catalytic activity of palladium(II) 2,2'-bipyridine complexes in CO/4-*tert*-butylstyrene copolymerization, 1521

Efficient and regioselective chromium(0)-catalyzed reaction of 2-substituted furans with diazo compounds: stereoselective synthesis of (2*E*,4*Z*)-2-aryl-hexadienedioic acid diesters, 2662

General and efficient methodology for the Suzuki–Miyaura reaction in technical grade 2-propanol, 3722

Irreversible cleavage of a carbene–rhodium bond in Rh-*N*-heterocyclic carbene complexes: implications for catalysis, 3203

Kinetic and mechanistic aspects of metallocene polymerisation catalysts, 3982

Mechanism in homogeneous catalysis; NMR as a prime mover, 4006

Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332

Organometallic chemistry of 15-membered tri-olefinic macrocycles: catalysis by palladium(0) complexes in carbon–carbon bond-forming reactions, 3669

Palladacycles in catalysis – a critical survey, 4055

Palladium catalyzed multicomponent reactions in ordered sequence: new syntheses of *o,o'*-dialkylsubstituted diarylacetylenes and diarylalkylidenehexahydromethanofluorenes, 3741

Platinum carbonyl derived catalysts on inorganic and organic supports: a comparative study, 309

Regioselectivity in the rhodium catalysed 1,4-hydrosilylation of isoprene. Aspects on reaction conditions and ligands, 438

Rhodium complexes with chiral counterions: achiral catalysts in chiral matrices, 751

Role of base in palladium-catalyzed arylation of carbanions, 1085

Structural investigations on new iron-acyl derivatives of B(C₆F₅)₃, 4407

Supramolecular cluster catalysis: facts and problems, 1362

Suzuki cross-coupling in aqueous media catalyzed by a 1,1'-*N*-substituted ferrocenediyl Pd(II) complex, 18

- Syntheses and coordination behaviour of 2-(*ortho*-phosphinophenyl)-functionalised 1,3-dioxolanes and 1,3-dioxanes towards a [(COD)Rh]-complex fragment – models for immobilised complexes, 3117
- Syntheses of a 2,6-bis-(methylphospholyl)pyridine ligand and its cationic Pd(II) and Ni(II) complexes – application in the palladium-catalyzed synthesis of arylboronic esters, 2988
- Syntheses, crystal structures and catalytic properties of a series of lanthanide(III) bis(trimethylsilyl)amide chloride complexes: $[\{((\text{Me}_3\text{Si})_2\text{N})_2\text{Nd}(\mu\text{-Cl})\text{Li}(\text{THF})_3(\mu\text{-Cl})\}_2]$, $[\{((\text{Me}_3\text{Si})_2\text{N})_2\text{Ln}(\mu\text{-Cl})\text{Li}(\text{THF})_2(\mu_3\text{-Cl})\}_2]$ (Ln = Eu, Ho), and $[\{(\text{Me}_3\text{Si})_2\text{NLn}(\mu\text{-Cl})_2\text{Li}(\text{THF})_2(\mu\text{-Cl})\}_2]$ (Ln = Nd, Sm, Eu, Ho, Yb), 3438
- Synthesis and structure of $[\text{Cp}_2\text{Zr}(\text{OPr}^f)(\text{HOPr}^f)]^+$ and its activity in the polymerisation of propene oxide, 4624
- Synthesis of a new class of unsymmetrical PCP' pincer ligands and their palladium (II) complexes: X-ray structure determination of $\text{PdCl}\{\text{C}_6\text{H}_3\text{-2-CH}_2\text{PPh}_2\text{-6-CH}_2\text{P}^f\text{Bu}^t\}_2$, 2494
- Synthesis of C_2 -symmetric and unsymmetrically substituted 2,2'-dipyridylamines and crystal structure of a chiral 2,2'-dipyridylamine copper(II) complex, 3767
- Tandem transmetallation and oxidative addition reactions of $[\text{Sn}(\text{R})_2(\text{Ph}_2\text{PC}_6\text{H}_4\text{-2-S})_2]$ with transition metal complexes of the Group 9, 174
- The counterion influence on the CH-activation of methane by palladium(II) biscarbene complexes – structures, reactivity and DFT calculations, 1418
- Transition metal-mediated routes to cyclopentenones, 3873
- Zirconocene dichloride complexes with a 1,2-naphthylidene bridge as catalysts for the polymerisation of ethylene and propylene, 1965
- Catalyst**
- Synthesis of new substituted cyclopentadienyl titanium monomethoxydifluorides with $\text{BF}_3 \cdot \text{OEt}_2$ as fluorinating reagent and their use in syndiotactic polymerization of styrene, 1503
- Synthesis, structure and norbornene polymerization behavior of nickel complexes bearing two β -ketoiminato chelate ligands, 1295
- The synthesis and catalytic activity of poly(bis(imino)pyridyl) iron(II) metallodendrimer, 3040
- Catalytic carbonylation**
- Online ATR-IR investigations and mechanistic understanding of the carbonylation of epoxides – the selective synthesis of lactones or polyesters from epoxides and CO, 971
- Catalytic ethylene oligomerization**
- Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953
- Catalytic Sandmeyer cyanation**
- Catalytic Sandmeyer cyanation as a synthetic pathway to aryl nitriles, 3810
- Cation**
- Synthesis and structure of a boron cation supported by a β -diketiminate ligand, 2562
- Cation binding**
- Golden crowns: cation binding by macrocyclic gold(I) crown ether derivatives, 374
- Cationic**
- Diastereoselective intramolecular C–H bond activation on a prochiral sp^3 carbon by a cationic Ir(I) complex having an optically active P–N hybrid ligand, 3
- Cationic crystal model**
- Isolation of *fac*- $[\text{Re}(\text{CO})_3(\text{HMPA})_3][\text{BF}_4]$. Structural characterization of a key cationic intermediate in the exchange reaction between $[\text{Re}(\text{CO})_6][\text{BF}_4]$ and acetylferrocene. Implications in radiopharmaceutical chemistry, 273
- CH-activation**
- The counterion influence on the CH-activation of methane by palladium(II) biscarbene complexes – structures, reactivity and DFT calculations, 1418
- Chalcogen**
- Synthesis, structure and benzannulation of chalcogen-tethered Fischer carbene complexes, 3501
- Chalcogene**
- Organosilicon hypersilylchalcogenolates and related compounds, 4897
- Chalcogenides**
- Dimeric and trimeric diorganosilicon chalcogenides $(\text{PhRSiE})_{2,3}$ (E = S, Se, Te; R = Ph, Me), 4909
- Chalcogenido cluster**
- Reactions of hydrosulfido- and hydroselenido-bridged dinuclear Ir, Rh, and Ru complexes with SbCl_3 and BiCl_3 affording mixed-metal sulfido and selenido clusters containing both noble metals and Group 15 metals, 2338
- Chalcone**
- An efficient synthesis of ferrocenyl substituted 1,5-diketone and cyclic α,β -unsaturated ketones under ultrasound irradiation, 1843
- Charge transfer**
- Time-resolved fluorescence of α -(9-anthryl)- ω -(1-naphthyl)-oligosilanes: intramolecular electronic energy and charge transfer through π - π and σ - π interactions, 1029
- Charge transfer complexes**
- Telluranes: potential synthons for charge-transfer complexes (involving hypervalent Te–I bonds) and serendipitous synthesis of the first triphenyl methyl phosphonium salts containing $[\text{C}_4\text{H}_8\text{TeI}_4]^{2-}$ and $[\text{TeI}_6]^{2-}$ anions, 194
- Chelate**
- Synthese und Reaktionsverhalten von Platin(II) und Kupfer(I) Koordinationspolymeren; die Festkörperstruktur von $\{trans\text{-(Ph}_3\text{P)}_2\text{Pt}\{(\eta^2\text{-C}\equiv\text{CPh})\text{CuBr}\}_2\}_n$ und $trans\text{-(Ph}_3\text{P)}_2\text{Pt}\{(\eta^2\text{-C}\equiv\text{CPh})\text{CuNO}_3\}_2$, 1464
- Chelate effect**
- Aryloxide-based multidentate ligands for early transition metals and f-element metals, 4228
- Chelate polyesters**
- Chelate polymers. VI. New copolymers of the some siloxane containing bis(2,4-dihydroxybenzaldehyd-imine) Me^{2+} with bis(*p*-carboxyphenyl)diphenylsilane, 3005
- Chelating ligands**
- η^4 -Phosphole tricarbonylmanganates: a new type of chelating ligands for transition metals, 4647
- Chelation**
- 4-Chloro-5-methyl-3-diphenylphosphino-1-phenyl-1,2,3,6-tetrahydrophosphinine as a bidentate P-ligand in a *cis* chelate Pt(II) complex, 3158
- Chemical oxidation**
- Synthesis and reactivity of $[\text{N}(\text{C}_6\text{H}_4\text{Br})_3][\text{B}(\text{C}_6\text{F}_5)_4]$: the X-ray crystal structure of $[\text{Fe}(\text{C}_5\text{H}_5)_2][\text{B}(\text{C}_6\text{F}_5)_4]$, 2411
- Chemical vapor deposition**
- Investigations into the preparation of sila- β -diketones via 2-trimethylsilyl-1,3-dithianes: structural characterization of a second polymorph of bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato)copper(II), 71
- Chemical vapour deposition**
- IR laser decomposition of 1,3-disilacyclobutane in presence of carbon disulfide: chemical vapour deposition of polythiacarbosilane, 2697
- Chemoenzymatic reactions**
- Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD^+/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783

Chiral alcohols

Synthesis and characterization of cyclopentadienyl/alkoxy titanium dichlorides: structural analysis of monocyclopentadienyl titanium dichlorides with ligands derived from menthol and borneol, 3492

Chiral counterions

Rhodium complexes with chiral counterions: achiral catalysts in chiral matrices, 751

Chiral organoaluminium compounds

An effect of application of chiral aluminium alkoxides and amides as adducts to zirconium catalyzed carbo- and cycloaluminum of olefins, 444

Chiral palladium complexes

Palladium complexes of a chiral P,C-chelating phosphino-(sulfonylethyl)phosphonium ylide ligand, 380

Chiral sulfoxides

Palladium complexes of a chiral P,C-chelating phosphino-(sulfonylethyl)phosphonium ylide ligand, 380

Chirality

On the way to chiral epoxidations with methyltrioxorhenium(VII) derived catalysts, 3735

Stabilization of the labile metal configuration in halfsandwich complexes [CpRh(PN)Hal]X, 4244

Synthesis and characterization of 2,7-dihydro-1*H*-dinaphtho[c,e]tellurepin: a new heterocyclic telluride, 2377

Chirality transfer

Exo- and *endo*-palladacycles derived from (4*R*)-phenyl-2-oxazolines, 2382

Chlorination

Syntheses and structures of molybdenum and tungsten pentabenzylcyclopentadienyl complexes: new chlorination reactions, 2368

Cholesterol

α -(Ferrocenyl)-aminomethanephosphonous acids. First synthesis and preparation of their esters with cholesterol and adenosine, 1684

Chromium

Coupling of propargylsilanes with Fischer carbene chromium complexes: a new synthesis of conjugated dienes, 3379

Efficient and regioselective chromium(0)-catalyzed reaction of 2-substituted furans with diazo compounds: stereoselective synthesis of (2*E*,4*Z*)-2-aryl-hexadienedioic acid diesters, 2662

Introduction of a phosphorus ylide moiety into $[\eta^2(\omega\text{-hydroxyalkenyl})\text{chromium}(0)]$ carbene complexes with Ph_3PCCO and consecutive Wittig alkenations with 2-alkynals. Part 12: the chemistry of metallacyclic alkenylcarbene complexes, 2131

Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50

Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319

Synthesis and characterization of the cluster complexes containing tetrahedral $\text{FeCrCo}(\mu_3\text{-S})$ cluster cores generated by isolobal displacement reactions. Crystal structures of $(\eta^5\text{-RC}_5\text{H}_4)\text{FeCrCo}(\mu_3\text{-S})(\text{CO})_8$ ($\text{R} = \text{H}, \text{CO}_2\text{Et}$) and $\text{FeCo}_2(\mu_3\text{-S})_2(\text{CO})_9$, 139

Synthesis and molecular structures of dinuclear complexes with 1,2-dihydro-1,2-diphenyl-naphtho[1,8-*c,d*]1,2-diphosphole as a bridging ligand, 2624

Synthesis and selective silylation of ω -hydroxy functionalized $(\eta^2\text{-alkenyl})$ carbene complexes of chromium(0) and tungsten(0) Part 11. The chemistry of metallacyclic alkenylcarbene complexes, 1771

Chromium carbenes

Copper-catalyzed dimerization of chromium Fischer carbene complexes: synthesis of dialkoxytrienes and their Nazarov-type cyclization to 2-alkoxy-2-cyclopentenones, 3793

Chromium complexes

Substituted cyclopentadienylchromium(III) complexes containing neutral donor ligands. Synthesis, crystal structures and reactivity in ethylene polymerization, 293

Trimethylsilylcyclopentadienylchromium(III) complexes with diphenyl-2-pyridylphosphine: synthesis, structural characterisation and catalytic behaviour of $[(\text{C}_6\text{H}_5)_2\text{PC}_5\text{H}_4\text{NH}][\eta^5\text{-Me}_3\text{SiCp})\text{CrCl}_3]$, 2268

Cinnamyl chloride

The mechanism for palladium catalyzed carbonylation of cinnamyl chloride, 3800

CIPE

X-ray and multinuclear NMR study of the mixed aggregate $[(\text{Ph}_2\text{P}(\text{O})\text{N}(\text{CH}_2\text{Ph})\text{CH}_3) \cdot \text{LiOC}_6\text{H}_2\text{-2,6-}\{(\text{C}(\text{CH}_3)_3\}_2\text{-4-CH}_3) \cdot \text{C}_7\text{H}_8\}_2]$: a model for the directed metalation of phosphinamides, 1890

cis- η^4 -Diene coordination Ru(II)-diene

Structure and redox behavior of Ru(II)-diene complexes, 3082

cis-Platinum

Novel titanocene anti-cancer drugs derived from fulvenes and titanium dichloride, 2242

Cleavage

Tellurium azamacrocycles: synthesis, characterization and coordination studies, 1452

Cleavage reactions

Investigation in the coupling of zirconocene complexes and trimethylsilyl(diphenylphosphino)acetylene. P–C bond cleavage chemistry from protonolysis reactions, 953

Cluster

Complexation and C–H bond activation of 1,5-cyclooctadiene on triosmium carbonyl clusters, 1944

Exploring the nitrosyl-approach: “ $\text{Re}(\text{CO})_2(\text{NO})$ ”- and “ $\text{Te}(\text{CO})_2(\text{NO})$ ”-complexes provide new pathways for bioorganometallic chemistry, 4833

Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50

Syntheses of double- and triple-decker clusters of osmium and cobalt metals linked by cyclotetradeca-1,8-diyne ligands, 3251

Synthesis and characterisation of saturated and unsaturated triruthenium clusters containing electronically symmetrical and asymmetrical alkynes, 111

Synthesis, characterisation and redox behaviour of isocyanide incorporated, chalcogen stabilised mixed-metal clusters, 122

Two gold–ruthenium clusters derived from $\text{Ru}_3(\mu\text{-H})_3(\mu_3\text{-CBr})(\text{CO})_9$, 2558

Cluster complexes

Hydrogen-bonded systems between monocarboxylic acids and the trinuclear cluster cation $[\text{H}_3\text{Ru}_3(\text{C}_6\text{H}_6)(\text{C}_6\text{Me}_6)_2(\text{O})]^+$: cold-spray ionisation mass spectroscopic and X-ray crystallographic studies, 2820

Synthesis and characterization of the cluster complexes containing tetrahedral $\text{FeCrCo}(\mu_3\text{-S})$ cluster cores generated by isolobal displacement reactions. Crystal structures of $(\eta^5\text{-RC}_5\text{H}_4)\text{FeCrCo}(\mu_3\text{-S})(\text{CO})_8$ ($\text{R} = \text{H}, \text{CO}_2\text{Et}$) and $\text{FeCo}_2(\mu_3\text{-S})_2(\text{CO})_9$, 139

$\text{W}(\eta^2\text{-PhC}\equiv\text{CPh})_3(\eta^1\text{-Ph}_2\text{PC}\equiv\text{CPh})_2$ as a ligand to prepare homo- and hetero-nuclear cluster complexes, 105

Cluster compounds

The reaction of *ortho*-halogenated aromatic aldazine ligands with $\text{Fe}_2(\text{CO})_9$: symmetrical cleavage of the azine and carbon–halogen activation, 2707

Clusters

- Cu(I) and Ag(I) complexes of chalcogenide derivatives of the organometallic ligand dpfp and the dppa analogue, 2808
- Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953
- Solution properties, electrochemical behavior and protein interactions of water soluble triosmium carbonyl clusters, 1796
- Supramolecular cluster catalysis: facts and problems, 1362
- Syntheses and molecular structures of $\text{Ru}_3(\mu\text{-H})(\mu_3\text{-CPh}_2\text{CCC}\equiv\text{CPh})(\text{CO})_9$ and $\text{Ru}_3\{\mu_3\text{-CPhCHCC(=CPh}_2\text{)CH=CPh}\}(\mu\text{-CO})(\text{CO})_8$, 965
- Synthesis and characterisation of phosphane-substituted Co_3C clusters having a pendant allyl side-chain, 2103
- The photochemical and thermal reactions of a triosmium cluster carrying a γ -pyrone ligand with alkynes, 25
- CO hydrogenation
Fischer–Tropsch, organometallics, and other friends, 4366
- CO insertions
Oxidative addition capability of triphosphine iron and ruthenium complexes with methyl iodide, 801
- CO migratory insertion
A density functional theory study of alkyl group migration in $\text{RMn}(\text{CO})_5$ complexes, 2354
- π -Complexes
The synthesis and characterisation of some nickel(0) complexes with π -bonded vinylsilicon ligands; the molecular structure of $[\text{Ni}\{\text{P}(\text{C}_6\text{H}_5)_3\}_2\{\eta^2\text{-CH}_2=\text{CHSi}(\text{CH}_3)_3\}]$, 3075
- π Complexes
Triple-decker transition metal complexes bridged by a single carbocyclic ring, 3920
- Co-factor regeneration
Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD^+/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783
- Cobalt
Carbonylative dimerisation of norbornene by cobalt carbonyl: an overlooked by-product of the Pauson–Khand reaction, 694
- Controlled vinyl-addition-type polymerization of norbornene initiated by several cobalt complexes having substituted terpyridine ligands, 744
- Donor-substituted CpCo -stabilized cyclobutadienes and superphanes, 3132
- Oligomerisation of ethylene to linear α -olefins by tetrahedral cobalt(II) precursors stabilised by benzo[*b*]thiophen-2-yl-substituted (imino)pyridine ligands, 1356
- Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685
- Structural and mechanistic studies on ion insertion into the molecular box $\{[\text{CpCo}(\text{CN})_3]_4[\text{Cp}^*\text{Ru}]_4\}$, 1425
- Sulfur and oxygen functionalized cyclopentadienyl half-sandwich cobalt complexes with 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands, 2228
- Syntheses of double- and triple-decker clusters of osmium and cobalt metals linked by cyclotetradeca-1,8-diyne ligands, 3251
- Synthesis and characterisation of phosphane-substituted Co_3C clusters having a pendant allyl side-chain, 2103
- Synthesis and characterization of the cluster complexes containing tetrahedral $\text{FeCrCo}(\mu_3\text{-S})$ cluster cores generated by isolobal displacement reactions. Crystal structures of $(\eta^5\text{-RC}_5\text{H}_4)\text{FeCrCo}(\mu_3\text{-S})(\text{CO})_8$ ($\text{R} = \text{H}, \text{CO}_2\text{Et}$) and $\text{FeCo}_2(\mu_3\text{-S})_2(\text{CO})_9$, 139
- Three-coordinate bis(phosphinimino)methanide derivatives of ‘open shell’ $[\text{M}(\text{II})]$ ($\text{M} = \text{Mn}, \text{Fe}, \text{Co}$) transition metals, 3163

Cobalt bis(1,2-dicarbollide) anion

- New B-substituted derivatives of *m*-carborane, *p*-carborane, and cobalt bis(1,2-dicarbollide) anion, 2920

Cobalt carbonyl complexes

- Synthesis, structures and comparative electrochemical study of 2,5-bis(trimethylsilyl)ethynylthiophene coordinated cobalt carbonyl units, 3218

Cobalt complexes

- Addition and/or oxidation in the reaction of a tricobalt cluster with silver(I) salts: synthesis, structure and solution properties of $[\text{Co}_3\text{Cp}_3(\mu_3\text{-CPh})_2\{\mu\text{-Ag}(\text{X})\}]$ ($\text{X} = \text{CF}_3\text{CO}_2, \text{NO}_3$) and $[\text{Co}_3\text{Cp}_3(\mu_3\text{-CPh})_2\{\mu\text{-Ag}(\text{NCMe})\}]\text{PF}_6$, 146

Cobalt-mediated catalytic reaction

- Observations on reaction pathways of dicobalt octacarbonyl with alkynyl amines, 3449

Cocatalysts

- Developments of rare earth metal catalysts for olefin polymerization, 4489

Color-tunable

- Color tunable phosphorescent light-emitting diodes based on iridium complexes with substituted 2-phenylbenzothiozoles as the cyclometalated ligands, 4882

Colorimetric reduction

- Convenient synthesis of Pt(0) olefin complexes by colorimetric reduction of Pt(II) complexes with SmI_2 , 662

Complementary spherical electron density model

- Complementary spherical electron density model and its implications for the 18 electron rule, 4420

Complexes

- Mononuclear and heterodinuclear transition metal complexes of functionalized phosphines. Crystal and molecular structures of $[\text{Mo}(\text{CO})_5(\text{RPC}_6\text{H}_4\text{OCH}_2\text{OCH}_3\text{-}o)]$ ($\text{R} = \text{Ph}, \text{C}_6\text{H}_4\text{OCH}_2\text{OCH}_3\text{-}o$), $[\text{Ru}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)_3]$, $[\text{Pd}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)_2]$ and $[\text{PdCl}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)(\text{Ph}_2\text{PC}_6\text{H}_4\text{OH-}o)]$, 3335

- Syntheses of a 2,6-bis-(methylphosphoryl)pyridine ligand and its cationic Pd(II) and Ni(II) complexes – application in the palladium-catalyzed synthesis of arylboronic esters, 2988

- Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of α -cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring, 3567

Computational studies

- Facile valence isomerization among bis(silacyclopropenyl), disila(Dewar benzene) and disilabenzvalene, 1284

Concurrence reaction

- α -(Ferrocenyl)-aminomethanephosphonous acids. First synthesis and preparation of their esters with cholesterol and adenosine, 1684

Condensation

- Reaction of ferrocenecarboxylic acid with *N,N'*-disubstituted carbodiimides: synthesis, spectroscopic and X-ray crystallographic analysis of *N,N'*-disubstituted *N*-ferrocenoylureas and identification of a one-pot coupling reagent for the formation of ferrocenecarboxamides in a non-aqueous solvent, 1472

Conducting materials

- Synthesis of poly{[bis(diethynylphenyl)silylene]phenylene}s with highly heat-resistant properties and an application to conducting materials, 1540

Conducting polymers

- Chelate polymers. VI. New copolymers of the some siloxane containing bis(2,4-dihydroxybenzaldehyd-imine) Me^{2+} with bis(*p*-carboxyphenyl)diphenylsilane, 3005

Conformation

- N*-terminus to C-terminus metallacyclicpeptides employing tungsten–alkyne coordination, 4837

Conformations

Some ruthenium complexes containing cyanocarbon ligands: syntheses, structures and extent of electronic communication in binuclear systems, 3308

 π -Conjugated polymer

Synthesis and properties of PPE-type conjugated polymers containing tricarbonyl(arene)chromium unit in the main chain, 1271

Conjugate addition

SET pathway in tributylstannyl lithium addition to alkynyl Fischer carbene complexes, 3528

Stereoselective conjugate addition reactions of lithium amides to α,β -unsaturated chiral iron acyl complexes $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}=\text{CHR})]$, 4184

Conjugated dienes

Some selected chapters from the (butadiene)zirconocene story, 4305

Conjugated polymer

Synthesis and characterization of organometallic conjugated polymers containing tricarbonyl(arene)chromium unit and platinum, 2684

Coordination chemistry

Aminotroponimate alkyl and alkoxide complexes of zinc, 2720

Coordination number

Non-Cp type homogeneous catalytic systems for olefin polymerization, 4263

Coordination polymer

Synthese und Reaktionsverhalten von Platin(II) und Kupfer(I) Koordinationspolymeren; die Festkörperstruktur von $\{trans\text{-(Ph}_3\text{P)}_2\text{Pt}[(\eta^2\text{-C}\equiv\text{CPh})\text{CuBr}]_2\}_n$ und $trans\text{-(Ph}_3\text{P)}_2\text{-Pt}[(\eta^2\text{-C}\equiv\text{CPh})\text{CuNO}_3]_2$, 1464

Coordination polymers

Coordination polymers and supramolecular structures in Ag(I)triflate-dppf systems (dppf=1,1'-bis(diphenylphosphino)ferrocene), 1746

Coordinatively unsaturated species

Coordinatively unsaturated organometallic system based on Tp ligand: tetrahedral $\text{Tp}^R\text{M-R'}$ and $\text{Tp}^R\text{M-M'L}_n$ species, 4540

Copolymerisation

Titanium ketimide complexes as α -olefin homo- and copolymerisation catalysts. X-ray diffraction structures of $[\text{TiCp}(\text{N}=\text{C'Bu}_2)\text{Cl}_2]$ (Cp' = Ind, Cp*), 203

Copolymerization

Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene-norbornene copolymerization, 3402

Effect of 5-Me substituent(s) on the catalytic activity of palladium(II) 2,2'-bipyridine complexes in CO/4-*tert*-butylstyrene copolymerization, 1521

Isobutene-isoprene copolymerization initiated by $[\text{Cp}^*\text{MMe}_2][(n\text{-C}_{18}\text{H}_{37}\text{E})\text{B}(\text{C}_6\text{F}_5)_3]$ (M = Ti, Hf; E = O, S) and related compounds, 2900

N-heterocyclic carbene complexes of Zn(II): synthesis, X-ray structures and reactivity, 2123

Copolymerization of epoxides and CO₂

Aminotroponimate alkyl and alkoxide complexes of zinc, 2720

Copper

Copper catalysed 1,4-addition of organozinc reagents to α,β -unsaturated carbonyl compounds: a mechanistic investigation, 2169

Synthese und Reaktionsverhalten von Platin(II) und Kupfer(I) Koordinationspolymeren; die Festkörperstruktur von $\{trans\text{-(Ph}_3\text{P)}_2\text{Pt}[(\eta^2\text{-C}\equiv\text{CPh})\text{CuBr}]_2\}_n$ und $trans\text{-(Ph}_3\text{P)}_2\text{-Pt}[(\eta^2\text{-C}\equiv\text{CPh})\text{CuNO}_3]_2$, 1464

Titanocene-based group-11 metal ions; solid-state structure of $\{[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CPh})_2]\text{Ag}\}\text{NO}_3$, 2690

Copper catalyst

A recyclable nanosize aminoarenethiolato copper(I) catalyst for C–C coupling reactions, 3813

Copper complexes

Assembly of an interpenetrating three-dimensional mixed-valence $\text{Cu}^{\text{II}}/\text{Cu}^{\text{I}}$ coordination polymer, 369

Copper(I)

Luminescent metal alkynyls – from simple molecules to molecular rods and materials, 1393

Reactions of $\text{Cu}_3(\text{dppm})_3(\mu_3\text{-OH})(\text{ClO}_4)_2$ (dppm = bis-(diphenylphosphino) methane) with Soft Heterocumulenes, 2726

Copper(I) carbenes

Copper-catalyzed dimerization of chromium Fischer carbene complexes: synthesis of dialkoxytrienes and their Nazarov-type cyclization to 2-alkoxy-2-cyclopentenones, 3793

Copper(I) catalyst

Catalytic Sandmeyer cyanation as a synthetic pathway to aryl nitriles, 3810

Copper(II) complexes

Investigations into the preparation of sila- β -diketones via 2-trimethylsilyl-1,3-dithianes: structural characterization of a second polymorph of bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato)copper(II), 71

Coupling

The metal–halogen exchange reaction between *ortho*-substituted aryl halides and $\text{Ph}_2\text{CuLi} \cdot \text{LiCN}$: scope and applicability for coupling reactions, 154

Coupling reaction

Reaction of ferrocenecarboxylic acid with *N,N'*-disubstituted carbodiimides: synthesis, spectroscopic and X-ray crystallographic analysis of *N,N'*-disubstituted *N*-ferrocenoylureas and identification of a one-pot coupling reagent for the formation of ferrocenecarboxamides in a non-aqueous solvent, 1472

Covalent binding

Selective covalent binding of a positively charged water-soluble benzoheterocycle triosmium cluster to single- and double-stranded DNA, 4729

 $[\text{Cp}^*\text{Rh}(\text{bpy})(\text{H})]^+$

Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD^+/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783

CPMAS

A multinuclear NMR study in the solid state and in solution of thallium(I) tris-(pyrazol-1-yl)borates (thallium scorpiates), 463

Cross coupling reaction

Stereoselective synthesis of (*E*)- α -aryltellurenylvinylsilanes via hydromagnesiation reaction of alkynylsilanes, 1714

Cross-conjugated trienes

Cross-conjugated 3-ferrocenylmethylidene-2,4-dimethylpenta-1,4-diene in cationic cycloaddition and proton-catalyzed cyclodimerization reactions, 3232

Cross-coupling

Palladacycles in catalysis – a critical survey, 4055

Synthesis of C_2 -symmetric 1,4-diketones from tartaric acid dichloride, 326

Cross-coupling reaction

A facile stereoselective synthesis of (*E*)- α -silylvinylstannanes via hydromagnesiation of alkynylsilanes, 3593

Cross-coupling reactions

New B-substituted derivatives of *m*-carborane, *p*-carborane, and cobalt bis(1,2-dicarbollide) anion, 2920

Crown compounds

Crown compounds for anions. Sandwich complexes of cyclic trimeric perfluoro-*o*-phenylenemercury with hexacyanoferrate(III) and nitroprusside anions, 82

Crown ether

Golden crowns: cation binding by macrocyclic gold(I) crown ether derivatives, 374

Crown ethers

Synthesis and characterization of new acyclic polyethers and macrocyclic crown ethers containing double-butterfly Fe_4S_3 cluster cores. Crystal structures of $\{[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})_2\}[\mu\text{-SCH}_2(\text{CH}_2\text{OCH}_2)_2\text{CH}_2\text{S-}\mu_2]$ and $\{[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})_2\}[\mu\text{-SCH}_2(\text{CH}_2\text{OCH}_2)_2\text{CH}_2\text{S-}\mu][\mu\text{-SCH}_2(\text{CH}_2\text{OCH}_2)_3\text{-CH}_2\text{S-}\mu]$, 930

Cryptands

Modulation of SHG responses via supramolecular association/dissociation between two complementary cryptands, 4877

Crystal engineering

Selective lithiation and crystal structures of G1-carbosilane dendrimers with dimethoxybenzene functionalities, 1095

Crystal field analysis

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LIX. Spektrochemische und nephelauxetische Effekte sowie experimentorientierte MO-Schemata (im f-Bereich) pseudo-trigonal-planarer (substituierter) $\text{Tris}(\eta^5\text{-cyclopentadienyl})\text{neodym(III)-Komplexe}$ und eines THF-Monoaddukts, 3143

Crystal structure

2-[2-(4-Methoxyphenyltelluro)ethyl]thiophene (L^1) bis[2-(2-thienyl)ethyl] telluride (L^2) and their metal complexes; crystal structure of *trans*-dichlorobis[2-(2-(4-methoxyphenyltelluro)ethyl)thiophene-Te]palladium(II) and {bis[2-(2-thienyl)ethyl] telluride}dichloro(*p*-cymene)ruthenium(II), 2346

Alkylation and metalation of binuclear anions containing a novel tricyclohexylphosphonioethanetriolate ligand $\text{S}(\text{SR})\text{C}\equiv\text{C}(\text{PCy}_3)_3$, 1949

An efficient synthesis of ferrocenyl substituted 1,5-diketone and cyclic α,β -unsaturated ketones under ultrasound irradiation, 1843

Assembly of an interpenetrating three-dimensional mixed-valence $\text{Cu}^{\text{II}}/\text{Cu}^{\text{I}}$ coordination polymer, 369

Cyclic dialkylindium amides: new structural information and ultra-purification using inorganic and inorgano-organic layered materials, 3000

Dibutyltin(IV) complexes of the 5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acid ligand: an investigation of structures by X-ray diffraction, solution and solid state tin NMR, electrospray ionisation MS and assessment of in vitro cytotoxicity, 4691

Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50

Mononuclear and heterodinuclear transition metal complexes of functionalized phosphines. Crystal and molecular structures of $[\text{Mo}(\text{CO})_5(\text{RPC}_6\text{H}_4\text{OCH}_2\text{OCH}_3\text{-}o)]$ ($\text{R} = \text{Ph}$, $\text{C}_6\text{H}_4\text{OCH}_2\text{OCH}_3\text{-}o$), $[\text{Ru}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)_3]$, $[\text{Pd}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)_2]$ and $[\text{PdCl}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)(\text{Ph}_2\text{PC}_6\text{H}_4\text{OH-}o)]$, 3335

On the influence of the heterocyclic ring substituents on the structure of dimethylthallium pyrimidine-2-thionato complexes. Crystal structure of dimethyl-(4-trifluoromethylpyrimidine-2-thionate)thallium(III): a compound with intermolecular $\text{C-H} \cdots \pi$ interactions, 557

Organolanthanides with 3-(2-pyridylmethyl) indenyl ligands: synthesis, crystal structures and catalytic activities of divalent complexes for ϵ -caprolactone polymerization, 2646

Organometallic gold(III) and gold(I) complexes as catalysts for the 1,3-dipolar cycloaddition to nitrones: synthesis of novel gold–nitron derivatives, 1788

Preparation and structural studies on dibutyltin(IV) complexes with pyridine mono- and dicarboxylic acids, 1145

Reaction of $[\text{CpRu}(\text{CH}_3\text{CN})_3]\text{PF}_6$ with bidentate ligands: structural characterization of $[\{\text{CpRu}(\text{CH}_3\text{CN})_2\}_2(\mu\text{-}\eta^{1:1}\text{-dppe})](\text{PF}_6)_2$ [$\text{dppe} = 1,2\text{-bis(diphenylphosphino)ethane}$], 1757

Reaction of $\text{Ru}_3(\text{CO})_{12}$ with but-2-yn-1,4-diol in $\text{CH}_3\text{OH/KOH}$ solution. Crystal structure of $(\mu\text{-Cl})\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^4\text{-H}_2\text{CCC(H)CH}_2]$, 35

Reactions of 2-arsa- and 2-stiba-1,3-dionato lithium complexes with group 4–7 metal halides, 1648

Reactions of benzothiazolide triosmium clusters with tetramethylthiourea, 2633

Stereochemistry of the insertion of disubstituted alkynes into the metal aminocarbyne bond in diiron complexes, 528

Study of the reactivity of tris(pyrazolyl)amine and bis(pyrazolyl)amine ligands toward Rh(I). Crystal structure of $[\text{Rh}_3\text{Cl}_3(\text{cod})_3\text{tdma}]\cdot\text{CH}_3\text{CN}$ (**tdma** = $\text{tris}[3,5\text{-dimethyl-1-pyrazolyl)methyl]amine}$), a C_3 -symmetric compound, 980

Syntheses and characterizations of group 6 metal cyanotrihydroborate complexes, 544

Synthesis and characterization of monomeric siloxo palladium(II) complexes: crystal structure of $[\text{Pd}(\text{tmeda})(\text{C}_6\text{F}_5)(\text{OSiPh}_3)]$, 1872

Synthesis and characterization of new acyclic polyethers and macrocyclic crown ethers containing double-butterfly Fe_4S_3 cluster cores. Crystal structures of $\{[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})_2\}[\mu\text{-SCH}_2(\text{CH}_2\text{OCH}_2)_2\text{CH}_2\text{S-}\mu_2]$ and $\{[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})_2\}[\mu\text{-SCH}_2(\text{CH}_2\text{OCH}_2)_2\text{CH}_2\text{S-}\mu][\mu\text{-SCH}_2(\text{CH}_2\text{OCH}_2)_3\text{-CH}_2\text{S-}\mu]$, 930

Synthesis and characterization of new bis(1-aryliminomethyl-2-enyl)naphthalen-2-oxynickel complexes and their catalytic behavior for vinyl polymerization of norbornene, 936

Synthesis and characterization of tri(*o*-fluorobenzyl)tin esters of heteroaromatic carboxylic acid and crystal structures of tri(*o*-fluorobenzyl)tin esters of 4-pyridinecarboxylic acid and 3-pyridinecarboxylic acid, 246

Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylidene)amino]aryls – crystal structures of polymeric $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH-5-CHO})\text{-}o\}]_n$ and $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH}(\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{Cl-4})\})\text{-}o\}]_n$ – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702

Synthesis and reactivity of $[\text{N}(\text{C}_6\text{H}_4\text{Br})_3][\text{B}(\text{C}_6\text{F}_5)_4]$: the X-ray crystal structure of $[\text{Fe}(\text{C}_5\text{H}_5)_2][\text{B}(\text{C}_6\text{F}_5)_4]$, 2411

Synthesis and reactivity of tricarbonyl(1-methoxycarbonyl-5-phenylpentadienyl)iron(1+) cation, 1437

Synthesis and structural characterization of diorganotin(IV) esters of salicylidene-amino acids, 2480

Synthesis and structural characterization of mixed carbene-carboxylate complexes of palladium(II), 1766

Synthesis and structural studies of polynuclear ruthenium clusters derived from reactions of 1,2,3,4-tetraphenyl-1,2,3,4-tetraphospholane with $[\text{Ru}_3(\text{CO})_{12}]$, 361

Synthesis and X-ray crystal structure analysis of the first nickel bisoxazoline pincer complex, 3056

Synthesis, characterization of homoleptic guanidino lanthanide complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 1019

Synthesis, characterizations and crystal structures of di-*n*-butyltin(IV) complexes with heteroatomic (N, O or S) acid, 1675

Synthesis, crystal structure, and chirality of divalent lanthanide reagents containing tri- and tetraglyme, 1723

Synthesis, spectroscopic properties and crystal structures of $\text{SnBr}_2[\text{S}_2\text{CN}(\text{CH}_2\text{CH}_2)_2\text{O}]_2$, $(4\text{-F-C}_6\text{H}_4\text{CH}_2)_2\text{Sn}(\text{Cl})\text{S}_2\text{CN}(\text{CH}_2\text{CH}_2)_2\text{O}$ and $(2\text{-F-C}_6\text{H}_4\text{CH}_2)_3\text{SnS}_2\text{CN}(\text{CH}_2\text{CH}_2)_2\text{O}$, 1277

- Titanium and zirconium complexes containing the new 2,3-dimethyl-1,4-diphenylcyclopentadienyl ligand. Synthesis, characterization and polymerization behavior, 1623
- Tricarbonyl complexes of rhenium(I) and technetium(I) with thiourea derivatives, 2066
- Trimethylsilylcyclopentadienylchromium(III) complexes with diphenyl-2-pyridylphosphine: synthesis, structural characterization and catalytic behaviour of $[(C_6H_5)_2PC_5H_4NH][(\eta^5-Me_3SiCp)CrCl_3]$, 2268
- Crystal structure analysis
- Synthesis and structures of some di- and triferrocenylmethane derivatives, 3541
- Crystal structures
- [1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system $[Pd(dppf)(SR_F)_2]$, 2464
- A complete series of tricarbonylhalidorhenium(I) complexes (abpy)Re(CO)₃(Hal), Hal = F, Cl, Br, I; abpy = 2,2'-azobispyridine: Structures, spectroelectrochemistry and EPR of reduced forms, 3031
- An alkylzinc bromide and a lithium alkylidibromozincate containing tris(organosilyl)methyl groups, 1718
- Chloride substitution of $[CpRu(dppf)Cl]$ with sulfur-containing ligands, 1444
- Comparative reactivity studies of dppf-containing $CpRu^{II}$ and $(C_6Me_6)Ru^{II}$ complexes towards different donor ligands (dppf=1,1'-bis(diphenylphosphino)ferrocene), 1978
- Cu(I) and Ag(I) complexes of chalcogenide derivatives of the organometallic ligand dppf and the dppa analogue, 2808
- Cyclopalladated complexes with *N*-(benzoyl)-*N'*-(2,4-dimethoxybenzylidene)hydrazine: syntheses, characterization and structural studies, 352
- Cyclopentadienylnickel thiolate complexes: synthesis, molecular structures and electrochemical detection of sulfur dioxide adducts, 387
- Hexa- and triosmium carbonyl clusters bearing bridging dppm and capping sulfido ligands, 2571
- Investigations into the preparation of sila- β -diketones via 2-trimethylsilyl-1,3-dithianes: structural characterization of a second polymorph of bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato)copper(II), 71
- Isolation, structure and spectroscopic characterization of silver complexes of the zwitterionic thiolate Tab: $[Ag(Tab)_2](PF_6)$, $\{[Ag_3(Tab)_4](PF_6)_3 \cdot 2DMF\}_n$, and $[Ag_{14}(\mu_6-S)(Tab)_{12}(P-Ph_3)_8](PF_6)_{12}$ (Tab = 4-(trimethylammonio)benzenethiolate), 1071
- Preparation and characterization of rhenium(I) compounds with amino ester derivatized diimine ligands. Investigations of luminescence. Crystal structures of Re(CO)₃Cl(pyca- β -Ala-OEt) and Re(CO)₃Cl(pyca-1-Asp(OMe)-OMe), 4848
- Reaction between palladium(II) and gallium(III) halogenides in arenes: influence of halogen nature on the formation of binuclear palladium(I) clusters, 489
- Synthesis and characterization of *N*-(2-pyridyl)benzamide-based nickel complexes and their activity for ethylene oligomerization, 917
- Synthesis and derivatization, structures and transition metal (Mo(0), Fe(II), Pd(II) and Pt(II)) complexes of phenylaminobis(diphosphonite), $PhN\{P(OC_6H_4OMe-o)_2\}_2$, 3388
- Synthesis and spectroscopic studies of diorganotin derivatives with 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structure of the first complexes of 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structures of 1,2,3,4-di- μ_2 -2-[(2,6-dimethylphenyl)amino]benzoato-*O*, *O*-1,3-bis-2-[(2,6-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-*n*-butyltin(IV)] and bis-2-[(2,6-dimethylphenyl)amino]benzoato-di-*n*-butyltin(IV), 317
- Synthesis, characterization and reactivity of the molybdenum(VI) complex $[MoCl(NAr)_2(CH_2CMe_2Ph)]$ (Ar = 2,6-Pr^t₂C₆H₃), 332
- Synthesis, crystal structures and in vitro antitumor activities of some arylantimony derivatives of analogues of demethylcantharimide, 1631
- Synthesis, spectroscopic characterization and reactivities of linear and butterfly chromium/selenium complexes containing substituted cyclopentadienyl ligands: crystal structures of $[\{\eta^5-MeC_5H_4Cr(CO)_2\}_2Se]$ and $[\{\eta^5-EtO_2CC_5H_4Cr(CO)_2\}_2Se_2]$, 1849
- Tandem transmetallation and oxidative addition reactions of $[Sn(R)_2(Ph_2PC_6H_4-2-S)_2]$ with transition metal complexes of the Group 9, 174
- Triruthenium clusters containing bridging dppm and capping sulfido and selenido ligands: X-ray structures of $[Ru_3(CO)_5(\mu_3-CO)(\mu_3-Se)(\mu-dppm)_2]$, $[Ru_3(CO)_6(\mu_3-CO)(\mu_3-Se)(\mu-dppm)(\eta^1-Ph_2PCH_2P(=O)Ph_2)]$ and $[Ru_2(CO)_4(\mu-SePh)_2(\mu-dppm)]$, 3412
- Crystal structures of diorganotin(IV) complexes
- Simplified synthesis, ¹H, ¹³C, ¹⁵N, ¹¹⁹Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazone(2-) ligand, 88
- CsF
- Mild and efficient silylcyanation of ketones catalyzed by cesium fluoride, 1734
- Cu(I) complexes
- Cu(I) and Ag(I) complexes of chalcogenide derivatives of the organometallic ligand dppf and the dppa analogue, 2808
- Cu(I)-dppm
- Reactions of $Cu_3(dppm)_3(\mu_3-OH)(ClO_4)_2$ (dppm = bis-(diphenylphosphino) methane) with Soft Heterocumulenes, 2726
- Cubic nonlinearities
- Alkynyl compounds and nonlinear optics, 3968
- Cyanation
- Improving palladium-catalyzed cyanation of aryl halides: development of a state-of-the-art methodology using potassium hexacyanoferrate(II) as cyanating agent, 4576
- Cyanide
- Structural and mechanistic studies on ion insertion into the molecular box $\{[CpCo(CN)_3]_4[Cp^*Ru]_4\}$, 1425
- Cyanide bridging
- Assembly of an interpenetrating three-dimensional mixed-valence Cu^{II}/Cu^I coordination polymer, 369
- Cyanide-bridges
- Coordinating properties of $[M(CO)_5(CN)]^-$ [M=Cr; Mo; W] ligands: formation of ion pairs or dinuclear cyanide-bridged complexes, spectroscopic and X-ray diffraction studies, 2324
- Cyanocarbon
- Some ruthenium complexes containing cyanocarbon ligands: syntheses, structures and extent of electronic communication in binuclear systems, 3308
- Cyanohydrins
- Chiral bispyridylamide metal complexes as catalysts for the enantioselective addition of TMSCN to aldehydes, 3750
- Mild and efficient silylcyanation of ketones catalyzed by cesium fluoride, 1734
- Cyanotrihydroborate
- Syntheses and characterizations of group 6 metal cyanotrihydroborate complexes, 544
- Cyclic alkenes
- Palladium-catalyzed heteroannulation of cyclic alkenes by functionally substituted aryl iodides, 3756

Cyclic disilenes

Isolable silylene, disilenes, trisilaallene, and related compounds, 4475

Cyclic esters

Bis(amido)titanium complexes having chelating diaryloxo ligands bridged by sulfur or methylene and their catalytic behaviors for ring-opening polymerization of cyclic esters, 612

Cyclic silicates

Preparation and reactivity of polyfunctional six- and eight-membered cyclic silicates, 689

Cyclic voltammetry

Oxidative dehydrodimerization of rhenium vinylidene complex (η^5 -C₅H₅)(CO)₂Re=C=C(H)Ph: two competitive routes of coupling of σ -phenylethynyl intermediate [(η^5 -C₅H₅)(CO)₂Re—C≡CPh]. X-ray structures of rhenium mononuclear (η^5 -C₅H₅)(CO)₂Re=C=C(H)Ph and binuclear [(η^5 -C₅H₅)(CO)₂Re]₂(μ_2 -C=C(Ph)C≡CPh) vinylidene compounds, 3837

Structure and redox behavior of Ru(II)-diene complexes, 3082

Substituent effects of phosphonate groups electronic repartition of π -conjugated ferrocene analogues of stilbene, 1867

Synthesis and characterisation of aromatic ethynyl-bridged ferrocenes, 840

Synthesis and reactivity of [N(C₆H₄Br)₃][B(C₆F₅)₄]: the X-ray crystal structure of [Fe(C₅H₅)₂][B(C₆F₅)₄], 2411

Cyclisation

Preparation and molecular structure of a pyrazolyl–ruthenium complex, Ru{C₃H₂NN(SO₂tol)}(dppe)Cp*, 698

[2 + 2 + 2] cycloaddition

Synthesis and reactions of silicon containing cyclic α -amino acid derivatives, 158

[4 + 2] Cycloaddition

Ruthenium-catalyzed formal [4 + 2] cycloaddition of alkynes with alkenes: formation of cyclohexenedicarboxylates via isomerization of alkynes and successive Diels–Alder reaction, 3168

Cycloaddition

Cross-conjugated 3-ferrocenylmethylidene-2,4-dimethylpenta-1,4-diene in cationic cycloaddition and proton-catalyzed cyclodimerization reactions, 3232

Synthesis and molecular structure of [Re₂(μ : η^6 -C₂₄H₁₈N₄)(CO)₆] containing the rtct-tetrakis(2-pyridyl)cyclobutandiyl ligand, derived from the reaction of [Re₂(CO)₈(MeCN)₂] and 1,2-bis(2-pyridyl)ethene, 2486

Cycloadditions

Synthesis of di- and monobromo(ferrocenylvinyl)cyclopropanes, 2503

Cycloalumination

An effect of application of chiral aluminium alkoxides and amides as adducts to zirconium catalyzed carbo- and cycloalumination of olefins, 444

Cyclobutadiene complexes

Donor-substituted CpCo-stabilized cyclobutadienes and superphanes, 3132

Cyclobutadiene–cobalt complexes

An NMR study of the rotational barriers in cobalt-stabilized carbocations: X-ray crystal structures of (η^4 -C₄Ph₄)Co-(η^5 -C₅H₄R), where R is CH₃C=O, CH=O, CH('Bu)OH, 1657

McMurry reactions of (η^5 -acetylcyclopentadienyl) cobalt-(η^4 -tetraphenylcyclobutadiene) with benzophenone: ketone couplings and a pinacol/pinacolone rearrangement, 4683

Cyclodimerization

Cross-conjugated 3-ferrocenylmethylidene-2,4-dimethylpenta-1,4-diene in cationic cycloaddition and proton-catalyzed cyclodimerization reactions, 3232

Cyclodiphosph(V)azanes

Syntheses and crystal structures of mono- and bi-metallic zinc compounds of symmetrically- and asymmetrically-substituted bis(amino)cyclodiphosph(V)azanes, 1110

Cyclodiyne

Syntheses of double- and triple-decker clusters of osmium and cobalt metals linked by cyclotetradeca-1,8-diyne ligands, 3251

Cycloheptadienyl

Synthesis and reactions of cycloheptadienyl and cyclooctadienyl tungsten complexes: X-ray crystal structure of [W(CO)₂(PPh₃)₂(η^5 -C₇H₉)](BF₄), 848

Cyclohexenedicarboxylates

Ruthenium-catalyzed formal [4 + 2] cycloaddition of alkynes with alkenes: formation of cyclohexenedicarboxylates via isomerization of alkynes and successive Diels–Alder reaction, 3168

Cyclometalated complex

Iridium(III) and rhodium(III) cyclometalated complexes containing sulfur and selenium donor ligands, 2401

Cyclometalated complexes

Synthesis, characterization and spectroscopic studies of cyclometalated platinum(II) complexes containing *meta*-bis(2-pyridoxy)benzene, 2888

Cyclometallation

Cyclometalated *N,N*-dimethylbenzylamine ruthenium(II) complexes [Ru(C₆HR¹R²R³-*o*-CH₂NMe₂)(bpy)(RCN)₂](PF₆) for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase, 4820

Cyclometallated tetramethylthiourea

Reactions of benzothiazolide triosmium clusters with tetramethylthiourea, 2633

Cyclometallation

Cyclometallated platinum complexes with heterocyclic ligands, 1496
Factors affecting the lability of the σ (M–X) bond in cycloplatinated and cyclopalladated complexes containing [C(sp², ferrocene),N,X][–] or [C(sp², phenyl),N,X][–] (X = S, N) terdentate ligands, 3184

Five- and six-membered platinacycles derived from phenantryl and anthracenyl imines, 1956

Intramolecular oxidative addition of C–F and C–H bonds to [Pt(dba)₂]. Crystal structure of [PtCl{Me₂NCH₂CH₂N-CH(2,4,5-C₆HF₃)₃}], 3088

Cyclononadienyl

Formation and structural study of a mixed ene/enyl ligand on reaction of [Ru(C₅Me₅)Cl₂]₂ with 1,3-cyclononadiene, 685

Cyclooctadiene

Complexation and C–H bond activation of 1,5-cyclooctadiene on triosmium carbonyl clusters, 1944

Cyclooctadienyl

Synthesis and reactions of cycloheptadienyl and cyclooctadienyl tungsten complexes: X-ray crystal structure of [W(CO)₂(PPh₃)₂(η^5 -C₇H₉)](BF₄), 848

Cyclooctatriene

Ru(η^6 -1,3,5-cyclooctatriene)(η^2 -dimethyl fumarate)₂: a novel, versatile zerovalent ruthenium complex with electron-deficient olefinic ligands, 4530

2-cyclopentenone

Copper-catalyzed dimerization of chromium Fischer carbene complexes: synthesis of dialkoxytrienes and their Nazarov-type cyclization to 2-alkoxy-2-cyclopentenones, 3793

Cyclopalladation

Substituent effect on cyclopalladation of arylimines, 1806

Cyclopentadienyl

Aminorhenium carbon dioxide complexes: formal oxidation of a carbon monoxide ligand with peroxy-acids or bromine/hydroxide, 411

- Chloride substitution of [CpRu(dppf)Cl] with sulfur-containing ligands, 1444
- Comparative reactivity studies of dppf-containing CpRu^{II} and (C₆Me₆)Ru^{II} complexes towards different donor ligands (dppf=1,1'-bis(diphenylphosphino)ferrocene), 1978
- Group 4 metallocene complexes with non-bridged and tetramethyldisiloxane-bridged methyl-phenyl-cyclopentadienyl ligands: synthesis, characterization and olefin polymerization studies, 4395
- Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50
- Structural and mechanistic studies on ion insertion into the molecular box {[CpCo(CN)₃]₄[Cp*Ru]₄}, 1425
- Synthesis and characterization of cyclopentadienyl/alkoxo titanium dichlorides: structural analysis of monocyclopentadienyl titanium dichlorides with ligands derived from menthol and borneol, 3492
- Synthesis, characterization and molecular structures of allenylidene, vinylidene–alkylidene complexes containing [CpOs(PPh₃)₂]⁺ fragment, 539
- Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of [(η^5 -C₅H₅)(CO)₃W(CH₂)₃Mo(CO)₂(PPh₃)(η^5 -C₅H₅)] and [(η^5 -C₅H₅)(CO)₂(PPh₃)Mo(CH₂)₃Fe(CO)₂(η^5 -C₅H₅)], 181
- Cyclopentadienyl cobalt dicarbonyl
Synthesis and reactions of silicon containing cyclic α -amino acid derivatives, 158
- Cyclopentadienyl complexes
Chemistry of Fischer-type rhenacyclobutadiene complexes. II. Reactions with alkynes and sulfonium ylides, and rearrangements induced by nitriles and pyridine, 2013
- Trimethylsilylcyclopentadienylchromium(III) complexes with diphenyl-2-pyridylphosphine: synthesis, structural characterisation and catalytic behaviour of [(C₆H₅)₂PC₅H₄NH]-[(η^5 -Me₃SiCp)CrCl₃], 2268
- Cyclopentadienyl ligand
Synthesis of a tin-functionalized cyclopentadiene derivative, 3550
- Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LIX. Spektrochemische und nephelauxetische Effekte sowie experimentorientierte MO-Schemata (im f-Bereich) pseudo-trigonal-planarer (substituierter) Tris(η^5 -cyclopentadienyl)neodym(III)-Komplexe und eines THF-Monoaddukts, 3143
- Cyclopentadienyl ligands
Mono- and bis-(2-dimethylaminoethyl)tetramethylcyclopentadienyl zirconium(IV) complexes: synthesis and structural studies in crystalline state and in solutions, 595
- Substituted cyclopentadienylchromium(III) complexes containing neutral donor ligands. Synthesis, crystal structures and reactivity in ethylene polymerization, 293
- Synthesis and reactivity of substituted cyclopentadienyl rhodium(I) and (III) complexes, 823
- Cyclopentadienyl tricarbonyl complexes
Cyclopentadienyl tricarbonyl complexes of ^{99m}Tc for the in vivo imaging of the serotonin 5-HT_{1A} receptor in the brain, 4739
- Cyclopentadienylchromium
Synthetic, X-ray structural and protonation studies of CpCr(CO)₂SPy and CpCr(CO)₂SPym (SPy = C₅H₄NS, SPym = C₄H₃N₂S), 3210
- Cyclopentenone
Transition metal-mediated routes to cyclopentenones, 3873
- Cyclophane
Synthesis and reactivity of [(η^6 -[3₂](1,3)Cyclophane)Mn(CO)₃]-[BF₄], 1586
- Cyclopolyphosphine
Synthesis and structural studies of polynuclear ruthenium clusters derived from reactions of 1,2,3,4-tetraphenyl-1,2,3,4-tetraphospholane with [Ru₃(CO)₁₂], 361
- Cyclopropanation
Efficient and regioselective chromium(0)-catalyzed reaction of 2-substituted furans with diazo compounds: stereoselective synthesis of (2*E*,4*Z*)-2-aryl-hexadienedioic acid diesters, 2662
- Cyclopropanations
Titanium-mediated syntheses of cyclopropylamines, 2033
- Cyclosiloxanes
Ferrocenyl and permethylferrocenyl cyclic and polyhedral siloxane polymers as mediators in amperometric biosensors, 2799
- Cyclotrimerization
Regioselective cyclotrimerization of phenylacetylenes to 1,2,4-triarylbenzenes catalyzed by iridium–diphosphine complexes, 14
- Cyclovoltammetry
Titanocene-based group-11 metal ions; solid-state structure of {[(η^5 -C₅H₄SiMe₃)₂Ti(C \equiv CPh)₂]₂Ag}NO₃, 2690
- Cymantrene
Introduction of a planar chirality onto steroid substrates: synthesis of (*S*) and (*R*)-2'-formylcymantrenyl-17 α -ethynylestradiols using (*S*) and (*R*)-1-formyl-2-iodo-cymantrenes, 4872
- Cytotoxicity
Synthesis, characterization and cytotoxicity of some palladium(II), platinum(II), rhodium(I) and iridium(I) complexes of ferrocenylpyridine and related ligands. Crystal and molecular structure of *trans*-dichlorobis(3-ferrocenylpyridine)palladium(II), 1553
- DDQ
Synthesis and characterization of 2,7-dihydro-1*H*-dinaphtho[c,e]tellurepin: a new heterocyclic telluride, 2377
- Decahydro-*closo*-decaborate
Synthesis and X-ray structural characterisation of the tetramethylene oxonium derivative of the hydrodecaborate anion. A versatile route for derivative chemistry of [B₁₀H₁₀]²⁻, 2581
- Decarbonylation
Synthesis and characterisation of saturated and unsaturated triruthenium clusters containing electronically symmetrical and asymmetrical alkynes, 111
- Degradation
Reactions of ruthenium benzylidenes with H₂O to give benzaldehyde and (aqua)ruthenium complex, 3535
- Dehydration and dehydroxylation reactions
Reaction of Ru₃(CO)₁₂ with but-2-yn-1,4-diol in CH₃OH/KOH solution. Crystal structure of (μ -Cl)Ru₃(CO)₉[μ_3 - η^4 -H₂CCC(H)CH₂], 35
- Dehydrogenative coupling
Convenient synthesis of alkoxyhalosilanes from hydrosilanes, 3258
- Dehydrogenative coupling as an efficient route to ferrocene functionalized siloxanes, 3468
- Dehydrohalogenation
Synthesis of a transition-metalated phosphinoborane dimer, 2425
- Delocalization
Reduction of 1-chloro-1,2,3,4,5-pentaphenylsilole: formation of silole monoanion and dianion, 134
- Demethylcantharimide
Synthesis, crystal structures and in vitro antitumor activities of some arylantimony derivatives of analogues of demethylcantharimide, 1631
- Dendrimer
Chloromethylsilane functionalised dendrimers: synthesis and reactivity, 987

- Hydrozirconation of first-generation allyl-functionalized dendrimers and dendrimer model compounds, 1876
- Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332
- Preparation and characterization of poly(amidoamine) dendrimers functionalized with a rhenium carbonyl complex and PEG as new IR probes for carbonyl metallo immunoassay, 4775
- Dendrimers
- Luminescent dendrimers as ligands for metal ions, 4375
 - Selective lithiation and crystal structures of G1-carbosilane dendrimers with dimethoxybenzene functionalities, 1095
 - Where organometallics and dendrimers merge: the incorporation of organometallic species into dendritic molecules, 4016
- Density functional calculations
- Transition metal clusters and supported species with metal–carbon bonds from first-principles quantum chemistry, 4384
- Density functional theory
- Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50
 - Structural investigations on new iron-acyl derivatives of $B(C_6F_5)_3$, 4407
- Deprotonation reactions
- Chemistry of Fischer-type rhenacyclobutadiene complexes. I. Deprotonation, addition/substitution of nucleophilic reagents at α -carbon, and insertion of heteroatoms into rhenium–carbon bonds, 2000
- Deuteration
- Palladium catalyzed transformations of monoterpenes: stereoselective deuteration and oxidative dimerization of camphene, 302
- DFT
- Arene ruthenium complexes incorporating imine/azine hybrid-chelating N–N' donor ligands: synthetic, spectral, structural aspects and DFT studies, 1821
 - Folded 2,5-diazapent-3-ene metallacycle in ene-diamido group 4 metal compounds: DFT and AIM analyses, 2847
 - Some ruthenium complexes containing cyanocarbon ligands: syntheses, structures and extent of electronic communication in binuclear systems, 3308
 - Structure and UV–Vis spectroscopy of nitrosylthiolatoferrate mononuclear complexes, 1702
 - Syntheses, crystal structures, and quadratic nonlinear optical properties in four “push–pull” diorganotin derivatives, 2303
 - Synthesis, characterization and structural investigation of the first vanadocene(IV) carboxylic acid complexes prepared from the vanadocene dichloride, 1180
- DFT calculation
- Synthesis and structure of a boron cation supported by a β -diketiminato ligand, 2562
- DFT calculations
- Alkyl group dependence of C–Si reductive eliminations from alkyl(silyl) Pt(II) complexes: a density functional study, 2236
 - Aromaticity or non aromaticity in germanazenes? Theoretical studies on germanazenes, the *N*-cyano analogs and their carbodiimide isomers, 3279
 - Cu(I) and Ag(I) complexes of chalcogenide derivatives of the organometallic ligand dppf and the dppa analogue, 2808
 - Oxidative dehydrodimerization of rhenium vinylidene complex (η^5 -C₅H₅)(CO)₂Re=C=C(H)Ph: two competitive routes of coupling of σ -phenylethynyl intermediate [$(\eta^5$ -C₅H₅)(CO)₂Re–C≡CPh]. X-ray structures of rhenium mononuclear (η^5 -C₅H₅)(CO)₂Re=C=C(H)Ph and binuclear [$(\eta^5$ -C₅H₅)(CO)₂Re]₂(μ_2 -C=C(Ph)C≡CPh) vinylidene compounds, 3837
 - Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685
- DFT study
- DFT studies of structural preference of coordinated ethylene in $W(CO)_3(PX_3)_2(CH_2=CH_2)$ (X = H, CH₃, F, Cl, Br, and I), 2275
- Di-*n*-butyltin oxide
- Synthesis, characterizations and crystal structures of di-*n*-butyltin(IV) complexes with heteroatomic (N, O or S) acid, 1675
- Di-*n*-butyltin^{IV}
- Preference of di-*n*-butyltin^{IV} compounds to build O··Sn bonds in fused rings with five-six members, 3481
- Diacenaphthodihydrodithiin
- Diacenaphtho[1,2-c:1',2'-e]-1,2-dithiin: synthesis, structure and reactivity, 65
- Diacenaphthodithiin
- Diacenaphtho[1,2-c:1',2'-e]-1,2-dithiin: synthesis, structure and reactivity, 65
- Diacenaphthothiophene
- Diacenaphtho[1,2-c:1',2'-e]-1,2-dithiin: synthesis, structure and reactivity, 65
- Dialkylamido ligand
- Bis(amido)titanium complexes having chelating diaryloxo ligands bridged by sulfur or methylene and their catalytic behaviors for ring-opening polymerization of cyclic esters, 612
- Diaminopyridine
- Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319
- Diarylmethyl sulfide/selenide
- A convenient synthesis of some symmetrical and unsymmetrical diarylmethyl sulfur and selenium compounds: X-ray crystal structure of diphenylmethylseleno-2-propene and bis[*p*-chlorophenyl(phenyl)methyl] diselenide, 3327
- Diastereomer
- Facile syntheses, structural characterizations, and isomerization of disiloxane-1,3-diols, 471
- Diastereoselective
- Diastereoselective intramolecular C–H bond activation on a prochiral sp³ carbon by a cationic Ir(I) complex having an optically active P–N hybrid ligand, 3
- Diastereotopy
- Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899
- Diazadiphosphetidines
- Syntheses and crystal structures of mono- and bi-metallic zinc compounds of symmetrically- and asymmetrically-substituted bis(amino)cyclodiphosph(V)azanes, 1110
- Diazo compounds
- Efficient and regioselective chromium(0)-catalyzed reaction of 2-substituted furans with diazo compounds: stereoselective synthesis of (2*E*,4*Z*)-2-aryl-hexadienedioic acid diesters, 2662
- Diazoalkanes
- The versatility of molecular ruthenium catalyst RuCl(COD)-(C₅Me₅), 1382
- Diboroles
- Reactivity of electron-poor decamethyl-1,3-dibororuthenocene with sulfur and phosphorus compounds, 429
- Dibutyltin complexes
- Biological aspects of new organotin(IV) compounds of 3-maleimidopropionic acid, 3370
- Dibutyltin derivatives
- Biologically potent organotin(IV) complexes of 2-maleimidoacetic acid, 238
- Dichalcogenides
- Synthesis and derivatization, structures and transition metal (Mo(0), Fe(II), Pd(II) and Pt(II)) complexes of phenylaminobis(diphosphonite), PhN{P(OC₆H₄OMe-*o*)₂}₂, 3388

Dichlorogermylene

Dichlorosilylene and dichlorogermylene transfer to alkylidene-phosphanes, 1331

Dichlorosilylene

Dichlorosilylene and dichlorogermylene transfer to alkylidene-phosphanes, 1331

Diels–Alder reaction

Ruthenium-catalyzed formal [4 + 2] cycloaddition of alkynes with alkenes: formation of cyclohexenedicarboxylates via isomerization of alkynes and successive Diels–Alder reaction, 3168

1,3-Dienes

Synthesis of di- and monobromo(ferrocenylvinyl)cyclopropanes, 2503

Diene

Diene complexes of early transition metals: ideas and progresses at Osaka University, 4552

Diene polymerisation

New divalent samarocenes for butadiene polymerisation: influence of the steric effect and the electron density on the catalytic activity, 264

Dienes

Coupling of propargylsilanes with Fischer carbene chromium complexes: a new synthesis of conjugated dienes, 3379

Dienyl

Synthesis and reactions of cycloheptadienyl and cyclooctadienyl tungsten complexes: X-ray crystal structure of $[\text{W}(\text{CO})_2(\text{PPh}_3)_2(\eta^5\text{-C}_7\text{H}_9)][\text{BF}_4]$, 848

Synthesis and reactivity of tricarbonyl(1-methoxycarbonyl-5-phenylpentadienyl)iron(1+) cation, 1437

Diethyl ferrocenylphosphonate

Improved synthesis of diethyl ferrocenylphosphonate, crystal structure of $(\text{FcPO}_3\text{Et}_2)_2 \cdot \text{ZnCl}_2$, and electrochemistry of ferrocenylphosphonates, $\text{FcP}(\text{O})(\text{OR})_2$, $\text{FcCH}_2\text{P}(\text{O})(\text{OR})_2$, $1,1'\text{-fc}[\text{P}(\text{O})(\text{OR})_2]_2$ and $[\text{FcP}(\text{O})(\text{OEt})_2]_2 \cdot \text{ZnCl}_2$ ($\text{Fc} = (\eta^5\text{C}_5\text{H}_5)\text{Fe}(\eta^5\text{C}_5\text{H}_4)$, $\text{fc} = (\eta^5\text{C}_5\text{H}_4)\text{Fe}(\eta^5\text{C}_5\text{H}_4)$, $\text{R} = \text{Et}$, H), 2654

Diferrocene

Electronic communication through the ureylene bridge: spectroscopy, structure and electrochemistry of dimethyl 1',1'-urelylenedi(1-ferrocenecarboxylate), 2250

Diferrocenylallylic cation

Reactions of 2,3-diferrocenylcyclopropenone with methyllithium and phenyllithium, 2395

Diferrocenylcarbenoid

Reactions of 2,3-diferrocenylcyclopropenone with methyllithium and phenyllithium, 2395

Diferrocenylcyclopropenone

Reactions of 2,3-diferrocenylcyclopropenone with methyllithium and phenyllithium, 2395

Dihydrobenzofurans

Palladium-catalyzed heteroannulation of cyclic alkenes by functionally substituted aryl iodides, 3756

Dihydrogen complexes

Preparation and reactivity of osmium(II) hydride complexes with phosphites and polypyridyls, 1639

 α -Diimine

Synthesis and structural characterization of η^3 -allyl(α -diimine)-nickel(II) complexes bearing trimethylsilyl groups, 1057

Diimine

Preparation and characterization of rhenium(I) compounds with amino ester derivatized diimine ligands. Investigations of luminescence. Crystal structures of $\text{Re}(\text{CO})_3\text{Cl}(\text{pyca-}\beta\text{-Ala-OEt})$ and $\text{Re}(\text{CO})_3\text{Cl}(\text{pyca-l-Asp(OMe)-OMe})$, 4848

Diiron complexes

Stereochemistry of the insertion of disubstituted alkynes into the metal aminocarbyne bond in diiron complexes, 528

 β -Diketiminates

Metal β -diketiminates revisited: *ansa*-CH₂-bridged bis(β -diketimate)s of lithium and aluminium having diverse structures, 4357

 β -Diketimate

Synthesis and structure of a boron cation supported by a β -diketimate ligand, 2562

1,5-Diketone

An efficient synthesis of ferrocenyl substituted 1,5-diketone and cyclic α,β -unsaturated ketones under ultrasound irradiation, 1843

2,3-Dimethyl-1,4-diphenylcyclopentadiene

Titanium and zirconium complexes containing the new 2,3-dimethyl-1,4-diphenylcyclopentadienyl ligand. Synthesis, characterization and polymerization behavior, 1623

2,5-Dimercapto-1,3,4-thiadiazole

Syntheses and crystal structures of di- and triorganotin derivatives with 2,5-dimercapto-1,3,4-thiadiazole, 96

Dimer

Synthesis of a transition-metalated phosphinoborane dimer, 2425

Dimerization

Copper-catalyzed dimerization of chromium Fischer carbene complexes: synthesis of dialkoxytrienes and their Nazarov-type cyclization to 2-alkoxy-2-cyclopentenones, 3793

Cross-conjugated 3-ferrocenylmethylidene-2,4-dimethylpenta-1,4-diene in cationic cycloaddition and proton-catalyzed cyclodimerization reactions, 3232

Dimerization of alkynes

Chloro(η^5 -dihydropentalenyl)bis(triphenylphosphine)ruthenium(II): synthesis, structural characterization and catalytic activity in the dimerization of phenylacetylene, 419

Dimesitylboryl

Blue two-photon excited fluorescence of several D- π -D, A- π -A, and D- π -A compounds featuring dimesitylboryl acceptor, 2201

 β -Dimethylaminoethoxy-ligand

Ate complexes of Ge(II) and Sn(II) with bidentate ligands $[\text{LiE}^{14}(\text{OCH}_2\text{CH}_2\text{NMe}_2)_3]_2$ ($\text{E}^{14} = \text{Ge}, \text{Sn}$): synthesis and structure, 478

Dimethylaminophenyl

Characterisation of the first authenticated organomercury hydroxide, 4-Me₂NC₆H₄HgOH, 515

Dimethyl carbonate

Sulfonate-bonded tin complexes for the production of diphenyl carbonate, 1816

Dimethyl fumarate

$\text{Ru}(\eta^6\text{-1,3,5-cyclooctatriene})(\eta^2\text{-dimethyl fumarate})_2$: a novel, versatile zerovalent ruthenium complex with electron-deficient olefinic ligands, 4530

Dinitrogen

A personal account of some dinitrogen and organometallic chemistry research at the University of Sussex, 3999

Dinuclear

Synthesis and characterisation of a new class of phosphine-phosphonite ferrocenediyl dinuclear rhodium complexes, 766

Dinuclear complex

Synthesis and molecular structures of dinuclear complexes with 1,2-dihydro-1,2-diphenyl-naphtho[1,8-c,d]1,2-diphosphole as a bridging ligand, 2624

Dinuclear complexes

Coordinating properties of $[\text{M}(\text{CO})_5(\text{CN})]^-$ [$\text{M} = \text{Cr}; \text{Mo}; \text{W}$] ligands: formation of ion pairs or dinuclear cyanide-bridged complexes, spectroscopic and X-ray diffraction studies, 2324

Dinuclear Fe(0) complexes

Novel dinuclear iron(0) complexes from α,β -unsaturated ketones β -positioned with sulfide and sulfoxide groups, 885

Dinuclear metallocene complexes

Alkylidenverbrückte dissymmetrische zweikernige Metallocenkomplexe als Katalysatoren für die Ethylenpolymerisation, 1194

Diols

Reactions of alkylalane diolates with water synthesis, characterisation and ϵ -caprolactone polymerisation activity of novel alane benzopinacولات, 2930

Sterically crowded diolates of group 13 metals, 2056

Diorganotin

Diorganotin(IV) derivatives of arylhydroxamic acids: synthesis, properties and antitumor activity, 4584

Syntheses, crystal structures, and quadratic nonlinear optical properties in four “push–pull” diorganotin derivatives, 2303

Synthesis and structural characterization of diorganotin(IV) esters of salicylidene-amino acids, 2480

Diorganotin (IV) compounds

Synthesis of the anisobidentate compound bis(2-amino-cyclopent-1-ene-carbodithioate)diethyltin (IV). Experimental and theoretical study, 2096

Diorganotin adducts

Synthesis and spectroscopic studies of diorganotin derivatives with 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structure of the first complexes of 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structures of 1,2:3,4-di- μ_2 -2-[(2,6-dimethylphenyl)amino]benzoato-*O*, *O*-1,3-bis-2-[(2,6-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-butyltin(IV)] and bis-2-[(2,6-dimethylphenyl)amino]benzoato-di-*n*-butyltin(IV), 317

Diorganotin(IV) complexes

Diorganotin(IV) complexes of dideprotonated pyridoxine (PN, vitamin B₆). The crystal structures of [SnEt₂(PN-2H)] · CH₃OH, [SnEt₂(PN-2H)(DMSO)] and [SnBu₂(PN-2H)], 620

Diorganotin dicarboxylates

Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899

2,2'-Dipyridylamines

Synthesis of C₂-symmetric and unsymmetrically substituted 2,2'-dipyridylamines and crystal structure of a chiral 2,2'-dipyridylamine copper(II) complex, 3767

Diphenyl carbonate

Sulfonate-bonded tin complexes for the production of diphenyl carbonate, 1816

Diphenyl-2-pyridylphosphine complexes

Trimethylsilylcyclopentadienylchromium(III) complexes with diphenyl-2-pyridylphosphine: synthesis, structural characterisation and catalytic behaviour of [(C₆H₅)₂PC₅H₄NH]-[(η^5 -Me₃SiCp)CrCl₃], 2268

Diphenylcuprate

The metal–halogen exchange reaction between *ortho*-substituted aryl halides and Ph₂CuLi · LiCN: scope and applicability for coupling reactions, 154

Diphenyldiselenide

Addition of diphenyl diselenide (PhSeSePh) to the clusters [Os₃(CO)₁₀(μ -dppm)] and [(μ -H)Os₃(CO)₈{Ph₂PCH₂P(Ph)-C₆H₄}]: X-ray structures of [Os₂(CO)₄(μ -SePh)₂(μ -dppm)], [Os₃(CO)₆(μ -CO)(μ -Se)₂(μ -C₆H₄)(μ -dppm)] and two isomers of [Os₃(CO)₈(μ -SePh)₂(μ -dppm)], 1569

Diphosphenes

Dichlorosilylene and dichlorogermylene transfer to alkylidene-phosphanes, 1331

Diphosphine

2,2'-Bis((di-*tert*-butylphosphino)methyl)-1,1'-biphenyl (ditbi): a bulky analogue of bisbi. The crystal structure of [Rh₂Cl₂(1,5-cod)₂(μ -ditbi)], 2975

Chelates formed by a constrained bis(diphenylphosphino)xylene; the crystal structures of [FeCl₂(anphos)] and [RhCl(CO)-(anphos-monoxide)], 2963

Diphosphine ligand

Thermally induced dual P–C bond cleavage routes from the imido-capped cluster Ru₃(CO)₇(μ_3 -CO)(μ_3 -NPh)(bpcd): synthesis, spectroscopic properties, and X-ray diffraction structures of Ru₃(CO)₇(μ_3 -CO)(μ_3 -NPh)(bpcd), Ru₃(CO)₅(μ_2 -CO)₂(μ_3 -NPh)(μ_2 -PPh₂)[μ , η^1 , η^1 -C=C(PPh₂)C(O)CH₂C(O)], Ru₃(CO)₆(μ_2 -CO)(μ_3 -NPh)(μ -PhCO)[μ_2 , η^2 , η^1 -PPhC=C(PPh₂)C(O)CH₂C(O)], and Ru₃(CO)₉(μ_3 -NPh)(μ_3 -PPh), 3426

Unusual chemical reactivity in the reactions of Re₂(CO)₈(μ -H)(μ - η^1 , η^2 -CH=CHBu) with 2,3-bis(diphenylphosphino) maleic anhydride (bma) and Re₂(CO)₈(bma) with Ni(cod)₂: X-ray diffraction structures of Re₂(CO)₈(bma), zwitterionic Re(CO)₄[Re(CO)₄(bma)], and the phosphido-bridged complex Re₂(CO)₈[μ - η^1 , η^1 -C=C(PPh₂)C(O)OC(O)](μ -PPh₂), 791

Diphosphines

Regioselective cyclotrimerization of phenylacetylenes to 1,2,4-triarylbenzenes catalyzed by iridium–diphosphine complexes, 14

Dipolar cycloadditions

Organometallic gold(III) and gold(I) complexes as catalysts for the 1,3-dipolar cycloaddition to nitrones: synthesis of novel gold–nitron derivatives, 1788

1,1'-Di(2-pyridyl)ferrocene

Synthesis, characterization and cytotoxicity of some palladium(II), platinum(II), rhodium(I) and iridium(I) complexes of ferrocenylpyridine and related ligands. Crystal and molecular structure of *trans*-dichlorobis(3-ferrocenylpyridine)palladium(II), 1553

Dirhenium compounds

Unusual chemical reactivity in the reactions of Re₂(CO)₈(μ -H)(μ - η^1 , η^2 -CH=CHBu) with 2,3-bis(diphenylphosphino) maleic anhydride (bma) and Re₂(CO)₈(bma) with Ni(cod)₂: X-ray diffraction structures of Re₂(CO)₈(bma), zwitterionic Re(CO)₄[Re(CO)₄(bma)], and the phosphido-bridged complex Re₂(CO)₈[μ - η^1 , η^1 -C=C(PPh₂)C(O)OC(O)](μ -PPh₂), 791

Diruthenium hexacarbonyls

Photolysis of diruthenium hexacarbonyl tetrahydride compounds in Nujol glass matrices, 2947

Discrete precursors to phosphate-stabilized nanocluster catalysts

The hydrogenphosphate complex of (1,5-cyclooctadiene)iridium(I), {[Bu₄N][{(1,5-COD)Ir · HPO₄}]}_{*n*}: synthesis, spectroscopic characterization, and ES-MS of a new, preferred precursor to HPO₄²⁻ and Bu₄N⁺ stabilized Ir(0)_{*n*} nanoclusters, 493

Diselenoimidodiphosphinato complexes

Six-membered tetracarbonylmanganese(I) and -rhenium(I) metalacycles containing the [Ph₂P(Se)NP(Se)Ph₂] ligand: solution and solid state characterization, 2827

Disilabenzene valence isomers

Facile valence isomerization among bis(silacyclopropenyl), disila(Dewar benzene) and disilabenzvalene, 1284

Disilanol

Facile syntheses, structural characterizations, and isomerization of disiloxane-1,3-diols, 471

Disilene complex

Isolable silylene, disilenes, trisilaallene, and related compounds, 4475

Disiloxane

Group 4 metallocene complexes with non-bridged and tetramethyldisiloxane-bridged methyl-phenyl-cyclopentadienyl ligands: synthesis, characterization and olefin polymerization studies, 4395

Disubstituted ferrocenes

Aminocarbonylation of 1,1'-diiodoferrocene, two-step synthesis of heterodisubstituted ferrocene derivatives via homogeneous catalytic carbonylation/coupling reactions, 2770

Disulfide

Comparative reactivity studies of dppf-containing CpRu^{II} and $(\text{C}_6\text{Me}_6)\text{Ru}^{\text{II}}$ complexes towards different donor ligands (dppf = 1,1'-bis(diphenylphosphino)ferrocene), 1978

Novel C–H activation and C–S formation reactions on disulfide and diselenide ligands in dinuclear ruthenium complexes, 4564

Disulfides

A new set of nickelacyclic carboxylates ("nickelalactones") containing pyridine as supporting ligand: synthesis, structures and application in C–C- and C–S- linkage reactions, 2952

Disulfido ligands

Synthesis and properties of oligomers of iron–manganese carbonyl complexes with bridging disulfido ligands, 1370

Disulfone

Reactions of organocobaloximes with aryldisulfonyl chlorides, 1102

Disulfonyl chlorides

Reactions of organocobaloximes with aryldisulfonyl chlorides, 1102

1,3-disilacyclobutane

IR laser decomposition of 1,3-disilacyclobutane in presence of carbon disulfide: chemical vapour deposition of polythiacarbosilane, 2697

Dithianes

Investigations into the preparation of sila- β -diketones via 2-trimethylsilyl-1,3-dithianes: structural characterization of a second polymorph of bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato)copper(II), 71

Dithiocarbamates

"2 + 1" Dithiocarbamate–isocyanide chelating systems for linking $\text{M}(\text{CO})_3^+$ ($\text{M} = {}^{99\text{m}}\text{Tc}$, Re) fragment to biomolecules, 4757

Dithiolene

Dithiolene transfer from nickel to a dimolybdenum centre: the first dithiolene alkyne complex, 522

Dithiolethione

Formation of 5-phenyl-1,2-dithiole-3-thione from molybdenum dithiopropiolato complexes, 1325

Dithiomorpholinocarbamate

Synthesis, spectroscopic properties and crystal structures of $\text{SnBr}_2[\text{S}_2\text{CN}(\text{CH}_2\text{CH}_2)_2\text{O}]_2$, $(4\text{-F-C}_6\text{H}_4\text{CH}_2)_2\text{Sn}(\text{Cl})\text{S}_2\text{CN}(\text{CH}_2\text{CH}_2)_2\text{O}$ and $(2\text{-F-C}_6\text{H}_4\text{CH}_2)_3\text{SnS}_2\text{CN}(\text{CH}_2\text{CH}_2)_2\text{O}$, 1277

Dithiopropiolato

Formation of 5-phenyl-1,2-dithiole-3-thione from molybdenum dithiopropiolato complexes, 1325

Divalent lanthanides

Organolanthanides with 3-(2-pyridylmethyl) indenyl ligands: synthesis, crystal structures and catalytic activities of divalent complexes for ϵ -caprolactone polymerization, 2646

DNA

Bioorganometallic chemistry of molybdocene dichloride, 4655

Potential inhibitors of DNA topoisomerase II: ruthenium(II) polypyridyl and pyridyl-azine complexes, 2256

Selective covalent binding of a positively charged water-soluble benzoheterocycle triosmium cluster to single- and double-stranded DNA, 4729

 σ -Donation

DFT studies of structural preference of coordinated ethylene in $\text{W}(\text{CO})_3(\text{PX}_3)_2(\text{CH}_2=\text{CH}_2)$ ($\text{X} = \text{H}$, CH_3 , F, Cl, Br, and I), 2275

Double oxidative addition

A zwitterionic triosmium cluster bearing a metallated azulene ligand coordinated perpendicularly as an alkylidene bridge, 2025

Double stranded DNA

Electrochemical gene detection based on supramolecular complex formation by ferrocenyl- β -cyclodextrin and adamantylnaphthalene diimide bound to double stranded DNA, 4722

Double-decker

Microwave-assisted synthesis of phthalocyanine–porphyrin complex and its photoelectric conversion properties, 2450

Double-helices

Supramolecular helical architecture assembled by double-helical $[\text{Ag}_2\text{L}_2]$ units, 43

Double-helix

Coordination chemistry of a multidentate pyrrolylaldimate ligand. X-ray crystal structure of double-helical bis- μ - $[\text{N},\text{N}'\text{-ethylenedi}(5\text{-tert-butyl-pyrrol-2-ylaldimate})]$ -dimagnesium, 947

dppf

$[1,1'\text{-Bis(diphenylphosphino)ferrocene}]$ palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system $[\text{Pd}(\text{dppf})(\text{SR}_\text{F})_2]$, 2464

dppf \equiv 1,1'-bis(diphenylphosphino)ferrocene

Coordination polymers and supramolecular structures in $\text{Ag}(\text{I})$ triflate–dppf systems (dppf = 1,1'-bis(diphenylphosphino)ferrocene), 1746

dppm

Helices of ruthenium complexes involving pyridyl-azine ligands: synthesis, spectral and structural aspects, 3612

dppmS

Reactions of $\text{Cu}_3(\text{dppm})_3(\mu_3\text{-OH})(\text{ClO}_4)_2$ (dppm = bis-(diphenylphosphino) methane) with Soft Heterocumulenes, 2726

Dynamic ^1H NMR spectroscopy

Thermodynamic and kinetic parameters associated with the fluxional behavior of 2-methyl- and 2,6-dimethyltroponeiron tricarbonyl complexes, 1131

Dynamic behavior

Mono- and bis-(2-dimethylaminoethyl)tetramethylcyclopentadienyl zirconium(IV) complexes: synthesis and structural studies in crystalline state and in solutions, 595

(E)- α -Aryltellurenylvinylsilane

Stereoselective synthesis of *(E)*- α -aryltellurenylvinylsilanes via hydromagnesiation reaction of alkynylsilanes, 1714

2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid

Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls – crystal structures of polymeric $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH-5-CHO})\}\text{-o}]_n$ and $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH}(\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{Cl-4})\})\text{-o}]_n$ – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702

4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls

Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls – crystal structures of polymeric $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH-5-CHO})\}\text{-o}]_n$ and $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH}(\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{Cl-4})\})\text{-o}]_n$ – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702

5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acids

Dibutyltin(IV) complexes of the 5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acid ligand: an investigation of structures by X-ray diffraction, solution and solid state tin NMR, electrospray ionisation MS and assessment of in vitro cytotoxicity, 4691

Early transition metal

Diene complexes of early transition metals: ideas and progresses at Osaka University, 4552

Early transition metals

Aryloxide-based multidentate ligands for early transition metals and f-element metals, 4228

Edge bridge

Synthesis and reactions of cycloheptadienyl and cyclooctadienyl tungsten complexes: X-ray crystal structure of $[\text{W}(\text{CO})_2(\text{PPh}_3)_2(\eta^5\text{-C}_7\text{H}_9)][\text{BF}_4]$, 848

EDOT

New emissive *fac*-tricarbonylchlorobis(ligand)rhenium(I) complexes prepared from pyridine/thiophene hybrid ligands, 1122

EHMO calculations

A structural, spectroscopic and theoretical study of the triphenylphosphine chalcogenide complexes of tungsten carbonyl, $[\text{W}(\text{XPPH}_3)(\text{CO})_5]$, X = O, S, Se, 860

Electrical conductivity

Studies on phthalocyanine sheet polymers, 2601

Studies on tetra-amine phthalocyanines, 3357

Electrochemical detection

Cyclopentadienylnickel thiolate complexes: synthesis, molecular structures and electrochemical detection of sulfur dioxide adducts, 387

Electrochemical gene detection based on supramolecular complex formation by ferrocenyl- β -cyclodextrin and adamantyl-naphthalene diimide bound to double stranded DNA, 4722

15-electron chromium(III) complexes

Synthetic, X-ray structural and protonation studies of $\text{CpCr}(\text{CO})_2\text{SPy}$ and $\text{CpCr}(\text{CO})_2\text{SPym}$ ($\text{SPy} = \text{C}_5\text{H}_4\text{NS}$, $\text{SPym} = \text{C}_4\text{H}_3\text{N}_2\text{S}$), 3210

18 Electron rule

Complementary spherical electron density model and its implications for the 18 electron rule, 4420

Electrochemical oxidation

Selective formation of *trans* and *cis*(CH_3CN) isomers of $[\text{Ru}(\text{bpy})(\text{CO})_2(\text{CH}_3\text{CN})_2]^{2+}$ ($\text{bpy} = 2,2'$ -bipyridine) from $[\text{Ru}(\text{CO})_2(\text{CH}_3\text{CN})_3]_2(\text{PF}_6)_2$ using an electrochemical oxidation step, 484

Electrochemical properties

Tetrametallic macrocyclic frameworks constructed from ferrocenedicarboxylate and 2,2'-bipyridine: synthesis, molecular structures and characteristics, 1218

Electrochemistry

A complete series of tricarbonylhalidorhenium(I) complexes ($\text{abpyRe}(\text{CO})_3(\text{Hal})$, Hal = F, Cl, Br, I; $\text{abpy} = 2,2'$ -azobispyridine: Structures, spectroelectrochemistry and EPR of reduced forms, 3031

Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631

Changes in the hydrogen bonding pattern in ferrocene peptides, 4669

Cu(I) and Ag(I) complexes of chalcogenide derivatives of the organometallic ligand dppf and the dppa analogue, 2808

Cyclometalated *N,N*-dimethylbenzylamine ruthenium(II) complexes $[\text{Ru}(\text{C}_6\text{HR}^1\text{R}^2\text{R}^3\text{-}o\text{-CH}_2\text{NMe}_2)(\text{bpy})(\text{RCN})_2]\text{PF}_6$ for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase, 4820

Electron-transfer-catalyzed ligand substitution of carboxylate niobocene complex induced by electrochemical oxidation, 3473

Improved synthesis of diethyl ferrocenylphosphonate, crystal structure of $(\text{FcPO}_3\text{Et}_2)_2 \cdot \text{ZnCl}_2$, and electrochemistry of ferrocenylphosphonates, $\text{FcP}(\text{O})(\text{OR})_2$, $\text{FcCH}_2\text{P}(\text{O})(\text{OR})_2$, $1,1'$ - $\text{fc}[\text{P}(\text{O})(\text{OR})_2]_2$ and $[\text{FcP}(\text{O})(\text{OEt})_2]_2 \cdot \text{ZnCl}_2$ ($\text{Fc} = (\eta^5\text{C}_5\text{H}_5)\text{Fe}(\eta^5\text{C}_5\text{H}_4)$, $\text{fc} = (\eta^5\text{C}_5\text{H}_4)\text{Fe}(\eta^5\text{C}_5\text{H}_4)$, R = Et, H), 2654

Ruthenium(II) complexes with ferrocene-modified arene ligands: synthesis and electrochemistry, 2456

Solution properties, electrochemical behavior and protein interactions of water soluble triosmium carbonyl clusters, 1796

Synthesis and structural characterisation of redox-responsive *N*-ferrocenoyl amino acid esters; the X-ray crystal structure of *N*-ferrocenoyl alanine methyl ester; electrochemical anion recognition and ^1H NMR complexation studies, 1511

Synthesis, electrochemistry, and crystal and molecular structures of some molybdenum(0) arene derivatives with fluorinated and phenyl-substituted arene ligands, 2158

Synthesis, structures and comparative electrochemical study of 2,5-bis(trimethylsilyl)ethynylthiophene coordinated cobalt carbonyl units, 3218

Thermally induced dual P–C bond cleavage routes from the imido-capped cluster $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$: synthesis, spectroscopic properties, and X-ray diffraction structures of $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$, $\text{Ru}_3(\text{CO})_5(\mu_2\text{-CO})_2(\mu_3\text{-NPh})(\mu_2\text{-PPh}_2)[\mu, \eta^1, \eta^1\text{-C}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, $\text{Ru}_3(\text{CO})_6(\mu_2\text{-CO})(\mu_3\text{-NPh})(\mu\text{-PhCO})[\mu_2, \eta^2, \eta^1\text{-PPhC}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, and $\text{Ru}_3(\text{CO})_9(\mu_3\text{-NPh})(\mu_3\text{-PPh})$, 3426

Electrochemistry (cyclic voltametry)

Synthesis, structure and redox potentials of biologically active ferrocenylalkyl azoles, 2473

Electrocyclic reactions

Chloro(η^5 -dihydropentalenyl)bis(triphenylphosphine)ruthenium(II): synthesis, structural characterization and catalytic activity in the dimerization of phenylacetylene, 419

Electroluminescence

Synthesis, characterization and luminescence study of dimethyl(β -ketoiminato)gallium (-indium) complexes: crystal structure of dimethyl[1-phenyl-3-*N*-(4-methoxyphenylimino)-1-butanonato]gallium, 3461

Electron spin resonance

Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diene-3-yl complexes – crystal structures and their retro reaction, 4592

(E)- α -Silylvinylstannane

A facile stereoselective synthesis of (E)- α -silylvinylstannanes via hydromagnesiation of alkynylsilanes, 3593

Electron transfer

Cyclometalated *N,N*-dimethylbenzylamine ruthenium(II) complexes $[\text{Ru}(\text{C}_6\text{HR}^1\text{R}^2\text{R}^3\text{-}o\text{-CH}_2\text{NMe}_2)(\text{bpy})(\text{RCN})_2]\text{PF}_6$ for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase, 4820

Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332

Titanocene-based group-II metal ions; solid-state structure of $\{[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CPh})_2]\text{Ag}\}\text{NO}_3$, 2690

Electron-transfer reduction

Electron-transfer reduction of selected alcohols with alkali K^+ , $\text{K}^+(15\text{-crown-5})_2$ via organometallic intermediates, 2361

Electron-transfer-catalyzed ligand substitution

Electron-transfer-catalyzed ligand substitution of carboxylate niobocene complex induced by electrochemical oxidation, 3473

Electron-withdrawing group

Effect of π -accepting substituent on the reactivity and spectroscopic characteristics of triarylbi-muthanes and triarylbi-muth dihalides, 3395

Electronic communication

Electronic communication through the ureylene bridge: spectroscopy, structure and electrochemistry of dimethyl 1',1'-ureylenedi(1-ferrocenecarboxylate), 2250

Electronic effect

Ligand electronic effects in the palladium catalyzed asymmetric allylic alkylation reaction with planar chiral diphosphine-oxazoline ferrocenyl ligands, 3847

Electronic interactions

Some ruthenium complexes containing cyanocarbon ligands: syntheses, structures and extent of electronic communication in binuclear systems, 3308

Electronic spectra

Structure and UV-Vis spectroscopy of nitrosylthiolatoferrate mononuclear complexes, 1702

Electronic structure

Structure and UV-Vis spectroscopy of nitrosylthiolatoferrate mononuclear complexes, 1702

Electrospray mass spectrometry

Reactions of isonitriles with $[\text{Fe}_3(\text{CO})_{12}]$ and $[\text{Ru}_3(\text{CO})_{12}]$ monitored by electrospray mass spectrometry: structural characterisation of $[\text{Fe}_3(\text{CO})_{10}(\text{CNPh})_2]$ and $[\text{Ru}_4(\text{CO})_{11}(\mu_3-\eta^2\text{-CNPh})_2(\text{CNPh})]$, 1691

Electrospray mass spectrometry of organometallics

The hydrogenphosphate complex of (1,5-cyclooctadiene)iridium(I), $\{[\text{Bu}_4\text{N}][(\text{1,5-COD})\text{Ir} \cdot \text{HPO}_4]\}_n$: synthesis, spectroscopic characterization, and ES-MS of a new, preferred precursor to HPO_4^{2-} and Bu_4N^+ stabilized $\text{Ir}(0)_n$ nano-clusters, 493

Electrosynthesis

Selective formation of *trans* and *cis*(CH_3CN) isomers of $[\text{Ru}(\text{bpy})(\text{CO})_2(\text{CH}_3\text{CN})_2]^{2+}$ (bpy = 2,2'-bipyridine) from $[\text{Ru}(\text{CO})_2(\text{CH}_3\text{CN})_3]_2(\text{PF}_6)_2$ using an electrochemical oxidation step, 484

Elementary processes

Design of catalytic processes based on studies of elementary processes, 4499

Emission

Synthesis of Re(I) complexes bearing tridentate 2,6-bis(7'-azaindoly)phenyl ligand with green emission properties, 1665

 η^2 -Enal complex

Reaction of η^2 -enone and enal-platinum(0) complexes with Lewis acidic compounds, 894

Enamides

Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685

Enantiopure complex

Synthesis and characterisation of a new class of phosphine-phosphonite ferrocenediyl dinuclear rhodium complexes, 766

Enantio-recognition

Stereoselective conjugate addition reactions of lithium amides to α,β -unsaturated chiral iron acyl complexes $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}=\text{CHR})]$, 4184

Enantioselective catalysis

Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868

Enantioselective synthesis

Molybdenum(VI)-complexes with chiral *N,O*-ligands derived from carbohydrates: synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 2752

Enantioselectivity

Mechanism in homogeneous catalysis; NMR as a prime mover, 4006

ene-diamido

Folded 2,5-diazapent-3-ene metallacycle in ene-diamido group 4 metal compounds: DFT and AIM analyses, 2847

Endo cyclometallation

Endo and *exo* cyclometallated iron carbonyl complexes derived from *N*-(*N'*-methyl-2-pyrrolylmethylidene)-2-thienylmethylamine, 3173

Enephosphoramidate

Lithiated anions derived from (alkenyl)pentamethyl phosphoric triamides: an accurate study of the carbanion formation mechanism, 1530

Energy transfer

Time-resolved fluorescence of α -(9-anthryl)- ω -(1-naphthyl)-oligosilanes: intramolecular electronic energy and charge transfer through π - π and σ - π interactions, 1029

Enones

Synthesis of di- and monobromo(ferrocenylvinyl)cyclopropanes, 2503

 η^2 -Enone complex

Reaction of η^2 -enone and enal-platinum(0) complexes with Lewis acidic compounds, 894

Epoxidation

Molybdenum(VI)-complexes with chiral *N,O*-ligands derived from carbohydrates: synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 2752

On the way to chiral epoxidations with methyltrioxorhenium(VII) derived catalysts, 3735

Epoxide polymer

Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD^+/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783

Epoxides

Online ATR-IR investigations and mechanistic understanding of the carbonylation of epoxides – the selective synthesis of lactones or polyesters from epoxides and CO, 971

EPR

Synthesis, characterization and structural investigation of the first vanadocene(IV) carboxylic acid complexes prepared from the vanadocene dichloride, 1180

EPR spectroscopy

A complete series of tricarbonylhalidorhenium(I) complexes $(\text{abpy})\text{Re}(\text{CO})_3(\text{Hal})$, Hal = F, Cl, Br, I; abpy = 2,2'-azobispyridine: Structures, spectroelectrochemistry and EPR of reduced forms, 3031

ESI-MS

Dibutyltin(IV) complexes of the 5-[(*E*)-2-(Aryl)-1-diazanyl]-2-hydroxybenzoic acid ligand: an investigation of structures by X-ray diffraction, solution and solid state tin NMR, electrospray ionisation MS and assessment of in vitro cytotoxicity, 4691

Ethene

Titanium and zirconium complexes containing the new 2,3-dimethyl-1,4-diphenylcyclopentadienyl ligand. Synthesis, characterization and polymerization behavior, 1623

Ether-phosphines

Syntheses and coordination behaviour of 2-(*ortho*-phosphinophenyl)-functionalised 1,3-dioxolanes and 1,3-dioxanes towards a $[(\text{COD})\text{Rh}]$ -complex fragment – models for immobilised complexes, 3117

Ethylzinc-amides

Syntheses and crystal structures of mono- and bi-metallic zinc compounds of symmetrically- and asymmetrically-substituted bis(amino)cyclodiphosph(V)azanes, 1110

9-Ethyl-9-borafluorene

Doubly hydrogen-bridged 1,2-diphenylenediboranes derived from 9-chloro-9-borafluorene and ligand exchange reactions, 58

Ethylene

Advances in selective ethylene trimerisation – a critical overview, 3641

Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene–norbornene copolymerization, 3402

Developments of rare earth metal catalysts for olefin polymerization, 4489

Oligomerisation of ethylene to linear α -olefins by tetrahedral cobalt(II) precursors stabilised by benzo[*b*]thiophen-2-yl-substituted (imino)pyridine ligands, 1356

Titanium and zirconium complexes containing sterically hindered hydrotris(pyrazolyl)borate ligands: synthesis, structural characterization, and ethylene polymerization studies, 286

Titanium ketimide complexes as α -olefin homo- and copolymerisation catalysts. X-ray diffraction structures of [TiCp'(N=C'Bu₂)Cl₂] (Cp' = Ind, Cp*), 203

Ethylene complexes

DFT studies of structural preference of coordinated ethylene in W(CO)₃(PX₃)₂(CH₂=CH₂) (X = H, CH₃, F, Cl, Br, and I), 2275

Ethylene oligomerization

Novel neutral arynickel(II) phosphine catalysts containing 2-oxazolinyphenolato N–O chelate ligands for ethylene oligomerization and propylene dimerization, 2614

Salen-type zirconium complexes with a labile coordination site and a robust skeleton: crystal structure of [(*t*-Bu₄-salen)ZrCl₂(H₂O)], 1212

Synthesis and characterization of *N*-(2-pyridyl)benzamide-based nickel complexes and their activity for ethylene oligomerization, 917

Ethylene polymerization

Alkylidenverbrückte dissymmetrische zweikernige Metallocenkomplexe als Katalysatoren für die Ethylenpolymerisation, 1194

Ethylene polymerization catalyzed by substituted pyrazole nickel complexes, 1835

Pyrrolide-imine benzyl complexes of zirconium and hafnium: synthesis, structures, and efficient ethylene polymerization catalysis, 1155

Self-immobilized metallocene catalysts bearing an allyl group for ethylene polymerization, X-ray crystal structure of [(CH₂=CHCH₂)CH₃Si(C₁₃H₈)₂]ZrCl₂, 678

The effect that 6-*tert*-butoxyhexyl functionalization has on ethylene polymerization in *ansa*-zirconocene dichlorides, 214

The synthesis and catalytic activity of poly(bis(imino)pyridyl) iron(II) metallodendrimer, 3040

Trimethylsilylcyclopentadienylchromium(III) complexes with diphenyl-2-pyridylphosphine: synthesis, structural characterization and catalytic behaviour of [(C₆H₅)₂PC₅H₄NH]-(η^5 -Me₃SiCp)CrCl₃], 2268

Ethylene–norbornene copolymerization

Syntheses of methylene-bridged *ansa*-zirconocene complexes and copolymerization studies of ethylene and norbornene, 2586

Ethyne ferrocenes

Synthesis and characterisation of aromatic ethynyl-bridged ferrocenes, 840

Ethynelestradiol

Introduction of a planar chirality onto steroid substrates: synthesis of (*S*) and (*R*)-2'-formylcymantrenyl-17 α -ethynylestradiols using (*S*) and (*R*)-1-formyl-2-iodo-cymantrenes, 4872

Ethynephenanthroline

Luminescent rhenium(I)–gold(I) hetero organometallics linked by ethynylphenanthrolines, 2905

Exo cyclometallation

Endo and *exo* cyclometallated iron carbonyl complexes derived from *N*-(*N*'-methyl-2-pyrrolylmethylidene)-2-thienylmethylamine, 3173

Experimental tumor systems

Synthesis, structure and redox potentials of biologically active ferrocenylalkyl azoles, 2473

Extended Hückel MO calculations

Unusual chemical reactivity in the reactions of Re₂(CO)₈(μ -H)(μ - η^1 , η^2 -CH=CHBu) with 2,3-bis(diphenylphosphino) maleic anhydride (bma) and Re₂(CO)₈(bma) with Ni(cod)₂: X-ray diffraction structures of Re₂(CO)₈(bma), zwitterionic Re(CO)₄[Re(CO)₄(bma)], and the phosphido-bridged complex Re₂(CO)₈[μ - η^1 , η^1 -C=C(PPh₂)C(O)OC(O)](μ -PPh₂), 791

f-element

Uranium-sulfilimine chemistry. Hydrolysis of Cp*₂UCl₂ with HNSPh₂ · H₂O and the crystal structure of Cp*₂UCl(OH)(HNSPh₂), a metallocene terminal hydroxy complex of tetravalent uranium, 2029

f-Element metals

Aryloxide-based multidentate ligands for early transition metals and f-element metals, 4228

[Fe₂S₂]-unit

Synthesis, structure and formation pathways of new Fe–S complexes containing [Fe₂S₂]-units in different valences, [Fe₂S₂(CO)₄(PPh₃)₂], [Fe₂S₂(CO)₆(PPh₃)₃] and [Fe₄S₂(CO)₁₀]^{2–} and the origin of the [Fe₂S₂]-unit in metal–[Fe₂S₂(CO)₆] complexes, 2674

Fe

Reactions of chelated η^3 -pentadienyl iron complexes with nucleophiles, 575

Fe–S complex

Synthesis, structure and formation pathways of new Fe–S complexes containing [Fe₂S₂]-units in different valences, [Fe₂S₂(CO)₄(PPh₃)₂], [Fe₂S₂(CO)₆(PPh₃)₃] and [Fe₄S₂(CO)₁₀]^{2–} and the origin of the [Fe₂S₂]-unit in metal–[Fe₂S₂(CO)₆] complexes, 2674

Fe-acyls complexes

Structural investigations on new iron-acyl derivatives of B(C₆F₅)₃, 4407

Fe₄S₃ Clusters

Synthesis and characterization of new acyclic polyethers and macrocyclic crown ethers containing double-butterfly Fe₄S₃ cluster cores. Crystal structures of {[Fe₂(CO)₆]₂-(μ_4 -S)}₂[μ -SCH₂(CH₂OCH₂)₂CH₂S- μ_2] and {[Fe₂(CO)₆]₂-(μ_4 -S)}₂[μ -SCH₂(CH₂OCH₂)₂CH₂S- μ][μ -SCH₂(CH₂OCH₂)₃-CH₂S- μ], 930

Ferrocene

β -Ferrocenyl- α , β -unsaturated phosphonates and sulfones, 1165

A new ferrocene conjugate of a tyrosine PNA monomer: synthesis and electrochemical properties, 4791

Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631

An efficient synthesis of ferrocenyl substituted 1,5-diketone and cyclic α , β -unsaturated ketones under ultrasound irradiation, 1843

Bucky ferrocene and ruthenocene: serendipity and discoveries, 4630

Changes in the hydrogen bonding pattern in ferrocene peptides, 4669

Cross-conjugated 3-ferrocenylmethylidene-2,4-dimethylpenta-1,4-diene in cationic cycloaddition and proton-catalyzed cyclodimerization reactions, 3232

Factors affecting the lability of the σ (M–X) bond in cycloplatinated and cyclopalladated complexes containing [C(sp²,

- ferrocene), N, X][−] or [C(sp², phenyl), N, X][−] (X = S, N) terdentate ligands, 3184
- Ferrocenyl and permethylferrocenyl cyclic and polyhedral siloxane polymers as mediators in amperometric biosensors, 2799
- Isolation of *fac*-[Re(CO)₃(HMPA)₃][BF₄]. Structural characterization of a key cationic intermediate in the exchange reaction between [Re(CO)₆][BF₄] and acetylferrocene. Implications in radiopharmaceutical chemistry, 273
- Knoevenagel condensation of [NC-CH₂C(O)-NH-CH(CO₂Et)-S]₂ with ferrocenecarbaldehyde and the activation of the σ(C-S) bond of [(η⁵-C₅H₅)Fe{(η⁵-C₅H₄)-CH=C(CN)-C(O)-NH-CH(CO₂Et)-CH₂-S-}]₂ induced by palladium(II), 2284
- Palladium-catalyzed asymmetric allylic alkylation using chiral hydrazone ligands with ferrocene skeleton, 2833
- Reaction of ferrocenecarboxylic acid with *N,N'*-disubstituted carbodiimides: synthesis, spectroscopic and X-ray crystallographic analysis of *N,N'*-disubstituted *N*-ferrocenylureas and identification of a one-pot coupling reagent for the formation of ferrocenecarboxamides in a non-aqueous solvent, 1472
- Reactions of 2,3-diferrocenylcyclopropenone with methyl lithium and phenyllithium, 2395
- Silicon containing ferrocenyl phosphane ligands, 770
- Substituent effects of phosphonate groups electronic repartition of π-conjugated ferrocene analogues of stilbene, 1867
- Synthesis and characterisation of a new class of phosphine-phosphonite ferrocenediyl dinuclear rhodium complexes, 766
- Synthesis and characterization of *meso*-ferrocenylethynyl 5,15-diphenylporphyrins, 1593
- Synthesis and structural characterisation of redox-responsive *N*-ferrocenyl amino acid esters; the X-ray crystal structure of *N*-ferrocenyl alanine methyl ester; electrochemical anion recognition and ¹H NMR complexation studies, 1511
- Synthesis and structures of some di- and triferrocenylmethane derivatives, 3541
- Synthesis of di- and monobromo(ferrocenylvinyl)cyclopropanes, 2503
- Synthesis, reactivity, electrochemical and crystallographic studies of diferrocenyl diselenide and ferrocenyl selenides, 3046
- Synthesis, structures and *rac/meso* isomerization behaviour of bisplanar chiral bis(phosphino-η⁵-indenyl)iron(II) complexes, 1897
- Synthesis, structures and reactions of some metallocene alcohols, 252
- Ferrocene amides**
- Aminocarbonylation of 1,1'-diiodoferrocene, two-step synthesis of heterodisubstituted ferrocene derivatives via homogeneous catalytic carbonylation/coupling reactions, 2770
- Ferrocene compounds**
- Ferrocenyl peptides with sulfur-containing side chains: synthesis, solid state and solution structures, 4856
- Ferrocene derivatives**
- Ruthenium(II) complexes with ferrocene-modified arene ligands: synthesis and electrochemistry, 2456
- Synthesis, structure and redox potentials of biologically active ferrocenylalkyl azoles, 2473
- 1,1'-Ferrocenedicarboxaldehyde
- First synthesis of 1,1'-ferrocene bis-aminophosphonic esters, 1265
- 1,1'-Ferrocenediyl
- Suzuki cross-coupling in aqueous media catalyzed by a 1,1'-*N*-substituted ferrocenediyl Pd(II) complex, 18
- Ferrocenecarboxaldehyde**
- α-(Ferrocenyl)-aminomethanephosphonous acids. First synthesis and preparation of their esters with cholesterol and adenosine, 1684
- Ferrocenecarboxamide**
- Reaction of ferrocenecarboxylic acid with *N,N'*-disubstituted carbodiimides: synthesis, spectroscopic and X-ray crystallographic analysis of *N,N'*-disubstituted *N*-ferrocenylureas and identification of a one-pot coupling reagent for the formation of ferrocenecarboxamides in a non-aqueous solvent, 1472
- Ferrocenemethanol**
- Dehydrogenative coupling as an efficient route to ferrocene functionalized siloxanes, 3468
- Ferrocenes**
- Synthesis of a tin-functionalized cyclopentadiene derivative, 3550
- Synthesis of the first pentaethynylferrocene derivatives, 4345
- Ferrocenium**
- Synthesis and reactivity of [N(C₆H₄Br)₃][B(C₆F₅)₄]: the X-ray crystal structure of [Fe(C₅H₅)₂][B(C₆F₅)₄], 2411
- Ferrocenophane**
- 1,1'-(1-Propene-1,3-diyl)-ferrocene: modified synthesis, crystal structure, and polymerisation behaviour, 775
- Synthesis, structures and reactions of some metallocene alcohols, 252
- Ferrocenyl-β-cyclodextrin**
- Electrochemical gene detection based on supramolecular complex formation by ferrocenyl-β-cyclodextrin and adamantyl-naphthalene diimide bound to double stranded DNA, 4722
- Ferrocenyl-derived ligands**
- Ligand electronic effects in the palladium catalyzed asymmetric allylic alkylation reaction with planar chiral diphosphine-oxazoline ferrocenyl ligands, 3847
- Ferrocenylalkyl azoles**
- Synthesis, structure and redox potentials of biologically active ferrocenylalkyl azoles, 2473
- Ferrocenylimines**
- Solvent-free synthesis of ferrocenylimines, 1617
- Ferrocenylphenylpyridines**
- Synthesis, characterization and cytotoxicity of some palladium(II), platinum(II), rhodium(I) and iridium(I) complexes of ferrocenylpyridine and related ligands. Crystal and molecular structure of *trans*-dichlorobis(3-ferrocenylpyridine)palladium(II), 1553
- Ferrocenylphosphonic acid**
- Improved synthesis of diethyl ferrocenylphosphonate, crystal structure of (FcPO₃Et)₂ · ZnCl₂, and electrochemistry of ferrocenylphosphonates, FcP(O)(OR)₂, FcCH₂P(O)(OR)₂, 1,1'-fc[P(O)(OR)₂]₂ and [FcP(O)(OEt)₂]₂ · ZnCl₂ (Fc = (η⁵-C₅H₅)Fe(η⁵-C₅H₄), fc = (η⁵-C₅H₄)Fe(η⁵-C₅H₄), R = Et, H), 2654
- Ferrocene polymer**
- 1,1'-(1-Propene-1,3-diyl)-ferrocene: modified synthesis, crystal structure, and polymerisation behaviour, 775
- Ferrocenylpyridines**
- Synthesis, characterization and cytotoxicity of some palladium(II), platinum(II), rhodium(I) and iridium(I) complexes of ferrocenylpyridine and related ligands. Crystal and molecular structure of *trans*-dichlorobis(3-ferrocenylpyridine)palladium(II), 1553
- Ferroquine**
- Easily synthesized antimalarial ferrocene triazacyclononane quinoline conjugates, 4678
- Fischer carbene**
- SET pathway in tributylstannyl lithium addition to alkynyl Fischer carbene complexes, 3528
- Fischer carbene complexes**
- Chemistry of Fischer-type rhenacyclobutadiene complexes. I. Deprotonation, addition/substitution of nucleophilic reagents at α-carbon, and insertion of heteroatoms into rhenium-carbon bonds, 2000

- Chemistry of Fischer-type rhenacyclobutadiene complexes. II. Reactions with alkynes and sulfonium ylides, and rearrangements induced by nitriles and pyridine, 2013
- Fischer carbenes
Structural investigations on new iron-acyl derivatives of $B(C_6F_5)_3$, 4407
Transition metal carbene chemistry 2: kinetic studies on the nucleophilic substitution reactions of $(CO)_5M=C(SCH_3)CH_3$ ($M = Cr$ and W) with morpholine in aqueous acetonitrile, 3520
- Fischer–Tropsch
Fischer–Tropsch, organometallics, and other friends, 4366
- Fischer–Tropsch reactions
Structural investigations on new iron-acyl derivatives of $B(C_6F_5)_3$, 4407
- Fisher carbene
Synthesis, structure and benzannulation of chalcogen-tethered Fischer carbene complexes, 3501
- Five-coordinate
Five-coordinate organoaluminum acetylides and crystal structure of the hydrosylate, $[Salophen(‘Bu)Al]_2O$, 759
- Fluorenyl
The effect that 6-*tert*-butoxyhexyl functionalization has on ethylene polymerization in *ansa*-zirconocene dichlorides, 214
- Fluorinated thiolate complexes
[1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system $[Pd(dppf)(SR_F)_2]$, 2464
- Fluorous
Hydroformylation in fluorosolvents, 1413
- Fluxional
Fluxional behavior of $Al(Et)(q')_2$ ($q' = 2$ -methyl-8-quinolinolato) studied by temperature dependent 1H NMR spectroscopy, 2421
- Fluxional behavior
Thermodynamic and kinetic parameters associated with the fluxional behavior of 2-methyl- and 2,6-dimethyltroponeiron tricarbonyl complexes, 1131
- Fluxionality
Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50
- Folate radiopharmaceutical
Organometallic ^{99m}Tc -technetium(I)- and Re-rhenium(I)-folate derivatives for potential use in nuclear medicine, 4712
- Folate receptor
Organometallic ^{99m}Tc -technetium(I)- and Re-rhenium(I)-folate derivatives for potential use in nuclear medicine, 4712
- Folic acid derivatives
Organometallic ^{99m}Tc -technetium(I)- and Re-rhenium(I)-folate derivatives for potential use in nuclear medicine, 4712
- Formation pathway
Synthesis, structure and formation pathways of new Fe–S complexes containing $[Fe_2S_2]$ -units in different valences, $[Fe_2S_2(CO)_4(PPh_3)_2]$, $[Fe_3S_2(CO)_6(PPh_3)_3]$ and $[Fe_4S_2(CO)_{10}]^{2-}$ and the origin of the $[Fe_2S_2]$ -unit in metal– $[Fe_2S_2(CO)_6]$ complexes, 2674
- Free radicals
A mechanistic investigation of $(Me_3Si)_3SiH$ oxidation, 2912
Reactions of free radicals with η^3 -allylpalladium(II) complexes: cyclohexyl radicals, 1257
- Friedel–Crafts reaction
 β -Ferrocenyl- α,β -unsaturated phosphonates and sulfones, 1165
- FT-IR
Preparation and structural studies on dibutyltin(IV) complexes with pyridine mono- and dicarboxylic acids, 1145
Preparation and structural studies on the $tBu_2Sn(IV)$ complexes with aromatic mono- and dicarboxylic acids containing hetero {N} donor atom, 2762
- FT-IR spectroscopy
Preparation and characterization of poly(amidoamine) dendrimers functionalized with a rhenium carbonyl complex and PEG as new IR probes for carbonyl metallo immunoassay, 4775
- Functionalized cyclopentadienyl ligands
Sulfur and oxygen functionalized cyclopentadienyl half-sandwich cobalt complexes with 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands, 2228
- Fullerene
Bucky ferrocene and ruthenocene: serendipity and discoveries, 4630
- Fullerenes
Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332
- Fulvene
Novel titanocene anti-cancer drugs derived from fulvenes and titanium dichloride, 2242
- Functionalisation
Functionalised tetraarylstannanes $Sn[C_6H_4-R]_4$ ($R = -CH(CH_2O)_2$, $-CH=O$, $-COOH$, $-CH=N-NH-C_6H_3-2,4-(NO_2)_2$, $-CH_2-OH$, $-CO-NH-CH_2-COO-CH_3$, $-CH[N(C_2H_4)_2O]_2$), 1546
- Functionalisation of polymers
Synthesis of novel tri-podal mesogenic alkenes and side-chain polysiloxanes, 2606
- Functionalized isocyanides
The Staudinger reaction of platinum(II)- and palladium(II)-coordinated 2-(azidomethyl)phenyl isocyanide. X-ray structure of *trans*- $[PtCl\{CN(H)C_6H_4-2-CH_2N(H)\}(PPh_3)_2][BF_4] \cdot CDCl_3 \cdot H_2O$, 454
- Functionalized Organotellurium halides
Synthesis and reactivity of *para*-substituted benzoylmethyltellurium(II and IV) compounds: observation of intermolecular C–H–O hydrogen bonding in the crystal structure of $(p-MeOC_6H_4COCH_2)_2TeBr_2$, 345
- Functionalized phosphines
Mononuclear and heterodinuclear transition metal complexes of functionalized phosphines. Crystal and molecular structures of $[Mo(CO)_5(RPC_6H_4OCH_2OCH_3-o)]$ ($R = Ph$, $C_6H_4O-CH_2OCH_3-o$), $[Ru(Ph_2PC_6H_4O-o)_3]$, $[Pd(Ph_2PC_6H_4O-o)_2]$ and $[PdCl(Ph_2PC_6H_4O-o)(Ph_2PC_6H_4OH-o)]$, 3335
- Furane
Cyclometallated platinum complexes with heterocyclic ligands, 1496
- Gallium
Sterically crowded diolates of group 13 metals, 2056
Synthesis and X-ray crystallographic structures of $[HGa(NMe_2)_2]_2$ and $[PhGa(NHNMe_2)_2]_2$, and room-temperature conversions of $[HGa(NMe_2)_2]_2$ to $(HGaNH)_n$ and $(HGaNMe)_n$, 666
- Gallium halogenides
Reaction between palladium(II) and gallium(III) halogenides in arenes: influence of halogen nature on the formation of binuclear palladium(I) clusters, 489
- Gem-dibromo(ferrocenylvinyl)cyclopropanes
Synthesis of di- and monobromo(ferrocenylvinyl)cyclopropanes, 2503
- Germanazenes
Aromaticity or non aromaticity in germanazenes? Theoretical studies on germanazenes, the *N*-cyano analogs and their carbodiimide isomers, 3279
- Germanium
Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylenes, 1337

- Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten $\text{Ph}_3\text{E}-\text{C}\equiv\text{W}(\text{O}^i\text{Bu})_3$ (E = Si, Ge, Sn) with hydrogen chloride: crystal structures of carbene complexes $\text{Ph}_3\text{E}-\text{CH}=\text{WCl}_2(\text{O}^i\text{Bu})_2$ (E = Si, Ge), 1127
- Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899
- Germa-trane**
New synthetic routes to allylic germa-tranes, 2565
- Germynes**
Phosphinohydrazines and phosphinohydrazides $\text{M}(\text{N}(\text{R})-\text{N}(\text{R})-\text{PPh}_2)_n$ of some transition and main group metals: synthesis and characterization. Rearrangement of $\text{Ph}_2\text{P}-\text{NR}-\text{NR}-$ ligands into aminoiminophosphorane, $\text{RN}=\text{PPh}_2-\text{NR}-$, and related chemistry, 3060
- Glass transition temperature (T_g)**
Syntheses of methylene-bridged *ansa*-zirconocene complexes and copolymerization studies of ethylene and norbornene, 2586
- Glucose-sensor**
Ferrocenyl and permethylferrocenyl cyclic and polyhedral siloxane polymers as mediators in amperometric biosensors, 2799
- Glycidol**
Electron-transfer reduction of selected alcohols with alkali K^+ , $\text{K}^+(15\text{-crown-5})_2$ via organometallic intermediates, 2361
- Glycolates**
On the way to chiral epoxidations with methyltrioxorhenium(VII) derived catalysts, 3735
- Gold**
Luminescent rhenium(I)–gold(I) hetero organometallics linked by ethynylphenanthrolines, 2905
- Organometallic gold(III) and gold(I) complexes as catalysts for the 1,3-dipolar cycloaddition to nitrones: synthesis of novel gold–nitron derivatives, 1788
- Synthesis of triarylphosphines having *para* –SH and –SMe groups. Preparation of their complexes and formation of a monolayer on a gold surface, 3621
- Two gold–ruthenium clusters derived from $\text{Ru}_3(\mu\text{-H})_3(\mu_3\text{-CBr})(\text{CO})_9$, 2558
- Gold(I)**
Golden crowns: cation binding by macrocyclic gold(I) crown ether derivatives, 374
- Synthesis, characterization, electrochemistry and luminescence studies of heterometallic gold(I)–rhenium(I) alkynyl complexes, 4451
- Gold(III) complex**
Study on carbon–hydrogen activation of ketones by Gold(III) complexes and the synthesis and characterization of two ketonylgold(III) complexes, 2969
- Green chemistry**
Solvent-free synthesis of ferrocenylimines, 1617
- Grignard reagents**
Titanium-mediated syntheses of cyclopropylamines, 2033
- Group**
Some past achievements and future perspectives in main group chemistry, 3866
- Group 1 and 2**
Calixarenes as platforms for the construction of multimetallic complexes, 4125
- Group 12**
Syntheses and structures of highly hindered N-functionalised alkyl and amido group 12 complexes MR_2 (M = Zn, Cd, and Hg), $[\text{MRCI}]_2$ (M = Zn and Hg), 1991
- Group 13**
9-Triptyceny complexes of group 13 and 15 halides and hydrides, 781
- Group 1 and 13 complexes of aryl-substituted bis(phosphino-imino)methyls, 722
- Group 13 elements**
A structural study of dimethylaluminum carboxylate and hydrazonate complexes, 2186
- Group 15**
9-Triptyceny complexes of group 13 and 15 halides and hydrides, 781
- Group 15 metals**
Reactions of hydrosulfido- and hydroselenido-bridged dinuclear Ir, Rh, and Ru complexes with SbCl_3 and BiCl_3 affording mixed-metal sulfido and selenido clusters containing both noble metals and Group 15 metals, 2338
- Group 2 metals**
Diene complexes of early transition metals: ideas and progresses at Osaka University, 4552
- Group 4 metals**
Folded 2,5-diazapent-3-ene metallacycle in ene-diamido group 4 metal compounds: DFT and AIM analyses, 2847
- Group 6**
Organometallic chemistry in a conventional microwave oven: the facile synthesis of group 6 carbonyl complexes, 2429
- gs-HMQC and gs-HMBC**
Simplified synthesis, ^1H , ^{13}C , ^{15}N , ^{119}Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazone(2–) ligand, 88
- Guanidino ligands**
Synthesis, characterization of homoleptic guanidino lanthanide complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 1019
- Guanylation**
Guanylation of aromatic amines catalyzed by vanadium imido complexes, 993
- ^1H and ^{13}C NMR spectroscopy
Triosmium clusters with bridging terpenic thioureato-like ligands, 2535
- H**
Simplified synthesis, ^1H , ^{13}C , ^{15}N , ^{119}Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazone(2–) ligand, 88
- H-bonding**
Changes in the hydrogen bonding pattern in ferrocene peptides, 4669
- H-bonding interactions**
Modulation of SHG responses via supramolecular association/dissociation between two complementary cryptands, 4877
- H-COSY**
Simplified synthesis, ^1H , ^{13}C , ^{15}N , ^{119}Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazone(2–) ligand, 88
- Hafnium**
Group 4 metallocene complexes with non-bridged and tetramethyldisiloxane-bridged methyl-phenyl-cyclopentadienyl ligands: synthesis, characterization and olefin polymerization studies, 4395
- Pyrrolide-imine benzyl complexes of zirconium and hafnium: synthesis, structures, and efficient ethylene polymerization catalysis, 1155
- Half-sandwich complexes**
Sulfur and oxygen functionalized cyclopentadienyl half-sandwich cobalt complexes with 1,2-dicarba-*closa*-dodecaborane-1,2-dichalcogenolato ligands, 2228
- Halide**
Synthese und Reaktionsverhalten von Platin(II) und Kupfer(I) Koordinationspolymeren; die Festkörperstruktur von $\text{Pt}[(\eta^2\text{-C}\equiv\text{CPh})_2\text{Pt}\{(\eta^2\text{-C}\equiv\text{CPh})\text{CuBr}\}_2]_n$ und $\text{trans-(Ph}_3\text{P)}_2\text{-Pt}\{(\eta^2\text{-C}\equiv\text{CPh})\text{CuNO}_3\}_2$, 1464

Halide variation

A complete series of tricarbonylhalidorhenium(I) complexes (abpy)Re(CO)₃(Hal), Hal = F, Cl, Br, I; abpy = 2,2'-azobispyridine: Structures, spectroelectrochemistry and EPR of reduced forms, 3031

Halocarbonyls

Six-membered tetracarbonylmanganese(I) and -rhenium(I) metalacycles containing the [Ph₂P(Se)NP(Se)Ph₂] ligand: solution and solid state characterization, 2827

Hamilabile substituent

Synthesis and reactivity of substituted cyclopentadienyl rhodium(I) and (III) complexes, 823

Hammett

Substituent effects of phosphonate groups electronic repartition of π -conjugated ferrocene analogues of stilbene, 1867

Heat-resistant materials

Synthesis of poly{[bis(diethynylphenyl)silylene]phenylene}s with highly heat-resistant properties and an application to conducting materials, 1540

Heck reaction

[1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system [Pd(dppf)(SR_F)₂], 2464

Palladacycles in catalysis – a critical survey, 4055

Synthesis of a new class of unsymmetrical PCP' pincer ligands and their palladium (II) complexes: X-ray structure determination of PdCl[C₆H₃-2-CH₂PPh₂-6-CH₂PBu'₂], 2494

Heck-vinylation

Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst, 2786

Hemilabile ligands

Coordination properties of N₂S (1,5-bis(3,5-dimethyl-1-pyrazolyl)-3-thiapentane) or N₂S₂ (1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane or 1,2-bis[3-(3,5-dimethyl-1-pyrazolyl)-2-thiapropryl]benzene) donor ligands toward Rh(I), 1599

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

Rhodium-carbonyl complexes with a quinolyl functionalized Cp-ligand: synthesis and photochemical activation, 3024

Syntheses and coordination behaviour of 2-(*ortho*-phosphinophenyl)-functionalised 1,3-dioxolanes and 1,3-dioxanes towards a [(COD)Rh]-complex fragment – models for immobilised complexes, 3117

Heptamethylindenyl ligand

Synthesis and reactivity of bis(heptamethylindenyl) yttrium (Ind*₂Y) complexes containing alkyl and hydride ligands: crystal structure of Ind*₂YCl(THF), 870

Heteroatomic acid

Synthesis, characterizations and crystal structures of di-*n*-butyltin(IV) complexes with heteroatomic (N, O or S) acid, 1675

Hetero organometallics

Luminescent rhenium(I)–gold(I) hetero organometallics linked by ethynylphenanthrolines, 2905

Heteroannulation

Palladium-catalyzed heteroannulation of cyclic alkenes by functionally substituted aryl iodides, 3756

Heteroaromatic carboxylic acid

Synthesis and characterization of tri(*o*-fluorobenzyl)tin esters of heteroaromatic carboxylic acid and crystal structures of tri(*o*-fluorobenzyl)tin esters of 4-pyridinecarboxylic acid and 3-pyridinecarboxylic acid, 246

Heterobimetallic

Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882

Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of [(η^5 -C₅H₅)(CO)₃W(CH₂)₃Mo(CO)₂(PPh₃)(η^5 -C₅H₅)] and [(η^5 -C₅H₅)(CO)₂(PPh₃)Mo(CH₂)₃Fe(CO)₂(η^5 -C₅H₅)], 181

Heterobinuclear complex

Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919

Heterochelate PN ligand

Diastereoselective intramolecular C–H bond activation on a prochiral sp³ carbon by a cationic Ir(I) complex having an optically active P–N hybrid ligand, 3

Heterocumulenes reactions

Reactions of Cu₃(dppm)₃(μ_3 -OH)(ClO₄)₂ (dppm = bis-(diphenylphosphino) methane) with Soft Heterocumulenes, 2726

Heterocycles

Organometallic chemistry of 15-membered tri-olefinic macrocycles: catalysis by palladium(0) complexes in carbon–carbon bond-forming reactions, 3669

The thermally stable silylene Si[(NCH₂Bu')₂C₆H₄-1,2]: reaction with pyridine and quinoline, 1350

Heterogenous catalysis

Transition metal clusters and supported species with metal–carbon bonds from first-principles quantum chemistry, 4384

Heterometallic complexes

Calixarenes as platforms for the construction of multimetallic complexes, 4125

Heterobimetallic complexes as oxygen donor bidentate ligands: synthesis of early–late trinuclear complexes, 2641

Hexacarbonyl

Syntheses and characterizations of group 6 metal cyanotrihydroborate complexes, 544

Hexacarbonylrhenium

Isolation of *fac*-[Re(CO)₃(HMPA)₃][BF₄]. Structural characterization of a key cationic intermediate in the exchange reaction between [Re(CO)₆][BF₄] and acetylferrocene. Implications in radiopharmaceutical chemistry, 273

1-Hexene

Advances in selective ethylene trimerisation – a critical overview, 3641

Hexachlorotropone

The alkyne-anion promoted ring-contraction of hexachlorotropone: synthesis and structure of [trimethylsilyl-(pentachlorobenzoyl)ethyne]-hexacarbonyldicobalt, 8

Hexamethyl disilazane

Magnesium triflate [Mg(OTf)₂] a highly stable, non-hygroscopic and a recyclable catalyst for the high yielding preparation of diethyl α -trimethylsilyloxyphosphonates from diethyl α -hydroxyphosphonates by HMDS under solventless conditions, 3197

Hexamethylbenzene

Comparative reactivity studies of dppf-containing CpRu^{II} and (C₆Me₆)Ru^{II} complexes towards different donor ligands (dppf = 1,1'-bis(diphenylphosphino)ferrocene), 1978

Reactivity studies of (η^6 -arene)ruthenium dimeric complexes towards pyrazoles: isolation of amidines, bis pyrazoles and chloro bridged pyrazole complexes, 3265

Synthesis, characterization and molecular structure of the [(η^6 -C₆Me₆)Ru(μ -N₃)(N₃)₂] complex and its reactions with some monodentate ligands, 3108

Hexanuclear

Hexa- and triosmium carbonyl clusters bearing bridging dppm and capping sulfido ligands, 2571

High spin

Coordinatively unsaturated organometallic system based on Tp ligand: tetrahedral $\text{Tp}^{\text{R}}\text{M-R'}$ and $\text{Tp}^{\text{R}}\text{M-M'L}_n$ species, 4540

Histidine

Conjugates of vitamin B12 with N_ϵ -functionalized histidine for labeling with $[\text{}^{99\text{m}}\text{Tc}(\text{OH})_2(\text{CO})_3]^+$: synthesis and biodistribution studies in tumor bearing mice, 4803

HMPA

Isolation of *fac*- $[\text{Re}(\text{CO})_3(\text{HMPA})_3][\text{BF}_4]$. Structural characterization of a key cationic intermediate in the exchange reaction between $[\text{Re}(\text{CO})_6][\text{BF}_4]$ and acetylferrocene. Implications in radiopharmaceutical chemistry, 273

 ^1H NMR

A multinuclear NMR study in the solid state and in solution of thallium(I) tris-(pyrazol-1-yl)borates (thallium scorpionates), 463

 ^1H NMR coordination studies

Synthesis and structural characterisation of redox-responsive *N*-ferrocenoyl amino acid esters; the X-ray crystal structure of *N*-ferrocenoyl alanine methyl ester; electrochemical anion recognition and ^1H NMR complexation studies, 1511

 ^1H NMR studies

Reactions of organocobaloximes with aryldisulfonyl chlorides, 1102

HOESY NMR

Cationic olefin Pd(II) complexes bearing α -iminoketone N,O-ligands: synthesis, intramolecular and interionic characterization and reactivity with olefins and alkynes, 647

Homoallyl alcohol

Formation of an η^3 -allyl and a cyclic γ -hydroxyalkyl complex of molybdenum from reaction of $\text{MoH}_2(\eta^5\text{-cyclopentadienyl})_2$ with homoallyl alcohol, 1025

Homogeneous biphasic catalysis

Rh-catalyzed addition of boronic acids to alkynes for the synthesis of trisubstituted alkenes in a biphasic system - Mechanistic study and recycling of the Rh/*m*-TPPTC catalyst, 3820

Homogeneous catalysis

Aminocarbonylation of 1,1'-diiodoferrocene, two-step synthesis of heterodisubstituted ferrocene derivatives via homogeneous catalytic carbonylation/coupling reactions, 2770

Improving palladium-catalyzed cyanation of aryl halides: development of a state-of-the-art methodology using potassium hexacyanoferrate(II) as cyanating agent, 4576

Regioselective cyclotrimerization of phenylacetylenes to 1,2,4-triarylbenzenes catalyzed by iridium-diphosphine complexes, 14

Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685

Homoleptic olefin platinum(0) complexes

Convenient synthesis of Pt(0) olefin complexes by colorimetric reduction of Pt(II) complexes with SmI_2 , 662

HRTEM

Nanostructured ruthenium on $\gamma\text{-Al}_2\text{O}_3$ catalysts for the efficient hydrogenation of aromatic compounds, 639

Hybridisation

Complementary spherical electron density model and its implications for the 18 electron rule, 4420

Hydrazide

Synthesis and X-ray crystallographic structures of $[\text{HGa}(\text{NMe}_2)_2]_2$ and $[\text{PhGa}(\text{NHNMe}_2)_2]_2$, and room-temperature conversions of $[\text{HGa}(\text{NMe}_2)_2]_2$ to $(\text{HGaNH})_n$ and $(\text{HGaNMe})_n$, 666

Hydrazine hydrate

A convenient synthesis of some symmetrical and unsymmetrical diarylmethyl sulfur and selenium compounds: X-ray crystal structure of diphenylmethylseleno-2-propene and bis[*p*-chlorophenyl(phenyl)methyl] diselenide, 3327

Hydrazone

Palladium-catalyzed asymmetric allylic alkylation using chiral hydrazone ligands with ferrocene skeleton, 2833

Hydrazone ligand

Simplified synthesis, ^1H , ^{13}C , ^{15}N , ^{119}Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazone(2-) ligand, 88

Hydrazones

A structural study of dimethylaluminum carboxylato and hydrazonato complexes, 2186

Hydride

9-Triptyceny complexes of group 13 and 15 halides and hydrides, 781

Degradation of the ruthenium-based metathesis catalyst $[\text{RuCl}_2(=\text{CHPh})(\text{H}_2\text{IPr})(\text{PCy}_3)]$ with primary alcohols, 3113

Potential inhibitors of DNA topoisomerase II: ruthenium(II) polypyridyl and pyridyl-azine complexes, 2256

Preparation and reactivity of osmium(II) hydride complexes with phosphites and polypyridyls, 1639

Synthesis and X-ray crystallographic structures of $[\text{HGa}(\text{NMe}_2)_2]_2$ and $[\text{PhGa}(\text{NHNMe}_2)_2]_2$, and room-temperature conversions of $[\text{HGa}(\text{NMe}_2)_2]_2$ to $(\text{HGaNH})_n$ and $(\text{HGaNMe})_n$, 666

Hydrido complex

Formation of an η^3 -allyl and a cyclic γ -hydroxyalkyl complex of molybdenum from reaction of $\text{MoH}_2(\eta^5\text{-cyclopentadienyl})_2$ with homoallyl alcohol, 1025

Hydroalkoxycarbonylation

Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685

Hydroborate

Syntheses and characterizations of group 6 metal cyanotrihydroborate complexes, 544

Hydroboration

Chiral organochlorosilanes derived from terpenes: diastereoselective hydrosilylation of methylene bicyclo[2.2.1]heptanes with $\text{HSiMe}_n\text{Cl}_{3-n}$ ($n = 0-2$), 909

Olefin hydroboration of borazine with vinylsilanes as precursors of Si-B-C-N ceramics, 2311

Hydrocarbyl

Coordinatively unsaturated organometallic system based on Tp ligand: tetrahedral $\text{Tp}^{\text{R}}\text{M-R'}$ and $\text{Tp}^{\text{R}}\text{M-M'L}_n$ species, 4540

Hydrochloric acid

Reaction of $\text{Ru}_3(\text{CO})_{12}$ with but-2-yn-1,4-diol in $\text{CH}_3\text{OH}/\text{KOH}$ solution. Crystal structure of $(\mu\text{-Cl})\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^4\text{-H}_2\text{CCC}(\text{H})\text{CH}_2]$, 35

Hydrodesulfurization

Role of single-site catalysts in the hydrogenation of thiophenes: from models systems to effective HDS catalysts, 4277

Hydroesterification

Selective hydroalkoxycarbonylation of enamides to *N*-acyl amino acid esters: synthetic applications and theoretical studies, 3685

Hydroformylation

2,2'-Bis((di-*tert*-butylphosphino)methyl)-1,1'-biphenyl (ditbi): a bulky analogue of bisbi. The crystal structure of $[\text{Rh}_2\text{Cl}_2(1,5\text{-cod})_2(\mu\text{-ditbi})]$, 2975

Chelates formed by a constrained bis(diphenylphosphino)xylene; the crystal structures of $[\text{FeCl}_2(\text{anphos})]$ and $[\text{RhCl}(\text{CO})(\text{anphos-monoxide})]$, 2963

Coordination chemistry of ester-functionalized cp ligands: synthesis and catalytic activity of $[\text{Rh}\{\text{CpCO}_2(\text{CHPh})_2\text{-OH}\}(\text{NBD})]$ and $[\text{Rh}\{\text{CpCO}_2(\text{CH}_2)_3\text{OH}\}(\text{NBD})]$, 2216

Hydroformylation in fluorous solvents, 1413

Rhodium-catalyzed hydroformylation of C6 alkenes and alkene mixtures - a comparative study in homogeneous and

- aqueous-biphasic media using PPh_3 , TPPTS and TPPMS ligands, 3782
- Synthesis and characterisation of a new class of phosphine-phosphonite ferrocenediyl dinuclear rhodium complexes, 766
- Xantphos as *cis*- and *trans*-chelating ligand in square-planar platinum(II) complexes. Hydroformylation of styrene with platinum-*xantphos*-tin(II)chloride system, 1188
- Hydrogen bonding
- Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631
- Synthesis, structures and reactions of some metallocene alcohols, 252
- Hydrogen bonds
- Ferrocenyl peptides with sulfur-containing side chains: synthesis, solid state and solution structures, 4856
- Hydrogen-bonded systems between monocarboxylic acids and the trinuclear cluster cation $[\text{H}_3\text{Ru}_3(\text{C}_6\text{H}_6)(\text{C}_6\text{Me}_6)_2(\text{O})]^+$: cold-spray ionisation mass spectroscopic and X-ray crystallographic studies, 2820
- Selective lithiation and crystal structures of G1-carbosilane dendrimers with dimethoxybenzene functionalities, 1095
- Hydrogen-bonding
- Coordination polymers and supramolecular structures in $\text{Ag}(\text{I})$ triflate-dppf systems ($\text{dppf} = 1,1'$ -bis(diphenylphosphino)ferrocene), 1746
- Hydrogenation
- Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868
- Coordination chemistry of ester-functionalized cp ligands: synthesis and catalytic activity of $[\text{Rh}\{\text{CpCO}_2(\text{CHPh})_2\text{-OH}\}(\text{NBD})]$ and $[\text{Rh}\{\text{CpCO}_2(\text{CH}_2)_3\text{OH}\}(\text{NBD})]$, 2216
- Degradation of the ruthenium-based metathesis catalyst $[\text{RuCl}_2(\text{=CHPh})(\text{H}_2\text{IPr})(\text{PCy}_3)]$ with primary alcohols, 3113
- Irreversible cleavage of a carbene-rhodium bond in Rh-*N*-heterocyclic carbene complexes: implications for catalysis, 3203
- Platinum carbonyl derived catalysts on inorganic and organic supports: a comparative study, 309
- Rhodium complexes with chiral counterions: achiral catalysts in chiral matrices, 751
- Role of single-site catalysts in the hydrogenation of thiophenes: from models systems to effective HDS catalysts, 4277
- Water-soluble (η^6 -arene)ruthenium(II)-phosphine complexes and their catalytic activity in the hydrogenation of bicarbonate in aqueous solution, 1036
- Hydrogenation benzene
- Supramolecular cluster catalysis: facts and problems, 1362
- Hydrogenation of imines
- $\text{Ir}(\text{I})$ complexes with oxazoline-thioether ligands: nucleophilic attack of pyridine on coordinated 1,5-cyclooctadiene and application as catalysts in imine hydrogenation, 1911
- Hydrogenphosphate-organometallic complexes
- The hydrogenphosphate complex of (1,5-cyclooctadiene)iridium(I), $\{[\text{Bu}_4\text{N}][(\text{1,5-COD})\text{Ir} \cdot \text{HPO}_4]\}_n$: synthesis, spectroscopic characterization, and ES-MS of a new, preferred precursor to HPO_4^{2-} and Bu_4N^+ stabilized $\text{Ir}(0)_n$ nanoclusters, 493
- Hydrolysis
- Reactions of alkylalane diolates with water synthesis, characterisation and ϵ -caprolactone polymerisation activity of novel alane benzopinacolates, 2930
- Hydromagnesiation
- A facile stereoselective synthesis of (*E*)-1,2-disubstituted vinylstannanes via hydromagnesiation of alkylarylacetylenes, 2531
- A facile stereoselective synthesis of (*E*)- α -silylvinylstannanes via hydromagnesiation of alkynylsilanes, 3593
- Stereoselective synthesis of (*E*)- α -aryltellurenylvinylsilanes via hydromagnesiation reaction of alkynylsilanes, 1714
- Hydrosilylation
- Chiral organochlorosilanes derived from terpenes: diastereoselective hydrosilylation of methylene bicyclo[2.2.1]heptanes with $\text{HSiMe}_n\text{Cl}_{n-2}$ ($n = 0-2$), 909
- Regioselectivity in the rhodium catalysed 1,4-hydrosilylation of isoprene. Aspects on reaction conditions and ligands, 438
- Hydrostannylation
- Synthesis of a tin-functionalized cyclopentadiene derivative, 3550
- Hydrotris(pyrazolyl)borate
- A one-pot method to prepare the carbene complex $[\text{Tp}^{\text{Me}_2\text{Cl}} - \text{RhCl}_2(\text{CHN}^i\text{Pr}_2)]$ from $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{Rh}(\text{CO})_2]$, CHCl_3 , and NH^iPr_2 , 1763
- Coordinatively unsaturated organometallic system based on Tp ligand: tetrahedral $\text{Tp}^{\text{R}}\text{M-R'}$ and $\text{Tp}^{\text{R}}\text{M-M'L}_n$ species, 4540
- Hydroxamate ligands
- Diorganotin(IV) derivatives of arylhydroxamic acids: synthesis, properties and antitumor activity, 4584
- Hydroxide
- Characterisation of the first authenticated organomercury hydroxide, 4-Me₂NC₆H₄HgOH, 515
- Uranium-sulfilimine chemistry. Hydrolysis of Cp^*UCl_2 with $\text{HNSPh}_2 \cdot \text{H}_2\text{O}$ and the crystal structure of $\text{Cp}^*\text{UCl}(\text{OH})(\text{HNSPh}_2)$, a metallocene terminal hydroxy complex of tetravalent uranium, 2029
- Hydrozirconation
- Hydrozirconation of first-generation allyl-functionalized dendrimers and dendrimer model compounds, 1876
- Hypercoordination
- A new heptacoordinated organogermanium compound; trichlorogermyl[tris(2-methoxyphenyl)]methane, 3275
- Hyperpolarizabilities
- Alkynyl compounds and nonlinear optics, 3968
- Hypersilyl
- Dimeric and trimeric diorganosilicon chalcogenides $(\text{PhRSiE})_{2,3}$ ($\text{E} = \text{S}, \text{Se}, \text{Te}$; $\text{R} = \text{Ph}, \text{Me}$), 4909
- Organosilicon hypersilylchalcogenolates and related compounds, 4897
- Hypervalent
- Synthesis and structure of 5,6,7,12-tetrahydridobenz[c,f][1,5]-azabismocines, 3012
- Synthesis and structures of organoantimony compounds containing intramolecular Sb-N interactions, 2593
- Hypervalent bonds
- Telluranes: potential synthons for charge-transfer complexes (involving hypervalent Te-I bonds) and serendipitous synthesis of the first triphenyl methyl phosphonium salts containing $[\text{C}_4\text{H}_8\text{TeI}_4]^{2-}$ and $[\text{TeI}_6]^{2-}$ anions, 194
- Hypho
- Metallacarborane chemistry of the *hypho*-[6,7- $\text{C}_2\text{B}_6\text{H}_{13}$]⁻ anion: the formation of uniquely structured metallacarboranes [5- Cp^* -*arachno*-5,4,6-RhC₂B₆H₁₃] and [2,5- Cp_2^* -10-Me-*nido*-2,5,1-Rh₂CB₆H₉]($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$): complete rhodium analogues of *arachno*-4, 6- $\text{C}_2\text{B}_7\text{H}_{13}$ and *nido*-1-CB₈H₁₂, 2702
- Hypophosphorous acid
- α -(Ferrocenyl)-aminomethanephosphonous acids. First synthesis and preparation of their esters with cholesterol and adenosine, 1684
- Imido
- Guanylation of aromatic amines catalyzed by vanadium imido complexes, 993

- Isocyanide insertion reactivity of dinuclear niobium and tantalum imido complexes: X-ray crystal structure of $[\{\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)(\text{CH}_2\text{Ph})_2\}_2(\mu\text{-1,4-NC}_6\text{H}_4\text{N})]$, 1304
- Imido-capped clusters
- Thermally induced dual P–C bond cleavage routes from the imido-capped cluster $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$: synthesis, spectroscopic properties, and X-ray diffraction structures of $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$, $\text{Ru}_3(\text{CO})_5(\mu_2\text{-CO})_2(\mu_3\text{-NPh})(\mu_2\text{-PPh}_2)[\mu, \eta^1, \eta^1\text{-C}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, $\text{Ru}_3(\text{CO})_6(\mu_2\text{-CO})(\mu_3\text{-NPh})(\mu\text{-PhCO})[\mu_2, \eta^2, \eta^1\text{-PPhC}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, and $\text{Ru}_3(\text{CO})_9(\mu_3\text{-NPh})(\mu_3\text{-PPh})$, 3426
- Imine
- Cyclometallated platinum complexes with heterocyclic ligands, 1496
- Five- and six-membered platinacycles derived from phenantryl and anthracenyl imines, 1956
- Imine π -coordination
- Syntheses and structures of iron carbonyl complexes derived from *N*-(5-methyl-2-thienylmethylidene)-2-thioethylamine and *N*-(6-methyl-2-pyridylmethylidene)-2-thioethylamine, 2192
- Imines
- Regioselective cyclomanganation of Schiff bases. An unexpected effect of chloro substituents, 4889
- (Imino)pyridine
- Oligomerisation of ethylene to linear α -olefins by tetrahedral cobalt(II) precursors stabilised by benzo[*b*]thiophen-2-yl-substituted (imino)pyridine ligands, 1356
- Iminophosphines
- Aziridine-derived iminophosphine ligands in palladium-catalyzed allylic substitution, 3604
- Immine/azine
- Arene ruthenium complexes incorporating immine/azine hybrid-chelating N–N' donor ligands: synthetic, spectral, structural aspects and DFT studies, 1821
- Immobilisation
- Syntheses and coordination behaviour of 2-(*ortho*-phosphinophenyl)-functionalised 1,3-dioxolanes and 1,3-dioxanes towards a $[(\text{COD})\text{Rh}]$ -complex fragment – models for immobilised complexes, 3117
- Immobilized
- Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110
- Indenyl
- Syntheses and characterization of indenylruthenium(II) complexes containing *N,N'* donor Schiff base ligands. Molecular structures of $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)_2(\text{CH}_3\text{CN})]\text{BF}_4$ and $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)(\text{C}_5\text{H}_4\text{-N-2-CH}=\text{N-C}_6\text{H}_4\text{-}p\text{-CH}_3)]\text{BF}_4$, 1249
- Synthesis, structures and *rac/meso* isomerization behaviour of bisplanar chiral bis(phosphino- η^5 -indenyl)iron(II) complexes, 1897
- Trimethylsilyl-functionalised bis(indenyl)iron(II) complexes: solid-state structure of $[\eta^5\text{-1,3-(SiMe}_3)_2\text{C}_9\text{H}_5]_2\text{Fe}$, 1139
- Indium
- Cyclic dialkylindium amides: new structural information and ultra-purification using inorganic and inorgano-organic layered materials, 3000
- Sterically crowded diolates of group 13 metals, 2056
- Indolines
- Palladium-catalyzed heteroannulation of cyclic alkenes by functionally substituted aryl iodides, 3756
- Inorganic oxides
- Platinum carbonyl derived catalysts on inorganic and organic supports: a comparative study, 309
- Insertion hafnium
- Insertion reactions of phenyl isocyanate into hafnium nitrogen bonds: synthesis and reactivity of hafnium complexes bearing substituted pyrrolyl ligands, 3362
- Insertion reaction
- Reactions of $\text{Cu}_3(\text{dppm})_3(\mu_3\text{-OH})(\text{ClO}_4)_2$ (dppm = bis-(diphenyl-phosphino) methane) with Soft Heterocumulenes, 2726
- Insertion reactions
- Chemistry of Fischer-type rhenacyclobutadiene complexes. I. Deprotonation, addition/substitution of nucleophilic reagents at α -carbon, and insertion of heteroatoms into rhenium–carbon bonds, 2000
- Intramolecularly donor-stabilized silenes: Part 5. Generation and conversion of 1-[2,6-bis(alkoxymethyl)phenyl]- and 1-(8-alkoxynaphthyl)-1,2,2-tris(trimethylsilyl)silenes, 1739
- Isocyanide insertion reactivity of dinuclear niobium and tantalum imido complexes: X-ray crystal structure of $[\{\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)(\text{CH}_2\text{Ph})_2\}_2(\mu\text{-1,4-NC}_6\text{H}_4\text{N})]$, 1304
- Synthesis and structures of four crystalline lithium β -diketiminates derived from $[\text{Li}\{\text{CH}(\text{SiMe}_3)(\text{SiMe}_2\text{OMe})\}]_8$ and PhCN or Bu^tCN and PhCN, 1342
- π – π interaction
- Potential inhibitors of DNA topoisomerase II: ruthenium(II) polypyridyl and pyridyl-azine complexes, 2256
- Interaction
- Ru(II) complexes imparting N₂O₂ donor bis chelating ligand *N,N'*-bis(salicylidine)-hydrazine in unusual coordination mode, 2073
- Intramolecular
- Syntheses and structures of highly hindered N-functionalised alkyl and amido group 12 complexes MR₂ (M = Zn, Cd, and Hg), $[\text{MRC}]_2$ (M = Zn and Hg), 1991
- Synthesis and structures of organoantimony compounds containing intramolecular Sb–N interactions, 2593
- Intramolecular coordination
- Mono- and bis-(2-dimethylaminoethyl)tetramethylcyclopentadienyl zirconium(IV) complexes: synthesis and structural studies in crystalline state and in solutions, 595
- Intramolecular hydrogen bonding
- Facile syntheses, structural characterizations, and isomerization of disiloxane-1,3-diols, 471
- Inverted σ bond
- Isolable silylene, disilenes, trisilaallene, and related compounds, 4475
- Ion pair
- Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene–norbornene copolymerization, 3402
- Ion pairs
- Cationic olefin Pd(II) complexes bearing α -iminoketone N,O-ligands: synthesis, intramolecular and interionic characterization and reactivity with olefins and alkynes, 647
- Ion-insertion
- Structural and mechanistic studies on ion insertion into the molecular box $\{[\text{CpCo}(\text{CN})_3]_4[\text{Cp}^*\text{Ru}]_4\}$, 1425
- Ionic porphyrin
- Non-covalent assemblies of negatively charged boronated porphyrins with different cationic moieties, 3242
- ipso*-Carbon
- Effect of π -accepting substituent on the reactivity and spectroscopic characteristics of triarylbi-muthanes and triarylbi-muth dihalides, 3395
- Ipso* substitution
- Synthesis and reactions of silicon containing cyclic α -amino acid derivatives, 158

IR and NMR spectroscopy

Coordinating properties of $[M(CO)_5(CN)]^-$ [$M = Cr; Mo; W$] ligands: formation of ion pairs or dinuclear cyanide-bridged complexes, spectroscopic and X-ray diffraction studies, 2324

IR spectral

Studies on phthalocyanine sheet polymers, 2601

Ir/cyclooctenyl complexes

Ir(I) complexes with oxazoline-thioether ligands: nucleophilic attack of pyridine on coordinated 1,5-cyclooctadiene and application as catalysts in imine hydrogenation, 1911

Ir/oxazoline-thioether complexes

Ir(I) complexes with oxazoline-thioether ligands: nucleophilic attack of pyridine on coordinated 1,5-cyclooctadiene and application as catalysts in imine hydrogenation, 1911

Iridium

Diastereoselective intramolecular C–H bond activation on a prochiral sp^3 carbon by a cationic Ir(I) complex having an optically active P–N hybrid ligand, 3

Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50

One- or two-dimensional organometallic arrays containing $PdIr_2(\mu_3-S)_2$ mixed-metal sulfido cluster units connected via the nicotinamide or isonicotinamide ligands on their Pd sites through hydrogen-bonding interactions, 738

Regioselective cyclotrimerization of phenylacetylenes to 1,2,4-triarylbenzenes catalyzed by iridium–diphosphine complexes, 14

Iridium complexes

Color tunable phosphorescent light-emitting diodes based on iridium complexes with substituted 2-phenylbenzothiozoles as the cyclometalated ligands, 4882

Iridium–carbon bond formation

Ir(I) complexes with oxazoline-thioether ligands: nucleophilic attack of pyridine on coordinated 1,5-cyclooctadiene and application as catalysts in imine hydrogenation, 1911

Iridium(III)

Iridium(III) and rhodium(III) cyclometalated complexes containing sulfur and selenium donor ligands, 2401

Iron

Branched and dendritic metallo-carbosiloxanes with $OCH_2PPh_2ML_n$ end-grafted units, 3598

Chloromethylsilane functionalised dendrimers: synthesis and reactivity, 987

Crown compounds for anions. Sandwich complexes of cyclic trimeric perfluoro-*o*-phenylenemercury with hexacyanoferrate(III) and nitroprusside anions, 82

Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332

Synthesis and characterization of the cluster complexes containing tetrahedral $FeCrCo(\mu_3-S)$ cluster cores generated by isolobal displacement reactions. Crystal structures of $(\eta^5-R_5H_4)FeCrCo(\mu_3-S)(CO)_8$ ($R = H, CO_2Et$) and $FeCo_2-(\mu_3-S)_2(CO)_9$, 139

Synthesis and crystal structure of the double cluster $[Cp_3Fe_4(CO)_4(C_5H_4)]_2(p-C_6H_4)$, 1014

Synthesis and properties of oligomers of iron–manganese carbonyl complexes with bridging disulfido ligands, 1370

Synthesis of a transition-metalated phosphinoborane dimer, 2425
The reaction of *ortho*-halogenated aromatic aldazine ligands with $Fe_2(CO)_9$: symmetrical cleavage of the azine and carbon–halogen activation, 2707

Three-coordinate bis(phosphinimino)methanide derivatives of ‘open shell’ $[M(II)]$ ($M = Mn, Fe, Co$) transition metals, 3163

Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of $[(\eta^5-C_5H_5)(CO)_3W(CH_2)_3Mo(CO)_2(PPh_3)(\eta^5-C_5H_5)]$ and $[(\eta^5-C_5H_5)(CO)_2(PPh_3)Mo(CH_2)_3Fe(CO)_2(\eta^5-C_5H_5)]$, 181

Trimethylsilyl-functionalised bis(indenyl)iron(II) complexes: solid-state structure of $[\eta^5-1,3-(SiMe_3)_2C_9H_5]_2Fe$, 1139

Iron acyl auxiliary

Stereoselective conjugate addition reactions of lithium amides to α,β -unsaturated chiral iron acyl complexes $[(\eta^5-C_5H_5)Fe(CO)(PPh_3)(COCH=CHR)]$, 4184

Iron carbonyl

Reactions of isonitriles with $[Fe_3(CO)_{12}]$ and $[Ru_3(CO)_{12}]$ monitored by electrospray mass spectrometry: structural characterisation of $[Fe_3(CO)_{10}(CNPh)_2]$ and $[Ru_4(CO)_{11}(\mu_3-\eta^2-CNPh)_2(CNPh)]$, 1691

Iron carbonyl complex

Endo and *exo* cyclometallated iron carbonyl complexes derived from *N*-(*N'*-methyl-2-pyrrolylmethylidene)-2-thienylmethylamine, 3173

Syntheses and structures of iron carbonyl complexes derived from *N*-(5-methyl-2-thienylmethylidene)-2-thioethylamine and *N*-(6-methyl-2-pyridylmethylidene)-2-thioethylamine, 2192

Iron complex

Reactions of a phosphido-bridged unsymmetrical diiron complex $(\eta^5-C_5Me_5)Fe_2(CO)_4(\mu-CO)(\mu-PPh_2)$ with various alkynes, 1481

The synthesis and catalytic activity of poly(bis(imino)pyridyl) iron(II) metal dendrimer, 3040

Isobutene

Isobutene–isoprene copolymerization initiated by $[Cp^*MMe_2][(n-C_{18}H_{37}E)B(C_6F_5)_3]$ ($M = Ti, Hf; E = O, S$) and related compounds, 2900

Isocyanides

“2 + 1” Dithiocarbamate–isocyanide chelating systems for linking $M(CO)_3^+$ ($M = {}^{99m}Tc, Re$) fragment to biomolecules, 4757

Isocyanide insertion reactivity of dinuclear niobium and tantalum imido complexes: X-ray crystal structure of $\{[Nb(\eta^5-C_5H_4SiMe_3)(CH_2Ph)_2]_2(\mu-1,4-NC_6H_4N)\}$, 1304

Isolobal displacement

Synthesis and characterization of the cluster complexes containing tetrahedral $FeCrCo(\mu_3-S)$ cluster cores generated by isolobal displacement reactions. Crystal structures of $(\eta^5-R_5H_4)FeCrCo(\mu_3-S)(CO)_8$ ($R = H, CO_2Et$) and $FeCo_2-(\mu_3-S)_2(CO)_9$, 139

Isomerisation

Facile valence isomerization among bis(silacyclopentenyl), disila(Dewar benzene) and disilabenzvalene, 1284

Isomerization

Formation, structure, and reactivities of 1:1 adducts between quadricyclane and $(\eta^5$ -cyclopentadienyl)(1,2-diphenyl- or -dimethoxycarbonyl-1,2-ethenedithiolato)rhodium(III), 997

Ruthenium-catalyzed formal [4 + 2] cycloaddition of alkynes with alkenes: formation of cyclohexenedicarboxylates via isomerization of alkynes and successive Diels–Alder reaction, 3168

Degradation of the ruthenium-based metathesis catalyst $[RuCl_2(=CHPh)(H_2IPr)(PCy_3)]$ with primary alcohols, 3113

Isonitrile

Electron-transfer-catalyzed ligand substitution of carboxylato niobocene complex induced by electrochemical oxidation, 3473

Reactions of isonitriles with $[Fe_3(CO)_{12}]$ and $[Ru_3(CO)_{12}]$ monitored by electrospray mass spectrometry: structural characterisation of $[Fe_3(CO)_{10}(CNPh)_2]$ and $[Ru_4(CO)_{11}(\mu_3-\eta^2-CNPh)_2(CNPh)]$, 1691

- Synthesis, characterisation and redox behaviour of isocyanide incorporated, chalcogen stabilised mixed-metal clusters, 122
- Isoprene
- Isobutene–isoprene copolymerization initiated by $[\text{Cp}^*\text{MMe}_2][(n\text{-C}_{18}\text{H}_{37}\text{E})\text{B}(\text{C}_6\text{F}_5)_3]$ ($\text{M} = \text{Ti}, \text{Hf}; \text{E} = \text{O}, \text{S}$) and related compounds, 2900
 - Regioselectivity in the rhodium catalysed 1,4-hydrosilylation of isoprene. Aspects on reaction conditions and ligands, 438
- Isopropylidene ligand
- Degradation of the ruthenium-based metathesis catalyst $[\text{RuCl}_2(=\text{CHPh})(\text{H}_2\text{IPr})(\text{PCy}_3)]$ with primary alcohols, 3113
- Ketenes
- Oxidative addition capability of triphosphine iron and ruthenium complexes with methyl iodide, 801
- Ketimide
- Titanium ketimide complexes as α -olefin homo- and copolymerisation catalysts. X-ray diffraction structures of $[\text{TiCp}'(\text{N}=\text{C}'\text{Bu}_2)\text{Cl}_2]$ ($\text{Cp}' = \text{Ind}, \text{Cp}^*$), 203
- β -Ketoimine
- Synthesis, characterization and luminescence study of dimethyl(β -ketoiminato)gallium (-indium) complexes: crystal structure of dimethyl[1-phenyl-3-*N*-(4-methoxyphenylimino)-1-butanonato]gallium, 3461
- Ketone
- Mild and efficient silylcyanation of ketones catalyzed by cesium fluoride, 1734
- Ketone synthesis
- Design of catalytic processes based on studies of elementary processes, 4499
- Ketones
- Synthesis of C_2 -symmetric 1,4-diketones from tartaric acid dichloride, 326
- Kinetics
- A mechanistic investigation of $(\text{Me}_3\text{Si})_3\text{SiH}$ oxidation, 2912
 - Cyclometalated *N,N*-dimethylbenzylamine ruthenium(II) complexes $[\text{Ru}(\text{C}_6\text{H}_4\text{R}^1\text{R}^2\text{R}^3\text{-}o\text{-CH}_2\text{NMe}_2)(\text{bpy})(\text{RCN})_2]\text{PF}_6$ for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase, 4820
 - Formation of anionic palladium(0) complexes ligated by the trifluoroacetate ion and their reactivity in oxidative addition, 3728
 - Kinetic and mechanistic aspects of metallocene polymerisation catalysts, 3982
 - Structural and mechanistic studies on ion insertion into the molecular box $\{[\text{CpCo}(\text{CN})_3]_4[\text{Cp}^*\text{Ru}]_4\}$, 1425
- Labelling
- Exploring the nitrosyl-approach: “ $\text{Re}(\text{CO})_2(\text{NO})$ ”- and “ $\text{Tc}(\text{CO})_2(\text{NO})$ ”-complexes provide new pathways for bioorganometallic chemistry, 4833
- Lactam
- Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of α -cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring, 3567
- Lactones
- Online ATR-IR investigations and mechanistic understanding of the carbonylation of epoxides – the selective synthesis of lactones or polyesters from epoxides and CO, 971
- Lanthanide
- Synthesis, crystal structure, and chirality of divalent lanthanide reagents containing tri- and tetraglyme, 1723
- Lanthanide metals
- Diene complexes of early transition metals: ideas and progresses at Osaka University, 4552
- Lanthanides
- New divalent samarocenes for butadiene polymerisation: influence of the steric effect and the electron density on the catalytic activity, 264
 - Syntheses, crystal structures and catalytic properties of a series of lanthanide(III) bis(trimethylsilyl)amide chloride complexes: $\{[(\text{Me}_3\text{Si})_2\text{N})_2\text{Nd}(\mu'\text{-Cl})\text{Li}(\text{THF})_3](\mu\text{-Cl})_2\}$, $\{[(\text{Me}_3\text{Si})_2\text{N})_2\text{Ln}(\mu'\text{-Cl})\text{Li}(\text{THF})_2](\mu_3\text{-Cl})_2\}$ ($\text{Ln} = \text{Eu}, \text{Ho}$), and $\{[(\text{Me}_3\text{Si})_2\text{N})_2\text{Ln}(\mu'\text{-Cl})_2\text{Li}(\text{THF})_2](\mu\text{-Cl})_2\}$ ($\text{Ln} = \text{Nd}, \text{Sm}, \text{Eu}, \text{Yb}$), 3438
- Lanthanum
- Mono-cyclopentadienyl complexes of lanthanum: synthesis and characterization of anilido derivatives, 2177
- Laser-induced decomposition
- IR laser decomposition of 1,3-disilacyclobutane in presence of carbon disulfide: chemical vapour deposition of polythiacarbosilane, 2697
- Layered materials
- Cyclic dialkylindium amides: new structural information and ultra-purification using inorganic and inorgano–organic layered materials, 3000
- Lewis acid
- Chiral bispyridylamide metal complexes as catalysts for the enantioselective addition of TMS-CN to aldehydes, 3750
 - Reaction of η^2 -enone and enal-platinum(0) complexes with Lewis acidic compounds, 894
- Lewis acids
- Structural investigations on new iron-acyl derivatives of $\text{B}(\text{C}_6\text{F}_5)_3$, 4407
- ^7Li coupling
- X-ray and multinuclear NMR study of the mixed aggregate $[(\text{Ph}_2\text{P}(\text{O})\text{N}(\text{CH}_2\text{Ph})\text{CH}_3) \cdot \text{LiOC}_6\text{H}_4\text{-2,6-}\{\text{C}(\text{CH}_3)_3\}_2\text{-4-CH}_3) \cdot \text{C}_7\text{H}_8]_2$: a model for the directed metalation of phosphinamides, 1890
- Ligand activation
- Triosmium clusters with bridging terpenic thioureato-like ligands, 2535
- Ligand displacement
- $\text{Ru}(\eta^6\text{-1,3,5-cyclooctatriene})(\eta^2\text{-dimethyl fumarate})_2$: a novel, versatile zerovalent ruthenium complex with electron-deficient olefinic ligands, 4530
- Ligand oxidation
- Reactions of $\text{Cu}_3(\text{dppm})_3(\mu_3\text{-OH})(\text{ClO}_4)_2$ ($\text{dppm} = \text{bis}(\text{-diphenylphosphino}) \text{ methane}$) with Soft Heterocumulenes, 2726
- Ligand substitution
- Preparation and molecular structure of a dinuclear rhodium complex having an unbalanced (15 + 17)-electron count, 4917
- Ligand transfer
- Isolation of *fac*- $[\text{Re}(\text{CO})_3(\text{HMPA})_3][\text{BF}_4]$. Structural characterization of a key cationic intermediate in the exchange reaction between $[\text{Re}(\text{CO})_6][\text{BF}_4]$ and acetylferrocene. Implications in radiopharmaceutical chemistry, 273
- Ligand type
- Non-Cp type homogeneous catalytic systems for olefin polymerization, 4263
- Ligands
- Regioselectivity in the rhodium catalysed 1,4-hydrosilylation of isoprene. Aspects on reaction conditions and ligands, 438
- Light-emitting diode
- Color tunable phosphorescent light-emitting diodes based on iridium complexes with substituted 2-phenylbenzothiozoles as the cyclometalated ligands, 4882
 - Preparation of platinum complexes containing a thioamide-based SCS pincer ligand and their light emitting properties, 1860
- Light-harvesting antennas
- Luminescent dendrimers as ligands for metal ions, 4375

^{6,7}Li NMR

Preparation of lithium stannide mixtures in organic solvents. A alternate source of lithium in organolithium chemistry, 3421

Lipophilicity

Structure and vibrational spectra of *fac*-Re^I(CO)₃⁺ complex with *N*-methyl-2-pyridinecarbothioamide, 4751

Liquid crystalline polymers

Synthesis of novel tri-podal mesogenic alkenes and side-chain polysiloxanes, 2606

Lithiation

Lithiation of 2,5-dimethylazaferrocene, 1046

Synthesis and structures of some di- and triferrocenylmethane derivatives, 3541

Lithium

Metal β-diketiminates revisited: *ansa*-CH₂-bridged bis(β-diketimate)s of lithium and aluminium having diverse structures, 4357

Selective lithiation and crystal structures of G1-carbosilane dendrimers with dimethoxybenzene functionalities, 1095

Synthesis and crystal structures of novel lithium- and palladium-1-azaallyls, 1230

Synthesis and crystal structures of organometallic compounds containing the ligands C(SiMe₃)₂(SiMe₂H) and C(SiMe₂Ph)₂(SiMe₂H), 1238

Lithium reagents

Lithiated anions derived from (alkenyl)pentamethyl phosphoric triamides: an accurate study of the carbanion formation mechanism, 1530

Lithium silylmethyls

Synthesis and structures of four crystalline lithium β-diketiminates derived from [Li{CH(SiMe₃)(SiMe₂OMe)}]₈ and PhCN or Bu^tCN and PhCN, 1342

Lithium stannide

Preparation of lithium stannide mixtures in organic solvents. A alternate source of lithium in organolithium chemistry, 3421

LLC-PK

Novel titanocene anti-cancer drugs derived from fulvenes and titanium dichloride, 2242

Low

Some past achievements and future perspectives in main group chemistry, 3866

Low coordination

Reactions of 2-arsa- and 2-stiba-1,3-dionato lithium complexes with group 4–7 metal halides, 1648

Low-coordinate

Some highlights from the development and use of bulky monodentate ligands, 3904

Luminescence

Luminescent dendrimers as ligands for metal ions, 4375

Luminescent metal alkynyls – from simple molecules to molecular rods and materials, 1393

Optical properties of bis(cyclopentadienyl)magnesium: excimer-type luminescence of the bis(cyclopentadienyl) ligand frame, 2940

Preparation and characterization of rhenium(I) compounds with amino ester derivatized diimine ligands. Investigations of luminescence. Crystal structures of Re(CO)₃Cl(pyca-β-Ala-OEt) and Re(CO)₃Cl(pyca-l-Asp(OMe)-OMe), 4848

Preparation of platinum complexes containing a thioamide-based SCS pincer ligand and their light emitting properties, 1860

Synthesis, characterization, electrochemistry and luminescence studies of heterometallic gold(I)–rhenium(I) alkynyl complexes, 4451

Luminescence properties

Tetrametallic macrocyclic frameworks constructed from ferrocenedicarboxylato and 2,2'-bipyridine: synthesis, molecular structures and characteristics, 1218

Luminescent sensors

Luminescent dendrimers as ligands for metal ions, 4375

Mössbauer

Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylidene)amino]aryls – crystal structures of polymeric (Bu₃Sn[O₂CC₆H₄{N=N(C₆H₃-4-OH-5-CHO)}-*o*])_{*n*} and (Bu₃Sn[O₂CC₆H₄{N=N(C₆H₃-4-OH(C(H)=NC₆H₄Cl-4))}-*o*])_{*n*} – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702

Mössbauer spectroscopy

Preparation and structural studies on the ¹¹⁹Bu₂Sn(IV) complexes with aromatic mono- and dicarboxylic acids containing hetero {N} donor atom, 2762

Mössbauer

Preparation and structural studies on dibutyltin(IV) complexes with pyridine mono- and dicarboxylic acids, 1145

Macrocyclic

Golden crowns: cation binding by macrocyclic gold(I) crown ether derivatives, 374

Tellurium azamacrocycles: synthesis, characterization and coordination studies, 1452

Macrocycles

Organometallic chemistry of 15-membered tri-olefinic macrocycles: catalysis by palladium(0) complexes in carbon–carbon bond-forming reactions, 3669

Self-assembled macrocycles with pentavalent silicon linkages, 2293

Macrocyclic multidentate Lewis acids

Crown compounds for anions. Sandwich complexes of cyclic trimeric perfluoro-*o*-phenylenemercury with hexacyanoferrate(III) and nitroprusside anions, 82

Magnesium

Coordination chemistry of a multidentate pyrrolylaldimate ligand. X-ray crystal structure of double-helical bis-μ-[*N,N'*-ethylenedi(5-*tert*-butyl-pyrrol-2-ylaldimate)]-dimagnesium, 947

Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919

Optical properties of bis(cyclopentadienyl)magnesium: excimer-type luminescence of the bis(cyclopentadienyl) ligand frame, 2940

Magnesium triflate

Magnesium triflate [Mg(OTf)₂] a highly stable, non-hygroscopic and a recyclable catalyst for the high yielding preparation of diethyl α-trimethylsilyloxyphosphonates from diethyl α-hydroxyphosphonates by HMDS under solventless conditions, 3197

Magnetic properties

Tetrametallic macrocyclic frameworks constructed from ferrocenedicarboxylato and 2,2'-bipyridine: synthesis, molecular structures and characteristics, 1218

Magnetic property

Studies on tetra-amine phthalocyanines, 3357

Magnetic susceptibility measurements

Studies on phthalocyanine sheet polymers, 2601

Main

Some past achievements and future perspectives in main group chemistry, 3866

Malaria

Easily synthesized antimalarial ferrocene triazacyclononane quinoline conjugates, 4678

3-Maleimidopropionic acid

Biological aspects of new organotin(IV) compounds of 3-maleimidopropionic acid, 3370

2-Maleimidoacetic acid

Biologically potent organotin(IV) complexes of 2-maleimidoacetic acid, 238

Manganese

η^4 -Phosphole tricarbonylmanganates: a new type of chelating ligands for transition metals, 4647

Manganese carbonyl-mediated reactions of azabutadienes with phenylacetylene, methyl acrylate and other unsaturated molecules, 2523

Regioselective cyclomanganation of Schiff bases. An unexpected effect of chloro substituents, 4889

Six-membered tetracarbonylmanganese(I) and -rhenium(I) metalacycles containing the $[\text{Ph}_2\text{P}(\text{Se})\text{NP}(\text{Se})\text{Ph}_2]$ ligand: solution and solid state characterization, 2827

Synthesis and properties of oligomers of iron–manganese carbonyl complexes with bridging disulfido ligands, 1370

Three-coordinate bis(phosphinimino)methanide derivatives of 'open shell' $[\text{M}(\text{II})]$ ($\text{M} = \text{Mn}, \text{Fe}, \text{Co}$) transition metals, 3163

Manganese compound

Synthesis and reactivity of $[(\eta^6\text{-}[3_2](1,3)\text{Cyclophane})\text{Mn}(\text{CO})_3]\text{-}[\text{BF}_4]$, 1586

Mannich-reaction

Developing some functional group chemistry at the Group 4 bent metallocene frameworks, 1402

MAO

Syntheses of methylene-bridged *ansa*-zirconocene complexes and copolymerization studies of ethylene and norbornene, 2586

The effect that 6-*tert*-butoxyhexyl functionalization has on ethylene polymerization in *ansa*-zirconocene dichlorides, 214

Mass spectroscopy

Hydrogen-bonded systems between monocarboxylic acids and the trinuclear cluster cation $[\text{H}_3\text{Ru}_3(\text{C}_6\text{H}_6)(\text{C}_6\text{Me}_6)_2(\text{O})]^+$: cold-spray ionisation mass spectroscopic and X-ray crystallographic studies, 2820

Materials

Bucky ferrocene and ruthenocene: serendipity and discoveries, 4630

Matrix isolation

Organometallic photochemistry at the end of its first century, 3939

m-Carborane

New B-substituted derivatives of *m*-carborane, *p*-carborane, and cobalt bis(1,2-dicarbollide) anion, 2920

McMurry couplings

McMurry reactions of $(\eta^5\text{-acetylcyclopentadienyl})$ cobalt- $(\eta^4\text{-tetraphenylcyclobutadiene})$ with benzophenone: ketone couplings and a pinacol/pinacolone rearrangement, 4683

Mechanism

A higher yielding route to octasilsesquioxane cages using tetrabutylammonium fluoride, Part 2: further synthetic advances, mechanistic investigations and X-ray crystal structure studies into the factors that determine cage geometry in the solid state, 3287

Copper catalysed 1,4-addition of organozinc reagents to α,β -unsaturated carbonyl compounds: a mechanistic investigation, 2169

Formation of anionic palladium(0) complexes ligated by the trifluoroacetate ion and their reactivity in oxidative addition, 3728

Mechanisms

Fischer–Tropsch, organometallics, and other friends, 4366

Mechanistic studies

Some selected chapters from the (butadiene)zirconocene story, 4305

2-mercaptopyridine

Synthetic, X-ray structural and protonation studies of $\text{CpCr}(\text{CO})_2\text{SPy}$ and $\text{CpCr}(\text{CO})_2\text{SPym}$ ($\text{SPy} = \text{C}_5\text{H}_4\text{NS}$, $\text{SPym} = \text{C}_4\text{H}_3\text{N}_2\text{S}$), 3210

2-mercaptopyrimidine

Synthetic, X-ray structural and protonation studies of $\text{CpCr}(\text{CO})_2\text{SPy}$ and $\text{CpCr}(\text{CO})_2\text{SPym}$ ($\text{SPy} = \text{C}_5\text{H}_4\text{NS}$, $\text{SPym} = \text{C}_4\text{H}_3\text{N}_2\text{S}$), 3210

Mercuric trifluoroacetate

Mercury trifluoroacetate-catalyzed conversion of *Se*-alkyl phosphoroselenolates into the corresponding phosphates, 2745

Mercury

Characterisation of the first authenticated organomercury hydroxide, 4- $\text{Me}_2\text{NC}_6\text{H}_4\text{HgOH}$, 515

Crown compounds for anions. Sandwich complexes of cyclic trimeric perfluoro-*o*-phenylenemercury with hexacyanoferrate(III) and nitroprusside anions, 82

Mesoporous materials

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

meta-Bis(2-pyridoxy)benzene

Synthesis, characterization and spectroscopic studies of cyclometalated platinum(II) complexes containing *meta*-bis(2-pyridoxy)benzene, 2888

Metal carbonyl

Branched and dendritic metallo-carbosiloxanes with $\text{OCH}_2\text{-PPh}_2\text{ML}_n$ end-grafted units, 3598

Preparation and characterization of poly(amidoamine) dendrimers functionalized with a rhenium carbonyl complex and PEG as new IR probes for carbonyl metallo immunoassay, 4775

Metal clusters

Synthesis and structures of (3-methyl-2-pyridyl)diphenylphosphane derivatives of metal clusters, 1064

Thermally induced dual P–C bond cleavage routes from the imido-capped cluster $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$: synthesis, spectroscopic properties, and X-ray diffraction structures of $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$, $\text{Ru}_3(\text{CO})_5(\mu_2\text{-CO})_2(\mu_3\text{-NPh})(\mu_2\text{-PPh}_2)[\mu, \eta^1, \eta^1\text{-C}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, $\text{Ru}_3(\text{C-O})_6(\mu_2\text{-CO})(\mu_3\text{-NPh})(\mu\text{-PhCO})[\mu_2, \eta^2, \eta^1\text{-PPhC}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, and $\text{Ru}_3(\text{CO})_9(\mu_3\text{-NPh})(\mu_3\text{-PPh})$, 3426

Metal complexes

2-[2-(4-Methoxyphenyltelluro)ethyl]thiophene (L^1) bis[2-(2-thienyl)ethyl] telluride (L^2) and their metal complexes; crystal structure of *trans*-dichlorobis{2-(2-(4-methoxyphenyltelluro)ethyl)thiophene-Te}palladium(II) and {bis[2-(2-thienyl)ethyl] telluride}dichloro(*p*-cymene)ruthenium(II), 2346

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

Luminescent dendrimers as ligands for metal ions, 4375

Synthesis and derivatization, structures and transition metal ($\text{Mo}(0)$, $\text{Fe}(\text{II})$, $\text{Pd}(\text{II})$ and $\text{Pt}(\text{II})$) complexes of phenylamino-bis(diphosphonite), $\text{PhN}\{\text{P}(\text{OC}_6\text{H}_4\text{OMe-}o)_2\}_2$, 3388

Metal configuration

Stabilization of the labile metal configuration in halfsandwich complexes $[\text{CpRh}(\text{PN})\text{Hal}]\text{X}$, 4244

Metal exchange reaction

Studies of metal exchange reactions: the synthesis and structures of heteronuclear metal clusters containing the indenyl ligand $(\mu_3\text{-CR})\text{Co}_2\text{M}(\text{CO})_8(\eta^5\text{-Ind})$ ($\text{R} = \text{H}, \text{CH}_3, \text{C}_6\text{H}_5, \text{COOC}_2\text{H}_5$; $\text{M} = \text{Mo}, \text{W}$), 714

Metal metal bond homolysis

Organometallic photochemistry at the end of its first century, 3939

Metal phthalocyanine sheet polymers

Studies on phthalocyanine sheet polymers, 2601

Metal polyphosphides

Functionalization of white phosphorus in the coordination sphere of transition metal complexes, 4319

Metal · · · π

Calixarenes as platforms for the construction of multimetallic complexes, 4125

Metal–carbon bonds

Transition metal clusters and supported species with metal–carbon bonds from first-principles quantum chemistry, 4384

Metal–halogen exchange

The metal–halogen exchange reaction between *ortho*-substituted aryl halides and $\text{Ph}_2\text{CuLi} \cdot \text{LiCN}$: scope and applicability for coupling reactions, 154

Metal–metal bonds

Addition and/or oxidation in the reaction of a tricobalt cluster with silver(I) salts: synthesis, structure and solution properties of $[\text{Co}_3\text{Cp}_3(\mu_3\text{-CPh})_2\{\mu\text{-Ag(X)}\}]$ ($\text{X} = \text{CF}_3\text{CO}_2$, NO_3) and $[\text{Co}_3\text{Cp}_3(\mu_3\text{-CPh})_2\{\mu\text{-Ag(NCMe)}\}]\text{PF}_6$, 146

Metal(II) tetra-amino phthalocyanine

Studies on tetra-amine phthalocyanines, 3357

Metal(II) tetranitro phthalocyanine

Studies on tetra-amine phthalocyanines, 3357

Metal-based drug

Bioorganometallic chemistry of molybdocene dichloride, 4655

Metal–metal bonds

Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882

Metal–polymer complexes

Chelate polymers. VI. New copolymers of the some siloxane containing bis(2,4-dihydroxybenzaldehyd-imine) Me^{2+} with bis(*p*-carboxyphenyl)diphenylsilane, 3005

Metal-stabilized carbocations

An NMR study of the rotational barriers in cobalt-stabilized carbocations: X-ray crystal structures of $(\eta^4\text{-C}_4\text{Ph}_4)\text{Co}(\eta^5\text{-C}_5\text{H}_4\text{R})$, where R is $\text{CH}_3\text{C}=\text{O}$, $\text{CH}=\text{O}$, $\text{CH}(\text{tBu})\text{OH}$, 1657

Metallacarboranes

Metal complexes of monocarbon carboranes bearing C-amine or -amino substituents, 3891

Metallacarborane chemistry of the *hypho*-[6,7- $\text{C}_2\text{B}_6\text{H}_{13}$] $^-$ anion: the formation of uniquely structured metallacarboranes [5- $\text{Cp}^*\text{-}arachno\text{-}5,4,6\text{-RhC}_2\text{B}_6\text{H}_{12}$] and [2, 5- $\text{Cp}^*\text{-}10\text{-Me-nido-}2,5,1\text{-Rh}_2\text{CB}_6\text{H}_9$] ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$): complete rhodium analogues of *arachno*-4, 6- $\text{C}_2\text{B}_7\text{H}_{13}$ and *nido*-1- CB_8H_{12} , 2702

Metallacycle

Synthesis and crystal structures of novel lithium- and palladium-1-azaallyls, 1230

Metallacycles

Mononuclear and heterodinuclear transition metal complexes of functionalized phosphines. Crystal and molecular structures of $[\text{Mo}(\text{CO})_5(\text{RPC}_6\text{H}_4\text{OCH}_2\text{OCH}_3\text{-}o)]$ ($\text{R} = \text{Ph}$, $\text{C}_6\text{H}_4\text{OCH}_2\text{OCH}_3\text{-}o$), $[\text{Ru}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)_3]$, $[\text{Pd}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)_2]$ and $[\text{PdCl}(\text{Ph}_2\text{PC}_6\text{H}_4\text{O-}o)(\text{Ph}_2\text{PC}_6\text{H}_4\text{OH-}o)]$, 3335

Reactions of chelated η^3 -pentadienyl iron complexes with nucleophiles, 575

Regioselective cyclomanganation of Schiff bases. An unexpected effect of chloro substituents, 4889

Metallacyclicpeptide

N-terminus to C-terminus metallacyclicpeptides employing tungsten–alkyne coordination, 4837

Metallacyclobutadiene complexes

Chemistry of Fischer-type rhenacyclobutadiene complexes. I. Deprotonation, addition/substitution of nucleophilic reagents at α -carbon, and insertion of heteroatoms into rhenium–carbon bonds, 2000

Chemistry of Fischer-type rhenacyclobutadiene complexes. II. Reactions with alkynes and sulfonium ylides, and rearrangements induced by nitriles and pyridine, 2013

Metallation

Regioselective cyclomanganation of Schiff bases. An unexpected effect of chloro substituents, 4889

Metallo dendrimer

Branched and dendritic metallo-carbosiloxanes with $\text{OCH}_2\text{-PPh}_2\text{ML}_n$ end-grafted units, 3598

Metallocene

Bioorganometallic chemistry of molybdocene dichloride, 4655

Synthesis and structure of $[\text{Cp}_2\text{Zr}(\text{OPr}^i)(\text{HOPr}^i)]^+$ and its activity in the polymerisation of propene oxide, 4624

Uranium-sulfilimine chemistry. Hydrolysis of $\text{Cp}^*_2\text{UCl}_2$ with $\text{HNSPh}_2 \cdot \text{H}_2\text{O}$ and the crystal structure of $\text{Cp}^*_2\text{UCl}(\text{OH})(\text{HNSPh}_2)$, a metallocene terminal hydroxy complex of tetravalent uranium, 2029

Metallocenes

Developing some functional group chemistry at the Group 4 bent metallocene frameworks, 1402

Kinetic and mechanistic aspects of metallocene polymerisation catalysts, 3982

Non-Cp type homogeneous catalytic systems for olefin polymerization, 4263

Optical properties of bis(cyclopentadienyl)magnesium: excimer-type luminescence of the bis(cyclopentadienyl) ligand frame, 2940

Metallocycle

Advances in selective ethylene trimerisation – a critical overview, 3641

Metallodendrimer

The synthesis and catalytic activity of poly(bis(imino)pyridyl) iron(II) metallodendrimer, 3040

Metathesis

Degradation of the ruthenium-based metathesis catalyst $[\text{RuCl}_2(\text{=CHPh})(\text{H}_2\text{IPr})(\text{PCy}_3)]$ with primary alcohols, 3113

Methane

The counterion influence on the CH-activation of methane by palladium(II) biscarbene complexes – structures, reactivity and DFT calculations, 1418

Methanol

Electron-transfer reduction of selected alcohols with alkali K^+ (15-crown-5) $_2$ via organometallic intermediates, 2361

2-[2-(4-Methoxyphenyltelluro)ethyl]thiophene

2-[2-(4-Methoxyphenyltelluro)ethyl]thiophene (L^1) bis[2-(2-thienyl)ethyl] telluride (L^2) and their metal complexes; crystal structure of *trans*-dichlorobis{2-(2-(4-methoxyphenyltelluro)ethyl)thiophene-Te}palladium(II) and {bis[2-(2-thienyl)ethyl] telluride}dichloro(*p*-cymene)ruthenium(II), 2346

(1R,2S,5R)-menthol

Thermodynamic and kinetic parameters associated with the fluxional behavior of 2-methyl- and 2,6-dimethyltroponeiron tricarbonyl complexes, 1131

Methyl manganese pentacarbonyl

A density functional theory study of alkyl group migration in $\text{RMn}(\text{CO})_5$ complexes, 2354

Methylallylpalladium complexes

Synthesis and reactivity of new methylallylpalladium(II) complexes with bidentate 2-(methylthio-*N*-benzylidene)-anilines, 395

2-(Methylthio-*N*-benzylidene)anilines complexes

Synthesis and reactivity of new methylallylpalladium(II) complexes with bidentate 2-(methylthio-*N*-benzylidene)anilines, 395

Methyltrioxorhenium

Methyltrioxorhenium and its applications in olefin oxidation, metathesis and aldehyde olefination, 4149

On the way to chiral epoxidations with methyltrioxorhenium(VII) derived catalysts, 3735

Michael addition

Copper catalysed 1,4-addition of organozinc reagents to α,β -unsaturated carbonyl compounds: a mechanistic investigation, 2169

Michael reaction

An efficient synthesis of ferrocenyl substituted 1,5-diketone and cyclic α,β -unsaturated ketones under ultrasound irradiation, 1843

- Asymmetric Michael reactions of α -substituted acetates with cyclic enones catalyzed by multifunctional chiral Ru amido complexes, 1377
- Microwave
- Microwave-assisted synthesis of phthalocyanine–porphyrin complex and its photoelectric conversion properties, 2450
- Organometallic chemistry in a conventional microwave oven: the facile synthesis of group 6 carbonyl complexes, 2429
- Minimum energy crossing point
- Open shell organometallics: a general analysis of their electronic structure and reactivity, 4291
- Mitsunobu
- A new ferrocene conjugate of a tyrosine PNA monomer: synthesis and electrochemical properties, 4791
- Mixed anhydrides
- Mercury trifluoroacetate-catalyzed conversion of *Se*-alkyl phosphoroselenolates into the corresponding phosphates, 2745
- Mixed metal
- Synthesis, characterisation and redox behaviour of isocyanide incorporated, chalcogen stabilised mixed-metal clusters, 122
- Mixed valence
- Assembly of an interpenetrating three-dimensional mixed-valence $\text{Cu}^{\text{II}}/\text{Cu}^{\text{I}}$ coordination polymer, 369
- Mixed-metal cluster
- Reactions of hydrosulfido- and hydroselenido-bridged dinuclear Ir, Rh, and Ru complexes with SbCl_3 and BiCl_3 affording mixed-metal sulfido and selenido clusters containing both noble metals and Group 15 metals, 2338
- Mixed-metal sulfido clusters
- One- or two-dimensional organometallic arrays containing $\text{PdIr}_2(\mu_3\text{-S})_2$ mixed-metal sulfido cluster units connected via the nicotinamide or isonicotinamide ligands on their Pd sites through hydrogen-bonding interactions, 738
- Modified electrode
- Ferrocenyl and permethylferrocenyl cyclic and polyhedral siloxane polymers as mediators in amperometric biosensors, 2799
- Molecular dynamics
- Synthesis and properties of oligomers of iron–manganese carbonyl complexes with bridging disulfido ligands, 1370
- Molecular electronics
- Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332
- Molecular ionophilic box
- Structural and mechanistic studies on ion insertion into the molecular box $\{[\text{CpCo}(\text{CN})_3]_4[\text{Cp}^*\text{Ru}]_4\}$, 1425
- Molecular materials
- Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332
- Molecular modelling
- Preparation and structural studies on the $t\text{-Bu}_2\text{Sn}(\text{IV})$ complexes with aromatic mono- and dicarboxylic acids containing hetero {N} donor atom, 2762
- Molecular orbital schemes
- Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LIX. Spektrochemische und nephelauxetische Effekte sowie experimentorientierte MO-Schemata (im f-Bereich) pseudo-trigonal-planarer (substituierter) $\text{Tris}(\eta^5\text{-cyclopentadienyl})\text{neodym}(\text{III})$ -Komplexe und eines THF-Monoaddukts, 3143
- Molecular orbital theory
- Open shell organometallics: a general analysis of their electronic structure and reactivity, 4291
- Molecular structure
- New synthetic route to polyphosphine ligands bearing 1,2,4,5-tetrakis(phosphino)benzene framework: structural characterizations of 1,4-(PPh_2)₂-2,5-(PR_2)₂- C_6F_2 ($\text{R} = \text{Ph}, i\text{Pr}, \text{Et}$), 3350
- Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319
- Molybdenum
- Branched and dendritic metallo-carbosiloxanes with $\text{OCH}_2\text{-PPh}_2\text{ML}_n$ end-grafted units, 3598
- Dithiolene transfer from nickel to a dimolybdenum centre: the first dithiolene alkyne complex, 522
- Formation of 5-phenyl-1,2-dithiole-3-thione from molybdenum dithiopropiolato complexes, 1325
- Formation of an η^3 -allyl and a cyclic γ -hydroxyalkyl complex of molybdenum from reaction of $\text{MoH}_2(\eta^5\text{-cyclopentadienyl})_2$ with homoallyl alcohol, 1025
- Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50
- Molybdenum(VI)-complexes with chiral *N,O*-ligands derived from carbohydrates: synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 2752
- Silicon containing ferrocenyl phosphane ligands, 770
- Solid-state isomerisation reactions of $(\eta^5\text{-C}_5\text{H}_4\text{R})\text{M}(\text{CO})_2(\text{PR}_3')\text{I}$ ($\text{M} = \text{W}, \text{Mo}$; $\text{R} = i\text{Bu}, \text{Me}$; $\text{R}' = \text{Ph}, \text{O}^i\text{Pr}_3$), 2207
- Solvent-controlled formation of η^3 -butadienyl or η^3 -allyl group 6 transition metal complexes in water or alcohols, 2114
- Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882
- Syntheses and structures of molybdenum and tungsten pentabenzylcyclopentadienyl complexes: new chlorination reactions, 2368
- Synthesis and molecular structures of dinuclear complexes with 1,2-dihydro-1,2-diphenyl-naphtho[1,8-c,d]1,2-diphosphole as a bridging ligand, 2624
- Synthesis, electrochemistry, and crystal and molecular structures of some molybdenum(0) arene derivatives with fluorinated and phenyl-substituted arene ligands, 2158
- Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{W}(\text{CH}_2)_3\text{Mo}(\text{CO})_2(\text{PPh}_3)(\eta^5\text{-C}_5\text{H}_5)]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{PPh}_3)\text{Mo}(\text{CH}_2)_3\text{Fe}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)]$, 181
- Molybdocene
- Bioorganometallic chemistry of molybdocene dichloride, 4655
- Monoalkyl
- Synthesis, characterization and reactivity of the molybdenum(VI) complex $[\text{MoCl}(\text{NAr})_2(\text{CH}_2\text{CMe}_2\text{Ph})]$ ($\text{Ar} = 2,6\text{-Pr}^i_2\text{C}_6\text{H}_3$), 332
- Monobromo(ferrocenylvinyl)cyclopropanes
- Synthesis of di- and monobromo(ferrocenylvinyl)cyclopropanes, 2503
- Monohydrogen arsenate
- Synthesis, spectroscopic studies and crystal structure of $(\text{Et}_4\text{N})(\text{SnMe}_3)_7(\text{HAsO}_4)_4 \cdot 2\text{H}_2\text{O}$, 2087
- Monolayers
- Synthesis of triarylphosphines having *para* –SH and –SMe groups. Preparation of their complexes and formation of a monolayer on a gold surface, 3621
- Mononuclear
- Mononuclear hydridocarbonyl ruthenium complexes incorporating N_2O_2 bis-chelating ligands, 879
- Monooxygenase enzymes
- Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD^+/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783

Morpholine

Transition metal carbene chemistry 2: kinetic studies on the nucleophilic substitution reactions of $(\text{CO})_5\text{M}=\text{C}(\text{S}-\text{CH}_3)\text{CH}_3$ ($\text{M} = \text{Cr}$ and W) with morpholine in aqueous acetonitrile, 3520

Multicarbopalladation

Mechanism of the carbopalladation of alkynes by aryl-palladium complexes, 4642

Multicomponent reaction

Pd-catalyzed one-pot coupling of allylamines, activated alkenes, and unsaturated halides (or triflate): an atom efficient synthesis of highly functionalized pyrrolidines, 3831

Multicomponent reactions

Palladium catalyzed multicomponent reactions in ordered sequence: new syntheses of *o,o'*-dialkylsubstituted diarylacetylenes and diarylalkylidenehexahydromethanofluorenes, 3741

Multidentate ligands

Aryloxide-based multidentate ligands for early transition metals and f-element metals, 4228

Multifunction

Asymmetric Michael reactions of α -substituted acetates with cyclic enones catalyzed by multifunctional chiral Ru amido complexes, 1377

Multinuclear complex

From mononuclear to multinuclear complexes of palladium containing unsaturated hydrocarbon ligands, 4511

Multinuclear magnetic resonance

X-ray and multinuclear NMR study of the mixed aggregate $[(\text{Ph}_2\text{P}(\text{O})\text{N}(\text{CH}_2\text{Ph})\text{CH}_3) \cdot \text{LiOC}_6\text{H}_4-2,6-\{\text{C}(\text{CH}_3)_3\}_2-4-\text{CH}_3) \cdot \text{C}_7\text{H}_8]_2$: a model for the directed metalation of phosphinamides, 1890

Multinuclear NMR

Preference of di-*n*-butyltin^{IV} compounds to build $\text{O} \cdots \text{Sn}$ bonds in fused rings with five-six members, 3481

Syntheses, crystal structures, and quadratic nonlinear optical properties in four “push–pull” diorganotin derivatives, 2303

Multiple bonding

Some highlights from the development and use of bulky monodentate ligands, 3904

N,N'-bis(salicylidine)-*p*-phenylene diammine (H_2bsp)

Mononuclear hydridocarbonyl ruthenium complexes incorporating N_2O_2 bis-chelating ligands, 879

N,N'-bis(salicylidine)-hydrazine

Ru(II) complexes imparting N_2O_2 donor bis chelating ligand *N,N'*-bis(salicylidine)-hydrazine in unusual coordination mode, 2073

N,N'-bis(salicylidine)-hydrazine(H_2bsh)

Mononuclear hydridocarbonyl ruthenium complexes incorporating N_2O_2 bis-chelating ligands, 879

N-(2-Pyridyl)benzamide ligand

Synthesis and characterization of *N*-(2-pyridyl)benzamide-based nickel complexes and their activity for ethylene oligomerization, 917

N-(5-methyl-2-thienylmethylidene)-2-thioethylamine

Syntheses and structures of iron carbonyl complexes derived from *N*-(5-methyl-2-thienylmethylidene)-2-thioethylamine and *N*-(6-methyl-2-pyridylmethylidene)-2-thioethylamine, 2192

N-(6-methyl-2-pyridylmethylidene)-2-thioethylamine

Syntheses and structures of iron carbonyl complexes derived from *N*-(5-methyl-2-thienylmethylidene)-2-thioethylamine and *N*-(6-methyl-2-pyridylmethylidene)-2-thioethylamine, 2192

N-Arylation reactions

Synthesis of C_2 -symmetric and unsymmetrically substituted 2,2'-dipyridylamines and crystal structure of a chiral 2,2'-dipyridylamine copper(II) complex, 3767

N ligands

Aminotroponimate alkyl and alkoxide complexes of zinc, 2720

N ligands

A new set of nickelacyclic carboxylates (“nickelalactones”) containing pyridine as supporting ligand: synthesis, structures and application in C–C– and C–S– linkage reactions, 2952

A structural study of dimethylaluminum carboxylato and hydrazonato complexes, 2186

Mono- and bis-(2-dimethylaminoethyl)tetramethylcyclopentadienyl zirconium(IV) complexes: synthesis and structural studies in crystalline state and in solutions, 595

N-chelate ligands

Bi- and trinuclear oxalamidinate complexes of palladium as catalysts in the copper-free Sonogashira reaction and in the Negishi reaction, 3582

N-Functionalized cyclopentadienyl ligands

Rhodium-carbonyl complexes with a quinolyl functionalized Cp-ligand: synthesis and photochemical activation, 3024

N-heterocyclic carbene

Irreversible cleavage of a carbene–rhodium bond in Rh-*N*-heterocyclic carbene complexes: implications for catalysis, 3203

N-Heterocyclic carbene

Synthesis and structural characterization of mixed carbene-carboxylate complexes of palladium(II), 1766

N-heterocyclic carbenes

General and efficient methodology for the Suzuki–Miyaura reaction in technical grade 2-propanol, 3722

Purine-based carbenes at rhodium and iridium, 2995

N-methyl-2-pyridinecarbothioamide

Structure and vibrational spectra of *fac*- $\text{Re}^{\text{I}}(\text{CO})_3^+$ complex with *N*-methyl-2-pyridinecarbothioamide, 4751

N-H activation

C–H and N–H activation by Pt(0) in *N*- and O-heteroaromatic compounds, 1315

N,O-ligands

Cationic olefin Pd(II) complexes bearing α -iminoketone *N,O*-ligands: synthesis, intramolecular and interionic characterization and reactivity with olefins and alkynes, 647

N,S-ligands

Coordination properties of N_2S (1,5-bis(3,5-dimethyl-1-pyrazolyl)-3-thiapentane) or N_2S_2 (1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane or 1,2-bis[3-(3,5-dimethyl-1-pyrazolyl)-2-thiapropyl]benzene) donor ligands toward Rh(I), 1599

N-donor ligands

Intramolecular oxidative addition of C–F and C–H bonds to $[\text{Pt}(\text{dba})_2]$. Crystal structure of $[\text{PtCl}\{\text{Me}_2\text{NCH}_2\text{CH}_2\text{N}-\text{CH}(2,4,5-\text{C}_6\text{HF}_3)\}]$, 3088

Lithium and sodium *N,N'*-di(2,6-dialkylphenyl)formamidinate complexes, 3093

N-functionalised alkyl and amido

Syntheses and structures of highly hindered *N*-functionalised alkyl and amido group 12 complexes MR_2 ($\text{M} = \text{Zn}$, Cd , and Hg), $[\text{MRCI}]_2$ ($\text{M} = \text{Zn}$ and Hg), 1991

N-heterocyclic carbene

The counterion influence on the CH-activation of methane by palladium(II) biscarbene complexes – structures, reactivity and DFT calculations, 1418

N-heterocyclic carbene complexes

The Staudinger reaction of platinum(II)- and palladium(II)-coordinated 2-(azidomethyl)phenyl isocyanide. X-ray structure of *trans*- $[\text{PtCl}\{\text{CN}(\text{H})\text{C}_6\text{H}_4-2-\text{CH}_2\text{N}(\text{H})\}(\text{PPh}_3)_2]-[\text{BF}_4] \cdot \text{CDCl}_3 \cdot \text{H}_2\text{O}$, 454

N-heterocyclic carbenes

N-heterocyclic carbene complexes of Zn(II): synthesis, X-ray structures and reactivity, 2123

NAD⁺/NADH biomimics

Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD⁺/NADH co-factors and [Cp^{*}Rh(bpy)H]⁺ for selective organic synthesis, 4783

Nanofiltration

A recyclable nanosize aminoarenethiolato copper(I) catalyst for C–C coupling reactions, 3813

Nanoparticles

Facile generation and morphology of Pd nanoparticles from palladacycles and carbon monoxide, 170

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

Influence of organic ligands on the stabilization of palladium nanoparticles, 4601

Nanoporous

Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110

Nanosciences

Nanoporous materials: a good opportunity for nanosciences, 4437

Nanotools

Nanoporous materials: a good opportunity for nanosciences, 4437

1,2-Naphthylidene bridge

Zirconocene dichloride complexes with a 1,2-naphthylidene bridge as catalysts for the polymerisation of ethylene and propylene, 1965

Natural products

Transition metal-mediated routes to cyclopentenones, 3873

Nazarov reaction

Copper-catalyzed dimerization of chromium Fischer carbene complexes: synthesis of dialkoxytrienes and their Nazarov-type cyclization to 2-alkoxy-2-cyclopentenones, 3793

Negishi reaction

Bi- and trinuclear oxalamidate complexes of palladium as catalysts in the copper-free Sonogashira reaction and in the Negishi reaction, 3582

Neodymium

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LIX. Spektrochemische und nephelauxetische Effekte sowie experimentorientierte MO-Schemata (im f-Bereich) pseudo-trigonal-planarer (substituierter) Tris(η^5 -cyclopentadienyl)neodym(III)-Komplexe und eines THF-Monoaddukts, 3143

Nickel

Branched and dendritic metallo-carbosiloxanes with OCH₂-PPh₂ML_n end-grafted units, 3598

Cationic η^3 -benzyl nickel compounds with diphosphine ligands as catalyst precursors for ethylene oligomerization/polymerization: influence of the diphosphine bite angle, 833

Dithiolene transfer from nickel to a dimolybdenum centre: the first dithiolene alkyne complex, 522

Ethylene polymerization catalyzed by substituted pyrazole nickel complexes, 1835

Nickel-catalyzed acylstannylation and alkynylstannylation of 1,2-dienes, 3701

Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882

Syntheses of a 2,6-bis-(methylphosphoryl)pyridine ligand and its cationic Pd(II) and Ni(II) complexes – application in the palladium-catalyzed synthesis of arylboronic esters, 2988

Synthesis and characterization of new sulfide aggregates of the type [Pt₂(μ_3 -S)₂(P–P)₂]M(C₆F₅)₂] (M = Ni, Pd, Pt; P–P = 2PPh₃, 2PMe₂Ph, dppe), 2080

Synthesis and structural characterization of η^3 -allyl(α -diimine)-nickel(II) complexes bearing trimethylsilyl groups, 1057

Synthesis and X-ray crystal structure analysis of the first nickel bisoxazoline pincer complex, 3056

Nickel complex

Synthesis and characterization of new bis(1-arylimino-methylenynaphthalen-2-oxy)nickel complexes and their catalytic behavior for vinyl polymerization of norbornene, 936

Synthesis, structure and norbornene polymerization behavior of nickel complexes bearing two β -ketoiminato chelate ligands, 1295

Nickel complexes

Novel neutral arynickel(II) phosphine catalysts containing 2-oxazolinylphenolato N–O chelate ligands for ethylene oligomerization and propylene dimerization, 2614

Synthesis and characterization of *N*-(2-pyridyl)benzamide-based nickel complexes and their activity for ethylene oligomerization, 917

The synthesis and characterisation of some nickel(0) complexes with π -bonded vinylsilicon ligands; the molecular structure of [Ni{P(C₆H₅)₃}₂{ η^2 -CH₂=CHSi(CH₃)₃}], 3075

Nickel thiolate complexes

Cyclopentadienylnickel thiolate complexes: synthesis, molecular structures and electrochemical detection of sulfur dioxide adducts, 387

Nickelacyclic compounds

A new set of nickelacyclic carboxylates (“nickelalactones”) containing pyridine as supporting ligand: synthesis, structures and application in C–C– and C–S– linkage reactions, 2952

Niobium

Isocyanide insertion reactivity of dinuclear niobium and tantalum imido complexes: X-ray crystal structure of [{Nb(η^5 -C₅H₄SiMe₃)(CH₂Ph)₂}₂(μ -1,4-NC₆H₄N)], 1304

Niobocene

Electron-transfer-catalyzed ligand substitution of carboxylato niobocene complex induced by electrochemical oxidation, 3473

Nitrate

Synthese und Reaktionsverhalten von Platin(II) und Kupfer(II) Koordinationspolymeren; die Festkörperstruktur von {*trans*-(Ph₃P)₂Pt[(η^2 -C \equiv CPh)CuBr]₂]_n und *trans*-(Ph₃P)₂Pt[(η^2 -C \equiv CPh)CuNO₃]₂}, 1464

Nitriles

Titanium-mediated syntheses of cyclopropylamines, 2033

Nitrogen donors

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

Nitrogen ligand

Cyclic dialkylindium amides: new structural information and ultra-purification using inorganic and inorgano–organic layered materials, 3000

Nitrogen ligands

Effect of 5-Me substituent(s) on the catalytic activity of palladium(II) 2,2'-bipyridine complexes in CO/4-*tert*-butylstyrene copolymerization, 1521

Nitrogenase models

A personal account of some dinitrogen and organometallic chemistry research at the University of Sussex, 3999

Nitrones

Organometallic gold(III) and gold(I) complexes as catalysts for the 1,3-dipolar cycloaddition to nitrones: synthesis of novel gold–nitronone derivatives, 1788

Nitrosyl

Exploring the nitrosyl-approach: “Re(CO)₂(NO)”- and “Te(CO)₂(NO)”-complexes provide new pathways for bioorganometallic chemistry, 4833

Nitrosylthiolatoferrate mononuclear complexes

Structure and UV–Vis spectroscopy of nitrosylthiolatoferrate mononuclear complexes, 1702

Nitroxide radical

Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337

NLO properties

Syntheses, crystal structures, and quadratic nonlinear optical properties in four "push–pull" diorganotin derivatives, 2303

NMR

An NMR study of the rotational barriers in cobalt-stabilized carbocations: X-ray crystal structures of $(\eta^4\text{-C}_6\text{Ph}_4)\text{Co}(\eta^5\text{-C}_5\text{H}_4\text{R})$, where R is $\text{CH}_3\text{C}=\text{O}$, $\text{CH}=\text{O}$, $\text{CH}(\text{tBu})\text{OH}$, 1657
C–H and N–H activation by Pt(0) in N- and O-heteroaromatic compounds, 1315

Cationic methyl complexes of rhodium(III): synthesis, structure, and some reactions, 1930

Dibutyltin(IV) complexes of the 5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acid ligand: an investigation of structures by X-ray diffraction, solution and solid state tin NMR, electrospray ionisation MS and assessment of in vitro cytotoxicity, 4691

Introduction of a phosphorus ylide moiety into $[\eta^2(\omega\text{-hydroxy)alkenyl}]\text{chromium(0)}$ carbene complexes with Ph_3PCCO and consecutive Wittig alkenations with 2-alkynals. Part 12: the chemistry of metallacyclic alkenylcarbene complexes, 2131

Mechanism in homogeneous catalysis; NMR as a prime mover, 4006

Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls – crystal structures of polymeric $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH-5-CHO})\}-\text{o})_n$ and $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH}(\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{Cl-4})\})-\text{o})_n$ – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702

Synthesis and selective silylation of ω -hydroxy functionalized $(\eta^2\text{-alkenyl})\text{carbene}$ complexes of chromium(0) and tungsten(0) Part 11. The chemistry of metallacyclic alkenylcarbene complexes, 1771

 ^{13}C NMR

A multinuclear NMR study in the solid state and in solution of thallium(I) tris-(pyrazol-1-yl)borates (thallium scorpionates), 463

Substituent effects of phosphonate groups electronic repartition of π -conjugated ferrocene analogues of stilbene, 1867

 $^{13}\text{C}/^{119}\text{Sn}$ NMR

Simplified synthesis, ^1H , ^{13}C , ^{15}N , ^{119}Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazonate(2-) ligand, 88

 ^{15}N NMR

A multinuclear NMR study in the solid state and in solution of thallium(I) tris-(pyrazol-1-yl)borates (thallium scorpionates), 463

NMR investigations

Influence of organic ligands on the stabilization of palladium nanoparticles, 4601

NMR spectra

Synthesis and reactivity of new methylallylpalladium(II) complexes with bidentate 2-(methylthio-*N*-benzylidene)anilines, 395

NMR spectroscopy

Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631

Tri-*n*-butyltin carboxylate derivatives of *para*-substituted phenyl-ethanoic acids: synthesis, characterization and X-ray structure determination, 3301

NMR Spectroscopy

Synthesis and redistribution reactions of asymmetric σ -aryl-platinum(II) complexes containing 4,7-phenanthroline, 1288

NMR studies

Preparation and structural studies on dibutyltin(IV) complexes with pyridine mono- and dicarboxylic acids, 1145

 ^{13}C NMR study

Effect of π -accepting substituent on the reactivity and spectroscopic characteristics of triarylbi-muthanes and triarylbi-muth dihalides, 3395

Noble metals

Reactions of hydrosulfido- and hydroselenido-bridged dinuclear Ir, Rh, and Ru complexes with SbCl_3 and BiCl_3 affording mixed-metal sulfido and selenido clusters containing both noble metals and Group 15 metals, 2338

Non-Cp catalyst

Non-Cp type homogeneous catalytic systems for olefin polymerization, 4263

Non-linear optics

Synthesis and characterization of *meso*-ferrocenylethynyl 5,15-diphenylporphyrins, 1593

Non-phosgene process

Sulfonate-bonded tin complexes for the production of diphenyl carbonate, 1816

Nonlinear optics

Alkynyl compounds and nonlinear optics, 3968

Nonlinear polymers

Synthesis of novel tri-podal mesogenic alkenes and side-chain polysiloxanes, 2606

Norbornadiene

Formation, structure, and reactivities of 1:1 adducts between quadricyclane and $(\eta^5\text{-cyclopentadienyl})(1,2\text{-diphenyl- or -dimethoxycarbonyl-1,2-ethenedithiolato})\text{rhodium(III)}$, 997

Norbornene

Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene–norbornene copolymerization, 3402

Controlled vinyl-addition-type polymerization of norbornene initiated by several cobalt complexes having substituted terpyridine ligands, 744

Synthesis and characterization of new bis(1-arylimino-methylenyl)naphthalen-2-oxo)nickel complexes and their catalytic behavior for vinyl polymerization of norbornene, 936

Synthesis, structure and norbornene polymerization behavior of nickel complexes bearing two β -ketoiminato chelate ligands, 1295

Nucleophilic addition

Chemistry of Fischer-type rhenacyclobutadiene complexes. II. Reactions with alkynes and sulfonium ylides, and rearrangements induced by nitriles and pyridine, 2013

Synthesis and reactivity of $[(\eta^6\text{-[3,2]})(1,3\text{Cyclophane})\text{Mn}(\text{CO})_3]\text{[BF}_4\text{]}$, 1586

Nucleophilic attack

Some reactions of Ni–Mo and Ni–W propargylic cations with nucleophiles, 1882

Synthesis and reactivity of tricarbonyl(1-methoxycarbonyl-5-phenylpentadienyl)iron(1+) cation, 1437

The fragment bis(acetylacetonato)ruthenium: a meeting-point of coordination and organometallic chemistry, 4463

Nucleophilic substitution

Mercury trifluoroacetate-catalyzed conversion of *Se*-alkyl phosphoroselenolates into the corresponding phosphates, 2745

Transition metal carbene chemistry 2: kinetic studies on the nucleophilic substitution reactions of $(\text{CO})_5\text{M}=\text{C}(\text{SCH}_3)\text{CH}_3$ (M = Cr and W) with morpholine in aqueous acetonitrile, 3520

Nucleotides

Bioorganometallic chemistry of molybdocene dichloride, 4655

α -Olefins

Developments of rare earth metal catalysts for olefin polymerization, 4489

O ligands

A structural study of dimethylaluminum carboxylato and hydrazonato complexes, 2186

 α -Olefins

Oligomerisation of ethylene to linear α -olefins by tetrahedral cobalt(II) precursors stabilised by benzo[*b*]thiophen-2-yl-substituted (imino)pyridine ligands, 1356

Olefin

Advances in selective ethylene trimerisation – a critical overview, 3641

Olefin complexes

Organometallic chemistry of 15-membered tri-olefinic macrocycles: catalysis by palladium(0) complexes in carbon–carbon bond-forming reactions, 3669

Olefin epoxidation

Methyltrioxorhenium and its applications in olefin oxidation, metathesis and aldehyde olefination, 4149

Olefin metathesis

Developing some functional group chemistry at the Group 4 bent metallocene frameworks, 1402

Methyltrioxorhenium and its applications in olefin oxidation, metathesis and aldehyde olefination, 4149

Olefin polymerisation

Zirconocene dichloride complexes with a 1,2-naphthylidene bridge as catalysts for the polymerisation of ethylene and propylene, 1965

Olefin polymerization

Cationic η^3 -benzyl nickel compounds with diphosphine ligands as catalyst precursors for ethylene oligomerization/polymerization: influence of the diphosphine bite angle, 833

Non-Cp type homogeneous catalytic systems for olefin polymerization, 4263

Substituted cyclopentadienylchromium(III) complexes containing neutral donor ligands. Synthesis, crystal structures and reactivity in ethylene polymerization, 293

Olefin polymerization catalysts

Some selected chapters from the (butadiene)zirconocene story, 4305

Olefin-Polymerization

Group 4 metallocene complexes with non-bridged and tetramethyldisiloxane-bridged methyl-phenyl-cyclopentadienyl ligands: synthesis, characterization and olefin polymerization studies, 4395

Oligomerisation

Oligomerisation of ethylene to linear α -olefins by tetrahedral cobalt(II) precursors stabilised by benzo[*b*]thiophen-2-yl-substituted (imino)pyridine ligands, 1356

Oligomerization

Cationic η^3 -benzyl nickel compounds with diphosphine ligands as catalyst precursors for ethylene oligomerization/polymerization: influence of the diphosphine bite angle, 833

Oligomers

Synthesis and properties of oligomers of iron–manganese carbonyl complexes with bridging disulfido ligands, 1370

Oligosilane

Organosilicon chalcogenides with trisilane units – bicyclo[3.3.1]nonanes, bicyclo[3.2.2]nonanes and spiro[4.4]nonanes, 564

One-dimensional chain structure

One- or two-dimensional organometallic arrays containing $\text{PdIr}_2(\mu_3\text{-S})_2$ mixed-metal sulfido cluster units connected via the nicotinamide or isonicotinamide ligands on their Pd sites through hydrogen-bonding interactions, 738

One-pot synthesis

One-pot synthesis of aryl butyl tellurides from tellurium tetrachloride and activated aromatics through a solventless step, 3631

Online ATR-IR spectroscopy

Online ATR-IR investigations and mechanistic understanding of the carbonylation of epoxides – the selective synthesis of lactones or polyesters from epoxides and CO, 971

Open-shell

Open shell organometallics: a general analysis of their electronic structure and reactivity, 4291

Optical limiting

Reverse saturable absorption of lanthanide bisphthalocyanines and their application for optical switches, 2138

Optical spectra

Non-covalent assemblies of negatively charged boronated porphyrins with different cationic moieties, 3242

Optical spectroscopy

Synthesis and characterisation of aromatic ethynyl-bridged ferrocenes, 840

Optical switch

Reverse saturable absorption of lanthanide bisphthalocyanines and their application for optical switches, 2138

Optically active shift reagents

An effect of application of chiral aluminium alkoxides and amides as adducts to zirconium catalyzed carbo- and cycloaluminations of olefins, 444

Organic synthesis

A new set of nickelacyclic carboxylates (“nickelalactones”) containing pyridine as supporting ligand: synthesis, structures and application in C–C– and C–S– linkage reactions, 2952

Organobismuth compounds

Synthesis and structure of 5,6,7,12-tetrahydrodibenz[*c,f*][1,5]-azabismocines, 3012

Organochromium complex

Synthesis, spectroscopic characterization and reactivities of linear and butterfly chromium/selenium complexes containing substituted cyclopentadienyl ligands: crystal structures of [η^5 -Me-C₅H₄Cr(CO)₂]₂Se] and [η^5 -EtO₂CC₅H₄Cr(CO)₂]₂Se₂], 1849

Organocobaloximes

Reactions of organocobaloximes with aryldisulfonyl chlorides, 1102

Organocopper

Bucky ferrocene and ruthenocene: serendipity and discoveries, 4630

Organocopper reagents

Synthesis of C₂-symmetric 1,4-diketones from tartaric acid dichloride, 326

Organogermanium

New synthetic routes to allylic germatranes, 2565

Organogermanium compounds

A new heptacoordinated organogermanium compound; trichlorogermyl[tris(2-methoxyphenyl)]methane, 3275

Organogermanium(II) and -tin(II)

Ate complexes of Ge(II) and Sn(II) with bidentate ligands [$\text{LiE}^{14}(\text{OCH}_2\text{CH}_2\text{NMe}_2)_3$]₂ (E¹⁴ = Ge, Sn): synthesis and structure, 478

Organohydroborate

Syntheses and characterizations of group 6 metal cyanotrihydroborate complexes, 544

Organolanthanides

Synthesis, characterization of homoleptic guanidino lanthanide complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 1019

Organolithium

Preparation of lithium stannide mixtures in organic solvents. A alternate source of lithium in organolithium chemistry, 3421

Organometallic

Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110

Influence of organic ligands on the stabilization of palladium nanoparticles, 4601

Organometallic gold(III) and gold(I) complexes as catalysts for the 1,3-dipolar cycloaddition to nitrones: synthesis of novel gold–nitron derivatives, 1788

Organometallic π -Tweezer

Titanocene-based group-11 metal ions; solid-state structure of $\{[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CPh})_2\text{Ag}]\text{NO}_3\}$, 2690

Organometallic chemistry

Open shell organometallics: a general analysis of their electronic structure and reactivity, 4291

Organometallic intermediates

Fischer–Tropsch, organometallics, and other friends, 4366

Organometallic photochemistry

Organometallic photochemistry at the end of its first century, 3939

Organometallics

Where organometallics and dendrimers merge: the incorporation of organometallic species into dendritic molecules, 4016

Organopotassium intermediates

Decomposition of vinyl ethers by alkali K^+ , $\text{K}^+(15\text{-crown-5})_2$ via organopotassium intermediates, 1580

Electron-transfer reduction of selected alcohols with alkali K^+ , $\text{K}^+(15\text{-crown-5})_2$ via organometallic intermediates, 2361

Organorhodium hydride

Bioorganometallic chemistry: biocatalytic oxidation reactions with biomimetic NAD^+/NADH co-factors and $[\text{Cp}^*\text{Rh}(\text{bpy})\text{H}]^+$ for selective organic synthesis, 4783

Organosilicon

Synthesis and crystal structures of organometallic compounds containing the ligands $\text{C}(\text{SiMe}_3)_2(\text{SiMe}_2\text{H})$ and $\text{C}(\text{SiMe}_2\text{Ph})_2(\text{SiMe}_2\text{H})$, 1238

Organosilicon oligomer

Time-resolved fluorescence of α -(9-anthryl)- ω -(1-naphthyl)-oligosilanes: intramolecular electronic energy and charge transfer through π - π and σ - π interactions, 1029

Organosilyl

An alkylzinc bromide and a lithium alkylidibromozincate containing tris(organosilyl)methyl groups, 1718

Organostannanes

Functionalised tetraarylstannanes $\text{Sn}[\text{C}_6\text{H}_4\text{-R}]_4$ ($\text{R} = -\text{CH}(\text{CH}_2\text{O})_2$, $-\text{CH}=\text{O}$, $-\text{COOH}$, $-\text{CH}=\text{N}-\text{NH}-\text{C}_6\text{H}_3-2,4(\text{NO}_2)_2$, $-\text{CH}_2\text{-OH}$, $-\text{CO}-\text{NH}-\text{CH}_2-\text{COO}-\text{CH}_3$, $-\text{CH}[\text{N}(\text{C}_2\text{H}_4)_2\text{O}]_2$), 1546

Organotellurium ligands

2-[2-(4-Methoxyphenyl)telluro]ethyl]thiophene (L^1) bis[2-(2-thienyl)ethyl] telluride (L^2) and their metal complexes; crystal structure of *trans*-dichlorobis[2-(2-(4-methoxyphenyl)telluro)ethyl]thiophene-Te}palladium(II) and {bis[2-(2-thienyl)ethyl] telluride} dichloro(*p*-cymene)ruthenium(II), 2346

Organotellurium triiodide

2,4,6-Triphenylphenyltellurium(IV) triiodide – supramolecular self-assembly in organotellurium triiodides, 2092

Organotin

Dibutyltin(IV) complexes of the 5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acid ligand: an investigation of structures by X-ray diffraction, solution and solid state tin NMR, electrospray ionisation MS and assessment of in vitro cytotoxicity, 4691

Organotin halides

Synthetic aspects of tetraorganotin and organotin(IV) halides, 2145

Organotin(IV)

Preparation and structural studies on the $\text{Bu}_2\text{Sn(IV)}$ complexes with aromatic mono- and dicarboxylic acids containing hetero {N} donor atom, 2762

Organotin(IV) compounds

Preparation and structural studies on dibutyltin(IV) complexes with pyridine mono- and dicarboxylic acids, 1145

Syntheses and crystal structures of di- and triorganotin derivatives with 2,5-dimercapto-1,3,4-thiadiazole, 96

Organozinc

An alkylzinc bromide and a lithium alkylidibromozincate containing tris(organosilyl)methyl groups, 1718

Ortho-cyclometallation

Cyclopalladated complexes with *N*-(benzoyl)-*N'*-(2,4-dimethoxybenzylidene)hydrazine: syntheses, characterization and structural studies, 352

Osmium

A zwitterionic triosmium cluster bearing a metallated azulene ligand coordinated perpendicularly as an alkylidene bridge, 2025

Complexation and C–H bond activation of 1,5-cyclooctadiene on triosmium carbonyl clusters, 1944

Exchange of boryl ligand substituents in $\text{Os}[\text{B}(\text{OEt})_2]\text{Cl}(\text{CO})-(\text{PPh}_3)_2$, 1609

Four isomers from the oxidative addition of Me_3SnH to $\text{Os}(\text{CO})_2(\text{PPh}_3)_3$ and the crystal structure of $\text{Os}(\text{SnMeI}_2)\text{I}(\text{CO})_2(\text{PPh}_3)_2$, in which the pairs of CO and PPh_3 ligands are mutually *trans*, 605

Nucleophilic substitution reactions at the Si–Cl bonds of the dichloro(methyl)silyl ligand in five- and six-coordinate complexes of ruthenium(II) and osmium(II), 2511

Preparation and reactivity of osmium(II) hydride complexes with phosphites and polypyridyls, 1639

Solution properties, electrochemical behavior and protein interactions of water soluble triosmium carbonyl clusters, 1796

Syntheses of double- and triple-decker clusters of osmium and cobalt metals linked by cyclotetradeca-1,8-diyne ligands, 3251

Synthesis, characterization and molecular structures of allenylidene, vinylidene–alkylidene complexes containing $[\text{CpOs}(\text{PPh}_3)_2]^+$ fragment, 539

The photochemical and thermal reactions of a triosmium cluster carrying a γ -pyrone ligand with alkynes, 25

$\text{W}(\eta^2\text{-PhC}\equiv\text{CPh})_3(\eta^1\text{-Ph}_2\text{PC}\equiv\text{CPh})_2$ as a ligand to prepare homo- and hetero-nuclear cluster complexes, 105

Osmium carbonyl clusters

Hexa- and triosmium carbonyl clusters bearing bridging dpmm and capping sulfido ligands, 2571

Osmium clusters

Selective covalent binding of a positively charged water-soluble benzoheterocyclic triosmium cluster to single- and double-stranded DNA, 4729

Oxalate

Oxalate-bridged dirhenium(I) hexacarbonyl complexes: synthesis, reactions, and crystal structures, 2837

Oxazoline ligand

Novel neutral arylnickel(II) phosphine catalysts containing 2-oxazolinyphenolato N–O chelate ligands for ethylene oligomerization and propylene dimerization, 2614

Oxazolines

Exo- and *endo*-palladacycles derived from (4*R*)-phenyl-2-oxazolines, 2382

Oxidation

A mechanistic investigation of $(\text{Me}_3\text{Si})_3\text{SiH}$ oxidation, 2912

Aminorhenium carbon dioxide complexes: formal oxidation of a carbon monoxide ligand with peroxy-acids or bromine/hydroxide, 411

C–H and N–H activation by Pt(0) in N- and O-heteroaromatic compounds, 1315

- Propylene oxidation by palladium nitro and nitrate complexes: in situ NMR and IR studies, 2880
- Syntheses and structures of molybdenum and tungsten pentabenzylcyclopentadienyl complexes: new chlorination reactions, 2368
- Oxidative addition
- Cationic methyl complexes of rhodium(III): synthesis, structure, and some reactions, 1930
- Cyclometallated platinum complexes with heterocyclic ligands, 1496
- Formation of anionic palladium(0) complexes ligated by the trifluoroacetate ion and their reactivity in oxidative addition, 3728
- Mechanism of the carbopalladation of alkynes by aryl-palladium complexes, 4642
- Organometallic alkane CH activation, 4083
- Oxidative addition capability of triphosphine iron and ruthenium complexes with methyl iodide, 801
- Synthesis and molecular structure of $[\text{Re}_2(\mu\text{-}\eta^6\text{-C}_{24}\text{H}_{18}\text{N}_4)(\text{CO})_6]$ containing the *rtct*-tetrakis(2-pyridyl)cyclobutandiyl ligand, derived from the reaction of $[\text{Re}_2(\text{CO})_8(\text{MeCN})_2]$ and 1,2-bis(2-pyridyl)ethene, 2486
- Tandem transmetalation and oxidative addition reactions of $[\text{Sn}(\text{R})_2(\text{Ph}_2\text{PC}_6\text{H}_4\text{-2-S})_2]$ with transition metal complexes of the Group 9, 174
- Oxidative chlorination
- Effect of π -accepting substituent on the reactivity and spectroscopic characteristics of triarylbismuthanes and triarylbismuth dihalides, 3395
- Oxidative coupling
- Palladium catalyzed transformations of monoterpenes: stereoselective deuteration and oxidative dimerization of camphene, 302
- Oxidative dehydrodimerization
- Oxidative dehydrodimerization of rhenium vinylidene complex $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Re}=\text{C}=\text{C}(\text{H})\text{Ph}$: two competitive routes of coupling of σ -phenylethynyl intermediate $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Re}-\text{C}\equiv\text{CPh}]$. X-ray structures of rhenium mononuclear $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Re}=\text{C}=\text{C}(\text{H})\text{Ph}$ and binuclear $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Re}]_2(\mu_2\text{-C}=\text{C}(\text{Ph})\text{C}\equiv\text{CPh})$ vinylidene compounds, 3837
- Oxo
- Formation of 5-phenyl-1,2-dithiole-3-thione from molybdenum dithiopropiolato complexes, 1325
- Oxonium derivative
- Synthesis and X-ray structural characterisation of the tetramethylene oxonium derivative of the hydrodecaborate anion. A versatile route for derivative chemistry of $[\text{B}_{10}\text{H}_{10}]^{2-}$, 2581
- ³¹P
- X-ray and multinuclear NMR study of the mixed aggregate $[(\text{Ph}_2\text{P}(\text{O})\text{N}(\text{CH}_2\text{Ph})\text{CH}_3) \cdot \text{LiOC}_6\text{H}_2\text{-2,6-}\{\text{C}(\text{CH}_3)_3\}_2\text{-4-CH}_3) \cdot \text{C}_7\text{H}_8]_2$: a model for the directed metalation of phosphinamides, 1890
- ³¹P NMR spectra
- Bonding isomerism in the $\eta^1\text{-P}$ coordination of the P_4X_3 (X = S, Se) molecules toward 16e rhodium fragments stabilized by tripodal tetradentate ligands, 164
- ³¹P{¹H} NMR
- Synthesis and characterisation of saturated and unsaturated triruthenium clusters containing electronically symmetrical and asymmetrical alkynes, 111
- P–C bond activation
- Thermally induced dual P–C bond cleavage routes from the imido-capped cluster $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$: synthesis, spectroscopic properties, and X-ray diffraction structures of $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$, $\text{Ru}_3(\text{CO})_5(\mu_2\text{-CO})_2(\mu_3\text{-NPh})(\mu_2\text{-PPh}_2)[\mu, \eta^1, \eta^1\text{-C}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, $\text{Ru}_3(\text{CO})_6(\mu_2\text{-CO})(\mu_3\text{-NPh})(\mu\text{-PhCO})[\mu_2, \eta^2, \eta^1\text{-PPhC}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, and $\text{Ru}_3(\text{CO})_9(\mu_3\text{-NPh})(\mu_3\text{-PPh})$, 3426
- P–C bond formation
- Reactions of a phosphido-bridged unsymmetrical diiron complex $(\eta^5\text{-C}_5\text{Me}_5)\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPh}_2)$ with various alkynes, 1481
- P–N bond cleavage
- Synthesis and derivatization, structures and transition metal (Mo(0), Fe(II), Pd(II) and Pt(II)) complexes of phenylaminobis(diphosphonite), $\text{PhN}\{\text{P}(\text{OC}_6\text{H}_4\text{OMe-}o)_2\}_2$, 3388
- P,N ligands
- Aziridine-derived iminophosphine ligands in palladium-catalyzed allylic substitution, 3604
- pK_a*
- Changes in the hydrogen bonding pattern in ferrocene peptides, 4669
- Pairing energy
- Open shell organometallics: a general analysis of their electronic structure and reactivity, 4291
- Palladacycle
- Facile generation and morphology of Pd nanoparticles from palladacycles and carbon monoxide, 170
- Factors affecting the lability of the $\sigma(\text{M-X})$ bond in cycloplatinated and cyclopalladated complexes containing $[\text{C}(\text{sp}^2, \text{ferrocene}), \text{N}, \text{X}]^-$ or $[\text{C}(\text{sp}^2, \text{phenyl}), \text{N}, \text{X}]^-$ (X = S, N) terdentate ligands, 3184
- Palladacycles in catalysis – a critical survey, 4055
- Palladacycles
- Exo-* and *endo*-palladacycles derived from (4*R*)-phenyl-2-oxazolines, 2382
- Palladium catalyzed multicomponent reactions in ordered sequence: new syntheses of *o,o'*-dialkylsubstituted diarylacetylenes and diarylalkylidenehexahydromethanofluorenes, 3741
- Palladium
- η^4 -Phosphole tricarbonylmanganates: a new type of chelating ligands for transition metals, 4647
- Bi- and trinuclear oxalamidinate complexes of palladium as catalysts in the copper-free Sonogashira reaction and in the Negishi reaction, 3582
- Cyclopalladated complexes with *N*-(benzoyl)-*N'*-(2,4-dimethoxybenzylidene)hydrazine: syntheses, characterization and structural studies, 352
- First silver complexes of tetrahydropyrimidin-2-ylidenes, 2441
- Formation of anionic palladium(0) complexes ligated by the trifluoroacetate ion and their reactivity in oxidative addition, 3728
- General and efficient methodology for the Suzuki–Miyaura reaction in technical grade 2-propanol, 3722
- Improving palladium-catalyzed cyanation of aryl halides: development of a state-of-the-art methodology using potassium hexacyanoferrate(II) as cyanating agent, 4576
- Influence of organic ligands on the stabilization of palladium nanoparticles, 4601
- Mechanism in homogeneous catalysis; NMR as a prime mover, 4006
- Mechanism of the carbopalladation of alkynes by aryl-palladium complexes, 4642
- One- or two-dimensional organometallic arrays containing $\text{PdIr}_2(\mu_3\text{-S})_2$ mixed-metal sulfido cluster units connected via the nicotinamide or isonicotinamide ligands on their Pd sites through hydrogen-bonding interactions, 738
- Palladacycles in catalysis – a critical survey, 4055

- Palladium catalyzed multicomponent reactions in ordered sequence: new syntheses of *o,o'*-dialkylsubstituted diarylacetylenes and diarylalkylidenehexahydromethanofluorenes, 3741
- Palladium catalyzed transformations of monoterpenes: stereoselective deuteration and oxidative dimerization of camphene, 302
- Palladium-catalyzed asymmetric allylic alkylation using chiral hydrazone ligands with ferrocene skeleton, 2833
- Pd-catalyzed one-pot coupling of allyl amines, activated alkenes, and unsaturated halides (or triflate): an atom efficient synthesis of highly functionalized pyrrolidines, 3831
- Reaction between palladium(II) and gallium(III) halogenides in arenes: influence of halogen nature on the formation of binuclear palladium(I) clusters, 489
- Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst, 2786
- Reactions of free radicals with η^3 -allylpalladium(II) complexes: cyclohexyl radicals, 1257
- Role of base in palladium-catalyzed arylation of carbanions, 1085
- Suzuki cross-coupling in aqueous media catalyzed by a 1,1'-*N*-substituted ferrocenediyl Pd(II) complex, 18
- Syntheses of a 2,6-bis-(methylphospholyl)pyridine ligand and its cationic Pd(II) and Ni(II) complexes – application in the palladium-catalyzed synthesis of arylboronic esters, 2988
- Synthesis and characterization of new sulfide aggregates of the type $[\{Pt_2(\mu_3-S)_2(P-P)_2\}M(C_6F_5)_2]$ ($M = Ni, Pd, Pt$; $P-P = 2PPh_3, 2PMe_2Ph, dpfp$), 2080
- Synthesis and crystal structures of novel lithium- and palladium-1-azaallyls, 1230
- Synthesis and reactivity of new methylallylpalladium(II) complexes with bidentate 2-(methylthio-*N*-benzylidene)anilines, 395
- Synthesis and structural characterization of η^3 -allyl(α -diimine)-nickel(II) complexes bearing trimethylsilyl groups, 1057
- Synthesis and structural characterization of mixed carbene-carboxylate complexes of palladium(II), 1766
- Synthesis of C_2 -symmetric and unsymmetrically substituted 2,2'-dipyridylamines and crystal structure of a chiral 2,2'-dipyridylamine copper(II) complex, 3767
- The counterion influence on the CH-activation of methane by palladium(II) biscarbene complexes – structures, reactivity and DFT calculations, 1418
- Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556
- Palladium catalyzed Heck-couplings using ball-mill grinding
- The Heck reaction under ball-milling conditions, 3778
- Palladium catalysis
- Aziridine-derived iminophosphine ligands in palladium-catalyzed allylic substitution, 3604
- New B-substituted derivatives of *m*-carborane, *p*-carborane, and cobalt bis(1,2-dicarbollide) anion, 2920
- Palladium-catalyzed heteroannulation of cyclic alkenes by functionally substituted aryl iodides, 3756
- Palladium catalyzed carbonylation
- The mechanism for palladium catalyzed carbonylation of cinnamyl chloride, 3800
- Palladium complex
- From mononuclear to multinuclear complexes of palladium containing unsaturated hydrocarbon ligands, 4511
- Palladium complexes
- [1,1'-Bis(diphenylphosphino)ferrocene]palladium(II) complexes with fluorinated benzenethiolate ligands: examination of the electronic effects in the solid state, solution and in the Pd-catalyzed Heck reaction with the catalytic system $[Pd(dpfp)(SR_F)_2]$, 2464
- Effect of 5-Me substituent(s) on the catalytic activity of palladium(II) 2,2'-bipyridine complexes in CO/4-*tert*-butylstyrene copolymerization, 1521
- Synthesis and characterization of monomeric siloxo palladium(II) complexes: crystal structure of $[Pd(tmeda)(C_6F_5)(OSiPh_3)]$, 1872
- Synthesis of a new class of unsymmetrical PCP' pincer ligands and their palladium (II) complexes: X-ray structure determination of $PdCl\{C_6H_3-2-CH_2PPh_2-6-CH_2P^tBu'_2\}$, 2494
- Palladium compounds
- Cationic olefin Pd(II) complexes bearing α -iminoketone N,O-ligands: synthesis, intramolecular and interionic characterization and reactivity with olefins and alkynes, 647
- Palladium nitro and nitrate complexes
- Propylene oxidation by palladium nitro and nitrate complexes: in situ NMR and IR studies, 2880
- Palladium(II)
- Knoevenagel condensation of $[NC-CH_2C(O)-NH-CH(CO_2Et)-S]_2$ with ferrocenecarbaldehyde and the activation of the $\sigma(C-S)$ bond of $[(\eta^5-C_5H_5)Fe\{(\eta^5-C_5H_4)-CH=C(CN)-C(O)-NH-CH(CO_2Et)-CH_2-S-\}]_2$ induced by palladium(II), 2284
- Synthesis and characterization of 2,7-dihydro-1*H*-dinaphtho-[c,e]tellurepin: a new heterocyclic telluride, 2377
- Palladium-catalyzed
- Tetraphenylantimony carboxylates in the cascade Pd-catalyzed C-phenylation reaction of methyl acrylate in the presence of peroxide, 731
- Palladium-catalyzed couplings
- Synthesis of the first pentaethynylferrocene derivatives, 4345
- Paraffins
- Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of $[(\eta^5-C_5H_5)(CO)_3W(CH_2)_3Mo(CO)_2(PPh_3)(\eta^5-C_5H_5)]$ and $[(\eta^5-C_5H_5)(CO)_2(PPh_3)Mo(CH_2)_3Fe(CO)_2(\eta^5-C_5H_5)]$, 181
- Pauson–Khand
- Carbonylative dimerisation of norbornene by cobalt carbonyl: an overlooked by-product of the Pauson–Khand reaction, 694
- p*-Carborane
- New B-substituted derivatives of *m*-carborane, *p*-carborane, and cobalt bis(1,2-dicarbollide) anion, 2920
- p*-Cymene
- Reactivity studies of (η^6 -arene)ruthenium dimeric complexes towards pyrazoles: isolation of amidines, bis pyrazoles and chloro bridged pyrazole complexes, 3265
- PCP pincer ligand
- Synthesis of a new class of unsymmetrical PCP' pincer ligands and their palladium (II) complexes: X-ray structure determination of $PdCl\{C_6H_3-2-CH_2PPh_2-6-CH_2P^tBu'_2\}$, 2494
- Pd-catalysts
- Aminocarbonylation of 1,1'-diiodoferrocene, two-step synthesis of heterodisubstituted ferrocene derivatives via homogeneous catalytic carbonylation/coupling reactions, 2770
- Pd-catalyzed organic syntheses
- Design of catalytic processes based on studies of elementary processes, 4499
- Pendant alkyl groups
- Synthesis of a tin-functionalized cyclopentadiene derivative, 3550
- Pendant double bonds
- Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919
- 2,4-Pentanedione
- New boronates prepared from 2,4-pentanedione derived ligands of the NO₂ and N₂O₂ type – comparison to the complexes obtained from the corresponding salicylaldehyde derivatives, 811

- Pentabenzylcyclopentadienyl
Syntheses and structures of molybdenum and tungsten pentabenzylcyclopentadienyl complexes: new chlorination reactions, 2368
- Pentacoordinate silicon
Self-assembled macrocycles with pentavalent silicon linkages, 2293
- Pentadienyl complexes
Reactions of chelated η^3 -pentadienyl iron complexes with nucleophiles, 575
- Pentamethylcyclopentadienyl
Formation and structural study of a mixed ene/enyl ligand on reaction of $[\text{Ru}(\text{C}_5\text{Me}_5)\text{Cl}_2]_2$ with 1,3-cyclononadiene, 685
- Peptide nucleic acid
The use of 3,3-bis(2-imidazolyl) propionic acid (bip-OH) as a new chelating ligand for $\text{Re}(\text{CO})_3$ and Ru complexes: Formation of organometallic PNA oligomers with (bip) $\text{Re}(\text{CO})_3$ and their interaction with complementary DNA, 4745
- Peptides
Ferrocenyl peptides with sulfur-containing side chains: synthesis, solid state and solution structures, 4856
- Peptidic coupling with organotin compounds
Functionalised tetraarylstannanes $\text{Sn}[\text{C}_6\text{H}_4\text{-R}]_4$ ($\text{R} = -\text{CH}(\text{CH}_2\text{O})_2$, $-\text{CH}=\text{O}$, $-\text{COOH}$, $-\text{CH}=\text{N}-\text{NH}-\text{C}_6\text{H}_3-2,4(\text{NO}_2)_2$, $-\text{CH}_2-\text{OH}$, $-\text{CO}-\text{NH}-\text{CH}_2-\text{COO}-\text{CH}_3$, $-\text{CH}[\text{N}(\text{C}_2\text{H}_4)_2\text{O}]_2$), 1546
- Peralkynylation
Synthesis of the first pentaethynylferrocene derivatives, 4345
- Peroxide
Tetraphenylantimony carboxylates in the cascade Pd-catalyzed C-phenylation reaction of methyl acrylate in the presence of peroxide, 731
- Peterson methylenation
Tris(trimethylsilylmethyl)alane: an aldehyde selective peterson methylenation reagent, 1856
- 4,7-Phenanthroline
Synthesis and redistribution reactions of asymmetric σ -aryl-platinum(II) complexes containing 4,7-phenanthroline, 1288
- Phenantrene
Five- and six-membered platinacycles derived from phenantryl and anthracenyl imines, 1956
- Phenolate
X-ray and multinuclear NMR study of the mixed aggregate $[(\text{Ph}_2\text{P}(\text{O})\text{N}(\text{CH}_2\text{Ph})\text{CH}_3) \cdot \text{LiOC}_6\text{H}_4-2,6-\{\text{C}(\text{CH}_3)_3\}_2-4-\text{CH}_3 \cdot \text{C}_7\text{H}_8]_2$: a model for the directed metalation of phosphinamides, 1890
- Phenyl isocyanate
Insertion reactions of phenyl isocyanate into hafnium nitrogen bonds: synthesis and reactivity of hafnium complexes bearing substituted pyrrolyl ligands, 3362
- Phenylboronic acid
New boronates prepared from 2,4-pentanedione derived ligands of the NO_2 and N_2O_2 type – comparison to the complexes obtained from the corresponding salicylaldehyde derivatives, 811
- PHOLED
Color tunable phosphorescent light-emitting diodes based on iridium complexes with substituted 2-phenylbenzothiozoles as the cyclometalated ligands, 4882
- Phosphaalkenes
Dichlorosilylene and dichlorogermylene transfer to alkylidene-phosphanes, 1331
- Phosphane
Branched and dendritic metallo-carbosiloxanes with $\text{OCH}_2\text{-PPh}_2\text{ML}_n$ end-grafted units, 3598
Synthesis and structures of (3-methyl-2-pyridyl)diphenylphosphane derivatives of metal clusters, 1064
- phosphane silyl ligands
Silicon containing ferrocenyl phosphane ligands, 770
- Phosphanes
Synthesis and characterisation of phosphane-substituted Co_3C clusters having a pendant allyl side-chain, 2103
- Phosphazanes
Phosphinohydrazines and phosphinohydrazides $\text{M}(-\text{N}(\text{R})-\text{N}(\text{R})-\text{PPh}_2)_n$ of some transition and main group metals: synthesis and characterization. Rearrangement of $\text{Ph}_2\text{P}-\text{NR}-\text{NR}-$ ligands into aminoiminophosphorane, $\text{RN}=\text{PPh}_2-\text{NR}-$, and related chemistry, 3060
- Phosphido-bridged complex
Reactions of a phosphido-bridged unsymmetrical diiron complex $(\eta^5\text{-C}_5\text{Me}_5)\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPh}_2)$ with various alkynes, 1481
- Phosphinamides
X-ray and multinuclear NMR study of the mixed aggregate $[(\text{Ph}_2\text{P}(\text{O})\text{N}(\text{CH}_2\text{Ph})\text{CH}_3) \cdot \text{LiOC}_6\text{H}_4-2,6-\{\text{C}(\text{CH}_3)_3\}_2-4-\text{CH}_3 \cdot \text{C}_7\text{H}_8]_2$: a model for the directed metalation of phosphinamides, 1890
- Phosphine
DFT studies of structural preference of coordinated ethylene in $\text{W}(\text{CO})_3(\text{PX}_3)_2(\text{CH}_2=\text{CH}_2)$ ($\text{X} = \text{H}, \text{CH}_3, \text{F}, \text{Cl}, \text{Br}$, and I), 2275
Hydroformylation in fluorosolvents, 1413
Oxalate-bridged dirhenium(I) hexacarbonyl complexes: synthesis, reactions, and crystal structures, 2837
Rhenium and technetium tricarbonyl complexes anchored by 5-HT_{1A} receptor-binding ligands containing P,O/N donor atom sets, 4811
Synthesis, structures and *rac/meso* isomerization behaviour of bisplanar chiral bis(phosphino- η^5 -indenyl)iron(II) complexes, 1897
Xantphos as *cis*- and *trans*-chelating ligand in square-planar platinum(II) complexes. Hydroformylation of styrene with platinum-*xantphos*-tin(II)chloride system, 1188
- Phosphine ligand
Role of base in palladium-catalyzed arylation of carbanions, 1085
- Phosphine ligands
New synthetic route to polyphosphine ligands bearing 1,2,4,5-tetrakis(phosphino)benzene framework: structural characterizations of 1,4-(PPh_2)₂-2,5-(PR_2)₂- C_6F_2 ($\text{R} = \text{Ph}, \text{Pr}, \text{Et}$), 3350
Ruthenium(II) complexes with ferrocene-modified arene ligands: synthesis and electrochemistry, 2456
- Phosphine-carbon disulfide adduct
Alkylation and metalation of binuclear anions containing a novel tricyclohexylphosphonioethanetrithiolate ligand $\text{S}(\text{SR})\text{C}=\text{C}(\text{PCy}_3)\text{S}$, 1949
- Phosphine-phosphonite
Synthesis and characterisation of a new class of phosphine-phosphonite ferrocenediyl dinuclear rhodium complexes, 766
- Phosphines
4-Chloro-5-methyl-3-diphenylphosphino-1-phenyl-1,2,3,6-tetrahydrophosphinine as a bidentate P-ligand in a *cis* chelate Pt(II) complex, 3158
Influence of organic ligands on the stabilization of palladium nanoparticles, 4601
Rhodium-catalyzed hydroformylation of C6 alkenes and alkene mixtures – a comparative study in homogeneous and aqueous-biphasic media using PPh_3 , TPPTS and TPPMS ligands, 3782
Synthesis of triarylphosphines having *para* -SH and -SMe groups. Preparation of their complexes and formation of a monolayer on a gold surface, 3621
Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of $[(\eta^3\text{-C}_5\text{H}_5)\text{-}$

- (CO)₃W(CH₂)₃Mo(CO)₂(PPh₃)(η⁵-C₅H₅) and [(η⁵-C₅H₅)-(CO)₂(PPh₃)Mo(CH₂)₃Fe(CO)₂(η⁵-C₅H₅)], 181
- Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556
- Phosphinoamides**
- Phosphinohydrazines and phosphinohydrazides M(–N(R)–N(R)–PPh₂)_n of some transition and main group metals: synthesis and characterization. Rearrangement of Ph₂P–NR–NR– ligands into aminoiminophosphorane, RN=PPh₂–NR–, and related chemistry, 3060
- Phosphinoborane**
- Synthesis of a transition-metalated phosphinoborane dimer, 2425
- Phosphinocarboxylic ligands**
- Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556
- Phosphinoethers**
- Mononuclear and heterodinuclear transition metal complexes of functionalized phosphines. Crystal and molecular structures of [Mo(CO)₅(RPC₆H₄OCH₂OCH₃-*o*)] (R = Ph, C₆H₄OCH₂OCH₃-*o*), [Ru(Ph₂PC₆H₄O-*o*)₃], [Pd(Ph₂PC₆H₄O-*o*)₂] and [PdCl(Ph₂PC₆H₄O-*o*)(Ph₂PC₆H₄OH-*o*)], 3335
- Phosphinohydrazines**
- Phosphinohydrazines and phosphinohydrazides M(–N(R)–N(R)–PPh₂)_n of some transition and main group metals: synthesis and characterization. Rearrangement of Ph₂P–NR–NR– ligands into aminoiminophosphorane, RN=PPh₂–NR–, and related chemistry, 3060
- Phosphite ligands**
- Preparation and reactivity of osmium(II) hydride complexes with phosphites and polypyridyls, 1639
- Phosphole**
- η⁴-Phosphole tricarbonylmanganates: a new type of chelating ligands for transition metals, 4647
- Phosphonate**
- β-Ferrocenyl-α,β-unsaturated phosphonates and sulfones, 1165
- Substituent effects of phosphonate groups electronic repartition of π-conjugated ferrocene analogues of stilbene, 1867
- Phosphonates**
- Magnesium triflate [Mg(OTf)₂] a highly stable, non-hygroscopic and a recyclable catalyst for the high yielding preparation of diethyl α-trimethylsilyloxyphosphonates from diethyl α-hydroxyphosphonates by HMDS under solventless conditions, 3197
- Phosphoniophosphines**
- Palladium complexes of a chiral P,C-chelating phosphino-(sulfinylmethyl)phosphonium ylide ligand, 380
- Phosphorescence**
- Luminescent rhenium(I)–gold(I) hetero organometallics linked by ethynylphenanthrolines, 2905
- Phosphorescent**
- Color tunable phosphorescent light-emitting diodes based on iridium complexes with substituted 2-phenylbenzothiozoles as the cyclometalated ligands, 4882
- Phosphoroselenoates**
- Mercury trifluoroacetate-catalyzed conversion of *Se*-alkyl phosphoroselenolates into the corresponding phosphates, 2745
- Phosphorothioates**
- Mercury trifluoroacetate-catalyzed conversion of *Se*-alkyl phosphoroselenolates into the corresponding phosphates, 2745
- Phosphorus**
- Investigation in the coupling of zirconocene complexes and trimethylsilyl(diphenylphosphino)acetylene. P–C bond cleavage chemistry from protonolysis reactions, 953
- Reactivity of electron-poor decamethyl-1,3-diborathenocene with sulfur and phosphorus compounds, 429
- Phosphorus donors**
- Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953
- Phosphorus heterocycles**
- 4-Chloro-5-methyl-3-diphenylphosphino-1-phenyl-1,2,3,6-tetrahydrophosphinine as a bidentate P-ligand in a *cis* chelate Pt(II) complex, 3158
- Syntheses of a 2,6-bis-(methylphospholyl)pyridine ligand and its cationic Pd(II) and Ni(II) complexes – application in the palladium-catalyzed synthesis of arylboronic esters, 2988
- Phosphorus ylides**
- Introduction of a phosphorus ylide moiety into [η²-(ω-hydroxy)-alkenyl]chromium(0) carbene complexes with Ph₃PCCO and consecutive Wittig alkenations with 2-alkynals. Part 12: the chemistry of metallacyclic alkenylcarbene complexes, 2131
- Phosphorus–sulfur prolignands**
- Tandem transmetalation and oxidative addition reactions of [Sn(R)₂(Ph₂PC₆H₄-2-S)₂] with transition metal complexes of the Group 9, 174
- Photochemical activation**
- Rhodium-carbonyl complexes with a quinolyl functionalized Cp-ligand: synthesis and photochemical activation, 3024
- Photochemical reactions**
- Photolysis of diruthenium hexacarbonyl tetrahedrane compounds in Nujol glass matrices, 2947
- Photochemistry**
- Photolysis of diruthenium hexacarbonyl tetrahedrane compounds in Nujol glass matrices, 2947
- Photocyclization**
- Developing some functional group chemistry at the Group 4 bent metallocene frameworks, 1402
- Photoelectric conversion**
- Microwave-assisted synthesis of phthalocyanine–porphyrin complex and its photoelectric conversion properties, 2450
- Photolysis**
- Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319
- Phthalocyanine**
- Microwave-assisted synthesis and reverse saturable absorption of phthalocyanines and porphyrins, 1078
- Microwave-assisted synthesis of phthalocyanine–porphyrin complex and its photoelectric conversion properties, 2450
- 2'-Pyridinyl alcohol**
- Molybdenum(VI)-complexes with chiral *N,O*-ligands derived from carbohydrates: synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 2752
- Physical properties**
- Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LIX. Spektrochemische und nephelauxetische Effekte sowie experimentorientierte MO-Schemata (im f-Bereich) pseudo-trigonal-planarer (substituierter) Tris(η⁵-cyclopentadienyl)neodym(III)-Komplexe und eines THF-Monoaddukts, 3143
- Pinacol rearrangement**
- McMurry reactions of (η⁵-acetylcyclopentadienyl) cobalt-(η⁴-tetraphenylcyclobutadiene) with benzophenone: ketone couplings and a pinacol/pinacolone rearrangement, 4683
- Pincer**
- Palladacycles in catalysis – a critical survey, 4055
- Pincer complexes**
- Synthesis and X-ray crystal structure analysis of the first nickel bisoxazoline pincer complex, 3056
- Pincer ligand**
- Preparation of platinum complexes containing a thioamide-based SCS pincer ligand and their light emitting properties, 1860

Pincer ligands

Synthesis, characterization and spectroscopic studies of cyclometalated platinum(II) complexes containing *meta*-bis(2-pyridoxy)benzene, 2888

Planar chiral

Synthesis, structures and *rac/meso* isomerization behaviour of bisplanar chiral bis(phosphino- η^5 -indenyl)iron(II) complexes, 1897

Planar chirality

Introduction of a planar chirality onto steroid substrates: synthesis of (*S*) and (*R*)-2'-formylcymantrenyl-17 α -ethynylestradiols using (*S*) and (*R*)-1-formyl-2-iodo-cymantrenes, 4872

Ligand electronic effects in the palladium catalyzed asymmetric allylic alkylation reaction with planar chiral diphosphine-oxazoline ferrocenyl ligands, 3847

Plasmodium falciparum

Easily synthesized antimalarial ferrocene triazacyclononane quinoline conjugates, 4678

Platinacycles

Factors affecting the lability of the σ (M–X) bond in cycloplatinated and cyclopalladated complexes containing [C(sp², ferrocene),N,X][–] or [C(sp², phenyl),N,X][–] (X = S, N) terdentate ligands, 3184

Platinum

Bimetallic cluster complexes: synthesis, structures and applications to catalysis, 4521

Cyclometallated platinum complexes with heterocyclic ligands, 1496

Five- and six-membered platinacycles derived from phenantryl and anthracenyl imines, 1956

Intramolecular oxidative addition of C–F and C–H bonds to [Pt(dba)₂]. Crystal structure of [PtCl{Me₂NCH₂CH₂N-CH(2,4,5-C₆H₃F₃)}], 3088

Preparation of platinum complexes containing a thioamide-based SCS pincer ligand and their light emitting properties, 1860

Synthese und Reaktionsverhalten von Platin(II) und Kupfer(I) Koordinationspolymeren; die Festkörperstruktur von {*trans*-(Ph₃P)₂Pt[(η^2 -C \equiv CPh)CuBr]₂}_n und *trans*-(Ph₃P)₂-Pt[(η^2 -C \equiv CPh)CuNO₃]₂, 1464

Synthesis and characterization of new sulfide aggregates of the type [{Pt₂(μ_3 -S)₂(P–P)₂}M(C₆F₅)₂] (M = Ni, Pd, Pt; P–P = 2PPh₃, 2PMe₂Ph, dpfp), 2080

Synthesis and characterization of organometallic conjugated polymers containing tricarbonyl(arene)chromium unit and platinum, 2684

Synthesis and structures of organoantimony compounds containing intramolecular Sb–N interactions, 2593

Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556

Xantphos as *cis*- and *trans*-chelating ligand in square-planar platinum(II) complexes. Hydroformylation of styrene with platinum–*xantphos*–tin(II)chloride system, 1188

Platinum carbonyl cluster

Platinum carbonyl derived catalysts on inorganic and organic supports: a comparative study, 309

Platinum complex

Reaction of η^2 -enone and enal-platinum(0) complexes with Lewis acidic compounds, 894

Platinum complexes

4-Chloro-5-methyl-3-diphenylphosphino-1-phenyl-1,2,3,6-tetrahydrophosphinine as a bidentate P-ligand in a *cis* chelate Pt(II) complex, 3158

Platinum group metals

Synthesis, characterization and cytotoxicity of some palladium(II), platinum(II), rhodium(I) and iridium(I) complexes of ferrocenylpyridine and related ligands. Crystal and

molecular structure of *trans*-dichlorobis(3-ferrocenylpyridine)palladium(II), 1553

Platinum hydrides

C–H and N–H activation by Pt(0) in N- and O-heteroaromatic compounds, 1315

Platinum insertion

Diacenaphtho[1,2-c:1',2'-e]-1,2-dithiin: synthesis, structure and reactivity, 65

Platinum microdisk electrode

Synthesis and structural characterisation of redox-responsive *N*-ferrocenoyl amino acid esters; the X-ray crystal structure of *N*-ferrocenoyl alanine methyl ester; electrochemical anion recognition and ¹H NMR complexation studies, 1511

Platinum(II)

Luminescent metal alkynyls – from simple molecules to molecular rods and materials, 1393

Platinum(II) complex

Synthesis and redistribution reactions of asymmetric σ -arylplatinum(II) complexes containing 4,7-phenanthroline, 1288

Platinum(II) complexes

Synthesis, characterization and spectroscopic studies of cyclometalated platinum(II) complexes containing *meta*-bis(2-pyridoxy)benzene, 2888

Pnictadionates

Reactions of 2-arsa- and 2-stiba-1,3-dionato lithium complexes with group 4–7 metal halides, 1648

Poly(*p*-phenylene-ethynylene)

Synthesis and properties of PPE-type conjugated polymers containing tricarbonyl(arene)chromium unit in the main chain, 1271

Poly-pyridyl and pyridyl-azine ligands

Potential inhibitors of DNA topoisomerase II: ruthenium(II) poly-pyridyl and pyridyl-azine complexes, 2256

Poly-yne polymer

Synthesis and characterization of organometallic conjugated polymers containing tricarbonyl(arene)chromium unit and platinum, 2684

Polyethylene

Substituted cyclopentadienylchromium(III) complexes containing neutral donor ligands. Synthesis, crystal structures and reactivity in ethylene polymerization, 293

The synthesis and catalytic activity of poly(bis(imino)pyridyl) iron(II) metallodendrimer, 3040

Polyethylene glycol

Preparation and characterization of poly(amidoamine) dendrimers functionalized with a rhenium carbonyl complex and PEG as new IR probes for carbonyl metallo immunoassay, 4775

Polymer complex

On the influence of the heterocyclic ring substituents on the structure of dimethylthallium pyrimidine-2-thionato complexes. Crystal structure of dimethyl-(4-trifluoromethylpyrimidine-2-thionate)thallium(III): a compound with intermolecular C–H \cdots π interactions, 557

Polymer properties

Alkylidenverbrückte dissymmetrische zweikernige Metallocenkomplexe als Katalysatoren für die Ethylenpolymerisation, 1194

Polymer-supported catalyst

Efficient synthesis of *N*-acyl- α -amino acids via polymer incarcerated palladium-catalyzed amidocarbonylation, 3806

Polymeric precursor

Olefin hydroboration of borazine with vinylsilanes as precursors of Si–B–C–N ceramics, 2311

Polymerisation

Kinetic and mechanistic aspects of metallocene polymerisation catalysts, 3982

- Synthesis and structure of $[\text{Cp}_2\text{Zr}(\text{OPr}^i)(\text{HOPr}^i)]^+$ and its activity in the polymerisation of propene oxide, 4624
- Titanium ketimide complexes as α -olefin homo- and copolymerisation catalysts. X-ray diffraction structures of $[\text{TiCp}^i(\text{N}=\text{C}^i\text{Bu}_2)\text{Cl}_2]$ ($\text{Cp}^i = \text{Ind}, \text{Cp}^*$), 203
- Polymerization
- $[\text{Cp}_2\text{TiCl}_2]$ as polymerization catalyst in aqueous medium: polymerization of styrene in water, 1091
 - Controlled vinyl-addition-type polymerization of norbornene initiated by several cobalt complexes having substituted terpyridine ligands, 744
 - Developments of rare earth metal catalysts for olefin polymerization, 4489
 - Diene complexes of early transition metals: ideas and progresses at Osaka University, 4552
 - Synthesis and characterization of cyclopentadienyl/alkoxo titanium dichlorides: structural analysis of monocyclopentadienyl titanium dichlorides with ligands derived from menthol and borneol, 3492
 - Synthesis, characterization of homoleptic guanidino lanthanide complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 1019
 - Titanium and zirconium complexes containing sterically hindered hydrotris(pyrazolyl)borate ligands: synthesis, structural characterization, and ethylene polymerization studies, 286
 - Titanium and zirconium complexes containing the new 2,3-dimethyl-1,4-diphenylcyclopentadienyl ligand. Synthesis, characterization and polymerization behavior, 1623
- Polymethylhydrosiloxane
- Dehydrogenative coupling as an efficient route to ferrocene functionalized siloxanes, 3468
- Polyphosphines
- New synthetic route to polyphosphine ligands bearing 1,2,4,5-tetrakis(phosphino)benzene framework: structural characterizations of 1,4-(PPh_2)₂-2,5-(PR_2)₂- C_6F_2 ($\text{R} = \text{Ph}, ^i\text{Pr}, \text{Et}$), 3350
- Polyphosphorus ligands
- Functionalization of white phosphorus in the coordination sphere of transition metal complexes, 4319
- Polypyridyl
- Preparation and reactivity of osmium(II) hydride complexes with phosphites and polypyridyls, 1639
- Polysiloxanes
- Polysiloxanol condensation and disproportionation in the presence of a superacid, 705
 - Synthesis of novel tri-podal mesogenic alkenes and side-chain polysiloxanes, 2606
- Polystyrene
- Platinum carbonyl derived catalysts on inorganic and organic supports: a comparative study, 309
- Polythiacarbosilane
- IR laser decomposition of 1,3-disilacyclobutane in presence of carbon disulfide: chemical vapour deposition of polythiacarbosilane, 2697
- Polyvinylalcohol
- Syntheses and coordination behaviour of 2-(*ortho*-phosphinophenyl)-functionalised 1,3-dioxolanes and 1,3-dioxanes towards a $[(\text{COD})\text{Rh}]$ -complex fragment – models for immobilised complexes, 3117
- Porphyrin
- Microwave-assisted synthesis and reverse saturable absorption of phthalocyanines and porphyrins, 1078
 - Microwave-assisted synthesis of phthalocyanine–porphyrin complex and its photoelectric conversion properties, 2450
 - Synthesis and characterization of *meso*-ferrocenylethynyl 5,15-diphenylporphyrins, 1593
- Porphyrin assemblies
- Non-covalent assemblies of negatively charged boronated porphyrins with different cationic moieties, 3242
- Post-metallocene catalysts
- Stereospecific post-metallocene polymerization catalysts: the example of isospecific styrene polymerization, 4636
- Potassium
- Synthesis and crystal structures of organometallic compounds containing the ligands $\text{C}(\text{SiMe}_3)_2(\text{SiMe}_2\text{H})$ and $\text{C}(\text{SiMe}_2\text{Ph})_2(\text{SiMe}_2\text{H})$, 1238
- Potassium anions
- Decomposition of vinyl ethers by alkali K^- , $\text{K}^+(15\text{-crown-5})_2$ via organopotassium intermediates, 1580
 - Electron-transfer reduction of selected alcohols with alkali K^- , $\text{K}^+(15\text{-crown-5})_2$ via organopotassium intermediates, 2361
- Potassium hexacyanoferrate(II)
- Improving palladium-catalyzed cyanation of aryl halides: development of a state-of-the-art methodology using potassium hexacyanoferrate(II) as cyanating agent, 4576
- Powder X-ray diffraction
- Studies on phthalocyanine sheet polymers, 2601
- PQQ-dependent glucose dehydrogenase
- Cyclometalated *N,N*-dimethylbenzylamine ruthenium(II) complexes $[\text{Ru}(\text{C}_6\text{HR}^1\text{R}^2\text{R}^3\text{-}o\text{-CH}_2\text{NMe}_2)(\text{bpy})(\text{RCN})_2]\text{PF}_6$ for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase, 4820
- Propanol
- Electron-transfer reduction of selected alcohols with alkali K^- , $\text{K}^+(15\text{-crown-5})_2$ via organopotassium intermediates, 2361
- Propene oxide
- Synthesis and structure of $[\text{Cp}_2\text{Zr}(\text{OPr}^i)(\text{HOPr}^i)]^+$ and its activity in the polymerisation of propene oxide, 4624
- Propylene
- Propylene oxidation by palladium nitro and nitrate complexes: in situ NMR and IR studies, 2880
 - Titanium ketimide complexes as α -olefin homo- and copolymerisation catalysts. X-ray diffraction structures of $[\text{TiCp}^i(\text{N}=\text{C}^i\text{Bu}_2)\text{Cl}_2]$ ($\text{Cp}^i = \text{Ind}, \text{Cp}^*$), 203
- Propylene dimerization
- Novel neutral arylnickel(II) phosphine catalysts containing 2-oxazolonylphenolato N–O chelate ligands for ethylene oligomerization and propylene dimerization, 2614
- Protein-accelerated catalysis
- Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868
- Proton transfer
- Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332
 - Role of base in palladium-catalyzed arylation of carbanions, 1085
- Protonation
- A personal account of some dinitrogen and organometallic chemistry research at the University of Sussex, 3999
- Pt–Pt interactions
- Synthesis, characterization and spectroscopic studies of cyclometalated platinum(II) complexes containing *meta*-bis(2-pyridoxy)benzene, 2888
- Push–pull
- Synthesis and characterization of *meso*-ferrocenylethynyl 5,15-diphenylporphyrins, 1593
- Pyrazole
- Coordination properties of N_2S (1,5-bis(3,5-dimethyl-1-pyrazolyl)-3-thiapentane) or N_2S_2 (1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane or 1,2-bis[3-(3,5-dimethyl-1-pyrazolyl)-2-thiapropryl]benzene) donor ligands toward $\text{Rh}(\text{I})$, 1599

- Ethylene polymerization catalyzed by substituted pyrazole nickel complexes, 1835
- Preparation and molecular structure of a pyrazolyl–ruthenium complex, $\text{Ru}\{\text{C}_3\text{H}_2\text{NN}(\text{SO}_2\text{tol})\}(\text{dppe})\text{Cp}^*$, 698
- Rhenium(I)- and technetium(I) tricarbonyl complexes anchored by bifunctional pyrazole-diamine and pyrazole-dithioether chelators, 4764
- Pyrazole complexes**
- Study of the reactivity of tris(pyrazolyl)amine and bis-(pyrazolyl)amine ligands toward Rh(I). Crystal structure of $[\text{Rh}_3\text{Cl}_3(\text{cod})_3\text{tdma}] \cdot \text{CH}_3\text{CN}$ (**tdma** = tris[(3,5-dimethyl-1-pyrazolyl)methyl]amine), a C_3 -symmetric compound, 980
- Pyrazoles**
- On the way to chiral epoxidations with methyltrioxorhenium(VII) derived catalysts, 3735
- Reactivity studies of $(\eta^6\text{-arene})$ ruthenium dimeric complexes towards pyrazoles: isolation of amidines, bis pyrazoles and chloro bridged pyrazole complexes, 3265
- Pyrazolylborates**
- A multinuclear NMR study in the solid state and in solution of thallium(I) tris-(pyrazol-1-yl)borates (thallium scorpionates), 463
- 3-(2-Pyridylmethyl) indenyl**
- Organolanthanides with 3-(2-pyridylmethyl) indenyl ligands: synthesis, crystal structures and catalytic activities of divalent complexes for ϵ -caprolactone polymerization, 2646
- Pyridine-2-carboxaldehyde**
- Syntheses and characterization of indenylruthenium(II) complexes containing N,N' donor Schiff base ligands. Molecular structures of $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)_2(\text{CH}_3\text{CN})]\text{BF}_4$ and $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)(\text{C}_5\text{H}_4\text{-N-2-CH=N-C}_6\text{H}_4\text{-p-CH}_3)]\text{BF}_4$, 1249
- Pyridoxine**
- Diorganotin(IV) complexes of dideprotonated pyridoxine (PN, vitamin B₆). The crystal structures of $[\text{SnEt}_2(\text{PN-2H})] \cdot \text{CH}_3\text{OH}$, $[\text{SnEt}_2(\text{PN-2H})(\text{DMSO})]$ and $[\text{SnBu}_2(\text{PN-2H})]$, 620
- Pyridyl**
- Synthesis and structures of (3-methyl-2-pyridyl)diphenylphosphane derivatives of metal clusters, 1064
- Pyridyl–azine**
- Helices of ruthenium complexes involving pyridyl–azine ligands: synthesis, spectral and structural aspects, 3612
- Pyridylamide**
- Chiral bispyridylamide metal complexes as catalysts for the enantioselective addition of TMSCN to aldehydes, 3750
- Pyrimidine-2-thionate complex**
- On the influence of the heterocyclic ring substituents on the structure of dimethylthallium pyrimidine-2-thionato complexes. Crystal structure of dimethyl-(4-trifluoromethylpyrimidine-2-thionate)thallium(III): a compound with intermolecular $\text{C-H} \cdots \pi$ interactions, 557
- Pyrones**
- The photochemical and thermal reactions of a triosmium cluster carrying a γ -pyrone ligand with alkynes, 25
- Pyrrolide-imine**
- Pyrrolide-imine benzyl complexes of zirconium and hafnium: synthesis, structures, and efficient ethylene polymerization catalysis, 1155
- Pyrrolidines**
- Pd-catalyzed one-pot coupling of allylamines, activated alkenes, and unsaturated halides (or triflate): an atom efficient synthesis of highly functionalized pyrrolidines, 3831
- Pyrrolyl**
- Insertion reactions of phenyl isocyanate into hafnium nitrogen bonds: synthesis and reactivity of hafnium complexes bearing substituted pyrrolyl ligands, 3362
- Pyrrolylaldimate**
- Coordination chemistry of a multidentate pyrrolylaldimate ligand. X-ray crystal structure of double-helical bis- μ -[N,N' -ethylenedi(5-*tert*-butyl-pyrrol-2-ylaldimate)]-dimagnesium, 947
- Quadratic nonlinearities**
- Alkynyl compounds and nonlinear optics, 3968
- Quadricyclane**
- Formation, structure, and reactivities of 1:1 adducts between quadricyclane and $(\eta^5\text{-cyclopentadienyl})(1,2\text{-diphenyl- or -dimethoxycarbonyl-1,2-ethenedithiolato})\text{rhodium(III)}$, 997
- Radicals**
- Some highlights from the development and use of bulky monodentate ligands, 3904
- Radiopharmaceuticals**
- Rhenium and technetium tricarbonyl complexes anchored by 5-HT_{1A} receptor-binding ligands containing P,O/N donor atom sets, 4811
- Rhenium(I)- and technetium(I) tricarbonyl complexes anchored by bifunctional pyrazole-diamine and pyrazole-dithioether chelators, 4764
- Radiopharmacy**
- Conjugates of vitamin B12 with N_ϵ -functionalized histidine for labeling with $^{99m}\text{Tc}(\text{OH}_2)_3(\text{CO})_3^+$: synthesis and biodistribution studies in tumor bearing mice, 4803
- Rare earth metals**
- Developments of rare earth metal catalysts for olefin polymerization, 4489
- Re(I) complex**
- Synthesis of Re(I) complexes bearing tridentate 2,6-bis(7'-azaindoly)phenyl ligand with green emission properties, 1665
- Reaction mechanism**
- A mechanistic investigation of $(\text{Me}_3\text{Si})_3\text{SiH}$ oxidation, 2912
- Reaction mechanisms**
- A personal account of some dinitrogen and organometallic chemistry research at the University of Sussex, 3999
- Reactions with alkynes**
- Syntheses and molecular structures of $\text{Ru}_3(\mu\text{-H})(\mu_3\text{-CPh}_2\text{CCC}\equiv\text{CPh})(\text{CO})_9$ and $\text{Ru}_3\{\mu_3\text{-CPhCHCC(=CPh}_2)\text{CH=CPh}\}(\mu\text{-CO})(\text{CO})_8$, 965
- Reactive intermediates**
- Mechanism in homogeneous catalysis; NMR as a prime mover, 4006
- Reactivity**
- Synthesis, spectroscopic characterization and reactivities of linear and butterfly chromium/selenium complexes containing substituted cyclopentadienyl ligands: crystal structures of $[\{\eta^5\text{-MeC}_5\text{H}_4\text{Cr}(\text{CO})_2\}_2\text{Se}]$ and $[\{\eta^5\text{-EtO}_2\text{CC}_5\text{H}_4\text{Cr}(\text{CO})_2\}_2\text{Se}_2]$, 1849
- The chemistry of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 2543
- Rearrangement reactions**
- Chemistry of Fischer-type rhenacyclobutadiene complexes. II. Reactions with alkynes and sulfonium ylides, and rearrangements induced by nitriles and pyridine, 2013
- Rearrangements**
- Facile valence isomerization among bis(silacyclopropenyl), disila(Dewar benzene) and disilabenzvalene, 1284
- Intramolecularly donor-stabilized silenes: Part 5. Generation and conversion of 1-[2,6-bis(alkoxymethyl)phenyl]- and 1-(8-alkoxynaphthyl)-1,2,2-tris(trimethylsilyl)silenes, 1739
- 5HT_{1A} receptor-ligands**
- Rhenium and technetium tricarbonyl complexes anchored by 5-HT_{1A} receptor-binding ligands containing P,O/N donor atom sets, 4811

Receptor affinity

Cyclopentadienyl tricarbonyl complexes of ^{99m}Tc for the in vivo imaging of the serotonin 5-HT_{1A} receptor in the brain, 4739

Recycling

A recyclable nanosize aminoarene-thiolato copper(I) catalyst for C–C coupling reactions, 3813

Redistribution reaction

Synthesis and redistribution reactions of asymmetric σ -arylplatinum(II) complexes containing 4,7-phenanthroline, 1288

Redox activity

Synthesis and characterization of organometallic conjugated polymers containing tricarbonyl(arene)chromium unit and platinum, 2684

Synthesis and properties of PPE-type conjugated polymers containing tricarbonyl(arene)chromium unit in the main chain, 1271

Redox behaviour

The fragment bis(acetylacetonato)ruthenium: a meeting-point of coordination and organometallic chemistry, 4463

Redox chemistry

Thermally induced dual P–C bond cleavage routes from the imido-capped cluster $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$: synthesis, spectroscopic properties, and X-ray diffraction structures of $\text{Ru}_3(\text{CO})_7(\mu_3\text{-CO})(\mu_3\text{-NPh})(\text{bpcd})$, $\text{Ru}_3(\text{CO})_5(\mu_2\text{-CO})_2(\mu_3\text{-NPh})(\mu_2\text{-PPh}_2)[\mu, \eta^1, \eta^1\text{-C}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, $\text{Ru}_3(\text{C}(\text{O})_6(\mu_2\text{-CO})(\mu_3\text{-NPh})(\mu\text{-PhCO})[\mu_2, \eta^2, \eta^1\text{-PPhC}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, and $\text{Ru}_3(\text{CO})_9(\mu_3\text{-NPh})(\mu_3\text{-PPh})$, 3426

Unusual chemical reactivity in the reactions of $\text{Re}_2(\text{CO})_8(\mu\text{-H})(\mu\text{-}\eta^1, \eta^2\text{-CH=CHBu})$ with 2,3-bis(diphenylphosphino) maleic anhydride (bma) and $\text{Re}_2(\text{CO})_8(\text{bma})$ with $\text{Ni}(\text{cod})_2$: X-ray diffraction structures of $\text{Re}_2(\text{CO})_8(\text{bma})$, zwitterionic $\text{Re}(\text{CO})_4[\text{Re}(\text{CO})_4(\text{bma})]$, and the phosphido-bridged complex $\text{Re}_2(\text{CO})_8[\mu\text{-}\eta^1, \eta^1\text{-C}\equiv\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{OC}(\text{O})](\mu\text{-PPh}_2)$, 791

Redox properties

Some ruthenium complexes containing cyanocarbon ligands: syntheses, structures and extent of electronic communication in binuclear systems, 3308

Reduced titanium

Synthesis, characterization, and alkyne cyclotrimerization chemistry of titanium complexes supported by calixarene-derived bis(aryloxy) ligation, 502

Reduction

Reduction of 1-chloro-1,2,3,4,5-pentaphenylsilole: formation of silole monoanion and dianion, 134

Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of α -cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring, 3567

Reductive cleavage of C–X bond

Preparation of lithium stannide mixtures in organic solvents. A alternate source of lithium in organolithium chemistry, 3421

Regioisomerisation

Thermodynamic and kinetic parameters associated with the fluxional behavior of 2-methyl- and 2,6-dimethyltroponeiron tricarbonyl complexes, 1131

Regioselectivity

Regioselectivity in the rhodium catalysed 1,4-hydrosilylation of isoprene. Aspects on reaction conditions and ligands, 438

Resonance light scattering

Non-covalent assemblies of negatively charged boronated porphyrins with different cationic moieties, 3242

Retention

Stabilization of the labile metal configuration in half sandwich complexes $[\text{CpRh}(\text{PN})\text{Hal}]\text{X}$, 4244

Reverse saturable absorption

Microwave-assisted synthesis and reverse saturable absorption of phthalocyanines and porphyrins, 1078

Reverse saturable absorption of lanthanide bisphthalocyanines and their application for optical switches, 2138

Review

Some past achievements and future perspectives in main group chemistry, 3866

Where organometallics and dendrimers merge: the incorporation of organometallic species into dendritic molecules, 4016

Rh-complexes

Syntheses and coordination behaviour of 2-(*ortho*-phosphinophenyl)-functionalised 1,3-dioxolanes and 1,3-dioxanes towards a $[(\text{COD})\text{Rh}]\text{-complex}$ fragment – models for immobilised complexes, 3117

Rhenium

“2 + 1” Dithiocarbamate–isocyanide chelating systems for linking $\text{M}(\text{CO})_3^+$ ($\text{M} = ^{99m}\text{Tc}$, Re) fragment to bio-molecules, 4757

Aminorhenium carbon dioxide complexes: formal oxidation of a carbon monoxide ligand with peroxy-acids or bromine/hydroxide, 411

Exploring the nitrosyl-approach: “ $\text{Re}(\text{CO})_2(\text{NO})$ ”- and “ $\text{Tc}(\text{CO})_2(\text{NO})$ ”-complexes provide new pathways for bioorganometallic chemistry, 4833

Isolation of *fac*- $[\text{Re}(\text{CO})_3(\text{HMPA})_3][\text{BF}_4]$. Structural characterization of a key cationic intermediate in the exchange reaction between $[\text{Re}(\text{CO})_6][\text{BF}_4]$ and acetylferrocene. Implications in radiopharmaceutical chemistry, 273

Luminescent rhenium(I)–gold(I) hetero organometallics linked by ethynylphenanthrolines, 2905

New emissive *fac*-tricarbonylchlorobis(ligand)rhenium(I) complexes prepared from pyridine/thiophene hybrid ligands, 1122

Oxalate-bridged dirhenium(I) hexacarbonyl complexes: synthesis, reactions, and crystal structures, 2837

Preparation and characterization of poly(amidoamine) dendrimers functionalized with a rhenium carbonyl complex and PEG as new IR probes for carbonyl metallo immunoassay, 4775

Preparation and characterization of rhenium(I) compounds with amino ester derivatized diimine ligands. Investigations of luminescence. Crystal structures of $\text{Re}(\text{CO})_5\text{Cl}(\text{pyca-}\beta\text{-Ala-OEt})$ and $\text{Re}(\text{CO})_5\text{Cl}(\text{pyca-l-Asp(OMe)-OMe})$, 4848

Rhenium and technetium tricarbonyl complexes anchored by 5-HT_{1A} receptor-binding ligands containing P,O/N donor atom sets, 4811

Rhenium(I)- and technetium(I) tricarbonyl complexes anchored by bifunctional pyrazole-diamine and pyrazole-dithioether chelators, 4764

Six-membered tetracarbonylmanganese(I) and -rhenium(I) metallocycles containing the $[\text{Ph}_2\text{P}(\text{Se})\text{NP}(\text{Se})\text{Ph}_2]$ ligand: solution and solid state characterization, 2827

Synthesis and molecular structure of $[\text{Re}_2(\mu\text{-}\eta^6\text{-C}_{24}\text{H}_{18}\text{N}_4)(\text{CO})_6]$ containing the *rtct*-tetrakis(2-pyridyl)cyclobutadienyl ligand, derived from the reaction of $[\text{Re}_2(\text{CO})_8(\text{MeCN})_2]$ and 1,2-bis(2-pyridyl)ethene, 2486

Tricarbonyl complexes of rhenium(I) and technetium(I) with thiourea derivatives, 2066

Rhenium complexes

A complete series of tricarbonylhalidorhenium(I) complexes ($\text{abpy})\text{Re}(\text{CO})_3(\text{Hal})$, $\text{Hal} = \text{F}$, Cl , Br , I ; $\text{abpy} = 2,2'$ -azobispyridine: Structures, spectroelectrochemistry and EPR of reduced forms, 3031

Chemistry of Fischer-type rhenacyclobutadiene complexes. I. Deprotonation, addition/substitution of nucleophilic reagents at α -carbon, and insertion of heteroatoms into rhenium–carbon bonds, 2000

- Chemistry of Fischer-type rhenacyclobutadiene complexes. II. Reactions with alkynes and sulfonium ylides, and rearrangements induced by nitriles and pyridine, 2013
- Rhenium compounds
- The use of 3,3-bis(2-imidazolyl) propionic acid (bip-OH) as a new chelating ligand for $\text{Re}(\text{CO})_3$ and Ru complexes: Formation of organometallic PNA oligomers with (bip) $\text{Re}(\text{CO})_3$ and their interaction with complementary DNA, 4745
- Rhenium vinylidene complex
- Oxidative dehydrodimerization of rhenium vinylidene complex ($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2\text{Re}=\text{C}=\text{C}(\text{H})\text{Ph}$: two competitive routes of coupling of σ -phenylethynyl intermediate [($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2\text{Re}-\text{C}\equiv\text{CPh}$]. X-ray structures of rhenium mononuclear ($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2\text{Re}=\text{C}=\text{C}(\text{H})\text{Ph}$ and binuclear [($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2\text{Re}$] $_2(\mu_2\text{-C}=\text{C}(\text{Ph})\text{C}\equiv\text{CPh})$ vinylidene compounds, 3837
- Rhenium(I)
- Luminescent metal alkynyls – from simple molecules to molecular rods and materials, 1393
- Organometallic $^{99\text{m}}\text{Tc}$ -technetium(I)- and Re-rhenium(I)-folate derivatives for potential use in nuclear medicine, 4712
- Synthesis, characterization, electrochemistry and luminescence studies of heterometallic gold(I)–rhenium(I) alkynyl complexes, 4451
- Rhodiadithiolene
- Formation, structure, and reactivities of 1:1 adducts between quadricyclane and (η^5 -cyclopentadienyl)(1,2-diphenyl- or -dimethoxycarbonyl-1,2-ethenedithiolato)rhodium(III), 997
- Rhodium
- 2,2'-Bis((di-*tert*-butylphosphino)methyl)-1,1'-biphenyl (ditbi): a bulky analogue of bisbi. The crystal structure of $[\text{Rh}_2\text{Cl}_2(1,5\text{-cod})_2(\mu\text{-ditbi})]$, 2975
- A one-pot method to prepare the carbene complex $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{-RhCl}_2(\text{CHN}^+\text{Pr}_2)]$ from $[\text{Tp}^{\text{Me}_2\text{Cl}}\text{-Rh}(\text{CO})_2]$, CHCl_3 , and NH^+Pr_2 , 1763
- Heterobimetallic complexes as oxygen donor bidentate ligands: synthesis of early–late trinuclear complexes, 2641
- Hydroformylation in fluorosolvents, 1413
- Mechanism in homogeneous catalysis; NMR as a prime mover, 4006
- Preparation and molecular structure of a dinuclear rhodium complex having an unbalanced (15 + 17)-electron count, 4917
- Rh-catalyzed addition of boronic acids to alkynes for the synthesis of trisubstituted alkenes in a biphasic system - Mechanistic study and recycling of the Rh/*m*-TPPTC catalyst, 3820
- Rhodium complexes with chiral counterions: achiral catalysts in chiral matrices, 751
- Rhodium-catalyzed hydroformylation of C6 alkenes and alkene mixtures – a comparative study in homogeneous and aqueous-biphasic media using PPh_3 , TPPTS and TPPMS ligands, 3782
- Stabilization of the labile metal configuration in halfsandwich complexes $[\text{CpRh}(\text{PN})\text{Hal}]\text{X}$, 4244
- Synthesis and characterisation of a new class of phosphine-phosphonite ferrocenediyl dinuclear rhodium complexes, 766
- Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556
- Rhodium carbonyl cluster
- Rhodium-carbonyl complexes with a quinolyl functionalized Cp-ligand: synthesis and photochemical activation, 3024
- Rhodium complex
- Irreversible cleavage of a carbene–rhodium bond in Rh-*N*-heterocyclic carbene complexes: implications for catalysis, 3203
- Metallacarborane chemistry of the *hypho*-[6,7- $\text{C}_2\text{B}_6\text{H}_{13}$] $^-$ anion: the formation of uniquely structured metallacarboranes [5-Cp*-*arachno*-5,4,6-Rh $\text{C}_2\text{B}_6\text{H}_{12}$] and [2, 5-Cp3*-10-Me-*nido*-2,5, 1-Rh $\text{C}_2\text{B}_6\text{H}_9$] (Cp* = $\eta^5\text{-C}_5\text{Me}_5$): complete rhodium analogues of *arachno*-4, 6- $\text{C}_2\text{B}_7\text{H}_{13}$ and *nido*-1- CB_8H_{12} , 2702
- Rhodium complexes
- α,β -(Phosphino)(aminocarbene) and α,ω -(phosphino)(oxamino-carbene): new bidentate ligands for transition metal complexes, 1431
- Bonding isomerism in the $\eta^1\text{-P}$ coordination of the P_4X_3 (X = S, Se) molecules toward 16e rhodium fragments stabilized by tripodal tetradentate ligands, 164
- Coordination chemistry of ester-functionalized cp ligands: synthesis and catalytic activity of $[\text{Rh}\{\text{CpCO}_2(\text{CHPh})_2\text{-OH}\}(\text{NBD})]$ and $[\text{Rh}\{\text{CpCO}_2(\text{CH}_2)_3\text{OH}\}(\text{NBD})]$, 2216
- Regioselectivity in the rhodium catalysed 1,4-hydrosilylation of isoprene. Aspects on reaction conditions and ligands, 438
- Study of the reactivity of tris(pyrazolyl)amine and bis-(pyrazolyl)amine ligands toward Rh(I). Crystal structure of $[\text{Rh}_3\text{Cl}_3(\text{cod})_3\text{tdma}] \cdot \text{CH}_3\text{CN}$ (**tdma** = $\text{tris}[(3,5\text{-dimethyl-1-pyrazolyl)methyl}]\text{amine}$), a C_3 -symmetric compound, 980
- Synthesis and reactivity of substituted cyclopentadienyl rhodium(I) and (III) complexes, 823
- Rhodium methyl complexes
- Cationic methyl complexes of rhodium(III): synthesis, structure, and some reactions, 1930
- Rhodium(I)
- Coordination properties of N_2S (1,5-bis(3,5-dimethyl-1-pyrazolyl)-3-thiapentane) or N_2S_2 (1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane or 1,2-bis[3-(3,5-dimethyl-1-pyrazolyl)-2-thiapropryl]benzene) donor ligands toward Rh(I), 1599
- Rhodium(III)
- Iridium(III) and rhodium(III) cyclometalated complexes containing sulfur and selenium donor ligands, 2401
- Rhodium/iridium complexes
- Purine-based carbenes at rhodium and iridium, 2995
- Ring contraction
- The alkyne-anion promoted ring-contraction of hexachlorotropone: synthesis and structure of [trimethylsilyl-(pentachlorobenzoyl)ethyne]-hexacarbonyldicobalt, 8
- Ring opening reaction
- Efficient and regioselective chromium(0)-catalyzed reaction of 2-substituted furans with diazo compounds: stereoselective synthesis of (2*E*,4*Z*)-2-aryl-hexadienedioic acid diesters, 2662
- Ring slippage
- Studies of metal exchange reactions: the synthesis and structures of heteronuclear metal clusters containing the indenyl ligand ($\mu_3\text{-Cr})\text{Co}_2\text{M}(\text{CO})_8(\eta^5\text{-Ind})$ (R = H, CH_3 , C_6H_5 , COOC_2H_5 ; M = Co, W), 714
- Ring-opening polymerisation
- Reactions of alkylalane diolates with water synthesis, characterisation and ϵ -caprolactone polymerisation activity of novel alane benzopinacolates, 2930
- Ring-opening polymerization
- Bis(amido)titanium complexes having chelating diaryloxo ligands bridged by sulfur or methylene and their catalytic behaviors for ring-opening polymerization of cyclic esters, 612
- N-heterocyclic carbene complexes of Zn(II): synthesis, X-ray structures and reactivity, 2123
- Ring-opening reaction
- Synthesis and X-ray structural characterisation of the tetramethylene oxonium derivative of the hydrodecaborate anion. A versatile route for derivative chemistry of $[\text{B}_{10}\text{H}_{10}]^{2-}$, 2581
- ROMP
- 1,1'-(1-Propene-1,3-diyl)-ferrocene: modified synthesis, crystal structure, and polymerisation behaviour, 775

Rotation of ligand

Fluxional behavior of $\text{Al}(\text{Et})(\text{q}')_2$ ($\text{q}'=2\text{-methyl-8-quinolinolato}$) studied by temperature dependent ^1H NMR spectroscopy, 2421

Ru amido complex

Asymmetric Michael reactions of α -substituted acetates with cyclic enones catalyzed by multifunctional chiral Ru amido complexes, 1377

 $\text{RuCl}(\text{COD})\text{C}_5\text{Me}_5$ in catalysis

The versatility of molecular ruthenium catalyst $\text{RuCl}(\text{COD})\text{-(C}_5\text{Me}_5\text{)}$, 1382

Ruthenium

Arene ruthenium complexes incorporating imine/azine hybrid-chelating N–N' donor ligands: synthetic, spectral, structural aspects and DFT studies, 1821

Bimetallic cluster complexes: synthesis, structures and applications to catalysis, 4521

Chloride substitution of $[\text{CpRu}(\text{dppf})\text{Cl}]$ with sulfur-containing ligands, 1444

Chloromethylsilane functionalised dendrimers: synthesis and reactivity, 987

Comparative reactivity studies of dppf -containing CpRu^{II} and $(\text{C}_6\text{Me}_6)\text{Ru}^{\text{II}}$ complexes towards different donor ligands ($\text{dppf} = 1,1'\text{-bis(diphenylphosphino)ferrocene}$), 1978

Formation and structural study of a mixed ene/enyl ligand on reaction of $[\text{Ru}(\text{C}_5\text{Me}_5)\text{Cl}_2]_2$ with 1,3-cyclononadiene, 685

Helices of ruthenium complexes involving pyridyl-azine ligands: synthesis, spectral and structural aspects, 3612

Hydrogen-bonded systems between monocarboxylic acids and the trinuclear cluster cation $[\text{H}_3\text{Ru}_3(\text{C}_6\text{H}_6)(\text{C}_6\text{Me}_6)_2(\text{O})]^+$: cold-spray ionisation mass spectroscopic and X-ray crystallographic studies, 2820

Mechanism in homogeneous catalysis; NMR as a prime mover, 4006

Mononuclear hydridocarbonyl ruthenium complexes incorporating N_2O_2 bis-chelating ligands, 879

Nucleophilic substitution reactions at the Si–Cl bonds of the dichloro(methyl)silyl ligand in five- and six-coordinate complexes of ruthenium(II) and osmium(II), 2511

Photolysis of diruthenium hexacarbonyl tetrahedrane compounds in Nujol glass matrices, 2947

Potential inhibitors of DNA topoisomerase II: ruthenium(II) polypyridyl and pyridyl-azine complexes, 2256

Preparation and molecular structure of a pyrazolyl–ruthenium complex, $\text{Ru}\{\text{C}_3\text{H}_2\text{NN}(\text{SO}_2\text{tol})\}(\text{dppe})\text{Cp}^*$, 698

Reactions of ruthenium benzylidenes with H_2O to give benzaldehyde and (aqua)ruthenium complex, 3535

Reactivity of electron-poor decamethyl-1,3-diborathenocene with sulfur and phosphorus compounds, 429

Reactivity studies of $(\eta^6\text{-arene})\text{ruthenium}$ dimeric complexes towards pyrazoles: isolation of amidines, bis pyrazoles and chloro bridged pyrazole complexes, 3265

$\text{Ru}(\text{II})$ complexes imparting N_2O_2 donor bis chelating ligand N,N' -bis(salicylidine)-hydrazine in unusual coordination mode, 2073

Ruthenium(II) complexes with ferrocene-modified arene ligands: synthesis and electrochemistry, 2456

Ruthenium-catalyzed formal $[4 + 2]$ cycloaddition of alkynes with alkenes: formation of cyclohexenedicarboxylates via isomerization of alkynes and successive Diels–Alder reaction, 3168

Some ruthenium complexes containing cyanocarbon ligands: syntheses, structures and extent of electronic communication in binuclear systems, 3308

Supramolecular cluster catalysis: facts and problems, 1362

Syntheses and characterization of indenylruthenium(II) complexes containing N,N' donor Schiff base ligands. Molecular

structures of $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)_2(\text{CH}_3\text{CN})]\text{BF}_4$ and $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)(\text{C}_5\text{H}_4\text{-N-2-CH=N-C}_6\text{H}_4\text{-p-CH}_3)]\text{BF}_4$, 1249

Syntheses and molecular structures of $\text{Ru}_3(\mu\text{-H})(\mu_3\text{-CPh}_2\text{CCC}\equiv\text{CPh})(\text{CO})_9$ and $\text{Ru}_3\{\mu_3\text{-CPhCHCC(=CPh}_2\text{)CH=CPh}\}(\mu\text{-CO})(\text{CO})_8$, 965

Synthesis and characterisation of saturated and unsaturated triruthenium clusters containing electronically symmetrical and asymmetrical alkynes, 111

Synthesis, characterization and molecular structure of the $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\mu\text{-N}_3)(\text{N}_3)]_2$ complex and its reactions with some monodentate ligands, 3108

Synthesis, structures and some reactions of $\text{Ru}(\text{C}\equiv\text{C}\equiv\text{CFc})(\text{PP})\text{Cp}$ ($\text{PP} = \text{dppm}, \text{dppe}$) and related compounds, 2860

Tethered silyl complexes from nucleophilic substitution reactions at the Si–Cl bond of the chloro(diphenyl)silyl ligand in $\text{Ru}(\text{SiClPh}_2)(\kappa^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)_2$, 2979

The fragment bis(acetylacetonato)ruthenium: a meeting-point of coordination and organometallic chemistry, 4463

Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556

Two gold–ruthenium clusters derived from $\text{Ru}_3(\mu\text{-H})_3(\mu_3\text{-CBr})(\text{CO})_9$, 2558

$\text{W}(\eta^2\text{-PhC}\equiv\text{CPh})_3(\eta^1\text{-Ph}_2\text{PC}\equiv\text{CPh}_2)$ as a ligand to prepare homo- and hetero-nuclear cluster complexes, 105

Ruthenium benzylidene

Reactions of ruthenium benzylidenes with H_2O to give benzaldehyde and (aqua)ruthenium complex, 3535

Ruthenium carbonyl

Reactions of isonitriles with $[\text{Fe}_3(\text{CO})_{12}]$ and $[\text{Ru}_3(\text{CO})_{12}]$ monitored by electrospray mass spectrometry: structural characterisation of $[\text{Fe}_3(\text{CO})_{10}(\text{CNPh})_2]$ and $[\text{Ru}_4(\text{CO})_{11}(\mu_3\text{-}\eta^2\text{-CNPh})_2(\text{CNPh})]$, 1691

Ruthenium carbonyl clusters

Reaction of $\text{Ru}_3(\text{CO})_{12}$ with but-2-yn-1,4-diol in $\text{CH}_3\text{OH/KOH}$ solution. Crystal structure of $(\mu\text{-Cl})\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^4\text{-H}_2\text{CCC(H)CH}_2]$, 35

Ruthenium catalysts

The versatility of molecular ruthenium catalyst $\text{RuCl}(\text{COD})\text{-(C}_5\text{Me}_5\text{)}$, 1382

Ruthenium cluster

Synthesis and structural studies of polynuclear ruthenium clusters derived from reactions of 1,2,3,4-tetraphenyl-1,2,3,4-tetraphospholane with $[\text{Ru}_3(\text{CO})_{12}]$, 361

Ruthenium clusters

Asymmetric acetylenic thioethers in ruthenium cluster chemistry, 552

Ruthenium complexes

Cyclometalated N,N -dimethylbenzylamine ruthenium(II) complexes $[\text{Ru}(\text{C}_6\text{HR}^1\text{R}^2\text{R}^3\text{-o-CH}_2\text{NMe}_2)(\text{bpy})(\text{RCN})_2]\text{PF}_6$ for bioapplications: synthesis, characterization, crystal structures, redox properties, and reactivity toward PQQ-dependent glucose dehydrogenase, 4820

Selective formation of *trans* and *cis*(CH_3CN) isomers of $[\text{Ru}(\text{bpy})(\text{CO})_2(\text{CH}_3\text{CN})_2]^{2+}$ ($\text{bpy} = 2,2'\text{-bipyridine}$) from $[\text{Ru}(\text{CO})_2(\text{CH}_3\text{CN})_3]_2(\text{PF}_6)_2$ using an electrochemical oxidation step, 484

Ruthenium compounds

Chloro(η^5 -dihydropentalenyl)bis(triphenylphosphine)ruthenium(II): synthesis, structural characterization and catalytic activity in the dimerization of phenylacetylene, 419

The use of 3,3-bis(2-imidazolyl) propionic acid (bip-OH) as a new chelating ligand for $\text{Re}(\text{CO})_3$ and Ru complexes: Formation of organometallic PNA oligomers with (bip) $\text{Re}(\text{CO})_3$ and their interaction with complementary DNA, 4745

Ruthenium cyclopentadienyl complexes

Reaction of $[\text{CpRu}(\text{CH}_3\text{CN})_3]\text{PF}_6$ with bidentate ligands: structural characterization of $[\{\text{CpRu}(\text{CH}_3\text{CN})_2\}_2(\mu-\eta^{1:1}\text{-dppe})](\text{PF}_6)_2$ [dppe = 1,2-bis(diphenylphosphino)ethane], 1757

Ruthenium nanoparticles

Nanostructured ruthenium on $\gamma\text{-Al}_2\text{O}_3$ catalysts for the efficient hydrogenation of aromatic compounds, 639

Ruthenium on $\gamma\text{-Al}_2\text{O}_3$ catalysts

Nanostructured ruthenium on $\gamma\text{-Al}_2\text{O}_3$ catalysts for the efficient hydrogenation of aromatic compounds, 639

Ruthenocene

Synthesis, structures and reactions of some metallocene alcohols, 252

S ligands

Synthesis and characterization of new sulfide aggregates of the type $[\{\text{Pt}_2(\mu_3\text{-S})_2(\text{P-P})_2\}\text{M}(\text{C}_6\text{F}_5)_2]$ (M = Ni, Pd, Pt; P-P = 2PPh₃, 2PMe₂Ph, dpfp), 2080

 $\text{S}_{\text{H}2}$ reactions

Reactions of organocobaloximes with aryldisulfonyl chlorides, 1102

Salen

Five-coordinate organoaluminum acetylides and crystal structure of the hydrosylate, $[\text{Salophen}(\text{t-Bu})\text{Al}]_2\text{O}$, 759

New boronates prepared from 2,4-pentanedione derived ligands of the NO₂ and N₂O₂ type – comparison to the complexes obtained from the corresponding salicylaldehyde derivatives, 811

Salicylidene-amino acid

Synthesis and structural characterization of diorganotin(IV) esters of salicylidene-amino acids, 2480

Saline compounds

Coordinating properties of $[\text{M}(\text{CO})_5(\text{CN})]^-$ [M = Cr; Mo; W] ligands: formation of ion pairs or dinuclear cyanide-bridged complexes, spectroscopic and X-ray diffraction studies, 2324

Salsolidine

An effect of application of chiral aluminium alkoxides and amides as adducts to zirconium catalyzed carbo- and cycloalumination of olefins, 444

Samarocenes

New divalent samarocenes for butadiene polymerisation: influence of the steric effect and the electron density on the catalytic activity, 264

Sandwich

Trimethylsilyl-functionalised bis(indenyl)iron(II) complexes: solid-state structure of $[\eta^5\text{-1,3-(SiMe}_3)_2\text{C}_9\text{H}_5]_2\text{Fe}$, 1139

Sandwich complexes

Crown compounds for anions. Sandwich complexes of cyclic trimeric perfluoro-*o*-phenylenemercury with hexacyanoferrate(III) and nitroprusside anions, 82

Reactivity of electron-poor decamethyl-1,3-dibororuthenocene with sulfur and phosphorus compounds, 429

Sanger's reagent

Observations on reaction pathways of dicobalt octacarbonyl with alkynyl amines, 3449

Schiff base

Copper catalysed 1,4-addition of organozinc reagents to α,β -unsaturated carbonyl compounds: a mechanistic investigation, 2169

Preference of di-*n*-butyltin^{IV} compounds to build O \cdots Sn bonds in fused rings with five-six members, 3481

Salen-type zirconium complexes with a labile coordination site and a robust skeleton: crystal structure of $[(\text{t-Bu}_4\text{-salen})\text{ZrCl}_2(\text{H}_2\text{O})]$, 1212

Selective covalent binding of a positively charged water-soluble benzoheterocycle triosmium cluster to single- and double-stranded DNA, 4729

Tellurium azamacrocycles: synthesis, characterization and coordination studies, 1452

Schiff base complexes

Synthesis and reactivity of new methylallylpalladium(II) complexes with bidentate 2-(methylthio-*N*-benzylidene)anilines, 395

Schiff bases

First synthesis of 1,1'-ferrocene bis-aminophosphonic esters, 1265

Syntheses and characterization of indenylruthenium(II) complexes containing *N,N'* donor Schiff base ligands. Molecular structures of $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)_2(\text{CH}_3\text{CN})]\text{BF}_4$ and $[(\eta^5\text{-C}_9\text{H}_7)\text{Ru}(\text{PPh}_3)(\text{C}_5\text{H}_4\text{-N-2-CH=N-C}_6\text{H}_4\text{-p-CH}_3)]\text{BF}_4$, 1249

Schwartz's reagent

Hydrozirconation of first-generation allyl-functionalized dendrimers and dendrimer model compounds, 1876

Second coordination sphere

Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868

Secondary bonding

Synthesis and reactivity of *para*-substituted benzoyl-methyltellurium(II and IV) compounds: observation of intermolecular C–H–O hydrogen bonding in the crystal structure of $(p\text{-MeOC}_6\text{H}_4\text{COCH}_2)_2\text{TeBr}_2$, 345

Secondary interactions

2,4,6-Triphenylphenyltellurium(IV) triiodide – supramolecular self-assembling in organotellurium triiodides, 2092

An alkynyltelluronium iodide and its solid state structure: evidence for $p \rightarrow \sigma^*$ interactions, 627

Synthesis and properties of the ditelluroethers *m*- and *p*-C₆H₄(CH₂TeMe)₂ and their Te(IV) derivatives: crystal structures of $\text{PhTeI}_2(\text{CH}_2)_3\text{TeI}_2\text{Ph}$, *m*-C₆H₄(CH₂TeI₂Me)₂ and *p*-C₆H₄(CH₂TeI₂Me)₂, 1006

Selective synthesis

Synthetic aspects of tetraorganotin and organotin(IV) halides, 2145

Selenium

Organosilicon chalcogenides with trisilane units – bicyclo[3.3.1]nonanes, bicyclo[3.2.2]nonanes and spiro[4.4]nonanes, 564

Selenium complex

Synthesis, spectroscopic characterization and reactivities of linear and butterfly chromium/selenium complexes containing substituted cyclopentadienyl ligands: crystal structures of $[\{\eta^5\text{-MeC}_5\text{H}_4\text{Cr}(\text{CO})_2\}_2\text{Se}]$ and $[\{\eta^5\text{-EtO}_2\text{CC}_5\text{H}_4\text{Cr}(\text{CO})_2\}_2\text{Se}_2]$, 1849

Selenium–selenium bond cleavage

Addition of diphenyl diselenide (PhSeSePh) to the clusters $[\text{Os}_3(\text{CO})_{10}(\mu\text{-dppm})]$ and $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{-C}_6\text{H}_4\}]$: X-ray structures of $[\text{Os}_2(\text{CO})_4(\mu\text{-SePh})_2(\mu\text{-dppm})]$, $[\text{Os}_3(\text{CO})_6(\mu\text{-CO})(\mu\text{-Se})_2(\mu\text{-C}_6\text{H}_4)(\mu\text{-dppm})]$ and two isomers of $[\text{Os}_3(\text{CO})_8(\mu\text{-SePh})_2(\mu\text{-dppm})]$, 1569

Selenol esters

Synthesis, reactivity, electrochemical and crystallographic studies of diferrocenoyl diselenide and ferrocenoyl selenides, 3046

Self assembly

Supramolecular helical architecture assembled by double-helical $[\text{Ag}_2\text{L}_2]$ units, 43

Self-assembly

One- or two-dimensional organometallic arrays containing $\text{PdIr}_2(\mu_3\text{-S})_2$ mixed-metal sulfido cluster units connected via the nicotinamide or isonicotinamide ligands on their Pd sites through hydrogen-bonding interactions, 738

Self-assembled macrocycles with pentavalent silicon linkages, 2293

Self-immobilization

Self-immobilized metallocene catalysts bearing an allyl group for ethylene polymerization, X-ray crystal structure of $[(\text{CH}_2=\text{CHCH}_2)\text{CH}_3\text{Si}(\text{C}_{13}\text{H}_8)_2]\text{ZrCl}_2$, 678

⁷⁷Se NMR

Six-membered tetracarbonylmanganese(I) and -rhenium(I) metalacycles containing the [Ph₂P(Se)NP(Se)Ph₂] ligand: solution and solid state characterization, 2827

SHG intensity

Modulation of SHG responses via supramolecular association/dissociation between two complementary cryptands, 4877

Short-bite ligands

Functional ligands and complexes for new structures, homogeneous catalysts and nanomaterials, 3953

Si-vinyl

Preparation and reactivity of polyfunctional six- and eight-membered cyclic silicates, 689

Si–H

Preparation and reactivity of polyfunctional six- and eight-membered cyclic silicates, 689

SiCBN ceramic

Olefin hydroboration of borazine with vinylsilanes as precursors of Si–B–C–N ceramics, 2311

Sigma Hammett

Preference of di-*n*-butyltin^{IV} compounds to build O...Sn bonds in fused rings with five-six members, 3481

Sila-β-diketonate

Investigations into the preparation of sila-β-diketones via 2-trimethylsilyl-1,3-dithianes: structural characterization of a second polymorph of bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato)copper(II), 71

Silaethenes

Intramolecularly donor-stabilized silenes: Part 5. Generation and conversion of 1-[2,6-bis(alkoxymethyl)phenyl]- and 1-(8-alkoxynaphthyl)-1,2,2-tris(trimethylsilyl)silenes, 1739

Silanes

Chiral organochlorosilanes derived from terpenes: diastereoselective hydrosilylation of methylene bicyclo[2.2.1]heptanes with HSiMe_nCl_{3-n} (*n* = 0–2), 909

Intramolecularly donor-stabilized silenes: Part 5. Generation and conversion of 1-[2,6-bis(alkoxymethyl)phenyl]- and 1-(8-alkoxynaphthyl)-1,2,2-tris(trimethylsilyl)silenes, 1739

Silanol

Facile syntheses, structural characterizations, and isomerization of disiloxane-1,3-diols, 471

Silanol polycondensation

Polysiloxanol condensation and disproportionation in the presence of a superacid, 705

Silanols

Polysiloxanol condensation and disproportionation in the presence of a superacid, 705

Silenes

Intramolecularly donor-stabilized silenes: Part 5. Generation and conversion of 1-[2,6-bis(alkoxymethyl)phenyl]- and 1-(8-alkoxynaphthyl)-1,2,2-tris(trimethylsilyl)silenes, 1739

Silicon

Chiral organochlorosilanes derived from terpenes: diastereoselective hydrosilylation of methylene bicyclo[2.2.1]heptanes with HSiMe_nCl_{3-n} (*n* = 0–2), 909

Chloromethylsilane functionalised dendrimers: synthesis and reactivity, 987

Dimeric and trimeric diorganosilicon chalcogenides (PhRSiE)_{2,3} (E = S, Se, Te; R = Ph, Me), 4909

Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylenes, 1337

Organosilicon hypersilylchalcogenolates and related compounds, 4897

Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten Ph₃E–C≡W(OBu^t)₃ (E = Si, Ge, Sn) with hydrogen chloride: crystal structures of carbene complexes Ph₃E–CH=WCly₂(OBu^t)₂ (E = Si, Ge), 1127

Silicon amino acids

Synthesis and reactions of silicon containing cyclic α-amino acid derivatives, 158

Silicon migration

Coupling of propargylsilanes with Fischer carbene chromium complexes: a new synthesis of conjugated dienes, 3379

Silicon-polymer

Synthesis of poly{[bis(diethynylphenyl)silylene]phenylene}s with highly heat-resistant properties and an application to conducting materials, 1540

Silicones

Dehydrogenative coupling as an efficient route to ferrocene functionalized siloxanes, 3468

Silole dianion

Reduction of 1-chloro-1,2,3,4,5-pentaphenylsilole: formation of silole monoanion and dianion, 134

Silole monoanion

Reduction of 1-chloro-1,2,3,4,5-pentaphenylsilole: formation of silole monoanion and dianion, 134

Siloxane equilibration

Preparation and reactivity of polyfunctional six- and eight-membered cyclic silicates, 689

Siloxane ligands

Chelate polymers. VI. New copolymers of the some siloxane containing bis(2,4-dihydroxybenzaldehyd-imine)Me²⁺ with bis(*p*-carboxyphenyl)diphenylsilane, 3005

Siloxane–silane copolymers

Chelate polymers. VI. New copolymers of the some siloxane containing bis(2,4-dihydroxybenzaldehyd-imine)Me²⁺ with bis(*p*-carboxyphenyl)diphenylsilane, 3005

Siloxanol disproportionation

Polysiloxanol condensation and disproportionation in the presence of a superacid, 705

Siloxo complexes

Synthesis and characterization of monomeric siloxo palladium(II) complexes: crystal structure of [Pd(tmeda)(C₆F₅)(OSiPh₃)], 1872

Silsesquioxanes

Ferrocenyl and permethylferrocenyl cyclic and polyhedral siloxane polymers as mediators in amperometric biosensors, 2799

Silthiane

Organosilicon chalcogenides with trisilane units – bicyclo[3.3.1]nonanes, bicyclo[3.2.2]nonanes and spiro[4.4]nonanes, 564

Silver

First silver complexes of tetrahydropyrimid-2-ylidenes, 2441

Synthese und Reaktionsverhalten von Platin(II) und Kupfer(II) Koordinationspolymeren; die Festkörperstruktur von {*trans*-(Ph₃P)₂Pt[(η²-C≡CPh)CuBr]₂}_n und *trans*-(Ph₃P)₂-Pt[(η²-C≡CPh)CuNO₃]₂, 1464

Titanocene-based group-II metal ions; solid-state structure of {[η⁵-C₅H₄SiMe₃]₂Ti(C≡CPh)₂Ag}NO₃, 2690

Silver cluster

Isolation, structure and spectroscopic characterization of silver complexes of the zwitterionic thiolate Tab: [Ag(Tab)₂](PF₆), {[Ag₃(Tab)₄](PF₆)₃ · 2DMF}_n, and [Ag₁₄(μ₆-S)(Tab)₁₂(P-Ph₃)₈](PF₆)₁₂ (Tab = 4-(trimethylammonio)benzenethiolate), 1071

Silver complex

Supramolecular helical architecture assembled by double-helical [Ag₂L₂] units, 43

Silver complexes

Addition and/or oxidation in the reaction of a tricobalt cluster with silver(I) salts: synthesis, structure and solution properties of [Co₃Cp₃(μ₃-CPh)₂{μ-Ag(X)}] (X = CF₃CO₂, NO₃) and [Co₃Cp₃(μ₃-CPh)₂{μ-Ag(NCMe)}]PF₆, 146

Silver triflate

Coordination polymers and supramolecular structures in Ag(I)triflate–dppf systems (dppf = 1,1'-bis(diphenylphosphino)ferrocene), 1746

Silver(I)

Luminescent metal alkynyls – from simple molecules to molecular rods and materials, 1393

Silyl complex

Nucleophilic substitution reactions at the Si–Cl bonds of the dichloro(methyl)silyl ligand in five- and six-coordinate complexes of ruthenium(II) and osmium(II), 2511

Tethered silyl complexes from nucleophilic substitution reactions at the Si–Cl bond of the chloro(diphenyl)silyl ligand in Ru(SiClPh₂)(κ²-S₂CNMe₂)(CO)(PPh₃)₂, 2979

Silylation

Magnesium triflate [Mg(OTf)₂] a highly stable, non-hygroscopic and a recyclable catalyst for the high yielding preparation of diethyl α-trimethylsilyloxyphosphonates from diethyl α-hydroxyphosphonates by HMDS under solventless conditions, 3197

Silylcyanation

Mild and efficient silylcyanation of ketones catalyzed by cesium fluoride, 1734

Silylene

The thermally stable silylene Si[(NCH₂Bu)⁺₂C₆H₄-1,2]: reaction with pyridine and quinoline, 1350

Silylethers

Mild and efficient silylcyanation of ketones catalyzed by cesium fluoride, 1734

Single crystal X-ray structure

Arene ruthenium complexes incorporating imine/azine hybrid-chelating N–N' donor ligands: synthetic, spectral, structural aspects and DFT studies, 1821

Single-electron transfer

SET pathway in tributylstannyl lithium addition to alkynyl Fischer carbene complexes, 3528

Single-site

Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110

Single-site catalysts

Role of single-site catalysts in the hydrogenation of thiophenes: from models systems to effective HDS catalysts, 4277

Skew-trapezoidal

Synthesis, characterizations and crystal structures of di-*n*-butyltin(IV) complexes with heteroatomic (N, O or S) acid, 1675

Smart materials and assembly

Nanoporous materials: a good opportunity for nanosciences, 4437

SmI₂

Convenient synthesis of Pt(0) olefin complexes by colorimetric reduction of Pt(II) complexes with SmI₂, 662

Sodium borohydride

A convenient synthesis of some symmetrical and unsymmetrical diarylmethyl sulfur and selenium compounds: X-ray crystal structure of diphenylmethylseleno-2-propene and bis[*p*-chlorophenyl(phenyl)methyl] diselenide, 3327

Sol–gel

Microwave-assisted synthesis and reverse saturable absorption of phthalocyanines and porphyrins, 1078

Solid state

Solid-state isomerisation reactions of (η⁵-C₅H₄R)M(CO)₂(PR₃)⁺I (M = W, Mo; R = ^tBu, Me; R' = Ph, OⁱPr₃), 2207

Solid-state structure

Characterisation of the first authenticated organomercury hydroxide, 4-Me₂NC₆H₄HgOH, 515

Structure and redox behavior of Ru(II)-diene complexes, 3082

Solid-state structures

Ethylene polymerization catalyzed by substituted pyrazole nickel complexes, 1835

Solvent-free

Magnesium triflate [Mg(OTf)₂] a highly stable, non-hygroscopic and a recyclable catalyst for the high yielding preparation of diethyl α-trimethylsilyloxyphosphonates from diethyl α-hydroxyphosphonates by HMDS under solventless conditions, 3197

Solvent-free processes

Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110

Solvent-free synthesis

Solvent-free synthesis of ferrocenylimines, 1617

Sonogashira reaction

Bi- and trinuclear oxalamidate complexes of palladium as catalysts in the copper-free Sonogashira reaction and in the Negishi reaction, 3582

Spectroelectrochemistry

Electronic communication through the ureylene bridge: spectroscopy, structure and electrochemistry of dimethyl 1',1'-ureylenedi(1-ferrocenecarboxylate), 2250

Spectroscopic studies

Synthesis and spectroscopic studies of diorganotin derivatives with 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structure of the first complexes of 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structures of 1,2:3,4-di-μ₂-2-[(2,6-dimethylphenyl)amino]benzoato-*O*, *O*-1,3-bis-2-[(2,6-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di-μ₃-oxo-tetrakis[di-*n*-butyltin(IV)] and bis-2-[(2,6-dimethylphenyl)amino]benzoato-di-*n*-butyltin(IV), 317

Spectroscopic techniques

Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319

Spectroscopy

Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899

Synthesis, spectroscopic studies and crystal structure of (Et₄N)(SnMe₃)₇(HAsO₄)₄ · 2H₂O, 2087

Spin crossover reactivity

Open shell organometallics: a general analysis of their electronic structure and reactivity, 4291

Spiroconjugation

Isolable silylene, disilenes, trisilaallene, and related compounds, 4475

Square-planar complexes

Aziridine-derived iminophosphine ligands in palladium-catalyzed allylic substitution, 3604

Stable germylene

Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337

Stable silylene

Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337

Isolable silylene, disilenes, trisilaallene, and related compounds, 4475

Stable stannylene

Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337

Stannyl complex

Four isomers from the oxidative addition of Me₃SnH to Os(CO)₂(PPh₃)₃ and the crystal structure of Os(SnMeI₂)I(CO)₂(PPh₃)₂, in which the pairs of CO and PPh₃ ligands are mutually *trans*, 605

Stereorigidity

Stereospecific post-metallocene polymerization catalysts: the example of isospecific styrene polymerization, 4636

Stereoselective synthesis

A facile stereoselective synthesis of (*E*)-1,2-disubstituted vinylstannanes via hydromagnesiation of alkylarylacetylenes, 2531

A facile stereoselective synthesis of (*E*)- α -silylvinylstannanes via hydromagnesiation of alkynylsilanes, 3593

Stereoselective synthesis of (*E*)- α -aryltellurenylvinylsilanes via hydromagnesiation reaction of alkynylsilanes, 1714

Stereoselectivity

Kinetic and mechanistic aspects of metallocene polymerisation catalysts, 3982

Stereospecific post-metallocene polymerization catalysts: the example of isospecific styrene polymerization, 4636

Steric effects

Some highlights from the development and use of bulky monodentate ligands, 3904

Steric hindrances

Sterically crowded diolates of group 13 metals, 2056

Steric repulsion

Alkyl group dependence of C–Si reductive eliminations from alkyl(silyl) Pt(II) complexes: a density functional study, 2236

Sterically hindered bridged ligand

Supramolecular helical architecture assembled by double-helical [Ag₂L₂] units, 43

Streptavidin

Artificial metalloenzymes for enantioselective catalysis: the phenomenon of protein accelerated catalysis, 4868

Structural studies

Structure and vibrational spectra of fac-ReI(CO)₃⁺ complex with *N*-methyl-2-pyridinecarbothioamide, 4751

Structure

Syntheses, crystal structures and catalytic properties of a series of lanthanide(III) bis(trimethylsilyl)amide chloride complexes: [((Me₃Si)₂N)₂Nd(μ' -Cl)Li(THF)₃](μ -Cl)]₂, [((Me₃Si)₂N)₂-Ln(μ' -Cl)Li(THF)₂](μ_3 -Cl)]₂ (Ln = Eu, Ho), and [((Me₃-Si)₂NLn(μ' -Cl)₂Li(THF)₂](μ -Cl)]₂ (Ln = Nd, Sm, Eu, Ho, Yb), 3438

Synthesis and X-ray crystallographic structures of [HGa(NMe₂)₂]₂ and [PhGa(NHNMe₂)₂]₂, and room-temperature conversions of [HGa(NMe₂)₂]₂ to (HGaNH)_n and (HGaNMe)_n, 666

The chemistry of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 2543

Structure–property relationships

Synthesis of novel tri-podal mesogenic alkenes and side-chain polysiloxanes, 2606

Structures

Synthesis, electrochemistry, and crystal and molecular structures of some molybdenum(0) arene derivatives with fluorinated and phenyl-substituted arene ligands, 2158

Styrene

Synthesis of new substituted cyclopentadienyl titanium monomethoxydifluorides with BF₃ · OEt₂ as fluorinating reagent and their use in syndiotactic polymerization of styrene, 1503

Styrene polymerization

Stereospecific post-metallocene polymerization catalysts: the example of isospecific styrene polymerization, 4636

Substituted cyclopentadienyl ligands

Synthesis and characterization of the cluster complexes containing tetrahedral FeCrCo(μ_3 -S) cluster cores generated by isolobal displacement reactions. Crystal structures of (η^5 -RC₅H₄)FeCrCo(μ_3 -S)(CO)₈ (R = H, CO₂Et) and FeCo₂(μ_3 -S)₂(CO)₉, 139

Substitution reaction

Solid-state isomerisation reactions of (η^5 -C₅H₄R)M(CO)₂(PR₃')I (M = W, Mo; R = ^tBu, Me; R' = Ph, O^tPr₃), 2207

Sulfide cluster

Isolation, structure and spectroscopic characterization of silver complexes of the zwitterionic thiolate Tab: [Ag(Tab)₂](PF₆), {[Ag₃(Tab)₄](PF₆)₃ · 2DMF}_n, and [Ag₁₄(μ_6 -S)(Tab)₁₂(P-Ph₃)₈](PF₆)₁₂ (Tab = 4-(trimethylammonio)benzenethiolate), 1071

Sulfido and selenido ligands

Triruthenium clusters containing bridging dppm and capping sulfido and selenido ligands: X-ray structures of [Ru₃(CO)₅(μ_3 -CO)(μ_3 -Se)(μ -dppm)₂], [Ru₃(CO)₆(μ_3 -CO)-(μ_3 -Se)(μ -dppm)(η^1 -Ph₃PCH₂P(=O)Ph₂)] and [Ru₂(CO)₄(μ -SePh)₂(μ -dppm)], 3412

Sulfonato tin complexes

Sulfonate-bonded tin complexes for the production of diphenyl carbonate, 1816

Sulfone

β -Ferrocenyl- α,β -unsaturated phosphonates and sulfones, 1165

Role of base in palladium-catalyzed arylation of carbanions, 1085

Sulfoxides

Novel dinuclear iron(0) complexes from α,β -unsaturated ketones β -positioned with sulfide and sulfoxide groups, 885

Sulfur

Reactivity of electron-poor decamethyl-1,3-diboraruthenocene with sulfur and phosphorus compounds, 429

Sulfur dioxide adducts

Cyclopentadienylnickel thiolate complexes: synthesis, molecular structures and electrochemical detection of sulfur dioxide adducts, 387

Sulfur ligands

Iridium(III) and rhodium(III) cyclometalated complexes containing sulfur and selenium donor ligands, 2401

Sulfur transfer

Dithiolene transfer from nickel to a dimolybdenum centre: the first dithiolene alkyne complex, 522

Sulfur- or methylene-bridged bis(aryloxo) ligands

Bis(amido)titanium complexes having chelating diaryloxo ligands bridged by sulfur or methylene and their catalytic behaviors for ring-opening polymerization of cyclic esters, 612

Sulfur-containing ligands

Chloride substitution of [CpRu(dppf)Cl] with sulfur-containing ligands, 1444

Superacid

Polysiloxanol condensation and disproportionation in the presence of a superacid, 705

Superoxide

Organoiron activation combined with electron- and proton transfer: implications in biology, organic synthesis, catalysis and nanosciences, 4332

Superphanes

Donor-substituted CpCo-stabilized cyclobutadienes and superphanes, 3132

Supported palladium catalyst

Carbonyl allylation of aldehydes catalyzed by a silica-supported poly- γ -diphenylarsinopropylsiloxane palladium(0) complex, 2436

Supramolecular structure

Synthesis, spectroscopic studies and crystal structure of (Et₄N)(SnMe₃)₇(HAsO₄)₄ · 2H₂O, 2087

Supramolecular assembly

Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631

Modulation of SHG responses via supramolecular association/dissociation between two complementary cryptands, 4877

Supramolecular chemistry

Salen-type zirconium complexes with a labile coordination site and a robust skeleton: crystal structure of [(*t*-Bu₄-salen)ZrCl₂(H₂O)], 1212

Supramolecular complex

Electrochemical gene detection based on supramolecular complex formation by ferrocenyl- β -cyclodextrin and adamantyl-naphthalene diimide bound to double stranded DNA, 4722

Supramolecular self-assembly

Synthesis and reactivity of *para*-substituted benzoyl-methyltellurium(II and IV) compounds: observation of intermolecular C–H–O hydrogen bonding in the crystal structure of (*p*-MeOC₆H₄COCH₂)₂TeBr₂, 345

Supramolecular structure

Tri-*n*-butyltin carboxylate derivatives of *para*-substituted phenyl-ethanoic acids: synthesis, characterization and X-ray structure determination, 3301

Supramolecular structures

Coordination polymers and supramolecular structures in Ag(I)triflate–dppf systems (dppf=1,1'-bis(diphenylphosphino)ferrocene), 1746

Suzuki coupling

Suzuki cross-coupling in aqueous media catalyzed by a 1,1'-*N*-substituted ferrocenediyl Pd(II) complex, 18

Suzuki–Miyaura reaction

General and efficient methodology for the Suzuki–Miyaura reaction in technical grade 2-propanol, 3722

Suzuki-coupling

Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst, 2786

Syndiotactic polymerization

Synthesis of new substituted cyclopentadienyl titanium monomethoxydifluorides with BF₃·OEt₂ as fluorinating reagent and their use in syndiotactic polymerization of styrene, 1503

Synthesis

2-[2-(4-Methoxyphenyltelluro)ethyl]thiophene (L¹) bis[2-(2-thienyl)-ethyl] telluride (L²) and their metal complexes; crystal structure of *trans*-dichlorobis{2-(2-(4-methoxyphenyltelluro)ethyl)thiophene-Te}palladium(II) and {bis[2-(2-thienyl)-ethyl] telluride}dichloro(*p*-cymene)ruthenium(II), 2346

Cyclopentadienylnickel thiolate complexes: synthesis, molecular structures and electrochemical detection of sulfur dioxide adducts, 387

Electron-transfer-catalyzed ligand substitution of carboxylato niobocene complex induced by electrochemical oxidation, 3473

Organometallic chemistry in a conventional microwave oven: the facile synthesis of group 6 carbonyl complexes, 2429

Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319

Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten Ph₃E–C≡W(OBu^t)₃ (E = Si, Ge, Sn) with hydrogen chloride: crystal structures of carbene complexes Ph₃E–CH=WCl₂(OBu^t)₂ (E = Si, Ge), 1127

Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899

Syntheses, crystal structures and catalytic properties of a series of lanthanide(III) bis(trimethylsilyl)amide chloride complexes: [{(Me₃Si)₂N)₂Nd(μ'-Cl)Li(THF)₃}(μ-Cl)]₂, [{(Me₃Si)₂N)₂-Ln(μ'-Cl)Li(THF)₂}(μ₃-Cl)]₂ (Ln = Eu, Ho), and [{(Me₃-Si)₂NLn(μ'-Cl)₂Li(THF)₂}(μ-Cl)]₂ (Ln = Nd, Sm, Eu, Ho, Yb), 3438

Synthesis and characterization of new acyclic polyethers and macrocyclic crown ethers containing double-butterfly Fe₄S₃ cluster cores. Crystal structures of {[Fe₂(CO)₆]₂-(μ₄-S)}₂[μ-SCH₂(CH₂OCH₂)₂CH₂S-μ₂] and {[Fe₂(CO)₆]₂-(μ₄-S)}₂[μ-SCH₂(CH₂OCH₂)₂CH₂S-μ][μ-SCH₂(CH₂OCH₂)₃-CH₂S-μ], 930

Synthesis and characterization of tri(*o*-fluorobenzyl)tin esters of heteroaromatic carboxylic acid and crystal structures of tri(*o*-fluorobenzyl)tin esters of 4-pyridinecarboxylic acid and 3-pyridinecarboxylic acid, 246

Synthesis and X-ray crystallographic structures of [HGa(NMe₂)₂]₂ and [PhGa(NHNMe₂)₂]₂, and room-temperature conversions of [HGa(NMe₂)₂]₂ to (HGaNH)_n and (HGaNMe)_n, 666

Synthesis, characterization and reactivity of the molybdenum(VI) complex [MoCl(NAr)₂(CH₂CMe₂Ph)] (Ar = 2,6-Prⁱ-C₆H₃), 332

Synthesis, spectroscopic characterization and reactivities of linear and butterfly chromium/selenium complexes containing substituted cyclopentadienyl ligands: crystal structures of [{η⁵-MeC₅H₄Cr(CO)₂]₂Se] and [{η⁵-EtO₂CC₅H₄Cr(CO)₂]₂-Se₂], 1849

Synthesis, spectroscopic properties and crystal structures of SnBr₂[S₂CN(CH₂CH₂)₂O]₂, (4-*F*-C₆H₄CH₂)₂Sn(Cl)S₂CN-(CH₂CH₂)₂O and (2-*F*-C₆H₄CH₂)₃SnS₂CN(CH₂CH₂)₂O, 1277

Synthesis, structures and *rac/meso* isomerization behaviour of bisplanar chiral bis(phosphino-η⁵-indenyl)iron(II) complexes, 1897

The chemistry of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 2543

Transition metal-mediated routes to cyclopentenones, 3873

Where organometallics and dendrimers merge: the incorporation of organometallic species into dendritic molecules, 4016

Synthesis and characterisation

2,2'-Bis((di-*tert*-butylphosphino)methyl)-1,1'-biphenyl (ditbi): a bulky analogue of bisbi. The crystal structure of [Rh₂Cl₂(1,5-cod)₂(μ-ditbi)], 2975

Chelates formed by a constrained bis(diphenylphosphino)xylene; the crystal structures of [FeCl₂(anphos)] and [RhCl(CO)-(anphos-monoxide)], 2963

Synthesis and characterization

The hydrogenphosphate complex of (1,5-cyclooctadiene)iridium(I), {[Bu₄N][(1,5-COD)Ir·HPO₄]}_n: synthesis, spectroscopic characterization, and ES-MS of a new, preferred precursor to HPO₄²⁻ and Bu₄N⁺ stabilized Ir(0)_n nanoclusters, 493

Synthesis and structure

Synthesis, structure and formation pathways of new Fe–S complexes containing [Fe₂S₂]-units in different valences, [Fe₂S₂(CO)₄(PPh₃)₂], [Fe₃S₂(CO)₆(PPh₃)₃] and [Fe₄S₂(CO)₁₀]²⁻ and the origin of the [Fe₂S₂]-unit in metal-[Fe₂S₂(CO)₆] complexes, 2674

T8 silsesquioxane cage

A higher yielding route to octasilsesquioxane cages using tetrabutylammonium fluoride, Part 2: further synthetic advances, mechanistic investigations and X-ray crystal structure studies into the factors that determine cage geometry in the solid state, 3287

6-*t*-Butoxyhexyl pendant

The effect that 6-*tert*-butoxyhexyl functionalization has on ethylene polymerization in *ansa*-zirconocene dichlorides, 214

Tantalum

Isocyanide insertion reactivity of dinuclear niobium and tantalum imido complexes: X-ray crystal structure of [{Nb(η⁵-C₅H₄SiMe₃)(CH₂Ph)₂]₂(μ-1,4-NC₆H₄N)], 1304

Tautomer

Syntheses and crystal structures of di- and triorganotin derivatives with 2,5-dimercapto-1,3,4-thiadiazole, 96

TCQ

Synthesis and characterization of 2,7-dihydro-1*H*-dinaphtho-[c,e]tellurepin: a new heterocyclic telluride, 2377

TDDFT

Structure and UV–Vis spectroscopy of nitrosylthiolatoferrate mononuclear complexes, 1702

Te–C bond

Tellurium azamacrocycles: synthesis, characterization and coordination studies, 1452

Technetium

“2 + 1” Dithiocarbamate–isocyanide chelating systems for linking $M(CO)_3^+$ ($M = {}^{99m}Tc$, Re) fragment to biomolecules, 4757

Conjugates of vitamin B12 with N_ϵ -functionalized histidine for labeling with $[{}^{99m}Tc(OH_2)_3(CO)_3]^+$: synthesis and biodistribution studies in tumor bearing mice, 4803

Exploring the nitrosyl-approach: “ $Re(CO)_2(NO)$ ”- and “ $Tc(CO)_2(NO)$ ”-complexes provide new pathways for bioorganometallic chemistry, 4833

Rhenium and technetium tricarbonyl complexes anchored by 5-HT_{1A} receptor-binding ligands containing P,O/N donor atom sets, 4811

Rhenium(I)- and technetium(I) tricarbonyl complexes anchored by bifunctional pyrazole-diamine and pyrazole-dithioether chelators, 4764

Tricarbonyl complexes of rhenium(I) and technetium(I) with thiourea derivatives, 2066

Technetium(I)

Organometallic ${}^{99m}Tc$ -technetium(I)- and Re-rhenium(I)-folate derivatives for potential use in nuclear medicine, 4712

Telluranes

Telluranes: potential synthons for charge-transfer complexes (involving hypervalent Te–I bonds) and serendipitous synthesis of the first triphenyl methyl phosphonium salts containing $[C_4H_8TeI_4]^{2-}$ and $[TeI_6]^{2-}$ anions, 194

Tellurepin

Synthesis and characterization of 2,7-dihydro-1*H*-dinaphtho-[c,e]tellurepin: a new heterocyclic telluride, 2377

Tellurium

An alkynyltelluronium iodide and its solid state structure: evidence for $p \rightarrow \sigma^*$ interactions, 627

Organosilicon chalcogenides with trisilane units – bicyclo-[3.3.1]nonanes, bicyclo[3.2.2]nonanes and spiro[4.4]nonanes, 564

Synthesis and properties of the ditelluroethers *m*- and *p*- $C_6H_4(CH_2TeMe)_2$ and their Te(IV) derivatives: crystal structures of $PhTeI_2(CH_2)_3TeI_2Ph$, *m*- $C_6H_4(CH_2TeI_2Me)_2$ and *p*- $C_6H_4(CH_2TeI_2Me)_2$, 1006

Tellurium azamacrocycles: synthesis, characterization and coordination studies, 1452

Tellurium trichlorides

One-pot synthesis of aryl butyl tellurides from tellurium tetrachloride and activated aromatics through a solventless step, 3631

Tellurocyanate

Synthesis and characterization of 2,7-dihydro-1*H*-dinaphtho-[c,e]tellurepin: a new heterocyclic telluride, 2377

Telluronium

An alkynyltelluronium iodide and its solid state structure: evidence for $p \rightarrow \sigma^*$ interactions, 627

Template reactions

Some selected chapters from the (butadiene)zirconocene story, 4305

Terpenes

Chiral organochlorosilanes derived from terpenes: diastereoselective hydrosilylation of methylene bicyclo[2.2.1]heptanes with $HSiMe_nCl_{n-2}$ ($n = 0-2$), 909

Terpenoids

Triosmium clusters with bridging terpenic thioureato-like ligands, 2535

Terpyridine

Controlled vinyl-addition-type polymerization of norbornene initiated by several cobalt complexes having substituted terpyridine ligands, 744

4-*tert*-Butylstyrene

Effect of 5-Me substituent(s) on the catalytic activity of palladium(II) 2,2'-bipyridine complexes in CO/4-*tert*-butylstyrene copolymerization, 1521

Tetradentate tripodal ligands

Bonding isomerism in the η^1 -P coordination of the P_4X_3 ($X = S, Se$) molecules toward 16e rhodium fragments stabilized by tripodal tetradentate ligands, 164

Tetraglyme

Synthesis, crystal structure, and chirality of divalent lanthanide reagents containing tri- and tetraglyme, 1723

Tetrahedral cluster

Studies of metal exchange reactions: the synthesis and structures of heteronuclear metal clusters containing the indenyl ligand $(\mu_3-CR)Co_2M(CO)_8(\eta^5-Ind)$ ($R = H, CH_3, C_6H_5, COOC_2H_5$; $M = Mo, W$), 714

Tetrahedrane compounds

Photolysis of diruthenium hexacarbonyl tetrahedrane compounds in Nujol glass matrices, 2947

Tetrahydropyrimid-2-ylidenes

First silver complexes of tetrahydropyrimid-2-ylidenes, 2441

Tetrairidium cluster

Carbon–carbon coupling on tetrahedral iridium clusters: X-ray molecular structures and multinuclear NMR studies of the two isomeric forms of $[Ir_4(CO)_6(\mu_3-\eta^2-HCCPh)(\mu_2-\eta^4-C_4H_2Ph_2)(\mu-PPh_2)_2]$, 3513

Tetrairon cluster

Synthesis and crystal structure of the double cluster $[Cp_3Fe_4(CO)_4(C_5H_4)]_2(p-C_6H_4)$, 1014

Tetramethylcyclodrosiloxane

Dehydrogenative coupling as an efficient route to ferrocene functionalized siloxanes, 3468

Tetranuclear centrosymmetric dimeric

Synthesis, characterizations and crystal structures of di-*n*-butyltin(IV) complexes with heteroatomic (N, O or S) acid, 1675

Tetranuclear macrocyclic compound

Tetrametallic macrocyclic frameworks constructed from ferrocenedicarboxylato and 2,2'-bipyridine: synthesis, molecular structures and characteristics, 1218

Tetraorganotins

Synthetic aspects of tetraorganotins and organotin(IV) halides, 2145

Tetraphosphine

Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst, 2786

Tetraphospholane

Synthesis and structural studies of polynuclear ruthenium clusters derived from reactions of 1,2,3,4-tetraphenyl-1,2,3,4-tetraphospholane with $[Ru_3(CO)_{12}]$, 361

Tetraphosphorustrichalcogenides

Bonding isomerism in the η^1 -P coordination of the P_4X_3 ($X = S, Se$) molecules toward 16e rhodium fragments stabilized by tripodal tetradentate ligands, 164

Thallium

A multinuclear NMR study in the solid state and in solution of thallium(I) tris-(pyrazol-1-yl)borates (thallium scorpionates), 463

Thallium(III) complex

On the influence of the heterocyclic ring substituents on the structure of dimethylthallium pyrimidine-2-thionato complexes. Crystal structure of dimethyl-(4-trifluoro-

- methylpyrimidine-2-thionate)thallium(III): a compound with intermolecular C–H \cdots π interactions, 557
- Theoretical studies
- 4-Chloro-5-methyl-3-diphenylphosphino-1-phenyl-1,2,3,6-tetrahydrophosphinine as a bidentate P-ligand in a *cis* chelate Pt(II) complex, 3158
- Coordinating properties of $[M(CO)_5(CN)]^-$ [$M = Cr; Mo; W$] ligands: formation of ion pairs or dinuclear cyanide-bridged complexes, spectroscopic and X-ray diffraction studies, 2324
- Thermodynamic and kinetic parameters
- Thermodynamic and kinetic parameters associated with the fluxional behavior of 2-methyl- and 2,6-dimethyltroponeiron tricarbonyl complexes, 1131
- Thermogravimetric study
- Studies on phthalocyanine sheet polymers, 2601
- Thioamide
- Preparation of platinum complexes containing a thioamide-based SCS pincer ligand and their light emitting properties, 1860
- Thiocarbene
- Nucleophilic addition reactions to the allenylidene complex $[Cp^*Ru=C=C=CH_2(CO)(PMe^iPr_2)]^+$: X-ray crystal structures of $[Cp^*Ru\{C(N=CPh_2)CH=CPh_2\}(CO)(PMe^iPr_2)][BAR_4']$, $[Cp^*Ru\{C(NHCH_2C\equiv CH)CH=CPh_2\}(CO)(PMe^iPr_2)][BAR_4']$, $[Cp^*Ru\{C(PMe^iPr_2)C=CPh_2(CO)(PMe^iPr_2)\}][BAR_4']$ and $[Cp^*Ru\{C(S^iPr)CH=CPh_2\}(CO)(PMe^iPr_2)][BAR_4']$, 2776
- Thioethers in cluster chemistry
- Asymmetric acetylenic thioethers in ruthenium cluster chemistry, 552
- Thiol peroxidase
- Synthesis, reactivity, electrochemical and crystallographic studies of diferrocenoyl diselenide and ferrocenoyl selenides, 3046
- Thiol-complexes
- Bioorganometallic chemistry of molybdocene dichloride, 4655
- Thiols
- Synthesis of triarylphosphines having *para* –SH and –SMe groups. Preparation of their complexes and formation of a monolayer on a gold surface, 3621
- Thiophene
- New emissive *fac*-tricarbonylchlorobis(ligand)rhenium(I) complexes prepared from pyridine/thiophene hybrid ligands, 1122
- Synthesis, structures and comparative electrochemical study of 2,5-bis(trimethylsilylethynyl)thiophene coordinated cobalt carbonyl units, 3218
- Thiophenes
- Role of single-site catalysts in the hydrogenation of thiophenes: from models systems to effective HDS catalysts, 4277
- Thiourea
- Tricarbonyl complexes of rhenium(I) and technetium(I) with thiourea derivatives, 2066
- Three steps reactions
- Transition metal carbene chemistry 2: kinetic studies on the nucleophilic substitution reactions of $(CO)_5M=C(S-CH_3)CH_3$ ($M = Cr$ and W) with morpholine in aqueous acetonitrile, 3520
- Three-coordinate
- Three-coordinate bis(phosphinimino)methanide derivatives of 'open shell' $[M(II)]$ ($M = Mn, Fe, Co$) transition metals, 3163
- Three-membered ring opening
- Reactions of 2,3-diferrocenylcyclopropanone with methyl lithium and phenyllithium, 2395
- Time resolved spectroscopy
- Organometallic photochemistry at the end of its first century, 3939
- Time-resolved fluorescence
- Time-resolved fluorescence of α -(9-anthryl)- ω -(1-naphthyl)-oligosilanes: intramolecular electronic energy and charge transfer through π - π and σ - π interactions, 1029
- Tin
- A facile stereoselective synthesis of (*E*)-1,2-disubstituted vinylstannanes via hydromagnesiation of alkylarylacetylenes, 2531
- Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337
- Four isomers from the oxidative addition of Me_3SnH to $Os(CO)_2(PPh_3)_3$ and the crystal structure of $Os(SnMe_2)I(CO)_2(PPh_3)_2$, in which the pairs of CO and PPh_3 ligands are mutually *trans*, 605
- Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten $Ph_3E-C\equiv W(OBu^i)_3$ ($E = Si, Ge, Sn$) with hydrogen chloride: crystal structures of carbene complexes $Ph_3E-CH=WCly(OBu^i)_2$ ($E = Si, Ge$), 1127
- Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556
- Tin compounds
- Synthesis of a tin-functionalized cyclopentadiene derivative, 3550
- Tin coordination
- Tri-*n*-butyltin carboxylate derivatives of *para*-substituted phenylethanoic acids: synthesis, characterization and X-ray structure determination, 3301
- Tin(IV) complex
- Synthesis, spectroscopic properties and crystal structures of $Sn-Br_2[S_2CN(CH_2CH_2)_2O]_2$, $(4-F-C_6H_4CH_2)_2Sn(Cl)_2S_2CN(CH_2CH_2)_2O$ and $(2-F-C_6H_4CH_2)_3Sn_2S_2CN(CH_2CH_2)_2O$, 1277
- Titania
- Heterobimetallic complexes as oxygen donor bidentate ligands: synthesis of early-late trinuclear complexes, 2641
- Titanium
- Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919
- Isobutene-isoprene copolymerization initiated by $[Cp^*MMe_2][(n-C_{18}H_{37}E)B(C_6F_5)_3]$ ($M = Ti, Hf; E = O, S$) and related compounds, 2900
- Stereospecific post-metallocene polymerization catalysts: the example of isospecific styrene polymerization, 4636
- Synthesis and characterization of cyclopentadienyl/alkoxo titanium dichlorides: structural analysis of monocyclopentadienyl titanium dichlorides with ligands derived from menthol and borneol, 3492
- Titanium ketimide complexes as α -olefin homo- and copolymerisation catalysts. X-ray diffraction structures of $[TiCp'(N=C^iBu_2)Cl_2]$ ($Cp' = Ind, Cp^*$), 203
- Titanium-mediated syntheses of cyclopropylamines, 2033
- Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diyne-3-yl complexes – crystal structures and their retro reaction, 4592
- Titanium and zirconium
- Titanium and zirconium complexes containing sterically hindered hydrotris(pyrazolyl)borate ligands: synthesis, structural characterization, and ethylene polymerization studies, 286
- Titanium complexes
- Bis(amido)titanium complexes having chelating diaryloxo ligands bridged by sulfur or methylene and their catalytic behaviors for ring-opening polymerization of cyclic esters, 612
- Titanium(IV)
- Synthesis, characterization, and alkyne cyclotrimerization chemistry of titanium complexes supported by calixarene-derived bis(aryloxo) ligation, 502
- Titanocene
- $[Cp_2TiCl_2]$ as polymerization catalyst in aqueous medium: polymerization of styrene in water, 1091

- Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919
- Novel titanocene anti-cancer drugs derived from fulvenes and titanium dichloride, 2242
- Synthesis of new substituted cyclopentadienyl titanium monomethoxydifluorides with $\text{BF}_3 \cdot \text{OEt}_2$ as fluorinating reagent and their use in syndiotactic polymerization of styrene, 1503
- Titanium and zirconium complexes containing the new 2,3-dimethyl-1,4-diphenylcyclopentadienyl ligand. Synthesis, characterization and polymerization behavior, 1623
- Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diene-3-yl complexes – crystal structures and their retro reaction, 4592
- Titanocene-based group-11 metal ions; solid-state structure of $\{[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CPh})_2]_2\text{Ag}\}\text{NO}_3$, 2690
- TMSCN**
- Mild and efficient silylcyanation of ketones catalyzed by cesium fluoride, 1734
- Topoisomerase II**
- Potential inhibitors of DNA topoisomerase II: ruthenium(II) polypyridyl and pyridyl-azine complexes, 2256
- Toxicity study**
- Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls – crystal structures of polymeric $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH-5-CHO})\}-o])_n$ and $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH}(\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{Cl-4}))\}-o])_n$ – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702
- trans*- η^4 -Diene coordination
- Structure and redox behavior of Ru(II)-diene complexes, 3082
- trans*-1,2-Bis(diphenylphosphino)ethylene
- Oxalate-bridged dirhenium(I) hexacarbonyl complexes: synthesis, reactions, and crystal structures, 2837
- Transesterification**
- Sulfonate-bonded tin complexes for the production of diphenyl carbonate, 1816
- Transition metal**
- Calixarenes as platforms for the construction of multimetallic complexes, 4125
- Transition metal alkyls**
- Design of catalytic processes based on studies of elementary processes, 4499
- Transition metal chemistry**
- Functionalization of white phosphorus in the coordination sphere of transition metal complexes, 4319
- Transition metal clusters**
- Transition metal clusters and supported species with metal–carbon bonds from first-principles quantum chemistry, 4384
- Transition metal complexes**
- Phosphinohydrazines and phosphinohydrazides $\text{M}(\text{N}(\text{R})\text{N}(\text{R})\text{PPh}_2)_n$ of some transition and main group metals: synthesis and characterization. Rearrangement of $\text{Ph}_2\text{P-NR-NR-}$ ligands into aminoiminophosphorane, $\text{RN}=\text{PPh}_2\text{-NR-}$, and related chemistry, 3060
- Synthesis of triarylphosphines having *para* –SH and –SMe groups. Preparation of their complexes and formation of a monolayer on a gold surface, 3621
- Tandem transmetallation and oxidative addition reactions of $[\text{Sn}(\text{R})_2(\text{Ph}_2\text{PC}_6\text{H}_4\text{-2-S})_2]$ with transition metal complexes of the Group 9, 174
- The Staudinger reaction of platinum(II)- and palladium(II)-coordinated 2-(azidomethyl)phenyl isocyanide. X-ray structure of *trans*- $[\text{PtCl}\{\text{CN}(\text{H})\text{C}_6\text{H}_4\text{-2-CH}_2\text{N}(\text{H})\}(\text{PPh}_3)_2]\text{[BF}_4\text{]} \cdot \text{CDCl}_3 \cdot \text{H}_2\text{O}$, 454
- Transition metal clusters and supported species with metal–carbon bonds from first-principles quantum chemistry, 4384
- Transition metal heterocyclic complex**
- An investigation of the aromaticity of transition metal heterocyclic complexes by conventional criteria and indices of aromaticity, 1050
- Transition metals**
- Transition metal-mediated routes to cyclopentenones, 3873
- Transmetallation**
- One-pot synthesis of aryl butyl tellurides from tellurium tetrachloride and activated aromatics through a solventless step, 3631
- Tandem transmetallation and oxidative addition reactions of $[\text{Sn}(\text{R})_2(\text{Ph}_2\text{PC}_6\text{H}_4\text{-2-S})_2]$ with transition metal complexes of the Group 9, 174
- Tellurium azamacrocycles: synthesis, characterization and coordination studies, 1452
- Tri(*o*-fluorobenzyl)tin**
- Synthesis and characterization of tri(*o*-fluorobenzyl)tin esters of heteroaromatic carboxylic acid and crystal structures of tri(*o*-fluorobenzyl)tin esters of 4-pyridinecarboxylic acid and 3-pyridinecarboxylic acid, 246
- Triazacyclononane**
- Easily synthesized antimalarial ferrocene triazacyclononane quinoline conjugates, 4678
- Tributylstannyl lithium**
- SET pathway in tributylstannyl lithium addition to alkynyl Fischer carbene complexes, 3528
- Tributyltin**
- Synthesis and characterization of tributyltin(IV) complexes of 2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid and 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls – crystal structures of polymeric $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH-5-CHO})\}-o])_n$ and $(\text{Bu}_3\text{Sn}[\text{O}_2\text{CC}_6\text{H}_4\{\text{N}=\text{N}(\text{C}_6\text{H}_3\text{-4-OH}(\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{Cl-4}))\}-o])_n$ – toxicity studies on the second instar of *Aedes aegypti* mosquito larvae, 4702
- Tricapped tetrahedron**
- A new heptacoordinated organogermanium compound; trichlorogermyl[tris(2-methoxyphenyl)]methane, 3275
- Tricarbonyl(arene)chromium**
- Synthesis and characterization of organometallic conjugated polymers containing tricarbonyl(arene)chromium unit and platinum, 2684
- Synthesis and properties of PPE-type conjugated polymers containing tricarbonyl(arene)chromium unit in the main chain, 1271
- Tricarbonyliron(0)**
- The chemistry of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 2543
- Tricarbonylrhenium(I)**
- Structure and vibrational spectra of $\text{fac-ReI}(\text{CO})_3^+$ complex with *N*-methyl-2-pyridinecarbothioamide, 4751
- Tricarbonylrhenium(I) chelates**
- Chemistry of tricarbonylrhenium(I) chelates of azopyrimidines, azoimidazoles and anion radicals thereof, 1780
- Trichlorosilyl germanes**
- Dichlorosilylene and dichlorogermylene transfer to alkylidene-phosphanes, 1331
- Tricyclohexyltin complex**
- Biological aspects of new organotin(IV) compounds of 3-maleimidopropionic acid, 3370
- Tricyclohexyltin derivative**
- Biologically potent organotin(IV) complexes of 2-maleimidoacetic acid, 238
- Tridentate ligand**
- Nucleophilic substitution reactions at the Si–Cl bonds of the dichloro(methyl)silyl ligand in five- and six-coordinate complexes of ruthenium(II) and osmium(II), 2511

- Synthesis of Re(I) complexes bearing tridentate 2,6-bis(7'-azaindoly)phenyl ligand with green emission properties, 1665
- Tridentate phosphine ligand
Oxidative addition capability of triphosphine iron and ruthenium complexes with methyl iodide, 801
- Triferrocenylcyclobutenone
Reactions of 2,3-diferrocenylcyclopropenone with methyl lithium and phenyllithium, 2395
- Triferrocenylmethane
Synthesis and structures of some di- and triferrocenylmethane derivatives, 3541
- Trifluoroacetate
Formation of anionic palladium(0) complexes ligated by the trifluoroacetate ion and their reactivity in oxidative addition, 3728
- Triglyme
Synthesis, crystal structure, and chirality of divalent lanthanide reagents containing tri- and tetraglyme, 1723
- Trigonal bipyramidal geometry
Xantphos as *cis*- and *trans*-chelating ligand in square-planar platinum(II) complexes. Hydroformylation of styrene with platinum-*xantphos*-tin(II)chloride system, 1188
- Trimerisation
Advances in selective ethylene trimerisation – a critical overview, 3641
- Trimethylgallium
Synthesis, characterization and luminescence study of dimethyl(β -ketoiminato)gallium (-indium) complexes: crystal structure of dimethyl[1-phenyl-3-*N*-(4-methoxyphenylimino)-1-butanonato]gallium, 3461
- Trimethylindium
Synthesis, characterization and luminescence study of dimethyl(β -ketoiminato)gallium (-indium) complexes: crystal structure of dimethyl[1-phenyl-3-*N*-(4-methoxyphenylimino)-1-butanonato]gallium, 3461
- Trimethylphosphine complexes
Preparation and molecular structure of a dinuclear rhodium complex having an unbalanced (15 + 17)-electron count, 4917
- Trimethyltin(IV)
Synthesis, spectroscopic studies and crystal structure of (Et₄N)(SnMe₃)₇(HAsO₄)₄ · 2H₂O, 2087
- Trinuclear
Hexa- and triosmium carbonyl clusters bearing bridging dpmm and capping sulfido ligands, 2571
- Trinuclear clusters
Addition and/or oxidation in the reaction of a tricobalt cluster with silver(I) salts: synthesis, structure and solution properties of [Co₃Cp₃(μ_3 -CPh)₂{ μ -Ag(X)}] (X = CF₃CO₂, NO₃) and [Co₃Cp₃(μ_3 -CPh)₂{ μ -Ag(NCMe)}]PF₆, 146
- Trinuclear complex
Study of the reactivity of tris(pyrazolyl)amine and bis-(pyrazolyl)amine ligands toward Rh(I). Crystal structure of [Rh₃Cl₃(cod)₃tdma] · CH₃CN (tdma = tris[(3,5-dimethyl-1-pyrazolyl)methyl]amine), a C₃-symmetric compound, 980
- Trioctylamine
Nanostructured ruthenium on γ -Al₂O₃ catalysts for the efficient hydrogenation of aromatic compounds, 639
- Triorganotin carboxylate
Tri-*n*-butyltin carboxylate derivatives of *para*-substituted phenylethanoic acids: synthesis, characterization and X-ray structure determination, 3301
- Triosmium clusters
Addition of diphenyl diselenide (PhSeSePh) to the clusters [Os₃(CO)₁₀(μ -dpmm)] and [(μ -H)Os₃(CO)₈{Ph₂PCH₂P(Ph)-C₆H₄}]: X-ray structures of [Os₂(CO)₄(μ -SePh)₂(μ -dpmm)], [Os₃(CO)₆(μ -CO)(μ -Se)₂(μ -C₆H₄)(μ -dpmm)] and two isomers of [Os₃(CO)₈(μ -SePh)₂(μ -dpmm)], 1569
- Triosmium clusters with bridging terpenic thioureato-like ligands, 2535
- Triphenyl methyl phosphonium salts
Telluranes: potential synthons for charge-transfer complexes (involving hypervalent Te–I bonds) and serendipitous synthesis of the first triphenyl methyl phosphonium salts containing [C₄H₈TeI₄]²⁻ and [TeI₆]²⁻ anions, 194
- Triphenylphosphine oxide
A structural, spectroscopic and theoretical study of the triphenylphosphine chalcogenide complexes of tungsten carbonyl, [W(XPPH₃)(CO)₅], X = O, S, Se, 860
- Triphenylphosphine selenide
A structural, spectroscopic and theoretical study of the triphenylphosphine chalcogenide complexes of tungsten carbonyl, [W(XPPH₃)(CO)₅], X = O, S, Se, 860
- Triphenylphosphine sulfide
A structural, spectroscopic and theoretical study of the triphenylphosphine chalcogenide complexes of tungsten carbonyl, [W(XPPH₃)(CO)₅], X = O, S, Se, 860
- Triphenyltin complex
Biological aspects of new organotin(IV) compounds of 3-maleimidopropionic acid, 3370
- Triphenyltin derivative
Biologically potent organotin(IV) complexes of 2-maleimidoacetic acid, 238
- Triptycene
9-Triptyceny complexes of group 13 and 15 halides and hydrides, 781
- Triruthenium carbonyl clusters
Triruthenium clusters containing bridging dpmm and capping sulfido and selenido ligands: X-ray structures of [Ru₃(CO)₅(μ_3 -CO)(μ_3 -Se)(μ -dpmm)₂], [Ru₃(CO)₆(μ_3 -CO)(μ_3 -Se)(μ -dpmm)(η^1 -Ph₂PCH₂P(=O)Ph₂)] and [Ru₂(CO)₄(μ -SePh)₂(μ -dpmm)], 3412
- Tris(perfluorophenyl)borane
Structural investigations on new iron-acyl derivatives of B(C₆F₅)₃, 4407
- Tris(pyrazolyl)borate ligands
Titanium and zirconium complexes containing sterically hindered hydrotris(pyrazolyl)borate ligands: synthesis, structural characterization, and ethylene polymerization studies, 286
- Tris(trimethylsilyl)silane
A mechanistic investigation of (Me₃Si)₃SiH oxidation, 2912
- Tris(trimethylsilylmethyl)alane
Tris(trimethylsilylmethyl)alane: an aldehyde selective peterson methylenation reagent, 1856
- Trisilaallene
Isolable silylene, disilenes, trisilaallene, and related compounds, 4475
- Trisilane
Organosilicon chalcogenides with trisilane units – bicyclo[3.3.1]nonanes, bicyclo[3.2.2]nonanes and spiro[4.4]nonanes, 564
- Trisodium clusters
Reactions of benzothiazolide triosmium clusters with tetramethylthiourea, 2633
- Troponeiron tricarbonyls
Thermodynamic and kinetic parameters associated with the fluxional behavior of 2-methyl- and 2,6-dimethyltroponeiron tricarbonyl complexes, 1131
- Tungsten
Branched and dendritic metallo-carbosiloxanes with OCH₂-PPh₂ML_{*n*} end-grafted units, 3598
- DFT studies of structural preference of coordinated ethylene in W(CO)₃(PX₃)₂(CH₂=CH₂) (X = H, CH₃, F, Cl, Br, and I), 2275

- Mixed-metal cluster chemistry. 26 [1]. Proclivity for “all-terminal” or “plane-of-bridging-carbonyls” ligand disposition in tungsten–triiridium clusters, 50
- N-terminus to C-terminus metallacyclicpeptides employing tungsten–alkyne coordination, 4837
- Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten $\text{Ph}_3\text{E}-\text{C}\equiv\text{W}(\text{O}^i\text{Bu})_3$ (E = Si, Ge, Sn) with hydrogen chloride: crystal structures of carbene complexes $\text{Ph}_3\text{E}-\text{CH}=\text{WCl}_2(\text{O}^i\text{Bu})_2$ (E = Si, Ge), 1127
- Solid-state isomerisation reactions of $(\eta^5\text{-C}_5\text{H}_4\text{R})\text{M}(\text{CO})_2(\text{PR}_3)'\text{I}$ (M = W, Mo; R = ^iBu , Me; R' = Ph, O^iPr_3), 2207
- Solvent-controlled formation of η^3 -butadienyl or η^3 -allyl group 6 transition metal complexes in water or alcohols, 2114
- Syntheses and structures of molybdenum and tungsten pentabenzylcyclopentadienyl complexes: new chlorination reactions, 2368
- Synthesis and molecular structures of dinuclear complexes with 1,2-dihydro-1,2-diphenyl-naphtho[1,8-c,d]1,2-diphosphole as a bridging ligand, 2624
- Synthesis and reactions of cycloheptadienyl and cyclooctadienyl tungsten complexes: X-ray crystal structure of $[\text{W}(\text{CO})_2(\text{PPh}_3)_2(\eta^5\text{-C}_7\text{H}_9)][\text{BF}_4]$, 848
- Synthesis and selective silylation of ω -hydroxy functionalized $(\eta^2\text{-alkenyl})\text{carbene}$ complexes of chromium(0) and tungsten(0) Part 11. The chemistry of metallacyclic alkenylcarbene complexes, 1771
- Transition metal-substituted paraffins: synthesis and properties of some μ -saturated heterobimetallic complexes containing Mo and W or Fe and the crystal structures of $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{W}(\text{CH}_2)_3\text{Mo}(\text{CO})_2(\text{PPh}_3)(\eta^5\text{-C}_5\text{H}_5)]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{PPh}_3)\text{Mo}(\text{CH}_2)_3\text{Fe}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)]$, 181
- $\text{W}(\eta^2\text{-PhC}\equiv\text{CPh})_3(\eta^1\text{-Ph}_2\text{PC}\equiv\text{CPh}_2)$ as a ligand to prepare homo- and hetero-nuclear cluster complexes, 105
- Tungsten carbonyl
A structural, spectroscopic and theoretical study of the triphenylphosphine chalcogenide complexes of tungsten carbonyl, $[\text{W}(\text{XPPH}_3)(\text{CO})_5]$, X=O, S, Se, 860
- Two-dimensional sheet structure
One- or two-dimensional organometallic arrays containing $\text{PdIr}_2(\mu_3\text{-S})_2$ mixed-metal sulfido cluster units connected via the nicotinamide or isonicotinamide ligands on their Pd sites through hydrogen-bonding interactions, 738
- Two-photon excited fluorescence
Blue two-photon excited fluorescence of several D- π -D, A- π -A, and D- π -A compounds featuring dimesitylboryl acceptor, 2201
- Tyrosine PNA monomer
A new ferrocene conjugate of a tyrosine PNA monomer: synthesis and electrochemical properties, 4791
- Ultra-purification
Cyclic dialkylindium amides: new structural information and ultra-purification using inorganic and inorgano–organic layered materials, 3000
- Ultrasound
An efficient synthesis of ferrocenyl substituted 1,5-diketone and cyclic α,β -unsaturated ketones under ultrasound irradiation, 1843
- Unsaturated
 β -Ferrocenyl- α,β -unsaturated phosphonates and sulfones, 1165
- Unsaturated hydrocarbon ligands
From mononuclear to multinuclear complexes of palladium containing unsaturated hydrocarbon ligands, 4511
- Unusual amino acids
Synthesis and reactions of silicon containing cyclic α -amino acid derivatives, 158
- Uranium
Uranium-sulfilimine chemistry. Hydrolysis of $\text{Cp}^*_2\text{UCl}_2$ with $\text{HNSPh}_2 \cdot \text{H}_2\text{O}$ and the crystal structure of $\text{Cp}^*_2\text{UCl}(\text{OH})(\text{HNSPh}_2)$, a metallocene terminal hydroxy complex of tetravalent uranium, 2029
- Urea
Reaction of ferrocenecarboxylic acid with *N,N'*-disubstituted carbodiimides: synthesis, spectroscopic and X-ray crystallographic analysis of *N,N'*-disubstituted *N*-ferrocenoylureas and identification of a one-pot coupling reagent for the formation of ferrocenecarboxamides in a non-aqueous solvent, 1472
- Ureylene bridge
Electronic communication through the ureylene bridge: spectroscopy, structure and electrochemistry of dimethyl 1',1'-ureylenedi(1-ferrocenecarboxylate), 2250
- UV–Visible
Studies on phthalocyanine sheet polymers, 2601
- Valent
Some past achievements and future perspectives in main group chemistry, 3866
- Vanadium
Guanylation of aromatic amines catalyzed by vanadium imido complexes, 993
- Vanadocene dichloride
Synthesis, characterization and structural investigation of the first vanadocene(IV) carboxylic acid complexes prepared from the vanadocene dichloride, 1180
- Vinyl ethers
Decomposition of vinyl ethers by alkali K^+ , $\text{K}^+(15\text{-crown-5})_2$ via organopotassium intermediates, 1580
- Vinyl Grignard reagent
A facile stereoselective synthesis of (*E*)-1,2-disubstituted vinylstannanes via hydromagnesiation of alkylarylacetylenes, 2531
- Vinyl iodide
Mechanism of the carbopalladation of alkynes by aryl-palladium complexes, 4642
- Vinyl polymerization
Synthesis and characterization of new bis(1-arylimino-methylenyl)naphthalen-2-oxy)nickel complexes and their catalytic behavior for vinyl polymerization of norbornene, 936
- Vinylc polymerization
Synthesis, structure and norbornene polymerization behavior of nickel complexes bearing two β -ketoiminato chelate ligands, 1295
- Vinylidene
Synthesis, characterization and molecular structures of allenylidene, vinylidene–alkylidene complexes containing $[\text{CpOs}(\text{PPh}_3)_2]^+$ fragment, 539
- Vinylidene complexes
Activation of alkynes by $\{[\text{Cp}^*\text{Ru}(\text{CO})(\text{PMe}^i\text{Pr}_2)]^+\}$: X-ray crystal structures of $[\text{Cp}^*\text{Ru}=\text{C}=\text{CHtBu}(\text{CO})(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$ and $[\text{Cp}^*\text{Ru}(\text{CO})_2(\text{PMe}^i\text{Pr}_2)][\text{BAR}_4']$, 2853
- Vinyliminium
Stereochemistry of the insertion of disubstituted alkynes into the metal aminocarbyne bond in diiron complexes, 528
- Vinylsilanes
Olefin hydroboration of borazine with vinylsilanes as precursors of Si–B–C–N ceramics, 2311
- The synthesis and characterisation of some nickel(0) complexes with π -bonded vinylsilicon ligands; the molecular structure of $[\text{Ni}\{\text{P}(\text{C}_6\text{H}_5)_3\}_2\{\eta^2\text{-CH}_2=\text{CHSi}(\text{CH}_3)_3\}]$, 3075
- Vinylstannane
A facile stereoselective synthesis of (*E*)-1,2-disubstituted vinylstannanes via hydromagnesiation of alkylarylacetylenes, 2531

Vitamin B12

Conjugates of vitamin B12 with N_ε-functionalized histidine for labeling with [^{99m}Tc(OH₂)₃(CO)₃]⁺: synthesis and biodistribution studies in tumor bearing mice, 4803

Volatility

Investigations into the preparation of sila-β-diketones via 2-trimethylsilyl-1,3-dithianes: structural characterization of a second polymorph of bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato)copper(II), 71

Water coordination

Salen-type zirconium complexes with a labile coordination site and a robust skeleton: crystal structure of [(*t*-Bu₄-salen)ZrCl₂(H₂O)], 1212

Water soluble

Solution properties, electrochemical behavior and protein interactions of water soluble triosmium carbonyl clusters, 1796

Water-soluble ligand

Rh-catalyzed addition of boronic acids to alkynes for the synthesis of trisubstituted alkenes in a biphasic system - Mechanistic study and recycling of the Rh/*m*-TPPTC catalyst, 3820

Water-soluble phosphines

Water-soluble (η⁶-arene)ruthenium(II)-phosphine complexes and their catalytic activity in the hydrogenation of bicarbonate in aqueous solution, 1036

Weak interactions

Helices of ruthenium complexes involving pyridyl-azine ligands: synthesis, spectral and structural aspects, 3612

White phosphorus

Functionalization of white phosphorus in the coordination sphere of transition metal complexes, 4319

Wilkinson's catalyst

Dehydrogenative coupling as an efficient route to ferrocene functionalized siloxanes, 3468

Wittig alkenation

Introduction of a phosphorus ylide moiety into [η²-(ω-hydroxy)-alkenyl]chromium(0) carbene complexes with Ph₃PCCO and consecutive Wittig alkenations with 2-alkynals. Part 12: the chemistry of metallacyclic alkenylcarbene complexes, 2131

X-ray

Cationic methyl complexes of rhodium(III): synthesis, structure, and some reactions, 1930

Helices of ruthenium complexes involving pyridyl-azine ligands: synthesis, spectral and structural aspects, 3612

Ru(II) complexes imparting N₂O₂ donor bis chelating ligand *N,N'*-bis(salicylidine)-hydrazine in unusual coordination mode, 2073

Synthesis and crystal structures of novel lithium- and palladium-1-azaallyls, 1230

Synthesis and structure of a boron cation supported by a β-diketiminato ligand, 2562

Synthesis, characterization and structural investigation of the first vanadocene(IV) carboxylic acid complexes prepared from the vanadocene dichloride, 1180

X-ray and multinuclear NMR study of the mixed aggregate [(Ph₂P(O)N(CH₂Ph)CH₃) · LiOC₆H₂-2,6- $\{C(CH_3)_3\}_2$ -4-CH₃) · C₇H₈]₂: a model for the directed metalation of phosphinamides, 1890

X-ray analyses

The reaction of *ortho*-halogenated aromatic aldazine ligands with Fe₂(CO)₉: symmetrical cleavage of the azine and carbon-halogen activation, 2707

X-ray analysis

Ate complexes of Ge(II) and Sn(II) with bidentate ligands [LiE¹⁴(OCH₂CH₂NMe₂)₃]₂ (E¹⁴ = Ge, Sn): synthesis and structure, 478

Oxidative dehydrodimerization of rhenium vinylidene complex (η⁵-C₅H₅)(CO)₂Re=C=C(H)Ph: two competitive routes of coupling of σ-phenylethynyl intermediate [(η⁵-C₅H₅)(CO)₂Re-C≡CPh]. X-ray structures of rhenium mononuclear (η⁵-C₅H₅)(CO)₂Re=C=C(H)Ph and binuclear [(η⁵-C₅H₅)(CO)₂Re]₂(μ₂-C=C(Ph)C≡CPh) vinylidene compounds, 3837

Synthesis and structural characterization of η³-allyl(α-diimine)nickel(II) complexes bearing trimethylsilyl groups, 1057

X-ray crystal structure

A convenient synthesis of some symmetrical and unsymmetrical diarylmethyl sulfur and selenium compounds: X-ray crystal structure of diphenylmethylseleno-2-propene and bis[*p*-chlorophenyl(phenyl)methyl] diselenide, 3327

Exchange of boryl ligand substituents in Os[B(OEt)₂]Cl(CO)-(PPh₃)₂, 1609

Four isomers from the oxidative addition of Me₃SnH to Os(CO)₂(PPh₃)₃ and the crystal structure of Os-(SnMeI₂)I(CO)₂(PPh₃)₂, in which the pairs of CO and PPh₃ ligands are mutually *trans*, 605

Nucleophilic substitution reactions at the Si-Cl bonds of the dichloro(methyl)silyl ligand in five- and six-coordinate complexes of ruthenium(II) and osmium(II), 2511

Synthesis and structural characterisation of redox-responsive *N*-ferrocenoyl amino acid esters; the X-ray crystal structure of *N*-ferrocenoyl alanine methyl ester; electrochemical anion recognition and ¹H NMR complexation studies, 1511

Synthesis, structure and redox potentials of biologically active ferrocenylalkyl azoles, 2473

Tethered silyl complexes from nucleophilic substitution reactions at the Si-Cl bond of the chloro(diphenyl)silyl ligand in Ru(SiClPh₂)(κ²-S₂CNMe₂)(CO)(PPh₃)₂, 2979

The synthesis and characterisation of some nickel(0) complexes with π-bounded vinylsilicon ligands; the molecular structure of [Ni{P(C₆H₅)₃]₂{η²-CH₂=CHSi(CH₃)₃}], 3075

X-ray crystal structures

Synthesis, reactivity, electrochemical and crystallographic studies of diferrocenoyl diselenide and ferrocenoyl selenides, 3046

Synthetic, X-ray structural and protonation studies of CpCr(CO)₂SPy and CpCr(CO)₂SPym (SPy = C₅H₄NS, SPym = C₄H₃N₂S), 3210

X-ray crystallography

A new heptacoordinated organogermanium compound; trichlorogermyl[tris(2-methoxyphenyl)]methane, 3275

An NMR study of the rotational barriers in cobalt-stabilized carbocations: X-ray crystal structures of (η⁴-C₄Ph₄)Co-(η⁵-C₅H₄R), where R is CH₃C=O, CH=O, CH(^{*t*}Bu)OH, 1657

Irregular cyclization reactions in titanocenes bearing pendant double bonds, 1919

McMurtry reactions of (η⁵-acetylcyclopentadienyl) cobalt-(η⁴-tetraphenylcyclobutadiene) with benzophenone: ketone couplings and a pinacol/pinacolone rearrangement, 4683

New boronates prepared from 2,4-pentanedione derived ligands of the NO₂ and N₂O₂ type – comparison to the complexes obtained from the corresponding salicylaldehyde derivatives, 811

New emissive *fac*-tricarbonylchlorobis(ligand)rhenium(I) complexes prepared from pyridine/thiophene hybrid ligands, 1122

Reactions of isonitriles with [Fe₃(CO)₁₂] and [Ru₃(CO)₁₂] monitored by electrospray mass spectrometry: structural characterisation of [Fe₃(CO)₁₀(CNPh)₂] and [Ru₄(CO)₁₁(μ₃-η²-CNPh)₂(CNPh)], 1691

Study on carbon-hydrogen activation of ketones by Gold(III) complexes and the synthesis and characterization of two ketonylgold(III) complexes, 2969

- Synthesis and characterisation of aromatic ethynyl-bridged ferrocenes, 840
- Synthesis and characterisation of phosphane-substituted Co_3C clusters having a pendant allyl side-chain, 2103
- Synthesis, characterization and luminescence study of dimethyl(β -ketoiminato)gallium (-indium) complexes: crystal structure of dimethyl[1-phenyl-3-*N*-(4-methoxyphenylimino)-1-butanonato]gallium, 3461
- Titanocene – 1,4,6-tris(trimethylsilyl)hex-3-ene-1,5-diyne-3-yl complexes – crystal structures and their retro reaction, 4592
- X-ray diffraction
- β -Ferrocenyl- α,β -unsaturated phosphonates and sulfones, 1165
- Acid-base and counter ion dependent solid-state assembly of a ferrocene β -aminoalcohol and the corresponding ammonium salt, 631
- Novel dinuclear iron(0) complexes from α,β -unsaturated ketones β -positioned with sulfide and sulfoxide groups, 885
- Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319
- Phosphinohydrazines and phosphinohydrazides $\text{M}(-\text{N}(\text{R})-\text{N}(\text{R})-\text{PPh}_2)_n$ of some transition and main group metals: synthesis and characterization. Rearrangement of $\text{Ph}_2\text{P}-\text{NR}-\text{NR}$ -ligands into aminoiminophosphorane, $\text{RN}=\text{PPh}_2-\text{NR}$ -, and related chemistry, 3060
- Preparation and structural studies on the $\text{Bu}_2\text{Sn}(\text{IV})$ complexes with aromatic mono- and dicarboxylic acids containing hetero {N} donor atom, 2762
- Reactions of silicon-, germanium- and tin-containing carbene complexes of tungsten $\text{Ph}_3\text{E}-\text{C}\equiv\text{W}(\text{O}^i\text{Bu}')_3$ (E=Si, Ge, Sn) with hydrogen chloride: crystal structures of carbene complexes $\text{Ph}_3\text{E}-\text{CH}=\text{WCl}_2(\text{O}^i\text{Bu}')_2$ (E=Si, Ge), 1127
- Synthesis and structure of 5,6,7,12-tetrahydrodibenz[c,f][1,5]-azabismocines, 3012
- Synthesis, characterisation and redox behaviour of isocyanide incorporated, chalcogen stabilised mixed-metal clusters, 122
- Tri-*n*-butyltin carboxylate derivatives of *para*-substituted phenyl-ethanoic acids: synthesis, characterization and X-ray structure determination, 3301
- Trimethylstannyl (diphenylphosphino)acetate: a source of (diphenylphosphino)acetate ligand in the synthesis of coordination compounds, 3556
- X-ray diffractometry
- Coordinating properties of $[\text{M}(\text{CO})_5(\text{CN})]^-$ [M = Cr; Mo; W] ligands: formation of ion pairs or dinuclear cyanide-bridged complexes, spectroscopic and X-ray diffraction studies, 2324
- X-ray molecular structure
- Carbon-carbon coupling on tetrahedral iridium clusters: X-ray molecular structures and multinuclear NMR studies of the two isomeric forms of $[\text{Ir}_4(\text{CO})_6(\mu_3-\eta^2\text{-HCCPh})(\mu_2-\eta^4\text{-C}_4\text{H}_2\text{Ph}_2)(\mu\text{-PPh}_2)_2]$, 3513
- X-ray structural analysis
- Exo*- and *endo*-palladacycles derived from (4*R*)-phenyl-2-oxazolines, 2382
- Diverse reactions of nitroxide-radical adducts of silylene, germylene, and stannylene, 1337
- X-ray structure
- 2,4,6-Triphenylphenyltellurium(IV) triiodide – supramolecular self-assembling in organotellurium triiodides, 2092
- A structural, spectroscopic and theoretical study of the triphenylphosphine chalcogenide complexes of tungsten carbonyl, $[\text{W}(\text{XPPH}_3)(\text{CO})_3]$, X = O, S, Se, 860
- An alkynyltelluronium iodide and its solid state structure: evidence for $\text{p}\rightarrow\sigma^*$ interactions, 627
- Blue two-photon excited fluorescence of several D- π -D, A- π -A, and D- π -A compounds featuring dimesitylboryl acceptor, 2201
- Cationic olefin Pd(II) complexes bearing α -iminoketone N,O-ligands: synthesis, intramolecular and interionic characterization and reactivity with olefins and alkynes, 647
- Reactions of hydrosulfido- and hydroselenido-bridged dinuclear Ir, Rh, and Ru complexes with SbCl_3 and BiCl_3 affording mixed-metal sulfido and selenido clusters containing both noble metals and Group 15 metals, 2338
- Studies of bimetallic carboxylates: their synthesis, characterization, biological activity and X-ray structure, 899
- Sulfur and oxygen functionalized cyclopentadienyl half-sandwich cobalt complexes with 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands, 2228
- Syntheses, crystal structures, and quadratic nonlinear optical properties in four “push-pull” diorganotin derivatives, 2303
- Synthesis of a transition-metalated phosphinoborane dimer, 2425
- Synthesis, structures and *rac/meso* isomerization behaviour of bisplanar chiral bis(phosphino- η^5 -indenyl)iron(II) complexes, 1897
- Titanocene-based group-11 metal ions; solid-state structure of $\{[\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3]_2\text{Ti}(\text{C}\equiv\text{CPh})_2\text{Ag}\}\text{NO}_3$, 2690
- Trimethylsilyl-functionalised bis(indenyl)iron(II) complexes: solid-state structure of $[\eta^5\text{-1,3-(SiMe}_3)_2\text{C}_9\text{H}_5]_2\text{Fe}$, 1139
- Triosmium clusters with bridging terpenic thioureato-like ligands, 2535
- X-ray structure analyses
- Addition and/or oxidation in the reaction of a tricobalt cluster with silver(I) salts: synthesis, structure and solution properties of $[\text{Co}_3\text{Cp}_3(\mu_3\text{-CPh})_2\{\mu\text{-Ag}(\text{X})\}]$ (X=CF₃CO₂, NO₃) and $[\text{Co}_3\text{Cp}_3(\mu_3\text{-CPh})_2\{\mu\text{-Ag}(\text{NCMe})\}]\text{PF}_6$, 146
- X-ray structure analysis
- Reactions of a phosphido-bridged unsymmetrical diiron complex $(\eta^2\text{-C}_5\text{Me}_5)\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPh}_2)$ with various alkynes, 1481
- Self-immobilized metallocene catalysts bearing an allyl group for ethylene polymerization, X-ray crystal structure of $[(\text{CH}_2=\text{CHCH}_2)\text{CH}_3\text{Si}(\text{C}_{13}\text{H}_8)_2]\text{ZrCl}_2$, 678
- Synthese und Reaktionsverhalten von Platin(II) und Kupfer(I) Koordinationspolymeren; die Festkörperstruktur von $\{trans\text{-(Ph}_3\text{P)}_2\text{Pt}[(\eta^2\text{-C}\equiv\text{CPh})\text{CuBr}]_2\}_n$ und $trans\text{-(Ph}_3\text{P)}_2\text{Pt}[(\eta^2\text{-C}\equiv\text{CPh})\text{CuNO}_3]_2$, 1464
- X-ray structures
- Diorganotin(IV) complexes of dideprotonated pyridoxine (PN, vitamin B₆). The crystal structures of $[\text{SnEt}_2(\text{PN}-2\text{H})]\cdot\text{CH}_3\text{OH}$, $[\text{SnEt}_2(\text{PN}-2\text{H})(\text{DMSO})]$ and $[\text{SnBu}_2(\text{PN}-2\text{H})]$, 620
- Group 1 and 13 complexes of aryl-substituted bis(phosphinoimino)methyls, 722
- Preference of di-*n*-butyltin^{IV} compounds to build O \cdots Sn bonds in fused rings with five-six members, 3481
- Synthesis and characterization of the cluster complexes containing tetrahedral $\text{FeCrCo}(\mu_3\text{-S})$ cluster cores generated by isolobal displacement reactions. Crystal structures of $(\eta^5\text{-RC}_5\text{H}_4)\text{FeCrCo}(\mu_3\text{-S})(\text{CO})_8$ (R=H, CO₂Et) and $\text{FeCo}_2(\mu_3\text{-S})_2(\text{CO})_9$, 139
- Synthesis and properties of the ditelluroethers *m*- and *p*-C₆H₄(CH₂TeMe)₂ and their Te(IV) derivatives: crystal structures of $\text{PhTeI}_2(\text{CH}_2)_3\text{TeI}_2\text{Ph}$, *m*-C₆H₄(CH₂TeI₂Me)₂ and *p*-C₆H₄(CH₂TeI₂Me)₂, 1006
- Synthesis and structures of four crystalline lithium β -diketiminates derived from $[\text{Li}\{\text{CH}(\text{SiMe}_3)(\text{SiMe}_2\text{OMe})\}]_8$ and PhCN or Bu^{*i*}CN and PhCN, 1342
- Synthesis and structures of organoantimony compounds containing intramolecular Sb–N interactions, 2593
- X-ray study
- A higher yielding route to octasilsesquioxane cages using tetrabutylammonium fluoride, Part 2: further synthetic advances, mechanistic investigations and X-ray crystal

- structure studies into the factors that determine cage geometry in the solid state, 3287
- Xanthine
Purine-based carbenes at rhodium and iridium, 2995
- Xenophilic
Coordination chemistry of a multidentate pyrrolylaldimine ligand: tetrahedral $\text{Tp}^{\text{R}}\text{M-R'}$ and $\text{Tp}^{\text{R}}\text{M-M'L}_n$ species, 4540
- XRD
Pentacarbonyl(2,6-diaminopyridine)chromium(0): synthesis and molecular structure, 2319
- Ylide complexes
Palladium complexes of a chiral P,C-chelating phosphino-(sulfinylmethyl)phosphonium ylide ligand, 380
- Yttrium alkyl complexes
Synthesis and reactivity of bis(heptamethylindenyl) yttrium (Ind^*_2Y) complexes containing alkyl and hydride ligands: crystal structure of $\text{Ind}^*_2\text{YCl(THF)}$, 870
- Yttrium hydride complexes
Synthesis and reactivity of bis(heptamethylindenyl) yttrium (Ind^*_2Y) complexes containing alkyl and hydride ligands: crystal structure of $\text{Ind}^*_2\text{YCl(THF)}$, 870
- Z-scan
Microwave-assisted synthesis and reverse saturable absorption of phthalocyanines and porphyrins, 1078
Reverse saturable absorption of lanthanide bisphthalocyanines and their application for optical switches, 2138
- Zeozymes
Catalytic significance of organometallic compounds immobilized on mesoporous silica: economically and environmentally important examples, 4110
- Zerovalent ruthenium complexes
 $\text{Ru}(\eta^6\text{-1,3,5-cyclooctatriene})(\eta^2\text{-dimethyl fumarate})_2$: a novel, versatile zerovalent ruthenium complex with electron-deficient olefinic ligands, 4530
- Z-/E-isomers
Synthesis and selective silylation of ω -hydroxy functionalized (η^2 -alkenyl)carbene complexes of chromium(0) and tungsten(0) Part 11. The chemistry of metallacyclic alkenylcarbene complexes, 1771
- Zinc
Aminotroponimate alkyl and alkoxide complexes of zinc, 2720
Coordination chemistry of a multidentate pyrrolylaldimine ligand. X-ray crystal structure of double-helical bis- μ -[N,N' -ethylenedi(5-*tert*-butyl-pyrrol-2-ylaldimine)]-dimagnesium, 947
Copper catalysed 1,4-addition of organozinc reagents to α,β -unsaturated carbonyl compounds: a mechanistic investigation, 2169
Mechanism in homogeneous catalysis; NMR as a prime mover, 4006
- N-heterocyclic carbene complexes of Zn(II): synthesis, X-ray structures and reactivity, 2123
- Syntheses and crystal structures of mono- and bi-metallic zinc compounds of symmetrically- and asymmetrically-substituted bis(amino)cyclodiphosph(V)azanes, 1110
- Zirconium
Coordination chemistry of a multidentate pyrrolylaldimine ligand. X-ray crystal structure of double-helical bis- μ -[N,N' -ethylenedi(5-*tert*-butyl-pyrrol-2-ylaldimine)]-dimagnesium, 947
Developing some functional group chemistry at the Group 4 bent metallocene frameworks, 1402
Group 4 metallocene complexes with non-bridged and tetramethyldisiloxane-bridged methyl-phenyl-cyclopentadienyl ligands: synthesis, characterization and olefin polymerization studies, 4395
Hydrozirconation of first-generation allyl-functionalized dendrimers and dendrimer model compounds, 1876
Investigation in the coupling of zirconocene complexes and trimethylsilyl(diphenylphosphino)acetylene. P–C bond cleavage chemistry from protonolysis reactions, 953
Mono- and bis-(2-dimethylaminoethyl)tetramethylcyclopentadienyl zirconium(IV) complexes: synthesis and structural studies in crystalline state and in solutions, 595
Pyrrolide-imine benzyl complexes of zirconium and hafnium: synthesis, structures, and efficient ethylene polymerization catalysis, 1155
Synthesis and structure of $[\text{Cp}_2\text{Zr}(\text{OPr}^i)(\text{HOPr}^i)]^+$ and its activity in the polymerisation of propene oxide, 4624
- Zirconium complex
Salen-type zirconium complexes with a labile coordination site and a robust skeleton: crystal structure of $[(t\text{-Bu}_4\text{-salen})\text{ZrCl}_2(\text{H}_2\text{O})]$, 1212
- Zirconocene
Some selected chapters from the (butadiene)zirconocene story, 4305
Synthesis of a tin-functionalized cyclopentadiene derivative, 3550
Titanium and zirconium complexes containing the new 2,3-dimethyl-1,4-diphenylcyclopentadienyl ligand. Synthesis, characterization and polymerization behavior, 1623
- Zwitterion
A zwitterionic triosmium cluster bearing a metallated azulene ligand coordinated perpendicularly as an alkylidene bridge, 2025
Control of symmetry in active cationic *ansa*-zirconocene species: catalyst preparation, characterization and ethylene–norbornene copolymerization, 3402
- Zwitterionic thiolate
Isolation, structure and spectroscopic characterization of silver complexes of the zwitterionic thiolate Tab: $[\text{Ag}(\text{Tab})_2](\text{PF}_6)$, $\{[\text{Ag}_3(\text{Tab})_4](\text{PF}_6)_3 \cdot 2\text{DMF}\}_n$, and $[\text{Ag}_{14}(\mu_6\text{-S})(\text{Tab})_{12}(\text{P-Ph}_3)_8](\text{PF}_6)_{12}$ (Tab = 4-(trimethylammonio)benzenethiolate), 1071