



ELSEVIER

Journal of Photochemistry and Photobiology A: Chemistry 137 (2000) 205–208

Journal of
Photochemistry
and
Photobiology
A: Chemistry

www.elsevier.nl/locate/jphotochem

Subject Index of Volume 137

Advanced oxidation processes (AOP)

Hydroxyl radical initiated photodegradation of 4-chloro-3,5-dinitrobenzoic acid in aqueous solution, 177

Aliphatic amines

A comparative study on electron-transfer fluorescence quenching by aliphatic and aromatic amines, 93

Amino acids

Electronic spectra, excited-state geometries and molecular electrostatic potentials of aromatic amino acids, 79

Anthracene

The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1

Aribine

A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145

Azactone

Fluorescence emission studies of an azactone derivative embedded in polymer films. An optical sensor for pH measurements, 155

Bromide

A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145

2-(Bromomethyl)naphthalene

Effect of excitation energy on the photochemical reaction of 2-(bromomethyl)naphthalene in solution, 125

Calorimetry

High-pressure photoacoustic calorimetry of chromium hexacarbonyl: volumes of heptane displacement from chromium pentacarbonyl heptane, 135

Catalysis

On the enhanced catalytic activity of TiO₂-supported layered compounds for Cr(VI) photo-reduction, 185

Cation scavenger

Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45

Chloral hydrate

Thymol-blue dyed poly(vinyl butyral) films for monitoring ultraviolet radiation, 37

Chloronitro aromatic compounds

Hydroxyl radical initiated photodegradation of 4-chloro-3,5-dinitrobenzoic acid in aqueous solution, 177

Chromium hexacarbonyl

High-pressure photoacoustic calorimetry of chromium hexacarbonyl: volumes of heptane displacement from chromium pentacarbonyl heptane, 135

Cr(VI) photo-reduction

On the enhanced catalytic activity of TiO₂-supported layered compounds for Cr(VI) photo-reduction, 185

Dipole moment

Photoinduced intramolecular charge transfer of 3-cyano-4-furyl-6-phenyl-2-(9-anthralyldene)-pyridine, 9

Dithizonate

Picosecond anisotropy of the transient absorption of the photochromic mercury dithizone complex in solution, 141

Dye-sensitization

Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation, 63

Electrodeless discharge lamp

The electrodeless discharge lamp: a prospective tool for photochemistry. Part 2. Scope and limitation, 29

Electron-transfer

A comparative study on electron-transfer fluorescence quenching by aliphatic and aromatic amines, 93

Energy and/or electron transfer

Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45

Energy transfer

Photochemistry of N,N'-ditridecyl-3,4,9,10-perylenetetracarboxylic diimide in chloromethane solvents, 15

Eosin Y

Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation, 63

EPR spectra

Photosensitization of TiO₂ colloid by hypocrellin B in ethanol, 191

Excimer lamps

Hydroxyl radical initiated photodegradation of 4-chloro-3,5-dinitrobenzoic acid in aqueous solution, 177

Excitation energy effect

Effect of excitation energy on the photochemical reaction of 2-(bromomethyl)naphthalene in solution, 125

Excited singlet and triplet states

Photosensitization of TiO₂ colloid by hypocrellin B in ethanol, 191

Excited states

Electronic spectra, excited-state geometries and molecular electrostatic potentials of aromatic amino acids, 79

Fluorescence

The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1

Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45

Photophysics of some styryl thiazolo quinoxaline dyes in organic media, 115

Fluorescence emission

Fluorescence emission studies of an azactone derivative embedded in polymer films. An optical sensor for pH measurements, 155

Fluorescence lifetime

Photoinduced intramolecular charge transfer of 3-cyano-4-furyl-6-phenyl-2-(9-anthralyldene)-pyridine, 9

- Photophysical characteristics of two 4,6-disubstituted-3-cyanopyridin-2(1H)-thiones in various solvents, 105
- Fluorescence quantum yield
- The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1
- Fluorescence quenching
- A comparative study on electron-transfer fluorescence quenching by aliphatic and aromatic amines, 93
 - A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145
- Formaldehyde degradation
- A study of the photocatalytic oxidation of formaldehyde on Pt/Fe₂O₃/TiO₂, 197
- Fungicide
- Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45
- Grafting
- Access to new polymeric-hindered amine stabilisers from oligomeric terpene resins, 71
- Halide
- A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145
- Harman
- A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145
- Harmaline
- A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145
- Hydroxyl radical
- Hydroxyl radical initiated photodegradation of 4-chloro-3,5-dinitrobenzoic acid in aqueous solution, 177
- Hypocrellin B
- Photosensitization of TiO₂ colloid by hypocrellin B in ethanol, 191
- Iodide
- A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145
- Iron trioxide
- A study of the photocatalytic oxidation of formaldehyde on Pt/Fe₂O₃/TiO₂, 197
- Isomers
- Picosecond anisotropy of the transient absorption of the photochromic mercury dithizone complex in solution, 141
- Kerr ellipsometry
- Picosecond anisotropy of the transient absorption of the photochromic mercury dithizone complex in solution, 141
- Kinetics
- On the enhanced catalytic activity of TiO₂-supported layered compounds for Cr(VI) photo-reduction, 185
- Layered compound
- On the enhanced catalytic activity of TiO₂-supported layered compounds for Cr(VI) photo-reduction, 185
- Lifetime
- The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1
- Ligand substitution
- High-pressure photoacoustic calorimetry of chromium hexacarbonyl: volumes of heptane displacement from chromium pentacarbonyl heptane, 135
- Luminescence properties
- Luminescence properties of novel soluble quinacridones, 99
- 4'-Methylflavylium salt
- Light and pH switching between the various forms of the 4'-methylflavylium cation, 21
- Microwave photochemistry
- The electrodeless discharge lamp: a prospective tool for photochemistry. Part 2. Scope and limitation, 29
- MLCT excited states
- Ground and excited state structural isomers in *trans*-[Ru(bpy)₂(L)₂](PF₆)₂, 131
- Multiphoton halide sensing
- A halide sensor based on the quenching of fluorescence of an immobilised indolium salt, 145
- Multistate/multifunctional systems
- Light and pH switching between the various forms of the 4'-methylflavylium cation, 21
- N,N'-ditridecyl-3,4:9,10-perylenetetracarboxylic diimide
- Photochemistry of N,N'-ditridecyl-3,4:9,10-perylenetetracarboxylic diimide in chloromethane solvents, 15
- Oligomeric hindered amine stabilisers
- Access to new polymeric-hindered amine stabilisers from oligomeric terpene resins, 71
- Optical sensor
- Fluorescence emission studies of an azlactone derivative embedded in polymer films. An optical sensor for pH measurements, 155
- Organized molecular assemblies
- Photophysics of some styryl thiazolo quinoxaline dyes in organic media, 115
- pH
- Fluorescence emission studies of an azlactone derivative embedded in polymer films. An optical sensor for pH measurements, 155
- Photoacoustic
- High-pressure photoacoustic calorimetry of chromium hexacarbonyl: volumes of heptane displacement from chromium pentacarbonyl heptane, 135
- Photobiology
- Electronic spectra, excited-state geometries and molecular electrostatic potentials of aromatic amino acids, 79
- Photocatalyst
- TiO₂-mediated photodegradation of liquid and solid organic compounds, 53
 - Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation, 63
- Photocatalytic degradation
- Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45
- Photocatalytic oxidation
- A study of the photocatalytic oxidation of formaldehyde on Pt/Fe₂O₃/TiO₂, 197
- Photoccurring
- Photochemistry and photo-induced co-synergistic polymerisation activities of novel N,N'-dimethylaminobenzoates and benzamides, 169
- Photochemistry
- Electronic spectra, excited-state geometries and molecular electrostatic potentials of aromatic amino acids, 79
 - Photochemistry and photo-induced co-synergistic polymerisation activities of novel N,N'-dimethylaminobenzoates and benzamides, 169
- Photochromic compounds
- Light and pH switching between the various forms of the 4'-methylflavylium cation, 21
- Photochromism
- Picosecond anisotropy of the transient absorption of the photochromic mercury dithizone complex in solution, 141

- Photodecomposition
Photochemistry of *N,N*-ditridecyl-3,4,9,10-perylenetetracarboxylic diimide in chloromethane solvents, 15
- Photo-Fries reaction
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 2. Scope and limitation, 29
- Photoinduced charge transfer
Photoinduced intramolecular charge transfer of 3-cyano-4-furyl-6-phenyl-2-(9-anthralylidene)-pyridine, 9
- Photoinduced electron transfer
Photosensitization of TiO₂ colloid by hypocrellin B in ethanol, 191
- Photoinitiators
Photochemistry and photo-induced co-synergistic polymerisation activities of novel *N,N*-dimethylaminobenzoates and benzamides, 169
- Photomerocyanine
Kinetics of thermal bleaching reaction of the photomerocyanine form of spironaphthooxazine, 163
- Photo-oxidation
Access to new polymeric-hindered amine stabilisers from oligomeric terpene resins, 71
- Photopolymerisation
Photochemistry and photo-induced co-synergistic polymerisation activities of novel *N,N*-dimethylaminobenzoates and benzamides, 169
- Photoreduction
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 2. Scope and limitation, 29
- Photosensitizer
Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45
- Picosecond
The spectral shape dependence of xanthone triplet–triplet absorption on solvent polarity, 87
- Poly(vinyl butyral)
Thymol-blue dyed poly(vinyl butyral) films for monitoring ultraviolet radiation, 37
- Polymer film
Fluorescence emission studies of an azlactone derivative embedded in polymer films. An optical sensor for pH measurements, 155
- Polythiophene film
Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45
- Pressure
High-pressure photoacoustic calorimetry of chromium hexacarbonyl: volumes of heptane displacement from chromium pentacarbonyl heptane, 135
- Proteins
Electronic spectra, excited-state geometries and molecular electrostatic potentials of aromatic amino acids, 79
- Pt-TiO₂
Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation, 63
- Rate constant
Photosensitization of TiO₂ colloid by hypocrellin B in ethanol, 191
- Re-absorption
Photochemistry of *N,N*-ditridecyl-3,4,9,10-perylenetetracarboxylic diimide in chloromethane solvents, 15
- Reaction intermediates
TiO₂-mediated photodegradation of liquid and solid organic compounds, 53
- Schiff base
Photoinduced intramolecular charge transfer of 3-cyano-4-furyl-6-phenyl-2-(9-anthralylidene)-pyridine, 9
- Self-cleaning
TiO₂-mediated photodegradation of liquid and solid organic compounds, 53
- Self-quenching
Photophysical characteristics of two 4,6-disubstituted-3-cyanopyridin-2(1H)-thiones in various solvents, 105
- Silane-coupling reagent
Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation, 63
- Soluble quinacridones
Luminescence properties of novel soluble quinacridones, 99
- Solvatochromism
The spectral shape dependence of xanthone triplet–triplet absorption on solvent polarity, 87
- Solvent effect
The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1
Kinetics of thermal bleaching reaction of the photomerocyanine form of spironaphthooxazine, 163
- Spironaphthooxazine
Kinetics of thermal bleaching reaction of the photomerocyanine form of spironaphthooxazine, 163
- Structural isomers
Ground and excited state structural isomers in *trans*-[Ru(bpy)₂(L)₂](PF₆)₂, 131
- Styryl dyes
Photophysics of some styryl thiazolo quinoxaline dyes in organic media, 115
- Support
On the enhanced catalytic activity of TiO₂-supported layered compounds for Cr(VI) photo-reduction, 185
- Synthesis
Luminescence properties of novel soluble quinacridones, 99
- Temperature dependence
The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1
Ground and excited state structural isomers in *trans*-[Ru(bpy)₂(L)₂](PF₆)₂, 131
- Terpene resins
Access to new polymeric-hindered amine stabilisers from oligomeric terpene resins, 71
- Thermal decay
Kinetics of thermal bleaching reaction of the photomerocyanine form of spironaphthooxazine, 163
- Thermal isomerisation
Light and pH switching between the various forms of the 4'-methyl-flavylium cation, 21
- Thermo-oxidation
Access to new polymeric-hindered amine stabilisers from oligomeric terpene resins, 71
- Thiazolo quinoxaline dyes
Photophysics of some styryl thiazolo quinoxaline dyes in organic media, 115
- Thio radical
Photophysical characteristics of two 4,6-disubstituted-3-cyanopyridin-2(1H)-thiones in various solvents, 105
- Thione
Photophysical characteristics of two 4,6-disubstituted-3-cyanopyridin-2(1H)-thiones in various solvents, 105
- Thymol blue
Thymol-blue dyed poly(vinyl butyral) films for monitoring ultraviolet radiation, 37
- TiO₂ colloid
Photosensitization of TiO₂ colloid by hypocrellin B in ethanol, 191

Titanium dioxide

TiO₂-mediated photodegradation of liquid and solid organic compounds, 53

A study of the photocatalytic oxidation of formaldehyde on Pt/Fe₂O₃/TiO₂, 197

Transient absorption

The spectral shape dependence of xanthone triplet–triplet absorption on solvent polarity, 87

Effect of excitation energy on the photochemical reaction of 2-(bromomethyl)naphthalene in solution, 125

Transient anisotropy

Picosecond anisotropy of the transient absorption of the photochromic mercury dithizone complex in solution, 141

Trans-Ruthenium polypyridyl complexes

Ground and excited state structural isomers in *trans*-[Ru(bpy)₂(L)₂](PF₆)₂, 131

Triplet population

The unusual temperature dependence of the fluorescence intensity and lifetime of anthracene in ethanol, 1

Triplet state

Photophysical characteristics of two 4,6-disubstituted-3-cyanopyridin-2(1H)-thiones in various solvents, 105

Type II reaction

The electrodeless discharge lamp: a prospective tool for photochemistry. Part 2. Scope and limitation, 29

UV/H₂O₂ process

Hydroxyl radical initiated photodegradation of 4-chloro-3,5-dinitrobenzoic acid in aqueous solution, 177

UV-sensitive indicator

Thymol-blue dyed poly(vinyl butyral) films for monitoring ultraviolet radiation, 37

Visible light

Photocatalytic properties of poly(3-octylthiophene-2,5-diyl) film blended with sensitizer for the degradation of iprobenfos fungicide, 45

VUV photolysis

Hydroxyl radical initiated photodegradation of 4-chloro-3,5-dinitrobenzoic acid in aqueous solution, 177

Water-splitting

Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation, 63

Xanthone

The spectral shape dependence of xanthone triplet–triplet absorption on solvent polarity, 87