

Subject Index of Volume 145

Ablation

- Polymers for UV and near-IR irradiation, 87
- Structure property relations of photoreactive polymers designed for laser ablation, 145

Ablation efficiency

- Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201

AFM

- Pulsed laser deposition of collagen and keratin, 209

Asymmetry photochemistry

- External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53

Attosecond phase modulator

- Development of attosecond optical-phase manipulation for the wave-packet engineering, 17

Azobenzene polymer

- Photofabrication of surface relief structure — mechanism and application, 35

Calixarene

- Intracomplex electron transfer in a hydrogen-bonded calixarene-porphyrin conjugate: tweezers for a quinone, 123

Chameleon-type display

- Preparation of a structural color forming system by polypeptide-based LB films, 101

Chiral sensitizer

- External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53

Chirality

- Magnetic-dipole nonlinearities in chiral materials, 113

Collagen

- Characterization of water contribution to excimer laser ablation of collagen, 195

Collagen and keratin

- Pulsed laser deposition of collagen and keratin, 209

Collagen gel

- Characterization of water contribution to excimer laser ablation of collagen, 195

Control of photochemical reaction

- External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53

Copper

- Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201

Denaturation

- Characterization of water contribution to excimer laser ablation of collagen, 195

Dendrimers

- Femtosecond fluorescence upconversion study of rigid dendrimers containing peryleneimide chromophores at the rim, 61

Density functional theory calculation

- Reactive intermediates formed by the consecutive photolyses of naphthalenetetracarboxylic dianhydrides: direct observation of reactive intermediates generated by laser-induced reaction in low-temperature argon matrices, 3

Dithiolate

- Sensitization of nanocrystalline TiO₂ film by ruthenium(II) diimine dithiolate complexes, 135

Doped PMMA

- A comparative examination of photoproducts formed in the 248 and 193 nm ablation of doped PMMA, 229

Dye

- A new method to make dye-sensitized nanocrystalline solar cells at room temperature, 107

Dye sensitized TiO₂-based solar cells

- Separation of linkage isomers of trithiocyanato (4,4',4''-tricarboxy-2,2',6,2''-terpyridine)ruthenium(II) by pH-titration method and their application in nanocrystalline TiO₂-based solar cells, 79

Effect of Co

- Laser ablation at 308 nm for the mixture target of 3,4,9,10-perylene-tetracarboxylic dianhydride with Co powder — remarkable enhancement on elimination efficiency of anhydride groups, 165

Electric field effect

- External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53

Electroabsorption spectrum

- External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53

Electrode

- A new method to make dye-sensitized nanocrystalline solar cells at room temperature, 107

Electrofluorescence spectrum

- External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53

Electron transfer

- Intracomplex electron transfer in a hydrogen-bonded calixarene-porphyrin conjugate: tweezers for a quinone, 123

Energy structure

- Energy structure and photocatalytic activity for water splitting of Sr₂(Ta_{1-x}Nb_x)₂O₇ solid solution, 129

Energy transfer

- Femtosecond fluorescence upconversion study of rigid dendrimers containing peryleneimide chromophores at the rim, 61

Excimer

- Origin of the stabilization energy of perylene excimer as studied by fluorescence and near-IR transient absorption spectroscopy, 23

Excimer fluorescence

- Origin of the stabilization energy of perylene excimer as studied by fluorescence and near-IR transient absorption spectroscopy, 23

- Excimer lamps
 - Structure property relations of photoreactive polymers designed for laser ablation, 145
- Excimer laser ablation
 - Characterization of water contribution to excimer laser ablation of collagen, 195
- Exciplex fluorescence
 - External electric field effects on exciplex formation of 1,1-diphenylpropene with chiral 1,4-naphthalenedicarboxylate in PMMA polymer films, 53
- Film
 - Effect of polymer addition and temperature on the structure of silicon-based polymer films deposited by excimer laser ablation of hexaphenyldisilane, 223
- Fluence
 - Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201
- Fluorescence spectroscopy
 - Femtosecond fluorescence upconversion study of rigid dendrimers containing peryleneimide chromophores at the rim, 61
- Hexaphenyldisilane
 - Effect of polymer addition and temperature on the structure of silicon-based polymer films deposited by excimer laser ablation of hexaphenyldisilane, 223
- High-density optical data storage
 - Photofabrication of surface relief structure — mechanism and application, 35
 - Fabrication of narrow surface relief features in a side-chain azobenzene polyester with a scanning near-field microscope, 49
- High-resolution lithography
 - Fabrication of narrow surface relief features in a side-chain azobenzene polyester with a scanning near-field microscope, 49
- Hydrogen bond
 - Intracomplex electron transfer in a hydrogen-bonded calixarene-porphyrin conjugate: tweezers for a quinone, 123
- Kinetics
 - Femtosecond fluorescence upconversion study of rigid dendrimers containing peryleneimide chromophores at the rim, 61
- Laser ablation
 - Laser ablation at 308 nm for the mixture target of 3,4,9,10-perylenetetracarboxylic dianhydride with Co powder — remarkable enhancement on elimination efficiency of anhydride groups, 165
 - The role of the photochemical fragmentation in laser ablation: a molecular dynamics study, 173
 - Ultrafast microscopy of laser ablation of refractory materials: ultra low threshold stress-induced ablation, 183
 - Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201
 - Laser-induced decomposition and ablation dynamics studied by nanosecond interferometry. 3. A polyurethane film, 215
 - Effect of polymer addition and temperature on the structure of silicon-based polymer films deposited by excimer laser ablation of hexaphenyldisilane, 223
- Laser micro-fabrication
 - Femtosecond laser micro-fabrication for tailoring photonic crystals in resins and silica, 41
- Laser photolysis
 - Reactive intermediates formed by the consecutive photolyses of naphthalenetetracarboxylic dianhydrides: direct observation of reactive intermediates generated by laser-induced reaction in low-temperature argon matrices, 3
- Laser plasma thruster
 - Polymers for UV and near-IR irradiation, 87
- Structure property relations of photoreactive polymers designed for laser ablation, 145
- Laser-induced expansion
 - Laser-induced decomposition and ablation dynamics studied by nanosecond interferometry. 3. A polyurethane film, 215
- Laser-induced melting
 - Nanosecond photo-fusion of microcrystals on a polymer film observed with time-resolved ultramicroscopy, 159
- LB film
 - Preparation of a structural color forming system by polypeptide-based LB films, 101
- Linkage isomers
 - Separation of linkage isomers of trithiocyanato (4,4',4''-tricarboxy-2,2',6,2''-terpyridine)ruthenium(II) by pH-titration method and their application in nanocrystalline TiO₂-based solar cells, 79
- Matrix isolation
 - Reactive intermediates formed by the consecutive photolyses of naphthalenetetracarboxylic dianhydrides: direct observation of reactive intermediates generated by laser-induced reaction in low-temperature argon matrices, 3
- Metal colloids
 - Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201
- Micro-fabrication
 - Photofabrication of surface relief structure — mechanism and application, 35
- Microoptic
 - Structure property relations of photoreactive polymers designed for laser ablation, 145
- Micro-optics
 - Polymers for UV and near-IR irradiation, 87
- Molecular dynamics
 - The role of the photochemical fragmentation in laser ablation: a molecular dynamics study, 173
- Nanocomposite electrode
 - Preparation of Pt/TiO₂ nanocomposite thin films by pulsed laser deposition and their photoelectrochemical behaviors, 11
- Nanosecond interferometry
 - Laser-induced decomposition and ablation dynamics studied by nanosecond interferometry. 3. A polyurethane film, 215
- Nanosecond photo-fusion
 - Nanosecond photo-fusion of microcrystals on a polymer film observed with time-resolved ultramicroscopy, 159
- Nanostructured
 - A new method to make dye-sensitized nanocrystalline solar cells at room temperature, 107
- Naphthalenetetracarboxylic dianhydride
 - Reactive intermediates formed by the consecutive photolyses of naphthalenetetracarboxylic dianhydrides: direct observation of reactive intermediates generated by laser-induced reaction in low-temperature argon matrices, 3
- Naphthdiyne
 - Reactive intermediates formed by the consecutive photolyses of naphthalenetetracarboxylic dianhydrides: direct observation of reactive intermediates generated by laser-induced reaction in low-temperature argon matrices, 3
- Near-field optical microscope
 - Fabrication of narrow surface relief features in a side-chain azobenzene polyester with a scanning near-field microscope, 49
- Near-IR transient absorption
 - Origin of the stabilization energy of perylene excimer as studied by fluorescence and near-IR transient absorption spectroscopy, 23
- Niobate
 - Energy structure and photocatalytic activity for water splitting of Sr₂(Ta_{1-x}Nb_x)₂O₇ solid solution, 129

- Optical interference
Development of attosecond optical-phase manipulation for the wavepacket engineering, 17
- Perylene
Origin of the stabilization energy of perylene excimer as studied by fluorescence and near-IR transient absorption spectroscopy, 23
- Perylenetetracarboxylic dianhydride (PTCDA)
Laser ablation at 308 nm for the mixture target of 3,4,9,10-perylene-tetracarboxylic dianhydride with Co powder — remarkable enhancement on elimination efficiency of anhydride groups, 165
- Phase mask
Polymers for UV and near-IR irradiation, 87
Structure property relations of photoreactive polymers designed for laser ablation, 145
- Photocatalyst
Energy structure and photocatalytic activity for water splitting of $\text{Sr}_2(\text{Ta}_{1-x}\text{Nb}_x)_2\text{O}_7$ solid solution, 129
- Photochemical behavior
Surface characterization and photochemical behavior of poly(ethylene terephthalate) and TiO_2 /poly(ethylene terephthalate) interface by using sum-frequency generation, 93
- Photochemical decomposition
Laser-induced decomposition and ablation dynamics studied by nanosecond interferometry. 3. A polyurethane film, 215
- Photochemical fragmentation
The role of the photochemical fragmentation in laser ablation: a molecular dynamics study, 173
- Photochemistry
A comparative examination of photoproducts formed in the 248 and 193 nm ablation of doped PMMA, 229
- Photoelectrochemical
A new method to make dye-sensitized nanocrystalline solar cells at room temperature, 107
- Photoelectrode
Preparation of Pt/ TiO_2 nanocomposite thin films by pulsed laser deposition and their photoelectrochemical behaviors, 11
- Photoinduced surface relief
Photofabrication of surface relief structure — mechanism and application, 35
- Photonic bandgap
Femtosecond laser micro-fabrication for tailoring photonic crystals in resins and silica, 41
- Photonic crystal
Femtosecond laser micro-fabrication for tailoring photonic crystals in resins and silica, 41
- Photopolymer
Polymers for UV and near-IR irradiation, 87
Structure property relations of photoreactive polymers designed for laser ablation, 145
- Photopolymerizing resin
Femtosecond laser micro-fabrication for tailoring photonic crystals in resins and silica, 41
- Photoproducts
A comparative examination of photoproducts formed in the 248 and 193 nm ablation of doped PMMA, 229
- Photosensitizer
Sensitization of nanocrystalline TiO_2 film by ruthenium(II) diimine dithiolate complexes, 135
New Ru(II) phenanthroline complex photosensitizers having different number of carboxyl groups for dye-sensitized solar cells, 117
- Poly(dimethylsilane)
Effect of polymer addition and temperature on the structure of silicon-based polymer films deposited by excimer laser ablation of hexaphenyldisilane, 223
- Poly(ethylene terephthalate)
Surface characterization and photochemical behavior of poly(ethylene terephthalate) and TiO_2 /poly(ethylene terephthalate) interface by using sum-frequency generation, 93
- Polypeptide
Preparation of a structural color forming system by polypeptide-based LB films, 101
- Polyperinaphthalene film
Laser ablation at 308 nm for the mixture target of 3,4,9,10-perylene-tetracarboxylic dianhydride with Co powder — remarkable enhancement on elimination efficiency of anhydride groups, 165
- Polyurethane film
Laser-induced decomposition and ablation dynamics studied by nanosecond interferometry. 3. A polyurethane film, 215
- Porphyrin
Intracomplex electron transfer in a hydrogen-bonded calixarene-porphyrin conjugate: tweezers for a quinone, 123
- Pulsed laser deposition
Preparation of Pt/ TiO_2 nanocomposite thin films by pulsed laser deposition and their photoelectrochemical behaviors, 11
Pulsed laser deposition of collagen and keratin, 209
- Radiationless transitions
Vibronic couplings and radiationless transitions between the lowest 1Bu and the first excited 2Ag state of linear polyenes, 71
- Reactive intermediate
Reactive intermediates formed by the consecutive photolyses of naphthalenetetracarboxylic dianhydrides: direct observation of reactive intermediates generated by laser-induced reaction in low-temperature argon matrices, 3
- Ru(II) phenanthroline complex
New Ru(II) phenanthroline complex photosensitizers having different number of carboxyl groups for dye-sensitized solar cells, 117
- Ruthenium complexes
Separation of linkage isomers of trithiocyanato (4,4',4''-tricarboxy-2,2',6,2''-terpyridine)ruthenium(II) by pH-titration method and their application in nanocrystalline TiO_2 -based solar cells, 79
Sensitization of nanocrystalline TiO_2 film by ruthenium(II) diimine dithiolate complexes, 135
- Second-harmonic generation
Magnetic-dipole nonlinearities in chiral materials, 113
- Sensitizers
Separation of linkage isomers of trithiocyanato (4,4',4''-tricarboxy-2,2',6,2''-terpyridine)ruthenium(II) by pH-titration method and their application in nanocrystalline TiO_2 -based solar cells, 79
- Side-chain azobenzene
Fabrication of narrow surface relief features in a side-chain azobenzene polyester with a scanning near-field microscope, 49
- Silica glass
Femtosecond laser micro-fabrication for tailoring photonic crystals in resins and silica, 41
- Silicon
Preparation of a structural color forming system by polypeptide-based LB films, 101
- Silicon-based polymer
Effect of polymer addition and temperature on the structure of silicon-based polymer films deposited by excimer laser ablation of hexaphenyldisilane, 223
- Silver
Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201
- Singlet-singlet annihilation
Femtosecond fluorescence upconversion study of rigid dendrimers containing peryleneimide chromophores at the rim, 61

- Solar cell
 A new method to make dye-sensitized nanocrystalline solar cells at room temperature, 107
 New Ru(II) phenanthroline complex photosensitizers having different number of carboxyl groups for dye-sensitized solar cells, 117
 Sensitization of nanocrystalline TiO₂ film by ruthenium(II) diimine dithiolate complexes, 135
- Solid solution
 Energy structure and photocatalytic activity for water splitting of Sr₂(Ta_{1-x}Nb_x)₂O₇ solid solution, 129
- Solution
 Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201
- Structural color
 Preparation of a structural color forming system by polypeptide-based LB films, 101
- Sum-frequency generation
 Surface characterization and photochemical behavior of poly(ethylene terephthalate) and TiO₂/poly(ethylene terephthalate) interface by using sum-frequency generation, 93
- Supramolecule
 Intracomplex electron transfer in a hydrogen-bonded calixarene-porphyrin conjugate: tweezers for a quinone, 123
- Surface characterization
 Surface characterization and photochemical behavior of poly(ethylene terephthalate) and TiO₂/poly(ethylene terephthalate) interface by using sum-frequency generation, 93
- Tantalate
 Energy structure and photocatalytic activity for water splitting of Sr₂(Ta_{1-x}Nb_x)₂O₇ solid solution, 129
- Thin film
 Preparation of Pt/TiO₂ nanocomposite thin films by pulsed laser deposition and their photoelectrochemical behaviors, 11
- Time resolved spectroscopy
 Femtosecond fluorescence upconversion study of rigid dendrimers containing peryleneimide chromophores at the rim, 61
- Time-resolved ultramicroscope
 Nanosecond photo-fusion of microcrystals on a polymer film observed with time-resolved ultramicroscopy, 159
- TiO₂/PET interface
 Surface characterization and photochemical behavior of poly(ethylene terephthalate) and TiO₂/poly(ethylene terephthalate) interface by using sum-frequency generation, 93
- Titanium nitride
 Ultrafast microscopy of laser ablation of refractory materials: ultra low threshold stress-induced ablation, 183
- TOF-MS
 Structure property relations of photoreactive polymers designed for laser ablation, 145
- Transfer integral
 Origin of the stabilization energy of perylene excimer as studied by fluorescence and near-IR transient absorption spectroscopy, 23
- Transoctatetraene
 Vibronic couplings and radiationless transitions between the lowest 1Bu and the first excited 2Ag state of linear polyenes, 71
- Tweezers
 Intracomplex electron transfer in a hydrogen-bonded calixarene-porphyrin conjugate: tweezers for a quinone, 123
- Ultrafast microscopy
 Ultrafast microscopy of laser ablation of refractory materials: ultra low threshold stress-induced ablation, 183
- UV ablation
 A comparative examination of photoproducts formed in the 248 and 193 nm ablation of doped PMMA, 229
- Vibronic coupling
 Vibronic couplings and radiationless transitions between the lowest 1Bu and the first excited 2Ag state of linear polyenes, 71
- Viscous fluid model
 Photofabrication of surface relief structure — mechanism and application, 35
- Water splitting
 Energy structure and photocatalytic activity for water splitting of Sr₂(Ta_{1-x}Nb_x)₂O₇ solid solution, 129
- Wavelength
 Preparation of metal colloids by a laser ablation technique in solution: influence of laser wavelength on the ablation efficiency (II), 201
- Wave-packet engineering
 Development of attosecond optical-phase manipulation for the wave-packet engineering, 17