

Subject Index of Volume 162

Ab initio calculation

Theoretical and spectroscopic studies of the photochemistry of 3-(4-dimethylaminophenyl)-7-methoxy-cyclohepta-1,3,5-triene, 213

Absorption cross section

Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353

Absorption spectra

Optical spectra of UV-irradiated rubidium and caesium nitrate crystals, 67

(Absorption) spectroscopy

Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353

Acid Red 1

Effects of iron species in the photocatalytic degradation of an azo dye in TiO₂ aqueous suspensions, 89

Acid red 14

Photocatalytic degradation of azo dye acid red 14 in water on ZnO as an alternative catalyst to TiO₂, 317

Additive

Influence of benzimidazole additives in electrolytic solution on dye-sensitized solar cell performance, 441

Advanced oxidation processes

Photocatalytic degradation of azo dye acid red 14 in water on ZnO as an alternative catalyst to TiO₂, 317

Alkali nitrate crystals

Optical spectra of UV-irradiated rubidium and caesium nitrate crystals, 67

Alkyl azides

Intermolecular triplet-sensitized photolysis of alkyl azides. Trapping of triplet alkyl nitrenes, 239

Alkyl nitrenes

Intermolecular triplet-sensitized photolysis of alkyl azides. Trapping of triplet alkyl nitrenes, 239

Alkylarenes

Single-, two- and three VUV photon reactions of a series of alkylarenes in the gas phase, 481

Amitrole

Degradation of amitrole by excitation of iron(III) aquacomplexes in aqueous solutions, 97

Amorphous material

Carbazolyl-substituted triphenyldiamine derivatives as novel photoconductive amorphous molecular materials, 249

Amphiphilic metalloporphyrins

Photodynamic effect of metallo 5-(4-carboxyphenyl)-10,15,20-tris(4-methylphenyl) porphyrins in biomimetic AOT reverse micelles containing urease, 105

Anils

Photochromism and thermochromism of solid *trans*-*N,N'*-bis-(salicylidene)-1,2-cyclohexanediamines and *trans*-*N,N'*-bis-(2-hydroxy-naphylidene)-1,2-cyclohexanediamine, 521

Anthraquinone

Photosensitization with anthraquinone derivatives: optical and EPR spin trapping studies of photogeneration of reactive oxygen species, 9

AOP

Leachate treatment by the combination of photochemical oxidation with biological process, 261

AOT reverse micelles

Photodynamic effect of metallo 5-(4-carboxyphenyl)-10,15,20-tris(4-methylphenyl) porphyrins in biomimetic AOT reverse micelles containing urease, 105

Aquated electron

Photochemistry of sulfosalicylic acid in aqueous solutions, 153

ArF excimer laser

Single-, two- and three VUV photon reactions of a series of alkylarenes in the gas phase, 481

Aromatic amine

Photoconductive, photoluminescent and glass-forming 6,6'-di(*N*-diphenylamino)-9,9'-dialkyl-3,3'-bicarbazoles, 187

Aromatic photo-products

Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179

1-Arylazo-2-naphthols

Molecular rearrangements, part 33, photolysis and thermolysis of arylhydrazines, 163

Azatriangulenium salts

Photoinduced electron transfer in azatriangulenium salts, 115

4-Azidodiphenyl

Photolysis of 4-azidodiphenyl in solution studied by UV absorption spectroscopy, 579

Azo dyes

Photocatalytic degradation of azo dye acid red 14 in water on ZnO as an alternative catalyst to TiO₂, 317

4,4'-Azodiphenyl

Photolysis of 4-azidodiphenyl in solution studied by UV absorption spectroscopy, 579

Bacteriochlorophyll

Effects of C8-substituents on spectroscopic and self-aggregation properties of synthetic bacteriochlorophyll-*d* analogues, 307

Batch reactor

Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503

benzaldehyde

UV-absorption cross sections of benzaldehyde, ortho-, meta-, and para-tolualdehyde, 273

Benzimidazoles

Influence of benzimidazole additives in electrolytic solution on dye-sensitized solar cell performance, 441

Benzophenone

Diffusion processes involved in the exothermic triplet-triplet energy transfer in *n*-hexane at high pressure: evaluation of diffusion coefficients of benzophenone, triphenylene and naphthalene, 17

Biological toxicity test

Leachate treatment by the combination of photochemical oxidation with biological process, 261

- Biological treatment
Leachate treatment by the combination of photochemical oxidation with biological process, 261
- Bisphenol-A
Environmental remediation by an integrated microwave/UV illumination method. VII. Thermal/non-thermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, 33
Degradation of bisphenol A in water by the photo-Fenton reaction, 297
- Bond cleavage
A new-type photoreaction of a carbonyl compound. Part 1. Photoinduced ω -bond dissociation in *p*-mercaptomethylbenzophenone studied by time-resolved EPR technique, steady-state and laser flash photolyses in solution, 513
- Cadmium sulfide
Photoinitiation of butylmethacrylate polymerization by colloidal semiconductor nanoparticles, 339
- Carbonyl ylide
Ylide formation of singlet carbene with carbonyl compound—laser flash photolysis of (biphenyl-4-yl)chlorodiazirine in propanone, 555
- Carotenoids
Generation of superoxide anion and most likely singlet oxygen in irradiated TiO₂ nanoparticles modified by carotenoids, 1
- Charge transfer
Optical properties of bis(2,6-diphenylphenolate)niobium(V) trichloride. Luminescence from a phenolate to metal charge transfer state, 633
- Chemiluminescence
Flow injection chemiluminescence analysis for highly sensitive determination of noscaphine, 457
- Chitosan
The photochemical stability of collagen–chitosan blends, 545
- Chlorin
Effects of C8-substituents on spectroscopic and self-aggregation properties of synthetic bacteriochlorophyll-*d* analogues, 307
- Chlorine oxides
Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353
- Chloromethanes
Reactivity of chloromethanes with photogenerated hydrated electrons, 609
- 2-Chlorophenol
TiO₂-In₂O₃ photocatalysts: preparation, characterisations and activity for 2-chlorophenol degradation in water, 423
- Chrysene
Photochemical oxidation of chrysene at the silica gel–water interface, 415
- CIDEP
A new-type photoreaction of a carbonyl compound. Part 1. Photoinduced ω -bond dissociation in *p*-mercaptomethylbenzophenone studied by time-resolved EPR technique, steady-state and laser flash photolyses in solution, 513
- Cl₂O₄
Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353
- Cl₂O₆
Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353
- CIO₃
Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353
- Collagen
The photochemical stability of collagen–chitosan blends, 545
- Composite semiconductor
Photocatalytic reduction of nitrate ion in drinking water by using metal-loaded MgTiO₃-TiO₂ composite semiconductor catalyst, 585
- Concentrated sun light
A study on photophysical properties of some Vitamin K₃ derivatives, 283
- Conjugate
Theoretical studies of conjugate and substituent effects on the intramolecular proton transfer: an HF/CIS study, 407
- Co-polymerisation
Novel adducts of a hindered amine and a blue-emitting fluorophore for “one-step” fluorescent brightening and stabilisation of polymer materials, 207
- Cr^{III}-EDTA, photodegradation
Photoredox behaviour of the Cr-EDTA complex and its environmental aspects, 537
- Crown-ether
Photophysical and complexing properties of new fluoroionophores based on coumarin 343 linked to rigidified crown-ethers, 599
- Cu/MgTiO₃-TiO₂ catalyst
Photocatalytic reduction of nitrate ion in drinking water by using metal-loaded MgTiO₃-TiO₂ composite semiconductor catalyst, 585
- Cyanuric acid
Photocatalytic degradation of a cyanuric acid, a recalcitrant species, 323
- (2+2) Cycloadduct
Photosensitized (2+2) cycloadditions of 2,3-dimethylmaleic anhydride to 3,4-dimethyl-1-phenylphosphole, 63
- Cycloheptatrienes
Theoretical and spectroscopic studies of the photochemistry of 3-(4-dimethylaminophenyl)-7-methoxy-cyclohepta-1,3,5-triene, 213
- Damnacanth
Photodynamic action of damnacanth and nordamnacanth, 615
- Darocure
Two-photon absorption cross-sections of common photoinitiators, 497
- Decomposition kinetics
Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353
- Degradation mechanism
Degradation of bisphenol A in water by the photo-Fenton reaction, 297
- Dewar
4,6-Dimethyl- α -pyrone: a matrix isolation study of the photochemical generation of conjugated ketene, Dewar valence isomer and 1,3-dimethyl-cyclobutadiene, 139
- Diamide
Photo-oxidation of tertiary amides, main degradation products of large malonamides, 81
- Diffusion
Diffusion processes involved in the exothermic triplet–triplet energy transfer in *n*-hexane at high pressure: evaluation of diffusion coefficients of benzophenone, triphenylene and naphthalene, 17
- Dihalides
Photochemistry of group IV porphyrin halides, 563
- 2,3-Dimethylmaleic anhydride
Photosensitized (2+2) cycloadditions of 2,3-dimethylmaleic anhydride to 3,4-dimethyl-1-phenylphosphole, 63
- 3,4-Dimethyl-1-phenylphosphole
Photosensitized (2+2) cycloadditions of 2,3-dimethylmaleic anhydride to 3,4-dimethyl-1-phenylphosphole, 63
- 4,6-Dimethyl- α -pyrone
4,6-Dimethyl- α -pyrone: a matrix isolation study of the photochemical generation of conjugated ketene, Dewar valence isomer and 1,3-dimethyl-cyclobutadiene, 139
- 5,5-Dimethyl-1-pyrroline-*N*-oxide
Photodynamic action of damnacanth and nordamnacanth, 615

- Diphenoquinone
Molecular rearrangements, part 33, photolysis and thermolysis of aryl nitramines, 163
- D,L-2,3-Diphenyltartaric acid
Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53
- 1,3-Dipolar addition
Ylide formation of singlet carbene with carbonyl compound—laser flash photolysis of (biphenyl-4-yl)chlorodiazirine in propanone, 555
- Dissolved oxygen
Erythrosin B encapsulated in a fluoropolymer matrix for dissolved oxygen optical sensing in aggressive aqueous environments, 531
- Diterpenes
Photoinduced functionalization of diterpenes: photochemical behaviour of grandiflorolic acid in methanol and acetonitrile, 381
- DMCB-CO₂ complex
4,6-Dimethyl- α -pyrone: a matrix isolation study of the photochemical generation of conjugated ketene, Dewar valence isomer and 1,3-dimethyl-cyclobutadiene, 139
- DMPO
Photosensitization with anthraquinone derivatives: optical and EPR spin trapping studies of photogeneration of reactive oxygen species, 9
- DNA
Emission of thioflavin T and its control in the presence of DNA, 129
- Drinking water
Photocatalytic reduction of nitrate ion in drinking water by using metal-loaded MgTiO₃-TiO₂ composite semiconductor catalyst, 585
- Dye-sensitized solar cell
Influence of benzimidazole additives in electrolytic solution on dye-sensitized solar cell performance, 441
- Elastomers
Photooxidation of styrene-ethylene-butadiene-styrene (SEBS) block copolymer, 41
- Electroluminescence
1,8-Naphthalimides for non-doping OLEDs: the tunable emission color from blue, green to red, 399
- Electrolytic solution
Influence of benzimidazole additives in electrolytic solution on dye-sensitized solar cell performance, 441
- Electron paramagnetic resonance
Generation of superoxide anion and most likely singlet oxygen in irradiated TiO₂ nanoparticles modified by carotenoids, 1
- Electron shuttle mechanism
Photoredox behaviour of the Cr-EDTA complex and its environmental aspects, 537
- Electron transfer
Laser flash photolysis study of the photochemistry of isatin and *N*-methylnisatin, 225
Novel and efficient dye-linked radical generators for visible light photoinitiating polymerization, 329
Photoreaction and photopolymerization studies on squaraine dyes/iodonium salts combination, 463
- Electronic spectra
Optical properties of bis(2,6-diphenylphenolate)niobium(V) trichloride. Luminescence from a phenolate to metal charge transfer state, 633
- Electrostatic binding
Emission of thioflavin T and its control in the presence of DNA, 129
- Endocrine disruptors
Environmental remediation by an integrated microwave/UV illumination method. VII. Thermal/non-thermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, 33
- Energy conversion
Photochemistry of group IV porphyrin halides, 563
- Equilibrium constant
Ylide formation of singlet carbene with carbonyl compound—laser flash photolysis of (biphenyl-4-yl)chlorodiazirine in propanone, 555
- Erythrosin B
Erythrosin B encapsulated in a fluoropolymer matrix for dissolved oxygen optical sensing in aggressive aqueous environments, 531
- Exchange-coupled complex
Optical spectra of UV-irradiated rubidium and caesium nitrate crystals, 67
- Excimer
Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
- Exciplex
Separation into polar and hydrogen-bonding factors of the effects of alcohols on the emission spectrum of 4-phenyl-1-*N,N*-dimethylaminobutane in THF, 73
Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
Effects of alcohols on emission spectra of toluene-triethylamine mixtures in THF: separation into polar and hydrogen-bonding interactions, 449
- Excited state
Theoretical studies of conjugate and substituent effects on the intramolecular proton transfer: an HF/CIS study, 407
- Exothermic energy transfer
Diffusion processes involved in the exothermic triplet-triplet energy transfer in *n*-hexane at high pressure: evaluation of diffusion coefficients of benzophenone, triphenylene and naphthalene, 17
- Fe(III) adsorption
Effects of iron species in the photocatalytic degradation of an azo dye in TiO₂ aqueous suspensions, 89
- Ferrocyanide
Reactivity of chloromethanes with photogenerated hydrated electrons, 609
- Flow injection analysis
Flow injection chemiluminescence analysis for highly sensitive determination of noscapine, 457
- Fluorene derivatives
Photostability of a series of two-photon absorbing fluorene derivatives, 489
Photochemical properties of (7-benzothiazol-2-yl-9,9-didecylfluoren-2-yl)diphenylamine under one- and two-photon excitation, 569
- Fluorescence
Separation into polar and hydrogen-bonding factors of the effects of alcohols on the emission spectrum of 4-phenyl-1-*N,N*-dimethylaminobutane in THF, 73
Theoretical and spectroscopic studies of the photochemistry of 3-(4-dimethylaminophenyl)-7-methoxy-cyclohepta-1,3,5-triene, 213
Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
Effects of alcohols on emission spectra of toluene-triethylamine mixtures in THF: separation into polar and hydrogen-bonding interactions, 449
- Fluorescence quenching
Photoinduced electron transfer in azatriangulenium salts, 115
Detailed studies on complexation behaviour and mechanism of fluorescence quenching of naphthalene linked hydroxamic acid with transition metal ions by UV-visible and fluorescence spectra, 591
- Fluoride
Photocatalytic degradation of a cyanuric acid, a recalcitrant species, 323
- Fluoroionophore
A highly selective fluoroionophore for the detection of lithium ions, 289
Photophysical and complexing properties of new fluoroionophores based on coumarin 343 linked to rigidified crown-ethers, 599
- Fluorophore
Detailed studies on complexation behaviour and mechanism of fluorescence quenching of naphthalene linked hydroxamic acid with transition metal ions by UV-visible and fluorescence spectra, 591

- Fluoropolymer
Erythrosin B encapsulated in a fluoropolymer matrix for dissolved oxygen optical sensing in aggressive aqueous environments, 531
- Gelatin
Photochemical deposition of SERS active silver nanoparticles on silica gel, 625
- Generation
Photosensitization with anthraquinone derivatives: optical and EPR spin trapping studies of photogeneration of reactive oxygen species, 9
- Grandiflorolic acid
Photoinduced functionalization of diterpenes: photochemical behaviour of grandiflorolic acid in methanol and acetonitrile, 381
- Groove binding
Emission of thioflavin T and its control in the presence of DNA, 129
- Heterogeneous photocatalysis
Photocatalytic degradation of azo dye acid red 14 in water on ZnO as an alternative catalyst to TiO₂, 317
- Hole drift mobility
Carbazolyl-substituted triphenyldiamine derivatives as novel photoconductive amorphous molecular materials, 249
- Hole-drift mobility
Photoconductive, photoluminescent and glass-forming 6,6'-di(*N*-diphenylamino)-9,9'-dialkyl-3,3'-bicarbazoles, 187
- Hot molecule
Single-, two- and three VUV photon reactions of a series of alkylarenes in the gas phase, 481
- Hydrated electrons
Reactivity of chloromethanes with photogenerated hydrated electrons, 609
- Hydrogen
Photochemistry of group IV porphyrin halides, 563
- Hydrogen abstraction
Laser flash photolysis study of the photochemistry of isatin and *N*-methylisatin, 225
- Hydrogen peroxide
Photodegradation of rhodamine B in water assisted by titania films prepared through a novel procedure, 171
- Hydrogen-bonding
Separation into polar and hydrogen-bonding factors of the effects of alcohols on the emission spectrum of 4-phenyl-1-*N,N*-dimethylaminobutane in THF, 73
Effects of alcohols on emission spectra of toluene-triethylamine mixtures in THF: separation into polar and hydrogen-bonding interactions, 449
- Hydroxamic acid
Detailed studies on complexation behaviour and mechanism of fluorescence quenching of naphthalene linked hydroxamic acid with transition metal ions by UV-visible and fluorescence spectra, 591
- Hydroxyl radical
Degradation of amitrole by excitation of iron(III) aqua complexes in aqueous solutions, 97
- Indium oxide
TiO₂-In₂O₃ photocatalysts: preparation, characterisations and activity for 2-chlorophenol degradation in water, 423
- Infra-red analysis
Photooxidation of styrene-ethylene-butadiene-styrene (SEBS) block copolymer, 41
- Intramolecular hydrogen bond
Theoretical studies of conjugate and substituent effects on the intramolecular proton transfer: an HF/CIS study, 407
- Iodonium salt
Photoreaction and photopolymerization studies on squaraine dyes/iodonium salts combination, 463
- Ionisation potential
Photoconductive, photoluminescent and glass-forming 6,6'-di(*N*-diphenylamino)-9,9'-dialkyl-3,3'-bicarbazoles, 187
Carbazolyl-substituted triphenyldiamine derivatives as novel photoconductive amorphous molecular materials, 249
- ipso*-Substitution
Molecular rearrangements, part 33, photolysis and thermolysis of aryl nitramines, 163
- IPT
Theoretical studies of conjugate and substituent effects on the intramolecular proton transfer: an HF/CIS study, 407
- Irgacure
Two-photon absorption cross-sections of common photoinitiators, 497
- Iron oxide
Photoinitiation of butylmethacrylate polymerization by colloidal semiconductor nanoparticles, 339
- Iron(III)
Degradation of amitrole by excitation of iron(III) aqua complexes in aqueous solutions, 97
- Isatins
Laser flash photolysis study of the photochemistry of isatin and *N*-methylisatin, 225
- Ketene
4,6-Dimethyl- α -pyrone: a matrix isolation study of the photochemical generation of conjugated ketene, Dewar valence isomer and 1,3-dimethyl-cyclobutadiene, 139
- Laser flash photolysis
Photoinduced electron transfer in azatriangulenium salts, 115
Photochemistry of sulfosalicylic acid in aqueous solutions, 153
Laser flash photolysis study of the photochemistry of isatin and *N*-methylisatin, 225
A new-type photoreaction of a carbonyl compound. Part 1. Photoinduced ω -bond dissociation in *p*-mercaptomethylbenzophenone studied by time-resolved EPR technique, steady-state and laser flash photolyses in solution, 513
Ylide formation of singlet carbene with carbonyl compound—laser flash photolysis of (biphenyl-4-yl)chlorodiazirine in propanone, 555
- Layers
Determination of quantum yields in two-dimensional scattering systems, 575
- Leachate
Leachate treatment by the combination of photochemical oxidation with biological process, 261
- Lifetime of the singlet excited state
Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser, 121
- Light scattering
Determination of quantum yields in two-dimensional scattering systems, 575
- Lithium ions
A highly selective fluoroionophore for the detection of lithium ions, 289
- Luminescence
Photooxidation of styrene-ethylene-butadiene-styrene (SEBS) block copolymer, 41
Optical properties of bis(2,6-diphenylphenolate)niobium(V) trichloride. Luminescence from a phenolate to metal charge transfer state, 633
- Matrix isolation
4,6-Dimethyl- α -pyrone: a matrix isolation study of the photochemical generation of conjugated ketene, Dewar valence isomer and 1,3-dimethyl-cyclobutadiene, 139
- Melamine
Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179

- Melamine adsorption
Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179
- Melamine ionization
Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179
- p*-Mercaptomethylbenzophenone
A new-type photoreaction of a carbonyl compound. Part 1. Photoinduced ω -bond dissociation in *p*-mercaptomethylbenzophenone studied by time-resolved EPR technique, steady-state and laser flash photolyses in solution, 513
- Merocyanine
Novel and efficient dye-linked radical generators for visible light photoinitiating polymerization, 329
- N*-metallation
Synthesis and fluorescence of polyurethane cationomers *N*-modified with a stilbene chromophore, 23
- N*-Methyl and aryl nitramines
Molecular rearrangements, part 33, photolysis and thermolysis of aryl nitramines, 163
- 1-Methylalumichrome
Photophysics of 1-methylalumichrome, 193
- Microwave
Environmental remediation by an integrated microwave/UV illumination method. VII. Thermal/non-thermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, 33
- Mineralisation
Degradation of amitrole by excitation of iron(III) aquacomplexes in aqueous solutions, 97
Degradation of bisphenol A in water by the photo-Fenton reaction, 297
- Molecular glass
Photoconductive, photoluminescent and glass-forming 6,6'-di(*N*-diphenylamino)-9,9'-dialkyl-3,3'-bicarbazoles, 187
- Molecular modelling
Photodynamic action of damnacanth and nordamnacanth, 615
- Multiphoton reactions
Single-, two- and three VUV photon reactions of a series of alkylarenes in the gas phase, 481
- Mutagenicity test
Leachate treatment by the combination of photochemical oxidation with biological process, 261
- Nanocomposite
TiO₂-In₂O₃ photocatalysts: preparation, characterisations and activity for 2-chlorophenol degradation in water, 423
- Nanocrystalline TiO₂
Light-driven oxygen scavenging by titania/polymer nanocomposite films, 253
- Naphthalene
Diffusion processes involved in the exothermic triplet-triplet energy transfer in *n*-hexane at high pressure: evaluation of diffusion coefficients of benzophenone, triphenylene and naphthalene, 17
Detailed studies on complexation behaviour and mechanism of fluorescence quenching of naphthalene linked hydroxamic acid with transition metal ions by UV-visible and fluorescence spectra, 591
- 1,8-Naphthalimide
1,8-Naphthalimides for non-doping OLEDs: the tunable emission color from blue, green to red, 399
- 1,8-Naphthalimide blue-emitting fluorophores
Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials, 207
- Naphthyl
Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
- Natural compounds
Photoinduced functionalization of diterpenes: photochemical behaviour of grandifloric acid in methanol and acetonitrile, 381
- Niobium complexes
Optical properties of bis(2,6-diphenylphenolate)niobium(V) trichloride. Luminescence from a phenolate to metal charge transfer state, 633
- Nitrate
Photocatalytic reduction of nitrate ion in drinking water by using metal-loaded MgTiO₃-TiO₂ composite semiconductor catalyst, 585
- Nitrite
Optical spectra of UV-irradiated rubidium and caesium nitrate crystals, 67
- Noscapine
Flow injection chemiluminescence analysis for highly sensitive determination of noscapine, 457
- Organic light-emitting diodes
1,8-Naphthalimides for non-doping OLEDs: the tunable emission color from blue, green to red, 399
- Organic pollutants
Photoredox behaviour of the Cr-EDTA complex and its environmental aspects, 537
- Oxetane
Photosensitized (2+2) cycloadditions of 2,3-dimethylmaleic anhydride to 3,4-dimethyl-1-phenylphosphole, 63
- Oxidation
Photo-oxidation of tertiary amides, main degradation products of large malonamides, 81
- Oxidation processes
Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179
- Oxygen scavenging
Light-driven oxygen scavenging by titania/polymer nanocomposite films, 253
- Permanganate
Flow injection chemiluminescence analysis for highly sensitive determination of noscapine, 457
- Peroxynitrite
Optical spectra of UV-irradiated rubidium and caesium nitrate crystals, 67
- Pesticide
Degradation of amitrole by excitation of iron(III) aquacomplexes in aqueous solutions, 97
- pH
Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
- Phase-transfer catalysis
Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials, 207
- 9,10-Phenanthrenequinone
Solvent and temperature effects on the phosphorescence of 9,10-phenanthrenequinone in fluid solution, 231
- Phenolate complexes
Optical properties of bis(2,6-diphenylphenolate)niobium(V) trichloride. Luminescence from a phenolate to metal charge transfer state, 633
- Phenylglyoxylic acid
Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53
- Phosphates
Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503

Phosphonates

Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503

Phosphorescence

Solvent and temperature effects on the phosphorescence of 9,10-phenanthrenequinone in fluid solution, 231

Erythrosin B encapsulated in a fluoropolymer matrix for dissolved oxygen optical sensing in aggressive aqueous environments, 531

Photo and thermal changes

Molecular rearrangements, part 33, photolysis and thermolysis of aryl nitramines, 163

Photobleaching

Photoreaction and photopolymerization studies on squaraine dyes/iodonium salts combination, 463

Photocatalysis

Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179

Light-driven oxygen scavenging by titania/polymer nanocomposite films, 253

Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503

Photocatalyst

Photodegradation of rhodamine B in water assisted by titania films prepared through a novel procedure, 171

Photocatalytic degradation

Effects of iron species in the photocatalytic degradation of an azo dye in TiO₂ aqueous suspensions, 89

Photocatalytic degradation of a cyanuric acid, a recalcitrant species, 323

Photocatalytic destruction

Visible illustration of the *direct*, *lateral* and *remote* photocatalytic destruction of soot by titania, 203

Photocatalytic reduction

Photocatalytic reduction of nitrate ion in drinking water by using metal-loaded MgTiO₃-TiO₂ composite semiconductor catalyst, 585

Photochemical oxidation

Photochemical oxidation of chrysene at the silica gel–water interface, 415

Photochemical quantum yield

Photostability of a series of two-photon absorbing fluorene derivatives, 489

Photochemical properties of (7-benzothiazol-2-yl-9,9-didecylfluoren-2-yl)diphenylamine under one- and two-photon excitation, 569

Photochemistry

Photoinduced functionalization of diterpenes: photochemical behaviour of grandiflorolic acid in methanol and acetonitrile, 381

Photochemistry of group IV porphyrin halides, 563

Reactivity of chloromethanes with photogenerated hydrated electrons, 609

Photochromism

Photochromism, thermochromism, and solvatochromism of naphthalene-based analogues of salicylideneaniline in solution, 473

Photochromism and thermochromism of solid *trans*-*N,N'*-bis-(salicylidene)-1,2-cyclohexanediamines and *trans*-*N,N'*-bis-(2-hydroxynaphylidene)-1,2-cyclohexanediamine, 521

Photocycloaddition

Photosensitized (2+2) cycloadditions of 2,3-dimethylmaleic anhydride to 3,4-dimethyl-1-phenylphosphole, 63

Photodecarboxylation

Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53

Photodecomposition

Photochemical properties of (7-benzothiazol-2-yl-9,9-didecylfluoren-2-yl)diphenylamine under one- and two-photon excitation, 569

Photodegradation

Environmental remediation by an integrated microwave/UV illumination method. VII. Thermal/non-thermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, 33

Photo-oxidation of tertiary amides, main degradation products of large malonamides, 81

Degradation of amitrole by excitation of iron(III) aquacomplexes in aqueous solutions, 97

A study on photophysical properties of some Vitamin K₃ derivatives, 283

Degradation of bisphenol A in water by the photo-Fenton reaction, 297

TiO₂-In₂O₃ photocatalysts: preparation, characterisations and activity for 2-chlorophenol degradation in water, 423

Photodynamic effect

Photodynamic effect of metallo 5-(4-carboxyphenyl)-10,15,20-tris(4-methylphenyl) porphyrins in biomimetic AOT reverse micelles containing urease, 105

Photo-Fenton reaction

Degradation of bisphenol A in water by the photo-Fenton reaction, 297

Photoheterolysis

Theoretical and spectroscopic studies of the photochemistry of 3-(4-dimethylaminophenyl)-7-methoxy-cyclohepta-1,3,5-triene, 213

Photoinduced electron transfer

Photoinduced electron transfer in azatriangulenium salts, 115

Photoinitiation

Novel and efficient dye-linked radical generators for visible light photoinitiating polymerization, 329

Photoinitiators

Two-photon absorption cross-sections of common photoinitiators, 497

Photoionization

Properties of excited states of aqueous tryptophan, 371

Photokinetics

Photolysis of 4-azidodiphenyl in solution studied by UV absorption spectroscopy, 579

Photolysis

Optical spectra of UV-irradiated rubidium and caesium nitrate crystals, 67

Properties of excited states of aqueous tryptophan, 371

Determination of quantum yields in two-dimensional scattering systems, 575

Photolysis of 4-azidodiphenyl in solution studied by UV absorption spectroscopy, 579

Photooxidation

Environmental remediation by an integrated microwave/UV illumination method. VII. Thermal/non-thermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, 33

Photooxidation of styrene–ethylene–butadiene–styrene (SEBS) block copolymer, 41

Photostability of a series of two-photon absorbing fluorene derivatives, 489

Photophysical property

A study on photophysical properties of some Vitamin K₃ derivatives, 283

Photophysics

Synthesis and fluorescence of polyurethane cationomers *N*-modified with a stilbene chromophore, 23

Photophysics of 1-methylalumichrome, 193

Photopolymerization

Photoinitiation of butylmethacrylate polymerization by colloidal semiconductor nanoparticles, 339

Photoreaction and photopolymerization studies on squaraine dyes/iodonium salts combination, 463

Two-photon absorption cross-sections of common photoinitiators, 497

Photoreaction

4,6-Dimethyl- α -pyrone: a matrix isolation study of the photochemical generation of conjugated ketene, Dewar valence isomer and 1,3-dimethyl-cyclobutadiene, 139

- Photoreduction**
 Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53
 Photoredox behaviour of the Cr-EDTA complex and its environmental aspects, 537
- Photostability**
 Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials, 207
 Photostability of a series of two-photon absorbing fluorene derivatives, 489
 Photochemical properties of (7-benzothiazol-2-yl-9,9-didecylfluorene-2-yl)diphenylamine under one- and two-photon excitation, 569
- Photosynthesis antenna**
 Effects of C8-substituents on spectroscopic and self-aggregation properties of synthetic bacteriochlorophyll-*d* analogues, 307
- Polar effect**
 Separation into polar and hydrogen-bonding factors of the effects of alcohols on the emission spectrum of 4-phenyl-1-*N,N*-dimethylaminobutane in THF, 73
 Effects of alcohols on emission spectra of toluene-triethylamine mixtures in THF: separation into polar and hydrogen-bonding interactions, 449
- Polyamines**
 Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
- Polymer**
 Light-driven oxygen scavenging by titania/polymer nanocomposite films, 253
- Polymerisable adducts**
 Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials, 207
- Polymerization**
 Novel and efficient dye-linked radical generators for visible light photoinitiating polymerization, 329
- Polyurethane**
 Synthesis and fluorescence of polyurethane cationomers *N*-modified with a stilbene chromophore, 23
- Porphyrins**
 Photochemistry of group IV porphyrin halides, 563
- Products**
 Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503
- PU-Cationomer**
 Synthesis and fluorescence of polyurethane cationomers *N*-modified with a stilbene chromophore, 23
- Quantum yield**
 Determination of quantum yields in two-dimensional scattering systems, 575
- Quinhydrone**
 Molecular rearrangements, part 33, photolysis and thermolysis of arylnitramines, 163
- Radical**
 Novel and efficient dye-linked radical generators for visible light photoinitiating polymerization, 329
- Radical cation**
 Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser, 121
- Radical ions**
 Photoinduced electron transfer in azatriangulenium salts, 115
- Rate constants**
 Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503
- Resonant two-photon ionization**
 Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser, 121
- Rhodamine B**
 Photodegradation of rhodamine B in water assisted by titania films prepared through a novel procedure, 171
- ROS**
 Photosensitization with anthraquinone derivatives: optical and EPR spin trapping studies of photogeneration of reactive oxygen species, 9
- Salicylideneanilines**
 Photochromism, thermochromism, and solvatochromism of naphthalene-based analogues of salicylideneaniline in solution, 473
- Schiff bases**
 Photochromism, thermochromism, and solvatochromism of naphthalene-based analogues of salicylideneaniline in solution, 473
- SEBS**
 Photooxidation of styrene-ethylene-butadiene-styrene (SEBS) block copolymer, 41
- Selectivity**
 A highly selective fluoroionophore for the detection of lithium ions, 289
- Self-aggregation**
 Effects of C8-substituents on spectroscopic and self-aggregation properties of synthetic bacteriochlorophyll-*d* analogues, 307
- Semiconductor nanoparticles**
 Photoinitiation of butylmethacrylate polymerization by colloidal semiconductor nanoparticles, 339
- Sensitization**
 Novel and efficient dye-linked radical generators for visible light photoinitiating polymerization, 329
 Photoinitiation of butylmethacrylate polymerization by colloidal semiconductor nanoparticles, 339
- Sensor**
 Erythrosin B encapsulated in a fluoropolymer matrix for dissolved oxygen optical sensing in aggressive aqueous environments, 531
- SERS**
 Photochemical deposition of SERS active silver nanoparticles on silica gel, 625
- Sigmatropic hydrogen shift**
 Theoretical and spectroscopic studies of the photochemistry of 3-(4-dimethylaminophenyl)-7-methoxy-cyclohepta-1,3,5-triene, 213
- Silica gel**
 Photochemical deposition of SERS active silver nanoparticles on silica gel, 625
- Silica gel-water interface**
 Photochemical oxidation of chrysene at the silica gel-water interface, 415
- Silver nanoparticle**
 Photochemical deposition of SERS active silver nanoparticles on silica gel, 625
- Singlet oxygen**
 Generation of superoxide anion and most likely singlet oxygen in irradiated TiO₂ nanoparticles modified by carotenoids, 1
 Photophysics of 1-methylumichrome, 193
 Photodynamic action of damnacanthol and nordamnacanthol, 615
- Solvatochromism**
 Photochromism, thermochromism, and solvatochromism of naphthalene-based analogues of salicylideneaniline in solution, 473
- Solvent effect**
 Separation into polar and hydrogen-bonding factors of the effects of alcohols on the emission spectrum of 4-phenyl-1-*N,N*-dimethylaminobutane in THF, 73

- Effects of alcohols on emission spectra of toluene–triethylamine mixtures in THF: separation into polar and hydrogen-bonding interactions, 449
- Sonication
- Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53
- Soot
- Visible illustration of the *direct*, *lateral* and *remote* photocatalytic destruction of soot by titania, 203
- Spermidine
- Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
- Spermine
- Solution aggregation of anti-trypanosomal *N*-(2-naphthylmethyl)ated polyamines, 387
- Spin trapping
- Generation of superoxide anion and most likely singlet oxygen in irradiated TiO₂ nanoparticles modified by carotenoids, 1
 - Photosensitization with anthraquinone derivatives: optical and EPR spin trapping studies of photogeneration of reactive oxygen species, 9
- Squaraine dye
- Photoreaction and photopolymerization studies on squaraine dyes/iodonium salts combination, 463
- Stern–Volmer plots
- Detailed studies on complexation behaviour and mechanism of fluorescence quenching of naphthalene linked hydroxamic acid with transition metal ions by UV-visible and fluorescence spectra, 591
- Stilbene
- Synthesis and fluorescence of polyurethane cationomers *N*-modified with a stilbene chromophore, 23
 - Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser, 121
- Stratosphere ozone
- Higher oxides of chlorine: absorption cross-sections of Cl₂O₆ and Cl₂O₄, the decomposition of Cl₂O₆, and the reactions of OCIO with O and O₃, 353
- Structures
- Photochromism and thermochromism of solid *trans-N,N'*-bis-(salicylidene)-1,2-cyclohexanediamines and *trans-N,N'*-bis-(2-hydroxynaphylidene)-1,2-cyclohexanediamine, 521
 - The photochemical stability of collagen–chitosan blends, 545
- Substituent effect
- Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser, 121
- Substituents
- Theoretical studies of conjugate and substituent effects on the intramolecular proton transfer: an HF/CIS study, 407
- Sulfite
- Flow injection chemiluminescence analysis for highly sensitive determination of noscaphine, 457
- Sulfosalicylic acid
- Photochemistry of sulfosalicylic acid in aqueous solutions, 153
- Superoxide
- Photosensitization with anthraquinone derivatives: optical and EPR spin trapping studies of photogeneration of reactive oxygen species, 9
- Superoxide anion radical
- Photodynamic action of damnacanthal and nordamnacanthal, 615
- Superoxide radical anion
- Generation of superoxide anion and most likely singlet oxygen in irradiated TiO₂ nanoparticles modified by carotenoids, 1
- Surfactant
- A study on photophysical properties of some Vitamin K₃ derivatives, 283
- Synthesis
- Carbazolyl-substituted triphenyldiamine derivatives as novel photoconductive amorphous molecular materials, 249
- Tautomerism
- Photochromism and thermochromism of solid *trans-N,N'*-bis-(salicylidene)-1,2-cyclohexanediamines and *trans-N,N'*-bis-(2-hydroxynaphylidene)-1,2-cyclohexanediamine, 521
- Tertiary amide
- Photo-oxidation of tertiary amides, main degradation products of large malonamides, 81
- 2,2,6,6-Tetramethylpiperidines
- Novel adducts of a hindered amine and a blue-emitting fluorophore for “one-step” fluorescent brightening and stabilisation of polymer materials, 207
- Tetra-*tert*-butylbiphenol
- Molecular rearrangements, part 33, photolysis and thermolysis of aryl nitramines, 163
- Thermal stability
- Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53
- Thermochromism
- Photochromism, thermochromism, and solvatochromism of naphthalene-based analogues of salicylideneaniline in solution, 473
 - Photochromism and thermochromism of solid *trans-N,N'*-bis-(salicylidene)-1,2-cyclohexanediamines and *trans-N,N'*-bis-(2-hydroxynaphylidene)-1,2-cyclohexanediamine, 521
- Thin films
- Photodegradation of rhodamine B in water assisted by titania films prepared through a novel procedure, 171
- Thioflavin T
- Emission of thioflavin T and its control in the presence of DNA, 129
- Thioflavin T dimer
- Emission of thioflavin T and its control in the presence of DNA, 129
- Time-resolved emission
- Solvent and temperature effects on the phosphorescence of 9,10-phenanthrenequinone in fluid solution, 231
- Titania
- Visible illustration of the *direct*, *lateral* and *remote* photocatalytic destruction of soot by titania, 203
 - TiO₂-In₂O₃ photocatalysts: preparation, characterisations and activity for 2-chlorophenol degradation in water, 423
- Titanium
- Photochemistry of group IV porphyrin halides, 563
- Titanium dioxide
- Generation of superoxide anion and most likely singlet oxygen in irradiated TiO₂ nanoparticles modified by carotenoids, 1
 - Environmental remediation by an integrated microwave/UV illumination method. VII. Thermal/non-thermal effects in the microwave-assisted photocatalyzed mineralization of bisphenol-A, 33
 - Effects of iron species in the photocatalytic degradation of an azo dye in TiO₂ aqueous suspensions, 89
 - Photodegradation of rhodamine B in water assisted by titania films prepared through a novel procedure, 171
 - Photocatalytic degradation of a cyanuric acid, a recalcitrant species, 323
 - Determination of quantum yields in two-dimensional scattering systems, 575
- TOC
- Comparative study on photocatalytic oxidation of four organophosphorus simulants of chemical warfare agents in aqueous suspension of titanium dioxide, 503
- m*-Tolualdehyde
- UV-absorption cross sections of benzaldehyde, ortho-, meta-, and para-tolualdehyde, 273
- o*-Tolualdehyde
- UV-absorption cross sections of benzaldehyde, ortho-, meta-, and para-tolualdehyde, 273

- p*-Tolualdehyde
 UV-absorption cross sections of benzaldehyde, ortho-, meta-, and para-tolualdehyde, 273
- Toxicity evolution
 Evolution of toxicity during melamine photocatalysis with TiO₂ suspensions, 179
- trans-cis* Isomers
 Synthesis and fluorescence of polyurethane cationomers *N*-modified with a stilbene chromophore, 23
- Triphenylene
 Diffusion processes involved in the exothermic triplet-triplet energy transfer in *n*-hexane at high pressure: evaluation of diffusion coefficients of benzophenone, triphenylene and naphthalene, 17
- Triplet state
 Properties of excited states of aqueous tryptophan, 371
- Triplet state inversion
 Solvent and temperature effects on the phosphorescence of 9,10-phenanthrenequinone in fluid solution, 231
- Triplet-sensitized photolysis
 Intermolecular triplet-sensitized photolysis of alkyl azides. Trapping of triplet alkyl nitrenes, 239
- Triplet-triplet absorption
 Photochemistry of sulfosalicylic acid in aqueous solutions, 153
- Tropylium ion
 Theoretical and spectroscopic studies of the photochemistry of 3-(4-dimethylaminophenyl)-7-methoxy-cyclohepta-1,3,5-triene, 213
- Tryptophan
 Properties of excited states of aqueous tryptophan, 371
- Two-photon absorption
 Two-photon absorption cross-sections of common photoinitiators, 497
- Two-photon excitation
 Photochemical properties of (7-benzothiazol-2-yl-9,9-didecylfluoren-2-yl)diphenylamine under one- and two-photon excitation, 569
- Two-quantum processes
 Photochemistry of sulfosalicylic acid in aqueous solutions, 153
- Ultrasound
 Sono-photolysis of phenylglyoxylic acid and stability studies of D,L-2,3-diphenyltartaric acid, 53
- Urease
 Photodynamic effect of metallo 5-(4-carboxyphenyl)-10,15,20-tris(4-methylphenyl) porphyrins in biomimetic AOT reverse micelles containing urease, 105
- UV irradiation
 Leachate treatment by the combination of photochemical oxidation with biological process, 261
- UV radiation
 The photochemical stability of collagen-chitosan blends, 545
- UV spectra
 UV-absorption cross sections of benzaldehyde, ortho-, meta-, and para-tolualdehyde, 273
- UV-light
 Photochemical deposition of SERS active silver nanoparticles on silica gel, 625
- Vibrationally excited state
 Single-, two- and three VUV photon reactions of a series of alkylarenes in the gas phase, 481
- Vitamin K₃
 A study on photophysical properties of some Vitamin K₃ derivatives, 283
- VUV photochemistry
 Single-, two- and three VUV photon reactions of a series of alkylarenes in the gas phase, 481
- XeCl excimer laser photolysis
 Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser, 121
- X-ray diffraction
 The photochemical stability of collagen-chitosan blends, 545
- Zinc oxide
 Photocatalytic degradation of azo dye acid red 14 in water on ZnO as an alternative catalyst to TiO₂, 317
 Photoinitiation of butylmethacrylate polymerization by colloidal semiconductor nanoparticles, 339
- Zirconium
 Photochemistry of group IV porphyrin halides, 563