

Subject Index of Volume 188

Ab initio

Molecular structures and vibrations of *cis* and *trans m*-cresol in the electronically excited S_1 and cationic D_0 states, 252

Absorption

Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74

Absorption properties

Synthesis, absorption, and fluorescence properties and crystal structures of 7-aminocoumarin derivatives, 378

Acrylamide

Photoreaction and photopolymerization studies on phenoxazin dyes/diphenyliodonium chloride salt, 83

Aggregation

Effect of aggregation on nonlinear optical properties of a naphthalocyanine, 311

Ag-loading SiO_2

The structural analysis of biomacromolecule wool fiber with Ag-loading SiO_2 nano-antibacterial agent by UV radiation, 98

Aluminum phthalocyanine

Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200

7-Aminocoumarin derivatives

Synthesis, absorption, and fluorescence properties and crystal structures of 7-aminocoumarin derivatives, 378

Aniline blue

Luminescence of aniline blue in hydrophobic cavity of BSA, 51

Anisotropy

Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74

Anthraquinones

Characterizing some photophysical, photochemical and photobiological properties of photosensitizing anthraquinones, 185

Antibacterial wool

The structural analysis of biomacromolecule wool fiber with Ag-loading SiO_2 nano-antibacterial agent by UV radiation, 98

Antimicrobial and antioxidant activities

Synthesis of *N*-alkyl derivatives and photochemistry of nitro (*E*)-3-azachalcones with theoretical calculations and biological activities, 161

Arene cavity bound species

Photophysical properties of the interaction of lower rim 1,3-bis(aminoethoxy)-calix[4]arene derivative with Pb^{2+} , Hg^{2+} and Cd^{2+} ions: Recognition of Hg^{2+} , 325

Azo dyes

UV-Fenton discolouration and mineralization of Orange II over hydroxyl-Fe-pillared bentonite, 56

Photocatalytic reductive destruction of azo dyes by polyoxometallates: Naphthol blue black, 272

Azobenzene dyes

A specific resistance of aminoazo dyes to the oxidative degradation, 267

Band origin

Molecular structures and vibrations of *cis* and *trans m*-cresol in the electronically excited S_1 and cationic D_0 states, 252

Bentonite

UV-Fenton discolouration and mineralization of Orange II over hydroxyl-Fe-pillared bentonite, 56

Biomedical imaging

Cleavage-induced fluorescence change via hydrophilicity control: A new strategy for biological application, 149

1,3-Bis(aminoethoxy)-calix[4]arene derivative

Photophysical properties of the interaction of lower rim 1,3-bis(aminoethoxy)-calix[4]arene derivative with Pb^{2+} , Hg^{2+} and Cd^{2+} ions: Recognition of Hg^{2+} , 325

Bisimidazole

Spectroscopy, photophysical and photochemical properties of bisimidazole derivatives, 25

Bisphenol-A

The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO_2 dispersions revisited. Re-assessment of the microwave non-thermal effect, 1

Blocking layer

Fabrication and characterization of thin Nb_2O_5 blocking layers for ionic liquid-based dye-sensitized solar cells, 120

BSA

Luminescence of aniline blue in hydrophobic cavity of BSA, 51

By-products

Photocatalytic degradation of a triazole pesticide, cyproconazole, in water, 34

Capped

Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74

CdS

Optimization of CdS/ TiO_2 nano-bulk composite photocatalysts for hydrogen production from Na_2S/Na_2SO_3 aqueous electrolyte solution under visible light ($\lambda \geq 420$ nm), 112

Cement panels/plates

Photocatalytic discoloration of organic compounds on outdoor building cement panels modified by photoactive coatings, 334

Cerium

Preparation and characterization of doped metal-supported TiO_2 -layers, 226

Chelating effect

A novel pyrene-based film: Preparation, optical properties and sensitive detection of organic copper(II) salts, 351

Chromate(VI) abatement

Photochemistry of the $[Fe^{III}(edta)(H_2O)]^-$ and $[Fe^{III}(edta)(OH)]^{2-}$ complexes in presence of environmentally relevant species, 128

Cleavage

Cleavage-induced fluorescence change via hydrophilicity control: A new strategy for biological application, 149

4-Chlorophenol

Evaluation of a novel Carberry type photoreactor for the degradation of organic pollutants in water, 169

Co-initiator

Synthesis and characterization of aliphatic amine co-initiator with different chain length for photopolymerization of dimethacrylate, 260

- Collagen film
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Contact angle
A comparative study of three techniques for determining photocatalytic activity, 387
- Cooperativity
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- Coumarin derivative
Synthesis, crystal structure and photoluminescent behaviors of 3-(1H-benzotriazol-1-yl)-4-methyl-benzo[7,8]coumarin, 245
- Crosslinking behavior
Crosslinkable fluorinated poly(aryl ether ketone)s containing pendent phenylethynyl moieties for optical waveguide devices, 43
- Cryogenic matrices
A specific resistance of aminoazo dyes to the oxidative degradation, 267
- Crystal structures
Synthesis, crystal structure and photoluminescent behaviors of 3-(1H-benzotriazol-1-yl)-4-methyl-benzo[7,8]coumarin, 245
Synthesis, absorption, and fluorescence properties and crystal structures of 7-aminocoumarin derivatives, 378
- Cyclodextrin
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- α -Cyclodextrin
Effect of the structure and concentration of cyclodextrins in the quenching process of naproxen, 5
- β -Cyclodextrin
Effect of the structure and concentration of cyclodextrins in the quenching process of naproxen, 5
- Cyclohexane
Photocatalyzed oxidation of cyclohexane with heterogenized decatungstate, 279
- Daylight radiation
Photocatalytic discoloration of organic compounds on outdoor building cement panels modified by photoactive coatings, 334
- Decatungstate
Photocatalyzed oxidation of cyclohexane with heterogenized decatungstate, 279
- Decontamination
Photoassisted removal of sarin vapor in air under UV light irradiation, 143
- Degenerate four-wave mixing
Effect of aggregation on nonlinear optical properties of a naphthalocyanine, 311
- Degradation
UV-Fenton discolouration and mineralization of Orange II over hydroxyl-Fe-pillared bentonite, 56
Theoretical study on photocatalytic oxidation of VOCs using nano-TiO₂ photocatalyst, 65
- Density functional theory (DFT)
Molecular structures and vibrations of *cis* and *trans* *m*-cresol in the electronically excited S₁ and cationic D₀ states, 252
- Diarylethenes
Photobehaviour of diarylethenes with thiophenes as aryl groups and dithiole-2-thione and dithiole-2-one at the ethenic bond, 90
- Dicarboxylic acids
Hydroxyl radical-induced photochemical formation of dicarboxylic acids from unsaturated fatty acid (oleic acid) in aqueous solution, 135
- Dimethyl selenide
IR laser-induced co-decomposition of dimethyl selenide and trisilane: Gas-phase formation of SiSe and chemical vapor deposition of nanostructured H/Si/Se/C polymers, 399
- Donor-acceptor systems
Electronic structure and solvatochromism of merocyanines based on *N,N*-diethylthiobarbituric acid, 207
- Doping
Preparation and characterization of doped metal-supported TiO₂-layers, 226
- Dye test
A comparative study of three techniques for determining photocatalytic activity, 387
- Dyes
Photoreaction and photopolymerization studies on phenoxazin dyes/diphenyliodonium chloride salt, 83
- Dye-sensitized solar cell
Nanocrystalline anatase TiO₂ derived from a titanate-directed route for dye-sensitized solar cells, 19
Fabrication and characterization of thin Nb₂O₅ blocking layers for ionic liquid-based dye-sensitized solar cells, 120
- Dynamic quenching
Experimental investigations by using electrochemical, steady state and time resolved spectroscopic tools on the photoreactions of disubstituted indoles in presence of tetracyanoquinodimethane (TCNQ) and a theoretical approach by using time-dependent density functional theory, 235
- Dynamics
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- EDTA photodegradation
Photochemistry of the [Fe^{III}(edta)(H₂O)]⁻ and [Fe^{III}(edta)(OH)]²⁻ complexes in presence of environmentally relevant species, 128
- Electron donor
Tyrosine groups enhance photoinduced intramolecular electron transfer in polypyridyl ruthenium(II) complexes, 317
- Electron transfer
Photoreaction and photopolymerization studies on phenoxazin dyes/diphenyliodonium chloride salt, 83
Tyrosine groups enhance photoinduced intramolecular electron transfer in polypyridyl ruthenium(II) complexes, 317
- Electronic structure
Electronic structure and solvatochromism of merocyanines based on *N,N*-diethylthiobarbituric acid, 207
- Emission
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- Equilibrium constant
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- ESIPT
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Eu(TTA)₂(N-HPA)Phen
Synthesis and characteristics of a novel rare earth complex of Eu(TTA)₂(N-HPA)Phen, 155
- Excimer emission
Cleavage-induced fluorescence change via hydrophilicity control: A new strategy for biological application, 149
- Excited state
Theoretical studies on spectroscopic properties of binuclear palladium(II) halide with phosphine ligands, 287
- Fe(III) photocatalytic cycle
Photochemistry of the [Fe^{III}(edta)(H₂O)]⁻ and [Fe^{III}(edta)(OH)]²⁻ complexes in presence of environmentally relevant species, 128
- Fe(III)-EDTA complexes
Photochemistry of the [Fe^{III}(edta)(H₂O)]⁻ and [Fe^{III}(edta)(OH)]²⁻ complexes in presence of environmentally relevant species, 128
- Ferrioxalate/H₂O₂
Photo-Fenton defluoridation of pentafluorobenzoic acid with UV-C light, 392
- Ferrous ion
Photo-Fenton defluoridation of pentafluorobenzoic acid with UV-C light, 392

- Film sensor
A novel pyrene-based film: Preparation, optical properties and sensitive detection of organic copper(II) salts, 351
- Flavonol
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- Fluorescence
Spectroscopy, photophysical and photochemical properties of bisimidazole derivatives, 25
Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200
Effects of synergetic ligands on structure and fluorescence properties of Langmuir and Langmuir–Blodgett films containing $\text{Eu}(\text{TTA})_3\text{nL}$, 218
Synthesis and characterization of aliphatic amine co-initiator with different chain length for photopolymerization of dimethacrylate, 260
A novel pyrene-based film: Preparation, optical properties and sensitive detection of organic copper(II) salts, 351
- Fluorescence properties
Synthesis, absorption, and fluorescence properties and crystal structures of 7-aminocoumarin derivatives, 378
- Fluorescence quench
Photophysical properties of the interaction of lower rim 1,3-bis(aminoethoxy)-calix[4]arene derivative with Pb^{2+} , Hg^{2+} and Cd^{2+} ions: Recognition of Hg^{2+} , 325
- Fluorescence quenching
Substituent effect on the fluorescence quenching of polystyrene derivatives by polymeric plasticizers, 177
- Fluoropolymers
Crosslinkable fluorinated poly(aryl ether ketone)s containing pendent phenylethynyl moieties for optical waveguide devices, 43
- FTIR-ATR spectroscopy
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Fulgides
Synthesis of novel photochromic methyl cyanoacetate-condensed fulgide derivatives, 358
- Gadolinium
Preparation and characterization of doped metal-supported TiO_2 -layers, 226
- H_2 evolution
Optimization of CdS/TiO_2 nano-bulk composite photocatalysts for hydrogen production from $\text{Na}_2\text{S}/\text{Na}_2\text{SO}_3$ aqueous electrolyte solution under visible light ($\lambda \geq 420$ nm), 112
- H-bond
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- Heterogeneous photocatalysis
Preparation and characterization of doped metal-supported TiO_2 -layers, 226
- Heterophyllaea pustulata*
Characterizing some photophysical, photochemical and photobiological properties of photosensitizing anthraquinones, 185
- Hybrid solar cells
Hybrid solar cells with ordered TiO_2 nanostructures and MEH-PPV, 364
- Hydrophilicity control
Cleavage-induced fluorescence change via hydrophilicity control: A new strategy for biological application, 149
- Hydrotropes
The hydrotrope effect on the photopolymerization of styrenesulfonate initiated by Ru complexes, 329
- Hydroxyl radical
UV-Fenton discolouration and mineralization of Orange II over hydroxyl-Fe-pillared bentonite, 56
Hydroxyl radical-induced photochemical formation of dicarboxylic acids from unsaturated fatty acid (oleic acid) in aqueous solution, 135
Comparative study of the UV and UV/VUV-induced photolysis of phenol in aqueous solution, 409
- Hydroxypropyl- β -cyclodextrin
Effect of the structure and concentration of cyclodextrins in the quenching process of naproxen, 5
- Impedance spectroscopy
Fabrication and characterization of thin Nb_2O_5 blocking layers for ionic liquid-based dye-sensitized solar cells, 120
- Inclusion
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- Iodonium salt
Photoreaction and photopolymerization studies on phenoxazin dyes/diphenyliodonium chloride salt, 83
- Ionization energy (IE)
Molecular structures and vibrations of *cis* and *trans m*-cresol in the electronically excited S_1 and cationic D_0 states, 252
isopropyl methylphosphonofluoridate)
Photoassisted removal of sarin vapor in air under UV light irradiation, 143
- Kinetic analysis
Photobehaviour of diarylethenes with thiophenes as aryl groups and dithiole-2-thione and dithiole-2-one at the ethenic bond, 90
- KrF excimer laser
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Langmuir–Blodgett film
IR reflection-absorption spectroscopic study of Langmuir–Blodgett films of selected porphyrins and their dyads to fullerene on gold substrates, 12
Effects of synergetic ligands on structure and fluorescence properties of Langmuir and Langmuir–Blodgett films containing $\text{Eu}(\text{TTA})_3\text{nL}$, 218
- Laser decomposition
IR laser-induced co-decomposition of dimethyl selenide and trisilane: Gas-phase formation of SiSe and chemical vapor deposition of nanostructured H/Si/Se/C polymers, 399
- Laser photolysis
A laser flash photolysis study of dibenzothiophene sulfoxide and benzo[*b*]naphtho[2,1-*d*]thiophene-11-oxide, 293
- Laser radiation
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Laser-induced fluorescence
IR laser-induced co-decomposition of dimethyl selenide and trisilane: Gas-phase formation of SiSe and chemical vapor deposition of nanostructured H/Si/Se/C polymers, 399
- Light harvesting system
 S_2 - and S_1 -states properties of zinc porphyrin polypeptides, 346
- LMCT photochemistry
Photochemistry of the $[\text{Fe}^{\text{III}}(\text{edta})(\text{H}_2\text{O})]^-$ and $[\text{Fe}^{\text{III}}(\text{edta})(\text{OH})]^{2-}$ complexes in presence of environmentally relevant species, 128
- Lophine
Spectroscopy, photophysical and photochemical properties of bisimidazole derivatives, 25
- Lower rim of calix[4]arene
Photophysical properties of the interaction of lower rim 1,3-bis(aminoethoxy)-calix[4]arene derivative with Pb^{2+} , Hg^{2+} and Cd^{2+} ions: Recognition of Hg^{2+} , 325
- Magnetic fluid
Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200
- Mass analyzed threshold ionization (MATI)
Molecular structures and vibrations of *cis* and *trans m*-cresol in the electronically excited S_1 and cationic D_0 states, 252
- Merocyanines
Electronic structure and solvatochromism of merocyanines based on *N,N*-diethylthiobarbituric acid, 207

- Methyl cyanoacetate
Synthesis of novel photochromic methyl cyanoacetate-condensed fulgide derivatives, 358
- Microarray
Cleavage-induced fluorescence change via hydrophilicity control: A new strategy for biological application, 149
- “Micro-foam” structure
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Microwave non-thermal effects
The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO₂ dispersions revisited. Re-assessment of the microwave non-thermal effect, 1
- Microwave radiation
The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO₂ dispersions revisited. Re-assessment of the microwave non-thermal effect, 1
- Molecular mechanics
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Nano-bulk composite (NBC)
Optimization of CdS/TiO₂ nano-bulk composite photocatalysts for hydrogen production from Na₂S/Na₂SO₃ aqueous electrolyte solution under visible light ($\lambda \geq 420$ nm), 112
- Nanocrystalline TiO₂ film
Nanocrystalline anatase TiO₂ derived from a titanate-directed route for dye-sensitized solar cells, 19
- Nano-TiO₂
Theoretical study on photocatalytic oxidation of VOCs using nano-TiO₂ photocatalyst, 65
- Naphthalocyanine
Effect of aggregation on nonlinear optical properties of a naphthalocyanine, 311
- Naphthol blue black
Photocatalytic reductive destruction of azo dyes by polyoxometallates: Naphthol blue black, 272
- Naproxen
Effect of the structure and concentration of cyclodextrins in the quenching process of naproxen, 5
- Nb₂O₅
Fabrication and characterization of thin Nb₂O₅ blocking layers for ionic liquid-based dye-sensitized solar cells, 120
- Nitrate
Hydroxyl radical-induced photochemical formation of dicarboxylic acids from unsaturated fatty acid (oleic acid) in aqueous solution, 135
- Nitro-(*E*)-3-azachalcones
Synthesis of *N*-alkyl derivatives and photochemistry of nitro (*E*)-3-azachalcones with theoretical calculations and biological activities, 161
- Nitro-(*E*)-*N*-decyl-3-azachalconium bromide
Synthesis of *N*-alkyl derivatives and photochemistry of nitro (*E*)-3-azachalcones with theoretical calculations and biological activities, 161
- 185 nm
Comparative study of the UV and UV/VUV-induced photolysis of phenol in aqueous solution, 409
- NMR spectroscopy
Electronic structure and solvatochromism of merocyanines based on *N,N*-diethylthiobarbituric acid, 207
- NO_x
Photocatalytic oxidation of NO_x by Pt-modified TiO₂ under visible light irradiation, 106
- [*N*]Phenylene dyads
Photoinduced electron transfer in [*N*]phenylenes, 371
- [*N*]Phenylenes
Photoinduced electron transfer in [*N*]phenylenes, 371
- Oleic acid
Hydroxyl radical-induced photochemical formation of dicarboxylic acids from unsaturated fatty acid (oleic acid) in aqueous solution, 135
- Oligomerization
Photochemical oligomerization pathways in 2,5-diiodothiophene film, 342
- Oligothiophene
Photochemical oligomerization pathways in 2,5-diiodothiophene film, 342
- Organic copper(II) salts
A novel pyrene-based film: Preparation, optical properties and sensitive detection of organic copper(II) salts, 351
- Organic electroluminescence
Synthesis and characteristics of a novel rare earth complex of Eu(TTA)₂(N-HPA)Phen, 155
- Oxidative degradation
A specific resistance of aminoazo dyes to the oxidative degradation, 267
- Palladium(II) complexes
Theoretical studies on spectroscopic properties of binuclear palladium(II) halide with phosphine ligands, 287
- Para*-substituted polystyrenes
Substituent effect on the fluorescence quenching of polystyrene derivatives by polymeric plasticizers, 177
- Pentafluorobenzoic acid
Photo-Fenton defluoridation of pentafluorobenzoic acid with UV-C light, 392
- Pesticides
Photocatalytic degradation of a triazole pesticide, cyproconazole, in water, 34
- Phase-pure anatase TiO₂
Nanocrystalline anatase TiO₂ derived from a titanate-directed route for dye-sensitized solar cells, 19
- Phenol
Comparative study of the UV and UV/VUV-induced photolysis of phenol in aqueous solution, 409
- Phenoxyl radical
Comparative study of the UV and UV/VUV-induced photolysis of phenol in aqueous solution, 409
- Phenylethynyl
Crosslinkable fluorinated poly(aryl ether ketone)s containing pendent phenylethynyl moieties for optical waveguide devices, 43
- Photoactivity
A comparative study of three techniques for determining photocatalytic activity, 387
- Photocatalysis
The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO₂ dispersions revisited. Re-assessment of the microwave non-thermal effect, 1
Photocatalytic degradation of a triazole pesticide, cyproconazole, in water, 34
Theoretical study on photocatalytic oxidation of VOCs using nano-TiO₂ photocatalyst, 65
Evaluation of a novel Carberry type photoreactor for the degradation of organic pollutants in water, 169
Photocatalytic reductive destruction of azo dyes by polyoxometallates: Naphthol blue black, 272
- Photocatalyst
Photocatalytic oxidation of NO_x by Pt-modified TiO₂ under visible light irradiation, 106
- Photocatalytic oxidation
Photocatalyzed oxidation of cyclohexane with heterogenized decatungstate, 279
- Photochromism
Photobehaviour of diarylethenes with thiophenes as aryl groups and dithiole-2-thione and dithiole-2-one at the ethenic bond, 90
Synthesis of novel photochromic methyl cyanoacetate-condensed fulgide derivatives, 358
- Photodegradation
The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO₂ dispersions revisited. Re-assessment of the microwave non-thermal effect, 1

- Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200
- Photodimerization
Synthesis of *N*-alkyl derivatives and photochemistry of nitro (*E*)-3-azachalcones with theoretical calculations and biological activities, 161
- Photo-Fenton defluoridation
Photo-Fenton defluoridation of pentafluorobenzoic acid with UV-C light, 392
- Photografting
The structural analysis of biomacromolecule wool fiber with Ag-loading SiO₂ nano-antibacterial agent by UV radiation, 98
- Photoinduced electron transfer
Photochemistry of the [Fe^{III}(edta)(H₂O)][−] and [Fe^{III}(edta)(OH)]^{2−} complexes in presence of environmentally relevant species, 128
Experimental investigations by using electrochemical, steady state and time resolved spectroscopic tools on the photoreactions of disubstituted indoles in presence of tetracyanoquinodimethane (TCNQ) and a theoretical approach by using time-dependent density functional theory, 235
Photoinduced electron transfer in [N]phenylenes, 371
- Photoluminescence
Synthesis and characteristics of a novel rare earth complex of Eu(TTA)₂ (N-HPA)Phen, 155
Synthesis, crystal structure and photoluminescent behaviors of 3-(1H-benzotriazol-1-yl)-4-methyl-benzo[7,8]coumarin, 245
- Photooxidation
The microwave-/photo-assisted degradation of bisphenol-A in aqueous TiO₂ dispersions revisited. Re-assessment of the microwave non-thermal effect, 1
- Photo-polymerization
Photoreaction and photopolymerization studies on phenoxazin dyes/diphenyliodonium chloride salt, 83
Synthesis and characterization of aliphatic amine co-initiator with different chain length for photopolymerization of dimethacrylate, 260
The hydrotrope effect on the photopolymerization of styrenesulfonate initiated by Ru complexes, 329
Photochemical oligomerization pathways in 2,5-diiodothiophene film, 342
- Photoreaction
Photoassisted removal of sarin vapor in air under UV light irradiation, 143
- Photoreactor
Evaluation of a novel Carberry type photoreactor for the degradation of organic pollutants in water, 169
- Photosensitization
Characterizing some photophysical, photochemical and photobiological properties of photosensitizing anthraquinones, 185
- Photosensitizer
Tyrosine groups enhance photoinduced intramolecular electron transfer in polypyridyl ruthenium(II) complexes, 317
- Photosynthesis
Tyrosine groups enhance photoinduced intramolecular electron transfer in polypyridyl ruthenium(II) complexes, 317
- Picosecond
Complexation effect of γ -cyclodextrin on a hydroxyflavone derivative: Formation of excluded and included anions, 74
- Platinum
Photocatalytic oxidation of NO_x by Pt-modified TiO₂ under visible light irradiation, 106
- Polymer optical waveguide
Crosslinkable fluorinated poly(aryl ether ketone)s containing pendent phenylethynyl moieties for optical waveguide devices, 43
- Polyoxometallates
Photocatalytic reductive destruction of azo dyes by polyoxometallates: Naphthol blue black, 272
- Polypeptides
S₂- and S₁-states properties of zinc porphyrin polypeptides, 346
- Polythiophene
Photochemical oligomerization pathways in 2,5-diiodothiophene film, 342
- Porphyrin
IR reflection–absorption spectroscopic study of Langmuir–Blodgett films of selected porphyrins and their dyads to fullerene on gold substrates, 12
S₂- and S₁-states properties of zinc porphyrin polypeptides, 346
- Porphyrin–fullerene system
IR reflection–absorption spectroscopic study of Langmuir–Blodgett films of selected porphyrins and their dyads to fullerene on gold substrates, 12
- Potential energy surface (PES)
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Pulse radiolysis
A specific resistance of aminoazo dyes to the oxidative degradation, 267
- Pyrene
A novel pyrene-based film: Preparation, optical properties and sensitive detection of organic copper(II) salts, 351
- Quantum efficiency
Synthesis of novel photochromic methyl cyanoacetate-condensed fulgide derivatives, 358
- Quenching
Effect of the structure and concentration of cyclodextrins in the quenching process of naproxen, 5
Characterizing some photophysical, photochemical and photobiological properties of photosensitizing anthraquinones, 185
- Quenching rate constant
Substituent effect on the fluorescence quenching of polystyrene derivatives by polymeric plasticizers, 177
- Radical cations
A specific resistance of aminoazo dyes to the oxidative degradation, 267
- Raman spectroscopy
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Random coil
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Rare earth
Preparation and characterization of doped metal-supported TiO₂-layers, 226
- Rare earth complex
Effects of synergetic ligands on structure and fluorescence properties of Langmuir and Langmuir–Blodgett films containing Eu(TTA)₃nL, 218
- Rate constants
Characterizing some photophysical, photochemical and photobiological properties of photosensitizing anthraquinones, 185
- Recognition of Hg²⁺
Photophysical properties of the interaction of lower rim 1,3-bis(aminoethoxy)-calix[4]arene derivative with Pb²⁺, Hg²⁺ and Cd²⁺ ions: Recognition of Hg²⁺, 325
- Reductive decomposition
Photocatalytic reductive destruction of azo dyes by polyoxometallates: Naphthol blue black, 272
- Resazurin
A comparative study of three techniques for determining photocatalytic activity, 387
- ROS
Characterizing some photophysical, photochemical and photobiological properties of photosensitizing anthraquinones, 185
- RTIR
Synthesis and characterization of aliphatic amine co-initiator with different chain length for photopolymerization of dimethacrylate, 260
- Ruthenium polypyridyl complexes
Tyrosine groups enhance photoinduced intramolecular electron transfer in polypyridyl ruthenium(II) complexes, 317
- S₂-excited state
S₂- and S₁-states properties of zinc porphyrin polypeptides, 346
- Sarin (GB)
Photoassisted removal of sarin vapor in air under UV light irradiation, 143

- Schiff base
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Selenium
IR laser-induced co-decomposition of dimethyl selenide and trisilane: Gas-phase formation of SiSe and chemical vapor deposition of nanostructured H/Si/Se/C polymers, 399
- Self-cleaning
Photocatalytic discoloration of organic compounds on outdoor building cement panels modified by photoactive coatings, 334
- Semi-empirical method
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Silicone-based films
IR laser-induced co-decomposition of dimethyl selenide and trisilane: Gas-phase formation of SiSe and chemical vapor deposition of nanostructured H/Si/Se/C polymers, 399
- Singlet energy migration
 S_2 - and S_1 -states properties of zinc porphyrin polypeptides, 346
- SiO_2/TiO_2 colloids
Photocatalytic discoloration of organic compounds on outdoor building cement panels modified by photoactive coatings, 334
- Sol-gel
Nanocrystalline anatase TiO_2 derived from a titanate-directed route for dye-sensitized solar cells, 19
- Solvatochromism
Electronic structure and solvatochromism of merocyanines based on *N,N*-diethylthiobarbituric acid, 207
- Spectroscopic properties
Theoretical studies on spectroscopic properties of binuclear palladium(II) halide with phosphine ligands, 287
- Stability constants
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Static quenching
Experimental investigations by using electrochemical, steady state and time resolved spectroscopic tools on the photoreactions of disubstituted indoles in presence of tetracyanoquinodimethane (TCNQ) and a theoretical approach by using time-dependent density functional theory, 235
- Stearic acid
A comparative study of three techniques for determining photocatalytic activity, 387
- Structure
The structural analysis of biomacromolecule wool fiber with Ag-loading SiO_2 nano-antibacterial agent by UV radiation, 98
- Styrenesulfonate
The hydrotrope effect on the photopolymerization of styrenesulfonate initiated by Ru complexes, 329
- Sulfoxide
A laser flash photolysis study of dibenzothiophene sulfoxide and benzo[*b*]naphtho[2,1-*d*]thiophene-11-oxide, 293
- Supported catalyst
Photocatalyzed oxidation of cyclohexane with heterogenized decatungstate, 279
- Surface relief gratings
Hybrid solar cells with ordered TiO_2 nanostructures and MEH-PPV, 364
- Synchronous fluorescence
Luminescence of aniline blue in hydrophobic cavity of BSA, 51
- Synergetic ligand
Effects of synergetic ligands on structure and fluorescence properties of Langmuir and Langmuir-Blodgett films containing $Eu(TTA)_3nL$, 218
- Synthesis
Synthesis and characteristics of a novel rare earth complex of $Eu(TTA)_2(N-HPA)Phen$, 155
Synthesis, crystal structure and photoluminescent behaviors of 3-(1H-benzotriazol-1-yl)-4-methyl-benzo[7,8]coumarin, 245
Synthesis, absorption, and fluorescence properties and crystal structures of 7-aminocoumarin derivatives, 378
- TD-DFT
Experimental investigations by using electrochemical, steady state and time resolved spectroscopic tools on the photoreactions of disubstituted indoles in presence of tetracyanoquinodimethane (TCNQ) and a theoretical approach by using time-dependent density functional theory, 235
- Theoretical study
Theoretical study on photocatalytic oxidation of VOCs using nano- TiO_2 photocatalyst, 65
- Third-order nonlinear susceptibility
Effect of aggregation on nonlinear optical properties of a naphthalocyanine, 311
- TiO_2
Photocatalytic oxidation of NO_x by Pt-modified TiO_2 under visible light irradiation, 106
Optimization of CdS/ TiO_2 nano-bulk composite photocatalysts for hydrogen production from Na_2S/Na_2SO_3 aqueous electrolyte solution under visible light ($\lambda \geq 420$ nm), 112
Preparation and characterization of doped metal-supported TiO_2 -layers, 226
A comparative study of three techniques for determining photocatalytic activity, 387
- TiO_2 nanostructure
Hybrid solar cells with ordered TiO_2 nanostructures and MEH-PPV, 364
- TiO_2 thin films
Evaluation of a novel Carberry type photoreactor for the degradation of organic pollutants in water, 169
- Titanate nanotube
Nanocrystalline anatase TiO_2 derived from a titanate-directed route for dye-sensitized solar cells, 19
- Titanium dioxide
The microwave/photo-assisted degradation of bisphenol-A in aqueous TiO_2 dispersions revisited. Re-assessment of the microwave non-thermal effect, 1
- Total luminescence spectroscopy
Luminescence of aniline blue in hydrophobic cavity of BSA, 51
- Transient absorption spectra
Experimental investigations by using electrochemical, steady state and time resolved spectroscopic tools on the photoreactions of disubstituted indoles in presence of tetracyanoquinodimethane (TCNQ) and a theoretical approach by using time-dependent density functional theory, 235
- Transition state search
Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III), 298
- Triple helix
Spectroscopic study of a KrF excimer laser treated surface of the thin collagen films, 192
- Triplet lifetime
Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200
- Triplet quantum yields
Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200
- Triplet state
A laser flash photolysis study of dibenzothiophene sulfoxide and benzo[*b*]naphtho[2,1-*d*]thiophene-11-oxide, 293
- Trisilane
IR laser-induced co-decomposition of dimethyl selenide and trisilane: Gas-phase formation of SiSe and chemical vapor deposition of nanostructured H/Si/Se/C polymers, 399
- Twisted intramolecular charge transfer (TICT)
Luminescence of aniline blue in hydrophobic cavity of BSA, 51
- Two color resonant two photon ionization (2C-R2PI)
Molecular structures and vibrations of *cis* and *trans* *m*-cresol in the electronically excited S_1 and cationic D_0 states, 252

- Tyrosine
Tyrosine groups enhance photoinduced intramolecular electron transfer in polypyridyl ruthenium(II) complexes, 317
- UV light irradiation
Photoassisted removal of sarin vapor in air under UV light irradiation, 143
- UV radiation
The structural analysis of biomacromolecule wool fiber with Ag-loading SiO₂ nano-antibacterial agent by UV radiation, 98
- UV-B radiation
Hydroxyl radical-induced photochemical formation of dicarboxylic acids from unsaturated fatty acid (oleic acid) in aqueous solution, 135
- UV-C light
Photo-Fenton defluoridation of pentafluorobenzoic acid with UV-C light, 392
- UV-Fenton
UV-Fenton discolouration and mineralization of Orange II over hydroxyl-Fe-pillared bentonite, 56
- UV-vis spectroscopy
Synthesis and characterization of aliphatic amine co-initiator with different chain length for photopolymerization of dimethacrylate, 260
- UV-vis spectrum
Synthesis, crystal structure and photoluminescent behaviors of 3-(1H-benzotriazol-1-yl)-4-methyl-benzo[7,8]coumarin, 245
- Vibrational spectra
IR reflection-absorption spectroscopic study of Langmuir-Blodgett films of selected porphyrins and their dyads to fullerene on gold substrates, 12
- Visible light
Photocatalytic oxidation of NO_x by Pt-modified TiO₂ under visible light irradiation, 106
- VOCs
Theoretical study on photocatalytic oxidation of VOCs using nano-TiO₂ photocatalyst, 65
- Wastewater
UV-Fenton discolouration and mineralization of Orange II over hydroxyl-Fe-pillared bentonite, 56
- Water treatment
Photocatalytic degradation of a triazole pesticide, cyproconazole, in water, 34
- Zinc phthalocyanine
Photophysical and photochemical properties of zinc and aluminum phthalocyanines in the presence of magnetic fluid, 200