



## Erratum

## Erratum to “Fabrication and performance of a proton-conducting solid oxide fuel cell based on a thin $\text{BaZr}_{0.8}\text{Y}_{0.2}\text{O}_{3-\delta}$ electrolyte membrane” [J. Power Sources 195 (15) (2010) 4727–4730]

Wenping Sun, Litao Yan, Zhen Shi, Zhiwen Zhu, Wei Liu\*

CAS Key Laboratory of Materials for Energy Conversion, Department of Materials Science and Engineering, University of Science and Technology of China (USTC), Hefei 230026, PR China

## ARTICLE INFO

## Article history:

Received 5 October 2010

Accepted 5 October 2010

Available online 2 November 2010

In Ref. [1], the unit of “Power density” was incorrect in Fig. 5, which should be “ $\text{mW cm}^{-2}$ ” rather than “ $\text{W cm}^{-2}$ ”. A mistake was made when we plotted Fig. 7. And all the data in the text are correct.

The correct versions of Figs. 5 and 7 are now reproduced below.




Fig. 5.

We would like to apologize for any inconvenience this may have caused to the readers of the paper.

DOI of original article: [10.1016/j.jpowsour.2010.02.012](https://doi.org/10.1016/j.jpowsour.2010.02.012).

\* Corresponding author. Tel.: +86 0551 3606929; fax: +86 0551 3602586.

E-mail address: [wliu@ustc.edu.cn](mailto:wliu@ustc.edu.cn) (W. Liu).




Fig. 7.

### Reference

- [1] W.P. Sun, L.T. Yan, Z. Shi, Z.W. Zhu, W. Liu, J. Power Sources 195 (15) (2010) 4727.