

## Subject Index to Volume 46, 2005

Acid, acetic, effect of mechanical treatment on the reactivity of copper powder toward acid, no. 4, 565.

Acids, carboxylic, formation on vanadium-containing oxide catalysts, mechanism, no. 2, 217.

Activity, catalytic, prediction in the series of single-crystal surfaces in a water-gas shift reaction, no. 4, 509.

Adsorption of N<sub>2</sub>, interaction with the acid sites of oxides, no. 1, 107.

–, modeling of surface CO oxidation using modified adsorption rules, no. 1, 96.

– of NO + O<sub>2</sub>, mechanism of the formation of O<sub>2</sub><sup>–</sup> radical anions on oxidized CeO<sub>2</sub> and CeO<sub>2</sub>/ZrO<sub>2</sub> catalysts, ESR study, no. 3, 387.

– of CO on the surface of palladium: an *in situ* study by X-ray photoelectron spectroscopy and sum frequency generation, no. 2, 269.

– of CO + O<sub>2</sub>, the formation of O<sub>2</sub><sup>–</sup> radical anions on oxidized CeO<sub>2</sub> and CeO<sub>2</sub>/ZrO<sub>2</sub> catalysts, ESR study, no. 3, 396.

– of dihydrogen on mesoporous materials at 77 K, no. 4, 603.

– of ethane–hydrogen mixtures on LiLSX and CaA zeolites, kinetics according to DRIFT data, no. 6, 879.

– of ethane on the hydrogen, sodium, and zinc forms of a Y-type zeolite, interpretation of the IR spectra using *ab initio* quantum chemical calculations, no. 3, 407.

– of nitrogen, oxygen, and argon vapors on fine-pore oxide materials, no. 3, 403.

– of oxygen on aluminum, dissociative, no. 1, 128.

Alkenes, direct oxidation with nitrous oxide, molecular mechanism of reaction, DFT analysis, no. 2, 177.

Alkylation of aniline with methanol over copper-containing catalysts, no. 3, 376.

– of isobutane and oligomerization of C<sub>4</sub> olefins under supercritical conditions, no. 6, 834.

Alkylthiophenes, dealkylation, activity of the catalysts, no. 1, 88.

Alumina, luminescence of crystal modifications excited by the ArF excimer laser, no. 2, 260.

Aluminas, single-phase, acid–base properties, no. 1, 132.

Amines, tertiary, *N,N,N',N'*-tetramethyl-*para*-phenylenediamine,  $\alpha$ -phenylethyl hydroperoxide decomposition, no. 6, 830.

Arrhenius equation, estimation of its parameters, no. 3, 305.

Autoignition of a lean propane–air mixture at high pressures, kinetic model, no. 3, 319.

Butadiene, 1,4-*trans*-polymerization in the presence of mixed systems based on VOCl<sub>3</sub> and titanium compounds, no. 3, 368.

Carbon monoxide, water-gas shift reaction, prediction of comparative catalytic activity in the series of single-crystal surfaces, no. 4, 509.

Carbon tetrachloride, conversion, catalysis by copper complexes with monoethanolamine immobilized on the surface of silica, no. 1, 65.

–, addition to multiple bonds, the catalytic activity of immobilized complexes of the transition metals with monoethanolamine, no. 6, 861.

–, addition to olefins, catalysis by copper complexes with polyfunctional ligands chemically immobilized on the surface of silica, no. 1, 72.

Catalysis in 2004, a review of the 13th International Congress on Catalysis, no. 3, 445.

– by iron(III) tris(acetylacetone)-based catalytic systems, mechanism of ethylbenzene oxidation with dioxygen, no. 3, 328.

– heterogeneous, chemisorbed atoms and molecules of reactants as active sites, no. 4, 464.

–, solvation bifunctional, the hydrolysis of sulfonyl chlorides by hydration complexes of 2-propanol, influence of the substrate structure, no. 1, 29.

Catalyst Co–Mo–Bi–Fe–Sb–K for the partial oxidation of propylene to acrolein, the composition dependence of activity and selectivity, no. 4, 535.

– Co–Mo–Bi–Fe–Sb–K for the partial oxidation of propylene to acrolein, changes in the phase composition under reaction conditions, no. 4, 545.

– Cr<sub>2</sub>O<sub>3</sub> in the dehydration and dehydrogenation of isopropanol, effects of small amounts of cationic tin, antimony, and tellurium additives as studied by Mössbauer spectroscopy, no. 3, 380.

– Mn–Bi–O/α-Al<sub>2</sub>O<sub>3</sub>, surface complexes in ammonia oxidation to nitrous oxide, *in situ* IR spectroscopic and XPS study, no. 4, 555.

– commercial STK for selective NO<sub>x</sub> reduction by hydrocarbons in excess oxygen, adsorption properties, no. 4, 516.

– commercial STK for selective NO<sub>x</sub> reduction by hydrocarbons in excess oxygen, spectrokinetic characteristics of intermediate complexes, no. 4, 525.

– rhodium, formation of small metal particles on the surface of a carbon support, no. 1, 114.

Catalysts Ce–Zr–Y–La–O with a fluorite structure, synthesis and characterization, no. 6, 884.

- Cu-ZSM-5, activity, the effect of the chemical nature of the starting copper salt, no. 4, 613.
- Fischer-Tropsch, the influence of the pore structure of silica on the sizes of the Co particles, magnetic study, no. 5, 719.
- , Zr–Fe intermetallides in the  $\text{Al}_2\text{O}_3$ /Al matrix, no. 5, 743.
  - for hydrogenation based on palladium complexes with primary phosphines, formation and properties, no. 4, 572.
  - for methylaniline synthesis, no. 3, 376.
  - for oxidation of CO and hydrocarbons, self-propagating synthesis, no. 5, 752.
  - for reforming, scientific bases for the synthesis and improvement of manufacturing technology, no. 5, 684.
  - for styrene polymerization, Ni(I) cationic complexes, no. 5, 712.
  - , metal–filamentous carbon, from fundamental research to technology, no. 5, 660.
  - , metallocene, partially hydrolyzed alkylaluminum compounds as active heterogenized components, no. 6, 853.
  - , monolith, for selective oxidation of hydrocarbons into synthesis gas at short contact times, findings of the Institute of Catalysis, Siberian Branch of the Russian Academy of Sciences, no. 2, 227.
  - , preparation, current tendencies, no. 5, 634.
  - $\text{Pt}/\text{M}_x\text{O}_y/\text{Al}_2\text{O}_3$ , oxygen storage capacity, comparative study, no. 4, 550.
  - Ru–Cs<sup>+</sup>/MgO and Ru–Cs<sup>+</sup>/Al<sub>2</sub>O<sub>3</sub> for ammonia synthesis, the effect of the support on the metal–promoter interaction, no. 6, 891.
  - Ru–Cs/Sibunit for ammonia synthesis, promotion, an XPS study, no. 4, 597.
  - , silver, for partial oxidation, structure and properties of phosphates on the surface of polycrystalline silver, no. 1, 144, 151.
  - , structured, theoretical and experimental aspects of using, no. 3, 414.
  - , CoMo and NiMo sulfide, supported on Al<sub>2</sub>O<sub>3</sub> and activated carbon, the effect of support, tracer study, no. 1, 77.
  - , study of the deactivation kinetics, no. 5, 693.
  - , supported, contactless methods for directly measuring the temperature of nanoparticles of the active component, no. 2, 282.
  - , vanadium-containing oxide, mechanism of carboxylic acid formation, no. 2, 217.
  - , zeolite-containing, for oil processing and petrochemistry, no. 5, 758.
- , Ziegler–Natta, supported, for olefin polymerization, mechanism based on data on the number of active centers and propagation rate constants, no. 2, 166.
- Catalytic conversion of natural gas, summary of the Proceedings of the International Symposium Held in Dalian, China, on June 6–10, 2004, no. 1, 159.
- Centers, paramagnetic, nitrogen-containing in vitreous silica, no. 4, 578.
- Chemisorption, microfaceting and thermodynamic stability of the surface, no. 2, 295.
- , chemisorbed atoms and molecules of reactants as active sites in heterogeneous catalysis, no. 4, 464.
- Chlorohydrocarbons, reactions with copper(I) chloride complexes, mechanism, no. 1, 52.
- Combustion of hydrogen–air mixtures in shock waves, no. 6, 789.
- Complexes of copper with monoethanolamine immobilized on the surface of silica, catalysis of carbon tetrachloride conversion, no. 1, 65.
  - with polyfunctional ligands chemically immobilized on the surface of silica, catalysis of carbon tetrachloride addition to olefins, no. 1, 72.
  - with strong symmetrical hydrogen bonds in acid solutions in aprotic solvents, ionizing properties, acidity functions, no. 1, 37.
- Cubane, derivatives, thermal conversion, calorimetric study, no. 6, 800.
- Cyclohexanol, liquid-phase oxidation, composition and stability of peroxide products, no. 3, 340.
- Deactivation of catalysts, problems of kinetic studies, no. 5, 693.
- Dihydrogen, adsorption on mesoporous materials at 77 K, no. 4, 603.
- Dimethyl disulfide, hydrogenolysis to methanethiol in the presence of cobalt sulfide catalysts, no. 6, 873.
- Dioxygen, oxidation of hydrocarbons via *in situ* formed peroxide intermediates, no. 2, 204.
- Diphenylamine, oxidation with potassium persulfate, influence of micelles of different types of surfactants on the mechanism, no. 3, 364.
- Ethane, adsorption on the hydrogen, sodium, and zinc forms of a Y-type zeolite: IR spectra and *ab initio* quantum chemical calculations, no. 3, 407.
- Gold, NADH oxidase activity of nanoparticles in aqueous solution, no. 3, 373.
- Heteropolyacids, phosphorus–molybdenum–vanadium, reduced, oxidation with dioxygen in aqueous solutions, kinetics, no. 3, 354.
- , surface acid sites of  $\text{H}_3\text{PW}_{12}\text{O}_{40}$  as studied by the adsorption of stable nitroxyl radicals, no. 1, 123.
- Hydrogenation of 2-butene and norbornene, catalysis by rhodium complexes, mechanistic study with H<sub>2</sub>–D<sub>2</sub> mixtures, no. 6, 844.
- Hydrogenolysis of dimethyl disulfide to methanethiol in the presence of cobalt sulfide catalysts, no. 6, p. 873.

Hydrolysis of *N*-aryliminotriphenylphosphoranes, mechanism, no. 1, 21.

- of sulfonyl chlorides by hydration complexes of 2-propanol, solvation bifunctional catalysis, influence of the substrate structure, no. 1, 29.
- Ignition of the hydrogen–oxygen mixture, the effect of gas discharge, no. 6, 775.
- Inhibition of combustion and detonation of hydrogen–air mixtures behind the shock front, no. 6, 789.
- Isobutane, alkylation with butenes and oligomerization of C<sub>4</sub> olefins in supercritical reagents, no. 6, 834.
- Kinetic data, mapping using time series, no. 3, 301.
- Luminescence of Al<sub>2</sub>O<sub>3</sub> crystal modifications excited by the ArF excimer laser, no. 2, 260.
- Methanol, steam reforming, activity enhancement of CuZn-impregnated FSM-16 by modification with 1,3-butanediol, no. 1, 56.
- Nanoparticles, iron–carbon, formation behind shock waves, no. 3, 309.
- of gold, NADH oxidase activity in aqueous solution, no. 3, 373.
- Nitro compounds, aliphatic, decomposition and oxidation in supercritical water, no. 6, 821.
- Olefins, polymerization on supported Ziegler–Natta catalysts, mechanism based on data on the number of active centers and propagation rate constants, no. 2, 166.
- , reactions with ozone in aqueous solutions, kinetics, no. 6, 826.
- Oxidation of alkanes and alkenes with peroxynitrous acid in aqueous solution–gas phase systems, kinetics and mechanism, no. 3, 344.
- of alkenes with nitrous oxide, molecular mechanism, DFT analysis, no. 2, 177.
- of CO on platinum-group metal catalysts, oscillatory dynamics of the reaction, modeling by the Monte Carlo method, no. 4, 453.
- , modeling of surface CO oxidation using modified adsorption rules, no. 1, 96.
- of cyclohexanol, liquid-phase, composition and stability of peroxide products, no. 3, 340.
- of diphenylamine with potassium persulfate, mechanism, influence of micelles of different types of surfactants, no. 3, 364.
- of ethylbenzene with dioxygen in the presence of iron(III) tris(acetylacetone)-based catalytic systems, mechanism, no. 3, 328.
- of hydrocarbons into synthesis gas at short contact times, selective, design of monolith catalysts, main process parameters, no. 2, 227.
- with dioxygen via *in situ* formed peroxide intermediates, no. 2, 204.
- of powder aluminum, hydrothermal, synthesis of porous composite materials, no. 5, 641.
- , dissociative adsorption of oxygen, data of scanning tunnel microscopy, no. 1, 128.
- of methane, configuration of the chain ignition region and dynamic regimes, no. 1, 10.
- of propane with oxygen on nickel in a self-oscillation mode, no. 2, 251.
- of propylene to acrolein on the catalyst Co–Mo–Bi–Fe–Sb–K, the composition dependence of activity and selectivity, no. 4, 535.
- of reduced phosphorus–molybdenum–vanadium heteropolyacids with dioxygen in aqueous solutions, kinetics and mechanism, no. 3, 354.
- of some substituted benzhydrols by N-bromosuccinimide, kinetics and mechanism, no. 3, 334.
- , photocatalytic, over TiO<sub>2</sub>, gas-phase reactors, no. 3, 437.
- on TiO<sub>2</sub>, gas-phase processes, no. 3, 422.
- on TiO<sub>2</sub>, photocatalysts for liquid-phase and gas-phase processes and the photocatalytic degradation of chemical warfare agent simulants in a liquid phase, no. 2, 189.
- Oxides of alkaline and rare-earth elements, structure, texture and acid–base properties, no. 5, 620.
- Ozone, reactions with olefins in aqueous solutions, kinetics, no. 6, 826.
- , – with chloride ions, catalysis by metal ions in an acidic medium, no. 1, 138.
- Palladium, activation of carbon–halogen and carbon–oxygen bonds, oxidative addition step, no. 4, 495.
- , activation of the C–O bond on the surface, *in situ* study by X-ray photoelectron spectroscopy and sum frequency generation, no. 2, 269.
- Perovskites La<sub>1-x</sub>Sr<sub>x</sub>FeO<sub>3-y</sub> (x = 0–1), reactivity in oxidation reactions, no. 5, 729.
- Photocatalysts based on TiO<sub>2</sub> for liquid-phase and gas-phase processes and the photocatalytic degradation of chemical warfare agent simulants in a liquid phase, no. 2, 189.
- Polymerization of butadiene in the presence of mixed catalytic systems based on VOCl<sub>3</sub> and titanium compounds, no. 3, 368.
- of olefins on Ziegler–Natta supported catalysts, mechanism based on data on the number of active centers and propagation rate constants, no. 2, 166.
- Propane, oxidation on nickel in a self-oscillation mode, no. 2, 251.
- Pyrolysis of mixtures containing Fe(CO)<sub>5</sub> and C<sub>3</sub>O<sub>2</sub>, formation of iron–carbon nanoparticles behind shock waves, no. 3, 309.
- Radicals, nitroxyl, reactivity, mutual effect of functional groups and the radical center, no. 4, 472.
- Reaction of carbomethoxylation of methylacetylene–allene mixtures, catalysis by palladium complexes, no. 1, 43.

–, direct oxidation, between alkenes and nitrous oxide, molecular mechanism of reaction, DFT analysis, no. 2, 177.

–, Heck, of unactivated aryl bromides with styrene, role of catalyst deactivation and regeneration, no. 1, 47.

– of ozone with chloride ions, catalysis by metal ions in an acidic medium, no. 1, 138.

Reactions, monomolecular, rate constants, calculation in the limit of strong collisions, thermodynamic approach, no. 6, 839.

– of cyclization and decyclization of nitrogen- and oxygen-containing radicals, kinetic parameters, no. 1, 1.

– of decomposition and oxidation of aliphatic nitro compounds in supercritical water, kinetics, no. 6, 821.

– one-electron, of chlorohydrocarbons with copper(I) chloride complexes, no. 1, 52.

Reactors, optimal designs for catalytic processes, no. 5, 705.

Reduction of  $\text{NO}_x$  by hydrocarbons, selective, in excess oxygen on oxide catalysts, no. 4, 516, 525.

Sorbents for water, composite, composition and properties, the effect of the interaction between salt and the silica surface, no. 5, 736.

Styrene, polymerization involving Ni(I) cationic complexes, no. 5, 712.

–, reactions with unactivated aryl bromides, role of catalyst deactivation and regeneration, no. 1, 47.

Supports for catalysts, cordierite-like, based on clay materials, no. 4, 609.

Synthesis of methyl-*tert*-amyl ether, the effect of the degree of hydration of the cation exchanger on the catalytic activity and reaction mechanism, no. 4, 502

– of porous composite materials via the hydrothermal oxidation of powder aluminum, no. 5, 641.

Zeolites CuZn/FSM-16, methanol steam reforming, activity enhancement by modification with 1,3-butanediol, no. 1, 56.

– HNaY and HZSM-5, use of  $\text{N}_2$  and CO as probe molecules for determining the properties of acid sites on the surface, no. 1, 100.

– LiSX and CaA, diffusion of ethane–hydrogen mixtures as studied by diffuse reflectance IR spectroscopy, no. 6, 879.

–, Mo-containing, deactivation during nonoxidative conversion of metals, no. 5, 724.