

Correction to How Much Force Is Needed To Stretch a Coiled Chain in Solution? [*Macromolecules* **2009**, *42*, 4400.DOI: 10.1021/ma9005523]. Hui Ge, Fan Jin, Junfang Li, and Chi Wu\*

Page 4401. The label of Figure 1 and the data of Table 1 were miscopied. In the label of Figure 1, " $M_{\rm w}=1.8\times10^6\,{\rm g/mol}$ " should be " $M_{\rm w}=1.8\times10^7\,{\rm g/mol}$ ". In Table 1, the data of " $Q_{\rm c}$ " and " $q_{\rm c}/[k_{\rm B}T/(3\pi\eta)]/10^{-2}$ " at "34.30 °C" should be exchanged with "37.70 °C". The correct Figure 1 and Table 1 are shown below:




Figure 1

Table 1							
T/°C					37.70		
$Q_{\rm c}/10^{-2}{\rm mL}\cdot{\rm h}^{-1}$	4.25	1.50	1.10	0.60	0.75	1.75	4.25
$q_{\rm c}/[k_{\rm B}T/(3\pi\eta)]/10^{-2}$	4.32	1.47	0.99	0.56	0.72	1.52	3.56
$f_{\rm h}/{ m fN}$	144	58	35	19	20	38	101

DOI: 10.1021/ma901493v Published on Web 08/04/2009