


A+F SOFTWARE A+F

PAINTER £8-00




From the dark depths of "A&F Software's", development centre, comes the Game of the Year. 100% Machine Code, Fast, Addictive, Multiple Screens, High Score, Sound, Colour, 6 Skill Levels – "SOFTWARE AT ITS BEST"

Available now for all BBC users. Fill in the grids with your painter, before the chasing fizzers get you, drop gaps to confuse the fizzers, but don't trap yourself.

RUNS ON ALL OS's requires 32k memory.

PRICES - CASSETTE £8.00 - DISC £11.50

FROGGER



Arcade action with this version of the well known popular arcade game. Written in machine code to run on all OS's in 32k. Can you get your Frog across the road and river to safety.

PRICES CASSETTE £8.00 - DISC £11.50

PLANES



Waves of aircraft and helicopters are attacking you, using your defence base you must destroy the diving raiders before they can wipe you out. Written in machine code to suit all OS's will run on any 32k BBC.

PRICES - CASSETTES £8.00 - DISC £11.50

A fully interactive graphics adventure game, fight the monsters and demons as you find your way into the tomb room to steal the "Pharoah's Mask". Beware the "MUMMY".

Runs on all OSI's in 32k.

PRICES CASSETTE £8.00 - DISC £11.50

TORCH USERS - ALL PROGRAMS AVAILABLE ON DISC AT £15.50 PER TITLE

Orders to: A&F SOFTWARE, 830 Hyde Road, Manchester, M18 7JD enclosing cheque/P.O. payable to A&F Software (MICRO-LINK).

061-223 6206 (24 hrs)




To avoid confusion please state BBC on your order thank you.

24 HOUR ANSWERING SERVICE FOR TELEPHONE ORDERS



Telex: 667461 ATTN A&F)





Vol. 1 No. 2

April 1983

Managing Editor

Derek Meakin

Features Editor
Mike Bibby

Art Editor
Peter Glover

Advertisement Manager
John Riding

Advertising Sales
John Snowden
Mike Hayes

Tel: 061-456 8383 (Editorial) 061-456 8500 (Advertising)

Telex: 667664 SHARET G

Published by:
Database Publications Ltd,
Europa House, 68 Chester Road,
Hazel Grove, Stockport SK7 5NY.

Subscription rates for 12 issues, post free:

£12 - UK

£13 - Eire (IR £16)

£18 - Europe

£15 – USA (surface) £25 – USA (airmail)

£15 - Rest of world

(surface)

£30 - Rest of world (airmail)

BBC Micro User welcomes program listings and articles for publication. Material
should be typed or computer-printed, and
preferably double-spaced. Program listings should be accompanied by cassette
tape or disc. Please enclose a stamped,
self-addressed envelope, otherwise the
return of material cannot be guaranteed.
Contributions accepted for publication
will be on an all-rights basis.

c 1983 Database Publications Ltd. No material may be reproduced in whole or in part without written permission. While every care is taken, the publishers cannot be held legally responsible for any errors in articles or listings.

BBC Micro User is an independent publication and neither the BBC nor Acorn Computers Ltd are responsible for any of the articles in this issue or for any of the opinions expressed.

Distribution to the news trade in the UK and Ireland is by Wells Gardner, Darton and Co Ltd., Faygate, Horsham, West Sussex RH12 4SU (tel: Faygate 444). Enquiries regarding overseas distribution should be made direct to the publishers.

CONTENTS

9

NEWS

Keep up to date with all the latest developments in the bustling BBC Micro world.

14

TELETEXT

MODE 7 can produce impressive graphics. Our experts tell you how to get started.

18

LISTINGS

Having trouble keying in listings? We review some common copying errors.

20

TUTORIAL

We show the first-time user that programming is nothing like as hard as it might sound.

27

DO-IT-YOURSELF

It costs next to nothing to use your BBC Micro to measure heat and light.

29

GRAPHICS

Learn to draw multi-coloured lines in the next stage of our graphics course.

34

STRUCTURE

Play NIM – and find out how structured programming can easily write itself.

36

GAME of the MONTH

Fly your helicopter to rescue King Kong's victims - but watch those deadly rocks!

40

HOW IT WORKS

More about the operating system in our conducted tour through the BBC Micro.

49

MONITORS

Part II of our series reviewing colour monitors available for the BBC Micro.

51

HANDBOOK

An essential reference guide for Basic programmers in an eight-page pullout.

55

TAPE OFFER

Save yourself the chore of keying in programs from this issue with our cassette.

SOFTWARE

Programs galore - but are they all they claim to be? Our frank reviewers give you the facts.

60

UPGRADE

Part II of our Beeb Body-building Course explaining how to turn an 'A' into a 'B'.

66

WORKSHOP

Discover the ROM's action addresses with our helpful keyboard listing program.

69

COMPETITION

Win a year's supply of software by taking over where our missing Percival left off.

70

ERROR-TRAPPING

Have fun with your horoscope - and learn the best ways to avoid operator errors.

72

SHOWTIME

Make a date for the first of our national get-togethers at the BBC Micro User Show.

74

BITS & BYTES

Binary code - the key to understanding the inner workings of your BBC Micro.

78

MEASUREMENTS

How your micro can be interfaced to become a powerful research tool.

81

DISC-OVERY

The formatting program that gives you a much wider choice of disc drives.

83

DISASSEMBLER

What is that machine code doing? This program lets you see what's going on.

98

MICROMAIL

An avalanche of letters greeted our first issue. Here's a small selection of them.

101

SAVE MONEY!

Your last chance of a £2 saving on the cost of a year's subscription to BBC Micro User.

Editorial

A SUPERB RESPONSE

WELCOME to the second edition of BBC Micro User – larger and more colourful than the last!

I was overwhelmed by the response to the first edition. Thanks for all the letters, and please keep them coming in. Every one is read and the points they raise seriously considered.

I'd be grateful if you would give your telephone number as well as your full address — it would be impossible for me to reply to all of your letters, but it's nice to have the option.

This month sees the start of Bits and Bytes, a series for non-experts that will eventually lead up to assembly language programming.

There were also requests for more of the "hard stuff". Well this month, as well as discussing the Basic keywords' action addresses in Programmers' Workshop, we give a full listing for a hex dump/disassembler. In future issues we shall be using this to probe the working of the BBC Micro's ROM.

Deathwatch produced a large crop of letters, almost all praising the game highly. One or two people had difficulty typing it in. The BBC Micro seems to be particularly prone to "invisible" typing errors, so we've devoted a whole article to typing in listings. Let's hope that solves some problems.

Mind you, we didn't make the task of typing the programs in any easier by providing you with listings that were faint in places. Sincere apologies – it won't happen again. Oddly, only a couple of letters mentioned that problem – you're a very charitable lot!

'The response to the review of monitors was gratifying. It seems there is a huge demand for objective tests of hardware, so we've provided some test card programs for monitors. We shall be doing reviews of discs and printers soon.

Is there anyone out there who can give us an objective set of benchmark programs that we can use as criteria for evaluating these? If so, we would be glad to hear from you.

The same goes for would-be contributors. We have already received some excellent articles and programs, but are always on the lookout for more.

Mike Bibly

CEMIN CEMIN

It can do a powerful job for yo

SPECIAL LIMITED OFFER

Buy just any two programs at £19.95 and take one at £19.95 FREE!



CASH BOOK ACCOUNTS PROGRAM FOR BBC MICRO . . . £ 95.00

One of the most innovative business programs on the market. Most serious accountancy packages are written and coded by professional and competent programmers. The Gemini Cashbook Accounting

program was written by practising Chartered Accountants and coded by professional and competent programmers. This is a fundamental difference.

This practical program is simple to use and will replace your manual cash and bank records and by giving you instant management information, it may even put your accountant out of job!

With exceptionally exhaustive user documentation, full technical back up and product update policy this program will increase the efficiency and profitability of your business. Take a look at the information this program will provide.

- * summary of VAT information to enable you to complete your VAT returns
- * cumulative receipts and payments report analysed over the standard profit and loss and balance sheet heading.
- * option for departmental analysis of sales and purchases
- * print out of all transactions
- * journal routine for entering transfers between accounts and year end adjustment for debtors, creditors etc.
- * year end trial balance
- * profit and loss account and balance sheet.

These statements can be produced at what ever interval you require e.g. monthly, quarterly or annually.

Coming soon:— Integrated Sales + Purchase Ledgers

"... the systems worked immaculately when tested ..."

"Mailist is a very professional piece of software.

(Which Micro & Software Review Feb 83)

Here's a range of software for the independent businessman that's designed to harness the power of your micro to deliver the vital information you need in all key areas of your business. A breakthrough on both price and performance, each program is fully tested and comes with all the documentation back up you need.

"Gemini's range of software is in the vanguard of the releases for 'serious' micro users . . ."

(Which Micro and Software Review)



SPREADSHEET ANALYSIS BEEBCALC £19.95 DRAGONCALC £19.95

FOR BBC AND DRAGON 32. Spreadsheet processors have proved to be important tools for using micros in business, scientific and domestic financial applications.

Without any programming knowledge at all, you may:—
 * Set up a computerised spreadsheet, with chosen row and column names.

- * Specify formulae relating any row or column to any other.
- * Enter your source data and have the results calculated.
- * Save the results on tape (or disk BBC) for later reloading and manipulation.
- * Print the tabulated results in an elegant report format.
- * Experienced users may access saved files and write their own reporting or graphics presentation programs for the results.

Some typical applications:-

- * Small business accounting applications, e.g. profit and loss statements and cashflow projections, break-even analyses etc.
- * Investment project appraisal anything from double glazing to oil rigs!

* Comparing rent/lease/buy options

* Processing the results of scientific experiments or field studies

* Engineering calculation models

* In fact, anything that involves repeated re-calculation of results presented in tabular or spreadsheet format.

Program Availability Chart:-

	1.103rdin Availability Citare.								
	Database	Stock Control	Mailist	Invoices & Statements	Spread sheet Analysis	Cashbook Accounting	Word processor	Home Accounts	Commercia Accounts
Sinclair Spectrum 16k or 48k	•	•	•	-				•	0
Dragon 32k or 64k	•	1246			•			•	
VIC20 (16k+)	•	•	•	•				•	•
Sinclair ZX81 (16k+)	•						7119		
Grundy Newbrain	•								
Texas T199 4A	•							NO	
Atari 400/800 or Osborne 1	•								
Sharp MZ80A	•	•	•					•	•
Sharp MZ80K	•	•	•					•	•
Sharp MZ808	•	•	•			RIF	730	•	•
BBC micro model A or B 32K	•	0	0	•	•	•	•	•	•

SOFTMARE ur business at petty cash prices.

INVOICES AND STATEMENTS...£19.95

Compatible with most micros. See table. Ideal for the small business. A complete suite of programs together with generated customer file for producing crisp and efficient

business invoices and monthly statements on your line printer. All calculations include VAT automatically, and the program allows your own messages on the form produced. This program gives you superb presentation and saves time on one of the most tedious tasks in the office.



COMMERCIAL ACCOUNTS . . . £19.95

Compatible with most micros. See table. A gem of a program, all for cassette, with the following features:- Daily Journal. Credit Sales. Cash Sales. Credit Purchases. Purchases

- other. Sales Ledger. Purchase Ledger. Bank Account. Year to date summary. A fully interactive program suitable for all businesses. Files can be saved and loaded and totals from one file carried forward to another on cassette. Particularly useful from a cash flow point of view, with an immediate accessibility to totals for debtors and creditors. Bank totally supported with entries for cheque numbers, credits and, of course, running balance.



MAILING LIST . . . £19.95

Compatible with most micros. See table. A superb dedicated database to allow for manipulations of names and addresses and other data. Gemini's unique 'searchkey'

system gives you a further ten 'user-defined parameters' to make your own selections. Features include the facility to find a name or detail when only part of the detail is known, it will print labels in a variety of user specified formats.

DATABASE . . . £19.95

Compatible with most micros. See table. The program that everyone needs, the most valuable and versatile in your collection. Facilities include sort search, list print if required. Can be used in place of any card index application; once purchased

you can write your own dedicated database to suit your particular needs with a limitless number of entries on separate cassettes.



STOCK CONTROL . . . £19.95

Compatible with most micros. See table. Dedicated software with all that's necessary to keep control of stock. This program will take the tedium out of stock control and save time and money. Routines include stock set up, user reference

number, minimum stock level, financial summary, line print records, quick stock summary, add stock, delete/change record and more. HOME ACCOUNTS . . . £19.95



Compatible with most micros. See table. Runs a complete home finance package for you with every facility necessary for keeping a track of regular and other expenses, bank

account mortgage, H.P. etc. This program also allows you to plot graphically by Listograms your monthly outgoings.

WORD PROCESSOR . . . £19.95

Compatible with most micros. See table. This program features routines found in much larger and more expensive packages with a typical word length of 5-6 letters it allows for around 1000 words in memory at one time. Ideal for the user who


requires a simple program to write letters on his computer. Features include, block delete, block insert, search and replace, edit text, display text and more.


Dealer/Trade enquiries invited – generous trade discounts for quantity Special ACCESS card instant sales hotline for GUARANTEED despatch within 24 hours ... Tel: 03952-5165


24 hr Ansaphone Service.

All enquiries other than credit card sales to 03952-5832 Gemini. Functional Software Specialists. 9, Salterton Road, Exmouth, Devon.

Tick the box for Program you require. Prices include V.A.T. and Package and Postage. Please supply the following cassette software. BBC Cash Book disk or tape£95.00 Stock Control£19.95 BBC Disks – other titles£23.95 Mailing List£19.95 Invoices and Statements£19.95 Osborne Disk Database£23.95 Commercial Accounts£19.95 Word processor£19.95 Home Accounts£19.95 Dragoncalc £19.95 □ Address Memory Size Machine Type_ I enclose Make cheques and postal orders payable to Gemini Marketing Ltd. Diners Card Number_ Access Number Signature_ DINERS CLUB Gemini. Functional Software Specialists, 9 Salterton Road, Exmouth, Devon. EX8 2QG.









The BBC Microcomputer is made to excel, made to do a lot more than market forces demand, and certainly more than other manufacturers seem to appreciate!

With that same progressive attitude, Bug-Byte have produced four superlative new programs, all of which are designed to use the facilities of the BBC Micro as no others can:

Galaxy Wars

City Defence

Waves of deadly missiles attack you from above – each capable of totally destroying its target. You have just three bases from which to defend yourself, and can only control the last of five missiles in the air at any one time to preserve your city.

Space Invaders

Wave after wave of aliens mindlessly meandering downwards, dropping their destructive payloads on earth. It's up to you to stop them.

E7.50

Music Synthesizer

Transform your BBC Micro into a dynamic instrument! Our complete Music Editor/Synthesizer allows enter and edit of 3 voices on the Music Stave, + Effects section. Definable envelopes allow you to make the sound of your choice.

Also: Auto Composer — You set the parameters, and auto-composer will compose and play the tunes. Terrific value. £9.50

All programs run on BBC Model B or Expanded Model A. They work with all current BBC ROMS.
All prices include VAT — not available direct.
See the full range of Bug-Byte cassettes at larger branches of Boots, W.H.Smiths, Micro-C, Spectrum, Laskys or your nearest Computer Dealer.

DEALER ENQUIRIES WELCOME - Write to Barbara Smathers for Free Introductory Pack



100 The Albany, Old Hall Street, Liverpool L3 3A

BBC MICRO April 1983 VEE VES

Econet given the ITC seal

SALES SOAR

SALES of the BBC Micro have broken new records, and the production target has been increased to 12,000 a month in order to meet the everincreasing demand.

Latest figures released by Acorn show that in February nearly one out of every five customers paid extra to have the Econet interface fitted.

Most were for the educational market. But a substantial number went to multiple users such as British Telecom, the DHSS and the National Physical Laboratory.

of approval

ECONET - the low-cost networking system that can allow up to 254 BBC Micros to communicate with each other - gets a massive boost with news that it has been given an official seal of approval by Britain's 200 Information Technology Centres.

At the same time Acorn has revealed that sales of Econet systems have now reached 250 a month.

More than 500 BBC Micros have been installed in ITECs, which were set up by the Department of Industry and the Manpower Services Commission to train school leavers in computing skills.

Econet chief Peter O'Keeffe, who is Acorn's networks manager, said its big attraction was its cheapness. Setting up an Econet network cost £50 for each micro on the system - just a quarter the cost of the nearest comparable system.

"It makes networking a reality for so many different kinds of organisations", he said.

Inexpensive

"In business it is used for internal communications and electronic mail. In industry it becomes an inexpensive data collection and manipulation system, eliminating the need for a central computer to poll the data collection points.


"And in education it means disc storage,

printers and other expensive peripherals can be shared - with teachers viewing one or more pupils' screens from a remote terminal."

Acorn have announced there are to be two versions of Econet. The first, due out at the end of this month, requires the use of one of their earlier systems to act as the network's "administrator". The second, to be released at the end of July, uses a BBC Micro with second processor in this role.

The second processors themselves, planned to go on sale this month, have been delayed. They will not be officially launched until the end of

June.



• An Econet system links these BBC Micros with other classrooms at Felsted School, Essex.

Getting down to **Basics**

WHEN is a new Basic not a new Basic? Apparently when it's Acorn who've issued it.

Despite earlier assurances to the contrary, there is a different version of Basic going out with present machines.

This has been confirmed by an Acorn spokesman. He told BBC Micro User that the Basic "wasn't different, but it was transparent". Some minor bugs had been removed but programs that worked with the old Basic would definitely run with the new.

The latest Basic is said to be much more accurate. However, according to some dealers, it's still far from perfect. One snag is that it cannot even divide by ten properly.

For example, something like 576 divided by ten gives 575.9999 etc. And that can cause problems if you're using the result of such a calculation in a TAB statement.

At least one software house is also said to be having difficulties with the new basic.

CASSETTE BREAKTHROUGH

AT last there is a source of cassette recorders guaranteed to work on the BBC Micro -Leasalink Viewdata Limited (LVL).

They have been adapting cassette recorders so that they are fully compatible with the BBC machine. Each modified cassette comes with an LVL certification label.

LVL are best known as the distributors of the BBC Micro to the trade.

Less well known is that they are one of the country's foremost exponents of viewdata technology, currently working on several new projects.

They are also imple-

menting Hero, a networking facility designed specifically for computer assisted learning.

Revision

Their latest venture has been prompted by the revision of the golf handicapping rules - a task which is causing golf clubs all over the country to cry out for assistance.

LVL have brought out a program which not only solves this problem but aids the clubs with other housekeeping duties.

The whole package, which includes a BBC Micro with dual disc drives, costs well under £2,000.

Aquarter million dollar USA launch for BBG Micro



BBC personality David Jacobs has been chosen to star in a promotional videotape which will be used to spearhead Acorn's drive into overseas markets.

Copies will be sent to every country on Acorn's export list and will be shown to firms interested in taking on dealerships for the BBC Micro.

Apart from describing the many advantages of the BBC Micro, goldentongued David also introduces many of the peripherals now available for the machine.

ACORN joint managing director Chris Curry is back from a flying visit to Boston, where he has been putting finishing touches to the launching of the BBC Micro on the American market.

Meeting in the spanking new headquarters of the recently formed Acorn Computer Corporation, he has been holding a series of high powered meetings with his advertising and PR executives approving plans for D-Day -April 16.

That is when the prestigeous Public Broadcasting System starts screening the BBC's "The Computer Programme", which we saw here a year ago. And it coincides with the start of a coast-to-coast publicity campaign to boost the BBC Micro.

For Acorn, persuading the American TV chiefs

to take the series was an expensive undertaking. It cost them a cool quarter of a million dollars - well over £160,000.

But Acorn are convinced it will be money well spent. Despite the tremendous competition they are up against, they are predicting they will be able to sell between 60,000 and 80,000 BBC Micros in the United States in the next 12 months.

American magazines are forecasting that the BBC Micro will take the US market by storm.

One reviewer calls it "the most verstile small general purpose computer I've ever seen."

The Americans rave

over the BBC Micro's exceptional graphics and its potential for expansion: "The graphics and colour quality are better than anything we have seen in a personal computer."

The lack of a disc system as standard gives rise to one of the few criticisms. In the States cassette storage is considered archaic.

One writer explains its use by stating that "In the UK disposable income is not as available as in the United States." He probably means we're poorer over here.

The DFS used by Acorn is also generally considered to be "primitive and slow."

Despite this, general agreement is that with the development of the BBC Micro the British have stolen the lead from the Americans in the field of personal computers.

WORDWISE ROM IS WAITING FOR THAT 1.2 MOS

SALES of Computer Concepts "Wordwise" word processor ROM are soaring. Well over 1,000 are now in use and orders are still pouring in.

Charles Moir, managing director, said: "We're not surprised. It's an excellent

piece of software and is rapidly becoming a standard in the field.

"The only thing that's holding us back is the wait for the new 1.2 MOS from Acorn.

Our system needs 1.0 or over.

"Once 1.2 is readily available we expect to exceed even our present sales."

Following on this

success Computer Concepts are planning to produce a whole series of ROMs covering machine code and disc utilities, as well as

Spreadsheet?

Ready for release as soon as the documentation is finished is a machine code debugging ROM, which will be followed shortly by a ROMbased spreadsheet program promised to be "very powerful".

Electronics have linked an electronic ECG to the BBC Micro. It uses a length of optical fibre coupled to an opto-isolator to ensure that the patient is isolated from the mains power source. Retailing at £46, the unit has the advantage that its electrodes do not business applications. require the use of saline gel, as they are mounted on velcro straps.

> The firm has been inundated with requests for its range of BBC interface products.

Coming soon is an electronic stopwatch which measures to an accuracy of one microsecond.

particularly from educa-

tional establishments.

BBC

Micro

into

brain

waves

USING the latest tech-

nology, Blackboard

Sideline takes over..

FOUR BBC Micros, linked in a working Econet system, were the stars at the opening of a new showroom for BBC Micros in Bradford.

A local firm, Eltech, took up an Acorn dealership in 1981.

The reason, according to Catherine

Tweddle, one of the directors of the company, was: "It seemed at the time like a good idea for a sideline."

It was the phenomenal growth of that sideline that necessitated the new showroom, with its ranks of BBC Micros, software and books.



ACORN JOIN IN WITH PROJECT THE BBC Micro has UNIVERSE

been called in to play a leading role in a massive £3 million project designed to considerably expand the use of micros in high speed, long distance communications via satellite.

Acorn's top engineers are the latest recruits to the three-year Project Universe, a unique collaboration between the government, universities and private industry.

The aim of this worldbeating programme is to develop economic ways of enabling simple network terminals, such as the BBC Micro under Econet, to talk to mainframe computers in any country.

This will give them access to vast stores of information held on the world's largest computers.

The first public demonstration of the BBC Micro's role in this ambitious enterprise

came last month when BBC machines in London and Cambridge talked to each other via satellite.

This was made possible by a special interface developed by Acorn subsidiary Orbis Computers. They are now working on several unique devices for high speed communication between computers that will be used as part of Project Universe.

Demonstrated

Orbis general manager Peter O'Keeffe said: "We have now demonstrated that the BBC Micro is capable of being used in three different levels of networking - Acorn's own Econet system, which is used principally in educational computing, over the public telephone line via an RS423 link, and connected to the high speed Cambridge Ring."

The Ring is a pioneering system in which packets of digitised information circulate at a data transmission rate of one megabit a second.

At the heart of the project is the Orbis-designed interface based on the Motorola 68000 microprocessor. This latest state of the art chip is capable of handling up to one million instructions a second.

Graphics

As many as 12 more of these satellite links are now being made for the next stage in the development of Project Universe.

Other teams actively involved in Project Universe are from University College London and Loughborough University who are operating the BBC Micro as an interactive graphics terminal, using a low-cost system also developed by Orbis.

They have already

carried out successful experiments with high speed transfer and retrieval of text and pictures to and from remote databases.

Using this method they can store individual screen frames for image analysis.

Acorn engineers are also working in close collaboration with specialists at Cambridge University and the Science and Engineering Council's Rutherford Laboratory.

Although much of Project Universe's activities is still in the development stage, a pilot scheme is expected to get under way next year in which banks and insurance companies will be invited to use the satellite links for international data transmission experiments.

Norweb loan for a micro!

FIFTY pounds towards your BBC Micro and an interest-free loan for the rest! That's the offer the North West Electricity Board have made to their staff.

On top of this generous offer, they are prepared to pay the fees of any of their staff who undertake an approved National Extension College Basic course.

Not surprisingly, there has been a great response. Norweb have even organised a competition to find the best piece of job-related software written by their staff.

Are there similar schemes under way in other firms? If readers know of any, please write and tell us.



LAST month's launch of BBC Micro User coincided with the start of Micronet, the new overthe-telephone electronic magazine. And our arrival was duly recorded in Micronet's news section, with a two-page story about our plans.

However, the attraction of the new service is not so much its ability to provide micro enthusiasts with up to the minute news about their favourite machine as its provision of downloadable software.

Free

When the service opened there were 100 free programs ready for BBC users, as well as 50 programs with a price

tag, ranging from 50p to £8. One of the first programs to go on line via Micronet was the arcade game Deathwatch, which we featured in last month's BBC Micro User.

Already more than 10,000 people have applied to join Micronet. One in four of them are users of the BBC Micro.

Mars business system for Z80

PROSPECTS for the BBC Micro to be considered as a serious business machine have been greatly enhanced by Torch Computer's release of a version of

Mars on their BBC Micro Z80 disc system.

Mars – which stands for Management Accounts and Reports System – now available on a wide range of micros, is regarded as one of the best in its field. It is, in fact, only the first of a whole new range of software products now planned by Torch.

Meanwhile Acorn's

own business machine is promised for the end of the year. Even so they'll have to move fast as the specification itself is unlikely to be finished until the autumn.

Dr Music likes Micro

STAR of the BBC-TV series, "Make the Most of Your Micro", has undoubtedly been fuzzyhaired Dr David Ellis, one of Britain's foremost exponents of computer music. Last month he was seen giving a virtuoso performance as he demonstrated some of the musical capabilities of the BBC Micro to presenter Ian McNaught-Davis (seen with him in our picture).

Said David: "I think the BBC Micro has great potential for making music. It could become one of the most costeffective sound systems

available."



Primary software

THE loan of one of the first BBC Micros to a Hampshire primary school has led directly to the formation of Bourne Educational Software, a company devoted solely

to providing educational software for the primary age group.

"Unlike so many others in this field we design our programs with teachers fully involved right from the start," said one of the founders, David Spurling.

One unusual feature of the programs' structure is that they incorporate a monitor which allows adults easy access to details of the child's performance.

COLOUR

MORE than four billion different shades of colour can be produced on the BBC Micro, according to software house Gaelsett.

By adding two easy-touse commands to the BBC's Basic their Extended Colourfill Graphics package gives the micro capabilities only to be found on machines costing many times the price.

Cost of the package is £10.

Wanted - a girl micro mech

WANTED - a female computer engineer to work on BBC Micros! No, it's not sex discrimination, it's just that Lyn Farmer, managing director of Microstyle, wonders if they exist.

Says Lyn: "We employ mostly women here, not because it's a matter of policy, but because we find that females do the work better than men.

"They're better at selling, and they are more administratively oriented."

The formula must work. With outlets at both Newbury and Bath, Microstyle has gone from strength to strength since it was founded three years ago.

Lyn, who originally worked as a secretary until she decided to go solo, said: "If you can manage a boss, you can manage anything."

So if you're an exsecretary who's into fixing BBC Micros, why not give Lyn a ring?

GOOD NEWS: The speech synthesis ROM will be out at the end of May, costing £60.

BAD NEWS: It takes up 6k of memory in use.

COMPUTERSPEAK

TO Jane Jackson, one of our reviewers, congratulations on her impending motherhood. Congratulations, too, on her managing to convey the information in terms that even our computer-fixated editor could understand: "Did you know I'm going to have a micro-programmer?"

BARRY WOOD'S TAILPIECE

IT'S not different —
it's transparent."
That's the latest comment from Acorn
about the new Basic
ROM.

Well, perhaps our editor swallowed that, but I'm sure those of us who've suffered from Acorn's ROM saga in the past will be more sceptical.

We're too used to Acorn's announce-ments. And as for this one, well, "it's not different — it's transparent."

I'M sure we're all

excited to know that Atorn have taken a giant step for mankind and brought the BBC Micro into the world of satellite communications.

Might I suggest that someone at Acorn try ringing the phone number they give on their literature? The lack of response they get might prompt them to take a giant step into the world of the telephone.

* * *

SOMEWHERE at Acorn there is a genius. I can picture him now, all acne and enthusiasm, beavering away in a basement. It's he who is responsible for the steady flow of operating systems, basics and disc filing systems, each better than the previous version — or at least with a few of the mistakes corrected.

In the interests of us all, why don't Acorn rescue this genius from the depths, take him outside and shoot him?

* * *

LATEST academic

pronouncement that affects we "toy" programmers — or micro enthusiasts, as we like to be known — is to the effect that the proliferation of these monstrous machines is causing our children to become "intuitive" programmers.

This is supposed to be a bad thing.

The academic mafia, it would seem, would rather that we protect our children from undisciplined doodling with the malignant micro until they reach the rarified atmosphere of the

universities.

There they shall be taught at the altar of mainframes, learn well the rituals of structure, and speak in tongues of Pascal.

I'm all in favour of intuitive programming. I don't think that messing about with Basic will spoil them for higher things.

As our beloved editor quotes in his forthcoming book, Zen in the Art of Computer Programming: "When the programmer is ready, the language will come."

Official BBB Dealer

£52


£196

BBC Model B £399

(price includes VAT. Carr. extra £8)

Complete Upgrade Kit £50 Installation Individual Components also available.

All mating connectors with cables in stock.



2nd Processor (6502) + 64K RAM £170 £170 2nd Processor (Z80) + 64K RAM

Please Phone to Check Delivery Details on New Add-ons

WIDE RANGE OF SOFTWARE HELD IN STOCK

SEND or PHONE FOR OUR BBC LEAFLET

BBC COMPATIBLE 51/4" DISC DRIVES

These are TEAC mechanism fully compatible with BBC. They are supplied with independent power supply and housed in BBC matching cabinet.

SINGLE DRIVES: 100K £190 200K £255 400K £345

200K £360 400K £480 800K £610 DUAL DRIVE:

Carr. £6/Single drive £8/Dual drive. Disc Cable: Single £8 Dual £12

EPSON MX80 & 100F/T3

 MX80: 80 Cols. 80 CPS • MX100: 136 Cols. 100 CPS . Bit Image Printing

 Hi-Res Graphics
 Bi Directional Logic Seeking • International Characters

32 Print FONTS • Auto underline

Super & Sub Scripts

MX80 F/T3 £325 + £8 Carr. MX100 F/T £425 + £10 Carr.

Basic Programming on BBC £5.95 30 HR Basic (NEC) £5.95 Let your BBC teach you to Program £6.95 BBC Micro Revealed £7.95 Assy. Lang. Program on BBC £8.95 Program the 6502 £10.75 6502 Games £10.75 6502 Software Design £10.50 (No VAT on Books - £1 p&p/book)

BBC DISC SYSTEM

Disc Interface inc. 1.0 operating

System £95 Installation £20

BBC Single Drive (100K)

£230 + £6 Carr.

BBC Dual Drive (800K)

£POA

A wide range of Software from Acorn, BBC and others for education and fun

in stock.

For Full Details of Add-ons for BBC Send for our Leaflet.

BOOKS

DISKETTES

in packs of 10

Single Sided 40 tracks £15 Single Sided 80 tracks £24 Double Sided 80 tracks £32 p&p £2/pack

PRINTERS NEC PC8023 BEC

• 80 Cols. 100 CPS • Proportional Spacing • Hi-Res & Block Graphics

 Bi-directional Logic Seeking
 Forward & Reverse Line Feed • International & Greek Alphabet . Auto underline

 Super & Sub Scripts • 2K Built-in buffer

£345 + £8 Carr

Please send SAE for our detailed price list of electronic and computer components

MONITORS

Microvitec 1431 14" Colour Monitor £269 + £8 Carr.

Microvitec 2031 20" Colour Monitor £389 + £8 Carr.

Kaga 12" Colour Monitor RGB £250 + £8 Carr.

Kaga 12" Antiglare Green Monitor £107 + £6 Carr.

Hi-Res 12" Green Screen Antiglare

Monitor £99 + £6 Carr.

SEIKOSHA GP100A

• 80 Cols. 30 CPS • Self Testing • Hi-Res Graphics . Standard & Double width characters only

£185 + £6 Carr.



Ferguson Cassette Recorder £26 + £1.50 Carr. Cassette Leads 7 pin DIN 3 jacks £3.50 7 pin DIN pin DIN + jack £4.00

We carry a wide range of connectors and assemblies, Microprocessors, RAMs, EPROMs, Crystals, etc. Price Lists, Leaflets available on request. Large stocks enable same day despatch on most orders. Special pricing for dealers purchasing in quantity.

ECHNOMATIC LTD

MAIL ORDERS TO: 17 BURNLEY ROAD, LONDON NW10 1ED SHOPS AT: 17 BURNLEY ROAD, LONDON NW10 (Tel: 01-452 1500, 01-450 6597. Telex: 922800) 305 EDGWARE ROAD, LONDON W2

PLEASE ADD 40p p&p & 15% VAT

(Export: no VAT, p&p at Cost) Orders from Government Depts. & Colleges etc. welcome.



Detailed Price List on request. Stock items are normally by return of post.



MODE 7's effects are achieved by using special non-printing characters as used in Teletext. Pages 486 to 489 of the User Guide give tables of these. They are the characters with Ascii codes 129 to 159.

The major advantage of using this mode is that the entire display occupies less than 1k (1024) bytes of memory, leaving quite a lot left for programs. An example is the program "Kingdom" on the Welcome tape. It is nearly 9k and still has impressive graphics.

The effects available include:-

- Seven colours and flashing characters.
- Low resolution graphics (80x75).
- Seven background colours.
- Mixing of any display and background colour.
- Hiding and revealing text portions on the screen.
- Enlarged (double height) characters.

MODE 7 however does not allow redefinition of characters as in other modes.

The format and colour of the display is controlled by special "hidden" characters. These act as "switches" and take up character positions on the screen appearing as "blanks".

In all the other modes the format of the text is changed by altering parameters in the machine operating system.

The characters can be sent to the screen via PRINT or VDU statements.

All of the effects apply only to the line on which the special character is printed, unlike other modes where changes of colour etc, apply "until further notice".

When programming MODE 7 care must be taken in planning the display because the presence of hidden characters in the text may cause unexpected indentation or long gaps between characters. Most functions are set with a single special character, some effects however need two or more of these characters.

Coloured text in MODE 7

We will call the special character that changes the foreground colour the colour character. By placing a colour character in the output, characters following it will be displayed in the new colour until either:

a. The end of a physical line (column 39) is reached, or

b. Another colour character changes the colour again.

The colour character itself is printed as a space. For example, the alphanumeric colour character for red is CHR\$129. Thus to print a line of



By PAUL LEMAN and STEVE SWALLOW

AT first sight MODE 7 looks as though it will produce easily readable characters but not much else. With a little effort, however, it can be made to produce most of the effects available in text in other modes as well as giving a low resolution (80x75) graphics capability.

text in red either of the following would do:

100 PRINT CHR\$129"RED letter day."
or:

100 VDU 129

105 PRINT"RED letter day."

Note that the text starts in column 1 (second character in) because the colour character appears as a space. This is unavoidable.

The colour of a word can be changed by changing the colour character. The whole word does not have to be reprinted.

If the colour character preceding a word or phrase or line is at position

X,Y on the display then the following procedure will change its colour to New. For alphanumerics New must be in the range 129 to 135.

100 DEFPROCNEWCOl (X, Y, New) 110 LOCAL X1, Y1 120 X1=POS: Y1=VPOS 130 VDU 31, X, Y, New, X1, Y1 140 ENDPROC

A phrase or word in the middle of a sentence is always preceded and followed by a space (well almost always). If colour characters are used instead of spaces the word will be coloured. The second colour character at the end of the phrase returns the printing to the original colour.

Example 1: The word MISTAKE must always be printed in red wherever it occurs:

10 MODE 7

20 M\$=CHR\$129 +"MISTAKE"+CHR\$135

30 REM CHR\$129=RED, 135=WHITE

40

50

100 PRINT"YOU HAVE MADE A"; M\$; "IN ANSW ERING"

Example 2: A general function that prints a word in a given colour:

10 MODE 7

20 DEF FNdisplay(words, colour)=CHRs(colour)+words+CHRs135

30 red=129:green=130:yellow=131:blue= 132

100 PRINT"THE NEXT WORD IS"; FNdisplay(
"RED", red)

110 PRINT"BUT THIS WORD IS"; FNdisplay(
"GREEN", green)

120 PRINT"HOWEVER THE WORD"; FNdisplay ("BLUE", yellow); "MAY CONFUSE SOME PEOPLE

Altering the background colour

The background colour can be altered in a similar way to the foreground colour although one extra control character is required.

The character CHR\$157 sets the background colour to the current foreground colour for that character (which appears as a space in the new colour) and all subsequent characters until the end of the line or a second occurrence of CHR\$157 or of CHR\$156. This last character CHR\$156 switches back to a black background.

Since the background colour set by CHR\$157 is the current foreground colour (usually white) the text on the screen merges with the background and cannot be seen. To reveal the text the foreground colour must be changed

again after the occurrence of CHR\$157.

Users will find the VDU command helpful in setting up the foreground/background colours since several colour characters are needed.

100 VDU 157
Line goes white
100 VDU 157,129
Line goes white, text red
100 VDU 129,157,130
Line goes red, text green
(three characters indentation)

Flashing characters

Text or graphics can be made to flash from the foreground to background colour by the use of CHR\$136, and can be returned to normal with CHR\$137.

100VDU 129,157,136,130 105 PRINT"Flash green on red."

Double height characters

Many of the Welcome programs use large characters for their titles, and these are obtained using CHR\$141. This control code will cause all the remaining characters on a line to be printed in large mode. This effect can be turned off with CHR\$140.

You will notice that if you type VDU 141 as a direct command then the following line you type in displays the UPPER HALF of the large letters. The line below that displays nothing.

To obtain full large letters the text and CHR\$141 must occur on consecutive lines.

The following example uses a procedure that will print a string of double height characters at position X,Y on the screen. There are limits on X,Y (not checked by the program). X must be greater than 1 and Y must be less than 23, because two rows are needed.

10 MODE 7

20 PROCbig("hello",10,10)

30 END

100 DEFPROCbig(text\$, X, Y)

110 LOCAL oldx, oldy

120 oldX=POS:oldY=VPOS

130 VDU 31, X-1, Y, 141:

Big letters from column X

140 PRINT texts; CHR\$140:

Print text and turn big letters off

150 VDU 31, X-1, Y+1, 141: Second row

160 PRINT text\$; CHR\$140

170 VDU 31, oldX, oldY:

180 ENDPROC

Colour control codes apply to big letters, but only to the line on which they occur. Thus it is possible to have

TELET EXT MOI E 7

big letters whose upper and lower halves are in differing colours with differing backgrounds.

Graphics characters

As mentioned earlier, MODE 7 also has a low resolution graphics capability. The graphics characters are formed on a 2x3 block grid and are available if colour characters 145 to 151 are used.

These graphics symbols can be displayed in contiguous mode, as shown in the table or in separated mode where there is a background colour boundary between and around the six cells of each symbol.

Separated mode is turned on with CHR\$154 and contiguous mode returned to with CHR\$153.

100 PRINT CHR\$145CHR\$154CHR\$185CHR\$153 CHR\$185

Another facility only available in graphics mode is to "hold" a graphics symbol. A control character is normally displayed as a space, thus there is usually a space between colour changes on any one line.

The control character for hold is CHR\$158, and it allows an abrupt colour change by displaying a held character in the space where any control character occurs. This character is displayed in the mode holding for its position.

The held character is the last graphic symbol used, provided that no change has since occurred in the normal/double height or alphanumeric/graphic mode. A space is used if there has been no previous graphic symbol.

This mode is released with CHR\$159.

100 PRINT CHR\$146CHR\$158CHR\$185CHR\$150 CHR\$186

Ascii codes for graphics characters

Pages 488-489 of the User's Guide show that the graphics symbols can be obtained with either of two Ascii codes. It is in fact easier to use the higher


TELEZ ÉXT MOLE 7

numbered set, starting at 160. The Ascii code for any particular symbol can be calculated simply by use of the method shown below.

Each graphic symbol consists of three rows of two dots. Each "on" dot can be represented by a number added on to 160. These numbers are shown below. They just represent individual "bits" of a byte

1	2
4	8
16	64

Thus the symbol:



is represented by the Ascii code 160+1+4+16+64=245.

Remember to always allow room in the display for all the control characters if you are mixing lots of effects. The moment a control character is overwritten it ceases to have any effect.

More crib cards to stick on your BBC Micro

BBC MICRO USER

Programmer's guide 2 MODE 7 COLOURS

TEXT NUMBER	COLOUR	GRAPHICS NUMBER
129	Red	145
130	Green	146
131	Yellow	147
132	Blue	148
133	Magenta	149
134	Cyan	150
135	White	151

BBC MICRO USER

Programmer's guide MODE 7 CONTROLS

SPECIAL CODES		
NUMBER	EFFECT	
136	Flash foreground to background	
137	Stop flashing	
140	Normal height	
141	Double height on	
153	Return to continuous mode graphics	
154	Turn on separated made graphics	
156	Switch to black background	
157	Set background to current foreground colour	
158	Enable hold character	
159	Release hold character	

BBB MICRO MANCHESTER

We specialise in Professional Business Software for this machine – see bottom of this ad.

We stock all the following:

All Cumana Disc Drives including Utilities Disc and DFS Manual.

PRINTERS

Please phone for latest prices on above.


SOFTWARE

The North's best stockist of Acornsoft. We always have in stock:

Snapper, Planetoid, Rocket Raid, Arcadians, Meteors and Monsters, Castle of Riddles, plus Program Power selected lines.

We also supply Professional Standard Business Software including Integrated Accounts, Pub Stock Control and Video Shop System. Plus TAILORMADE SOFTWARE TO ORDER.





COMPUTERS

184 Market Street, Hyde, Cheshire SK14 1EX. Tel: 061-366 8223



EDUCATIONAL & BULK DISCOUNTS AVAILABLE

Probably the widest selection of software available by mail order. All the top manufacturers including Acorn Soft, IJK (Sinclair), Superior Software, Bug Byte, Program Power, Hessel, Procyon.

PHE STORES

BBC MICROCOMPUTERS

WITH THE LATEST 1.2 OPERATING SYSTEM

DARE (OU) ENTERS

THE

CASTLE OF RIDDLES . . . £9.95

Best adventure game yet for the BBC Micro.

By the way - we keep a very full range of software for the BBC Micro, send s.a.e. for price list.

Latest Slim Line TEAC Drivers with Utilities & Manual from £195.00

Microvitec "Cub" Monitor. True 80
Column Definition at a new low
cost.

Revolutionary "Spark-jet" Printer from ACORN 50 lines per minute and no noise!

PRESTEL

Available now on the BBC Micro
OEL Acoustic Modem &
Software & Lead
(Converts the BBC Micro into a
Prestel/private viewdata receiver.
£175.00 all inclusive

Make your favourite programs full time residents with an ATPL EPROM PROGRAMMER £138.00

Program, verify, read & check for blank 2516, 2716, 2532, 2732, 2564, 27128, 27256 Single Rail Eproms.

ALL ABOVE PRICES INCLUDE VAT & CARRIAGE.

For full price lists or further details of any products send s.a.e.



ELTEC COMPUTERS

217 Manningham Lane, Bradford, BD8 7HH.

Telephone: (0274) 722512



ONE of the good things about BBC Micro User is that it lists lots of programs that I couldn't have written for myself, and others that I didn't know I needed until I saw them in print.

Once I've seen a set of listings though, I'm the type who has to have them on tape just in case I ever need them. Believe it or not, I still have all the examples from the Users Guide!

Because of this obsession, I must have typed in hundreds of listings, and in the process I've made so many errors that I consider myself an expert on the subject. Here I am going to try to pass on some of the lessons I've had to learn the hard way.

Entering listings can be both time consuming and frustrating. You do your best to type in a perfect copy and it doesn't work.

The normal reaction is to blame the magazine, but, believe it or not, the odds are that it's you who's made the error – usually just a simple mistake, but one that can cause a lot of heartache until you find it.

The trouble is that some of them are experts in camouflage.

Quite a lot are simple copying mistakes, such as leaving out a line or typing in the wrong variable name. Here a lack of concentration and typing expertise combine to produce errors.

Another rich source of confusion comes from the BBC Micro allowing you to use both capital and lower case letters which, if confused, lead to problems which are surprisingly easy to overlook. ERROR ONE shows the sort of thing.

10 REM ERROR ONE 20 LET EILEEN=31 30 LET X=35 40 IF Eileen<35 THEN PRINT "Eligible"

I'm afraid the only way to reduce errors like these is to take time and trouble copying in the listing. Check the line before you press RETURN. I know it sounds horribly prim, but time and trouble taken at the beginning do reap rewards later.

Try to have at least a rough idea of what the program is supposed to do and try to understand the place of the line in the scheme of things. Ask yourself "What's happening now?" as you enter a line.

I call this active as opposed to pas-

Listings loopholes

Or how the fickle finger of fate foils your best endeavours

sive copying, and while at first it takes some effort, it soon becomes second nature and pays the double dividend of making a boring job interesting and increasing your knowledge of Basic.

Having said that, it's surprisingly easy to daydream while copying in listings!

Next come two rather stupid errors for which I seem to have a great aptitude. The first is not clearing out old programs when typing in new listings. This can result in odd lines turning up in the middle of the program you're trying to copy, or, if your new listing is shorter than the program already in the machine, additional lines at the end.

The moral is, use NEW when you enter a new listing (and, of course, run the cassette bugs fix if you need to). ERROR TWO shows what can happen if you don't – line 45 is fairly obviously left over from a previous program.

10 REM ERROR TWO
20 LET EILEEN=31
30 LET x=35
40 IF EILEEN<35 THEN PRINT "Eligible"
45 IF Door\$="OPEN" THEN PRINT "ENTER
AT YOUR PERIL"

The other stupid error is to use the AUTO command to set up the line

numbers, then forget about it and type the numbers in anyway. A line number in your listing looking like 1010 or 2020 is a dead giveaway. (Notice also that the line 1010 is not treated as such by the micro, but as line 10.) Moral—if you use AUTO, don't forget it!

1010REM ERROR THREE
20LET EILEEN=31
3030 LET X=35
401F EILEEN(35 THEN PRINT "Eligible"

Typing mistakes are another fruitful source of anguish. If you put in NAD instead of AND or PINT instead of PRINT, you haven't been paying attention to your typing, and more care is needed.

The BBC Micro will flag your errors, and they're fairly easily picked up by comparing the original with what you typed in. Try running ERROR FOUR to see this. (Incidentally, if you mispell a variable the micro will probably give you the message "no such variable".)

10 REM ERROR FOUR
20 LET EILEEN=31
30 LET X=35
40 IF EILEEN<X THEN PINT "Eligible"

Some typing errors aren't so easy to spot. In fact they are masters of disguise, the Scarlet Pimpernels of the computer world. These are the lookalikes, the characters in the type set that are similar in appearance but mean vastly different things to the computer.

The classic error is to confuse zero, "0" which is a number, with "O", the letter of the alphabet. It's surprising how difficult this is to spot when you are copying in listings. It can lead to chaos when the program is run, or, rather, doesn't. ERROR FIVE should illustrate this.

10 REM ERROR FIVE
20 FOR X=1 TO 10
30 PRINT "YOU'VE CONFUSED 'O' AND
'O'"
40 NEXT

Similarly, there can be confusion between the number one, "1", and the lower case letter "1". These are used as the same thing on a typewriter, but are separate keys on the BBC Micro. Capital "I" also likes to get in on the mistaken identity act, especially when being used as a loop variable.

10 REM ERROR SIX
20 FOR X=1 TO 1D
30 PRINT "YOU'VE CONFUSED '1' AND
'1' "
40 NEXT

The last masters of disguise are the fullstop ".", the semi-colon ";" and the comma ",". They are all close together on the keyboard. Given this and the fact that they look alike on poor quality listings, the conditions are ripe for a mistake to be made.

The results of an error in punctuation can vary from displays in the wrong place, through error messages, right the way to blank screens and hung programs.

Try messing about with the punctuation of a VDU statement and see what happens! My penchant is for missing out the semicolon from statements such as VDU 29;640;512; – it can cause a lot of problems.

If you want real trouble, mix up the punctuation in a data list. For example,

DATA 3,3.5,4,4.5

can become

DATA 3,3,5,4,4.5

If you mix up a decimal point and a

comma this will, of course, result in the wrong data being read. At times this causes a very subtle form of confusion since, if the number of items in the list is increased, the BBC Micro won't flag an error.

All the previously mentioned faults are common but none are so common as the next, and final, class of errors. I call them the Space Invaders. They creep in easily and they can be the very devil to detect. No doubt you've been told that BBC Basic ignores extra spaces and so it does, but sadly there are some spaces it will not ignore. Usually these are in subscripts attached to keywords. For example it is

RND(123) not RND (123)

and

DIM B(12) not DIM B (12).

Also note that it is

X + 0.5 not X + 0.5

ERROR SEVEN demonstrates the idea.

10 REM ERROR SEVEN
20 PRINT TAB (10); "YOU'VE MADE A
SPACING ERROR"
30 REM IT SHOULD BE TAB(10), NOT
TAB space(10)

As you probably know, BBC Basic allows keywords to be embedded in variables. That is, you can have variable names like GOODRUN and SHOPLIST, but you can't have the variable names starting with a keyword, so RUNNER and TOMATO are right out.

Of course, in a decent listing the variable names will be all right, but it is because the BBC Micro allows embedded keywords that another type of Space Invader error, almost the complete opposite of the earlier type, can occur. This is not too many spaces but too few.

It happens when you type a keyword immediately after a variable without 'leaving a space between them like:

15 IF BILL>MONEYTHEN PRINT "BROKE!"

The point here is that the micro, unconcerned about the embedded keyword, looks for a variable called MONEYTHEN, which will lead to an error. ERROR EIGHT demonstates the type. 10 REM ERROR EIGHT
20 LET HEA=3
30 LET X=2
40 IF X<HEATHEN THEN PRINT* YOU'VE
RUN A VARIABLE AND A KEYWORD TOGETHER
TO MAKE A NEW VARIABLE NAME*

That concludes our review of some of the more common copying errors – all easy to fall into, but fairly simple to correct once you know what you are looking for.

As some of the error messages might not be what you expect, try running the examples so that you'll find fault tracing less confusing in practice. As an exercise, I've left you MISTAKE to try to debug — never was a program so aptly named!

I'm sure that you'll come across other errors that can occur while typing in listings — if so please write in and let me know, and I'll pass them on.

Finally if, after all this, your program doesn't work, remember it may not be you. I once spent hours on a program listing from a well-known book on the BBC Micro wondering why it didn't work. Eventually it dawned on me: The print colour was the same as the background!

Now take the bugs out of this

1010 REM MISTAKE VDU 28,5.30,17;0 20 COLOUR O 30 REM THIS PROGRAM ATTEMPTS TO 40 50 PRINT '1,2,3,4,5' COLOUR 128 60 70 FOR 0=1 TO 5 Print TAB (9), 0,"."; 80 NEX 90

Part Two of MIKE BIBBY'S introduction to programming

Keep Vour and fall not

THIS month we are going to begin to write our own programs. Nothing spectacular mind, but enough to give you a quiet glow of satisfaction. Firstly, let's discuss briefly what we did last month.

We learned that to "talk" to the computer we had to speak to it in a language it already understood, called Basic. We also learned how to get the BBC Micro to do sums for us and to print out messages, or strings as they are known.

One basic word we used quite frequently was PRINT, which instructs the micro to write or print things out on the screen. For instance, to do the sum 4+4 we typed

PRINT 4+4 [Return]

where [Return] means you should press the return key - this sends the message we have typed to the computer. Hopefully it then responds by printing the correct answer, 8.

Similarly, we could do subtraction, multiplication and division - the symbols for which are "-", "X" and "/" respectively. Notice particulary the division symbol. Although you can produce the "+" symbol on the screen in Mode 7 (by pressing "∞"), the BBC Micro does not interpret this as meaning division you must use "/".

We also learned that to print out messages we had to surround them with quotes, as we do when recording speech. So, to print the message "GOOD MORNING" on the screen we type: PRINT "GOOD MORNING" [Return] which causes the message to be written on the screen. Now on the BBC Micro we can use lower case or small letters, so we can print "Good Morning" by using:

PRINT "Good Morning" [Return] Notice that PRINT itself remains in capitals. This is because it is a special Basic word - a keyword. For the BBC

Micro to realise that it has a special meaning, it must be written in capitals, as must all other Basic words. For the moment, keep Caps Lock on - this will prevent you from falling into this error.

So far we have given the computer one instruction at a time, which it carried out immediately after we pressed Return (assuming we'd typed it correctly).

Sometimes, though, we want to give the micro a series of instructions and then tell it to carry them out. for instance, suppose we want the message:

PROGRAMMING

EASY

to appear on the screen. With our stepby-step method, we would have used: PRINT "PROGRAMMING" [Return] PRINT "IS" [Return] PRINT "EASY" [Return]

But, as you'll see if you try it, this doesn't produce the required effect, since each successive instruction spoils the layout.

We need to give the computer the instructions so that it

- 1. Prints out PROGRAMMING
- 2. Prints out IS
- 3. Prints out EASY

in sequence, without stopping to ask us what to do next. Such a sequence of instructions is called a program. Notice also that the sequence is numbered after all, the computer needs to know the order to carry them out in.

Now let's write a program to print out

PROGRAMMING

EASY

We were on the right lines with the first attempt, but this time, let's try numbering our instructions as we enter them.

First of all, we shall enter Mode 6, a text-only mode with:

MODE 6 [Return]

into error!

Now type:

NEW [Return]

NEW is a Basic keyword that clears out the computer's memory. If you don't do this the program you are typing in might get jumbled up with a previous one – you'll see more clearly how this can happen later.

You probably think that you haven't got a program in at the moment, but use NEW anyway, because it is possible that you might have entered a line or two by chance.

Then type:

10 PRINT "PROGRAMMING" [Return]
Notice two things:

• The first instruction is number 10, not number 1. In computing we tend to number our instructions in steps of ten for reasons that will become blindingly obvious later. We call the number of an

instruction its line number.

The computer didn't immediately carry out the instruction — it didn't print out PROGRAMMING after we pressed Return. This is because of the line number. It tells the computer that what follows isn't to be done immediately but is to be remembered for later as it is just one in a series of instructions. I'll prove that the computer actually does remember it in a moment.

Now type:

20 PRINT "IS" [Return]

30 PRINT "EASY" [Return]

What I'm going to ask you to do next should test your faith in me! Clear the screen by typing:

L + [CTRL]

All your typing should have disappeared, but don't worry — your work hasn't been wasted. Because of the line numbers, the computer has kept a list of your instructions in its memory. To see the list, type:

LIST [Return]

and your program should reappear.
We'll call it Program One:

10 PRINT "PROGRAMMING"
20 PRINT "IS"

30 PRINT "EASY"

If you have a problem don't worry — list your program and look for the lurking mistake

An important point coming up now. We have entered a program (a numbered sequence of Basic instructions) into the BBC Micro's memory and have got the computer to display those instructions with LIST. We have not, however, told the computer to do these instructions. It's like having written a shopping list — you still have to go out to the shops and turn your list into reality.

So to get the computer to actually do, or as we say, run the program in its memory, we type:

RUN [Return]

and, if we've typed it in properly, we should see printed out:

PROGRAMMING IS

EASY

If you've managed it, congratulations on running your first program. (If not, don't worry, it's probably some simple error. List your program and look for the mistake. You might actually have a message telling you that there is an error in a particular line. What we're about to do next, although it assumes that you have been successful so far, will in fact show you how to correct your mistakes.)

Now let's try to alter our program so that it prints out:

PROGRAMMING IS

SIMPLE

If you look back at the first program you will see that you need to alter line 30.

Changing line 30 couldn't be simpler – just type in the new line 30, remembering to start with the line number 30, then press Return. The latest version will replace the old version in the computer's memory.

To demonstrate this, type:
30 PRINT "SIMPLE" [Return]
and then:

LIST [Return]

You should obtain Program Two, which is:

10 PRINT "PROGRAMMING"

20 PRINT "IS"

30 PRINT "SIMPLE"

An examination of this listing should reveal that the new version of line 30 has indeed replaced the old one. (Notice also that we didn't give LIST a line number – we wanted the BBC Micro to do it immediately.)

As a final proof that our amendment has been accepted, type:

RUN [Return]

You should now get the revised message.

You can use this technique to correct mistakes in your programs. For example, if you accidentally typed line 10 as:

10 PINT "PROGRAMMING"

then, when you tried to run it you would get the message "Mistake at line 10". (Note that you don't receive this message when you first enter the line, only when you try to run it.)

To rectify such mistakes, simply retype the correct version of line 10 and press Return to enter it into the computer – the correct version will replace the faulty one.

There are more sophisticated ways of correcting, or editing, a line, but they can wait for a while. For the moment we

From Page 21

shall simply retype the line, with its line number, and press Return. Of course, if you notice a mistake while you are entering a line, use the delete key to erase it, then continue typing from that point.

So far I have given you just two programs to run. However, using these as models, you can print out virtually any message you want on the screen. Just use line numbers in increments of 10, each line printing out part of the message you want out on the screen, by enclosing it in quotes after PRINT.

An important point about this series is that I'm going to give you lots of example programs to type in. Virtually all of them have two things in common:

- The make vital teaching points (otherwise they wouldn't be there in the first place).
- The output that is, what appears on the screen – is trivial in content and in many cases there are far easier ways of doing it.

Programming is a skill like driving – you can only improve by doing it, not reading about it. Please carry out the examples, however silly or obvious they may seem to you.

Also, and this is far more important, I want you to go beyond the programs – try to alter, adapt and extend them, just to see what happens.

Adopt an experimental approach and a healthy scepticism for my pronouncements. if you are wondering whether something will work, go ahead and try it – you can't hurt the computer from the keyboard, so let your imagination run riot.

You'll learn far more from your own examples than you will by merely echoing mine. And the good thing is that you get such prompt feedback from a computer. If what you write isn't acceptable you'll soon get a mistake or error message.

So what I'd like you to do now is to spend a good time writing simple "message" programs for the computer to run. For some reason, in my experience in computing classes the messages tend to become quite scurrilous. There's one thing I've never been too sure of — is it slander or libel when it appears on a VDU?

Remember, type NEW before each new program, and use line numbers for each instruction. It's also good policy to LIST your program before you RUN it, just to make sure that all is as you intend.

Now suppose we wanted to alter

Program Two so that it printed out the message:

PROGRAMMING IS RATHER SIMPLE

We need a line in there between 20 and 30 to print out "RATHER". Well, 25 is a number between 20 and 30, so let's try:

25 PRINT "RATHER" [Return]

If you list it you'll see that the program has now become Program Three:

10 PRINT "PROGRAMMING"
20 PRINT "IS"
25 PRINT "RATHER"
30 PRINT "SIMPLE"

So line 25 has "crept in" between 20 and 30. Even though we entered it out of order, the BBC Microcomputer stores it in memory in its correct numerical position. Try running the program as final confirmation.

This ability to insert lines into programs is the reason our line numbers go up in steps of 10 when we are writing programs — it leaves us plenty of spare line numbers in between for when we are patching them up.

Now enter Program Four:

10 CLS
20 PRINT "BBC"
30 PRINT "MICRO"
40 PRINT "USER"

remembering to press return after typing each line.

Now LIST it. Is there a phantom line 25 in there? If so, you didn't type NEW after the last program — the lines 10, 20 and 30 of the latest program have replaced those lines in the old program. But as the new program doesn't have a line 25, the old one remains to ruin your program. The moral is to use NEW before entering a new program.

If you have got an unwanted line 25, don't worry – you can easily get rid of it by typing:

25 [Return]

This will delete the line since you replace the old line 25 with a new line which contains nothing — which the computer then "forgets". This method holds good for deleting any line from a

program - simply type out the line number, then press Return.

Now Program Four contains the keyword CLS, which, as you shall see when you run the program, clears the screen.

If when you run the program, the top line seems to be missing, you can adjust the picture by typing:

*TV 255 [Return]

Before this takes effect you must change mode – in this case we wish to remain in Mode 6 so we type:

MODE 6 [Return]

This should take care of the problem. Now let's try to print out our message with blank lines between. We can use a line containing just PRINT to obtain a blank line, so program Five should do the trick:

10 CLS
15 PRINT
20 PRINT "BBC"
25 PRINT
30 PRINT "MICRO"
35 PRINT
40 PRINT "USER"

Alternatively, we can use an apostrophe at the end of the PRINT line to force the computer to "skip" a line. Program Six demonstrates this:

10 CLS
20 PRINT "BBC" '
30 PRINT "MICRO" '
40 PRINT "USER"

We can use apostrophes to create new lines before the string as well. program Seven shows this:

10 CLS
20 PRINT ' ' "BBC"
30 PRINT ' ' "MICRO"
40 PRINT ' ' "USER"

Actually we can achieve the whole of the above printing on one line with program Eight:

10 CLS
20 PRINT ''"BBC"''"MICRO"''"USER"

Line 20 makes sense if you think about it! Now try Program Nine:

10 CLS
20 PRINT "HELLO";
30 PRINT "DUT";
40 PRINT "THERE"

The output you will get is: HELLOOUTTHERE

i.e. each successive string is printed after the preceding one. The semicolon stops the next string being printed on a new line, "gluing" it to the end of the previous string printed.

Notice that, since there are no spaces inside the strings, none appear between the words when they are printed out together.

Try to get the message to appear legibly by rewriting the program with appropriate spaces in the strings. Also notice that you can obtain the same output, far more simply, with Program Ten:

10 CLS
20 PRINT "HELLO OUT THERE"

However, as I said above, the programs I present to you are for making teaching points, which does not necessarily imply showing you the most efficient methods.

Experiment with joining up the output of successive PRINT statements with the use of the semicolon until you feel confident about it.

And now for something completely different. Try running Program Eleven:

10 PRINT "I "
20 PRINT "FEEL"
30 PRINT "DIZZY"'''
40 GOTO 10

I think the effect is pretty impressive. So far all our programs have merely copied back onto the screen what you have typed in. This program shows how, with the addition of one line (line 40), you can obtain a huge increase in the amount of output. It is this ability, to repeat a simple operation rapidly, that gives the BBC Micro much of its power.

If things are happening a little too fast for you, you can temporarily halt proceedings by holding down CTRL and SHIFT together. When you release them things will continue at their normal rate.

What is happening is that the com-

puter follows lines 10, 20 and 30 and prints out:

I (line 10) FEEL (line 20) DIZZY (line 30)

followed by three blank lines due to the apostrophes. It then encounters line 40, which tells it to go back to line 10. It duly does so and prints out:

I (line 10) FEEL (line 20)

etc., until it reaches line 40, when it goes back to line 10 and so on ad infinitum. Notice that when the screen is full, it scrolls up to make more room.

Now the name for such a condition in a program, where you keep on repeating lines of code (as the program lines are known), is a loop.

We say here that we are in an unconditional loop because we haven't given the program any conditions for it to cease repeating itself. This is bad programming practice - compulsively introspective computers are not useful machines!

To stop such unconditional loops, you have to interrupt them from "outside" by either pressing the ESCAPE or BREAK key. Of the two, ESCAPE is to be preferred – you can compare it to stopping a car with the brakes. Using the BREAK key is more akin to stopping your car by driving it into a wall.

BREAK won't actually damage your computer, but it will cause you to return to the state of the computer on switch on, which is Mode 7, and with no program in when you LIST. (You can actually recover the program with OLD, but now we're getting ahead of ourselves.) Always use ESCAPE if you can.

If you want to have some fun with an unconditional loop, try printing out repeatedly an arrow composed of asterisks such as:

which will scroll upwards off the screen.

Finally, apart from its being an unconditional loop, which is always naughty, can you see what else is going wrong with this program?

10 CLS
20 PRINT "THIS IS "
30 PRINT "VERY SILLY"
40 60TO 10

If you missed last month's

BBC MICRO USER

you can still get a copy by filling in the coupon below.

Articles in our March issue included:

- ☐ Part 1 of our series on computing for beginners.
- ☐ How to build your own games paddle.
- ☐ Review of the Alphabeta word processor.
- ☐ Part 1 of our easy-tounderstand guide to text colours and graphics.
- ☐ Part 1 of our introduction to the BBC operating system.
- How to avoid cassette loading problems.
- DEATHWATCH! Complete listing of this brilliant arcade game.
- How to upgrade a Model A to B at half the shop price.
- Create your own micro portrait gallery with our "Shapes" program.
- ☐ Play Bingo and learn about random numbers.
- ☐ Part 1 of our evaluation of colour monitors for the BBC Micro.
- Speed up your processing time with our sorting routines.
- ☐ Programmers' Workshop shows how to test for function keys in machine code routines.

PLUS frank reviews of latest software programs and books devoted to the BBC Micro.

ORDER FORM

Please supply one copy of the March issue of BBC Micro User, for which I enclose a cheque/postal order for £1.25 (including p & p).

Name_

Address.

POST TO: Database Publications, Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY,

WATFORD ELECTRONICS

DEPT BBC, CARDIFF ROAD, WATFORD, Herts, England Tel Watford (0923) 40588. Telex: 8956095

MAIL ORDER AND RETAIL SHOP. TRADE AND EXPORT INQUIRIES WELCOME. GOVERNMENT AND EDUCATIONAL ESTABLISHMENTS OFFICIAL ORDERS ACCEPTED. Carriage: unless stated otherwise, please add min. 50p to all cash orders).

VATAPPLICABLE TO UK CUSTOMERS ONLY. ALL PRICES EXCLUSIVE OF VAT.

PLEASE ADD 15% VAT TO THE TOTAL COST INCLUDING POSTAGE. SHOP HOURS: 9.00am TO 5.00pm MONDAY TO SATURDAY. AMPLE FREE CAR PARKING, ACCESS ORDERS: Simply telephone through your order on Watford 50234/40588.

BBC MICROCOMPUTER Model A £299; Model B £399

incl. VAT (carr £7)


UPGRADE KITS. Upgrade your Model A to Mod. B with our Upgrade Kits and save yourself £ s s s

	BBC1 16K Memory (8 × 4816AP-	3 100nS) £16.00
	BBC2 Printer User I/O Port	£6.98
	BBC3 Disk Interface Kit	£65.00
	BBC4 Analogue I/O Kit	£6.40
	BBC5 Serial I/O Kit	£6.70
40.00	BBC6 Expansion Bus Kit	£6.10
	Printer Cable Ready made 36"	£11.95

Complete range of Connectors & Cables available for BBC Micro. Send SAE for list.

Complete Upgrade Kit Mod. A to Mod. B £43.00

DISC DRIVES 'TEAC' BBC Compatible



US50A-Uncased, Single sided,	
40 track, 5½", 100K	£125
CL50A - Cased, Single sided,	
40 track, 51", 100K	£150
 CS50A – Cased with own Power Supply, 	
S/S 40 track, 51", 100K	£180
CD50A - Twin Cased with own PSU,	
Single sided, 40 track, 5¼", 200K	£350
CS50E — Single Cased with own PSU,	
Single Sided, 80 track, 51/4, 200K	£250
CD50E — Twin cased with own PSU	
Double sided 80 track, 51 400K	£475
CD50F — Twin Cased with own PSU,	
Double sided, 80 track, 5¼", 800K	£599
 Mitsubishi Slim Line – Uncased, Double 	
density, Double track, 51/4, One	
Megabytes, track density 96TPI, track to	0040
	£249
Single Drive Cable for BBC Micro	£8
Twin Drive Cable for BBC Micro	£12
 10 Verbatim Diskettes, 5¼", S/sided 	£18
 10 Verbatim Diskettes, 5¼", D/Sided 	£30

BBC AP100A PRINTER




Dot res graphics. Parallel interface std. Our price includes FREE 500 Sheets of paper. ONLY £175 (£7 carr.)

- SEIKOSHA GP250X 10" Tractor Feed, 80 col. 50 CPS, normal & double width & height characters, RS232 & Centronics Interfaces standard. £235 (£7 carr)
- Printer Cable to interface above printers to BBC Micro

£11

NEC PC8023BE-C: Printer



100 CPS, Bidirectional, logic seeking 80 column, Tractor/Friction. 2K Buffer, etc. £320 (£7 carr.)

EPSON MX80FT/3

10" Tractor & Friction feed, 9 x 9 matrix, 80 col., speed 80 cps, Bi-directional, hi-res bit image graphics. Subscript & superscript, Italics & underlining. Only £324 (£7 carr) Printer Interface Cable for BBC £12

MX100FT/3


15" Carriage, 136 columns, plus all the facilities of MX80FT/3 Only £425 (£7 carr)

LISTING PAPER

 $8\frac{1}{2}" \times 9\frac{1}{2}"$ Fanfold paper plain or ruled £7 (150p carr) (1000 sheets) 15" fanfold paper (1000 sheets) £9 (150p carr)

Teleprinter Roll (econo paper) £3 (£1.50 carr.)

MONITORS



MICROVITEC 1431, 14" Colour Monitor, RGB Input, (as used in BBC Prog.)

Price including connecting Lead

£249.95 (carr £7)

ZENITH 12" Green Monitor. Excellent res.


£80 (carr £7)

CASSETTE RECORDER & ACC.

Top quality Slim-line, portable Cassette Recorder. Ideal for Computer use. Mains/Batt. operated with counter. £28.00 C12 Computer Grade Cassettes in library cases. 40p

STAK-PAK

The unique computer program filing and storage system. Made of tough black plastic these compact drawer sections hold two cassettes each and lock together



vertically to form miniature cabinets of any height. Each drawer section has two Agfa C12 Cassettes with labels plus external index card. Five twin Paks (10 Cassettes)

READY-MADE LEADS for BBC

CASSETTE LEADS 7 pin DIN Plug	
to 5 pin DIN Plug + 1 Jack Plug	£2.00
to 3 pin DIN Plug + 1 Jack Plug	£2.00
to 7 pin DIN Plug	£2.50
to 3 pin Jack Plug	£2.00
6pin DIN to 6 pin DIN Plug (RGB)	£2.50
	+ 11

RIBBON CABLE LEADS 36" long

(Female Plug at one end, other end free)

SK9 Printer Cable (26 way Female)	£2.75
SK10 I/O Cable (20 way Female)	£2.00
SK11 1MHz Bus Cable (34 way Female)	£3.20
SK12 Tube Cable (40 way Female)	£3.70

PRINTER LEAD 36"	
Ready Made	£11
Single DISC DRIVE Cable	£8
Twin DISC DRIVE Cable	£12

MISCELLANEOUS CONNECTORS Sockets Plugs 45p 30p 40p 30p

RGB (6 pin DIN) RS423 (5 pin Domino) 25p 65p Cassette (7 pin DIN) 25p 15p ECONET (5 pin DIN) £1.10 £2.15 Paddles (15 pin 'D')

IDC MALE Headers

to fit	BBC PC Board
2 x 10 way (20 pin User Port)*	£1.00
2 x 13 way (26 pin Printer Port)	£2.00
2 x 17 way (34 pin DISC Intr)	£2.35
2 x 17 way (34 pin 1MHz Bus)	£2.35
2 x 20 way (40 pin Tube)	£2.50

Official JOYSTICKS £11.50/pr

LIGHT PEN

All parts available for the Acorn User's "SHINE A LIGHT" Light Pen article for £8.50.

BUSINESS SOFTWARE for BBC Written by professional Chartered Accountants and coded by competent Programmers. Ideal for small and medium size companies. £82.00

CASH BOOK ACCOUNTS PACKAGE SPREAD SHEET ANALYSIS. BEEBCALC £17.35

INVOICES & STATEMENTS

Has customer file to produce Invoices & monthly statements. Calculations include automatic VAT. Saves hours of tedious work. £17.35

COMMERCIAL ACCOUNTS The features include: Daily Journal, Credit Sales, Cash Sales, Credit Purchases, others, Sales Ledger, Purchase Ledger Bank Account. Year to date summary. A fully interactive program suitable for all businesses. Files can be saved and loaded. Useful for Cash ilow control with an immediate accessibility to Debtors & Creditors totals. Bank totally supported incl. running balance £17.35

MAILING LIST A dedicated database to allow manipulation of Names, Addresses and other information. The unique 'searchkey' system gives further 10 user definable parameters for own selections. Facility to find name or detail when only part of the detail is known. Prints labels in variety of user specified £17.35

formats. DATABASE The program that everybody needs. Facility includes: Sort Search, List print if req., ideal for Card Index application. You can write your own Database to suit your req. with limitless number of

entries on separate cassettes. STOCK CONTROL Takes tedium out of stock control and saves time and money. Routines include stock setup, user reference numbers, minimum stock level, financial summary, line print records, quick stock summary,

add/delete stock, etc. HOME ACCOUNTS Runs a complete home finance package for you with every facility necessary for keeping track of all expenses like, H.P., Bank, Mortgage, etc. £17.35

 WORD PROCESSOR This program features routines found in much larger and expensive programs. Very easy to use. Allows 1000 words (approx) in memory. Ideal for writing letters. Features incl., block delete, block insert, search and replace, edit text, display text etc.

£17.35

SPACE GAMES

ALIEN DESTROYERS (32K) £7.95 Sensational, high speed 'Invaders' program with an abundance of features. This program has many unique extras e.g.: 'Battle Analysis' showing the number of each alien type shot down.

£6.95 ASTRO NAVIGATOR (32K) Navigate your way through a variety of treacherous caverns, inhabited by killer rockmites. There are 5 skill levels and the top 5 scores are ranked at the end. Excellent colour graphics and sound.

ASTEROID BELT (16K/32K) £7.80 A great new space game practically identical to the arcade original. An inspired piece of machine code programming producing one of the most exciting games around.

£6.95 CROAKER (32K) People - Huh! Pity us poor Frogs! Trying to hop the logs over the rivers was difficult but now the motorways. Then come the Crocodiles and diving turtles. Survival becomes just impossible. Arcade type, machine code, excellent sound and graphics.

HITCH-HICKER (32K) A great adventure game. Tests your skill and wits whilst trying to collect 5 objects scattered round the universe. Directions can be found in the clues.

£7.95 GALACTIC COMMANDER (32K) Nine phase aptitude test for aspiring space vehicle commanders. The program presents a real challenge and the use of machine code and hi-res graphics makes for beautifully smooth action. Great sound effects.

LASER COMMAND (32K) £6.95 Classic Defence of 6 Cities against attack from Alien plus random bombing raids from alien spacecraft. Super fast machine code arcade game with superb sound and graphics.

£6.95 MARTIANS Very popular. Defend your plant against the descending Martians with your Force-Field but beware of the Destroyers who can annihilate

£6.95 SPACEMAZE (32K) You have crash landed in the legendary labyrinth of Titan, inhabited by monsters known as 'FROOGS'. Find your way through to the TRANSMAT' before being cornered and eaten. The game has 8 levels of skill and 3D colour graphics.

SWOOP (32K) £6.95 The new Galaxians it's here at last! Galaxian style machine code arcade game. 30 screaming, homing, bomb-dropping, explosive egg-laying Birdmen, swooping down in ones and two's to destroy your laser bases. The explosive eggs feature makes a normally difficult game into a challenge 'par excellence.

£7.50 TIMETREK (32K) The ultimate 'real-time' Startrek, where indecision in the battle zone is your major enemy. 20 skill levels. Special features: Panic Button for once only space leap, New Klingon fleet after 30 Stardates and Torpedo sight control.

OTHER GAMES

£7.50 ADVENTURE (16K/32K) All the excitement, intrigue and frustration of a mainframe adventure. Explore the tortuous forests, dark caverns and castle dungeons. Great skill and imagination are required to play this game.

£7.95 ZOMBIES' ISLAND (32K) Fight for survival on an island inhabited by hungry, dangerous cannibals. An excellent Basic and Machine Code program.

£5.80 CHARACTERS (16K/32K) Makes redefining of Invaders, Foreign Characters, Technical symbols, etc., character shapes simpler. Clumsy binary and hexadecimal notations are not req. anymore.

£9.95 CHESS (32K) An excellent machine code program with superb Mode 1, colour graphics, 6 levels, play black or white, illegal moves rejected, 'en passant' casting, take back of moves and display of player's cumulative move-time.

COWBOY SHOOTOUT (32K) £6.50 Full feature, 2 player, cowboy shooting game. Hide behind the cactus plants and moving chuck wagons until they are shot away. Shoot your opponent and avoid getting hit yourself.

ELDORADO GOLD (32K) £6.50 Legend has it that old Bill McCusky, who met a sudden death, had built up a vast treasure somewhere in the nearby territory. Can you end up rich where many have failed?

FOOTER (32K) £6.95 Another high resolution graphics game from the author of our Galactic Commander. A 2 player game in which each player has to use his football skills to try to out run, out dribble and finally score against his opponent. A serious contender to 'Match of the Day'.

£9.95 LOGO II This language is now very popular in American schools as it is an ideal educational program. It can graphically demonstrate the ideas of defined procedures, sub-routines, loops and even recursive programming. Gives excellent intro to LOGO language for your and old alike.

MUNCHYMAN (16K/32K) £6.95 Colourful and highly entertaining version of the popular arcade gamet Munch your way to high score before the Munchers devour you.

REVERSI (16/32K) A sophisticated multi-option game. Play against the computer or another player or even watch the computer play itself. 5 skill levels allows any player to enjoy the game without continually winning (or losing).

£5.95 ROULETTE (16/32K) All the fun of the Casino in your own home. This is a beautifully presented game for up to 6 players. The odds are calculated according to the official rules.


SNAKE (32K) £7.80 An arcade type game. Gives hours of fun. One of the best games available for this machine. Try it for yourself.

APPLICATIONS

£6.50 CONSTALLATION (32K) The great Bear! The Southern Cross! The Horned Goat! See the night sky gloriously depicted in hi-res graphics. Constellation has been adapted and enhanced from our successful ATOM program.

DISASSEMBLER (16/32K) £6.95 Relocatable disassembler program. Lists object code and Assembler mnemonics from and to any specified addresses. The listing can be stopped and restarted. Page mode option and output to a printer are available. ASCII symbols may be output if required. The Assembler code may be stored and modified and the program re-assembled.

£8.95 FILER A powerful file handling program for BBC FILER allows the user to build up, manipulate, store and retrieve data on the BBC. A very powerful package indeed.



WORDWISE Model B

Without doubt the most sophisticated piece of software yet written for the BBC Micro. Wordwise contains all the usual word processing features enabling characters, words, sentences or any defined section of the text to be deleted, moved or copied from one part to any other part of the document. The more complex facilities such as search and replace or file handling commands are menu driven so that even a beginner can understand how to operate them. Wordwise will work with whatever filing system is currently implementated. Supplied with full fitting instructions and a spiral bound manual. We believe this word processor compares favourably with those costing many times as much.

Special Offer - ONLY £35.00

EDUCATION

JUNIOR MATHS PACK (32K)

£6.95

Makes learning fun for 5-11 year olds. This package consists of 3 programs (menu driven) that increase in difficulty as your child becomes competent. A very good supplement to standard educational methods.

£6.95 WHERE? Do you know WHERE? you are? This well written program, using high resolution graphics offers timed tests on the geography of Great Britain.

WORLD GEOGRAPHY (32K) £6.95 Beautifully drawn Hi-Res colour map of the world illustrates and aids this graded series of tests on capital cities and populations of the world.



Acorn ATOM UTILITY ROM

WEROM is Watford Electronic's own most sophisticated but easy to use 4K ROM based on BASIC extension for Acorn ATOM. Plugs straight into the utility socket in an ATOM with floating point. The special features are: High Speed Tape Interface - Memory Dump, Modify Machine code breakpoints - BASIC Error Trapping - READ, DATA and RESTORE - Full BASIC Keyboard Scanner (BBC like) - FULL Disassembler - AUTO Line Numbering - PLUS CHAIN, Cursor Movement, Loop Aborting -Easily Extendible further. Supplied complete with instructions. £9.95

BOOKS

	30 Programs – BBC Micro 30 Hour BASIC (BBC Micro) 6502 Application Book 6502 Assembly Lang. Programming 6502 Assembly Lang. Subroutines 6502 Software Design ACORN ATOM Magic Book Advanced 6502 Interfacing ALP for the BBC Micro BASIC Programming on BBC Micro BBC Micro Revealed Discover FORTH – Osborne FORTH Programming (Sams) Getting Acquainted/Acorn ATOM Intro to Micro Beginners Book (3 Ed) Let your BBC teach you to program Micros in the Classroom Practical Prog. for BBC & ATOM Programming the 6502 Mastering VISICALC (Sybex)	£4.95 £6.00 £10.25 £12.50 £11.80 £10.50 £5.50 £10.95 £8.95 £6.90 £7.95 £11.25 £12.50 £7.95 £9.90 £6.45 £4.90 £5.95 £11.20 £11.95
Ģ,		777-54-2277-52

WATFORD ELECTRONICS CARDIFF ROAD, WATFORD. Tel: (0923) 40588. Telex: 8956095

TWO WAYS TO ENSURE YOU GET B B C MI I CRO U/S/E/R **EVERY MONTH**

- 1. Complete and mail subscription form on Page 69
- 2. Hand this form to your newsagent.

	erve me a copy of BBC Micro User every month until further notice.
□ I will co	1000년 1일 전에 1일
□ I would	like it delivered to my home.
Name Address	

Note to newsagent: BBC Micro User should be obtainable from your local wholesaler, or contact the distributor - Wells, Gardner, Darton & Co Ltd Tel: Favgate 444

GAMES WANTED

"Everyone has got at least one novel inside him, and every BBC Micro owner has at least one original game waiting to be programmed." - Zen in the Art of Computer Programming.

So says our editor in his forthcoming book. Is he correct though? Have you got a games program locked away in your subconcious, just waiting to see the light of day?

If so, get in touch with us right away we're only too willing to hear from you. And we've got our team of experts ready to help evaluate your work and add any necessary finishing touches.

Of course, if it's good enough, we shall want to include it in the pages of BBC Micro User. So send a copy of your original games program, on cassette or disc, to:

> The Editor, BBC Micro User, Europa House, 68 Chester Road, Hazel Grove, Stockport. SK7 5NY.

And please mark your envelope clearly "GAME".

The GGMicrocomputer Specialists

GUILDFORD COMPUTER CENTRE offers a complete range of Computers for Home, Business and Educational applications.

Large stock of additional equipment available includes:- Printers, Hard/ Floppy Disc drives, Monitors etc., for most makes.

An extensive range of Business software (Accounts, Stock, Payroll, Word Processing etc.).

Drop in for a frank discussion and expert advice on your requirements or arrange a demonstration. We give a full and expert backup to ALL our sales.

Stockists of: - BBC/Acorn, Torch, Oric, Olivetti, Hitachi, TRS-80, Commodore, Dragon, Sharp, Sirius, Osborne, IBM, Newbrain, Epson, Seikosha, Cumana, etc.

(x commodore

olivetti



(1) HITACHI

GUILDFORD COMPUTER $C \cdot E \cdot N \cdot T \cdot R \cdot E$

1 The Quadrant, Bridge Street, Guildford, Surrey. GU1 4SG Telephone (0483) 578848

DU-III-YOURSEL

BY using very simple circuits and relatively cheap components it is possible to use the BBC Micro to measure temperature and light intensity, producing graphical displays of the results.

The idea is based on the use of the potential divider circuit, dealt with in last month's article, or a bridge circuit, to measure the varying output of a transducer.

In the case of light, a simple transducer would be a light dependent resistor, such as the ORP12, widely available and costing approximately £1. Such a resistor is included in the potential divider circuit shown in

In the dark the resistance of the ORP12 is very high, and consequently the voltage Vout is very low and can be detected using the ADVAL command.

As the intensity of the light falling on the ORP12 increases, the resistance falls and Vout increases. When this voltage is applied to the ADC (analogue to digital converter), the ADVAL function will return the proportionate number.

The resistors A and B serve to bring Vout into the range that the ADC can accept, which is 0 to 1.8 volts.


Fairly large values for A and B are chosen so that the ADC draws very little current from the circuit. By making the fixed resistors variable it is possible to alter the sensitivity of the circuit over various light intensity ranges.


Program I demonstrates the use of the circuit to determine light levels. Vout is connected to pin 15 of the ADC. The program allows up to 1,000

By MIKE SHAW

readings to be taken very quickly and then displayed in a graphical form. Using the program, it is possible to see how the light from a bulb increases when it is switched on - the ramping effect.

A thermistor is needed to measure temperature. The type of thermistor used will depend on the temperature range it is desired to investigate. The readily obtainable miniature bead variety can measure temperature over the range -10 to 100 degrees centigrade. Such a device can be incor-








Figure II

porated in a bridge circuit, as shown in Figure II.

The ADC actually measures the difference in potential between the two arms of the bridge. This potential difference is determined by the resistance of the thermistor, which varies proportionally with the temperature.

The variable resistor may be adjusted so that the ADVAL reading gives 0 when the temperature is 0 degrees centigrade. The lead from A should be connected to the correct channel pin, and the lead from B to analogue ground.

Unless it is only intended to measure air temperature, the thermistor will need to be made into a probe. This can be done as shown in Figure III.

As the thermistor's resistance has a linear relationship with temperature, it is possible to calibrate it using ice at 0




Figure III

degrees centigrade and water at 100 degrees centigrade.

For example, if the ADVAL reading given at 100 degrees centigrade is called TEMPMAX, then any other temperature can be found by using

TEMPERATURE=ADVAL/ TEMPMAX * 100

For more accurate temperature measurement it would be necessary to know the exact relationship between resistance and temperature. This varies between thermistor types.

Quite often all that is needed is to be able to note when the temperature increases or decreases during an experiment, rather than knowing the exact temperature.

In Program II changes in light intensity and temperature can be obtained and plotted graphically together. The TIME function is used so that it is possible to take readings from one second upwards.

Lines 110 to 130 set the scaling factor for the plotting procedure, and it may be necessary to adjust these for your own probe.

In next month's article I will look at how to take readings from colorimeters, pH meters and sound meters.

Turn to Page 87

SIR COMPUTERS LTD — CARDIFF

Agents for Acorn, BBC and TORCH Computers

BBC Microcomputers

Model A with 32K RAM and VIA	£339.00
Model A with 32K RAM, VIA and Joystick port	
Model B	
Model B with disc interface	
Single 100K disc drive	
Dual 2 × 100K disc drive	
The disc manual and utilities disc are both included.	
Disc interface for the BBC Micro	
Kit	£95.00
Fitted	TO THE RESIDENCE OF THE PARTY O
Upgrade of BBC Model A to B	THE REPORT OF THE PERSON OF TH
Please telephone for up to date information on Prestel	

TORCH Computers

speech synthesis, second processors, etc.

2-80 DISC Pack for the BBC Microcomputer £895.00
This unit connects to the BBC Micro in the same way as a normal disc drive, but as well as offering a dual 2 × 400K disc drive for use under BBC BASIC or other languages it provides the option of using the wide range of CP/M software available for business and data processing applications. The firmware supplied with the machine allows switching between BASIC and CPN, a powerful
operating system developed from CP/M 2.2.

In addition to the disc pack a second processor is supplied. This is a Z-80A with its own 64K RAM card, communicating with the 6502A in the BBC computer through the 'Tube'. Typically the speed of execution of programs under the twin-processor system is increased by up to 50% compared with a conventional single-processor computer. A third processor, the 16 bit 68000, will shortly be available.

SIR Computers Ltd., 91 Whitchurch Road, Cardiff. Telephone: (0222) 21341

TORCH CF240 £2795.00 (ex VA	£2795.00 (ex VAT)	ORCH CF240 £2
-----------------------------	-------------------	---------------

This is an extension of the BBC microcomputer/Torch disc pack system, available in a single unit. The computer contains a BBC-based peripheral processor connected to the main Z-80 computer, a dual 2 × 400K disc drive as described above, a high resolution (80 character) colour monitor and a complete British Telecom approved 1200 baud modem. It is the only microcomputer which has been granted permission for direct connection to the Public Switched Telephone Network both in the U.K. and the United States.

The TORCH can communicate either directly with another TORCH or with virtually any other type of computer via Prestel. Using the Gateway facility of Prestel it is possible for the TORCH to access vast amounts of information stored by private organisations on public database systems. The Mailbox facility of Prestel also allows the use of electronic mail.

TORCH CH240/10 As above but with a 10 MB hard disc drive. TORCH CH240/21 As above but with a 21 MB hard disc drive.

PERIPHERALS

Seikosha GP 100A Printer	£229.00
Epson MX 80 F/T type 3 Printer	
NEC PC 8023 Printer	£389.00
Kaga 12" RGB Monitor	
Sanyo 14" RGB Monitor	
High resolution 12" black/green monitor	

SOFTWARE

We currently hold in stock programs from the following suppliers. Acornsoft, A&F Software, Bug Byte, Computer Concepts, Digital Fantasia, Golem, IJK Software, Level 9 Software, Molimerx, MP Software, Program Power, Salamander Software, Software for All, Superior Software, Database Software, Gemini Software.

Unfortunately we are unable to supply software by mail except as part of a large order. Delivery by Interlink of any of the above items £10.00 Unless otherwise stated all prices include VAT.



LAST month we saw how we could use the COLOUR statement to obtain text in different colours on the screen. We also used the TAB() statement to good effect without describing exactly how it functions.

Now, although we did not make it explicit, all these operations took place on the TEXT screen. To put it simply, if not totally accurately, you can use the screen of your television either for writing, when we say we are using the text screen, or for drawing pictures and suchlike, when we say we are using the graphics screen.

The graphics screen has its own special set of commands entirely different from those we learnt for the text screen.

You can mix the text and graphics screens – they can overlap or occupy entirely separate areas or "windows" of the screen. In fact when you enter modes capable of supporting graphics, the text and graphics screens initially coincide – you can print text or draw graphics over the entire area of the VDU.

To avoid the schizophrenia that this may induce, for the moment we shall consider the screens in isolation, and not attempt to mix text and graphics.

Before describing the graphics screen, which takes up the bulk of this article, let's formalise our ideas about the text screen.

In all eight modes of the BBC Micro we can print characters to the screen. The maximum number of characters on the screen at one time varies from mode to mode.

MODES 6 and 7, text only modes, support 25 lines of 40 characters.

MODES 1 and 4 support 32 lines of 40 characters.

MODES 2 and 5 support 32 lines of 20 characters.

MODE 0 supports 32 lines of 80 characters.

MODE 3, a text only mode, supports 25 lines of 80 characters.

We can consider each character to be occupying one cell of the screen, different modes having different numbers of cells. Now the TAB (X,Y) function uses a type of coordinate system to allow us to print in specific cells. Figure I illustrates the coordinate system available in MODE 4.




Figure I: Text screen in Mode 4

Notice two points:

- The origin point (0,0) is at the top left of the screen. Y increases as it goes downwards.
- Although there are 40 cells for characters across each line, they are numbered 0 to 39. Similarly, down the Y-axis, the range for the 32 lines is from 0 to 31.

Of course in the other modes the values for the X and Y ranges will differ, since the number of character cells differ. The above two points still hold, though.

- 10 REM *** PROGRAM ONE ***
- 20 MODE 5
- 30 FOR position=0 TO 19
- 40 PRINT TAB(position, position) "*"
- 50 NEXT position

Program I illustrates a simple use of the TAB() function by drawing a line of asterisks diagonally across the screen. Try altering the mode in line 20 to modes 4, 6 and 0 to see the effect on the output. Remember, the meaning of the coordinates varies from mode to mode because of the differing number of cells available. You might also try altering the program so that the diagonal runs from right to left.

- 10 REM *** PROGRAM TWO ***
- 20 MODE 5
- 30 FOR position=0 TO 19
- 40 PRINT TAB(position, position) "*"
- 50 NEXT position
- 60 FOR position=0 TO 19
- 70 PRINTTAB(19-position, position) "*"
 80NEXT position

Program II draws an 'X' of asterisks using two loops, one for each diagonal. Can you adapt it so that only one loop is used? Also the 'X' is not central – try to rectify this.

- 10 REM *** PROGRAM THREE ***
- 20 MODE 5
- 30 centre=9:top=7:bottom=25
- 40 FOR row=1 TO 9
- 50 start=centre- row +1
- 60 FOR length = 0 TO 2*(row-1)
- 70 PRINT TAB(start+length, top+row);

80 PRINT TAB(start+length, bottom-row); "*"

90 NEXT length

100 NEXT row

110 ADR 20

Program III uses nested loops to draw a diamond of asterisks on the screen. See if you can follow the logic, then try adding the following versions of line 65. Can you visualise the effects accurately before you run them?

65 COLOUR (start + length) MOD

3+1

65 COLOUR (top + row) MOD 3 + 1

Incidentally, the VDU 30 on the last line simply returns the cursor to the top

COMPUTER COMPANY LIMITED



choice for microcomputer components



QUALITY & VALUE

Every product in our catalogue is carefully selected as being of the highest quality and is backed by our 12 month "no-quibble" guarantee. Most of our range is purchased from leading manufacturers such as Texas Instruments, Motorola, National Semiconductor, Intel etc. Our bulk buying power and low overheads ensure that these products are sold at the lowest possible. often unbeatable prices.



DELIVERY & SERVICE

We guarantee to despatch by 1st class post or Securicor every order received by us up to 3.30pm that day, for goods available from stock. That means that, due to our commitment to massive in depth stocks, better than 95% of our product range is available to you within 24 hours. Every product we sell is supported by our technical enquiries department and datasheets are available on most products.

BBC MICROCOMPUTERS AND ACCESSORIES

BBC COMPUTERS

Model B	£346.95
Model B + Disc Interface	£441.95

BBC MICRO DISC DRIVES

BBC31	Single 100K Drive	
	Expandable to 2 x 100K	£229.00
BBC 32	Dual 100K Drives	£360.00
BBC 33	100K Upgrade for	
	BBC 31	£122.00
BBC 34	Dual 400K Drives	£649.00

All disc drives (except BBC 33) complete with Manual, Utilities Disc, and Connecting Cables.

BBC UPGRADE KITS

BBCA2B	Complete A to B Upgrade	£44.75
BBC 1	16K Memory	£18.00
BBC 2	Printer/User 1/0KK	£ 7.50
BBC3	Disc Interface Kit	£95.00
BBC 4	Analogue Input Kit	£ 6.70
BBC 5	Serial 1/0 Rab Kit	£ 7.30
BBC 6	Bus. Expansion Kit	£ 6.45

All kits are supplied with full fitting instructions.



BBC CONNECTORS

Printer Cable and Amphenol	
Plug (not assembled)	£13.00
User Port Connector and	
Cable 36"	£ 2.46
Cassette Lead	£ 3.50
7 Pin Din Plug	£ 0.60
	£ 0.60
5 Pin Din Plug	£ 0.60
	Plug (not assembled) User Port Connector and Cable 36" Cassette Lead 7 Pin Din Plug 6 Pin Din Plug

VIICHO	CONFO LENS AND AC	CESS
BBC 35	Disc 1/0 Cable 34W IDC to	
	2 x 34 way Card Edge	£12.00
BBC 36	Disc Power Cable	£ 6.00
BBC 44	Analogue Input Plug	
	& Lever	£ 2.25
BBC 66	1 M Bus Connector	
	+ 36" Cable	£ 3.50
BBC A	CCESSORIES	
BBC 45	Joysticks (per pair)	£11.30
BBC 67	Eprom Programmer ·	£57.95
BBCO	(assembled)	137.33
	Markey Committee	and the same

New Acorn Electron Ring for price and delivery ACORNSOFT FOR THE BBC

SBE03 SBE04	Business Games Tree of Knowledge	£ 8.65 £ 8.65
SBE02	Peeko Computer Inc Manual	£ 8.65
SBE01	Algebrail Manipulation PK	£ 8.65
SBX01	Creative Graphics Cassette	£ 8.65
SBX02	Graphs & Charts Cassette	£ 8.65
SBB01 SBL02 SBL01	Desk Diary Inc Manual Lisp Cassette Forth Cassette	£ 8.65 £14.65
SBG01 SBG07	Philosophers Quest Sphinx Adventure	£14.65 £ 8.65
SBG07 SBG04	Monsters Snapper	£ 8.65 £ 8.65 £ 8.65
SBG15 SBG06	Planetoid Arcade Action	£ 8.65 £10.35
SBG05 SBG13	Rocket Raid Meteors	£ 8.65 £ 8.65
SBG14 SBG10	Arcadians Chess	£ 8.65 £ 8.65

ACORNSOFT BOOKS FOR THE **BBC MICRO**

SBD01	Creative Graphics	£ 7.50
SBD02	Graphs - Charts	£ 7.50
SBD04	Lisp	£ 7.50
SBD03	Forth	£ 7.50

Please ring for current delivery on Acornsoft products before ordering.

> Fast ex-stock delivery on most items

BBC MICRO COMPONENTS

£ 2.25
£ 3.19
£ 0.59
£ 0.69
£ 0.34
£ 4.50
£ 4.50
£ 4.50
£36.00
£ 1.46
£ 1.76
£ 2.06
£ 2.32
£ 2.15
£ 0.90
£ 0.90

BBC SOFTWARE IN ROM.

Wordprocessor "View" £52.00 **1.2 MOS** £10.00

Delivery Charges
Computers/Disc Drives £5.00
Components/Software £0.50 Books/Joysticks £1.00

THE ABOVE LIST SHOWS JUST A FEW OF THE ITEMS IN STOCK. PLEASE TELEPHONE YOUR REQUIREMENTS - OR BETTER STILL SEND FOR OUR FREE CATALOGUE



Carriage Orders up to £199 are sent by 1st class post,

and £200 + by Securicor.

0 f 100 0 50 f 100 f 199 1 25 f 200 + 5.00 by Securicor Prices quoted (+ carriage charges) are exclusive of VAT and are subject to change without notice.

Quantity Discounts are available on many products.

please ring for details.

Official Orders are welcome from Education Establish ments, Government Bodies and Public Companies Credit Accounts are available to others subject to status Payment is due strictly nett by the 15th of the month. Credit Cards are accepted (Access and Visa) for telephone and postal order and NO SURCHARGE is made. Out of stock items will follow automatically, at our discretion, or a refund will be given if requested.

MIDWICH COMPUTER COMPANY LIMITED

RICKINGHALL HOUSE, RICKINGHALL, SUFFOLK IP22 1HH TELEPHONE (0379) DISS 898751

Please complete this coupon for a copy of our FREE catalogue. NAME ADDRESS. PRICE LIST TEL. NO.

left of the screen to stop it spoiling our pattern.

10 REM *** PROGRAM FOUR *** 20 MODE 5

30 VDU 19,3,4,0,0,0:VDU 19,0,2,0,0,0

40 COLOUR 128:CLS

50 centre=9:top=7:bottom=25

60 FOR row=1 TO 9

70 start=centre- row +1

80 FOR length = 0 TO 2*(row-1)

90 COLOUR (ABS(start+length-9)+ABS(top +row-16))MOD3+129

100 PRINT TAB(start+length, top+row);

110 PRINT TAB(start+length, bottom-row) 3 # #

120 NEXT length

130 NEXT row

140 VDU 30

Program IV uses virtually the same technique to produce a rather striking pattern. Here, instead of asterisks, spaces are used, so the colours which vary are the background colours. We also use VDU 19 to reassign the background colours.

Line 90, which ensures that the choice of colours is symmetrical, is far more complex than the lines we added to Program III.

Now let's have a look at the graphics screen. There is no complicated way of "entering" the graphics screen - when you enter a mode the whole of the screen is available for graphics, as it is for text, of course. We shall concentrate on the former.

Actually, the ground we're going to cover is fairly simple - we are going to learn to draw lines in various colours. The command for drawing lines is DRAW and the command to change colours is GCOL, which stands for "graphics colours". The statement COLOUR is used for text colours only.

Firstly, let's consider the coordinate system for the graphics screen, as shown in Figure II.





Figure II Graphics Screen

Note the following:

- The origin point (0,0) is at the bottom left-hand corner of the screen. Y increases as it goes upwards.
- The "cells" of the coordinate system range from 0 to 1279 along the X-axis (horizontally) and 0 to 1023 along the



Program IV

Y-axis (vertically). Each is measured in "graphic units" (gu).

 When you change modes (assuming that you pick a mode capable of supporting graphics), the physical positions of the points don't change. That is, (0,0) will still be at the bottom lefthand corner of the screen, (1279,1023) at the top right, and (640,512) at the centre of the screen.

Let's try drawing some lines on the screen. To do this we imagine something called the graphics cursor, which is invisible yet occupies a specific point on the screen. We use the command DRAW to draw a line between the last two points "mentioned", or "visited" by the graphics cursor.

For example, if the last point the graphics cursor had "ended up" at was (0,0), then DRAW 1279,1023 would draw a line between (0,0) and (1279,1023), which is diagonally from bottom left to top right across the screen.

To position the graphics cursor at a point – say the middle, (640,512) – we use the command MOVE 640,512. This places the cursor at the specified point - without making any mark on the screen.

Notice that neither MOVE nor DRAW use brackets with the points they are specifying.

10 REM PROGRAM FIVE

20 MODE 5

30 MOVE 0.0

40 DRAW 1000,1000

Let's try a simple program using these ideas - Program V. As you can see, this draws a simple diagonal line from (0,0) to (1000,1000).

Now try drawing it with the additional line

50 DRAW 1000.0

This draws a line vertically down to (1000,0), a point on the X-axis.

Remember, DRAW connects the last point the cursor visited - in this case (1000,1000) from line 40 -to the point specified in the DRAW command, which in this case is (1000,0).

Perhaps you can see how

60 DRAW 0.0

will complete a triangle by drawing a horizontal line to the origin.

The following completes the square and adds the second diagonal:

70 DRAW 0,1000

80 DRAW 1000,1000

90 MOVE 0,1000: DRAW 1000,0

The final outline is shown in figure III. Note the MOVE necessary in line 90. I think that it is impossible to obtain the screen shown in Figure III by using just DRAW without using MOVE or going over the same line twice. Is there anyone out there who can prove me wrong - or at least prove me right?




Figure III: Figure produced by Program V

Before abandoning Program V, try it in MODE 4. There are two things to notice here:

- When you change mode, the position of the triangle does not alter on the screen - graphics points are fixed.
- The lines drawn on the screen are much finer than in MODE 5.

The latter is because MODE 4 has "higher resolution" than MODE 5. That is, it works to a finer "grid" or, if you like, it draws with a finer pen. MODE 4 can fit in more characters per line than MODE 5 because of this "fineness" or higher resolution. In a particular graphic mode the fewer characters per line it can support, the coarser it draws its graphic lines, which means the lower its resolution.

So while changing modes may not cause our picture to be drawn in different positions, it certainly effects the detail available.

Now to change the colour of the lines we use the GCOL statement. In MODE 5, assuming we haven't changed the logical colour assignments with VDU 19:

GCOL0,1 will cause future lines to be drawn in red.

GCOL0,2 gives yellow lines.

GCOL0,3 gives white lines.

GCOL0,4 gives black lines.

We say that GCOLO changes the graphics foreground colour to the logical colour specified after the comma. At the moment we are going to treat the command as if it were always

GCOLO,

followed by a logical colour number. In fact, as we shall learn, we can use numbers other than zero before the comma.

Being able to define a graphics foreground colour suggests that we should be able to define a background colour. This works in very much the way it did for text colour – to define a background colour we use GCOLO, with the logical colour number we want as background PLUS 128. For example, GCOLO,129 will give us a red background in MODE 5 (assuming the standard colour assignments).

Just as we used CLS to clear the screen to the background colour while using the text screen, so we use CLG to obtain the same effect on the graphics screen. Thus

GCOL0,130 : CLG

will clear the graphics screen to yellow. Note that:

- Although CLG and CLS may appear to achieve the same effect, this is solely due to the graphics and text screens overlapping. If they were separate, they would only effect their respective "windows".
- Just as CLS can be obtained with


L + [CTRL]

so CLG can be obtained with

P + [CTRL]

Program VI shows the final version of the last program with graphics colours added. Try giving it a nicer colour scheme!

- 10 REM PROGRAM SIX
- 20 MODE 5
- 30 VDU 19,0,5,0,0,0:VDU 19,3,4,0,0,0
- 40 GCOLO, 128: CL6
- 50 GCOLO,1
- 60 MOVE 0,0



Program VIII

- 70 DRAW 1000,1000
- 80 GCOL0,2
- 90 DRAW 1000,0
- 100 DRAW 0,0
- 110 DRAW 0,1000
- 120 DRAW 1000,1000
- 130 GCOL0,3
- 140 MOVE 0,1000:DRAW 1000,0

Program VII should demonstrate amply the difference between CLG and CLS – lines 40 and 50 set up different background colours for them to clear to. Press 'S' to stop the program.

- 10 REM PROGRAM SEVEN
- 20 MODE 5
- 30 REPEAT
- 40 COLOUR 129
- 50 GCOL0,130
- 60 CLS
- 70 A\$=6ET\$
- 80 CLG
- 90 A\$=GET\$
- 100 UNTIL A\$="S"

Program VIII uses all the above techniques to produce a "sunburst" of colour from the origin. It draws 100 lines of random colour to random points on the screen.

- 10 REM PROGRAM EIGHT
- 20 MODE 5
- 30 VDU 19,0,5,0,0,0:VDU 19,3,4,0,0,0
- 40 count=0
- 50 REPEAT
- 60 count=count+1
- 70 MOVE 0,0
- 80 x=RND(1279):y=RND(1023)
- 90 GCOLO, RND(3)
- 100 DRAW x.y
- 110 UNTIL count > 99

Try adding all, or random combinations of the following lines to the program:

- 105 MOVE 1279, 0: DRAW x, y
- 106 MOVE 1279, 1023: DRAW x, y
- 107 MOVE 0,1023: DRAW x,y


Can you predict the outcome before running it?

Another variation is to alter the assignment of logical colours in the sunburst after it has been drawn. For this add:

- 120 REPEAT
- 130 A=RND(4)-1:B=RND(7)
- 140 VDU 19, A, B, 0, 0, 0
- 150 FOR I=1 TO 2000:NEXT I
- 160 UNTIL FALSE

Program IX plots a series of random triangles over the screen, using a simple procedure PROCtriangle that produces an equilateral triangle using MOVE and DRAW.

- 10 REM PROGRAM NINE
- 20 MODE 5
- 30 VDU 19,3,4,0,0,0
- 40 TALLY=0
- 50 REPEAT
- 60 XPOS=RND(1000): YPOS=RND(800)
- 70 SIZE=RND(500)
- 80 PROCtriangle(XPOS, YPOS, SIZE, TALLY MOD 3+1)
 - 90 TALLY=TALLY+1
 - 100 UNTIL TALLY = 50
 - 110 END
 - 120 DEFPROCtriangle(x,y,length,colour)
 - 130 LOCAL height
 - 140 GCOLO, colour
 - 150 height=length*1.732/2
 - 160 MOVE x, y



Program X


170 DRAW x+length, y

180 DRAW x+length/2, y+height

190 DRAW x, y

200 ENDPROC

Figure IV should make the workings of this procedure clearer. The actual values of x,y and length are passed to the procedure in line 80 as XPOS, YPOS and SIZE respectively, which have been determined randomly.



Program X then uses exactly the same procedure to nest three equilateral triangles within a fourth.

10 REM PROGRAM TEN

20 MODE 5

30 VDU 19,3,4,0,0,0

40 TALLY=0

50 SIZE=1000

60 HEIGHT=1.732*SIZE/2

70 REPEAT

80 BASE=SIZE - TALLY*250

90 UP=HEIGHT*TALLY/4

100 XPDS=100 + 250*TALLY/2

110 YPOS=UP/2 + 100

120 PROCtriangle (XPOS, YPOS, BASE, TALLY

MOD 3+1)

130 TALLY=TALLY+1

140 UNTIL TALLY > 3

150 END

160 DEFPROCtriangle(x,y,length,colour)

170 LOCAL height

180 GCOLO, colour

190 height=length*1.732/2

200 MOVE x, y

210 DRAW x+length, y

220 DRAW x+length/2, y+height

230 DRAW x, y

240 ENDPROC

To consolidate this month's work, you might like to define a procedure for drawing a rectangle – by defining two corners, or alternately using one corner, length and breadth. Then, as in program IX, use this procedure to draw random rectangles on the screen.

Finally, as in Program X, try nesting the rectangles within one another.



advises SEAN OVEREND

THE object of NIM is to make your opponent take the last of a random number of objects ("nimbers"), which are arranged in piles ("rows").

You and your opponent take it in turns to remove nimbers, any amount from any one row at each turn. If you're forced to take the last you've lost.

In this version of NIM your opponent is the BBC Micro itself. The fundamental line of the program is line 2200 – this holds the rather complex algorithm needed to implement the game.

All too often such a central "problem" tends to dominate a programmer's design approach so much that his initial energy is devoted to solving it. The rest of the program grows up by default, to the detriment of the program's quality.

There is, however, another method particularly suited to the BBC Micro which is termed "structured" and is generally considered to produce better programs.

Taking NIM as an example, let's see how these contrasting approaches effect the process of program design:

A NIM-playing program must

- (i) Display the current board position.
- (ii) Accept moves from the player.
- (iii) Generate the computer's moves.
- (iv) Work out the winner and keep track of the scores.

One way to program the game would be to take each of these basic components, encode them, and then string them all together.

This is programming "from the bottom up", and is inevitable to a degree where the version of Basic available is limited to GOTOs and GOSUBs.

While judicious use of CASE-type statements like ON NN GOTO/GOSUB can go some way towards reducing spaghetti-logic, there are bound to be difficulties in lengthy programs.

The passing of information to oftenused subroutines can also be tedious, since track has to be kept of which variables are global and which local, and which are treated as the general parameters.

Using BBC Basic, however, it is possible to approach the task in quite the reverse direction, programming "from the top down." This facility results almost entirely from the provision of procedure calls in the language.

For those with high level language experience (I go back to ALGOL '68!), it is a provision hitherto sadly missed in micros.

Procedures can be thought of as either untyped (the BBC PROC), or typed (the BBC FN). Untyped procedures perform the tasks within them; typed procedures also return a value through the procedure (FN) name. Either sort can be with or without parameters.

With imagination, the names given to the procedures can make life easier for the programmer and more comprehensible for those who have to read his program.

Line 1870 is a good example of the use of a Boolean-type procedure call, where the value of FNnotwinnable is being used to determine whether or not certain other action is taken.

Let us now consider a structured approach to the NIM program. it will have to do the following:

- (i) Set up its own internal variables.
- (ii) Display instructions to the player.
- (iii) Play the game, repeatedly if necessary.

(iv) Exit.

Each of these tasks will be controlled by a procedure, which can be named at the outset even though the raw program has not yet been written. Thus

the first lines of the program to be written are:

- 10 PROCinitialise
- 20 PROCdisplayinstructions
- 30 REPEAT PROCplaygame: UNTIL tired
- 40 PROCexitroutine
- 50 END

Each of these individual procedures is then programmed in terms of its own constituents, which can either be "raw program" or further procedure calls. Eventually the basic components will be reached, and duplication may be cut down by programming general purpose procedures, such as PROCdoubleprint, which is used while in Teletext mode.

In the result, the central line 2200 is not programmed first, with everything else dependent upon it. It is not programmed until FNnotwinnable is reached, a procedure called by (and

programmed subsequently to) PROCinputmine, a procedure called by PROCtaketurns, a procedure called by PROCplaygame. (The general structure of the playing part of PROCplaygame is set out in Figure 1).

In a nutshell, structured programming is all about the dog wagging its tail, and not vice versa!

Some comments on the program:

- Lines 5, 25, 35 MODE changes are not possible inside procedures.
- There are two versions built into this program, one for black/white output (using flashing highlight techniques), and the other in colour. Experiment to improve on them.
- There is also plenty of scope for alternative sounds when the end of a game is reached (lines 2630, 2633).
- Real gluttons can convert the program to run in MODE 7, substituting ordinary characters instead of the special screen characters, and inserting the appropriate control characters in the screen lines in lieu of the COLOUR statements.

You will need to know that the vertical tabbing of the display is set by the choice of 16 in line 1020. The horizontal tab of 5 occurs in lines 1060, 1290, 1330, 1430, 1470, 1900.

The maximum boardsize can be increased to 10 by altering lines 730 and 760, without the need to alter either the NIM declaration or FNnotwinnable.

NIM LISTING STARTS ON PAGE 89




Figure I

inputyours *deduce row/ column from cursor position *display input in colour2 character 226 *readjust to display new nett position

inputmine *endgame? by call of singleup *winnable? by call of notwinnable *if not, call takeanyone *display selection in colour1 character 225 *readjust to display

new nett position

singles *only single numbers in rows? *if so call soundoff (result) as game over



KING Kong is a reasonably simple game. All you have to do is to use your helicopter to rescue the two girls perched on the side of the building, land them on the ground, and kill King Kong. When you have done that, you progress to the next attempt.

You kill King Kong by hitting him 40 times with your machine guns. If you kill Kong before having rescued both girls from the building, the game ends. The game also ends if you crash into one of the girls.

You lose a life if you are hit by one of the rocks which Kong throws down from his perch. You lose another if you crash into the skyscraper. To pick up one of the girls you simply position the helicopter just above her head. The BBC Micro will beep when you have done this. You land the girls by moving your helicopter to the screen bottom.



The key commands are:
A move the helicopter up.
B move the helicopter down.
SHIFT moves it forwards
SPACE BAR reverses the direction of the helicopter.

RETURN fires the machine guns.
One point worth noting is that in line
10 the value of DIF1% sets the
difficulty that you start at. If you find
the game too easy change this so that
DIF1%=2 - you won't get so far then!
(The reason for the value listed is that
our geriatric editor couldn't do better

The program itself is fairly structured.

than zero on the original value of two!)

Lines 1-70 initialise everything and draw the scenery.

Lines 80-160 comprise the main loop of the program. PROCcheck is called from this loop.

PROCinit initialises VDUs and variables. PROCkong draws King Kong on the screen.

PROCwin draws windows in the skyscraper.

PROCskysc draws the skyscraper, calling PROCwin.

PROCheli draws the helicopter pointing right if FR%=+16 otherwise it draws the helicopter pointing left. If PICK%=1 a girl is drawn under the helicopter.

PROCcheck checks to see what keys have been pressed:

If SHIFT is pressed the helicopter is reversed, the value in FR% being inverted.

If RETURN is pressed PROCfire is called.

If Z is pressed 16 is subtracted from the helicopter's vertical position, then PROCcrashcheck, PROCpickup and PROCdrop are all called.

If A is pressed 16 is added to the helicopter's vertical position. PROCcrashcheck is called.

If SHIFT is pressed, the value of FR% (either +16 or -16) is added onto the horizontal position of the helicopter. PROCcrashcheck and PROCpickup are called.

PROCfire draws the machine-gun fire and calls PROChitcheck. PROCscoreboard prints along the top of the screen the number of helicopter "lives" you have, the hits on Kong, the sheet you are on and your score.

PROCcrashcheck checks to see if you have crashed into the skyscraper or Kong. If so, it calls PROCexplosion, which draws the explosion, decreases the number of helicopters you have by one, calling PROCgameover if the result is zero.

PROCfanfare plays the opening

tune.

PROCsetup calls PROCskysc, PROCkong and draws the two girls on the skyscraper.

PROClogic is the logic routine that aims Kong's throws and PROCthrow moves Kong's arm and calls PROClogic.

PROCpickup calls game over if you have crashed into one of the girls. If not it checks to see if you have picked her up, beeping and drawing her under your helicopter if you have.

PROCdrop checks to see if you have landed one of the girls, beeping and drawing her at the bottom if so.

PROCnextsheet checks to see if you have qualified to go onto the next sheet – you have to have 40 hits on Kong and have rescued both girls. If so, it changes the background colour and increases the difficulty. If you've hit Kong forty times, but haven't rescued the girls, it calls PROCgameover.

PROCgameover plays the ending tune and calls PROCscores, which checks to see if you have achieved a high score. If so it asks for your name, entering it together with your score into the relevant place in the high-score table, which displays the ten highest scores.

PROCinstructions displays the instructions.

1 ONERRORGOTO50

10 DIF1%=1

20 MODE1

30 *FX15,1

40 PROCinit

50 PROCinstructions

60 PROCscoreboard

70 PROCsetup: PROCfanfare

80 PROCheli

90 PROCthrow

100 Q%=Q%+H%: W%=W%+V%: MOVEQ%, W%: GCOL4, 0: VDU241

110 PROCcheck

120 IFW%(=Y%+30ANDW%)=Y%-30ANDQ%)=X%AN
DQ%(=X%+90THENPROCexplosion

130 IFFLAG=1THENFLAG=0:CLS:LOOP%=1:GOT D60

140 MOVEQ%, W%: GCOL4, 0: VDU241

150 LOOP%=LOOP%+1

160 IFLOOP%>14THENLOOP%=1:GOTO90ELSEGO TO100

170 DEFPROCINIT: VDU23, 224, 0, 0, 1, 3, 7, 27, 123, 253, 23, 225, 253, 253, 255, 255, 127, 127, 63, 63, 23, 226, 31, 31, 31, 15, 15, 15, 31, 31, 23, 227, 63, 63, 127, 127, 127, 63, 63, 127, 23, 228, 254, 254, 126, 126, 62, 62, 126, 241, 23, 229, 120, 252, 254, 223, 72, 132, 215, 171

180 VDU23, 230, 254, 50, 133, 153, 123, 183, 2 55, 255, 23, 231, 255, 255, 255, 255, 255, 255, 25 5, 255, 23, 232, 255, 207, 135, 3, 000, 0, 0, 23, 23 3, 1, 1, 1, 0, 0, 0, 0, 0, 23, 234, 0, 0, 0, 0, 128, 96, 120, 252, 2, 235, 2\$\$252, 24, 28, 248, 240, 2 190 VDU23, 236, 224, 224, 224, 192, 192, 192, 224, 224, 23, 237, 240, 240, 248, 248, 248, 248, 240, 2 40, 248, 23, 238, 252, 252, 248, 248, 240, 240, 12 0, 64, 23, 239, 60, 126, 255, 255, 255, 255, 126, 2 8, 23, 240, 0, 16, 60, 255, 255, 255, 62, 0, 23, 241, 0, 8, 60, 255, 255, 255, 124, 0 200 VDU23, 242, 24, 60, 60, 24, 60, 255, 189, 1

89, 23, 243, 189, 189, 60, 126, 255, 36, 36, 102 210 VDU23, 244, 192, 224, 224, 255, 255, 0, 0, 0, 23, 245, 31, 62, 254, 254, 255, 63, 16, 127, 23, 246, 192, 56, 4, 4, 248, 226, 132, 248, 23, 247, 1, 14, 16, 16, 15, 67, 33, 31, 23, 248, 248, 60, 63, 63, 255, 254, 8, 254, 23, 249, 3, 7, 7, 255, 255, 0, 0,

0,23,250,0,112,248,252,126,15,7,3 220 VDU23,251,0,14,31,63,126,240,224,1 92

230 PROCcinit: VDU23;8202;0;0;0:CLS

240 SHEET%=1:MEN%=3:SCORE%=0:DIF%=DIF1 %:COL%=0:X%=200:Y%=300:FR%=+16:HITKON6%= 0:PICK%=0:LGIRL%=1:RGIRL%=1:DIMHISCORE%(9):DIMHISCORE\$(9):FORL%=0T09:HISCORE%(L%)=1000:HISCORE\$(L%)="BBC computer":NEXT

250 FLAG=0:FLAG1=0:R%=0:L00P%=1:CLS 260 ENDPROC

270 DEFPROCKONG: GCDLO, 2: VDU224, 229, 234, 10, 8, 8, 8, 225, 230, 235, 10, 8, 8, 8, 226, 231, 2 36, 10, 8, 8, 8, 227, 232, 237, 10, 8, 8, 8, 228, 233, 238: MDVE540, ARMZ: VDU241, 239: MDVE690, ARM Z: VDU239, 240: ENDPROC

280 DEFPROCWIN(A%, B%): GCOLO, O: MOVEA%, B %: MOVEA%+20, B%: PLOT85, A%, B%-20: PLOT85, A% +20, B%-20: ENDPROC

290 DEFPROCskysc:LOCALL%:GCOLO,1:MOVE4

80,0:MOVE800,0:PLOT85,480,300:PLOT85,800,300:MOVE500,300:MOVE780,300:PLOT85,500,450:PLOT85,780,450:PLOT85,500,550:PLOT85,780,550

300 FORL%=20T0520STEP40:PROCwin(550,L%):PROCwin(590,L%):PROCwin(630,L%):PROCwin(630,L%):PROCwin(670,L%):NEXT:ENDPROC

310 DEFPROCheli:GCOL4,0:*FX15,0

320. IFFR%=-16THENMOVEX%, Y%: VDU247, 248, 249ELSEIFFR%=16THENMOVEX%, Y%: VDU244, 245, 246

330 IFPICK%=1THENMOVEX%+30, Y%-30: VDU24 2,10,8,243

340 ENDPROC

350 DEFPROCcheck: IFINKEY\$(0)=" "PROChe li:FR%=(-FR%):PROCheli:ENDPROC

360 IFINKEY (-74) PROCfire: ENDPROC

370 IFINKEY(-98)ANDY%>100THENPROCheli: Y%=Y%-16:PROCheli:PROCcrashcheck:PROCpic kup:PROCdrop:ENDPROC

380 IFINKEY(-66)ANDY%(900THENPROCHELI: Y%=Y%+16:PROCheli:PROCcrashcheck:ENDPROC

390 IFINKEY(-1)ANDX%+FR%(1200ANDX%+FR%)
OTHENPROCheli:X%=X%+FR%:PROCheli:PROCcr
ashcheck:PROCpickup:ENDPROC

400 ENDPROC

410 DEFPROCfire: GCOL4, 0: IFFR%=16: MOVEX % 1490, Y%-15: DRAWX% 1270, Y%-15: FDRL%=1T03: S OUNDO, -15, 4, 2.5: SOUNDO, 0, 0, .6: NEXTL%: GCO L4, 0: DRAWX% 1490, Y%-15: PROChitcheck: ENDPRO C

420 MOVEXX, Y%-15: DRAWX%-180, -15: FORL%=
1T03: SOUNDO, -15, 4, 2.5: SOUNDO, 0, 0, .6: NEXT
L%: GCOL4, 0: DRAWX%, Y%-15: PROChitcheck: END
PROC

430 DEFPROCscoreboard: VDU4: COLOUR1: PRI
NTTAB(1,1); "HITS ON KON6": COLOUR2: PRINTT
AB(15,1); "SCORE": COLOUR3: PRINTTAB(22,1);
"SHEET": COLOUR2: PRINTTAB(29,1); "MEN LEFT
": COLOUR3: PRINTTAB(5,2); HITKONG%: PRINTTA
B(16,2); SCORE%: PRINTTAB(23,2); SHEET%

440 PRINTTAB(29,2);:FORL%=1TOMEN%:VDU2 44,245,246;:NEXT:VDU5:ENDPROC

450 DEFPROChitcheck: IFY%(651ANDY%)599T HEN

100 AELSEIFY% 695ANDY% > 650THEN480ELSEE NDPROC

460 IFFR%=16ANDX%+90<590ANDX%+270>=590
THENHITKONG%=HITKONG%+1:SCORE%=SCORE%+20
:PROCupdatescore:PROCchnextsheet:ENDPROC
470 IFFR%=-16ANDX%>720ANDX%-180<=720TH
ENHITKONG%=HITKONG%+1:SCORE%=SCORE%+20:P
ROCupdatescore:PROCchnextsheet:ENDPROC E
LSEENDPROC

480 IFFR%=16ANDX%+90<560ANDX%+270>=560
THENHITKON6%=HITKON6%+1:SCORE%=SCORE%+20
:PROCupdatescore:PROCchnextsheet:ENDPROC
490 IFFR%=-16ANDX%>750ANDX%-180<=750TH

490 IFFR%=-16ANDX%>750ANDX%-180<=750TH ENHITKONG%=HITKONG%+1:SCORE%=SCORE%+20:P ROCupdatescore:PROCchnextsheet:ENDPROC E LSEENDPROC

500 DEFPROCupdatescore: VDU4: COLOUR3: PR
INTTAB(5,2); HITKONG%: PRINTTAB(16,2); SCOR
E%: VDU5: ENDPROC

510 DEFPROCcrashcheck: IFY%<310ANDX%>39
0ANDX%<800THENPROCexplosion

520 IFY%<550ANDX%>410ANDX%<780THENPROC explosion

530 IFY%>550ANDY%<731ANDX%>500ANDX%<71
OTHENPROCexplosion

540 ENDPROC

550 DEFPROCfanfare:RESTORE560:FORI%=OT 013:READM1,M2:SOUND1,-15,M1,M2:SOUND2,-1 5,M1+48,M2:SOUND3,-15,M1+96,M2:SOUND&100 1,0,0,0:NEXT:VDU4:PRINTTAB(18,5); "READY! ":FORI%=1T04000:NEXT:PRINTTAB(18,5);"

": VDU5: ENDPROC

560 DATA53, 4, 69, 4, 81, 4, 69, 4, 73, 4, 61, 4, 69, 8, 53, 4, 41, 4, 25, 4, 41, 4, 33, 4, 49, 4, 53, 8 570 DEFPROCexplosion: VDU19, 0, 14, 0, 0, 0: SDUNDO, -13, 4, 30: FORLX=1T050: GCDL0, 2: MOVE XX+45, YX-15: DRAW(XX-50) + RND(130), (YX+50) - RND(130): NEXT: MENX=MENX-1: VDU19, 0, COLX, 0, 0, 0

580 IFMEN%=0:PROCgameover:ENDPROC ELSE %%=200:Y%=300:FR%=16:RGIRL%=1:LGIRL%=1:P ICK%=0:FLA6=1:ENDPROC

590 DEFPROCsetup: PROCskysc: ARMZ=680: MO VE600, 700: PROCkong: GCOLO, 3: MOVE460, 360: V DU242, 10, 8, 243: MOVE790, 360: VDU242, 10, 8, 2 43: ENDPROC

600 DEFPROClogic:IFX%>604THENH%=((X%-7 10)/20)*DIF%:V%=((Y%-680)/20)*DIF%:Q%=71 0:W%=680:ENDPROC ELSEH%=((X%-520)/20)*DI F%:V%=((Y%-680)/20)*DIF%:Q%=540:W%=680:E NDPROC 610 DEFPROCTH OW: IF X% 600THENGCOLO, 0:M OVE540, 680: VDU241: GCOLO, 2: MOVE540, 690: VD U250: PROClogic: TIME=0: REPEATUNTILTIME>4: GCOLO, 0: MOVE540, 690: VDU250: GCOLO, 2: MOVE5 40, 680: VDU241: ENDPROC

620 GCOLO, 0: MOVE720, 680: VDU240: GCOLO, 2 : MOVE720, 690: VDU251: PROClogic: TIME=0: REP EATUNTILTIME>7: GCOLO, 0: MOVE720, 690: VDU25 1: GCOLO, 2: MOVE720, 680: VDU240: ENDPROC

630 DEFPROCpickup:IFY%(300ANDY%)390THE
NENDPROC ELSEIFX%+90(4700RX%)810THENENDP
ROC ELSEIFY%(360ANDX%+90(510ANDLGIRL%=10
RY%(360ANDX%)600ANDRGIRL%=1THENPROCgameo
ver:ENDPROC

640 IFX%+90(510ANDLGIRL%=1ANDY%)360AND Y%(395THENGCOL4,0:MOVE460,360:VDU242,10,8,243:PICK%=1:LGIRL%=0:SOUND1,-15,101,2:GCOL0,3:MOVEX%+30,Y%-30:VDU242,10,8,243:SCORE%=SCORE%+200:PROCupdatescore:ENDPROC

43:PICK%=1:RGIRL%=0:SOUND1,-15,101,2:GCO LO,3:MOVEX%+30,Y%-30:VDU242,10,8,243:SCO RE%=SCORE%+200:PROCupdatescore:ENDPROC E LSEENDPROC

660 DEFPROCdrop: IFPICK%=00RY%>120DRPIC K%=0ANDY%>120THENENDPROC ELSEPICK%=0:SOU ND1,-15,101,2:SCORE%=SCORE%+300:PROCupda tescore:ENDPROC

670 DEFPROCchnextsheet:IFHITKON6%<40TH ENENDPROC ELSEIFLGIRL%=10RRGIRL%=1THENPR OCgameover:ENDPROC ELSEIFHITKONG%>39THEN SHEET%=SHEET%+1:DIF%=DIF%+1:COL%=COL%+1: %%=200:Y%=300:FR%=16:HITKONG%=0:LGIRL%=1:RGIRL%=1:PICK%=0:VDU19,0,COL%,0,0,0

680 CLS: IFSHEET%=5THENDIF%=DIF1%: COL%=

690 FORL%=1TOSHEET%-1:ARM%=-20+(150*L%):MOVE600,150*L%:PROCkong:MOVE750,-60+(150*L%):PRINT(25*L%);"Metres":NEXT

700 MOVE300,900:PRINT"HOW HIGH CAN YOU GET?":FORnote%=53T0101STEP4:SOUND1,-15, note%,5:NEXT

710 TIME=0:REPEATUNTILTIME>200:FLAG=1: ENDPROC

720 DEFPROCgameover: VDU4: COLOUR3: RESTO RE750: FORL%=1T09: READ MES\$: PRINTTAB(14+L%,5); MES\$: TIME=0: REPEATUNTILTIME>50: NEXT: COLOUR2: PRINTTAB(14,7); "Hard luck!!"

730 RESTORE760: FOR I%=0T017: READM1, M2: S OUND1, -15, M1, M2: SOUND2, -15, M1+48, M2: SOUN D3, -15, M1+96, M2: SOUND&1001, 0, 0, 0: NEXT

740 TIME=0:REPEATUNTILTIME>200:PROCsco res:ENDPROC

750 DATAG,A,M,E, " ",O,V,E,R 760 DATA81,4,77,4,81,4,61,4,81,4,77,4, 81,4,61,4,33,4,33,4,41,4,41,4,49,8,49,4. 49,4,41,4,41,4,33,16

770 DEFPROCscores: CLS: VDU19, 0, 6, 0, 0, 0, 19, 2, 0, 0, 0, 19, 1, 7, 0, 0, 0, 4: L%=-1: REPEAT : L%=L%+1: UNTILL%=90RSCORE%>HISCORE%(L%) 780 *FX15,1

790 IFSCORE% (=HISCORE% (L%) THENGOTO810E LSEZ%=9: REPEAT: HISCORE% (Z%) =HISCORE% (Z%- 1):HISCORE\$(Z%)=HISCORE\$(Z%-1):Z%=Z%-1:U NTILZ%=L%

800 PRINTTAB(3,5); "YOUR SCORE OF "; SCO RE%; " WAS RANKED NO."; L%+1: PRINTTAB(3,7) ;: INPUT "YOUR NAME? "NAME\$: HISCORE\$(L%) = NA ME\$: HISCORE%(L%) = SCORE%

820 FORL%=OTD9: IFL%=9THENGAP\$=" "ELSEG AP\$=" "

830 MOVE96, (959-(L%*32)*2):PRINT"NO."; L%+1; GAP\$; HISCORE%(L%); "......"; HISCO RE\$(L%):NEXT

840 MOVE160, 96: PRINT"PRESS ESCAPE FOR INSTRUCTIONS"' PRESS ANY OTHER KEY TO START": REPEATUNTILGET >- 1

850 CLS:PROCcinit:SCORE%=0:HITKONG%=0: SHEET%=1:MEN%=3:X%=200:Y%=300:PICK%=0:LG IRL%=1:RGIRL%=1:COL%=0:DIF%=DIF1%:FR%=16 :FLAG=1:PROClogic:ENDPROC

870 PRINT''" The game king kong is really quite simple. All you have to do is rescue the two girls perched on the building, land them on the ground and kill king kong. When you have done this you progress onto the next sheet."

880 PRINT'" You kill kong by hitting h
im 40 times with your machine guns. If y
ou kill kong before you have rescued bot
h girls from the building the game ends.
The game alsoends if you crash into one
of the girls."

890 PRINT' "Press any key to continue": REPEATUNTILGET>-1:CLS

900 PRINT''" You lose a life if you ar e hit by a rock which kong throws down from his perch. You also lose a life when you crash into the skyscraper. You pick one of the girls up by placing your helicopter above her head.

910 PRINT"The computer will beep when you have done this. You land one of the girls by moving your helicopter to the bottom of the screen."

920 PRINT'" KEYS:"'" A......MOV
ES HELICOPTER UP"'" Z.....MOVES HEL
ICOPTER DOWN"'" SHIFT....MOVES HELICOP
TER FORWARDS"'" SPACE BAR..REVERSES HELI
COPTER"'" RETURN....FIRES MACHINE GUN"

930 PRINT'' "Press any key to play": REP EATUNTILGET >-1

940 VDU5:SHEET%=1:MEN%=3:SCORE%=0:DIF%
=DIF1%:COL%=0:X%=200:Y%=300:FR%=+16:HITK
ONG%=0:PICK%=0:LGIRL%=1:RGIRL%=1:CLS:END
PROC

950 DEFPROCcinit: VDU19, 0, 0, 0, 0, 0, 19, 1, 6, 0, 0, 0, 19, 2, 5, 0, 0, 0, 19, 3, 7, 0, 0, 0: ENDPRO

B.B.C. or ATOM USERS

the ATPL EPROM PROGRAMMER WITH AUTO RUN FEATURE

- Ideal for use in Education, or by Development Engineers, Software Houses, Computer Clubs etc.
- * Program, read and check for blank 24 pin and 28 pin single rail EPROMS including 27128 and 27256.
- Fully automatic configuration and verification.
- * Automatically runs user program.
- * Load or dump Data files or programs (Basic or machine code) from/to cassette.
- * Complete with all software, cables and fully comprehensive instructions.

Used regionally by Microelectronics Education Programme

Basingstoke Computer Centre, 5 New Market Sq., Basingstoke, Hants. (0256) 52203. Electronequip, 36 West St., Fareham, Hants (0329) 230670.

Customised Electronics Ltd., 155 Marton Rd., Middlesborough, Cleveland. (0642) 247727. Datron Micro Centre, Abbeydale Rd., Sheffield, Sth Yorks. (0742) 585490.

Eltec Services Ltd., 271 Manningham Lane, Bradford, West Yorks. (0274) 722512. Micro Power Ltd., 8/8A Regent St., Chapel Allerton, Leeds, West Yorks. (0532) 683186.

HCCS Associates, 533 Durham Rd., Low Fell, Gateshead, Tyne & Wear (0632) 821924. Leasalink Viewdata Ltd., 230 Derby Rd., Stapleford, Nottingham (0602) 396976.


Somerset Business Computers, 25 East Reach, Somerset. (0823) 52149.

Silicon Centre, 7 Antigua St., Edinburgh. (031-557 4546).

Other areas and in case of difficulties, please contact us direct.

Also: Eprom erasers etc.






ELECTRO & GRAPHIC PRODUCTS

37 Darton Road, Cawthorne, Nr. Barnsley, South Yorks. Telephone: (0226) 790609).

Home & Business Computers Ltd.



Model A & B ELECTRON (Ask for details)



Full range of Disc Drives available

FACT:

Even a Rolls-Royce breaks down.

FACT:

A BBC Micro will also, at some time, break down.

You wouldn't buy a Rolls-Royce from a dealer who couldn't offer service back-up, so WHY DO IT with a BBC Micro!

- WE OFFER Prompt service for all BBC Micros sold.
 - Low cost extended warranties available on all BBC Micros sold.
 - On site maintenance available at educational establishments.
 - Service agreements for other dealers.
 - Collection and delivery service available for educational users and dealers.
 - A wide selection of books.
 - A wide selection of other micros, from £49.95

Cassette and Disc Software including: **MICROPOWER** SALAMANDER DIGITAL FANTASIA ACORNSOFT

IIK BBCSOFT BUG BYTE etc.

SOFTWARE & PERIPHERALS

We can't list everything we supply for the BBC Micro because the list would take up half the magazine!

Suffice to say - if you want it and we haven't got it, we will get it with minimum fuss and delay!

SPECIAL OFFER

Deduct £1 - when ordering two or more cassettes.

54 Yorkshire St., Oldham, Lancs. Tel: 061-633 1608

Delivery on machines in the UK -£5.00

SPECIAL OFFER

Free cassette lead worth £4.50 with every BBC Micro sold.

This is the second of a series of articles dealing with the workings of the operating system of the BBC microcomputer. Last month PAUL BEVERLEY considered in simple terms its overall architecture and explained what the operating system is, why it is needed and the difference

Take an indirect the middle

I SHALL assume that apart from having read the first article you have some very basic knowledge of assembly language programming, if only to the extent of knowing vaguely what is meant by LDA, STA, JSR etc.

Without this knowledge you will not really be able to understand much about the inner workings of the operating system, and in any case if you are content to work in Basic and aren't interested in using a second processor then you won't need to know about all this anyway.

Before going into detail I shall need to explain about an idea which may be new to some of you but which is important to an understanding and appreciation of the importance of the operating system.

Indirection vectors

If you look at the list of operating system routines given in Figure 1 you will see that most of the routines start with what is known as an indirect jump, such as JMP (&021C).

In fact, even those which apparently do not do so (OSASCI and OSNEWL) use calls to &FFEE which itself starts with an indirect jump. These addresses in page &200 are referred to as the indirection vectors.

What this means is that if you say, for example, "JSR &FFEE" in order to send a character to the screen and/or the printer and/or the RS423 serial port, the processor goes to &FFEE and finds "JMP (&20E)" and so looks at memory locations &20E and &20F to find the address of the actual routine. which outputs the character.

When the system powers up, or on a BREAK, the operating system sets the values of the vectors to point to the appropriate routines in the operating system ROM, but because these pointers are held in RAM they can be changed by the user.

If, for example, you wanted to write your own specialised printer routine, all you would have to do would be to change the contents of &20E and

Paul Beverley is lecturer in electronics at Norwich City College.

&20F to point to the start address of your routine, and then at the end of your printer routine, jump to the address that was pointed to by the original contents of &20E and &20F.

You can probably now see why we talk about "indirection vectors". Vectors are things which show direction or "point", and so we say that &20E and &20F point to the character output routine. Then, although the routine you are using is in ROM, the processor does not go directly to it from &FFEE but rather it goes indirectly via a RAM location.

File systems

Probably the most important application of these vectors is in the use of file systems.

As you no doubt know, the BBC microcomputer can provide access to a number of file systems for the storage and retrieval of programs and data.

The two most obvious ones are cassette tape and disc but it is also possible to have programs and data stored in ROMs or EPROMs, within the computer itself or in the form of a cartridge ROM.

If the computer has an Econet interface you can link up to a network and load and save from a file-server system somewhere else on the Econet system.

When you say, for example, SAVE "PROG", it does not matter which file system you are using as the operating system takes care of that.

This means that you don't have to bother with using the different commands, CSAVE and DSAVE, for cassette and disc as you do in some other versions of Basic.

Whether you are using tape, disc, network or ROM file systems, whenever you LOAD or SAVE a file or GET or PUT bytes, Basic still apparently calls the same routines.

What happens is that when you type

in *TAPE, *DISC, *NET or *ROM, all the appropriate vectors are changed to point to the routines for the selected file system.

If you have a disc system you can see this for yourself if you look at one of the vectors by typing in PRINT (!&21C AND &FFFF), then change file systems with *TAPE and look at the same vector again.

If you have access to an Econet system you can try the same with *NET.

In each case you will find that the vector has been changed to point to a different set of routines in the operating system.

If you try this with *ROM, you will find that the vectors are the same as for *TAPE. This is because it is a serial system, as is the cassette system, and so the routines need only minor changes which are dealt with by changing the values of certain flags in the operating system workspace.

Software compatibility

The other reason for using these vectors is that it makes all software which faithfully uses them entirely compatible with future upgrades of operating system.

You don't have the infuriating problem that you do with some other machines that when the manufacturers produce a new version of Basic you find that half of your software has to be modified because it uses different memory locations from the previous versions.

This also applies to using the same software with a second processor. Provided you have stuck faithfully to using the operating system routines

jump right into jump things...

you should not need to change any of your software to make it run on the second processor.

Another kind of indirection

There is another kind of indirection which is provided within BBC Basic, the provision of which is something of a paradox.

Although the indirection facilities are superior to those provided in any other version of Basic that I know of, we are actually advised not to use them. I am referring to byte, word and string indirection.

Byte indirection is what in other versions is referred to as PEEK and POKE. The BBC version is much neater and more logically set out than (four byte) indirection and string indirection.

Before I say why we are not supposed to use them, let me explain what they do.

If you say B=1200 then you are assigning the value 1200 to the variable named B, but if you then say ?B=100, what the Basic interpreter does is to look at the value of the variable B (=1200) and then put the value 100 into the memory location with that address. i.e. 100 is put into location 1200 (=&4B0 which should be one of the bytes of one of the resident integer variables, so no harm should be done if you try it.)

Thus ?B could be read as, "THE CONTENTS OF memory location B". You can interpret ?B in the same way in the expression, PRINT ?B which means "print the value of THE CON- TENTS OF memory location B".

!B and \$B are similar to ?B. !B (word indirection) means, "THE CON-TENTS OF the four bytes starting from memory location B". This is interpreted as a four byte number, lowest byte to highest byte in that order.

Then \$B (string indirection), not to be confused with B\$ which is just an ordinary string variable, means, "THE CONTENTS OF the bytes starting from memory location B up to the next carriage return (&0D) character, interpreted as a string."

Communication via the operating system

What then constitutes a legal or an llegal operation as far as the operating system is concerned?


The diagram shown in figure 2 is an attempt to picture the various methods of communication within the computer and to the outside world. The legal moves are shown by double width arrows and the illegal ones by single arrows.

Basically, what you must do if you want to maintain software com-

Address	Data	Instruction	Name	Function
FFCE	6C 1C 02	JMP (&021C)	OSFIND	Open or close a file
FFD1	6C 1A 02	JMP (&021A)	OSGBPB	Load or save a block of memory to file
FFD4	6C 18 02	JMP (&0218)	OSBPUT	Save a single byte to file
FFD7	6C 16 02	JMP (&0216)	OSBGET	Load a single byte from file
FFDA	6C 14 02	JMP (&0214)	OSARGS	Load or save data about a file
FFDD	6C 12 02	JMP (&0212)	OSFILE	Load or save a complete file
FFE0	6C 10 02	JMP (&0210)	OSRDCH	Read a character
FFE3	C9 0D	CMP#&0D	OSASCI	Write a character + LF if a CR
FFE5	D0 07	BNE &FFEE		
FFE7	A9 0A	LDA #&0A	OSNEWL	Write a CRLF
FFE9	20 EE FF	JSR &FFEE	CONTRACTOR OF THE REAL PROPERTY.	THE THE PERSON AND LONGERS OF THE PERSON AND PARTY.
FFEC	A9 0D	LDA #&0D	4 (S. 19 St. 20 St. 4)	the bearing of the parties of the second of
FFEE	6C 0E 02	JMP (&020E)	OSWRCH	Write a character
FFF1	6C 0C 02	JMP (&020C)	OSWORD	Miscellaneous multi-byte OS opera- tions
FFF4	6C 0A 02	JMP (&020A)	OSBYTE	Miscellaneous single byte OS opera-
FFF7	6C 08 02	JMP (&0208)	OSCLI	Command line interpreter

Figure 1 - Summary of the operating system routines showing the use of indirection vectors

Inside the BBC Micro



patibility is, from within Basic, avoid using any of the indirection facilities and, in assembly language, avoid trying to access memory directly with LDA, STA, INC etc.

Both these restrictions apply whether you are addressing RAM or memory-mapped input/output.

This may seem a rather impossible restriction but there are routines within the operating system (among the

OSBYTE and OSWORD routines) which provide facilities for accessing both input/output and also any RAM location within the computer.

These routines are all "transparent to the tube". In other words, programs written using these routines will still work when run on the second processor, though if they are in machine code they will obviously only be applicable to the 6502 second


processor.

To POKE or not to POKE?

Are there times when you have to go against the rules? Yes, I think there are.

First, if you are trying to do any work on interfacing using the user port on the 6522 versatile interface adaptor, then if you still have the 0.1 operating system, you have no option but to break the rules.

The OSBYTE routines for accessing



the memory-mapped input/output were not implemented before version 1.0.

However, even if you have got 1.0 or later, there may still be times when you have to break the rules. The main reason is that using these routines adds a few microseconds to the execution time.


In most applications this will be of no great importance but if, for example, you are doing some interfacing where speed is of the essence – such as high speed data acquisition or event timing – then the extra time needed to go via the operating system may be unacceptable.

Also, if one is realistic, it does require more effort to use the operating system routines than to access memory directly, and therefore the tendency is not to bother because of the short term savings in software development time.

I have to be careful what I say about this since I have certainly been guilty of breaking the rules myself, but I do think that in the longer term it is worth making the effort.

NEXT MONTH: How to use the OSBYTE and OSWORD routines, command lines and a look at the use of the *FX command.

LOCKABLE DISK STORAGE UNIT ~ FOR UNDER £20!



DISCASE 60'

- CAPACITY
- Compact storage for up to 60 mini-discs (L-36cm, H-16cm, D-25cm).
- SECURITY
- Lockable lid prevents unauthorised removal of discs.
- HINGED LID
- Encourages closure after disc selection, protects remaining discs from contamination.
- FIXED DIVIDERS
- Ensures no damaging pressure on discs.
- ANGLED STORAGE/ Allows easy identification and selection of discs. INDEX CARDS
- SOLID BASE
- Slots for dividers in bases of other systems allow dust to enter even when closed.
- PRICE
- R.S.P. £19.50 excl. V.A.T. + £2.50 Postage and Packing.

DEMDIE INTERNATIONAL

(COMPUTER ANCILLARIES) LIMITED

Prospect House, 1 Prospect Street, Caversham, Reading, Berkshire RG4 8JB.

Telephone: (0734) 477786. Telex: 848888 & 0734 479679

Software for the BBC Micro



The word processor for the BBC machine. This ROM based word processor has received superb reviews. Supplied with full spiral bound manual and cassette containing an example document and free typing tutor program. Now available from stock. Quantity Discounts. £39.00 + £1.50 p&p + VAT.

Beeb-calc

A ROM based spread sheet program.

Debugging Program

2 machine code debugging programs - one in ROM, one on tape. Essential for the machine code programmer. An ideal complement to the assembler built into the BBC machine.

Disk Doctor

A ROM containing useful disk utility programs. Enables the recovery of any data off the disk including deleted files etc.



TONTHE MODEL B NEW! Graphics. Very fast. 27.80 t VAT

acehawks


Mode 2 graphics, a machine code game much like the 'Galaxians' found in the arcades - very fast and also works with joysticks.

£7.80 +VAT



High speed and high resolution graphics are combined in this game to produce an exciting game almost identical to the original arcade version.

£7.80 +VAT



resolution graphics High with thousands of skill levels - more features than any other chess game.

£10.00 + VAT.



Another game that has received very favourable reviews - Fast and addictive.

£7.80 +VAT

We give very generous trade discounts

> Cash or royalties - we pay the best rates around for any good BBC micro software.

Our tapes are guaranteed to work on all Operating Systems.


よりりしょうり



16 Wayside, Chipperfield, Herts, WD4 9JJ.tel (09277) 69727 Dept BB2




BBC MICE



For all but the absolute beginner, a useful companion for those wishing to learn BBC Basic. With many illustrative programs.

£7.45



A thorough, thoughtful, though high-paced review of elementary BBC lore. Includes topics such as the disc system and interfacing.

£7.50


Probably the best elementary BBC Basic text. An exceptionally readable book which more than lives up to its title.


£6.95



A careful, textbook approach to the subject. It provides the reader with a firm grounding in BBC Basic techniques.


£6.95





A best-selling textbook. It teaches the Basic language in general, with special emphasis on the BBC Micro's dialect.

£6.50




If you already know Basic and want to broaden your horizons, this is the book for you. It's full of fascinating ideas and projects.

£6.95



One of the best assembly language books ever written. Comprehensive, and specially compiled for the BBC Micro.




For those keen to explore the machine's "innards". It provides lots of useful facts on the CRTC registers and special memory locations.

£8.95

With 36 fun programs for the **BBC Micro, this** is exceptional value for money. It also gives many ideas for future projects.

£4.75





A useful assortment of programming ideas for the less-experienced programmer. It's also a useful source of enjoyable programs.

All prices include postage Please supply the follow Please enter number required in box	and packir	
Let Your BBC Micro Teach You to Program	£7.45	
Programming the BBC Micro	£7.50	
Easy Programming for the BBC Micro	£6.95	
Basic Programming on the BBC Micro	£6.95	
30 Hour Basic	£6.50	
Practical Programs	£6.95	
Assembly Language Programming for the BBC Microcomputer	£9.95	
The BBC Micro Revealed	28.95	
The Book of Listings	€4.75	
30+ Programs for the BBC Microcomputer	£5.95	
I enclose my cheque/I Cheques payable to Database Pub		
Name		
Post to: Database Pu Europa House, 68 Ch	ublication	oad,

These special prices apply to UK readers only.

Prices to overseas readers are available on request.

Add the versatility of a disc drive to your BBC Computer


This superb precision disc drive produced by the world famous Camera manufacturers

Camou is now available in this unique compact form from PACE at only

£169 + VAT

Note the following features:

- Colour matched to the BBC
- Slim compact design measuring only 8½" x 6" x 2½"
- Price includes all cables
- Postage and packing free



PACE SOFTWARE SUPPLIES

130 Clayton Road, Bradford BD7 2LR. Tel: 0274 575973

BBC OWNERS

Why not consider the HOBBIT FLOPPY TAPE SYSTEM for your computer?

The HOBBIT gives you all the facilities you would expect from a floppy disc at a fraction of the price.

Brief Specifications

- ☆ Read/Write speed of 750 BYTES per second
- ☆ Capacity: 101K BYTES per CASSETTE
- Average access time 22 seconds
- □ Up to 138 FILES per CASSETTE
- Completely automatic no buttons to press
- ☆ Fully built, boxed and tested. Just plug in and go
- ☆ System can support TWO DRIVES

Available from stock PRICE £135.00 plus VAT

Also available for NASCOM computers PRICE £120.00 plus VAT

Access and Barclaycard accepted

For more details contact:

Han Computer Products

KILN LAKE, LAUGHARNE, CARMARTHEN, DYFED, SA33 4QE. Tel: Laugharne (099 421) 515

THE two monitors we are reviewing this week are both at the lower resolution end of their makers' ranges. The first is from Kaga, their RGBvision-I, which retails at £285. The second, supplied by Silicon Express, is the Microvitec Standard monitor, selling at £249.

Now reviewing monitors can be a very subjective business, even following the guidelines we discussed last month. Also you have to take into account the fact that you probably won't be able to use several makes of monitor at the same time in order to make direct comparisons.

In an attempt to avoid these problems, I have devised four fairly simple programs which, when run on different machines, should enable objective comparisons of their behaviour to be made.

Perhaps the first point to make is that even these low resolution monitors are a great improvement on colour TVs. The colours are really nice! I preferred those of the Microvitec, which seemed to have a clarity the Kaga lacked.

Some colleagues, however, made the point that the Kaga's colours seemed richer and had more "depth". The Microvitec's white was certainly better than that of the Kaga, which was more a rather murky grey.

Program I was designed to test their ability to separate characters in an 80 column mode (Mode 0). It writes to each line – starting each with a string of Ws and Ms, the widest and hence least easily distinguished characters. Each line is numbered and concludes with a sample of normal text. The bottom line of the screen carries a message to the effect that you should be able to read it clearly.

This test revealed the most significant differences between the two. The Kaga screen fails to show the full BBC display. Characters in the top left hand corner of the screen were hard to read and the bottom line impossible to see — which often made editing programs rather difficult.

The Microvitec, on the other hand, shows the whole of the BBC Micro's display with greater clarity. This is because it doesn't use the whole of its

screen for the display, as does the Kaga, but leaves a border round it – so avoiding missing characters and much of the inevitable distortion at screen edges.

The Microvitec also had the edge for general letter clarity. To be fair, while neither had the resolution to deal fully with the 80 column mode, most text was in fact quite legible.

Program II draws concentric circles, again in Mode 0. The Kaga, unfortunately, clipped the bottom off the outer circle. Its circles were, however,

far rounder than the rather oval efforts of the Microvitec.

The point of Program III may not be immediately apparent. It tests, among other things, the power supply's ability to source the current needed for sudden screenfuls of colour. It does this by drawing a white box around the perimeter of the display, leaving the inside black. The inside then alternates black and white.

Now for reasons we won't go into

MICHAEL NOELS LOOKS AT THE KAGA RGB VISION-1 AND THE MICROVITEC STANDARD MONITOR

From Page 49

here this kind of sudden change is the very devil for the power supply to keep up with. If you look, you will see the actual borders of the screen collapsing inwards with each "flash". Actually, part of this is an optical effect, but if you lay a straight edge along the border you will clearly see it moving in and out.

Both monitors came out well from this test, with the Microvitec having the advantage. Laying the card along the edge also drew my attention to the amount of distortion due to screen curvature - far more on the Kaga than the Microvitec.


The final test takes rather more care to use than the others. Program IV draws a mesh of vertical and horizontal lines on the screen.

You can specify the number of graphical units between each horizontal, and each vertical, as well as choosing the mode. By using this in conjunction with the theoretical resolution possible in each mode (easily obtainable from Figure I of last month's graphic articles) you can test the monitors' comparative performance.


Thorough testing on both monitors

showed that while both were capable of similar resolutions, the Microvitec's clarity at the extremes was noticeably greater.

Finally, though appearance is always a subjective factor, I must say that I prefer the appearance of the Kaga. Against that, though, is the Microvitec's hardier construction. On the Kaga the screen is covered with a rather flimsy plastic sheet, while the Microvitec's screen is covered with armoured glass. The latter point, combined with its BEAB approval, will tend to make the Microvitec the monitor of preference in the classroom.



Program I



Program II should give you circles, not ovals

```
10 MODE 0
 20 FOR R=100 TO 500 STEP 100
 30 PROCcircle(R)
40 NEXT
 50 END
60 DEF PROCcircle(R)
70 MOVE 640+R,512
80 FOR I=0 TO 2*PI STEP 0.025
90 DRAW 640+ R*CDS(I),512 +R*SIN(I)
100 NEXT
110 ENDPROC
```

Program II

```
10 MODE2
   20 VDU 19,2,7,0,0,0
   30 MOVE2, 2: DRAW 1277, 2: DRAW 1277,
1021 : DRAW 2,1021: DRAW 2,2
   35 GCOL0,2
   40 MOVE 8,4: MOVE 1271,4: PLOT 85,
12/1,1019:MOVE8,1017 :PLOT 85,8,4
   50 REPEAT
   60 VDU 19,2,0,0,0,0
   70 FOR I=1 TO 1000: NEXT I
   80 VDU 19,2,7,0,0,0
   85 FOR I=1 T01000: NEXT I
   90 UNTIL FALSE
```

Program III

10 MODE 6
20 INPUT '"Separation between
horizontals", horiz
30 INPUT '"Separation between
verticals", vert
35 INPUT '"Mode",x: MODE x
40 FOR I%= 0 TO 1023 STEP horiz
45 GCOLO,1
50 MOVE 0, 1%: DRAW 1279, 1%
60 NEXT 17.
70 FOR J%= 0 TO 1279 STEP vert
75 GCOL0,3
80 MOVE J%, 0: DRAW J%, 1023
90 NEXT J%

Program IV

lan R. Hirst

127	31 1F	30 1E			29 10					28 1C	27 18	26 1A				25 19					24 18			23 17		22 16		21 15	20 14
7F	1	-			_					-	_	2				~					×			8		<		_	4
2 y position O backspace and delete (equivalent to using	2 move text cursor to x, y position on screen	† 0 home text cursor to top left of screen	3 & 4 low and high bytes of y co-ordinate	1 & 2 low and high bytes of x co-ordinate] 4 define graphics origin	4 top y position	3 right x position	2 bottem y position	1 left x position (units are character positions)	\ 4 define text window	0	Z 0 restore text and graphics default windows	4 & 5 low and high byte of y co-ordinate	2 & 3 low and high byte of x co-ordinate	1 plot action code	Y 5 PLOT K, x, y	7 & 8 low and high byte of top y co-ordinate	5 & 6 low and high byte of right x co-ordinate	3 & 4 low and high byte of bottem y co-ordinate	1 & 2 low and high byte of left x co-ordinate	X 8 define graphics window	2 to 9 -contents of each row making up character	1 ascii character code	W 9 user define screen character	1 MODE number	V 1 select screen mode (MODE) - does not change HIMEM	in program - disable VDU drivers	U 0 from keyboard delete current line	T 0 restore default logical colours
delete key)																										\$			

Plot Action Codes

24-31	16-23	8-15	7	6	Ch	4	3	2	1	0
an so	93	as	draw line	draw line	draw line	move to	draw line	draw line	draw line	move rei
as 16-23 but without the last point plotted	as 0-7 but with a dotted line	as 0-7 but last point omitted when inverting the colour	draw line absolute in current graphics background colour	draw line absolute in logical inverse colour	draw line absolute in current graphics foreground colour	move to absolute position	draw line relative in current graphics background colour	draw line relative in logical inverse colour	draw line in current graphics foreground colour	move relative to last point

80-87 64-71 72-79 32-63 as 0-7 but plot and fill triangle (using last two points visited) as 0-7 but only a single point plotted reserved for extension

riogrammers

guide to essential programming information A quick reference

Compiled by Ian R. Hirst

Pold

BBC Basic Keywords

באד	EVAL	ERR	ERL	EOR	ror #	בייייייייייייייייייייייייייייייייייייי	ENDPHOC	END	ELSE		DRAW	DIV		DIM	מברבוב	213 130	DEG		DEF	DATA	COUNT	cos		COLOUR	CLS	-	Cla	CLOSE#	CLEAR		CHRS	CHAIN	1	CALL CALL	BGET#	AUTO	ATN	ASN	ASC	;	AND		ADVAL	ACS	ADO
exponent	evaluate	error	error line number	sive (dig of mid	and of file	end procedure	end	else			integer division		dimension array	Calata IIIIaa	doloto linos	degree			'printed'	count characters	cosine		select text colours	clear text screen		clear graphics screen	close file	clear variables		character string	load and run program	subroutine	put a byte to file		auto line number	arc-tangent	char, of string	ASCII code for 1st		logical AND or	converter value		arc - cosine	abaatuta valua
I-EAF(A)	X=EYAL(A5)	X=ERROR	X=EHL	R=X EOR Y	7 10 10		ENVELOPE (14 PARAMETERS)	END	IF X=0 THEN C=D ELSE			PRINT 11DIV2	DIM X 10	DIM A(10)	מברבוב ובמיבמת	DELETE 130 300	Y=DEG(A)	PROCIN	DEF FNVAT (g)=0.15*g	DATA 1 2 3 "A"	A=COUNT	PRINT COS (ANGLE)	COLOUR (128+1)	COLOUR 1	CLS		CLOSE#0	CLOSE#	CLEAR		PRINT CHRS (71)	CHAIN "PROG"	CÁLL 1234, A	CALL &FFF4	X=BGET#3	AUTO 100,5	ANGLE=ATN(1.5)	ANGLE=ASN(0.5)	PHINT ASC("GOOD")	A=B AND C	IF X=9 AND Y=0 THEN		X=ADVAL(Z)	ANGLE=ACS(0.4)	EBBOB=ABS(X2-X1)
bono	Y becomes E raised to the nower X	gives error number of last error	line number or last e	bitwise logical operation	en reached	X is -1 if and of file 3 has	see note(2)	optional program terminator		current graphics foreground colour	draw from last point to X, Y in	produces 5 ie INT(11/2)		create 11 element numeric array	200 inclusive	degrees	converts angles in radians to	and procedures	define functions		counts all characters 'PHINI'ed	ANGLE in radians		set text foreground to red	clear text area (incl.graphics)	ics background	close all files	close file 3	all except @% to Z%	code is 71 ie "G"	prints character whose ASCII	clears all except resident	pass A in parameter block and	call subroutine at FFF4(HEX)	value	start line number from 100,	ANGLE in radians	ANGLE in radians	prints /1, ASCII code for "G"	bitwise -	logical		see note (1)	ANGLE in radians	

231 230 230 228 227 226 225 225 224 229 229 225 148 149 144 151 150 145 147 146 91 E5 E5 EO 8 9 91 9 E3 97 96 93 XXXXXX00- C C C C C C C C C X X X X X X 0 3 0 4 4 4 4 4 4 3 Set mask byte to X when servicing user 6522 IRQ Enable flushing of buffers when escape key used Set escape key to return ASCII 1B(27) TV control, n sets vertical position, m=0 interlaced, m=1 non interlaced Get character from keyboard buffer, Yreturns returns character C=1 if buffer empty, C=0 if character obtained

Get character from RS423 input buffer, Y returns character Disable flushing of buffers when escape key used Set base number of SHIFT/CTRL function key codes Set base number of SHIFT function key codes Set base number of function keys to n Set function keys to generate strings Cancel VDU queue Write to SHEILA, X contains offset, character in Y Write to FRED, X contains offset
Read from JIM, X contains offset
Write to JIM, X contains offset, character in Y Read from FRED, X contains offset C=1 if buffer empty, C=0 if character obtained Set mask byte to X when servicing 6850 ACIA IRQ Set escape key to interrupt a BASIC program Set base number of CTRL function key codes Disable function keys (f0 to f9) Read from SHEILA, X contains offset

VDU Code Summary

Dec

Hex CTRL

n Meaning

19 13 S		17 11 Q 18 12 R	15 F 0	1008	7 7 G 8 8 H 9 9 I 10 A J	6 5 4 3 6 5 4 3	
	2 -	2 1 1	000	0000	0000	0000	0 - 0
define logical colour logical colour number physical colour number to 5 zero	action 0 plot specified colour 1 OR specified colour with that already there 2 AND specified colour with that already there 3 EOR specified colour with that already there 4 Invert the colour already there colour number	define text colour (COLOUR) colour number define graphics colour	page mode off clear graphics area (CLG)	move cursor up one line clear text area (CLS) move cursor to start of current line	make a short beep backspace cursor one character forwardspace cursor one character move cursor down one line	write text at text cursor write text at graphics cursor enable VDU drivers	does nothing send next character to printer only enable printer

2

Fold -

Flushes the currently selected input buffer Disables all ADC channels Enables ADC channels 1 and 2 Enables ADC channels 1,2 and 3 Enables ADC channels 1,2 and 3 Enables ADC channels 1,2 and 3 Enables all four ADC channels Forces start of convert on ADC channel n Resets user defined keys to no longer contain strings Forces machine to wait for next display frame Implodes soft character definition Explodes soft character definition Flushes the RS423 serial input buffer Flushes the printer output buffer Flushes the printer output buffer Flushes SOUND channel 0 Flushes SOUND channel 2 Flushes SOUND channel 3 Flushes SOUND channel 4 Flushes SOUND channel 5 Flushes SOUND channel 6 Flushes SOUND channel 7 Flushes SOUND channel 7 Flushes SOUND channel 9 Flushes Flushes SOUND channel 9 Flushes Flushes SOUND channel 9 Flushes Flushes 8 Flushes Flushes 8 Flushes 8 Flush		placted input buff	alected input policy	only	1 and 2	1,2 and 3	nannels	on ADC channel n	ys to no longer contain	for next display frame	definition	definition	uffer	al input buffer	al output buffer	put buffer	0 1	11	12	13	sis buffer	flag	sed flag	of ESCAPE condition
	0-0-0645 0-0-06450VB	Elieboe the currently s	Plushes the correlative so	Fnables ADC channel 1	Enables ADC channels	Enables ADC channels	Enables all four ADC of	Forces start of convert	Resets user defined ke	Forces machine to wait	Implodes soft character	Explodes soft character	Flushes the keyboard b	Flushes the RS423 seri	Flushes the RS423 seri	Flushes the printer out	Flushes SOUND channe	Flushes SOUND channe	Flushes SOUND channe	Flushes SOUND channe	Flushes speech synthes	Reset ESCAPE pressed	Sets the ESCAPE press	Anthowlados detection
0-0-0045 0-0-0040000																								

* * *	128	8 8 8	0 0 247 248	F.	Y returns last For n=1 to 4, For n=247 to 2 speech buffer SOUND channe
-------	-----	-------	----------------------	----	--

OSBYTE Calls

RS423 serial output buffer	RS423 serial input buffer	keyboard buffer	Read key with time limit, limit passed	X returns key, Y=0 if key detected,	if Y>&7F on entry then tests for spe	Read machine higher order address	Read OSHWM, returned in X and Y(
			E					
253	254	255	c					
			18			82	83	
			* 129 81			* 130	* 131 83	
			*			*	*	

Dood		0.7	125		
Return		98	134	*	
Read I	c	85	133	*	
Read b		84	132	*	
Read C		83	131	*	
Read n		82	130	*	

Inse	2	C	AA	138		
Turn		-	88	** 137	**	
Turn		0	88	137	*	
Rese			88	136		
,						

Turn cassette	Insert charac	Controls file	Sets default	Sets tape s	Sets tape sp	Reserved	Reserved	Reserved
	=	E						
-	0	=	0	-	2			
89	84				80			
* 137	138	139	140	140	140	141	142	143
*								

EOF	
=	
d as n, X<>0 if EOF	
· c	
65	
opene	complete
E e	00
40	40
status of file	channel to
#	ADC
90	A
end of file	last
Returns e	returns
OC	3-

		×		
		=		
5		LSB		
_		>		
5		=		
Returns end of file status of file opened as n, ACAU II CUT		For n=1 to 4, reads ADC channel n, MSB returned in Y, LSB in X	For n=247 to 255, status of buffers returned in X	
20		10	Pe	
ed a	te	MSB	eturn	
beu	ple		5	
0 911	COM	nnel	ouffer	
0	1 to	cha	of b	
tatus	Y returns last ADC channel to complete	ADC	atus	
07	0	50	on	
TITE	ADC	rea	255,	
0	St	4	0	
Due	<u>m</u>	0	7 t	
rns e	urns	n=1	n=24	
Retu	Y ret	For	For	

	0	2	-
	channel	channel	channel
- boods	SOUND	SOUND channel 2	CNITOS

249

250

252

Z Ieu	nel 1	nel 0	printer output buffer	RS423 serial output buffer
Chan	chan	chan	outpu	serial
SOUND	SOUND channel 1	SOUND channel 0	printer	RS423

graphics mode

MODE MOVE

new program FOR ... NEXT

NEXT

NEW

томе

old program

OLD

NO

logical NOT

NOT

middle string

modulus

low memory

LOMEM

MIDS

MOD

key, Y=0 if key detected, 1B if ESCAPE, FF if no key with time limit, limit passed in X and Y(MSB) on entry then tests for specific key closure

bottem of display RAM address, returned in X and Y(MSB) owest address for mode n, returned in X and Y(MSB) x and y co-ord. of cursor position in X and Y Read character at text cursor position, X returns char. IWM, returned in X and Y(MSB) Y returns current display mode

n cassette motor off erved

ter ASCII n into keyboard buffer options, see page 398 eed to 300 baud eed to 1200 baud tape speed e motor on

determines size of file 3 in bytes (not cassette) numerical value (0) representing false	loop executed at least once	see note (3)	no echo to screen, X contains key code	no echo to screen, XS contains key character			variable pointing to highest memory used	THEN, and ELSE optional	Y returns value of any key pressed within 50ms	tests for A being pressed, -1 : no key	waits 200ms, returns \$	accepts numeric, prints?	s suppresses ? (no comma)	prints ?	accepts anything in a line	inputs from file 3	returns position of 2nd string in 1st(ie 3)	next smallest integer (ie 5)	gives –6	prints left N characters of AS	returns length of As	LET is optional	print line 200	list from line 100 to 300	list upto 300	insert no spaces during LIST	format with spaces		clears all variables except @% to Z%	declares variables local in PROC or FUNCT.	log to base 10 of x	
N=EXT#(3) X=FALSE	A=FNMEAN(X,Y)	GCDI 0.2	X=GET	XS=GETS	GOSUB 4000	GOTO 330	HIMEM=HIMEM-40	IF X=2 THEN 200	Y=INKEY(5)	Y=INKEY(-66)	YS=INKEYS (20)	INPUT X	INPUT "TYPE NAME" NS	INPUT "WHAT AGE", A	INPUT LINE AS	INPUT#3, A,B	INSTR ("HELLO", "L")	X=INT(5.3)	X=INT(-5.3)	PRINT LEFTS (AS, N)	X=LEN(AS)	LET A=2	LIST 200	LIST 100, 300	LIST, 300	LISTO 0	LISTO 7	X=LN(A)	LOAD "MYPROG"	LOCAL A, B, Zs	Y=LOG(X)	
extent false	function	graphics colour	get key code	get string	go to subroutine	goto line	highest memory	10	input key number		input key string	input to computer				input from file	in string	integer part		left string	length of string	let	list prog.			list option		natural log	load program		logarithm	
EXT# FALSE	FN	HO. 100	GET	GETS	GOSUB	GOTO	HIMEM	F	INKEY		INKEYS	INPUT				INPUT	INSTR	INT		LEFTS	LEN	LET	LIST			LISTO		LN	LOAD	LOCAL	507	

HINEW-HINEM-40	variable pointing to highest memory used
IF X=2 THEN 200	THEN, and ELSE optional
Y=INKEY(5)	Y returns value of any key pressed within 50
Y=INKEY(-66)	tests for A being pressed, -1 : no key
Y\$=INKEYS(20)	waits 200ms, returns \$
INPUT X	accepts numeric, prints ?
INPUT "TYPE NAME" NS	suppresses ? (no comma)
INPUT "WHAT AGE", A	prints ?
INPUT LINE AS	accepts anything in a line
INPUT#3, A,B	inputs from file 3
INSTR("HELLO", "L")	returns position of 2nd string in 1st(ie 3)
X=INT(5.3)	next smallest integer (ie 5)
X=INT(-5.3)	gives –6
PRINT LEFTS (AS, N)	prints left N characters of AS
X=LEN(AS)	returns length of As
LET A=2	LET is optional
LIST 200	print line 200
LIST 100,300	list from line 100 to 300
LIST, 300	list upto 300
LISTO 0	insert no spaces during LIST
LISTO 7	format with spaces
X=LN(A)	
LOAD "MYPROG"	clears all variables except @% to Z%
LOCAL A, B, Zs	declares variables local in PROC or FUNCT.
Y=LOG(X)	log to base 10 of x
PRINT LOMEM	pointer to start of variable memory
AS=MIDS(YS, I, J)	As returns J characters starting from Ithin Y:
X=12 MOD 5	returns remainder after division (ie 2)
MODE 5	select graphics mode see note (4)
MOVE X, Y	move graphics cursor to absolute position
NEW	removes a program
NEXT	indicates end of FORNEXT loop
NEXT I	'pops' FOR-NEXT until I is found
IF NOT (A=6) THEN	logical not
A= NOT 8	equivalent to unary minus (A=-B)
OLD	restore program deleted by NEW
ON X GOTO 1000, 2000	if X=1 goes to 1000, if 2, then 2000
ON X GOSUB 100, 200, 300	
ON ERROR GOTO 1500	errors handled by 1500
ON ERROR OFF	restores normal error handling
X=OPENIN ("filename")	opens file called "filename" and allocates
	shannol number

variable which points to program start constant=3.14159265

multi purpose see note(6)

PLOT 4,50,50 AREA=2*PI*R PAGE=85000

if file does not exist, it is created N=0 errors suppressed, no listing

X=OPENOUT ("filename")

open file for output

OPENOUT

OPT

assembler option

open file for input

OPENIN

OPT N

channel number

N=2 errors reported, no listing

N=3 errors reported, listing

IF A=6 OR B=2 THEN ...

logical OR

page

PAGE

OR

plot ā

PLOT

ā

N=1 errors suppressed, listing


-	
\sim	
-	
_	

WIDTH	VPOS	VDU	VAL		USR	UNTIL	TRUE			TRACE	TOP	70		TIME	THEN	TAN		TAB	STRINGS	STRS	STOP	STEP	SQR	SPC	SOUND	SIN	SGN	SAVE	RUN					RND	RIGHTS	RETURN		RESTORE	REPORT	REPEAT			RENUMBER	REM	READ	RAD	PTR#	PRINT#	PRINT	POS	POINT	
page width	vertical position	vdu driver	value		user		logical true				top pf program	FORTONEXT		time	IF THEN ELSE	tangent		tabulate	repeat string	string	stop	step	square root	space	sound	sine	sign	save program	run program					random	right string	return from subroutine		restore data pointer	report error	repeatuntil				remark	read	radian	pointer	print to file	print	position	point	
WIDTH 60	V=VPOS	VDU 28,0,5,39,0	A=VAL(B\$)		X=USR(&3000)	UNTIL X> 10	IF RESULT=TRUE	TRACE 6780	TRACE OFF		PRINT TOP	FOR X= 1 TO 5		TIME=((H.*60+MIN)*60+SE)*100	IF A=2 THEN 350	X=TAN (ANGLE)	PRINT TAB(2, 10); "HELLO"	PRINT TAB(10); "HELLO"	AS=STRINGS(4, BS)	AS=STRS(X)	STOP	FOR X=1 TO 7 STEP 2	X=SOR(Y)	PRINT SPC(6); A	SOUND 1,-15,53,20	X=SIN (ANGLE)	X=SGN(Y)	SAVE "FRED"	RUN		X=RND			X=RND(N)	AS=RIGHTS(XS, 3)	RETURN	RESTORE 2000	RESTORE	REPORT	REPEAT		RENUMBER 100, 20	RENUMBER	REM comment	READ AS. 2	X=RAD(Y)	PTR#4=100	PRINI#3, A	PRINT A, B	X=POS	colour=POINT(X, Y)	
sets page width used by computer (0 initially)	returns vertical position of text cursor	multipurpose statement see note(9)	converts number represented by BS to number	P, Y, X, A registers	calls subroutine and returns value from	terminates REPEAT LOOP	logical true =-1	report line numbers below 6780	turn off trace	print line numbers during prog execution	pointer to end of user program		may be		OPTIONAL	ANGLE in radians	moves text cursor to 2, 10 & prints HELLO	Tabs to 10th column of correct line	AS becomes 4 times BS	converts number to string representation	may be restarted with GOTO	optional, defaults to 1	negative roots cause error	generates 6 spaces followed by A	see note (8)		returns sign of Y (ie +1,0, or -1)	save on cassette or disc	clears all variables except @% to Z%	-2147483648 and 2147483647	generates integer between	N=0 reports last number with N=1	N>0 generates random no >0 and <n< td=""><td>N<0 resets generator</td><td>selects last 3 char of X\$</td><td>indicates end of subroutine</td><td>sets data-pointer to DATA line 2000</td><td>sets data-pointer to first DATA line</td><td>reports last error in words</td><td>repeat loop always performed at least once</td><td>renumbers 50 with increments of 10</td><td></td><td>renumbers from 10 with increments of 10</td><td>indicates rest of line is comment</td><td>read from DATA statement</td><td>converts from degrees to radians</td><td>sets pointer to non-cassette file</td><td>prints A to file 3</td><td></td><td>returns position of text cursor</td><td>returns colour of point X, Y(-1 off screen)</td><td></td></n<>	N<0 resets generator	selects last 3 char of X\$	indicates end of subroutine	sets data-pointer to DATA line 2000	sets data-pointer to first DATA line	reports last error in words	repeat loop always performed at least once	renumbers 50 with increments of 10		renumbers from 10 with increments of 10	indicates rest of line is comment	read from DATA statement	converts from degrees to radians	sets pointer to non-cassette file	prints A to file 3		returns position of text cursor	returns colour of point X, Y(-1 off screen)	

FX and OSBYTE Call Summary

dec hex X Y Function

We've got it all taped!



ORDER NOW!

POST TO: Database Publications, Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY. Our offer of a cassette tape of all the programs printed in the last issue of BBC Micro User was a tremendous success.

So many readers jumped at the chance of saving themselves the trouble of keying in the programs that we are doing the same with programs featured in this month's issue.

The cost is just £3.25, plus 50p post and packing. Or you can have both tapes for £6, plus 50p p&p.

This is what you will get:

APRIL ISSUE: KING KONG, a fast-moving game in which you pilot a helicopter to rescue girls perched on the Empire State Building before killing Kong; GRAPHICS, a suite of colourful demonstration programs; NIM, a structural game of strategy; TOKENS, first steps in unravelling the Basic ROM; HOROSCOPES, a fun program with useful error-trapping routines; BINARY, a neat line in number conversion; FORMATTER, an essential disc utility; DISASSEM, a full machine code disassembler; HEAT & LIGHT, two measuring and plotting programs; MONITOR, four "test card" programs to evaluate VDUs.

MARCH ISSUE: DEATHWATCH, a superb arcade game that challenges you to use your skill to fight off enemy battleships, tanks and helicopters; BINGO, illustrating clever uses of the randomise function; BUBBLESORT routines; TESTS for function keys in machine code routines; a useful CASSETTE BUGS FIX for users with OS 0.1. and many COLOUR AND GRAPHICS ROUTINES to help you create a kaleidoscope of screen designs which you can incorporate into your own programs.

Remember these top-quality cassette tapes save wear on your fingers — and also ensure your programs are error-free!

		ALC: U	-					
		8 80 3	1000		100		0.3	. V . S
86.	w,	8 m 3	2 000	n 3	88 sd	W.	8 - 8	1 / A BI

Please supply the following cassette tapes of programs from BBC Micro User:	
April issue (King Kong, etc) - £3.25	
March issue (Deathwatch, etc) - £3.25	
Special offer: April + March - £6.00 Post and Packing	50p
I enclose my cheque/postal order for:	
I enclose my cheque/postal order for: £ Alternatively please debit my Visa/Access/Dir Eurocard * account number:	ners Club/
Alternatively please debit my Visa/Access/Dir	* Delete as appropriate
Alternatively please debit my Visa/Access/Dir	* Delete as
Alternatively please debit my Visa/Access/Dir Eurocard * account number:	* Delete as

FREDDIE -FLY ME!



BBC More unique programs exclusively from Kansas

F FOR FREDDIE IS THE HARDEST GAME THAT YOU WILL EVER PLAY!

Requires absolute concentration to prepare, take-off, fly and land a tri-star jet at varying destinations using a staggering 36 control keys!

If you only play the arcade type of game, needing just a couple of keys and the space bar to play, then this is most certainly not for you

If however, you are prepared to sit at your computer for literally hours on end getting to grips, and then give a considerable amount of effort and time into actually trying to solve it, then this is definitely for you.

Though F for Freddie is a flight simulator type of game, it is not one with simple operation and the ground appearing at the front of you, but is as accurate a simulation of not only flight, but preparation, take-off and the many more occurances associated with flying a tri-star jet as a 32K micro will allow.

Controls? A mind boggling 36 of them! And it is here where the logic and skill comes in, as everything must be done not only in the correct order but at the right time. Yes, it's in real time, with the clock ticking relentlessly away.

But the great asset of this 'game' is that every little piece of information you require is shown on the screen, nearly fifty in all, continuously being updated, with the colours being cleverly used to depict different, changing, situations.

Eventually you will master the take-off, then even manage to fly and at long last manage to land. But unlike all other games, at this stage you don't put it away for ever, for you have seven different destinations, all on different courses and distances...

There are plenty of instructions on the 36 controls and even a little advice, but as the whole thing is a colossal challenge, you are not told how to fly Freddie, this you have to discover entirely for yourself ...

At times you will wish, as most certainly will your family, that you never bought the blasted thing!



not accept that we DO operate a return first class post service.

times by the upstart software houses, that it is obviously going to take some while to accept professional service.

We assure you, all advertised programs are in stock and that every single order will be despatched in our private Post Office collection at 4.30pm the same day the order is received, and by the faster metered mail (no stamps to be franked).

Another big moan is the very limited guarantee which most firms give and the hassle in trying to get tapes replaced. And of course, those of you who have purchased from the 'here today-gone tomorrow' brigade, there's no chance.

How reassuring to know we've been in the media publishing business, from this address for 25 years, as well as being the longest established software publishers in the Business.

But best of all we give an unconditional life-time guarantee which means that should a program fail, no matter what the cause, it will be replaced absolutely free of charge, this year, next year or in ten years...

all surpassed by the Kansas Frogger!

two lanes of turtles.

top score table...

It's just like the Arcade version with five lanes of

traffic at different speeds, three lanes of logs and

And sinking turtles and different levels with

increased speed and real crocs and tunes and a

on it...In high resolution Mode 2 of course.

Without any fear of contradiction we state that no

£9.50 Vat and post paid

other Frogger offered by anyone gives as much or

is so like the original -we'll stake our reputation

Recognised Brand Leader in microcomputer software





Kansas City Systems, Unit 3, Sutton Springs Wood, Chesterfield, S44 5XF. Tel. 0246 850357



Music (BBC Software)

MUSIC is a useful tool for those who want to explore the BBC Micro's facilities for music making without getting involved in complicated programming.

The program allows you to record three separate lines of music, and then to alter various aspects of the sounds which they produce. You enter the music using the BBC keyboard, and the notes are displayed on the screen.

You may play back any or all of the three lines at the same time, and also alter the speed. There is a choice of four different "voices" in which the sounds can be played, and if you want to keep a tune permanently you can easily save it on a spare tape.

All the lines are displayed on the screen and are horizontally scrolled along as the music is played. Also there are full editing facilities for altering the score once you have entered it.

The musical effects produced are quite good. The accompanying booklet says that the "instruments" quality should not be taken too seriously, and this is true. The alteration in tempo is a

Doubtless Bach would have some byteing comment

useful option, and loading and saving is easy.

However, the graphics used don't really look like notes, although they are sufficient to give a rough idea of the tunes. The basic note is represented by a square block, and longer ones are simply oblongs. The length of each note is picked up directly from the keyboard, so you have to concentrate very hard to get the effects you want.

It is very difficult to get the three lines in sync because of this, but it can be done and the three part harmonies are very good when played back. Unfortunately you cannot mix instruments so that all lines must be played back in the same voice.

The editing of tunes is done quite easily, though sometimes it is difficult to change the length of a note.

Despite some problems in entering and amending music, the program is fun to use and can produce some pleasant results. It doesn't attempt to fully exploit the BBC Micro sound facilities, nor do the graphics give an ideal representation of the music.

However it is entertaining and probably useful to those who already have some musical knowledge, and wish to combine this with computer play.

Jane Jackson.

Grafkey.. clever but covert

Grafkey (Clares)

I'VE had difficulty writing this review because on the one hand it's going to enthuse over an excellent product and on the other . . . well, I'll come to that.

As the blurb would have it Grafkey is a program which allows various shapes and lines to be drawn anywhere on the screen using the keyboard.

They can be drawn using 2, 4 or 16 colours and the picture may then be saved to tape and used in other programs. And that is exactly what it does, only more so.

Grafkey is a superb diagram creat-

ing program. Once you've got the hang of it, it's easy to use and I have found creating pictures using it is as much fun as playing any of the video games reviewed recently.

The more you use it the more it has to offer and the greater number of applications occur to you. It's all written in Basic and is very clever, very useful stuff.

Teachers will find the ability to call a sequence of colourful diagrams from tape invaluable.

If you're after graphics software think seriously about Grafkey or its sister program Grafstick, which is exactly the same but uses a joystick.

The fly in the ointment is that you have to be prepared to spend time

learning how to use it, as the instructions supplied are woefully inadequate, especially when you consider that most of the users will not be experts on the BBC Micro.

This, I'm told, is as a result of additions to the original package outstripping the written instructions. However, revised, simpler and more comprehensive instructions are on the way.

Having said all that, anyone with any enthusiasm and a little time can soon sort it out. It's fun doing it and well worth the trouble.

An excellent product that does what it says it will do and more besides. Thoroughly recommended.

Nigel Peters

You can cheat at Chess if all else fails..



Connect 4 (Database)

MY wife's happy - at last she's beaten the computer! Mind you, it took her several dozen attempts, but she is delighted. You see, I haven't and it's not for the want of trying - it's because of the sneaky programming by those devils at Database.

I must admit that when I got Connect 4 for review I thought: "Why bother, why not buy the game proper from the toy shop?" But that was before I discovered the solitaire version where you play with the computer - or rather it plays with you. It's addictive, infuriating and attracts too many people who look over your shoulder and give advice, good and otherwise.

For those of you who don't know Connect 4, it's an abstract logic game where you have to fill a 6 by 7 array with circles, taking alternate turns with your opponent.

The idea is to get four circles in a row - either horizontal, vertical or diagonal - to win. Only you don't if Chess (Bug-Byte)

THIS attractively packaged program loads at 1200 baud, but although there is no 300 baud back-up I had no problems loading it, taking just under two minutes.

It runs automatically once loaded (the command *RUN "CHESS" must be used). The usual choice of black and white is given and the required skill level should be selected according to the player's ability.

The program suffers from the usual problem that the waiting time is inversely proportional to the skill level.

The visual display has clarity and is asthetically sound, the pieces being easily distinguishable with the possible exception of the queen and rooks. For no apparent reason the number 44 appears in the top right corner of the screen. It is constantly displayed throughout the game and has been the subject of much speculation as to its purpose.

Movement is achieved by means of a simple grid system and any illegal responses are rejected. The program provides for castling, but curiously not for en passant so far as the player is concerned. I eventually had to admit defeat after prolonged provocation on this point.

The menu can be accessed by pressing RETURN, when the prompt appears. The menu then gives a wide selection of available actions including listing moves made during the current game, saving unfinished game on tape and rearranging the current board (useful for cheating when all else fails!). Avoid the ESCAPE key when in this mode or the program will crash.

Overall, Bug-Byte Chess is excellent practice for all budding grand masters and will accompany a player up to a high level of skill. I would recommend it as a good candidate for any program collection despite the unusually high cost. Chris Turnbull

Just one more, then you can have a go

you're playing the solitaire version unless you're my wife and I was standing behind her giving her advice!

For such an easily learnt game it gets surprisingly complicated, but remains fun. Your hand goes instinctively for the replay and you find yourself saying "just one more, then you can have a go" . . . the chant that marks the end of every good video game.

Pete Bibby

Tess (H & H)

TESS, a pattern-drawing programme, takes a bit of learning but is worth it. The idea is that you are presented with a white square on a black background and on this you create the picture of your choice using the user defined function keys.

Once you have drawn this basic pattern you can then "tessellate" or produce regular patterns of various sizes and colours. The range of possibilities is enormous and the basic patterns can be saved, loaded and used again to create yet more tessellations.

The only criticism is that the instructions are not complete enough or, rather, they are all there but are not available during use.

A few "cribs" during the actual drawing stage would save a lot of mistakes when Tess is first used.

Having said that, after a time the instructions become second nature and the pleasure of creating the tessellations takes over.

Katherine James



Fun Games

A COLLECTION of four traditional games nicely presented and colourful:

Breakout: A BBC adaptation of one of the earliest arcade games. Eight lines of bricks have to be knocked away, using three balls and either a large or small bat, which is controlled with the keyboard.

The large bat takes a while to get used to and the smaller one is almost impossible except after many hours of practice. To make things more fun, once you're through the fourth line of bricks the ball speeds up.

If you do manage to clear all the bricks, a new screenful is presented for you. Altogether it is a good addictive version, which can be incredibly frustrating.

Dodgems: You drive a car around an oblong maze of roads, running over dots while attempting to evade the persistent attacks of the computer car. With a little practice it gets easier to predict the movements of the computer car, and so by changing lanes at each junction (by using the keyboard) you can usually get most of the dots before things get too tricky.

The added option of speeding up your car allows you to eat more dots but also makes it more difficult to change lane — and thus avoid the pursuing computer car.

The graphics and sound are good – particularly the vivid blue/yellow crashes.

Flash: A deceptively simple memory game – do you remember "Simon"? Four blocks of colour, each with an accompanying sound, are flashed onto the screen. You have to remember and enter into the computer the colours/sounds, in exactly the order in which they were shown.

Although you can choose the speed that the colours/sounds appear, even the slowest is difficult to remember when the sequence reaches more than twenty.

Flash is an attractive game, in which the computer takes an almost human delight in instantly telling you of any

GAMES and GUIDANCE

from BBC Software

mistakes the second in which they occur.

Snake: This is perhaps the best of all of the four. You become a letter-hungry snake, slithering around the screen in search of letters to eat. The further down the alphabet the letter is when you eat it, the more points you get.

Unfortunately, as you manoeuvre the snake around the screen it grows longer and longer, and so it becomes more difficult to avoid crashing into your own tail.

Also, of course, you musn't hit the surrounding walls, or just when you think you are getting the hang of things a letter appears in an unexpected place, and the snake inelegantly bites the dust.

Programs I

THIS collection of 12 programs was originally written for "The Computer Programme", and demonstrates many of the useful facilities of the BBC Micro.

The programs are very useful for those who have a grasp of programming and want some ideas on how to use their knowledge effectively. All can be listed and are clearly written with plenty of REM statements, which means one can modify programs and easily monitor the effects.

Owl is a simple graphics offering which draws the BBC Owl and makes him blink. It employs useful graphics techniques, and is a good starting point for exploring further ideas.

Ball a simulation of a bouncing ball,

closely models the true flight path by displaying the ball and its path on the screen. A good program for basic animation and for representing real events in an accurate way.

Sales is a very simple way to draw graphs.

Bubble shows how a bubble sort works. It is useful in applications of programs to basic data manipulation.

Cube produces a rotating 3D cube by using basic animation effects, with some efficient programming to allow relatively fast movement.

Languages provides a colourful arrangement of the names of computer languages. The characters are created using the VDU23 command to define each original character into two halves, which are then displayed.

Flowers is the graph of an elliptical function, but it draws some very attractive pictures anyway. Also sounds are used.

Anagrams takes a word entered and rearranges the letters in every possible sequence, most of which are nonsense.

Weaving is a strange program, apparently designed to illustrate ideas about binary. Anyway, it draws pictures of the different ways of weaving threads through up to eight warps.

Sideways turns the BBC screen on its side. Very baffling, and another useful illustration of altering the standard character set and rearranging it.

Coins is a graphic version of an old problem — to find the one counterfeit coin out of 10 by the smallest number of weighings. Procedures are used for the various aspects of the program.

Plotter produces very effective 3D graphs. The results are attractive even if you don't understand the maths behind them.

Altogether this is an interesting collection of programs which would be useful to anyone interested in getting the most out of their BBC Micro but who perhaps needs some help in doing it.

The graphics are particularly appealing, and are bound to encourage those who want to develop this particular aspect either for entertainment or for making learning more fun.

Jane Jackson

HEBEB BODY BUILDING COURSE

LAST month we looked at the parts of a model A to model B upgrade that did not require any soldering. So now get out the soldering iron and let's have a bash at making your model A a fully fledged B.

However, as we saw last month, it is not necessary to do all the parts of the upgrade, so you can save yourself a bit of money.

To start off I would like to say a little bit about soldering and soldering irons. Those already perfectly confident about soldering can skip the next section.

Well, now that we have the knowalls, out of the way, we can begin. Soldering is really quite simple if you have the right tools and follow a few simple rules.

However the results that can be achieved by a real idiot wielding a poker on a computer printed circuit board can be quite horrendous, and many attempts I have seen have probed the bounds of my sanity.

The first and most important piece of equipment is the soldering iron. You usually only buy one, so make it a good one.

Soldering irons are described by their wattage – that is how much heat they will produce. Also the size of the tip is an important indication as the fineness of the work that can be undertaken.

Look on the back of your computer printed circuit board. you could not solder joints that close together without about a $\frac{1}{8}$ th inch tip or smaller.

Irons come in two types – those whose temperature is regulated, and those not so. In my opinion there is no place in computer electronics for the unregulated soldering iron.

Computer work requires a small tip size and if it is a low power soldering iron (10-20 watts) the tip will lose all its heat after making only one or two joints, and you will have to wait about three minutes before you can make the next one.

What tends to happen is that you don't wait, thinking that if it can melt the solder then it must be all right. And you will find you are wrong!

You will get what is known as a cold or dry joint, which looks all right but doesn't actually make any electrical connection. In an effort to avoid this, people buy an iron with a large rating of 25 to 50 watts and a small tip. As a result the tiny tip overheats, causing it to quickly burn away. In the meantime it produces bad joints because the tip is too hot as well as making the soldering iron handle too hot to hold comfortably.

The answer is to have a regulated iron, one that controls the amount of heat going to the tip. There are two types, the ones with a thermostat in the handle being the least expensive. However these provide little more than a variable on-off duty cycle dependent upon the thermostat screw setting.

They can prevent a small tip from burning out and are definitely better than an unregulated iron. However there is no feedback from the tip to the heater that it is being used, and so the same amount of heat is always transferred to the tip. This causes the tip temperature to drop when joints are made in quick succession.

The way round this is to use some form of feedback regulation. Unfortunately this type is the most expensive, but when you consider the price you have paid for your computer the cost of a top quality soldering iron is relatively small. Prices vary but expect to pay around £30 for a quality job.

The temperature feedback works on an interesting principle. The soldering iron tip has a magnet built into it, which causes a sensitive switch inside the heating element to close and turn on the heater. When the magnet has reached a certain temperature (called its Curie point) it suddenly loses all its magnetism, causing the switch in the heater to turn off.

As the tip cools it drops below the Curie point, regains its magnetism, and turns on the heater. In this way a relatively stable temperature is maintained. For example, when the tip is applied to a joint, the heat is sucked out of the tip and the heater immediately turns on. Using this principle it is possible to have a 40 watt iron with a one-sixteenth inch tip or smaller with the back up power to tackle any joint.

There are several irons on the market advertised as low leakage, implying that they are essential for soldering MOS devices. They are not, and most of the time you will be soldering empty sockets or devices in circuit, so you do not really have to think about using them.

Remember that it takes a great deal of skill to produce a good joint from a bad iron so why make things deliberately difficult for yourself?

My particular favourite soldering iron is a Weller Soldering pencil TCP, which is a low voltage iron driven from a transformer built into the stand. This is not the only one that fits all the requirements, but is well worth the money.

Having got a good soldering iron it is comparatively easy to use. To make a good joint use resin cored solder, and I would recommend 22 SWG thickness.

The iron, solder and the joint must all come into contact at the same time. Consider the process carefully. Slowly feed the solder in and when you see the solder run around the joint remove the iron and solder.

Do not move the joint while the solder is molten or you will get a dry joint. You can usually tell when a joint sets by noting a slight change in how the surface reflects the light. That is really all there is to it.

However, simple as it may seem, some people somehow manage to get it wrong, so here is a list off do's and dont's:

DON'T use the soldering iron tip to carry solder to the joint.

DON'T try to melt the solder on the joint by applying the iron to one side of the joint and the solder to the other – apply all three at the same spot.

DON'T pile on too much solder so that it splashes or makes a bridge to the next connection.

DO leave the soldering iron on the joint long enough to make a proper joint. Most beginners are frightened about getting components too hot and as a result don't get the joint hot enough, which leads to dry joints and solder tails when the iron is removed.

Solder tails can short things out, especially when the printed circuit board is screwed back down to the base of the case. Most components and printed circuit boards are rated to withstand soldering temperatures for at least ten seconds.

This might not sound very long, but you time it and you will find it more than adequate to make several joints, let alone one.

DO make sure the tip is in contact with the pin and the printed circuit board track. I have seen many so-called joints that are just solder stuck

to the top of the pin with no connection to the track on the board.

DO keep the tip of the soldering iron clean. This can be done by giving it a quick wipe on a damp sponge (a real one, not the foam type) after every 10 or so joints. Do not file the tip, because the good ones have an iron coating to protect the copper from eroding.

DO tin the iron before using it. This involves melting a small amount of solder on the tip. This is known as wetting the tip and allows good thermal contact between the tip and joint. You will need to do this every time you wipe the tip. If you don't the joint will not heat up as the area of contact between tip and joint will be very small.

If all that is a little daunting, on the work we are going to tackle this time there is only one place where bad soldering can cause the computer to fail and I will warn you of that so you can miss it out until you have more confidence.

THE BEEB BODY BUILDING COURSE

This month the only things that needs soldering are the connectors and it is one of the stranger facts of life that of all the extra components the plugs and sockets cost more than the integrated circuits!

So if you omit the connector and solder wires into the board and connect the other end to a cheap screw connector block available at most DIY shops you can save a mint.

The disadvantage is that you will have wires trailing out of your machine and inconvenience in connecting equipment that is meant to plug straight in. This is important for some connectors but not for all.

Just which you will want to include will depend upon your own applications, but always remember that if you need the correct connector later on it can always be fitted by simply unsoldering the wires. You pays your money and takes your pick.

Some of the holes you require for inserting the connectors might have been blocked up with solder in the flow soldering process used to mass produce the computer.

They can be easily cleared by sharpening a pencil to a very fine point,

putting your soldering iron onto the offending hole and when the solder is molten remove the iron and place the pencil point in the hole.

Let the solder solidify and remove the tip. The solder will not stick to the pencil point and will leave a small hole. Wipe your iron of any excess solder and reapply it — the solder should be transferred onto the iron tip and leave the hole clean. If you cannot make this trick work then you will need a solder pump. This is a small device that has a spring loaded plunger and will suck up any molten solder leaving the hole clean.

An A/D converter allows you to connect analogue devices as inputs to the computer. The fact that this is built into the BBC Micro and its Basic is one of the more attractive aspects of this particular model.

I will also be using it in the next two exercises so you will get plenty of mileage from it. It will also allow you to connect a light pen to the computer.

The plug should be soldered into the space at the back of the board (see photo). The type you need is called a 15 way D-Type PCB mounting socket. The PCB mounting indicates that there are long bent connectors on the back so that the socket will sit at right angles to the board and the connectors will reach down into the board.

There are two types, one with a plastic built-in bracket and one with separate angle brackets. It does not matter which you use but if you use the latter you may have to run a file over one of the brackets to shorten it slightly to prevent it shorting out to C27.

Also it is a good idea to put a little nail varnish (the shade does not matter, but avoid the metallic glitter type) under where the bracket is going to contact the board. There is a varnish on the computer board to prevent the bracket shorting out the tracks but in one case I know this was slightly chipped and caused a short circuit.

The brackets may be fixed with four small nuts and bolts, the holes for which are already in place. Model B machines I have seen do not seem to have any bolts, and it would be a good idea to put some in as they will prolong the connector life.

When this is done you need to fit two ICs – IC73, a D7002 manufactured by NEC, the analogue to digital converter, and IC77 – a 74LS00. This latter chip is also used by the floppy disc drive interface (see later).

You now have a fully working four channel analogue to digital converter plus light pen input. There are also two single-bit digital inputs available for use as fire buttons. Like the light pen input, only the socket needs to be provided for this function.

With the exception of the two DIN sockets next to the cassette input the remaining connectors are all flat cable PCB mounting header plugs. They are made by various manufacturers, but perhaps the most popular are the ones made by 3M called Scotchflex. I will be quoting their part number in the parts list for reference.

The use of this connecting system means that a connecting cable can be made very easily. A ribbon cable is simply squashed in a vice with the matching socket and hey presto 30-odd connections are made all at once. This is known as an insulation displacement connector — the name explains how it works.

The snag is that they are expensive.

When soldering these header plugs align all the pins in the holes carefully and turn the board over. Make one soldered joint and then, holding the board and connector between finger and thumb, apply the iron again to the joint. This will melt the solder and close up any gap that may have appeared between the plug and board.

This first joint will now hold the connector in place while you solder the rest of the pins. It is vital that the plug is in the right place in the board, as once soldered in they are virtually impossible to remove.

So check that the plug fits all the holes in that particular strip and also check with the writing on the underside of the computer case. Be comforted, however, by the fact that it takes a very special kind of twit to get it wrong.

The user port requires a 20 way plug and the VIA chip I told you about last month. If you installed it then you don't need another one. This will allow you to connect up to eight input or output digital lines to the computer for interfacing to various devices. It will be certainly much used in this column. Simply solder in the 20 way plug and that's it.

A printer is so useful it should be number one on your shopping list after the upgrade. It is much easier to follow the flow of a long program on a printout than a screen full at a time. Also you can use the computer as a word processor as well as getting a hard copy of a program's run.

For a printer connector you will need a 26 way plug and a 74LS244 buffer chip in IC70, plus the VIA chip we used earlier.


The RS423 serial interface is used to connect a serial printer to your computer and, more importantly, is a communication gateway to other computers.

It can be connected to a modem to enable data to be transmitted over the telephone or it can connect you up to another computer for transferring data, programs or even playing multicomputer games (you and your computer against the enemy and his machine).

You will need a PCB mounting 5-way 360-degree DIN socket, which should be soldered next to the cassette DIN socket – it is of the same type. You will also need two ICs: IC74 88LS120 and IC75 DS3691, which are transmit and receive buffers.

These are the only two sockets that are positioned across the board, so you might have difficulty deciding which way round they go. Make sure pin one is on the left hand side as you look at the board from the keyboard end.

A 1 mHz bus will allow you to connect many more input/output devices to the computer, in fact a total of 512 input and 512 output devices with 8 bits per device, probably more than



A BBC Model A with single ROM operating system



MONITOR MANUFACTURER



- · Quality.
- Reliability.
- Manufactured in Britain 100%.
- A moulded case with carrying handle.
- Meets British standard safety regulations (BS415).
- Automatic black level compensation for tube ageing.
- Mullard AX37-590x Tube.
- Power consumption 60w.

CABEL offers you a new high quality 14" colour monitor.

The case has been designed with safety utmost in our minds. This advanced model cuts the component count and incorporates the most sophisticated parts on the market today. Using the MULLARD AX tube, which gives perfect colour registration with reliable and stable operation. Automatic drift (Black level) compensation adjusts automatically with the ageing of the tube. All this and many other features, including years of experience in the data display industry and backed up by our 2 year guarantee.

We guarantee long service and reliability.

CE 370 A R.G.B. Includes Lead

£199.50 + VAT

CE 370 B R.G.B. Composite Video and Audio

£250 + VAT

Dealer enquries and Education enquiries welcome.

Cheque/Postal Order, or for fast delivery, ring us with your credit card number.



Mount Road, Burntwood, Walsall. Tel: 021-308 7075 Telex: 339671 ALD FAB. Factory:
Unit 15, Whitegate Industrial Estate,
Whitegate Road, Wrexham LL11 1AY.
Tel: 0978 350345

Office:

Lloyds Bank Chambers, The High Street, Tewkesbury, Gloucestershire. you will ever need.

Also with the connector you can feed audio signals into the computer to be mixed and amplified with the sound synthesiser so they will be heard on the same speaker. This will require a 34 way connector and two buffer chips – IC71 74LS244 and IC72 74LS245.

RGB output will enable you to connect the computer to an RGB input colour monitor. RGB stands for Red, Green and Blue and are the signals the monitor requires, plus a sync pulse signal. A colour monitor will give much sharper letters — especially in mode 0—than a TV set, but it will also cost you more.

The electronics for this are already in the model A and all you require is a 6 pin DIN socket of the same type used for the cassette and RS432 connections. If you have not got a colour monitor there is obviously no need for this extra socket.

A Tube connector will allow you to connect a second, and expensive, processor to your computer. All you need is a 40 way connector, and a lot of nerve, for this is the modification that could stop your computer working.

THE BEEB, BODY BUILDING COURSE

The connector goes directly to the computer's bus, and so any solder splashes or long tails left on the pins could stop your computer working. Be sure you really need this connector before you install it!

Although the model B has a connector labelled "Disc Drive" it has none of the necessary electronics behind it, so this is useless until you add the extra electronics and operating system. If you do want to put something there a 34 way connector is needed.

Also if you finally have the extra electronics fitted the chip IC77 from the A/D converter will also be needed. I will be returning to disc drives later in

the series and will give a full explanation of what is needed for both the model A and B.

With all that installed, your model A has emerged as a fully fledged model B ready to face the remaining exercises in this series.

Next month's Exercise No. 3... The joy stick joggle.

PARTS LIST

A/D CONVERTER

15 way D-Type PCB mounting connector. IC73 - D7002 A/D converter by NEC. IC77 - 74LS00

USER PORT

20 way plug 3M part No. 3428-1303

PRINTER PORT

26 way plug 3M part No. 3429-1303

IC70 - 74LS244

RS423 SERIAL INTERFACE

5 way 360 degree PCB mounting DIN socket.

IC74 - 88LS120

IC75 - DS3691

1 mHz BUS

34 way plug 3M part No. 3431-1303

IC71 - 74LS244

IC72 - 74LS245

RGB OUTPUT


6 way PCB mounting DIN socket

TUBE CONNECTOR

40 way plug 3M part No. 3432-1303

DISC DRIVE

34 way plug 3M part No. 3431-1303



A BBC Model B with EPROM operating system. Note there is still plenty of empty space for future expansion



SINCLAIR SPECTRUM 16K £125.00

48K £175.00

PRINTERS

Dot Matrix Epson MX 100 FT III Acorn AP 100 A Epson RX 80 Seikosha GP100 A Epson FX 80 **BEST PRICES EVER**

commodore

Printer Cables, Leads, Discs, Stationery, Cassettes, Ribbons, Dust Covers and wide range of Software for all Computers.

COMPUTERS

COLOUR MONITORS 14" Microvitek £250 **GREEN MONITORS** Sanyo £99.00 Hitachi £99.00

COMPUTER BOOKS & ELECTRONIC MAGAZINES SOFTWARE, HARDWARE SUPPORT/SERVICES/RENTALS



CALL IN FOR FURTHER DETAILS TWILLSTAR COMPUTERS LTD. 17 REGINA ROAD, SOUTHALL, MIDDX. TEL: 574 5271 (24 hours) OPEN 10am-8pm SIX DAYS A WEEK



BES Bourne Educational Software makes learning fun [3]

WORDHANG (Code P20)

Superb version of 'Hangman' word guessing game where you have to guess the letters of a word with a limited allowance of mistakes. Watch your children improve their spelling and word knowledge by

trying to stay alive! It keeps check on their scoress too!

Utilises full colour high resolution graphics facility of BBC micro watch his face as the final mistake is made!

Incorporates internal list of words divided into groups to suit age range of 5 to 13 years (no responsibility accepted for disconsolate children when Mum and Dad get addicted too!).

Features facility to guess full word at any time - but beware of the penalties for getting it wrong!

Includes easily loaded lists totalling 260 words - and your own lists easily saved too. Suitable for Model B.

ANIMAL/VEGETABLE/MINERAL (Code P21)

Think of an object and see if the computer can guess it correctly! Program asks you to think of an object and then asks a series of questions as it tries to guess the answer. Ultimately the program either guesses the object correctly or asks for a question to distinguish the item from the computer's incorrect guess!

• Stimulates fascinating (and educational) discussions as to the difference between an alligator and a crocodile, steel and iron, etc. and encourages use of reference books.

Programed questions and objects entered can be saved at any point, so extending interest. Suitable for Model A and B.

BES POLICY is to despatch within 24 hours of receipt of order.

TO: BES. Dept BU1, Bedfield Lane, Headbourne Worthy, Winchester, Hants SO23 7SQ. Tel: 0962 882474

Qty Code	Cassette	Price	Total
P20	Wordhang	£7.95	
P21	Animal/Vegetable/Mineral	£4.95	
P20 + P21	Wordhang + Animal/Vegetable/Mineral	£10.95	E AND STATE
I enclose cheq	ue/P.O. payable to BES	value:	£
Name			
Address			
		STATE OF THE PARTY	

L. COOI

UNILAB. Microcomputer Interface

Instrumentation Control Experimentation

- Initially designed for the BBC model B.
- 4 A.D. inputs, selectable sensitivities (25mV to 10V)
- 8 input/output digital lines.
- D A output, latchable.
- 4 relays, latchable, on output lines.
- Sampling rates up to 125,000Hz.
- Comprehensive software package provided.
- Suitable transducers and probes also available.



- software cassette

- self-instructional manual
- 34 way I.D.C. cable
- own mains power supply

Prices exclude package, V.A.T. and are correct at time of going to press.

UNILAB Ltd Clarendon Road Blackburn BB1 9TA (Tel: 0254 57643)

Please send me more information of the

(75)

Digging a byte deeper into Basic

THE only real answer to the question "How on earth does the machine do it?", is to look at the operating system and language ROMs themselves. This is the first of an occasional series of articles on the subject.

As good a starting point as any is to look at the memory using a dump routine which prints out the hexadecimal value of the contents of each location in memory together with its Ascii equivalent. This shows where instructions, titles, error messages and keyword tables may be found.

The Basic ROM occupies addresses from &8000 to &BFFF. Its keyword table can be found between &806D and &8358. As can be seen from the table, each keyword is followed by a number &80 or greater. This is the token, the value that represents the

By JIM NOTMAN

keyword in program memory.

The keyword table, however, fails to tell us where Basic goes to interpret each keyword. This is because the "action addresses" are stored separately in two tables after the keywords.

One table, from &835A to &83CA, contains the least significant bytes of the address, and another table, from &83CB to &843B, holds the most significant byte.

To find the correct action address, Basic uses the token as an offset (a value added to a starting value), to find

the memory locations where the address is stored.

The accompanying program, Tokens, will print out the keywords together with their corresponding tokens and action addresses as well as an extra byte that some routines require.

Only tokens with a value &8F and over use this action address table. The other values &80 to &8E are not included, but are interpreted as they are met in the program. For example IF has the token &E6 with the action address &9893. As it goes through its routine it will search for THEN (token 8C) and ELSE (token &8B) and deal with them as they occur.


The table is also used to jump to the "Syntax Error" message at &9839 if the token &FF is used.

KEYWORDS TABLE

806D 41 4E 44 80 0 41 42 53 AND..ABS 8075 94 0 41 43 53 95 0 41 .. ACS.. A 807D 44 56 41 4C 96 0 41 53 DVAL..AS 8085 43 97 0 41 53 4E 98 0 C..ASN.. 808D 41 54 4E 99 0 41 55 54 ATN..AUT 8095 4F C6 10 42 47 45 54 9A D.. BGET. 809D 1 42 50 55 54 D5 3 43 .BPUT..C 80A5 4F 4C 4F 55 52 FB 2 43 OLOUR..C BOAD 41 4C 4C D6 2 43 48 41 ALL..CHA 80B5 49 4E D7 2 43 48 52 24 IN..CHR\$ 80BD BD 0 43 4C 45 41 52 DB ..CLEAR. 80C5 1 43 4C 4F 53 45 D9 3 .CLOSE ... 80CD 43 4C 47 DA 1 43 4C 53 CLG..CLS 80D5 DB 1 43 4F 53 9B 0 43 .. COS.. C 80DD 4F 55 4E 54 9C 1 44 41 OUNT..DA 80E5 54 41 DC 20 44 45 47 9D TA. DEG. 80ED 0 44 45 46 DD 0 44 45 .DEF..DE 80F5 4C 45 54 45 C7 10 44 49 LETE..DI

80FD 56 81 0 44 49 4D DE 2 V..DIM.. 8105 44 52 41 57 DF 2 45 4E DRAW..EN 810D 44 50 52 4F 43 E1 1 45 DPROC..E 8115 4E 44 E0 1 45 4E 56 45 ND..ENVE 811D 4C 4F 50 45 E2 2 45 4C LOPE..EL 8125 53 45 8B 14 45 56 41 4C SE..EVAL 812D AO 0 45 52 4C 9E 1 45 .. ERL.. E 8135 52 52 4F 52 85 4 45 4F RROR..ED 813D 46 C5 1 45 4F 52 82 0 F..EOR.. 8145 45 52 52 9F 1 45 58 50 ERR..EXP 814D A1 0 45 58 54 A2 1 46 ..EXT..F 8155 4F 52 E3 2 46 41 4C 53 OR. FALS 815D 45 A3 1 46 4E A4 8 47 E..FN..G 8165 4F 54 4F E5 12 47 45 54 OTO..GET 816D 24 BE 0 47 45 54 A5 0 \$..GET .. 8175 47 4F 53 55 42 E4 12 47 GOSUB..G 817D 43 4F 4C E6 2 48 49 4D COL..HIM 8185 45 4D 93 43 49 4E 50 55 EM. CINPU

818D 54 E8 2 49 46 E7 2 49 T..IF..I 8195 4E 4B 45 59 24 BF 0 49 NKEY\$.. I 819D 4E 4B 45 59 A6 0 49 4E NKEY..IN 81A5 54 A8 0 49 4E 53 54 52 T.. INSTR 81AD 28 A7 0 4C 49 53 54 C9 (..LIST. 81B5 10 4C 49 4E 45 86 0 4C .LINE..L 81BD 4F 41 44 C8 2 4C 4F 4D OAD..LOM 81C5 45 4D 92 43 4C 4F 43 41 EM.CLOCA 81CD 4C EA 2 4C 45 46 54 24 L..LEFT\$ 81D5 28 CO 0 4C 45 4E A9 0 (.. LEN.. 81DD 4C 45 54 E9 4 4C 4F 47 LET..LOG 81E5 AB 0 4C 4E AA 0 4D 49 .. LN.. MI 81ED 44 24 28 C1 0 4D 4F 44 D\$(..MOD 81F5 45 EB 2 4D 4F 44 83 0 E..MOD.. 81FD 4D 4F 56 45 EC 2 4E 45 MOVE..NE 8205 58 54 ED 2 4E 45 57 CA XT..NEW. 820D 1 4E 4F 54 AC 0 4F 4C .NDT..DL 8215 44 CB 1 4F 4E EE 2 4F D..ON..O



8225 4F 50 45 4E 49 4E AD 0 OPENIN. 8235 0 50 52 49 4E 54 5 55 54 AE OPENOUT. 8235 0 50 52 19 4E 54 51 2 PRINT 8230 50 41 47 45 90 43 50 54 PABE.OPT 8245 52 8F 43 50 49 AF 15 50 REPELP 8240 4C 4F 54 FO 2 50 4F 49 LOTPDI 8255 0 45 47 35 0 49 AF 15 0 8 P.P 8256 0 50 52 29 4E 54 49 LOTPDI 8256 0 4 6 54 50 49 AF 15 0 8 P.P 8257 54 65 45 88 80 50 50 52 4F AP LOTPDI 8258 4F 50 45 52 8F 65 1 8 P.P 8258 4F 50 45 53 8F 65 1 8 P.P 8259 4F 50 45 53 8F 65 1 8 P.P 8250 52 45 54 55 52 4E FB 1 RETURN 8250 52 45 50 4F 52 51 FB 1 REPORT 8257 52 45 50 4F 52 51 FB 1 REPORT 8257 52 45 50 4F 52 51 FB 1 REPORT 8258 4D F4 20 52 55 4F FP 1 N.RUN 8258 52 45 54 55 52 4F FP 1 N.RUN 8258 52 45 54 45 45 2 52 55 8 RDRES 8250 52 45 54 45 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 54 FF 9 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FF 12 52 49 FD REP.RU 8250 52 45 54 47 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 54 4F 52 55 FB FP 1 R.RUN 8250 52 55 55 55 55 55 55 55 55 55 55 55 55	821D 46 46 87 0 4F 52 84 0 FFOR	ACTION	AD	DRESS	ES	ERR	9F	AFD5	1
### ### ### ### ### ### ### ### ### ##	8225 4F 50 45 4E 49 4E AD 0 OPENIN	VEVHOOR	TOVEN	ACTION	CYTDA				0
8235 54 14 7 45 90 43 50 54 PABELCPI 8245 52 8F 43 50 49 AF 1 50 R.CPI., PO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 28 B0 0 50 52 4F NTI., PRO 8255 45 54 55 52 4F 58 1 1 C., POS 8260 52 45 55 52 4F 58 1 1 C., POS 8260 52 45 50 45 55 52 4F F8 1 RETURN 8350 98 86CC 0 605UB E4 8B84 12 8250 52 45 50 45 55 52 4F 58 1 RETURN 8410 99 895F 10 605UB E4 8B84 12 8270 52 45 50 4F 52 54 F6 1 REPORT 8410 0	822D 4F 50 45 4E 4F 55 54 AE OPENOUT.	VEIMOUD	IUNEN						1
8245 52 8F 43 50 49 AF 1 50 R.CPIP ABS 94 ADBD 0 FN A4 BIC4 8 8240 4C 4F 54 F0 2 50 4F 49 LOTPDI AC5 95 ABC6 0 GOTO E5 BBEB 12 8255 4E 54 28 B0 0 50 52 4F NTPR0 ADVAL 96 ABS6 0 GET\$ BE AFEE 0 8250 43 F2 A 50 4F 53 B1 1 CPOS ASC 97 ACC4 0 GET A5 AFEB 0 8255 52 45 55 55 24 F8 1 RETURN ASN 98 ABCC 0 GOSUB E4 BBB4 12 8260 52 45 50 45 15 54 55 0 REPEAT AIN 99 A997 0 GEOL E6 932F 2 8275 52 45 50 54 51 55 52 4F 81 REPORT AUTO C6 905F 10 HIMEM 93 AF32 43 8270 52 45 41 44 F3 2 52 45 F8 1 REPORT AUTO C6 905F 10 HIMEM 93 AF32 43 8270 52 45 41 44 F3 2 52 45 F8 1 R.N BPUT D5 BF61 3 1F F7 993 2 8280 52 41 52 55 45 F8 1 R.N BPUT D5 BF61 3 1F F7 993 2 8280 52 41 54 52 55 45 F5 10 RENU. BPUT D5 BF61 3 1F F7 993 2 8280 52 41 44 B2 0 52 45 53 RADRES COLOUR FB 9348 2 INKEY\$ BF B055 0 8295 47 48 52 45 F7 12 52 49 TORERI CALL D6 BE6C 2 INKEY\$ A6 ACD3 0 8240 47 48 54 24 28 CC 20 52 SHT\$CR CHAIN D7 BF33 2 INT A8 ACPE 0 8240 47 48 54 24 28 CC 20 52 SHT\$CR CHAIN D7 BF33 2 INT A8 ACPE 0 8240 47 48 54 24 28 CC 20 52 SHT\$CR CHAIN D7 BF33 2 INT A8 ACPE 0 8240 47 48 50 45 55 40 55 45 55 NORENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8240 40 42 45 52 CC 10 53 54 MERCST CLEAR D8 B5E5 1 LORD C8 BF2D 2 8250 52 40 4E B5 0 53 51 52 B6 INSBN CLS DB BE5E 1 LORD C8 BF2D 2 8250 52 24 C3 0 53 54 55 54 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 47 4E B4 0 53SGNS CLG DA BE5 1 LORD C8 BF2D 2 8205 52 44 C3 0 53 54 55 54 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 47 54 54 55 55 F2 55 MSBN CLS DB B6E5 1 LORD C8 BF2D 2 8205 55 54 54 55 54 55 54 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 54 56 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 54 56 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 54 56 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 54 56 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 54 56 55 NOSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 DB B3EE 0 INSTR! A7 AD08 DB B3EE 0 INSTR! A7 AD08 DB B3EE 0 INSTR! A7	8235 0 50 52 49 4E 54 F1 2 .PRINT			HUNKEDD	BITE	FOR	STATE OF THE PARTY.		2
8240 4C 4F 54 F0 2 50 4F 49 LOTPOI ACS 95 A8C6 0 60T0 E5 B8EB 12 8255 4E 54 28 B0 0 50 52 4F NTIPRO ADVAL 96 A856 0 6ET BE AFEE 0 8265 52 45 54 55 52 4E F8 1 RETURN ASN 98 A8CC 0 6GSUB E4 B8B4 12 8260 52 45 54 55 52 4E F8 1 RETURN ASN 98 A8CC 0 6GSUB E4 B8B4 12 8260 52 45 50 45 54 15 4F 50 0FEPAT AIN 99 A907 0 6COL E6 932F 2 8275 52 45 50 45 54 54 55 4F 6 1 REPORT AUTO C6 905F 10 HIMEM 93 AF32 43 8270 52 45 50 45 54 54 15 4F 5 0 REPEAT BGET 9A BF7B 1 IMPUT E8 BA62 2 8285 54 F4 54 55 52 54 F6 1 REPORT BGET 9A BF7B 1 IMPUT E8 BA62 2 8285 54 F4 52 55 54 EF 9 1 M. RUN BPUT D5 BF61 3 IF E7 9993 2 8280 52 41 54 82 0 52 45 53 RADRES COLOUR FB 9346 2 INKEY BF B055 0 8295 54 4F 52 45 F7 12 52 49 TOREBI CALL D6 866C 2 INKEY B6 ACD3 0 8295 54 4F 52 45 52 C 10 53 54 MBERBI CALL D6 866C 2 INKEY B6 ACD3 0 8295 54 45 42 82 C2 0 52 6HT\$(R CHR\$ BD B3EE 0 INSTRI AR AC9E 0 828A 54 E4 48 B3 15 24 55 ED IS 53 54 MBERST CLEAR D8 9326 1 LIST C9 8585 10 828B 52 53 54 55 0 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE 86 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LIGH B8 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LIGH B8 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LIGH B8 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LINE 86 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LINE 86 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LINE 86 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8555 1 LINE 86 828C C0 2 53 47 4E 84 0 53SENS CLIGA D8 8557 1 LOAD C8 BF2D 2 828C 54 54 84 55 2 C 10 52 55 HBERTT COUNT 9C AF26 1 LIST C9 8585 10 8285 54 54 14 43 55 2 54 54 54 55 CSENS CLIGA D8 8650 1 LINE 86 828C C0 2 53 57 4E 84 0 53 54 FRISCS DATA. BORD B8 655 1 LOAD C8 BF2D 2 828C 55 54 54 65 55 CE 65 55 HE.CTRU D8 66 50 50 50 50 50 50 50 50 50 50 50 50 50	823D 50 41 47 45 90 43 50 54 PAGE.CPT	AND	80		0	FALSE	A3	AEF9	1
8255 4E 54 28 80 0 50 52 4F NT(PRO ADVAL 96 AB56 0 GET\$ BE AFEE 0 8250 43 F2 A 50 4F 53 B1 1 CPOS ASC 97 ACC4 0 GET A5 AFEB 0 8265 52 45 50 4F 53 B1 1 CPOS ASC 97 ACC4 0 GET A5 AFEB 0 8265 52 45 50 4F 58 1 RETURN ASN 98 ABCC 0 GOSUB E4 B8B4 12 8265 52 45 50 45 51 54 F5 0 REPEAT ATN 99 A907 0 GCOL E6 932F 2 8275 52 45 50 4F 52 54 F6 1 REPORT AUTO C6 905F 10 HIMEM 93 AF32 43 827D 52 45 41 44 F3 2 52 45 READRE BGET 9A BF7B 1 INPUT B8 BA62 2 8285 4D F4 20 52 55 4F F9 1 M. RUN BGUT D5 BF61 3 IF E7 9893 2 8285 50 4F 52 45 F6 F7 12 52 49 TORERI CALL D6 BE6C 2 INKEY\$ BF B055 0 8295 54 4F 52 45 F7 12 52 49 TORERI CALL D6 BE6C 2 INKEY A6 ACD3 0 8295 4D F4 85 54 24 28 C2 0 52 GHTs (R CHAIN D7 BF33 2 INT A8 ACC9E 0 8285 4D F4 54 55 NDRENU CHR\$ BD B3EE 0 INSTR (A7 AD08 0 8280 4D 42 45 52 CC 10 53 54 MBERST CLEAR D8 9326 1 LIST C9 B585 10 8285 45 50 8B 0 53 41 56 45 EFSAVE CLOSE D9 BF9E 3 LINE 86 0 8280 CD 2 53 47 4E B4 0 53SENS CLEAR D8 9326 1 LIST C9 B585 10 8285 45 50 8B 0 53 51 52 86 INSBR. CLEAR D8 8557 1 LOAD CR B62D C 2 8205 52 44 54 85 1.SPCST COS 98 A999 0 LOCAL EA 9205 2 8205 55 44 72 42 8C 4 0 53 4F N54SD CLES D8 BE5E 1 LOMEM 92 AF2B 43 8205 0 53 50 43 89 0 53 54 .SPCST COS 98 A999 0 LOCAL EA 9205 2 8205 55 44 44 42 28 54 45 .SPCST COS 98 A999 0 LOCAL EA 9205 2 8205 55 44 44 44 22 85 44 F5.NST. COUNT 9C AF26 1 LEFT\$ (C0 AFFB 0 8205 54 42 44 44 42 85 54 FFSAVE COUNT 9C AF26 1 LEFT\$ (C0 AFFB 0 8205 54 44 44 42 85 60 53 54 58 64 58 FLST COUNT 9C AF26 1 LEFT\$ (C0 AFFB 0 8205 54 44 44 44 45 74 44 85 60 53 54 55 80 54 54 54 55 80 54 54 54 55 80 54 54 54 55 80 54 54 54 55 80 54 54 54 55 80 54 54 54 54 55 80 54 54 54 55 80 54 54 54 55 80 54 54 54 55 80 54 54 54 54 55 80 54 54 54 54 55 80 54 54 54 54 55 80 54 54 54 54 55 80 54 54 54 54 54 54 54 54 54 54 54 54 54	8245 52 8F 43 50 49 AF 1 50 R.CPIP	ABS	94	ADBD	0	FN	A4	B1C4	
825D 43 F2 A 50 4F 53 B1 1 C.POS ASC 97 ACC4 0 GET A5 AFEB 0 8265 S2 45 54 55 55 S2 4E F8 1 RETURN ASN 98 ABCC 0 GOSUB E4 B8B4 12 8260 S2 45 50 45 A1 54 F5 0 REPEAT ATN 99 A907 0 GCOL E6 932F 2 8275 S2 45 50 4F 52 S3 F6 1 REPORT BUTO C6 905F 10 HIMEM 93 AF32 43 8270 S2 45 14 44 F3 2 S2 45 READRE BGET 9A BF78 1 INPUT E8 BA62 2 8285 4D F4 20 52 55 4E F9 1 M. RUN BPUT D5 BF61 3 IF E7 9893 2 8280 S2 41 44 B2 0 52 45 53 RADRES COLOUR FB 9346 2 INKEY BF B055 0 8295 S4 4F 42 28 C2 0 52 BH15 L.R CHAIN D7 BF33 2 INT A8 ACCE 0 8295 S4 4F 83 1 52 45 45 55 NOREMU CHR\$ BD BSE 0 INSTR. A7 A008 0 8240 40 42 45 52 CC 10 53 54 MBERST CLEAR BB 9326 1 LIST C9 B585 10 8280 S2 45 50 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LIME 86 0 8280 C0 2 53 47 48 B4 0 53 .SGNS CLG DA 8E57 1 LOMEM 92 AF2B 43 8200 C0 2 53 47 48 B4 0 53 .SGNS CLG DA 8E57 1 LOMEM 92 AF2B 43 8200 52 54 55 55 S5	824D 4C 4F 54 F0 2 50 4F 49 LOTPOI	ACS	95	A8C6	0	6010	E5	BBEB	12
8265 52 45 54 55 52 4E F8 1 RETURN ASN 98 ABCC 0 GOSUB E4 B8B4 12 8260 52 45 50 45 15 54 F5 0 REPEAT ATN 99 A907 0 GCOL E6 932F 2 8275 52 45 50 45 52 54 F6 1 REPORT AUTO C6 905F 10 HIMEM 93 AF32 43 8270 52 45 41 44 F3 2 52 45 READRE 86ET 9A BF78 1 IMPUT E8 BA62 2 8285 4D F4 20 52 55 4E F9 1 M. RUN 8PUT D5 BF61 3 IF E7 9893 2 8280 52 41 44 82 0 52 45 53 RADRES COLOUR F8 9346 2 INKEY BF BO55 0 8279 54 4F 52 45 F7 12 52 49 TORERI 8295 54 4F 52 45 F7 12 52 49 TORERI 8295 54 4F 52 52 55 EE F9 1 M. RUN. 8296 54 4F 54 52 52 C 10 53 54 MBERST CALL D6 8E6C 2 INKEY A6 ACD3 0 8290 47 48 54 24 28 C2 0 52 GHTs1R CHAIN D7 BF33 2 INT A8 ACD9 0 8280 60 2 2 33 47 4E 84 0 53SBNSENU CHR\$ BD B3EE 0 INSTR! A7 AD08 0 8280 CD 2 53 47 4E 84 0 53SBNS CLEAR D8 9326 1 LINE 86 8200 53 50 43 89 0 53 54 .SPCST CUSE D9 BF9E 3 LINE 86 8200 53 50 43 89 0 53 54 .SPCST CUSE D9 BF9E 3 LINE 86 8200 53 50 43 89 0 53 54 .SPCST CUS DB BESE 1 LONEN 92 AF28 43 8200 6 53 50 43 89 0 53 54 .SPCST CUS DB BESE 1 LONEN 92 AF28 43 8200 6 53 50 43 89 0 53 54 .SPCST CUS DB BESE 1 LONEN 92 AF28 43 8200 6 53 50 43 89 0 53 54 .SPCST CUS DB BESE 1 LONEN 92 AF28 43 8200 6 53 54 54 49 AC .SPCST CUS DB BESE 1 LONEN 92 AF28 43 8200 6 53 54 52 49 R*STRI COUNT 9C AF26 1 LEFT\$! CO AFFB 0 8200 4E 47 24 28 C4 0 53 4F NG\$(SO DATA DC BAED 20 LEN A9 AF00 0 82E5 55 4E 44 04 2 35 54 4F UNDSTO DE6 9D ABE7 0 LET E9 BB57 4 82D0 4E 47 24 28 C4 0 53 4F NG\$(SO DATA DC BAED 20 LEN A9 AF00 0 82E5 55 4E 54 49 45 E8 C1 45 4 FTHENTO DELETE C7 BECE 10 LN AA AB04 0 82D5 52 41 43 45 52 E2 54 TRACET DIM DE 90DD 2 LEN A9 AF00 0 8305 54 52 41 43 45 E7 12 54 TRACET DIM DE 90DD 2 NODE EB 935A 2 8315 45 89 1 55 54 E54 49 AC EUNTIL ENDPROC E1 9310 1 MOVE EC 935A 2 8315 45 89 1 55 54 E54 49 AC EUNTIL ENDPROC E1 9310 1 MOVE EC 935A 2 8315 45 89 1 55 54 E54 49 AC EUNTIL ENDPROC E1 9310 1 MOVE EC 935A 2 8310 47 45 D0 0 50 54 52 CF BEPTR. ERL 9E AFCE I ON EET END CA BASD I ON EET END CA BASD	8255 4E 54 28 BO 0 50 52 4F NT(PRO	ADVAL	96	AB56	0	GET\$	BE	AFEE	0
826D 52 45 50 45 41 54 F5 0 REPEAT ATN 99 A907 0 GCOL E6 932F 2 8275 52 45 50 45 52 54 F6 1 REPORT AUTO C6 905F 10 HIMEM 93 AF32 43 827D 52 45 41 44 F3 2 52 45 READRE BGET 9A BF78 1 INPUT E8 BA62 2 828D 52 45 44 F4 73 2 52 55 46 F9 1 M. RUN BPUT D5 BF61 3 IF E7 9893 2 828D 52 41 44 B2 0 52 45 53 RADRES COLOUR FB 9346 2 INKEY BF B055 0 8295 54 4F 52 45 F7 12 52 49 TORERI CALL D6 BE6C 2 INKEY A6 ACD3 0 829D 47 48 54 24 28 C2 0 52 GHT\$CR CHAIN D7 BF33 2 INT A8 ACPE 0 828D 52 41 44 B2 1 52 45 45 55 NDRENU CHR\$B BD B3EE 0 INSTR\$C A7 AD08 0 82AD 4D 42 45 52 CC 10 53 54 MBERST CLEAR D8 9326 1 LIST C9 B5B5 10 82BD CD 2 53 47 4E B4 0 53SGNS CLG D9 BF9E 3 LIME 86 0 82BD CD 2 53 47 4E B4 0 53SGNS CLG DA 8E57 1 LOAD C8 BF2D 2 82CC 49 4E B5 0 53 51 52 B6 INSGR. CLS DB 8E5E 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 .SPCST CUS 9B A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 48 R\$STRI COUNT 9C AF26 1 LEFT\$1 C0 AFFB 0 82DD 4E 47 24 28 C4 0 53 4F NG\$1SD DATA DC BAED 20 LEN A9 AF00 0 82ED C4 53 47 4E B4 0 53 .FRS\$CSD DATA DC BAED 20 LEN A9 AF00 0 82ED C5 55 46 44 D4 2 53 54 4F INDSTO DEE 9D BAED 0 LOCAL EA 92D5 2 82D5 55 46 44 D4 2 55 54 FF THENTO DELETE C7 BECE 10 LN AA AB04 0 82FD R8 0 54 41 42 28 BA 0TABC DIV BE 83D0 49 40 45 51 43 45 FC 12 54 TRACET DIV BAB DE SEC 10 LN AA AB04 0 83TS 54 58 9 1 55 45 54 54 90 CEUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 83D5 54 59 15 54 54 54 90 CEUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 83D5 54 54 54 55 C 55 35 E A 54 60TABC DIV BAB DE SEC 10 NA EA BAD 11 BAS DO CA BAS D	825D 43 F2 A 50 4F 53 B1 1 CPOS	ASC	97	ACC4	0	GET	A5	AFE8	0
8275 52 45 50 4F 52 54 F6 1 REPORT 8270 52 45 41 44 F3 2 52 45 READRE 80ET 9A BF78 1 1NPUT E8 BA62 2 8288 54 D F4 20 52 55 4E F9 1 M. RUN 8PUT D5 BF61 3 1F E7 9893 2 8289 52 41 44 B2 0 52 45 53 RADRES COLOUR FB 9346 2 1NKEY BF B055 0 8295 54 4F 52 45 F7 12 52 49 TORERI CALL D6 BE6C 2 1NKEY A6 ACD3 0 8295 54 4F 45 28 C2 0 52 6HT5(R CHAIN D7 BF33 2 1NT A8 AC9E 0 8285 4E 44 B3 1 52 45 4E 55 NDRENU CHR\$ BD B3EE 0 1NSTR(A7 AD08 0 8280 52 4 55 0 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE 96 8285 45 50 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE 96 8280 CD 2 53 47 4E B4 0 53SSNS CLG DA 8E57 1 LOAD C8 BF2D 2 8205 54 42 48 82 0 53 51 52 86 INSDR. 8206 CD 2 53 47 4E B4 0 53 5.SSNS CLG DA 8E57 1 LOAD C8 BF2D 2 8205 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 8205 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 8205 54 44 D4 2 53 54 4F UNDSTO DE6 9D ABE7 0 LEFT\$(CO AFFB 0 8205 54 44 0 4 2 53 54 4F UNDSTO DE6 9D ABE7 0 LEFT\$(CO AFFB 0 8205 54 54 54 54 CDTAN DEF DD BAED 0 LOG AB ABCD 0 8275 54 48 45 68 8C 14 54 4F THENTO DELETE C7 BECE 10 LN AA AB04 0 8275 55 45 54 44 67 62 55 54 RRCET DIM DE 90DD 2 RODO EB 935A 3 RODO EB 935A	8265 52 45 54 55 52 4E F8 1 RETURN	ASN	98	ABCC	0	GOSUB	E4	B8B4	12
827D 52 45 41 44 F3 2 52 45 READ. RE 8285 4D F4 20 52 55 4E F9 1 M. RUN 8PUT D5 BF61 3 IF E7 9993 2 8280 52 41 44 B2 0 52 45 53 RAD. RES COLOUR FB 9346 2 INKEY\$ BF B055 0 8295 54 4F 52 45 F7 12 52 49 TORE. RI CALL D6 BE6C 2 INKEY A6 ACD3 0 8295 47 48 54 24 28 C2 0 52 6HT81R CHAIN D7 BF33 2 INT A8 ACP8 0 8280 40 42 45 52 CC 10 53 54 MBERST CLEAR DB B3EE 0 INSTR A7 AD08 0 8280 40 42 45 52 CC 10 53 54 MBERST CLEAR DB 9326 1 LIST C9 B585 10 8285 45 50 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE B6 8280 CD 2 53 47 4E B4 0 53SSNS CLG DA 8E57 1 LOAD C8 BF2D 2 8265 49 4E B5 0 53 51 52 B6 INSBR. CLS DB 8E5E 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 .SPCST COS 98 A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 LEFT\$ C0 AFFB 0 82E5 55 4E 44 D4 2 53 54 4F UND.STO DEG 9D ABE7 0 LET E9 8B57 4 82ED 50 FA 1 54 41 4E B7 0 PTAN DEFE DD BAED 0 LOG A8 ABCD 0 82F5 54 48 54 58 EC 14 54 4F THENTO DELETE C7 BECE 10 LN A9 AF00 0 82F5 54 48 54 58 EC 14 54 4F THENTO DELETE C7 BECE 10 LN AA AB04 0 82F6 B8 0 53 41 42 28 BA 0TABA DIY B1 83D0 49 4D 45 91 43 54 52 55 IME.CTRU DRAM DF 93A5 2 MDD E8 915 1 REXT ED 864 2 831D FD 2 55 53 52 BA 157PCDTI DIM DE 90DD 2 MDDE EB 935A 2 831D FD 2 55 53 54 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 832D 44 54 56 EC 14 55 47 FACET DIM DE 90DD 2 MDDE EB 935A 2 831D FD 2 55 53 52 BA 157PCDN I ENDROC E1 9310 1 MOVE EC 93A1 2 832D 44 55 EF 2 56 41 64 BB DUVAL. ENVELOPE E2 B49C 2 NEW CA BA7D 1 833D 47 45 DO 0 50 54 52 CF 6EPTR. ENVELOPE E2 B49C 2 NEW CA BA7D 1 833D 47 45 DO 0 50 54 52 CF 6EPTR. ENVELOPE E2 B49C 1 DIF B74 DO EB B45D 1 DIF B75 DE B65D 1 DIF B75 DE B75 DE B75 DIF	826D 52 45 50 45 41 54 F5 0 REPEAT	ATN	99	A907	0	GCOL	E6	932F	2
8285 4D F4 20 52 55 4E F9 1 M. RUN 8PUT D5 8F61 3 IF E7 9893 2 8280 52 41 44 82 0 52 45 53 RADRES COLOUR FB 9346 2 INKEY\$ BF B055 0 8295 54 4F 52 45 F7 12 52 49 TORERI CALL D6 8E6C 2 INKEY A6 ACD3 0 829D 47 48 54 24 28 C2 0 52 GHT\$(R CHAIN D7 BF33 2 INT A8 AC9E 0 82AD 40 42 45 52 CC 10 53 54 MBERST CLEAR D8 B3EE 0 INSTR(A7 AD08 0 82AD 40 42 45 52 CC 10 53 54 MBERST CLEAR D8 9326 1 LIST C9 B5B5 10 82B5 45 50 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE 86 0 82B0 CD 2 53 47 4E 84 0 53SGNS CLG DA 8E57 1 LOAD C8 BF2D 2 82C5 49 4E B5 0 53 51 52 86 INSGR. CLS DB BESE 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 .SPCST COS 98 B499 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 LEFT\$(CO AFFB 0 82DD 4E 47 24 28 C4 0 53 4F N6\$(SO DATA DC BAED 20 LEN A9 AF00 0 82ED 50 FA 1 54 41 4E B7 0 PTAN DEF DD 8ABED 0 LOG AB ABCD 0 82F5 54 48 45 58 EC 14 54 4F THENTO DELETE C7 BECE 10 LN A9 ABCD 0 82FD 88 0 54 41 42 28 8A 0TAB(DIV 81 8315 45 89 1 55 45 45 49 CEUNTIL ENDPROC E1 9310 1 MOVE EC 9351 2 8310 FD 2 55 53 52 55 IME.CTRU DRAW DF 93A5 2 MODE EB 935A 2 8310 FD 2 55 55 55 E5 46 44 06 BDUVAL. ENDPROC E1 9310 1 MOVE EC 93A1 2 8325 44 55 EF 2 56 41 CB BDUVAL. ENDPROC E1 9310 1 MOVE EC 93A1 2 8325 44 55 EF 2 56 41 CB BDUVAL. ENVELOPE E2 B49C 2 NEW CA BAFD 1 8330 47 45 D0 0 50 50 55 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 8340 4F 4D 45 50 D0 0 50 54 59 CF FEPTR. ERL 9E AFCE 1 ON EE B934 2 8340 4F 4D 45 50 D0 0 50 54 59 CF GEPTR. ERL 9E AFCE 1 ON EB B934 2 8340 4F 4D 45 50 D0 0 50 54 59 CF GEPTR. ERL 9E AFCE 1 ON EB B934 2 8340 4F 4D 45 50 D0 0 50 54 59 CF GEPTR. ERL 9E AFCE 1 ON EB B934 2 8340 4F 4D 45 5D D0 0 68 49 OMEHHI EOF C5 ACDE 1	8275 52 45 50 4F 52 54 F6 1 REPORT	AUTO	C6	905F	10	HIMEM	93	AF32	43
8280 52 41 44 82 0 52 45 53 RAD.RES COLOUR FB 9346 2 INKEY\$ BF B055 0 8295 54 4F 52 45 F7 12 52 49 TORE.RI CALL D6 BE6C 2 INKEY A6 ACD3 0 8290 47 48 54 24 28 C2 0 52 6HT\$1.R CHAIN D7 BF33 2 INT A8 ACPE 0 82A5 4E 44 83 1 52 45 4E 55 ND.RENU CHR\$ BD B3EE 0 INSTR(A7 AD08 0 82A6 40 42 45 52 CC 10 53 54 MBER.ST CLEAR D8 9326 1 LIST C9 B585 10 82B5 45 50 8B 0 53 41 56 45 EP.SAVE CLOSE D9 BF9E 3 LINE 86 82B0 CD 2 53 47 4E B4 0 53SGN.S CLG DA 8E57 1 LOAD C8 BF2D 2 82C5 49 4E B5 0 53 51 52 8B IN.SGR. CLS DB BE5E 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 SPC.ST COS 9B A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$.STRI COUNT 9C AF26 1 LEFT\$1 CO AFFB 0 82BD 4E 47 24 28 C4 0 53 4F NG\$(.SO DATA DC BAED 20 LEN A9 AF00 0 82ES 55 4E 44 D4 2 53 54 4F UND.STO DE6 9D ABE7 0 LET E9 8857 4 82ED 55 FA 1 54 41 4E B7 0 P.TAN. DEF DD BAED 0 LOG AB ABCD 0 82F5 54 48 45 4E 8C 14 54 4F THEN.TO DELETE C7 BECE 10 LN AA A804 0 82F5 54 84 54 EC 14 54 4F THEN.TO DELETE C7 BECE 10 LN AA A804 0 8315 54 52 41 43 45 FC 12 54 TRACE.T DIM DE 90DD 2 MODE EB 935A 2 8315 45 89 1 55 4E 54 49 4C E.UNTIL BRAND DF 93A5 2 MODE EB 935A 2 8325 44 55 EF 2 56 41 4C BB DU.VAL. ENDPROC E1 9310 1 MOVE EC 93A1 2 8325 44 55 EF 2 56 41 4C BB DU.VAL. ENDPROC E1 9310 1 MOVE EC 93A1 2 8325 44 55 EF 2 56 41 4C BB DU.VAL. ENVELOPE E2 B49C 2 NEW CA BADD 1 8330 47 45 DO 0 50 54 52 CF GE.PTR. ENVELOPE E2 B49C 2 NEW CA BADD 1 8330 47 45 DO 0 50 54 52 CF GE.PTR. ERL 9E AFCE 1 ON EE B934 2 8340 4F 4D 45 50 DO 0 50 54 52 CF GE.PTR. ERROR 85 4CDE 1	827D 52 45 41 44 F3 2 52 45 READRE	BGET	9A	BF78	1	INPUT	E8	BA62	2
8295 54 4F 52 45 F7 12 52 49 TORERI 829D 47 48 54 24 28 C2 0 52 6HT\$(R CHAIN D7 BF33 2 INT A8 ACPE 0 82AD 40 42 45 52 CC 10 53 54 MBER.ST CLEAR D8 B3EE 0 INSTR A7 ADO8 0 82AD 40 42 45 52 CC 10 53 54 MBER.ST CLEAR D8 9326 1 LIST C9 B5B5 10 82BD 45 50 88 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE B6 0 82BC 49 4E B5 0 53 51 52 B6 INSBR. CLS DB BE5E 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 SPCST COS 98 A989 0 LOCAL EA 92D5 2 82D5 49 4E B5 0 53 54 SPCST COS 98 A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 LEFT\$(CO AFFB 0 DATA DC B2E5 55 4E 44 D4 2 53 54 FUNDSTO DATA DC BABE 0 LET E9 B857 4 82ED 55 44 84 54 8E 8C 14 54 4F THENTO DELETE C7 BECE 10 LN A9 AF00 0 82F5 54 48 45 4E 8C 14 54 4F THENTO DELETE C7 BECE 10 LN AA AB04 0 83D5 54 52 41 43 45 FC 12 54 TRACET DIM DE 90D 2 MODE EB 935A 2 83D 49 49 40 45 91 43 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EB 935A 2 83D 74 58 F7 12 50 54 TA CELL DATA DE BABE 0 LN AA AB04 0 83D 54 52 41 42 55 53 BC 15 7. PPOSW END COLUMT DRAW DF 93AS 2 MODE EB 935A 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EB 935A 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EB 93AS 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EB 93AS 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EB 93AS 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EB 93A1 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EC 93A1 2 83D 49 40 45 91 45 54 52 55 INE.CTRU DRAW DF 93AS 2 MODE EC 93A1 2 83D 49 40 45 91 45 54 52 56 INE.CTRU DRAW DF 93AS 2 MODE EB 93AS 1 MEXT ED B6AE 2 83D 49 40 45 91 45 54 52 56 INE.CTRU DRAW DF 93AS 2 MODE EB 93AS 1 MEXT ED B6AE 2 83D 49 40 45 91 45 54 52 56 INE.CTRU DRAW DF 93AS 2 MODE EB 93AS 1 MEXT ED B6AE 2 83D 49 40 45 91 45 44 56 56 C.USRV END EO BASO 1 MEXT ED B6AE 2 83D 49 40 45 40 45 40 76 50 54 52 CF 6EPTR. ERL 9E AFCE 1 ON EB 934 2 83D 49 40 45 40 45 40 76 50 54 52 CF 6EPTR. ERL 9E AFCE 1 ON EB 934 2 83D 49 40 45 40 45 40 76 50 54 52 CF	8285 4D F4 20 52 55 4E F9 1 M. RUN	BPUT	D5	BF61	3	IF	E7	9893	2
829D 47 48 54 24 28 C2 0 52 GHT\$(R CHAIN D7 BF33 2 INT A8 AC9E 0 82A5 4E 44 B3 1 52 45 4E 55 ND.RENU CHR\$ BD B3EE 0 INSTR(A7 AD08 0 82AD 4D 42 45 52 CC 10 53 54 MBERST CLEAR D8 9326 1 LIST C9 B5B5 10 82B5 45 50 8B 0 53 41 56 45 EPSAVE CLOSE D9 BF9E 3 LINE 86 0 82BD CD 2 53 47 4E B4 0 53 .SGNS CLG DA 8E57 1 LOAD C8 BF2D 2 82C5 49 4E B5 0 53 51 52 86 INSGR. CLS DB 8E5E 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 .SPCST COS 98 A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 LEFT\$(CO AFFB 0 82ED 55 4E 44 D4 2 53 54 4F UNDSTD DATA DC 8AED 20 LEN A9 AF00 0 82E5 55 4E 44 D4 2 53 54 4F UNDSTD DE6 9D ABE7 0 LET E9 BB57 4 82CD 56 FA 1 54 41 4E B7 0 PTAN DEF DD 8AED 0 LOG AB ABCD 0 82F5 54 48 45 4E 8C 14 54 4F THENTD DELETE C7 BECE 10 LN AA A804 0 82FD 88 0 54 41 42 28 8A 0TAB(DIV 81 830D 49 4D 45 91 43 54 52 55 INE.CTRU DRAW DF 93A5 2 MODE EB 935A 2 830D 49 4D 45 91 43 54 52 55 INE.CTRU DRAW DF 93A5 2 MOD B3 8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 831D FD 2 55 53 52 BA 0 56USRV END E0 8A50 1 NEXT ED 86AE 2 8335 49 44 54 48 FE 2 50 41 1DTHPA EVAL A0 AC12 0 OLD CB 8A3D 1 8330 47 45 50 00 50 54 52 CF 6EPTR. ERL 9E AFCE 1 ON EE B934 2 8340 4F 4D 45 91 04 50 10 04 C.TINEL ERROR 85 4 OFF B7	828D 52 41 44 B2 0 52 45 53 RADRES	COLOUR	FB	9346	2	INKEY\$	BF	B055	0
82A5 4E 44 B3 1 52 45 4E 55 ND.RENU 82A5 4E 44 B3 1 52 45 4E 55 ND.RENU 82A6 4D 42 45 52 CC 10 53 54 MBER.ST CLEAR D8 9326 1 LIST C9 B5B5 10 82B5 45 50 88 0 53 41 56 45 EP.SAVE CLOSE D9 BF9E 3 LINE 86 0 82B0 CD 2 53 47 4E 84 0 53SEN.S CLG DA 8E57 1 LOAD C8 BF2D 2 82C5 49 4E B5 0 53 51 52 B6 IN.SBR. CLS DB 8E5E 1 LOAD C8 BF2D 2 82C5 49 4E B5 0 53 54 SPC.ST COS 9B A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$.STRI COUNT 9C AF26 1 LEFT\$	8295 54 4F 52 45 F7 12 52 49 TORERI	CALL	D6	8E6C	2	INKEY	- A6	ACD3	0
82AD 4D 42 45 52 CC 10 53 54 MBERST	829D 47 48 54 24 28 C2 0 52 GHT\$(R	CHAIN	D7	BF33	2	INT	A8	AC9E	0
82AD 4D 42 45 52 CC 10 53 54 MBERST	82A5 4E 44 B3 1 52 45 4E 55 NDRENU	CHR\$	BD	B3EE	0	INSTR(A7	AD08	0
82B5 45 50 88 0 53 41 56 45 EPSAVE 82B0 CD 2 53 47 4E 84 0 53SGNS 82C5 49 4E 85 0 53 51 52 86 INSQR. 82C0 0 53 50 43 89 0 53 54 .SPCST 82C0 0 53 50 43 89 0 53 54 .SPCST 82C0 0 53 50 43 89 0 53 54 .SPCST 82D0 4E 47 24 28 C4 0 53 4F NG\$(SQ) 82E5 55 4E 44 D4 2 53 54 4F UNDSTQ 82E5 55 4E 44 D4 2 53 54 4F UNDSTQ 82E5 55 4E 44 D4 2 25 35 54 4F INDSTQ 82E5 50 FA 1 54 41 4E 87 0 PTAN 82EF 50 FA 1 54 41 4E 87 0 PTAN 82EF 50 FA 1 54 41 42 28 8A 0TAB(83C5 54 52 41 43 45 FC 12 54 TRACET 83C6 BB 90 BAED 83C7 54 48 45 4E 8C 14 54 49 AC EUNTIL 83C8 BF2D 83C8 BF2D 2 AF2B 3 LINE 86 0 CB BF2D 2 AF2B 43 843 845E 1 LOMEM 92 AF2B 43 846D 0 LET EP 8B57 4 8B6D 0 LOG AB ABCD 0 LOG AB			D8		1		C9	B5B5	10
82BD CD 2 53 47 4E 84 0 53SGNS CLG DA 8E57 1 LOAD C8 BF2D 2 82C5 49 4E 85 0 53 51 52 86 INSGR. CLS DB 8E5E 1 LOMEM 92 AF2B 43 82CD 0 53 50 43 89 0 53 54 .SPCST COS 98 A989 0 LOCAL EA 92D5 2 82D5 52 24 C3 0 53 54 52 49 R\$STRI COUNT 9C AF26 1 LEFT\$(CO AFFB 0 82DD 4E 47 24 28 C4 0 53 4F NG\$(SO DATA DC BAED 20 LEN A9 AF00 0 82E5 55 4E 44 D4 2 53 54 4F UNDSTO DEG 9D ABE7 0 LET E9 8B57 4 82ED 50 FA 1 54 41 4E 87 0 PTAN DEF DD 8AED 0 LOG AB ABCD 0 82F5 54 48 45 4E 8C 14 54 4F THENTD DELETE C7 8ECE 10 LN AA A804 0 82FD 88 0 54 41 42 28 8A 0TAB(DIV 81 0 MID\$(C1 B068 0 83O5 54 52 41 43 45 FC 12 54 TRACET DIN DE 90DD 2 MODE EB 935A 2 83OD 49 4D 45 91 43 54 52 55 IME.CTRU DRAM DF 93A5 2 MOD B3 8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 832D 47 45 D0 0 50 54 52 CF GEPTR. ERV 9E AFCE 1 ON EE B934 2 833D 47 45 D0 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1	8285 45 50 88 0 53 41 56 45 EP. SAVE		D9	BF9E	3	LINE	86		0
82C5 49 4E B5 0 53 51 52 86 IN.SBR. 82CD 0 53 50 43 89 0 53 54 .SPC.ST 82D5 52 24 C3 0 53 54 52 49 R\$STRI 82D0 4E 47 24 28 C4 0 53 4F NG\$(.SD) 82E5 55 4E 44 D4 2 53 54 4F UND.STD 82ED 50 FA 1 54 41 4E B7 0 P.TAN. 82ED 50 FA 1 54 41 42 28 8A 0 .TAB(DD) 82F5 54 48 45 45 8C 14 54 4F THEN.TD 82FB 80 0 54 41 42 28 8A 0 .TAB(DD) 83OS 54 52 41 43 45 FC 12 54 TAGE.T 83OD 49 4D 45 91 43 54 52 55 IME.CTRU 831D FD 2 55 35 52 BA 0 56 .USR.V 83DD FD 2 55 35 52 BA 0 56 .USR.V 83DD FD 2 55 53 52 BA 0 56 .USR.V 83DD FD 2 55 53 52 BA 0 56 .USR.V 83DD FD 2 55 53 5C 54 45 45 46 BDU.VAL. 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 53 5C 15 75 .PPOS.W 81SD FD 2 55 54 54 49 4C C.DRTIL 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 15 157 .PPOS.W 81SD FD 2 55 53 5C 157 .PPOS.W 81SD FD 2 55 55 5C 15 157 .PPOS.W 81SD FD 2 55 55 5C 157 .PPOS.W 81SD FD 2 55 55 5C 157 .PPOS.W 81SD FD 2 55 55 55 5C 157 .PPOS.W 81SD FD 2 55 55 .PPOS FD 2 56 .PPOS FD 2					1	LOAD	C8	BF2D	2
82CD 0 53 50 43 89 0 53 54 .SPCST					1		92	AF2B	43
82D5 52 24 C3 0 53 54 52 49 R\$.STRI COUNT 9C AF26 1 LEFT\$(C0 AFFB 0 82D0 4E 47 24 28 C4 0 53 4F NG\$(SO DATA DC 8AED 20 LEN A9 AF00 0 82E5 55 4E 44 D4 2 53 54 4F UNDSTO DEG 9D ABE7 0 LET E9 8B57 4 82ED 50 FA 1 54 41 4E B7 0 P.TAN DEF DD 8AED 0 LOG AB ABCD 0 82F5 54 48 45 4E 8C 14 54 4F THENTO DELETE C7 8ECE 10 LN AA A804 0 82FD 88 0 54 41 42 28 8A 0TAB(DIV 81 0 MID\$(C1 B068 0 8305 54 52 41 43 45 FC 12 54 TRACET DIM DE 90DD 2 MODE EB 935A 2 830D 49 4D 45 91 43 54 52 55 IME.CTRU DRAW DF 93A5 2 MOD 83 0 8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 831D FD 2 55 53 52 BA 0 56USRV END E0 8A50 1 NEXT ED 86AE 2 8325 44 55 EF 2 56 41 4C 8B DUVAL. ENVELOPE E2 849C 2 NEW CA 8A7D 1 833D 47 45 D0 0 50 54 52 CF 6EPTR. ERL 9E AFCE 1 ON EE B934 2 8345 0 54 49 4D 45 01 0 4C .TIMEL ERROR 85 4 OFF 87 0 8340 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1					0	LOCAL	EA	9205	2
82DD 4E 47 24 28 C4 0 53 4F NG\$(SD					1	LEFT\$(CO	AFFB	0
82E5 55 4E 44 D4 2 53 54 4F UNDSTO 82ED 50 FA 1 54 41 4E 87 0 PTAN 82ED 50 FA 1 54 41 4E 87 0 PTAN 82ED 50 FA 1 54 41 4E 87 0 PTAN 82ED 50 FA 1 54 41 4E 87 0 PTAN 82ED 88 0 54 48 45 4E 8C 14 54 4F THENTD 82ED 88 0 54 41 42 28 8A 0TAB(8305 54 52 41 43 45 FC 12 54 TRACET 830D 49 40 45 91 43 54 52 55 IME.CTRU 830D 49 40 45 91 43 54 52 55 IME.CTRU 831D FD 2 55 53 52 8A 0 56USRV 831D FD 2 55 53 52 8A 0 56USRV 832D 0 56 50 4F 53 8C 1 57 .VPOSW 81SED 8B 0 48 49 40 45 91 0 4C .TIMEL 833D 47 45 D0 0 50 54 52 CF GEPTR. 834D 47 40 45 91 0 4C .TIMEL 834D 47 40 45 91 0 4C .TIMEL 834D 4F 4D 45 40 D2 0 48 49 OMEMHI 82ED 50 4B ABCD 0 8ABCD 0 8					20	LEN	A9	AF00	0
82ED 50 FA 1 54 41 4E 87 0 P. TAN BEF DD BAED O LOG AB ABCD O 82F5 54 48 45 4E 8C 14 54 4F THENTO BELETE C7 BECE 10 LN AA A804 O 82FD 88 0 54 41 42 28 8A 0TAB(BIV 81 O MID\$(C1 B068 O 8305 54 52 41 43 45 FC 12 54 TRACET DIM DE 90DD 2 MODE EB 935A 2 830D 49 4D 45 91 43 54 52 55 IME.CTRU DRAM DF 93A5 DF 8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 B310 FD 2 55 53 52 BA O 56USRV END END END END END END END EN							E9	8857	4
82F5 54 48 45 4E 8C 14 54 4F THENTO							AB		0
82FD 88 0 54 41 42 28 8A 0TAB(DIV 81 0 MID\$(C1 B068 0 8305 54 52 41 43 45 FC 12 54 TRACET DIM DE 90DD 2 MODE EB 935A 2 830D 49 4D 45 91 43 54 52 55 IME.CTRU DRAW DF 93A5 2 MOD 83 0 8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 831D FD 2 55 53 52 BA 0 56USRV END E0 BA50 1 NEXT ED B6AE 2 8325 44 55 EF 2 56 41 4C BB DUVAL. ENVELOPE E2 B49C 2 NEW CA BA7D 1 832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL A0 AC12 0 OLD CB BA3D 1 833D 47 45 D0 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1 OFF B7						· · · · · · · · · · · · · · · · · · ·			0
8305 54 52 41 43 45 FC 12 54 TRACET DIM DE 90DD 2 MODE EB 935A 2 830D 49 4D 45 91 43 54 52 55 IME.CTRU DRAW DF 93AS 2 MOD 83 0 8315 45 B9 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 831D FD 2 55 53 52 BA 0 56USRV END E0 8A50 1 NEXT ED 86AE 2 8325 44 55 EF 2 56 41 4C BB DUVAL. ENVELOPE E2 B49C 2 NEW CA BA7D 1 832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL A0 AC12 0 OLD CB 8A3D 1 833D 47 45 D0 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 8345 0 54 49 4D 45 D1 0 4C .TIMEL ERROR 85 4 OFF 87 0 8340 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1				OLUL					
830D 49 4D 45 91 43 54 52 55 IME.CTRU DRAW DF 93A5 2 MOD 83 0 8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 831D FD 2 55 53 52 8A 0 56USRV END E0 8A50 1 NEXT ED 86AE 2 8325 44 55 EF 2 56 41 4C 8B DUVAL. ENVELOPE E2 849C 2 NEW CA 8A7D 1 832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL A0 AC12 0 DLD CB 8A3D 1 ERA BASD 1 833D 47 45 D0 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 DN EE B934 2 8345 0 54 49 4D 45 D1 0 4C .TIMEL ERROR 85 4 DRECE 1 OFF 87 0 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1 OFF 87 0	· 用表示:1995年,1995年1月18日 1996年1月18日 1997年 1			gonn					2
8315 45 89 1 55 4E 54 49 4C EUNTIL ENDPROC E1 9310 1 MOVE EC 93A1 2 831D FD 2 55 53 52 8A 0 56USRV END E0 8A50 1 NEXT ED 86AE 2 8325 44 55 EF 2 56 41 4C 8B DUVAL. ENVELOPE E2 849C 2 NEW CA 8A7D 1 832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL AO AC12 0 OLD CB 8A3D 1 833D 47 45 DO 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 8345 0 54 49 4D 45 D1 0 4C .TIMEL ERROR 85 4 OFF B7 4 OFF B7 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1 OFF 87 O					Con Total Control				0
831D FD 2 55 53 52 BA 0 56USRV END E0 8A50 1 NEXT ED 86AE 2 8325 44 55 EF 2 56 41 4C BB DUVAL. ENVELOPE E2 849C 2 NEW CA 8A7D 1 832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL A0 AC12 0 OLD CB 8A3D 1 833D 47 45 DO 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1		The second second second second			1			9341	2
8325 44 55 EF 2 56 41 4C BB DUVAL. ENVELOPE E2 B49C 2 NEW CA BA7D 1 832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL A0 AC12 0 OLD CB BA3D 1 833D 47 45 DO 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1			2/04/2015						2
832D 0 56 50 4F 53 BC 1 57 .VPOSW ELSE 8B 14 NOT AC ACF7 0 8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL AO AC12 0 OLD CB 8A3D 1 833D 47 45 DO 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 8345 0 54 49 4D 45 D1 0 4C .TIMEL ERROR 85 4 OFF 87 0 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1					1				100
8335 49 44 54 48 FE 2 50 41 IDTHPA EVAL AO AC12 0 OLD CB 8A3D 1 833D 47 45 DO 0 50 54 52 CF GEPTR. ERL 9E AFCE 1 ON EE B934 2 8345 0 54 49 4D 45 D1 0 4C .TIMEL ERROR 85 4 OFF 87 0 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1				D47L		达尔加州			i
833D 47 45 DO 0 50 54 52 CF GEPTR.				4010	14				1
8345 0 54 49 4D 45 D1 0 4C .TIMEL ERROR 85 4 OFF 87 0 834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1	· · · · · · · · · · · · · · · · · · ·				0		THE RESERVE		2
834D 4F 4D 45 4D D2 0 48 49 OMEMHI EOF C5 ACDE 1	· · · · · · · · · · · · · · · · · · ·			AFCE	1			5734	0
					4	UFF	6/		U
8355 4D 45 4D D3 0 50 EF E3 MEMP EUR 82 0 1				ACDE	1				-
,一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	8355 4D 45 4D D3 0 50 EF E3 MEMP	EOR	82		0				

From Pag	ge 67		SIBNA.	SGN	B4	ABAD	0	TOKENS
				SIN	B5	A994	0	PROGRAM
OR D	84		0	SQR	B6	A7B4	0	
OPENIN	AD	BF85	0	SPC	89		0	10 REM Jim Notman March 1983
OPENOUT	AE	BF81	0	STR\$	C3	BOC3	0	20 MODE7
PRINT	F1	8D33	2	STRING\$ (C4	BOF1	0	30 VDU14
PAGE	90	AEEF	43	SOUND	D4	8461	2	40 PRINT' "KEYWORD TOKEN ACTION
PTR	8F	BF50	43	STOP	FA	8A59	1	EXTRA"
PI	AF	ABFO	1	TAN	B7	A6C9	0	50 PRINT" ADDRESS
PLOT	FO	93AE	2	THEN	80		14	BYTE"
POINT(B0	AB64	0	TO	B8	AFOB	0	60 ADDRESS=&806D
PROC	F2	9286	A	TAB(BA		0	70 LO_BYTE=&82CB
POS	B1	AB92	1	TRACE	FC	9243	12	80 HI_BYTE=&833C
RETURN	F8	B8D5	1	TIME	91	AEE3	43	90 REPEAT
REPEAT	F5	BBFF	0	TRUE	B9	ACEA	1	100 REPEAT
REPORT	F6	BFE6	1	UNTIL	FD	BBCC	2	110 PRINTCHR*(?ADDRESS);
READ	F3	BB39	2	USR	BA	ABFB	0	120 ADDRESS=ADDRESS+1
REM	F4	8AED	20	VDU	EF	93EF	2	130 UNTIL ?ADDRESS>&7F
RUN	F9	BD29	1	VAL	RB	AC55	ō	140 PRINTTAB(13); ~?ADDRESS;
RAD	B2	ABD6	0	VPOS	BC	AB9B	1	150 IF ?ADDRESS>=&8F THEN PRINTTAB(20)
RESTORE	F7	BBOO	12	HTDIW	FE	B4CC	2	; "(?(HI_BYTE+?ADDRESS) *256)+(?(LO_BYTE+?
RIGHT\$(C2	BOID	0	PAGE	DO	9239	ō	ADDRESS));
RND	B3	AF78	1	PTR	CF	BF39	0	
RENUMBER	CC	8F37	10	TIME	D1	927B	0	160 PRINTTAB(30); "ADDRESS?1
STEP	88		0	LOMEM	D2	9224	Ö	170 ADDRESS=ADDRESS+2
SAVE	CD	BEFA	2	HIMEM	D3	9212	Ö	180 UNTIL ADDRESS>&8358 190 VDU15

BUY THE SEST RITISH OMPUTER

In stock now: BBC Model A & B

- + Wordwise Word Processor (needs 1.0 System)
- + Acorn Software Cassette & Disk
- + Disk Drives 100K Single, 800K Twin
- + Joysticks for the BBC



Screen Layout Pad Flow Chart Pad & Symbol Design Pad Complete kit with ring binder

Rec. Retail Price: £15.50

Our Price only

£12.50 incl. VAT

PLUS computers, peripherals, printers, software, games, books and much, much more from leading makers at low prices – always available from your local stockist:

TWICKENHAM ENTRE LTD ACORN 72 Heath Rd Twickenham Middx TW1 4BW (01-892 7896/01-891 1612) OFFICIAL STOCKISTS

BBC SOFTWARE

EDUCATIONAL - 1 A or B £8.05
Hours of fun and learning for children aged 5 to 9 years. Animated

graphics will encourage children to enjoy maths, spelling and telling the time. The tape includes MATH1, MATH2, CUBECOUNT, SHAPES, MEMORY (Model B only), SPELL and CLOCK.

EDUCATIONAL - 2

A or B

68.05

A or B

Although similar to Educational - 1 this tape is more advanced and aimed at 7 to 12 year olds. The tape includes MATH1, MATH2, AREA, MEMORY (Model B. oply). CURECOUNT and SPELL

MEMORY (Model B only), CUBECOUNT and SPELL.

GAMES OF LOGIC & CUNNING A/B £9.20

For children and adults alike. The tape includes AUCTION, FLIP, REVERSE, TELEPATHY and HEXA15 (Model B only).

Fast (machine code) version of a popular 'Game of Life' in a large universe. Can you produce 'Blinkers', 'Spinners', 'Gliders' and 'Spaceships' or have you only wondered what they look like? All this in Superlife and more as this tape includes 'Competitive Life' with the

Superlife and more as this tape includes 'Competitive Life' with the Reds and Blues competing for space; perhaps you can alter their evolution.

KATAKOMBS

8

69.20

Are you cunning enough to discover and seize the treasure in the Katakombs AND return alive? What and where are your enemies? Can you outwit them? Yes? Then your adventure will take you through unending forests, besides tumbling streams, over lonely plains to desolate ruins and finally underground to the tortuous Katakombs. Be prepared for anything!

Behind the mundane title lies an assortment of useful procedures and functions which can save you hours/days of programming effort:- date conversion, input and validation routines, graphic routines (cube, rectangle, etc), sorts, search and many more.

*** SPECIAL OFFER *** Any 3 cassettes for £20.70 Add 50p p/p per order.

Please state your model, and reference No. B.

Cheque/P.O. to:

GOLEM LTD.,

77 Qualitas, Bracknell, Berks. Telephone: (0344) 50720

WIN a year's supply of software!

IF you are among the hordes of people who wrote to BBC Micro User following last month's issue to defend our "resident genius" — you needn't have bothered. He's the managing director's nephew or something.

Anyway, the result, after all the smoke had cleared, was that dear Percival has been whisked away to the Bahamas "to recover" while I am left here doing all the dirty work.

The first thing I had to do was to update the program you see listed below — one of Percival's. It's the header for our cassette of programs from the pages of BBC Micro User and proclaims "BBC Micro User — March 1983" loudly to the world. At least it did until I changed March to April.

That's when I realised that dear Percival had done it again. If you run the program you'll see what I mean. If the name of the month has more than five letters the whole display is ruined.

I have tried to alter it, but I can't make head or tail of the thing. And that's where you come in. I was terribly impressed with the

amount of skill you all showed in our last contest. So for this month's competition could you replace Percival's header with a program of your own — one that tells the world the tape is from BBC Micro User?

You can change Percy's as much as you want. You can do as many clever things as you want, too. But PLEASE will you send some notes along to explain what you're doing. Remember, it's got to work for all the months of the year. Oh, and while you're at it, could you give us a fanfare or something?

Your reward for all this effort? The winner will receive a box of software every month for the next year.

The software will be selected from the ever-growing range marketed by Acornsoft, the software division of Acorn Computers. It includes the highly rated implementation of Forth for the BBC Micro, as well as many of Acornsoft's top games.

The last date for the receipt of entries is April 29, 1983. The result of the contest will be given in June's BBC Micro User.

10 REM ******** 20 REM *** BBC 30 REM *** MICRO *** 40 REM *** USER *** 50 REM *** APRIL *** 50 REM *** 1983 *** 70 REM ********* 80 MODE 5 90 PROCINIT 100 A\$(1)="BBC" 110 A\$(2)="MICRO" 120 A\$(3)="USER" 130 A\$ (4) = "APRIL" 140 A\$(5)="1983" 150 PROCWORD (A\$(1),0,2) 160 PROCWORD (A\$ (2), 0, 12) 170 PROCWORD (A\$ (3), 0, 22) 180SOUND &11,0,0,1 190 FOR 12=1 TO 8000: NEXT 1% 200 CLS 210 PROCWORD (A\$ (4), 0, 4) 220 PROCWORD (A\$ (5), 4, 16) 230 SOUND &11,0,0,1 240 FOR IX=1 TO 8000: NEXT IX 250 MODE 6 260 END 280 DEF PROCWORD(A\$, XPOSZ, YPOSZ)

290 LOCAL RZ, XZ, YZ, CODEZ, FZ

320 FOR RZ=1 TO LEN(A\$)

330 CODEX=ASC(MID\$(A\$,R%,1))

340 F2=49408+(CODE2-64) *8

350 PROCLETTER (XZ, YZ, FZ)

360 X%=(XPOS%+R%+8)*HSTEP%

310 XZ=XPOSZ*HSTEPZ:YZ=1023-YPOSZ*VSTE

300 VDU5

P%

380 VDU 4 390 ENDPROC 400 REM ====================== 410 DEF PROCLETTER(X%, Y%, F%) 420 PROCBLOCK (X%, Y%) 430 LOCAL HZ, VZ, IZ, JZ, KZ, AZ 440 VZ=YZ 450 FOR 1%=0 TO 7 460 HZ=X% 470 K%=256: A%=?(FX+I%) 480 FOR J%= 0 TO 7 490 K%=K%/2 500 MOVE H%, V% 510 IF (K% AND A%)=K% THEN VDU 224:SOU ND&11,-15,RND(255),-1 520 H%=H%+HSTEP% 530 NEXT J% 540 V%=V%-VSTEP% 550 NEXT 12 560 ENDPROC

370 NEXT RX

570 REM ======================== 580 DEF PROCINIT 590 VDU 19,2,0,0,0,0 600 VDU 19,3,2,0,0,0 610 VDU 23, 224, 240, 240, 240, 240, 240, 240 ,240,240 620 HSTEP%=32:VSTEP%=32 630 COLOUR 131 640 CLS 650 DIM A\$ (5) 660 ENDPROC 680 DEF PROCBLOCK (XX, YX) 690 GCOLO.1 700 XX=XX+16 710 YZ=YZ+16 720 MOVE XX, YX: MOVE XX, YX-17*16 730 PLOT 85, XX+15*16, YX 740 PLOT 85, X%+15*16, Y%-17*16 750 GCOL0,2 760 ENDPROC



This is what awaits the winner of this month's contest — one new box of software every month for the next year

-Your FREE entry form---

My cassette and listing for the BBC software competition is enclosed, plus a stamped addressed envelope for its return.

Name		
Address	 	

Tel: No

POST TO: BBC Micro User, Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY. MORE and more people are coming into contact with computers at home and at their place of work, most of them not in any way experts but only want to use the computer as a tool.

So ease of operation is important. Operator errors must be trapped, "the program must go on."

Crash proof programs require clear prompts and careful input validation. If you want the date to be typed in, it should be requested in three parts:

> "Type in the date" "year including century . . ." "month of the year" "day of the month"

Each entry must be checked so that unacceptable data is not used, that entry being repeated.

It is also important that input routines are standardised. Pressing the RETURN key should signal the end of each input, whether INPUT or GET or INKEY has been used in the program.

To demonstrate these techniques, here is a program that prints out your horoscope after you have entered your date of birth. As a bonus it also tells you the day of the week you were born on.

You can alter the message if you wish in accordance with your daily newspaper. Actually it wouldn't be too hard to adapt it so that the messages are input at the beginning of the program, perhaps from tape.

The program was originally written as a fund-raiser for an autumn fair and had to operate with the minimum of supervision. Names and dates of birth were typed into the computer which then gave the next week's horoscope along with the day of the week on which the user was born.

Unbeknown to the punter, all the data entered was saved onto a cassette file, so that a survey of the users could be made. So beware - information given in all innocence may be used for other purposes.

The program contains an input routine for integers that checks each character as it is typed to see if it is a

number. Typists are used to using capital "O" for the number "O" and the letter "1" for the number "1".

If either of these letters is typed a message appears on the screen explaining the error of their ways and the entry is allowed to continue. If the data is not acceptable an error message is displayed and the request for data entry repeated.

The integer input routine is from lines 2700 to 2920.

2710 Defines the variables which are not available outside the procedure. 2720 FL=0 means that the integer

still has no figures.

2730 Empties the keyboard buffer.

2740 Gets characters from the keyboard and returns their Ascii codes until at least one number has been typed and the RETURN key pressed.

2750 Checks to see if the character has the Ascii code of a number. Numbers give values of Y between &2F and &3A, 48 to 57. So 48 is subtracted from Y to give the number typed. For ease of constructing the integer, Y-48 is changed into a string and the character is then printed.

2760 If Y=&7F the DELETE key has been pressed so the last character printed must be deleted from the screen and the string.

2770 Examines Y to see if a capital 'A' or a lower case '1' has been typed.

2780,2790 Sets E appropriate to the key pressed in error.

2800 &OD is the code of the

Let ujsy Microlengro cast your horoscope



RETURN key. When it is generated inside the program it moves the cursor to the beginning of the current line. It does not cause a linefeed, so a cursor down &OA character must also be printed. &O7 causes a beep to attract the operator's attention to the error.

2810 Prints a message saying which key had been pressed in error.

2820 INKEY(500) is a simple delay which can be interrupted and the key pressed interpreted to see if it was a valid input.

2830 Deletes the message by printing three blank lines.

2840 Moves the cursor back to where the number was printed.

2850 If the key which interrupted the delay was a recognisable character it is passed to 2750 for evaluation.

2860 Checks to see that the number is less than 9999 by counting the number of digits in the number. If the number is too big a message is printed.

2870,2880 Zeroes the integer, sets FL=0 once more, clears the message and starts the input of characters again.

2910 Converts the string into an integer.

2920 End of the routine.

The days of the week are accurate back to September 14, 1752, when the Gregorian calendar was adopted. If you add 11 days on to earlier dates then the program will tell you what day of the week it was. On what day of the week was the Battle of Hastings?

PROGRAM FORMAT

50 Initialises the system integer variables.

60-80 Sets up the days of the week.

110-260 Inputs and validates today's date.

270-320 Writes the screen and opens text window.

330 Defines the number of goes before you need to restart.

340 Dimensions the arrays which store the data.

370-570 Inputs your name and date of birth.

580-620 Calculates age and day on which you were born.

630-780 Calculates starsign and printing of horoscope.

1130-2400 Horoscopes.

MAIN PROCEDURES

PROCInteger Ensures only numbers are inputted.

PROCMONTH Verifies that either the name or the number of a month has been entered.

PROCDAY Checks that a valid number of days has been entered.

PROCWHATDAY Calculates the day of the week which has been entered.

MAIN VARIABLES

B% This day. C% This month. D% This year. E% Day of birth. M% Month of birth. Y% Year of birth.

E set =1 when the input needs redoing.

FL set =1 when one number being typed in has one or more digits.

Goes the number of participants before a reset is needed.

Today\$ today's date.

NAME\$(I%) ,BIRTH\$(I%) Participant's name and date of birth.

Rather than waste space by printing out the horoscopes for all the signs, we have only included in the listings the 10 lines of the subroutine for Aries (1140 to 1230). The other routines follow much the same pattern, and you can enter your own messages:

Taurus 1240 to 1330 Gemini 1340 to 1420

and so on for Cancer, Leo, Virgo, Libra, Scorpio, Sagittarius, Capricorn, Aquarius and Pisces as determined by PROCstar. The complete program is, of course, included in this month's cassette (see Page 55).

HOROSCOPE LISTING STARTS ON PAGE 93



Announcing the FIRST of BBC



national get-together Micro Users!

The date – Friday, Saturday, Sunday, June, 24, 25, 26, 1983 The place – Renold Building, UMIST, Manchester

AT LAST – a national show exclusively for users of the BBC Micro! An action-packed, three-day event that has one main aim . . . to ensure users from all over the country are brought fully up to date with all the exciting developments in this most remarkable machine.

INSPECT the latest hardware devices that add greater power and more versatility to the BBC Micro.

TRY OUT the yet-to-be released summer crop of games – a unique opportunity to test them out in advance.

WATCH demonstrations by some of Britain's leading experts in BBC computing.

The BBC Micro Users Show is primarily designed for people who already own a BBC Micro, and they will find it a veritable Aladdin's cave, packed with goodies that will help them make their computing even more rewarding.

But there will also be much to interest anyone about to buy their first machine. They will be able to discover for themselves what computing is all about – and how easy it really is.

Visitors will be able to ask all the questions they want about the vast range of accessories on show, from tiny program chips and memory expansion devices to disc drives, monitors, modems and the many other ways of linking the BBC Micro to the outside world.

Why is the BBC Micro User Show being held in Manchester?

Because it was at Manchester University that computing as we know it today was born. So it is only just that the first national show devoted exclusively to the all-British BBC Micro should make its debut in the city that spearheaded the computing revolution.

This is an event no user of the BBC Micro will want to miss. So make a note of the date in your diary now. More details of our plans will be given in future issues of BBC Micro User. Or you can write for further information to the address alongside.

BBC MICRO USER

Europa House, 68 Chester Road Hazel Grove, Stockport SK7 5NY. Tel: 061-456 8383 WELCOME to Bits and Bytes, the first in a series of articles in which we hope to take the mystery out of understanding the fundamentals of the BBC Micro's workings.

All too often even competent Basic programmers tend to shy off such topics as binary coding, hexadecimal and assembly language because it seems too "mathematical".

This is a great pity, because the BBC Micro is so constructed that a little knowledge in these fields allows you to take full advantage of its advanced facilities.

The mathematical aspects of the subject aren't at all deep – certainly anyone who can follow Basic should be able to cope with this series.

If you feel that despite our best efforts we still haven't explained something fully enough, please write in and tell us — we'll try to rectify the situation in later articles.

First we are going to look at binary code – a way of handling numbers essential to our understanding of what goes on inside a computer.

Number code

Binary is just a way of coding numbers in a way particularly suitable for computers. It's actually quite simple. What often confuses beginners is the fact that the binary system codes numbers in a way that can look extremely like the way we normally code numbers.

For example, if you were presented with a number 100, you would probably decode it in your normal way and say it was "one hundred".

That, however, is just one way of interpreting it. If you decided to decode it as a binary number, you would interpret 100 in a completely different way and say it meant the number "four." (Never mind exactly how you arrived at that conclusion for the moment.)

This is what often causes problems – people are so used



to dealing with their numbers in the normal way that 100 is always "one hundred" to them, and they can't make the shift necessary to decode it in binary as "four".

Actually it is rather ambiguous. Presented with 100, do you interpret it as "one hundred" or "four"? Our rule will be, if you mean our usual way of dealing with numbers (the hundreds, tens and units you learnt at school — or to put it more formally, the denary system) you write the number in the normal way.

If you wish the number to be decoded as a binary number you put the symbol % in front of it – 100 means "one hundred" while %100 means "four".

So far so good. We now have a marker (%) to warn us that we have to decode the number in a special way as a binary number.

Decoding rule

However, before you decode you need a rule for decoding – so how do you get the number "four" from %100? What's the rule?

Let's take a detour for the moment, and think about the coins we use every day. Our currency consists of these coins:

50p, 20p, 10p, 5p, 2p and 1p (ignoring the half-pence). We can combine them to give any

sum we wish: For example:

75p is 50p + 20p + 5p or 50p + 10p + 10p + 5p and so on. We are all familiar with this – often we use multiples of coins to make up a sum. For example, 5p can be 2p + 2p + 1p

Using the same coin twice, though, often means that we end up carrying unnecessary amounts of change, and I for one don't like doing that.

Sometimes, however, with our present coinage system we have to use the same coin twice to obtain certain sums. You cannot, for instance, make up the sum of 4p without doubling up coins. To avoid repeating coins we would have to invent a 4p coin!

Let's do that; in fact, let's invent a coinage system where you never have to use the same coin twice.

First of all we would need a 1p coin and, of course, a 2p coin, because we cannot use 1p + 1p for 2p - it breaks the rule!

Now 3p can be made up of 1p + 2p, but for 4p we'll have to invent a 4p coin.

Equipped with that we can make 5p (4p + 1p), 6p (4p + 2p), and 7p (4p + 2p + 1p). In obtaining 7p we used all our available coins, so now we have to invent an 8p coin. If you work it out (and I suggest you have a go) you will find that with the coins you have at

your disposal (8p, 4p, 2p, 1p) you can make any sum up to 15p. Then you would have to invent a new coin, 16p.

Notice how the coins we have created have doubled in value: 1p, 2p, 4p, 8p, 16p. No prizes for guessing what the next one is.

Little change

Let's summarise our results in a table (Figure I). Here I have used the columns to show the coins available and the rows to show how the various totals are made up. A 1 in a particular column means that we use that column's coin, and 0 means that we don't use it. Look at the row for 5p. It has 101 on it. According to our rule, this means we pick out the coins 4p and 1p (and NOT 2p) to make up the 5p total.

4p 2p 1p % 1 0 1 $\Rightarrow 4p + 1p = 5p$

Now let's get back to computers by dropping all this talk about coins and redraw Figure I to show the same information but without referring to money — just numbers. Figure II is the new table.

As you can see, there is little change, and we can use this table to encode numbers in general, not just coins. We call this method of encoding the binary system.

Remember, to show that we

		COINS			
		8p	4р	2р	1р
4	1p				- 12
1	2р			1	0
	3р			1	1
	4р		1	0	0
	5р		1	0	1
TOTALS	6р		1	1	0
	7р		1	1	1
	8р	1	0	0	0
	9p	1	0	0	1
	10p	1	0	1	0
	11p	1	0	1	1
	12p	1	1	0	0
	13p	1	1	0	1
	14p	1	1	1	0
	15p	1	1	1	1

Figure	1
0	100

Denary Value	Column 8	4	or Bit Value	s 1	Binary Value
1			14 7 1	1	%1
2		を と で	1	0	%10
3	10	of the other	1	1	%11
4		1	0	0	%100
5		1	0	1	%101
6		1	1	0	%110
7		1	1	1	%111
8	1	0	0	0	%1000
9	1	0	0	1	%1001
10	1	0	-1	0	%1010
11	1	0	1	1	%1011
12	1	1	0	0	%1100
13	1	1	0	1	%1101
14	1	1	1	0	%1110
15	1	1 5	1	1	%1111

Figure II

mean a binary number we precede it with %. So if you see, for example, %101 means:

i.e. we add together the values of the columns containing 1. Look at row 5 of the table to check it.

Similarly, %1101 would mean 13 in the denary system since

By now you should be able to work out for yourself why %100 represents four.

From the table, or by using the addition method I've just illustrated, see if you can decode the denary values of the following binary numbers:

> %1001 % 101 % 11 %1101 % 111

By MIKE BIBBY

You can use the program accompanying this article to check your results.

You've probably noticed by now that in the binary system you only use two symbols, 0 and 1, to encode numbers — hence binary, bi— for two as in bicycle.

You can encode any number that you want in binary – just use more columns (or "bits" as we say in computer jargon), remembering that each new bit is worth double the preceding bit.

However it does get terribly cumbersome. For example, 100 (denary) encoded in binary is %1100100 since

64 32 16 8 4 2 1 % 1 1 0 0 1 0 0 0 \rightarrow 64+32+4=100

It is much easier to handle the number in our normal system.

To a computer this presents no problem, and the fact that binary only uses two symbols is a bonus because you can represent numbers with a sequence of "switches".

Switches are what we call "two state" – they're either ON or OFF.

If we have a sequence of four switches together we can encode numbers by having them either ON or OFF. We could use ON to mean a 1, and OFF to mean a 0 in a particular column:

8 4 2 1 ON OFF ON ON → %1011=11

Each of these "switches" represents a bit, and a com-

puter memory is full of bits. The 6502, which is the micro-processor at the heart of the BBC system, deals with 524,288 of them.


To make things simpler, the 6502 handles the bits in groups of eight bits at a time – the group of eight being called a byte.

With this type of organisation the largest number you can store in a byte is 255 since

128 64 32 16 8 4 2 1 % 1 1 1 1 1 1 1 1 1 1 1 \Rightarrow 128+64+32+16+8+ 4+2+1=255

Of course the computer can handle larger numbers (and not just whole numbers) but to do so it must use more than one byte.

Converting a byte from binary to denary is fairly straightforward. Simply write it down under the appropriate column (or bit) values and add



149		128	64	32	16	8	4	2	1
-128	128 goes — set to 1	1							
21	64,32 can't go - set to 0		0	0	-	0141	100		
	16 goes — set it to 1	Man I		777	1		- Ah	-9	-
5	8 can't go - set to 0					0			
4	4 goes — set to 1	100	200				1		
1	2 can't go - set to 0							0	
1	1 goes — set to 1								1
0		% 1	0	0	1	0		0	

Figure III

From Page 69

together the value of all the columns in which a 1 occurs. For example, given %10010101 you translate as follows:

128 64 32 16 8 4 2 1 % 1 0 0 1 0 1 0 1 \$\rightarrow\$ 128+16+4+1=149

Going from denary to binary is not at all difficult, but it is rather hard to put into words.

You do it by subtracting from the number you want to encode the value of each column in turn, starting with the highest (i.e. 128, 64, 32 and so on).

If you can subtract a particular column value you put a 1 in that column and continue to subtract the next lower column value from the remainder.

If you cannot manage the subtraction you put a 0 in that column and try to repeat the subtraction with the next lower column number.

So, starting with the highest column number (128 in our case), you:

REPEAT

- 1. Attempt to subtract the relevant column number (highest first).
- 2. IF you succeed then put a 1 in that column number and continue to subtract other columns from the remainder. ELSE put a 0 in that column.

UNTIL all eight columns are covered.

Figure III should make it clearer.

In practice, when faced with

```
10 REM **************
    20 REM * BBC MICRO USER '83 *
   30 REM **************
   40 MODE 7
   50 ON ERROR GOTO 230
   60 REPEAT
   70 *FX 15.1
   80 CLS
   90 8%=4
  100 REPEAT
  110 PRINT TAB(0,5)CHR$(130)
  120 PRINT TAB(1,5); STRING$(15, " ")
  130 INPUT TAB(1,5) "Denary "denary%
  140 UNTIL denary%>=0 AND denary%<256
  150 PRINT TAB(1,12)"%"
  160 FOR IX= 7 TO 0 STEP -1
  170 PRINT TAB(30-4*1%,10)2^1%
  180 PRINT TAB(30-4*1%, 12)(2^1% AND den
ary%)/2^1%
  190 NEXT
  200 PRINT TAB(0, 20); CHR$(132) CHR$(157)
CHR$(131) "SPACE TO CONTINUE, ESCAPE TO EN
 210 REPEAT UNTIL INKEY(-99)
 220 UNTIL FALSE
 230 @%=10:END
```

encoding a number from denary to binary I tend to do it in my head, seeing which column values will add together to make the sum required, starting with the highest first.

For example, if I were to encode 161 in binary I would say, "Well, I can use 128, so that leaves me 33 to find. 33

can be made up of 32 and 1 so that does it: 128+32+1=161. So I encode it as:

128 64 32 16 8 4 2 1 % 1 0 1 0 0 0 0 1 = %10100001

After a while you'll find this way quite simple.


To finish off, I'll leave you with a program to print out the binary value of a number

between 0 and 255 (i.e. that can be stored in one byte). Try it with various values and see if you can accept the results.

The program itself uses one or two ideas, such as AND, that may not be too familiar to you as yet.

Worry not, "Bits and Bytes" will cover them. Watch this space . . .

Lumana drives BRC Micro best!



CUMANA DRIVES + OWN POWER SUPPLY =BIG PLUS FOR **BBC MICRO USERS** ..JUST FOR STARTERS

12 MONTH

FULL WARRANTY

The 'ice on the cake' is that because the Cumana Drive has its own power supply, it can be used with many other Micros when connected via the appropriate cable. Cumana supply a Drive connecting cable which has a standard 34 way edge connector plus 34 way BBC connector in the same cable length. This allows the Cumana Drive to be connected to numerous makes of micro without the need to change connecting cable. And the Japanese manufactured disk drives are quiet and utterly dependable.

CS50A Single 40 track drive 100K


Model A-B upgrade kits £65

Many other Disk Models available for BBC. Call or write for Data Sheet.

£199 CD50F 2 double sided 80 Track TEAC Drives £619 with cabinet and power supply 800K £15 Disk formatter and instructional manual

CUMANA LTD

Unit 1, The Pines Trading Estate, Broad Street, GUILDFORD, Surrey GU3 3BH (0483) 503121 Telex: 859380 CUMANA



DEALER & EDUCATIONAL ENQUIRIES WELCOME -GENEROUS DISCOUNTS AVAILABLE



I REMEMBER the day I first heard of the new kind of chip called a microprocessor. I was, at the time, a fairly young science teacher interested in electronics and getting to grips with the new gates and counters packaged in woodlouse-like containers.

When the new device was mentioned I asked what it was and was told it was a new big chip that was software controlled. Knowing nothing about software and already overawed by the complexity of big chips, I felt dispirited and hoped secretly that this new technology would never catch on.

For the next year or two, my few encounters with the new device did little to improve my understanding, but were a positive help to my sense of humour.

I remember many occasions when the sight of complicated circuit boards programmed to do simple tasks by means of complicated instructions reduced me to a state of mirth and disbelief. Fortunately, it was not long before the first microcomputers appeared in schools and I learned to appreciate the significance and power of software-based systems.

Exploration

A move later to a company which makes electrical and electronic equipment for science teaching provided an excellent opportunity to explore a particularly important aspect of microcomputer use, that of interfacing to the real world.

Keyboards and VDUs are, of course, types of interface, but the aspects that seemed ripe for exploration and development concerned measurement, display and control.

Now you do not need a computer and interface to measure sound level, temperature, pressure and so on. Nor do you need one to reverse a model car

DAVID DUFF
looks at the BBC
Micro's role as a
powerful research and
control tool when
linked up to the home,
the lab, the factory

when switches on its bonnet indicate that it has run into a large obstacle.

But a computer has a number of features and facilities which are invaluable to any measuring and control instrument once some means is provided for getting the required information in and out.

There are criteria that I feel must be used in judging the value of a computer and interface combination. Our world is full of conventional instrumentation of all kinds and it will be some time before this will be discarded in favour of more versatile software controlled instruments.

Efficiency

It is nonsense to use a computer, VDU, interface, cassette machine and leads to read a quantity that could be measured using a simple voltmeter. The first criteria then is that the interface and computer must enable you to do something you would not otherwise be able to do as easily or cheaply. The


second criteria leads naturally from the first, and is that the interface should make efficient use of the special facilities granted by a computer.

Such facilities are:

- Ability to capture data at a very high speed
- Ability to store and recall large quantities of data
- Ability to process and display data in a very wide variety of ways
- Ability to make decisions on the basis of input data and to modify outputs accordingly.

Most physical quantities such as temperature, sound level, pressure and light intensity can be converted into corresponding voltages. For example, a photocell produces an output voltage which depends on the intensity of light falling on its surface (the basis of the photographic exposure meter).

The interface must contain, therefore, an analogue to digital converter to change these voltages into digital values for passing to the computer. Ideally, this



A versatile input/output interface in use as a storage oscilloscope

will convert inputs at least as quickly as the computer can read them. In the case of the BBC Micro we will be looking for a conversion rate of around 125000 samples a second.

While conventional A to D converters can plot the light output from a burning match, this fast unit would be able to plot the light output from an electronic flash.

The facility to be able to sample analogue data very rapidly opens up a whole new perspective on the world around us, especially if the interface provides a number of analogue input channels which can be read in quick succession.

Many events are already digital in nature. The closing of a switch and the operation of a thermostat are digital events which the interface can pass directly to the computer. The prudent user will be keen that the digital inputs have some form of protection fitted to eliminate the possibility of damage to equipment caused by excessively high

input voltages.

Information input to the computer can be used as it stands, perhaps being processed to produce tables of results or plotted as a graph so making the system operate as a high resolution storage oscilloscope.

Sophistication

However, inputting information is only half the story. In more sophisticated applications the user may wish the computer to output analogue or digital information in conjunction with an analogue input routine. Therefore it is important that the input interface and output interface are one and the same unit.

Many of the interfaces produced today use separate input and output modules, and this can limit the facilities available.

Another trap awaits the unwary who use the same data lines between interface and computer for both input and output information. Digital or analogue outputs will be affected by subsequent inputs

unless the state of the outputs is latched before moving to an input routine. Systems which do not consider this aspect of operation are severly limited.

In practice, the computer interface user will wish to use as few external devices as possible to avoid the cost of a multitude of "interface interfaces". In order that he can input from a range of standard devices he will need to have a system of input amplifiers which will give a range of input facilities. Additionally, on the digital output side he will need relays which can be operated by changing the digital outputs.

If this whole collection of inputs, outputs and amplifiers could be controlled by the computer one has an immensely powerful tool of use to everyone from the home computer enthusiast right up to the scientific researcher.

Finally, one has to decide which computer to use with this machine. The BBC Micro is a natural choice because of its flexibility, wide facilities and superb graphics capabilities. A powerful duo!

BEEB BITS from CLARES

JOYSTICK

Pair of fully proportions	I joysticks of compact and handy size	£17.95

CASSETTE LEADS:

DIN to DIN + Remote	£2.50
DIN to 3 Jacks	£2.50
DRAGON Lead	
ORIC I (with motor control) - state DIN or Jacks	£2.50
MONITOR LEADS:	
BNC to Phono	£2.95
Phono to Phono	£1.50
6 pin DIN to DIN RGB LEAD	£2.50
SERIAL PRINTER LEAD (Acorn Specs)	£7.50
All Leads are Top Quality and carry an Unconditional Guarantee.	

SOFTWARE: "GRAFKEY" & "GRAFSTIK"

These superb programs allow you to easily create graphics, diagrams, technical drawings etc. The drawing can then be saved to tape and included in your own programs by using the very short REDRAW routine provided. Modes include

lines, rectangles, triangles, circles, write and all in up to 8 colours. A very special mode is the RUBBER BANDING (as seen in that famous HORIZON TV program). Now you can do it on your BEEB. Used in schools and industry. GRAFKEY is for keyboard and GRAFSTIK will work with ANY joystick. Data is common to both programs and will be compatible with GRAFPAD and GRAFPEN when available. Cassette £7.95



Disc (combines GRAFSTIK and GRAFKEY £12.95 "JOYSTICK GRAPHICS" is similar to GRAFSTIK but only uses line mode giving more control over the lines, screen, scale and array . . . £5.75.

"JOYSTICK PACK ONE" contains ZAP & SKETCH (two of the programs free with BEEBSTICK" ... £5.75.

ALL PRICES INCLUSIVE OF VAT & CARRIAGE - NO EXTRAS



CLARES 222 Townfield Road,

Winsford, Cheshire CW7 4AX

Tel: 06065 51374

FAIRHURST INSTRUMENTS LTD



SERVICE & INFORMATION CENTRE

Dean Court, Wilmslow SK9 2LT. Telephone: (0625) 525694

☆ BBC MICRO USERS! ☆

EXPLORE ALL YOUR MODES

Eight modes to choose from - where do you start? With the Hermes Graphics pad of course! Create your own unique graphics displays. This professional quality pad has all you need:

- * GRAPHICS SCREENS
- * TELETEXT SCREENS
- * USER-DEFINED CELLS
- * COMMANDS SHEET

ONLY £2.59 +65P P/P

Available from

Hermes Computer Products (Dept BU) 10 Barlow Moor Close, Norden, Rochdale, Lancs. OL12 7RN.

Telephone: Rochdale (0706) 30410

TRADE ENQUIRIES WELCOME

Simonsoft

Specialists in High Quality Software for the BBC Microcomputer

DISASSEMBLER (Model A and B)

Reveal the secrets of BBC BASIC, the Operating System and any machine-code programs with this powerful 6502 disassembler. Ideal for a beginner and indispensible to the serious machine-code programmer.

- Five modes of operation from memory dump to full automatic disassembly.
- * Ability to automatically or manually label any location in memory.
- Operating System entry points and vectors already labelled.
- Manual or automatic definition of areas of code separate from data.
- * Output to printer or tape/disc in BASIC *EXEC format.
- * Ability to dump all program data and recover at a later date. * Loading and disassembly of programs regardless of runtime address.
- Data is displayed together with ASCII equivalent.
- * Easy to use single key commands.
- * Full instructions supplied.

Without doubt the most powerful and flexible disassembler available for the BBC Microcomputer.

BBC DISASSEMBLER £6.95 (tape version) £9.95 (disc version)

Prices are fully inclusive. Please state model and O.S. on ordering.

Simonsoft

Front Street, Topcliffe, North Yorkshire, YO7 3RJ.

EXTENDED COLOUR-FILL GRAPHICS E.C.F.G. GIVES YOU A CHOICE OF

4 BILLION

SHADES FOR TRIANGLE FILLING IN BBC MODES 0,1,2,4 & 5

- * PLOT 81 and 85 commands for triangle-filling have been adapted to use the ECFG fill—shade currently selected by new ECFG user-friendly commands. GCOL is still used for line colour.
- * Easy choice of 17, 289 & 6561 subset colours between those normally available in 2, 4 & 16 colour MODEs. Further options include colours, angles, spacings & widths of cross-hatch etc.
- * ECFG commands can be used in BASIC, typed from the keyboard, accessed in Assembler, or in future BBC Micro languages. ECFG is MOSadaptive, and proven with versions 0.1 to 1.2
- * Bootstrap from cassette rapidly builds an ECFG module at a RAM address pre-defined by PAGE, which is then automatically increased 512 bytes to allow immediate LOADing of programs etc.

Price: £10 inc: Mail Order only

GAELSETT Software

44 EXETER CLOSE, STEVENAGE, HERTS. SG1 4PW. (Tel. Stevenage 51224)

Disc Iornatter

```
10 REPEAT
  20 REPEAT
  30 CLS
  40 PRINTTAB(5,2); "BBC SYSTEM DISK FOR
MATTER"
  45 PRINTTAB(5,4); "Copyright Ian R. Hi
rst"
  50 PRINTTAB(5,6); "FORMAT WHICH DRIVE
  50 INPUT DRNUM$
  70 D%=VAL(DRNUM$)
  80 UNTIL DX4
  90 REPEAT
 100 PRINTTAB(5,10);"
 110 PRINTTAB(5,10); "40 OR 80 TRACKS PE
R SIDE ";
 120 INPUTTNS: TN%=VAL (TNS)
 140 PRINTTAB(5,15); "ARE YOU SURE ???";
 150 INPUTAS
 160 UNTIL LEFT$ (A$, 1) = "Y" OR LEFT$ (A$.
1)="y"
 165 PRINT
 170 DIM B%20,S%300,V%20,7%600
 180 OSWORD=&FFF1
 190 E2=0
 200 82:70=D% : REM DRIVE NUMBER 560 PRINTIZ;
```

210 B%!1=Z% : REM BUFFER ADDRESS DUMM 220 B%?5=1 : REM ONE PARAMETER 230 B%?6=%69 :BEM SEEK COMMAND 240 B%?7=0 :REM TRACK ZERO 250 X%=B%: Y%=X%DIV256: A%=&7F: CALL OSWO RD 260 REM SECTOR LIST (S% POINTS TO IT) 620 X%=V%:Y%=X%DIV256:A%=&7F:CALL OSWO 270 FOR U%=0 TO 9 : REM SECTOR 280 S%?(U%*4+1)=0 :REM HEAD 290 S%?(U%+4+3)=1 :REM 256 BYTES 640 UNTIL E%>10 OR X%?10=0 300 NEXT U% 310 REM SET UP FCB FOR FORMAT (USE B% :REM BUFFER ADDRESS 320 B%!1=5% :REM 5 PARAMETERS 330 8%?5=5

350 B%?8=&10 : REM GAP3=&18 360 B%?9=%2A :REM 256 BYTES AND 10 SEC TOR 370 B%?10=0 :REM GAP 5=6 380 B%?11=&10 :REM GAP 1 =&16 390 REM SET UP FCB FOR VERIFY (USE V% 400 REM 410 V%?0=D% : REM DRIVE NUMBER 420 V%!1=Z% : REM BUFFER ADDRESS 430 V275=3 : REM NUMBER OF PARAMETERS 440 V%?6=&5F : REM VERIFY 450 V%?8=0 : REM SECTOR NUMBER 460 V%?9=&2A :REM 256 BYTE X 10 SECT OR 470 FOR T%=0 TO TN%-1 480 REM AMMEND SECTOR LIST FOR CURRENT TRACK 130 UNTIL TN%=40 OR TN%=80 490 0%=7+7*T% :REM SECTOR OFFSET 500 FOR U%=0 TO 9

510 SX?(U%*4+0)=1%

OR NUMBER

R":END

RD

520 5%?(U%+4+2)=(O%+U%)MOD10 :REM SECT 530 NEXT UZ 540 B%?7=T% 550 V%?7=I% 555 @%=&00000004 580 X%=B%: Y%=X%DIV256: A%=&7F: CALL OSWO 590 IF XX?12<>0 THEN PRINT" DISK ERRO 600 E%=0 610 REPEAT

630 E%=E%+1 650 IF E%=1THEN PRINT" "; ELSE PRINT;" ?";

660 NEXT T% 670 IF E%)10 THEN PRINT"DISK ERROR":EN 340 B%?6=&63 : REM FORMAT COMMAND 680 REM SET UP DIRECTORY

BEFORE a disc can be used to store programs, it has to be "organised" by having its surface mapped into various regions. This process is called formatting, and it provides the disc with the type of "grid-reference" system that the BBC Micro works to.

This means that even if you have all the hardware necessary - the disc interface and the drive - you cannot use a floppy disc until it has been formatted.

Acorn, however, only supply their formatting program with their own disc drives, not with their disc interface. This means that, if you buy a BBC compatible disc drive from another supplier, you are still stuck for a formatting program.

Fortunately, this month we are able to provide a formatter courtesy of Ian Hirst and Cumana Ltd.

You actually carry out the formatting by placing the unformatted ("blank") disc into the drive and running the program. It will then ask which drive is to be used and how many tracks. The program can cope with both 40 and 80 track drives.

The appropriate drive can be heard to start as the program proceeds to format each track. And it ends by asking if you wish to continue. The disc will then have been fully formatted, ready for further use.

But a word of warning. If for any reason you reformat a disc, you will lose everything you have stored on it.

690 FOR U%=0 TO 511: Z%?U%=0: NEXTU% 700 1%?262=(TN%*10 DIV 256):REM MSB OF NUMBER OF SECTORS 710 7%?263=(TN%*10 MOD 256):REM LSB OF NUMBER OF SECTORS 570 REM FORMAT TRACK T% 720 REM SET UP FCB FOR WRITE OF FIRST TWO SECTORS 730 B%!1=Z% :REM BUFFER ADDRESS 740 8%?5=3 : REM NUMBER OF PARAMETERS 750 8%?6=&4B : REM WRITE COMMAND 760 B%?7=0 : REM TRACK ZERO 770 B%?8=0 :REM SECTOR ZERO 780 B%?9=&22 : REM 256 BYTES PER SECTOR , 2 SECTORS 790 X%=B%:Y%=X%DIV256:A%=&7F:CALL OSWO

> 820 INPUT A\$ 830 IF LEFT\$ (A\$, 1) = "Y" OR "y"=LEFT\$ (A\$,1) THEN 10

810 PRINT" "FORMAT ANOTHER DISK?";

800 IF B%?10<>0 THEN PRINT' "DISC ERROR

FINANCIAL GAMES

BBC Model B

THE WORLD TRAVEL GAME



1 or 2 Players,
Choice of Game,
'Exciting, Tense, Competitive and
even Educational'

* * * *



Travel the World; Journey by air, rail and road.
Exchange currencies; Buy souvenirs; Book tickets.
Cope with hijacks, strikes, robbery and other problems inherent with travel.

Visit countries as diverse as Russia & the Falklands.

Your aim is to collect 6 souvenirs and return to LONDON intact!

-£6.95-

GREAT BRITAIN LTD.



You are P.M. and Chancellor of 'Great Britain'

You must select the Party you wish to represent and your aim is to stay in office for as long as possible. You must control inflation and unemployment, maintain the exchange rate, introduce social reforms and stay popular. The game is split into sectors: country profile, shopping basket, budget day, reform opportunities, manifesto, and most important election nights (a telling time).

A COMPLEX GAME THAT YOU WILL NOT TIRE OF IN A HURRY

-£5.95-



INHERITANCE

Gt. Uncle Arburthnot is dead.
You stand to inherit!!

A 2 part game. Prove your financial accumen in Part 1 by investing wisely at the stock and metal markets; if desperate try the casino or the horse races. If you are successful you will enter the world of big business in Part 2. Find the secret formula for paradise cola; manufacture and market the drink; cope with strikes, fires, frauds, cash shortages, etc. Your ultimate aim is to become a millionaire! A MAMMOTH GAME PACKED FULL OF FEATURES

-£5.95-

See Reviews in:

Acorn User Dec '82 - Personal Computer Jan '83

Trade Enquiries Welcome. Special Deals for Schools.

Simon W. Hessel (Dept B)

15 Lytham Court, Cardwell Crescent, Sunninghill, Berks.
Telephone: Ascot 25179

24HR DESPATCH - ONE YEAR GUARANTEE - MONEY-BACK IF NOT SATISFIED

ADDABAS G 可多有多当[3] 三部 16086011313三三3

THE BBC Micro is an amazing machine. But even though it has much better Basic than most other microcomputers, it is still necessary to use machine code routines for reasons of speed, compactness or a need to do something that Basic cannot.

It seems strange that it does not have a disassembler built in, as it already has a powerful assembler. To rectify this omission, here is a disassembler in Basic.

One way to see what is happening in machine code is to simply peek locations using the BBC Micro's '?' indirect operator.

This is not very useful, as all you see

Lines

is a number between 0 and 255.

This is where the disassembler comes in - it will translate these numbers into mnemonics which are more readily understood. Also it will sort out how many bytes following the instruction are to be included, as there are some 13 different addressing modes on the 6502.

For example, with the mnemonic LDA (which stands for LoaD Accumulator) the byte following could be data (in the immediate mode) or a two or one byte address.

In addition, this disassembler also prints out the binary values and printable Ascii codes of data bytes in the im-

paged for neat looking copy

(N.B. you will have to set up

mediate mode, a very useful facility.

The program has been designed so that the mnemonics in the data statements could easily be altered for use with other microprocessors (if the correct data is inserted!). Also there are a number of instructions that do not figure in the "official" manual which could be added at a later date.

Included in the program is a hex dump facility which not only displays the bytes between the addresses specified, but also "translates" the bytes into their Ascii characters (if printable). This aids in finding instructions and error messages in the operating system.

JIM NOTMAN reads you through his program ...

Lines	
20-40	Set MODE 7 (to use least memory). Read data into the
	array D\$()
50-100	Print title and select options.
110-150	Get start and end addresses.
	Note that they are input as
	strings and the EVAL state-
	ment is used so that hexa-
	decimal numbers, prefixed
	by '&' can be used.
180	Sets print formating
200-230	?ADDRESS looks at the
	value of memory location
	ADDRESS and sets INFO\$
	with the relevant data.
	OP\$ = the opcode mnemonic.
	BYTES = the number of
	bytes to be included after the opcode.
	TYPE = addressing mode.
240-290	Hex print-out of ADDRESS
	plus relevant bytes and

mnemonic.

300-430

460-470

450

Selects the correct procedure

Updates current ADDRESS

Allows hard copy to be

for the addressing type.

	the commands for your printer before you run the program.)
490	Switch off printer and paging mode.
500-510	The *FX15,1 will empty the buffer before the GET command in 510
530-960	Procedures to deal with various addressing modes.
1290-1600	Data table. The data state- ments are composed of three essential pieces of informa- tion:
	a. The number of data bytes following the instruction
	b. The mnemonic c. The addressing type

The listing was produced from a program tape and has been tested on both 0.1 and 1.00 operating systems. When typing in the data it makes life easier to set one of the function keys to the error code, such as *KEY"0???

where two spaces follow the question marks.

This is used to indicate an invalid opcode. It usually means that the wrong entry point has been used, or that you are trying to disassemble a data table!

If you keep all the data items 6 bytes long it will be easier to check for errors or omissions.

6502 ADDRESSING MODES

TYPE

- 0 Implied
- 1 Immediate
- 2 Absolute
- 3 Absolute,X
- 4 Absolute, Y
- 5 Relative
- 6 Zero page
- 7 Zero page,X
- 8 Zero page, Y
- 9 Accumulator
- 10 (Absolute indexed)
- 11 (Pre-indexed indirect,X)

12 (Post-indexed indirect), Y

Disassembler listing

	450 ADDRESS=ADDRESS+BYTES	920 PRINT" (&"; ~ (?ADDRESS) ", X) ";
	460 IF P THENline=line+1	930 ENDPROC
	470 IF line>=60 THEN PROCpage	940 DEFPROCINGY
10 REM Jim Notman 1983	480 UNTIL ADDRESS>=FINISH	950 PRINT" (&";~(?ADDRESS)"),Y";
20 MODE7	490 VDU3,15	960 ENDPROC
30 PRINTTAB(6) "6502 DISASSEMBLER IN	500 PRINT' "Press space bar to continue	970 DEFPROChinary (IMM)
BASIC*	":*FX15,1	980 PRINTTAB(25) " %";
40 DIM D\$(255) :line=1	510 IF GET<>32 THEN510	990 FORIX=7TOOSTEP-1
50 FOR 1%=0T0255: READ D\$(1%): NEXT	520 VDU12: BOTO60	1000 IF(2^IZ AND IMM)=2^IZ THEN PRINT"
60 PRINT''" 1Disassemble"'" 2Memo	530 DEFPROCian	"; ELSE PRINT"O";
ry Dump"'" 3End Program"	540 IMM=?ADDRESS	1010 NEXT
70 G=GET-48: IF6 <1 OR 6>3 THEN 70	550 PRINT" #&"; "IMM; : PROChinary (IMM)	1020 ENDPROC
80 IFG=3THEN@Z=&AOA:VDU12:END	560 IF IMM>31 ANDIMM<127THEN PRINT" '"	1030 DEFPROCpage
90 PRINT' "Printer (Y/N)"	CHR\$(IMM)"'";	1040 line=1
100 P=GET: IF P<>89 AND P<>78 THEN90	570 ENDPROC	1050 PRINT''''
110 INPUT' "Start address "ADDRESS\$	580 DEFPROCabs	1060 ENDPROC
	590 PRINT" &";"(256*(ADDRESS?1)+?ADDRE	
130 INPUT' "Finish address "ADDRESS\$		1080 @%=&01000203
140 FINISH=EVAL (ADDRESS\$)		1090 REPEAT
150 IF FINISH <= ADDRESS THEN PRINT' T		1100 PRINT ADDRESS;
	620 PROCabs	1110 FORIZ=0T07
	630 PRINT; ", X";	1120 PRINT ADDRESS ?11;
	640 ENDPROC	1130 NEXT
	650 DEFPROCabsY	1140 PRINT" ";
180 @%=&01000404	660 PROCabs	1150 FORIZ=0T07
190 REPEAT	670 PRINT; ", Y";	1160 V=ADDRESS?1%
200 INFOS=D\$(?ADDRESS)	680 ENDPROC	1170 IF (V<32) OR (V>126) THENPRINT"."; E
210 BYTES=VAL (INFO\$)	690 DEFPROCrel	SE PRINT CHR\$(V);
220 OP\$=MID\$(INFO\$, 2, 3)	700 offset=(?ADDRESS)+1	1180 NEXT
230 TYPE=VAL(MID\$(INFD\$,5))	710 IF offset>127 THEN offset=offset-2	
240 PRINT ADDRESS;	56	1200 ADDRESS=ADDRESS+8
250 FOR12=010 BYTES	720 BRANCH=ADDRESS+offset	
· · · · · · · · · · · · · · · · · · ·		
270 NEXT		1220 IF line>=60 PROCpage
280 ADDRESS=ADDRESS+1	740 ENDPROC	1230 UNTIL ADDRESS)FINISH
	750 DEFPROCZERO	1240 VDU3,15
290 PRINTTAB(17) OP\$; 300 IF TYPE=OTHEN 440	760 PRINT" &";"?ADDRESS;	1250 PRINT' "Press space bar to continue
	770 ENDPROC	*:*FX15,0
310 ON TYPE GOTO320, 330, 340, 350, 360, 37	780 DEFPROCZEROX	1260 IF GET<>32 THEN1260
0,380,390,400,410,420,430	790 PROCzero	1270 VDU12
320 PROCimm : GOTO440	800 PRINT; ", X";	1280 ENDPROC
330 PROCabs : 60T0440	810 ENDPROC	1290 DATA OBRKO ,10RA11,0??? ,0??? ,0
340 PROCabsX:GOTO440	820 DEFPROCZEROY	??? ,10RA6 ,1ASL6 ,0???
350 PROCabsY:60T0440	830 PRINT; ", Y";	1300 DATA OPHPO ,1DRA1 ,0ASL9 ,0??? ,(
360 PROCrel :GOTO440	840 ENDPROC	??? ,20RA2 ,2ASL2 ,0???
370 PROCzero: 60T0440	850 DEFPROCacc	1310 DATA 1BPL5 ,1DRA12,0??? ,0??? ,0
380 PROCzeroX:GOTO440	860 PRINT; " A";	??? ,10RA7 ,1ASL7 ,0???
390 PROCzeroY: GOTO440	870 ENDPROC	1320 DATA OCLCO ,20RA4 ,0??? ,0??? ,0
400 PROCacc :60TO440	880 DEFPROCING	??? ,20RA3 ,2ASL3 ,0???
410 PROCind :60T0440	890 PRINT" (&";~(?ADDRESS+(256*(ADDRES	1330 DATA 2JSR2 ,1AND11,0??? ,0??? ,1
420 PROCINGX :GOTO440	S?1)));")";	BIT6 ,1AND6 ,1ROL6 ,0???
430 PROCINGY :60T0440	900 ENDPROC	1340 DATA OPLPO ,1AND1 ,0ROL9 ,0??? ,2
440 PRINT	910 DEFPROCINDX	BIT2 , 2AND2 , 2ROL2 , 0???

```
1350 DATA 1BMI5 ,1AND12,0??? ,0??? ,0
??? ,1AND7 ,1ROL7 ,0???
1360 DATA OSECO , 2AND4 , 0??? , 0??? ,0
??? ,2AND3 ,2ROL3 ,0???
1370 DATA ORTIO ,1EOR11,0??? ,0??? ,0
??? ,1EOR6 ,1LSR6 ,0???
1380 DATA OPHAO , 1EOR1 , 0LSR9 ,0??? ,2
JMP2 ,2EOR2 ,2LSR2 ,0???
1390 DATA 1BVC5 ,1EOR12,0??? ,0??? ,0
??? ,1EOR7 ,1LSR7 ,0???
1400 DATA OCLIO , 2EOR4 , 0??? , 0??? ,0
??? ,2EOR3 ,2LSR3 ,0???
1410 DATA ORTSO ,1ADC11,0??? ,0??? ,0
??? ,1ADC6 ,1ROR6 ,0???
1420 DATA OPLAO , 1ADC1 , OROR9 , 0??? ,2
JMP10, 2ADC2 , 2ROR2 , 0???
1430 DATA 1BVS5 ,1ADC12,0??? ,0??? ,0
??? ,1ADC7 ,1ROR7 ,0???
1440 DATA OSEIO , 2ADC4 , 0??? , 0??? ,0
??? ,2ADC3 ,2ROR3 ,0???
1450 DATA 0??? ,1STA11,0??? ,0??? ,1
STY6 ,1STA6 ,1STX6 ,0???
 1460 DATA ODEYO ,0??? ,0TXAO ,0??? ,2
STY2 ,2STA2 ,2STX2 ,0???
1470 DATA 1BCC5 ,1STA12,0??? ,0??? ,1
STY7 ,1STA7 ,1STX8 ,0???
1480 DATA OTYAO ,2STA4 ,0TXSO ,0??? ,0
??? ,2STA3 ,0??? ,0???
1490 DATA 1LDY1 ,1LDA11,1LDX1 ,0??? ,1
LDY6 ,1LDA6 ,1LDX6 ,0???
1500 DATA OTAYO , 1LDA1 , 0TAXO , 0??? ,2
LDY2 ,2LDA2 ,2LDX2 ,0???
1510 DATA 1BCS5 ,1LDA12,0??? ,0??? ,1
LDY7 ,1LDA7 ,1LDX8 ,0???
1520 DATA OCLVO ,2LDA4 ,0TSXO ,0??? ,2
LDY3 ,2LDA3 ,2LDX4 ,0???
1530 DATA 1CPY1 ,1CMP11,0??? ,0??? ,1
CPY6 ,1CMP6 ,1DEC6 ,0???
1540 DATA OINYO ,1CMP1 ,0DEXO ,0??? ,2
CPY2 ,2CMP2 ,2DEC2 ,0???
1550 DATA 1BNE5 ,1CMP12,0??? ,0??? ,0
??? ,1CMP7 ,1DEC7 ,0???
1560 DATA OCLDO ,2CMP4 ,0??? ,0??? ,0
??? ,2CMP3 ,2DEC3 ,0???
1570 DATA 1CPX1 ,1SBC11,0??? ,0??? ,1
CPX6 ,1SBC6 ,1INC6 ,0???
 1580 DATA OINXO ,1SBC1 ,0NOPO ,0??? ,2
CPX2 ,2SBC2 ,2INC2 ,0???
 1590 DATA 1BEQ5 ,1SBC12,0??? ,0??? ,0
??? ,1SBC7 ,1INC7 ,0???
 1600 DATA OSEDO ,2SBC4 ,0??? ,0??? ,0
??? ,2SBC3 ,2INC3 ,0???
```

To illustrate the use of the HEX dump we have dumped the first 256 bytes of the disassembler program.

```
E10 20 31 39 38 33 D 0 14 1983...
E18 6 EB 37 D 0 1E 25 F1 ...............
E20 8A 36 29 27 22 36 35 30 .6) "650
E28 32 20 44 49 53 41 53 53 2 DISASS
E30 45 4D 42 4C 45 52 20 49 EMBLER I
E38 4E 20 42 41 53 49 43 22 N BASIC"
E40 D 0 28 15 DE 20 44 24 .... D$
E48 28 32 35 35 29 20 3A 6C (255) :1
E50 69 6E 65 3D 31 D 0 32 ine=1..2
E58 19 E3 20 49 25 3D 30 B8 .. IX=0.
E60 32 35 35 3A F3 20 44 24 255:. D$
E68 28 49 25 29 3A ED D 0 (1%):...
E70 3C 3C F1 27 27 22 20 31 ((."" 1
E78 2E 2E 44 69 73 61 73 73 .. Disass
E80 65 6D 62 6C 65 22 27 22 emble"'"
E88 20 32 2E 2E 4D 65 6D 6F 2..Memo
E90 72 79 20 44 75 6D 70 22 ry Dump"
E98 27 22 20 33 2E 2E 45 6E '* 3..En
EAO 64 20 50 72 6F 67 72 61 d Progra
EA8 6D 22 D 0 46 1D 47 3D ...F.G=
EBO A5 2D 34 38 3A E7 47 20 .-48:.6
EB8 3C 31 20 84 20 47 3E 33 (1 . 6)3
ECO 20 BC 20 BD 44 46 40 D . . DFe.
EC8 0 50 16 E7 47 3D 33 BC .P..G=3.
EDO 40 25 3D 26 41 30 41 3A @Z=&AOA:
ED8 EF 31 32 3A EO D 0 5A .12:...Z
EEO 17 F1 27 22 50 72 69 6E .. "Prin
EE8 74 65 72 20 28 59 2F 4E ter (Y/N
EFO 29 22 20 20 D O 64 1D )* ..d.
EF8 50 3D A5 3A E7 20 50 3C P=.:. PK
```

E00 D 0 A 15 F4 20 4A 69 Ji

E08 6D 20 4E 6F 74 6D 61 6E . Notman

```
DD0 48
               PHA
DD1 20 21
            F5 JSR &F521
   68
DD4
               PLA
DD5 60
               RTS
    C9 91
               CMP #&91 %10010001
DD6
    DO 14
               BNE &DEE
DD8
DDA EO
               CPX #40 %00000000
DDC DO 10
               BNE &DEE
DDE
   BA
               TSX
DDF BD
             1 LDA &102, X
DE2
   C9
               CMP #&F7 %11110111
        F7
DE4 FO
               BEQ &DF1
DE6 A2
               LDX #40 200000000
               LDA #&91 %10010001
DE8 A9 91
DEA BD
            FE STA &FE09
DED 60
               RTS
   60
            DB JMP (&DB60)
DEE
        60
DF1 68
               PLA
DF2
               PLA
DF3 20
           F9 JSR &F9D8
        D8
   20
           FB JSR &FB7B
DF6
        7B
DF9 20 E8
             D JSR &DE8
DFC 4C FB F7 JMP &F7FB
```


This is a disassembly of the cassette bugs fix program on Page 39 of the March issue of BBC Micro User.

WALK IN. TRY ANY COMPUTER ANYTIME.

FOR EDUCATION BUSINESS & LEISURE Yes. We cater for the educationalist. HARDWARE! SOFTWARE! ACCESSORIES! PERIPHERALS! SPECIAL OFFER!! £3.00 discount on 3 or more cassettes BOOKS! SAME DAY DESPATCH!

NEW! ACORN ELECTRON Telephone for latest price and delivery.

BBC BBC Model A..... £299.00 BBC Model B £399.00 BBC Model B plus disk /int. £499.00



DISK DRIVES Including utilities, disc and manual LVL single 100K drive	Inc. VAT.
expandable to 2 x 100K	£265.00
	CONTRACTOR CONTRACTOR CONTRACTOR
Acorn 2 x 400K 80 track Torch 2 x 400K Z80	£804.00
disk pack	£895.00
Cannon 1 x 100K drive	£199.00
MONITORS	
Microvitec 14"	Inc. VAT.
colour monitor	£287.50
Sanyo colour monitor	£229.00
Sanyo green monitor	£89.00
ACORNSOFT	Inc. VAT.
Algebraic Manipulation	£9.95
Arcade Action	£11.90
Arcadians	£9.95
Business Games	£9.95
Chess	£9.95
Creative Graphics	£9.95
Cube Master	
Desk Diary	£9.95
Forth	
Graphs and Charts	
Lisp	
Meteors	
Monsters	
Peeko Computer	
Philosophers Quest	€9.95
Planetoid	£9.95
Rocket Raid	€9.95
Sliding Block Puzzles	€9.95
Snanner	£9.95
SnapperSphinx Adventure	£0.05
Super Invaders	£0.05
Tree of Knowledge	£9.95
BUG BYTE	Inc. VAT.
Airlift	£5.50
Rackgammon (A/R)	£8 00
Dragon Quest	£11.50
Fruit Machine	£5.50
Golf	£5.50

PolarisSpace Pirates (A/B)	£5.50 £8.00
Space Warp	£9.00
MICRO POWER	
MICRO POWER	Inc. VAT.
Adventure	£7.99
Alien Destroyers	
Astro Navigator	£5.70
Cat and Mouse	
Chess A	
Chess B	
Cowboy Shoot Out	
Eldorado Gold	£6,85
Footer	£7.99
Galactic Commander	£7.99
Laser Command	£7.99
Martians	£6,85
Maze Invaders	£5.70
Munching Man	£6.85
Reversi A and B	£5.70
Roulette	
Seek A	£6,85
Space Maze	£6.85
Swoop	£7.99
SwoopTime Trek	£7.99
I.J.K.	Inc. VAT.
Atlantis	£7.50
Beeb Beep	£4.50

Time Trek	£7.99
J.K.	Inc. VAT.
Atlantis	£7.50
Beeb Beep	£4.50 T
Beeb Munch	£6.50
Beeb Munch	£4.50 ,
Hangman	£4.50
Hyperdrive	£6.50
nvaders Model A (A/B)	£5.50
nvaders Model B (B)	£7.50 ,
Mutant Breakout (A/B)	£6.50
Super Hangman	£4.50 I
Strato Bomber	£7.50
3D Maze (B)	£4.50
Word Pro (B)	£10.50
Startrek/Candy	
Floss (A/B)	£6.50
Family Game (A/B)	£4.50
A and F	Inc. VAT.
Frogger	
Lunar Lander	£6.95
Painter	£8.00
Pharoahs Tomb	£8.00 l
Planes	£8.00
Tower of Aros	£6.95
Printers	Inc. VAT.
Acorn Spark Jet Printer	£419.00
Seikosha GP 100A	£238.00
Seikosha GP 250X	£274.85
Epson FX 80	£504.85
Epson MX 100 FT III	£539.00
M	
	7

	£17.25
C15 Data Cassettes	£0.65
BBC Joysticks	£13.00
BOOKS	Inc. VAT.
30 hour Basic	£5.95
ALP for BBC Micro	£8.95
BBC Revealed	£7.95
Let your BBC Micro teach	
you to program	£6.45
Basic Programming on the	
BBC MICRO	£5.95
Creative Graphics	£7.50
Graphs and Charts	£7.50
LISP Manual	£7.50
Forth Manual	£7.50
BUSINESS	
SOFTWARE	Inc. VAT.
Database	£19.95
Commercial Accounts	£19.95
Invoices and Statements	£19.95
Stock Control	£19.95
Home Accounts	£19.95
Mailing List	£19.95
Mailing List	

.25	CLARE	Inc. VAT.
.65	Graph Key	£7.95
.00	Graph Stick	£7.95
AT.	Graph Key/Stick/Disk	£12.95
.95	CREDIT FACILITIES	
.95	Ask about instant credit up to £1,000.	The company of the co
.95	credit to suit you. The deposit is only	
	cost of your purchase.	-2555
.45	We are credit brokers for Lombard Tr	ricity
	Finance Ltd. Interest is just 2.25% pe	
.95	equivalent to an annual percentage r	
.50	30.6%. Ask for a written quotation to	day!
.50	CARRIAGE COSTS	
.50	Micro's, Monitors, Disk Drives, Printe	are - Add
	£8.00 to Computerama price.	ors Aug
13	Cassette Decks - Add £3.00 to Comp	outerama
	price.	
AT.	Accessories other than above - Add	£1.50 to
.95	Computerama prices.	
95	Software - 50 p p and p	

Centre for the BBC enthusiast.

we will despatch immediately. STAFFORD (0795) 41900

Call in today. See the Midlands Home Computer

Telephone your Access or Barclaycard Number-

/iew	£59.00 ' STAFFORD (0/85) 41899
Order Form Please send me	
I enclose a cheque/P.O. for	(amount)
Please debit my Access	
Barclaycard	
Name	



Inc. VAT.

Cassette Deck for BBC

51/4 Diskettes (Box 10)

£15.00 | Cassette Lead For BBC

computer shop.


59 Foregate Street, Stafford.

Tel: (0785) 41899



£29.90 £20.00





...... Post Code



Multifile (A/B).

DIY listings

STORED DATA YES OR NO", B\$

60 IF B\$="YES" THEN PROCINITIALISE:PR 510 REPEAT UNTIL TIME DELAY*100-15 From Page 28 OCFILE IN : GOTO260 520 XX=XX+10 70 IF B\$="NO" THEN 90 530 NEXTS% Program I 80 IF B\$()"YES" OR B\$()"NO" THEN 50 540 VDU4 90 PRINT:PRINT 550 ENDPROC 10 MODE 2 100 REM*SELECT CORRECT SCALING FOR TEM 560 DEF PROCFILE_OUT 20 DIM AZ(1000) 570 X=OPENOUT "DATA" P* 30 SCALE=.7 110 PRINT*OPERATING RANGE 0-100 Celsiu 580 FOR S%=1 TO 120 590 PRINT#X,T%(S%),L%(S%) 40 VDU24,0;0;1280;768; 50 GCOLO,1 120 PRINT"USE VARIABLE POT. FOR ADJUST 600 NEXTS% 60 GCOLO, 134 610 CLOSE#X 70 CLG MENT" 620 ENDPROC 130 SCALE=65 80 VDU 28,0,6,19,0 180 PRINT: PRINT WHAT TIME INTERVAL REQ 630 DEF PROCFILE_IN 90 COLOUR 129 640 UIRED IN SECONDS" 100 COLOUR7 190 REM*INPUT TIME DELAY ******* 650 X=OPENIN "DATA" 110 CLS 200 INPUT"MINIMUM 1 SECOND", DELAY 660 FOR SX=1 TO120 120 PRINT 670 INPUT#X, T%(S%), L%(S%) 130 PRINT"A PLOT OF LIGHT" 210 PROCPLOT(SCALE) 140 PRINT"INTENSITY AGAINST " 220 PRINT: INPUT"DO YOU WISH TO STORE T 680 NEXTSX HE DATA YES OR NO", A\$ 690 CLOSE#X 150 PRINT"TIME" 230 IFA\$="YES" THEN PROCFILE_OUT :GOTO 700 PROCPLOT 2 160 INPUT"NO. OF READINGS", R% 710 ENDPROC 170 COLOUR11 260 180 PRINT*PRESS SPACE-BAR* 240 IFA\$="NO" THEN 260 190 IF GET=32 THEN 200 ELSE 190 250 IFA\$<>"YES" OR A\$<>"NO" THEN 220 720 DEF PROCPLOT 2 730 CLS 200 SOUND1, -15, 150, 4 260 CLS: GCOLO, 3: INPUT "MORE DATA YES OR 740 VDU 5 210 PRINT "GO" 200 FORSX=1 TO RX 270 IF D\$="YES" THEN 50 ELSE 280 270 DRAW 0 280 END 280 END 290 DEF PROCPLOT (SCALE) 300 REM*SET FOR ADC CHANNELS 1 AND 2 0 NLY******* 800 MOVE 0 750 MDVE0,1000 760 GCOLO, 3 770 DRAW 0,0 780 DRAW 1200,0 800 MOVE 0, TZ(1) 320 DRAM XX, ZX 370 REM*6ET TEMP AND LIGHT READINGS* 370 XX=XX+1 380 TX(1)=ADVAL(2) DIV SCALE 880 GCDL0,1 370 NEXTSX 370 LX(1)=ADVAL(1)DIV 55 870 FORSX=2 TO 120 970 DRAM XX,LX(SX) 970 DEF PROCINITIALISE 970 MODE 1 970 DEF PROCINITIALISE 970 DEF PROCINITI

BBC MICRO OFFERS FROM OPUS

TEAC DISC DRIVES

TEAC 55F 1" D/S 80 Track. Formatted Single Density 400K.

ONLY £229.00

- Ideal for use with BBC Micro
- Low power consumption
- Slimline latest technology
- Full warranty.
- Case with power supply available soon. Ring for details.

CANON DISC DRIVES

MDD 6106

51" S/S 40 Track formatted single density 100k ONLY £129.00

- Ideal for use with BBC Micro
- Full warranty
 Slim design
- Case with power supply available soon. Ring for details.

A DAISY WHEEL PRINTER **ONLY £499**

TEC STARWRITER FP 1500-25 25 CPS - Friction Feed - Serial Interface Supplied with lead to your BBC.

GAMES

We are authorised dealers for A&F Software and can offer the following top quality cassettes for the BBC Model B.

 LUNAR LANDING £6.95 £6.00 PHARAOH'S TOMB PLANES £6.95 £6.95 • NEW • PAINTER • TOWER OF ALTOS FROGGER £6.95 26.00

FLOPPY DISCS

Mini Discs in FREE Plastic Library Case

ATHANA NASHUA S/S 40 Track £19.95 £16.95 D/S 40 Track £24.94 £22.95 S/S 80 Track £26.95 £25.95 D/S 80 Track £29.95 £29.95 Prices per 10 discs.

How to order:- Add carriage at the following rates -Discs 85p, Games & Magic Board, Free. Monitor £10.00. Other goods £7.00. Add VAT at 15% to the total.


Govt, Educational & Official orders welcome.

22 INCH RGB COLOUR MONITOR ONLY £99.95

We have available a limited quantity of VMC 22 Colour Monitors with free isolating transformers. The Monitor has a 22" Mullard 110°C CRT and for shipping purposes the CRT and scan coil assembly are separate from the chassis. The lugs of the CRT allow it to be mounted in a standard 22" colour TV cabinet or a unit of your own design. The unit is assembled by plugging the wires from the chassis to the tube and soldering the power connector, input connector and isolating transformers. A comprehensive instruction sheet and circuit diagrams are included.

RGB Lead to connect the monitor to your BBC - ONLY £4.50

THE "ORGANIZER" DESK



ONLY £49.50

- Teak finish
- On castors
- Self assembly
- Full instructions provided
- Top shelf for monitor/printer
- Large desk top area
- Lower shelf for paper/book storage ample room in front of the shelf for you to sit comfortably.

THE MAGIC BOARD

A Memory Board for your BBC!

Gives up to 64K of Eprom storage/16K of additional RAM. Takes the following:

2716/2732/2764/6116/5516.

Plugs into an Eprom socket and fits inside your BBC! Easy to use - supplied with full software instructions. ONLY £29.95

And send your order to:-

OPUS SUPPLIES

10 Beckenham Grove, Shortlands, Kent BR2 0JO. Tel: 01-464 5040 or 01-464 1598



VISA

NIM listing

From Page 35 REM Copyright Sean Overend 1983 2 REM 22 Highland Road Amersham Buc KS REM Version /BW1 MODE7 10 PROCinitialise 20 PROCdisplayinstructions MODES -26 IF black white THEN VDU 19,1,15,0 .0,0,19,2,15,0,0,0:60TD 30 27 VDU 19,128,2,0,0,0 28 VDU 19,3,0,0,0,0 29 VDU 19,1,4,0,0,0 REPEAT PROCplaygame: UNTIL tired= TRUE 35 MODE7 40 PROCexitroutine 50 END 100 DEF PROCplaygame 110 CLS 120 PROCscoreandgameparameters IF tired THEN 150 130 finishedgame=FALSE 140 REPEAT PROCtaketurns: UNTIL finish edqame 150 ENDPROC 200 DEF PROCinitialise 205 LOCAL 1% 210 REM Set up NIM byte array (max row proceed" s is 10) 220 DIM NIM 10 240 tired=FALSE: firsttime=TRUE: fini shedgame=FALSE (B/C) ";:A\$=GET\$ 242 *FX 15.0 LSE black white=FALSE 244 *FX9,5 245 *FX10,5 · 250 VDU23, 224, 24, 102, 126, 165, 165, 126, 1 02,24 260 VDU23,225,126,255,153,231,231,231, 126,42 270 VDU23, 226, 153, 90, 60, 255, 255, 66, 90 .153 271 IF NOT black white THEN VDU 19.3. 4,0,0,0 280 ENDPROC 300 DEF PROCdisplayinstructions

310 LOCAL A\$,1

ite, 12, 2)

320 PROCdoubleprint("NIM", 2-5*black wh

```
4
      4
      4
         480
*tart DSAABA Mant
```

340 PRINT'' "Take it in turns with the computer"' "to remove a number of nimber s from a"'"row. Select which row using t he " and " 345 PRINT"down keys. Select how many from each"' "row by moving the cursor sid eways"' "with the [and] keys. When you a re" 347 PRINT"under the last one to be ta ken from"'"the row, press RETURN" 360 PRINT' 370 PROCdoubleprint ("HE WHO TAKES THE LAST NIMBER LOSES", 2-5*black white, 1, 30) 380 PRINT'' "Tap any key when ready to 390 A\$=GET\$ 400 ENDPROC 230 FOR IZ=1 TO 10: NIM?IZ=0: NEXT IZ 410 DEF PROCdoubleprint(string\$,colour 800 PROCdisplay(boardsize) , x %, y %) 420 LOCAL cols, dbs 241 PRINT'''"Black/white or colour? 430 cols=CHR\$(colour MOD8 +128):db\$=CH R\$ (141) 243 IF A\$="B" THEN black white=TRUE E 450 PRINTTAB(x2, x2+1); db\$; col\$; string\$ yourmove=FALSE 460 ENDPROC 500 DEF PROCscoreandgameparameters 510 CLS 530 PROCparameters 540 firsttime=FALSE 550 ENDPROC 600 DEF PROCqiveinfo

440 PRINTTAB(x%, v%); db\$; col\$; string\$ 520 IF NOT firsttime THEN PROCqiveinfo 610 PRINTTAB(2,10): "Your score :-"; 620 PRINT" "; yourscore%'' 630 PRINTTAB(2,13); "My score :-"; 640 PRINT" ";myscore%'' 650 PRINT*Do you want another game? Y /N "; 655 *FX15,0

A\$=GET\$: IF A\$="N"THEN tired=TRU 650 670 ENDPROC 700 DEF PROCparameters 710 LOCAL A\$, B\$ 715 IF tired THEN 850 720 CLS 725 PRINT''''' 730 PRINT'' "Choose size of board (3-7) 740 *FX15.0 750 A\$=GET\$ 760 BS=VAL(A\$): IF BS(3 OR BS)7 THEN P RINTCHR\$(7)::60T0 730 770 boardsize=BS 780 PROCsetupNIM(boardsize) 790 CLS 810 PRINTTAB(5,29); "Do you want to sta rt (Y/N)? "; 820 *FX15.0 830 A\$=GET\$ 840 IF A\$="Y" THEN yourmove=TRUE ELSE 845 PRINTTAB(5,29);" 850 ENDPROC 900 DEF PROCsetupNIM(boardsize) 910 LOCAL 1% 920 FOR IX=1 TO boardsize 930 NIM?I%=RND(boardsize) 940 NEXT 1% 950 IF boardsize(10 THEN FOR 1%=boards ize+1 TO 10:NIM?I%=0:NEXT I% 960 ENDPROC 1000 DEF PROCdisplay(boardsize) 1010 LOCAL 1%, J% 1020 ytab%=16-boardsize

OUALITY SOFTUJARE CONTINUES TO EXPAND...

MODEL A/B

Cassette 1: Star Trek/Candy Floss (very popular) £6.50

Cassette 2: Family Games (hours of fun) £4.50 Cassette 3: Mutant Invaders/Breakout £6.50 Cassette 8: Model A Invaders (M/C) £5.50

MODEL B (or A+32K)

Cassette 4: Beeb-Beep (Super Simon Game) £4.50 Cassette 5: Beebmunch (full colour Munchman) £6.50

Cassette 6: Super Hangman (animated, educational) £4.50

Cassette 7: 3D Maze (fast and intricate) £4.50
Cassette 12: Flags (Countries and Capitals) £4.50

CASSETTE 9

Contains model B Invaders. A superb feature adaptation of the arcade 'Space Invaders' game in machine code and hi-resolution colour graphics for the BBC Micro model B (or A+32K). Play normal game or choose from the many options including Missile, Bomb and Invader speeds. Invisible Visible and Shields no Shields. Quite simply the best.

CASSETTE 10

WORDPRO. Cassette based word processor for either Epson or Seikosha printers. Features right hand justification, alter, insert, delete, pages to tape, printer mode changes from within text line etc., etc. Complete with manual.

Only £7.50 for MODEL B (or A+32K)

Only £10.50 inc.

for MODEL B (or A+32K)

CASSETTE 11

ATLANTIS. The superb fast action arcade game written in machine code to illustrate to the full the machines fantastic colour graphics and capabilities. This game includes all the usual ATLANTIS/SCRAMBLE features. Guide your submarine Nautilus along the undersea landscape and through the caverns avoiding mines, depth charges, rockets, jelly fish, serpants etc.

Only £7.50 inc.

For MODEL B (or A+32K)

WE'RE EXPANDING TOO... NOTE OUR NEW OFFICE ADDRESS AND CUSTOMER SERVICES

ORIC MICRO software ready soon. Write or 'phone for availability.

- All Programs will run on all operating systems
- All software in stock before we advertise
- Send SAE for Brochure

CASSETTE 13 - HYPERDRIVE

A new, very addictive machine code arcade game. Guide your laser tanks around the network of passages destroying the drone Aliens – but beware, evil OTTO lies in wait!

Only £6.50 inc.

For MODEL B (or A+32K)

CASSETTE 14 - STRATOBOMBER


Another new highly colourful machine code arcade game. Can you keep the enemy fleet at bay long enought to destroy the nuclear reactor of the rogue Star Ship before it destroys your home planet? Superb graphics.

Only £7.50

For MODEL B (or A+32K)

NEW CASSETTE 15 - LEAP FROG

The fabulous 'frogger' arcade game reaches the BBC micro. Superbly written full colour machine code version for the Model B (or A+32K). Help the frog cross the road avoiding the vehicles travelling at different speeds, and cross the multi current river to reach the safety of the lilly pads. The game gets progressively harder – perfect for arcade addicts.





9 King Street, Blackpool, Lancashire

(() (0253) 21555



24 HOUR ANSAFONE

48 hour despatch

ALL PRICES FULLY INCLUSIVE OF VAT AND P&P - NO MORE TO PAY!









NIM listing

From Page 89	1460 FOR IX=1 TO NIM?rowX	
	1470 PRINTTAB(5+2*(1%-1), ytab%+2*(row%-	
1030 CLS	1)); CHR\$224	2150 NEXT 1% 2160 IF mask%=0 THEN=TRUE
1040 FOR I%=1 TO boardsize	1480 NEXT IX	2161 IF mask%=1 THEN test%=1:GOTO 217
1050 FOR J%=1 TO NIM?I%	1490 ENDPROC	
1060 PRINTTAB(5+2*(J%-1), ytab%+2*(I%-1)	1500 DEF PROCdeleterow(row%)	0 31/3 FOR 17-7 TO 1 CTER-1
);CHR\$224;	1510 FOR IX=1 TO 4000:NEXT IX	2162 FOR 1%=3 TO 1 STEP-1
1070 NEXT J%	1520 IF row%=boardsize THEN 1560	2164 test%=2^I%
1075 NEXT 17.	1530 FOR I%=row% TO boardsize-1	2166 IF mask%>=test%THEN I%=1
1080 ENDPROC	1540 NIM?IX=NIM?(IX+1)	216B NEXT 1%
1100 DEF PROCtaketurns	1550 NEXT IZ	2170 FOR I%=1 TO boardsize
1110 LOCAL result	1560 boardsize=boardsize-1	2180 IF (test% AND NIM?I%)=test%
1120 IF yourmove THEN PROCinputyours:y	1570 PROCdisplay (boardsize)	THEN row%=1%
ourmove=FALSE ELSE PROCinputmine:yourmo	1580 ENDPROC	2190 NEXT IX
ve=TRUE	1700 DEF FNsingles	2200 IF test%>1 THEN add%=NIM?row% AN
1130 result=FNsingles	1710 LOCAL ones, result	D mask%:col%=add%-(add% EOR mask%):ELSE
1140 IF ABS(result)=1 THEN myscore%=my	1720 ones=0	col %=1
score%-(result=1):yourscore%-yourscore%-	1730 FORIX=1 TO boardsize	2210 IF col%(NIM?row% THEN wholerow=
(result=-1):finishedgame=TRUE:PROCsoundo	1740 IF NIM?I%=1 THEN ones=ones+1	FALSE ELSE wholerow=TRUE
ff(result)	1750 NEXT 1%	2220 =FALSE
1150 ENDPROC	1760 IF ones(boardsize THEN result=0:60	
	TO 1780	2310 row%=RND(boardsize)
1200 DEF PROCinputyours	1770 IF (boardsize MOD2=1)EOR yourmove	2320 IF NIM?rowX=1 THEN colX=1 ELSE co
1205 LOCAL valid, wholerow	THEN result=-1 ELSE result=1	1%=RND(NIM?row%)
1210 LOCAL I%, A\$, row%, col%	1780 =result	2325 IF col%=NIM?row% THEN wholerow=TR
1220 PRINTTAB(5,30);" ":PRINTTAB	1800 DEF PROCinputmine	UE ELSE wholerow=FALSE
(5,30); "YOUR MOVE";		
1230 VDU 8,8,8,8,8,8,8,8,8,8,8	1810 LOCAL ones, wholerow, row%, col%	2330 ENDPROC
1240 FOR 1%=29 TO ytab% STEP-1:VDU 11:N	1820 ones=0	2400 DEF PROCexitroutine
EXT IX	1825 PRINTTAB(5,30); "MY MOVE ";	2410 PROCdoubleprint ("GOODBYE", 3, 12, 20)
1250 *FX15,0	1830 FOR I%=1 TO boardsize	2415 PRINT
1260 A\$=GET\$	1840 ones=ones-(NIM?I%=1)	2420 ENDPROC
1270 IF A\$()CHR\$(13) THEN PRINTCHR\$(7):	1850 NEXT IZ	2500 DEF PROCsoundoff(result)
GOTO 1220	1860 IF ones=boardsize-1 THEN PROCsi	2505 CLS
1280 row%=INT((VPOS-ytab%)/2)+1	ngleup : GOTO 1880	2507 IF NOT black_white THENVOU 19,128
1290 col%=INT((POS-5)/2)+1	1870 IF FNnotwinnable THEN PROCtakeany	
1300 valid=row%>0 AND row%<=boardsize A	one	2510 LOCAL col,chr
ND NIM?row%>=col% AND col%>0	1880 COLOUR1	2520 col=1-(result=-1)
1310 IF NOT valid THEN VDU7:PRINTTAB(5	1890 FOR I%=1 TO col%	2530 chr=225-(result=-1)
,30)" ";:PRINTTAB(5,30);"Invalid":	1900 PRINTTAB(5+2*(I%-1), ytab%+2*(row%	2540 COLOURcol
FOR 1%=1 TO 1000: NEXT 1%: 60TO 1220	-1));CHR\$225	2545 GCOLO, col
1315 COLOUR 2	1910 NEXT 1%	2550 VDU5
1320 FOR IX=1 TO colX	1915 FOR IX=1 TO 5000:NEXT IX	2560 FOR I%=1 TO 100
1330 PRINTTAB(5+2*(1%-1).ytab%+2*(row%-	1920 COLOUR3	2570 MOVE RND(1247)+16,RND(959)+32
1)); CHR\$226	1930 IF wholerow THEN PROCdeleterow(row	2580 VDUchr
	%) ELSE PROCadjustrow(row%,col%)	2590 NEXT IX
1340 NEXT IX	1940 ENDPROC	2600 VDU4
1345 COLOUR 3		2610 COLOUR3
1350 wholerow=(NIM?row%=col%)	2010 IF ones MOD 2 THEN wholerow=TRUE	2620 IF result=1 THEN PRINTTAB(9,15);"I
1360 IF wholerow THEN PROCdeleterow(ro		
w%) ELSE PROCadjustrow(row%,col%)	ELSE wholerow=FALSE	win" ELSE PRINTTAB(7,15); "You win"
1370 ENDPROC	2020 FOR IX=1 TO boardsize	2630 SOUND 1,-15,101-28*(result=-1),25
1400 DEF PROCadjustrow(row%,col%)	2030 IF NIM?I%>1 THEN row%=1%	2631 SOUND 2,-15,133-28*(result=-1),30
1410 FOR I%=1 TO 4000:NEXT I%	2040 NEXT 1%	2632 SOUND 3,-15,155-28*(result=-1),40
1420 FOR 1%=1 TO NIM?row%	2050 col%=NIM?row%-1-wholerow	2633 SOUND 1,-15,101-28*(result=-1),25
1430 PRINTTAB(5+2*(I%-1),ytab%+2*(row%-	2060 ENDPROC	2635 FOR 1%=1 TO 4000:NEXT 1%
1));CHR\$32	2100 DEF FNnotwinnable	2637 IF NOT black_white THEN VDU 19,12
1440 NEXT IZ	2110 LOCAL mask%, I%, add%	8,2,0,0,0 2640 ENDPROC
	2120 mask%=0	2640 ENDPROC



MYSTERIOUS ADVENTURES



FOR BBC MICROCOMPUTER MODELS A & B*

Join the growing band of Adventurers who are enjoying these absorbing and stimulating programs. Step into another world of Fantasy, Magic, Mystery and Sorcery. Only your wits and cunning can ensure success in these scenarios!



- WRITTEN IN
 ULTRA-FAST
 MACHINE CODE.
- SAVE GAME FEATURE.
- SPLIT SCREEN
 DISPLAY.

- THE GOLDEN BATON Venture into a strange province of Sorcery and Evil Magic to recover the Golden Baton, a priceless artifact whose powers are said to bring great Health and Prosperity to the Land.
- 2. THE TIME MACHINE As a Newspaper reporter you are sent to investigate the eccentric professor who lives in the old house on the Moors. What is his secret and why is his house now deserted?
- 3. ARROW OF DEATH (Pt. 1) A blight has fallen on your homelands, the Baton has become tarnished and now radiates a malevolent aura of Evil. Your mission is clear trace the source of this Evil and destroy... or be destroyed. This is the first part of an Epic Adventure although each part can be played as a stand alone scenario.
- 4. ARROW OF DEATH (Pt. 2) You now have the means to destroy your enemy... but you are far from home and this land is strange to you. Can you cope with the deadly perils which approach you and have you the strength to see your mission through to the final conflict?
- 5. ESCAPE FROM PULSAR 7 Alone on a gigantic Space-Freighter... The rest of your crew have died horribly at the hands of a mutated Zoo-Specimen. Your only chance of escape is to reach the Frail Shuttlecraft. But the lurking Monster is hungry and you are the only food it has left...

- 6. CIRCUS Your Car has run out of Petrol on a lonely road miles from habitation. As you trudge rejunctantly down the road in search of help you are suddenly confronted by an amazing sight... in a nearby field is a Huge Circus tent! But this is no ordinary Circus as you will soon discover..
- 7. FEASIBILITY EXPERIMENT Far across the gulfs of time and space, a dying race of super-intelligent beings search the Universe for a Hero to save their existence... At length their thoughts turn to planet Earth. You are chosen to be their saviour in a bizarre scenario where death is a mere thought away...
- 8. The King beseeches you to rescue his daughter from the evil wizard. If you succeed your reward will be priceless... failure will bring certain death.
- PERSEUS.AND ANDROMEDA Travel into the realms of ancient mythology. Battle with grotesque monsters and supernatural powers as you search for the hidden secrets of myth and legend.
- TEN LITTLE INDIANS This mystery begins with a train 10. journey into a strange country. What secrets are held by the strange country mansion? What meaning is attached to the strange idols? Maybe you will find out if you live long enough...

* Adventures 5, 6 and 7 require 32K RAM

Each adventure comes attractively packaged for just £8.95 inc.

Available soon for ZX SPECTRUM, ZX81 (16K), APPLE II.



24 NORBRECK ROAD, NORBRECK, BLACKPOOL, LANCASHIRE. Tel: (0253) 591402

Horoscope listing

470INPUT""MONTH\$

From Page 71 950IF (E%)22 AND M%=12) OR(E%(21 AND M 480PROCMONTH %=1) THEN STAR\$="CAPRICORN" 10*KEY10 OLD:M RUN:M 490IF E=1 GOTO 460 960IF (E%)20 AND M%=1) OR(E%(19 AND M% 20REM HOROSCOPE 500M%=VAL (MONTH\$) 510PRINT"Day of the month" =2) THEN STAR\$="AQUARIUS" 30REM (C) J.F.LORD 1983 970IF (E%)18 AND M%=2) OR(E%<21 AND M% 520PROCInteger 40MODE7:CLS =3) THEN STARS="PISCES" 530DAY%=NUM% 508%=0: C%=0: D%=0: E%=0: M%=0: Y%=0: Z=1 980ENDPROC 540PROCDAY (Y%) 60DIM D\$ (6) 990DEFPROCAGE 550 IF E=1 60TO 510 70FOR R=0 TO 6: READ D\$(R): NEXT R 1000IF Y% MOD 4=0 AND (Y% MOD 100 <>0 D 560EZ=DAYZ 80DATA Sunday, Monday, Tuesday, Wednesda R Y% MOD 400=0) THEN LEAP=1 ELSE LEAP=0 570BIRTH\$ (1%) = STR\$ (E%) +"/"+STR\$ (M%) +"/ y, Thursday, Friday, Saturday 1010IF E%>B% AND (C%=11 OR C%=04 OR C%= "+STR\$ (Y%) 90PRINT'CHR\$(131);CHR\$(141);TAB(10)"C 06 DR CZ=09) THEN CZ=CZ-1:BZ=BZ+30 580PROCWHATDAY(E%, M%, Y%) OMPUTER HOROSCOPE" 1020IFE%)B% AND C%=02 AND LEAP=1 THEN C 590PROCAGE 100PRINTCHR\$(131); CHR\$(141); TAB(10) "CO %=C%-1:B%=B%+29 600PRINT and you were born on a ";D\$(R MPUTER HOROSCOPE" 10301FE%)B% AND C%=2 AND LEAP=0 THEN C% 110PRINTTAB(0,10) "Now type in todays d =C%-1:B%=B%+28 610PROCMESSAGE ate" 1040IFE%)B% AND (C%=01 OR C%=03 OR C%=0 620Y=INKEY(1000) 120PRINT' "Year....including the centu 5 OR CX=07 OR CX=08 OR CX=10 OR CX=12) T 630PROCSTAR ry" HEN C%=C%-1:B%=B%+31 640CLS 130PROCInteger 10501F MX>CZ THEN DZ=DX-1:CX=CX+12 650PRINT"YOUR STAR SIGN IS "STAR\$ 140D%=NUM% 1060CLS 660PRINT' "AND YOUR HOROSCOPE FOR THE N 150PRINT"Month of the year" 1070PRINT"SO "CN\$", YOUR AGE IS ":PRINT EXT WEEK "' 160 INPUT " MONTH\$ 'TAB(5)D%-Y%" YEARS" 670IF STAR\$="ARIES" GOSUB1140 170PROCMONTH 1080PRINTTAB(5)C%-M%" MONTHS" 680IF STAR\$="TAURUS" GOSUB1240 1801F E=1 GOTO 160 690IF STAR\$="GEMINI" GOSUB1340 1090PRINTTAB(5)8%-E%" DAYS" 190C%=VAL (MONTH\$) 1100B%=VAL(LEFT\$(Today\$,2)) 7001F STAR\$="CANCER" GOSUB1430 200PRINT"Day of the month" 1110C%=VAL (MID\$ (Today\$, 4, 2)) 710IF STAR\$="LEO" GOSUB1530 210PROCInteger 1120D%=VAL (MID\$ (Today\$,7)) 7201F STAR\$="VIRGO" GOSUB1650 220DAY%=NUM% 1130ENDPROC 730IF STAR\$="LIBRA" GDSUB1750 230PROCDAY (D%) 1140REM HOROSCOPES ARIES 7401F STAR\$="SCORPIO"GOSUB1860 240IF E=1 GOTO 200 1150PRINT"YOU MAY BE IN FOR A SURPRISE 750IF STAR\$="SAGITTARIUS"GOSUB1990 250B%=DAY% 760IF STAR\$="CAPRICORN"GDSUB2100 WHERE" 260PROCPACK 1160PRINT"BUSINESS MATTERS ARE CONCERNE 270PRINTTAB(27,5);Today\$ 770IF STAR\$="AQUARIUS"GOSUB2210 780IF STAR\$="PISCES"GOSUB2320 280PROCWHATDAY (BZ, CZ, DZ) 1170PRINT"CONSIDER WHAT IS INVOLVED AND 790T=TIME: REPEAT UNTIL TIME>T+700 290PRINT TAB(25-LEN(D\$(R)),5);D\$(R) MAKE" 800*FX15,0 300PRINTTAB(0,6)CHR\$(130);STRING\$(38," 1180PRINT"CHANGES IF THEY SEEM NECESSAR 810A\$=GET\$: IF A\$="" THEN810 Y TO YOU" 820PROCMESSAGE 310PRINTTAB(0,21)CHR\$(130);STRING\$(38, 1190PRINT GROUP ACTIVITIES BRING THE MO 830NEXT "f") ST" 840END 320PROCMESSAGE 1200PRINT"PLEASURE THIS WEEK, BUT AVOID 850DEFPROCSTAR 330Goes=20 860 IF (E%)20 AND M%=3) OR(E%(21 AND M INTENSE" 340DIM NAME\$ (Goes): DIM BIRTH\$ (Goes) 1210PRINT"RELATIONSHIPS AS THIS COULD B %=4) THEN STAR\$= ARIES 350FORIX=1 TO Goes 8701F (E%)20 AND M%=4) OR(E%<22 AND M% E A MOODY" 360CLS 1220PRINT"TIME BOTH FOR YOU AND YOUR FR =5) THEN STAR\$="TAURUS" 370INPUT TYPE IN YOUR FIRST NAME "'CN\$ IENDS." 880IF (EZ)21 AND MZ=5) OR(EZ(23 AND MZ 380PRINT'CNS", NOW TYPE IN YOUR SURNA =6) THEN STAR\$="GEMINI" 1230RETURN 8901F (E%)22 AND M%=6) OR(E%<24 AND M% 2420DEFPROCCheck 390INPUT""NAME\$(1%) =7) THEN STAR\$="CANCER" 2430ENDPROC 400NAME\$(IZ)=NAME\$(IZ)+"."+CN\$ 9001F (E%)23 AND M%=7) OR(E%(24 AND M% 2440DEFPROCMONTH 410PRINT'CNS", NOW TYPE IN YOUR DATE O 2450E=0 =8) THEN STAR\$="LEO" F BIRTH* 2450IF MONTH\$="1" OR LEFT\$ (MONTH\$, 3) = "J 9101F (E%)23 AND M%=8) OR(E%<24 AND M% 420PRINT*DON'T WORRY I WON'T TELL ANYB AN"THEN MONTH\$="01" =9) THEN STAR\$="VIRGO" ODY !" 2470IF MONTH\$="2" OR LEFT\$ (MONTH\$, 3) ="F 920IF (E%)23 AND M%=9) OR(E%<25 AND M% 430PRINT' "Year....including the centu EB "THEN MONTH\$="02" =10) THEN STARS="LIBRA" ry" 9301F (EZ)24 AND MZ=10) OR(EZ(24 AND M 24801F MONTH\$="3" OR LEFT\$ (MONTH\$, 3) ="M 440PROCInteger AR"THEN MONTH\$="03" %=11) THEN STAR\$="SCORPIO" 450Y%=NUM% 9401F (E%)23 AND M%=11) OR(E%(23 AND M 460PRINT Month of the year"

%=12) THEN STAR\$="SAGITTARIUS"

HOME STUDY COURSES

30 Hour BASIC

A beginner's BASIC programming course.

Structured Programming in BASIC A second stage BASIC programming course.

Beyond BASIC on the Beeb:

6502 Assembly Language Programming. An easy introduction to assembly language.

All 3 courses available now as NEC correspondence courses. Write for free leaflet/enrolment form. (30 Hour BASIC text only is available, price £5.95 post free).

MICROTRUST SOFTWARE

30 Hour BASIC

2 cassette tapes containing 62 programs from 30 Hour BASIC. Boxed with instruction booklet £11.96 inc. VAT (post free)

Crossword Puzzler

Make and play your own crossword puzzles on the BBC Micro (Model B only). 2 programs plus 4 sample crosswords, boxed with instruction booklet £5.00 inc. VAT (post free).

NATIONAL EXTENSION COLLEGE Dept 46, 18 Brooklands Avenue, Cambridge CB2 2HN SPECIAL OFFER!

Deduct £1 per
cassette or disc
when ordering 2
or more.

QUALITY



FOR THE BUILDING

ROAD RUNNER (32K) £6.50 Cassette/£9.90 Disc

The only full feature machine-code version of the arcade game available for the B.B.C. micro. Features include: scrolling screen, radar display, checkpoint flags, fuel gauge, smoke screens, 6 skill levels, rankings, increasing difficulty and sound effects.

GALAXIANS (32K) £6.50 Cassette/£9.90 Disc

Fast action version of the popular arcade game. 4 types of Galaxian (in 3 initial screen formations) swoop down individually or in groups of two or three. 6 skill levels, hi-score, rankings, bonus laser bases, increasing difficulty, superb graphics and sound.

CENTIPEDE (32K) £6.50 Cassette/£9.90 Disc

Incredible arcade type game featuring mushrooms, flies, snails, spiders, and the centipedes of course. Excellent graphics and sound. 6 skill levels, hi-score, rankings, bonuses, and increasing difficulty as the spiders become more active and the mushrooms increase.

FRUIT MACHINE (32K) £6.50 Cassette/£9.90 Disc

Probably the best fruit machine implementation on the markets. This program has it all . . . HOLD, NUDGE, GAMBLE, moving reels, realistic fruits and sound effects, multiple winning lines. This is THE fruit machine program to buy.

ALIEN DROPOUT (32K) £6.50 Cassette/£9.90 Disc

Based upon the arcade game of ZYGON, but our version improves upon the original arcade game itself. You have to shoot the aliens out of their "boxes" before the "boxes" fill up. Once full, the aliens fly down relentlessly, exploding as they hit the ground. Suitable for use with keyboard or joystick.

INVADERS (32K) £6.50 Cassette/£9.90 Disc

Superior version of the old classic arcade game including a few extras. 48 marching invaders drop bombs that erode your defences, and 2 types of spaceship fly over releasing large bombs that penetrate through your defences. Hi-score, increasing difficulty, superb sound effects and graphics.

SPACE FIGHTER (32K) £6.50 Cassette/£9.90 Disc

Arcade-style game based upon features from DEFENDER and SCRAMBLE. 5 types of menacing alien fire at you and may attempt to ram you. Separate attack phases, fuel dumps, asteroids, repeating laser cannon, smart bombs, hi-score, rankings, 6 skill levels, bonuses.

* WE PAY 25% ROYALTIES FOR HIGH QUALITY PROGRAMS *

Please add 50p per order for p. & p. + VAT at 15%

* * Dealer enquiries welcome



SUPERIOR SOFTWARE Dept. BM2, 69 Leeds Road, Bramhope, Leeds. Tel: 0532 842714



Electronequip

(Authorised BBC Dealer, and service centre)

THIS MONTHS SPECIAL OFFERS

Large stocks of Software for many machines as well as BBC. Acornsoft, Bug-Byte, CP/M, Program/Micro Power, Computer Concepts etc.

Business systems enquiries welcome. Systems & Software available from 500 to 100,000.

BBC54 Daisy Wheel printer for BBC 12cps......£558.90

Large stocks. Prices inclusive of VAT All prices inclusive of postage except micros 3.00 BBC

BBC Micro Model A £299.00 BBC₁ BBC2 BBC Model A Micro with 32K £333.50 BBC3 BBC Model A Micro 32K & VIA......£339.50 BBC4 Upgrade Model A to B......£99.82 BBC21 Disc Upgrade for BBC B...... £109.25 BBC27 14" Colour Monitor for BBC.......£286.25 BBC30 BBC33 12" Black/Green Monitor for BBC £113.85 BBC34 12" Black/Ambre Monitor for BBC...... £129.95 BBC35 BBC36 Cassette Recorder for BBC £29.90 BBC40 Single 5.25" Disc Drive 100K...... £265.00 BBC41 Dual 5.25" Disc Drive for BBC £447.00 BBC42 Dual 800K low profile disc drives...... £897.00 BBC48 5.25" Discs for BBC 40/80 tracks £2.20 BBC49 Epson MX80T type 3 for BBC £373.75 BBC50 Daisy Wheel printer for BBC......£558.90 BBC54 Plinth/Stowage for BBC......£29.90 BBC70 Cassette lead for BBC......£4.60 BBC80 Printer lead for BBC......£17.25 BBC95

All Upgrades etc. are fitted free of charge and the computer fully re-tested. Access and Barclaycard Welcome.



Electronequip

BBG

36-38 West Street, Fareham, Hants TO16 0GN (0329) 230670

Horoscope listing

From Page 93

2490IF MONTH\$="4" OR LEFT\$ (MONTH\$, 3) = "A PR"THEN MONTHS="04" 2500 IF MONTH\$="5" OR LEFT\$ (MONTH\$, 3) =" MAY "THEN MONTH\$="05" 2510 IF MONTH\$="6" OR LEFT\$ (MONTH\$, 3) =" JUN"THEN MONTH\$="06" 2520 IF MONTH\$="7" OR LEFT\$ (MONTH\$, 3) =" JUL "THEN MONTH\$="07" 2530 IF MONTH\$="8" OR LEFT\$ (MONTH\$, 3) =" AUG"THEN MONTH\$="08" 2540 IF MONTHS="9" OR LEFT\$ (MONTH\$, 3) =" SEP"THEN MONTH\$="09" 2550 IF MONTHS="10" OR LEFT\$ (MONTH\$, 3)= "OCT"THEN MONTH\$="10" 2560 IF MONTHS="11" OR LEFT\$ (MONTH\$, 3)= "NOV"THEN MONTH\$="11" 2570 IF MONTH\$="12" OR LEFT\$ (MONTH\$, 3) = "DEC"THEN MONTH\$="12" 25801F VAL (MONTH\$) >12 PRINT"THERE ARE O NLY 12 MONTHS IN A YEAR": E=1 2590IF VAL (MONTH\$)=0 PRINT"NAMES OF MON THS ONLY*:E=1 2600ENDPROC 2610DEFPROCDAY(Y%) 2620 M%=VAL (MONTH\$):E=0

2620 M%=VAL(MONTH\$):E=0
26301F Y% MOD 4=0 AND (Y% MOD 100<>0 OR
Y% MOD 400=0) THEN LEAP=1 ELSE LEAP=0
26401F M%=2 AND LEAP=1 AND DAY%>29 THEN
PRINT"THERE ARE ONLY 29 DAYS IN FEB.":E
1
26501F M%=2 AND LEAP=0 AND DAY%>28 THEN

PRINT"THERE ARE ONLY 28 DAYS IN FEB. ":E

2660IF(M%=4 OR M%=6 OR M%=9 OR M%=11)
AND DAY%>30 PRINT"THERE ARE ONLY 30 DAYS
IN THIS MONTH":E=1
2670IF DAY%>31 PRINT"NO MONTHS HAVE MOR
E THAN 31 DAYS":E=1
2680IF DAY%<1 PRINT "A NUMBER IS WANTED

2690ENDPROC 2700DEFPROCInteger 2710 LOCAL FL,Y,NUM\$,E 2720FL=0:NUM\$="" 2730*FX15,1 2740REPEAT Y=GET 2750IF (Y)&2F AND Y(&3A)NUM\$=NUM\$+STR\$(Y-48):PRINTCHR\$(Y);:FL=1

Y-48):PRINTCHR\$(Y);:FL=1
2760IFY=&7F VDU&7F:NUM\$=LEFT\$(NUM\$,LEN(NUM\$)-1)

27701F Y<>&4F AND Y<>&6C THEN 2860 27801F Y=&4F THEN E=&30 27901F Y=&6C THEN E=&31 2800 VDU&0D,&0A,&07

2810PRINT"YOU JUST PRESSED THE LETTER "; CHR\$(Y)" "INSTEAD OF THE NUMBER "; CHR\$(E)

2820Y=INKEY(500)
2830 VDU&0B,&0B,&0B;:PRINTSTRING\$(120,

2840VDU&OD, &OB, &OB, &OB, &OB: PRINT NUMS; 2850IF Y<>-1 THEN2750 2860 IF LEN(NUM\$)>4 THEN PRINT CHR\$(7)' "YOUR NUMBER IS TOO BIG" ELSE 2890 2870NUM\$="":FL=0:FOR I=1 TO 1000:NEXT:*

FX15,1 288060TO 2820 2890UNTIL Y=&OD AND FL=1 2900VDU&OD.&OA

2910NUMX=VAL (NUM\$) 2920ENDPROC

2930DEFPROCWHATDAY (DAY, MONTH, YEAR)

2940MONTH=MONTH-2

2950CEN=YEAR DIV 100:YEAR=YEAR MOD 100 2960IF MONTH(1 THEN MONTH=MONTH+12:YEAR =YEAR-1

2970 R=INT(2.6*MONTH-0.19)+DAY+YEAR+YEA R DIV 4 + CEN DIV 4 -2*CEN

2980R=R MOD 7

29901F MONTH(11 THEN MONTH=MONTH+2:ENDP ROC

3000IF MONTH>10 THEN MONTH=MONTH-10: YEA R=YEAR+1

3010ENDPROC

3020DEFPROCPACK

30301F LEN(STR\$(BZ))=1 THEN Today\$="0"+ STR\$(BZ) ELSE Today\$=STR\$(BZ)

3040IF LEN(STR\$(C%))=1 THEN Today\$=Toda y\$+"/0"+STR\$(C%) ELSE Today\$=Today\$+"/"+ STR\$(C%)

3050Today\$=Today\$+"/"+STR\$(D%)

3060ENDPROC

3070DEFPROCMESSAGE

30802=1-2

309070028.0,24,39,0

31001F Z=0 PRINTTAB(0,23)CHR\$(134)"PRES S";CHR\$(129);"RETURN"CHR\$(134);"AFTER TY PING YOUR ANSWER"

3110IF Z=1 PRINTTAB(0,23)CHR\$(136);CHR\$
(134) "PRESS ANY KEY TO CONTINUE";SPC(11)

3120VDU28,0,20,39,7

3130ENDPROC

AGONY COLUMN

Something's come between us..

Dear Aunty Beeb,

I am married to a man who is married to a computer. A BBC microcomputer to be exact, though how anyone can use the word "micro" about something that takes up half the spare bedroom and all his spare time I don't know. Anyway, for better or worse—and definitely for poorer—I have to share my husband with a machine.

Because of this I've had to learn a lot about computers whether I wanted to or not. I now know the difference

between hardware and software. Hardware you can curse, thump and switch off – software you can curse but can't thump.

Also I know about bits and bytes. When he gets home from work he disappears upstairs and I don't see him until I've told him for the hundredth time that his dinner is ready — "I'll have a byte in a bit" he yells.

"Where will it end?" I ask myself. He's already written a programme to help organise the family finances and then promptly disorganised them by buying some disc drives. I shudder to think what the electricity bill will be.

It's not as though I haven't tried to take an interest in it. I've got him to try to show me how to use it, but it must be one of those things like teaching your wife to drive.

He had me type in LIST and press RETURN and announced "That's a programme on the screen". I said I'd seen better on BBC1, and he lost his temper.

Anyway, how can he teach me when he can't communicate in English? Input, output I can handle, but how can I take floppies seriously? And why say graphics when he means pictures?

And what's wrong with asking has he got a Space Invaders cartridge? Yours, Despondent (age and database supplied)

C.J.E. Microcomputers

VAT included where applicable

QUALITY DISC DRIVES

Single drive 40 track single sided 1 x 100k	£225.00
Desail delice 40 to a to the transfer of the t	£365.00
Deval delice 10 to a to the terminal	£550.00
Dual drive 80 track double sided 2 x 400k	£799 25
All drives are cased with own PSU for reliability, and in connecting cables and utilities disc.	clude

Delivery £4.00

SOFTWARE FOR THE BBC MICRO

MISSILE CONTROL the first implementation on the BBC Micro of	
the popular arcade game (32k)	
MAZE MAN an authentic version of the popular	
arcade game (32k)	
BALLOONS a highly original game that soon becomes compulsive	
playing (32k)	
DISSASSEMBLER the memory dump routine includes a scrolling	
back in memory facility (16k)	
MISSILE CONTROL, MAZE MAN & BALLOONS use the Keyboard	
or Joysticks for control.	

30 + PROGRAMS FOR THE BBC MICROCOMPUTER

This Book contains program listings, with explanations and tips on using the BBC Micro GAMES UTILITIES GRAPHICS & MUSIC. Most programs will run on Model's A & B. Edited by C.J. Evans, various Authors. A pair of cassettes with all the programs is available.

> BOOK £5.00 **BOOK & CASSETTE SET £9.00**

LEADS

The BBC Micro comes without a cassette lead	
7Pin Din to 2 v 2 5 0 40 5	£4.00
7Pin Din to 5Pin Din & 2.5mm minijack	£4 00
7Pin Din to 7Pin Din	£4.00
7Pin Din PLUGS	Two for £0.65
6Pin Din PLUGS (for RGB socket)	Two for co 65
5Pin Din PLUGS (360' for RS232)	Two for £0.65
RS423 TO RS423 (BBC Micro to BBC Mic	ro)
Two motes cable 04 00 F	

Two metre cable £4.00. Four metre cable £5.00

TELEVISION/MONITOR LEADS full range available

Phono plug to Co-ax with high quality cable 3 Metres	£3.00
BNC Plug to BNC Plug BNC Plug to Phono Plug (i.e. BBC Micro to	£3.10
Dediffusion TVDM	£2.20

PRINTER CABLES

BBC to 36 way Centronics Type connector	217.50
BBC to 25 way D Type (for use with RS232)	£9.50
BBC to 40 way edge connector (Centronics 739)	20.00
TORCH to 36 way Centronics Type connector	20.00

BLANK C15/C30 CASSETTES

Ten for £4.50 (any mix)

15 Way D Type Plug with Cover £2.75 Computer graphics design pads 100 sheets £4.00

BBC UPGRADE KITS

RAM UPGRADE (100ns)	£23.00
KIT A Printer & I/O Port	£9.50
KIT B Analogue Port	28.00
KIT C Serial I/O & RGB	£10.00
KIT D Expansion Bus/Tube	28.00
Full Upgrade kit	£60.00
All components full specification	200.00

STAR DP8480 PRINTER FROM £250.00 INC VAT

80 CPS: 80/96/132 COLS BIDIRECTIONAL LOGIC SEEKING TRACTOR WITH FRICTION

FEED CENTRONICS £217.39 + £32.61 VAT = £250.00 RS232 £217.39 + £32.61 VAT = £250.00 High Res Graphics option to allow BBC Screen dumps

£15.00/£20.00 (24 HR SECURICOR DELIVERY FOR PRINTERS £8.00)

VAT included where applicable


Send SAE for full Price List of our large range of accessories. POSTAGE Add 50p per order or as stated.

C.J.E.

DEPT (BU), 25 HENRY AVE, RUSTINGTON, MICFOCOMPUTERS W. SUSSEX BN16 2PA (09062) 6647

BBC MICRO

Not just a monitor/tv stand but an expansion console which gives your micro the professional look. Protects and encloses your micro with room for disc drives and 2nd. processor or teletext adapter etc., all untidy connecting wires safely out of sight within the console. Made of light yet strong aluminium with a textured finish in matching BBC colour. Coming soon a bolt on extra module to the console for further expansion options. YES this console will grow with your needs. Basic BBC console as shown £39.99 MAIL ORDER ONLY Viewing by appointment only.



For further information or send cheque for £43.99 incl. post/pack to:

Silent

Matching Printer Stand, can double for VDU Stand over the micro - only £14.99 + £2 p&p

28 WYCOMBE ROAD, LONDON N17 9XN. TEL: 01-801 3014 (24 Hr Ansaphone)



MICRO SHOP

ZX81.ZXSPECTRUM. DRAGON 32-VIC-20-BBC

The very best mail order items "over the counter"

Games, Keyboards, Serious Programs, Rams, Books, Peripherals and much, much more!

FAST MAIL ORDER SERVICE PHONE 01-769 2887 WITH ACCESS/VISA (24hr Ansafone) or send large S.A.E. for catalogue (state which computer)

310 STREATHAM HIGH ROAD, LONDON SW16 Open 10:30 — 5:30 Tues, to Sat. (closed Mondays).

Micro-Aid (BN),

25 Fore Street, Praze, Camborne, Cornwall TR14 OJX. Tel: 0209 831274

2 Cashbook B 4 Mailing B	Double entry Cashbook with accounts. Database mailing system with 6 options including	£ 4.95 £ 4.95	BB
5 Payroll	2 sorts, labels, search and updating. Two part program to handle weekly or monthly	£11.90	
	wages for around 100 employees. Fully supported	111.50	В
101 Cards 102 Battle 501 Banner 502 Distances	Fast moving simulation of Falklands minefield. Print out large text and graphic characters. Graphic maps of U.K., EUROPE and WORLD. Calculates distances between any two points on	£ 2.95 £ 2.95 £ 2.95 £ 2.95	A/B A/B B
503 Flags 504 Statpack 505 Memo-Calc	Full colour flags of the world. Educational. Statistics offering over 18 options. A database calcsheet	£ 2.95 £ 7.95 £ 7.95	B B
801 Searchbas 802 Procvar 803 Procflush 804 Procaid 805 Defchr 806 Sortm/c 807 Softbas 808 Utility A Easter at Falmou	(manual extra) PROC to search a BASIC program and alter it. PROC to list all variables used in a program. PROC to clean out memory including integers. A combination of 801, 802 and 803. Design graphic characters, display and store. Machine Code Bubble sort for up to 255 integers. A very fast BASIC sort. 1000 items in 42 secs. A combination of 801-807. Super value.	£ 2.00 £ 1.95 £ 1.95 £ 1.00 £ 2.95 £ 1.00 £ 1.00	A/B A/B A/B A/B A/B A/B A/B
people at a per car	th in Cornwall for a computer jamboree. Caravans for	or up to 6	

Jessop microelectronics

people at a per caravan price of £30.00 per week.

July and August prices £110 and £120 per week.

Manufacture and supply The Edinburgh Turtle The Visispeech Display System Computer applications in special education

We are official BBC-Acorn dealers.

For lists, prices, demonstrations please contact:

Jessop Microelectronics Ltd., Unit 5, 7 Long Street, London E2 8HN. Tel: 01-739 3232/729-1851

A great spring offer for users of the BBC Micro!

All-British sweat shirts and T-shirts

FROM ONLY

£3.29

(Inc. VAT)

You're proud of your BBC Micro - so why not tell the world?

These top-quality sweat shirts and T-shirts have blue printing on either a light blue or white background. The sweat shirts are 50% cotton and 50% polyester and the T-shirts are 100% cotton.



I'm a BBCRO BBICRO WISER

1-51	1111	5
£3.2	9	
LJ.Z	9	
IIIK	& ON	ersea

Small - 34"-36" Medium - 36"-38" Large - 38"-40" Extra Large - 40"-42"

White Blue

Trans.		ı											
TOT													
TOT	AL	ø	*		*	* *	*			*	×		ä

SWEAT SHIRTS £6.29

and expiry date.

You can order by phone

quoting credit card number

(UK & Overseas)

Small - 34"-36" Medium - 36"-38" Large - 38"-40" Extra Large - 40"-42"

TOTAL	

061-456 8383

9am - 5pm

Payment: please indicate method (✓)

Access/Mastercharge/Eurocard Barclaycard/Visa American Express

(No stamp needed if posted in UK)

Card No._ Expiry Date_

Cheque/PO made payable to Database Publications

Name____

Address -

Signed Send to: BBC Micro User, FREEPOST, Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY.



MICROMAIL

HAVING read the first issue of your new publication I was very impressed. Coming, as it does, from the same stable as Windfall one might have expected a pot pourri of assorted topics for users at every level.

Happily, the first issue had a unifying theme in that it is written for an audience who perhaps are experiencing their first computer and their first dedicated magazine.

I felt that you had recognised at least sectors of the user community, namely the teacher in school who should have simple electrical laboratories (your article on the analogue input/output port will excite this group), the reader new to computers and computing languages, and the hobbyist/games player. Here, your Deathwatch game seems to be arousing considerable interest.

As you know, it is very important that a dedicated magazine keeps abreast of new developments taking place at the manufacturer. Your notes on the 1.2 ROMs are a case in point.

I am sure you will want to maintain the interest of every section of the community by the range of your articles and at the same time keep all your articles, particularly the listings, error

Unifying theme for first dedicated magazine

free as this is most important as your magazine will be read by the non-expert.

So, in conclusion, you have placed a pedestal before us and on it your BBC Micro User magazine. We shall look up to it. I am sure you, in turn, will maintain it that way. I wish you every success in your enterprise.

— Professor B. Richards, Head of Computation, UMIST.

Recipe for success

WELL you asked for it! Here are my suggestions for an even better magazine.

☐ Don't have long articles. I find reading them too much of a concentration, the way the real information is spread about. Short and sharp, please.

☐ Will you take up the cudgels on behalf of all the small users against Acorn over their disgusting deliveries, policies (they won't supply instructions and formatted discs, whatever they are, unless you buy their

disc drives which are more expensive).

Please be practical and let us know – in print – what success you are achieving, if any.

☐ I'd like to see articles on programming hints, such as OSWORD and FX calls. Where, how and why should we use them?

□ VAT. Please start a campaign to insist that all products advertised in BBC Micro User show the VAT inclusive price. To have to budget for an extra £150 or so is not really acceptable.

If the purchaser is a business, then he knows he will be able to recover VAT. But to have a product advertised as "only £300" to be invoiced as £345 is very misleading.

Although the advertisers state that VAT is to be added, I still maintain it is misleading.

□ Finally, if I want to look at 100 pages of closely packed adverts offering me everything that I don't want, then I will read something like Practical Computing/Your Computer etc.

Please don't fall into the same trap.

I know you need adverts, but please keep them relevant and to a minimum. — I.S. Crawford, Oxon.

P.S. – Please accept my subscription of £10 for the next 12 issues.

Striped solution?

I HAVE a useful tip for the BBC Micro when using a poor quality TV or monitor. Type in:

MODE 6 VDU 19

After VDU 19 keep the Return key down. The result is a striped screen which makes letters easier to read.

Also I have heard rumours that the BBC is due to go down in price by £100. Could you please tell me if this is true or not? — M. Bilton, Scholes, Leeds.

May I suggest that you use:
 MODE 6

VDU 19,0,4,0,0,0 as the User Guide suggests, to

Male chauvinist micro, yet!

I OBJECT! Your first edition mentions husband, father, son (and Holy Ghost?) as being the owners of your computer. I thought computers were machines of the modern age!

We happen to have a BBC B computer because it was felt to be a wise investment at this stage in the family business, a 57 bedroom conference/holiday hotel owned and run by my mother, three sisters and myself.

One day, no doubt, we will be seriously considering purchase of a computer for the hotel, but in the meantime it was felt that comeone ought to learn more

about them in order to lessen the chances of our spending a few thousand pounds on the wrong machine!

The initial request for a micro came from our four year-old daughter who wanted a Speak and Speak and Maths but the American voice put us off.

Our 15-year-old son wanted a TV game, my husband wanted to expand his programming beyond what was allowable on his office machine. We felt that perhaps the machines in the £100-200 price range would be ideal for this, but they did not lend themselves to what I needed for experience in business machines.

So it is because I needed it that we finally purchased the BBC B.

In the two weeks since we have had the computer our daughter has taken as much interest as the rest of the family. This also includes a $3\frac{1}{2}$ year old boy who can run a program happily and also found out for himself how to delete a double-printed letter after the computer had been in the house for less than 24 hours.

Feminist? No I am not. I'm just a lady who understands the woman's place in the world and

cannot see why typists (traditionally women) are not also considered capable of wanting a computer to play with instead.

I have however found your first edition to be ideal for my needs. Keep it up. But remember it isn't only the men who own computers. — Helen E. Mound (Mrs P.D.), Stratford-upon-Avon.

● Ouch! I deserved that rebuke. As originally written the first paragraph contained none of the sexism so obvious in its final form. All I can say is that it won't happen again — I have a wife and daughter to live with . .

give you a nice white on blue effect.

As for the BBC Micro coming down in price, I think you must have heard rumours of the long-awaited Electron, a beastie of the same evolutionary line as the BBC Micro, but of a lower order.

Facts on files

I WOULD be grateful if you would explain file handling, as I have difficulty in this area.

Having read your first issue it seems to me to be the best value for money, I look forward to the next issue. - Simon D. Watts, Guildford.

 I have dispatched one of our tame writers to the depths of the basement with orders not to come back until he's finished a comprehensive - and comprehensible - article on files, with examples.

Bug fix bonanza

I'VE read your magazine from cover to cover, including the adverts. I won't pretend that I understand all of it but I'm trying.

I had a ZX81 which was out of commission more times than it was in. So I gave up with that but - my appetite whetted - I decided to make a more permanent addition to my telly. I bought a Beeb B a couple of

weeks ago.


I've been typing away like mad (programs from magazines etc), bought a commercial tape, "Galaxians" by Superior Software, but had loads of problems loading.

It almost got the big E – the tape I mean - as I was beginning to think the computer was having a lot of fun at my expense.

However, due to your wonderful magazine, I found out two things:

☐ I have an 0.10 OS Eprom (at least it says so on the screen; I've no intention of going for a

Turn to Page 100



ACCEPT our congratulations on Vol. 1, No. 1 of the BBC Micro User magazine. We have however one or two criticisms.

We found the game "Deathwatch" very difficult to de-bug and think it would be helpful if you could follow the example of Personal Software magazine. Here we are given a table of variables and a table setting out the program structure.

This makes checking much easier and helps the beginner to understand program writing.

We also found the print in the listing very difficult to read in parts, such as Q% and @% are almost indistinguishable and led to a lot of mistakes in typing.

Once we had sorted out all the problems we found it an excellent program and a most enjoyable game. - C. Baverstock, Wantage, Oxon.

 Many apologies about the faint listings - it won't happen again. I agree that we should certainly try to explain our programs, and welcome your comments. However we have only a limited amount of space.

We felt that Deathwatch was already so large, and of interest primarily to gamesters, that a

Variables table aids in the bugs battle

detailed description would have entailed giving it a disproportionate amount of space. How do other readers feel about this? We're always open to suggestions.

Download to beat memory snag

I VERY much enjoyed reading BBC Micro User and look forward to seeing many more issues.

May I offer one suggestion, namely that programs are tested on all operating systems before being listed in the magazine.

Deathwatch is an excitingly visual game, much enjoyed by our family, but under operating system 1.0 it has an absolutely lethal bug. Line 30 should read

30 MODE7:PROCTITLE: PROCVBL:*FX11,0

for safe running. That last 0 is absolutely necessary under 1.0

otherwise the program will be subtly altered in various lines, particularly 260, with fatal results.

Another point. Deathwatch will not run under the disc system due to lack of memory. Luckily I can load it and relocate it down from &1900 to &E00.

I assume it won't run on a model A, so again, could you test programs for all models, all operating systems, with and without discs, and warn the users of possible problems. -

M.J. Parrott, Stockport.

 Thanks for the alteration to line 30 - quite correct, as was your point about the discs. However, I can't take your point about all models, as the first line of the article specifically states that it is for Model B only.

As for the disc systems, as you suggest it can be downloaded. I usually set up one of my function keys with the following one-line program, which I keep on each of my discs:

1 *KEY O FOR LOCATION%=PAGE TO ?(LOCATION%-2816)=?LOCATION%: NEXT:PAGE= &EOO IM OLD IM

> I Chain this program, then Load Deathwatch. By pressing key fo, the program is downloaded in memory, ready to be Run.

From Page 99

look inside). My gratitude to Mr R.T. Russell (bug fix program) as I can now get "Galaxians" in with just a couple of rewinds instead of the usual 20. No problems with other tapes.

□ The Beeb Computer is mind boggling. There's so much to learn I don't think I'll ever be capable of using it to its fullest potential (I couldn't write a program to save my life) but I can operate it OK and type a bit, so I'll keep plodding on.

One thing I'd like to ask is, as I have an Atari joystick, is it possible to use this on the Beeb with a little alteration (as per page 20 of the magazine)?

I've sent for the 12 issues offer for £10. Never thought I'd do that. I don't usually write to magazines either, so I must be quite impressed. — Tom Wilkins, Gateshead.

• Glad that you liked our first issue. As for the Atari joysticks, next month Mike Cooke explains how to set about making your own.

Trouble with *FXO

IF you can keep the same balance in future issues as in No. 1, I for one will be most grateful.

Many of us will be consider-

ing discs, printers, etc – your guidance and advice would prove most useful. I tried *FX0, (page 36) – it did not work – C.J. Flynn, Bury.

● I'm at a loss as to why *FXO doesn't work — it's never failed for me. I can only suppose you must have perpetrated one of the following:

☐ Used the letter O instead of the number 0.

☐ Used lower case instead of caps.

☐ Failed to press Return after typing the line.

Short changed!

I HAVE just finished reading your first issue of BBC Micro User. It is packed with really excellent material, and I want to send you my warmest congratulations, well done!

I found Paul Beverley's article on operating systems very illuminating, and it compelled me to let you know my feelings on the subject.

Beverley led me to discover how I have been rewarded for succumbing to my enthusiasm for the BBC Micro, when I bought a model B last November.

Now I know I have a ROM based 0.1 operating system machine, and, like probably many others, I feel very disappointed to realise that, after having paid the same price as that of the fully developed 1.2 version computer produced nowadays, unless I spend an additional £11.50, I am left with an inferior machine and missing on a vast number of facilities.

One would think that after the enormous success that the BBC Micro is having, Acorn could have the elegance to recall all the underdeveloped 0.1 models and bring them up to the standard specified, free of charge, no strings attached.

BBC Micro User is, judging it by your first issue, the most exciting event since the creation of the BBC Micro itself. It will surely give the BBC Micro user a wide scope of ideas and invaluable help in getting the best out of our machines. Many thanks. — J. Suriol, Hove.

 Acorn point out that the fee you pay will include a thorough checking of the system's "health" as well as the upgrade.

Hardware on its way

EXCELLENT magazine, just what we've all been waiting for. Hope you keep a half page for editorial, it's nice to know what you lot think!

For future issues – dissect disc drives and floppies and printers, in fact any Beeb add

on device. Show us pictures of their innards and how they work. Good luck. - R.E. Gill, Middlewich.

Thanks for the praise. We're going to keep the editorial, though you've no idea how much extra work it takes! As for the hardware, there's going to be plenty on the subject in future issues.

Good spot for chips

PLEASE could you tell me where I can buy any IC memory expansion chips, as I am interested in the article you did about upgrading your micro on your own.

I would be pleased if you could tell me this as I feel that with more memory I could write better and more varied software. I would prefer it if you could give me the addresses of ones in my vicinity. — Tom Lenham, Kingston.

Try Watford Electronics,
 33b Cardiff Road, Watford,
 Herts. (0923) 40588.

Keep it simple

A GREAT magazine, especially for absolute beginners like me. It's simple and straightforward. Hope you keep it that way. — A. Charnock, Sale, Cheshire.

And finally, with tongue firmly in cheek . . .

Missive from a faint-hearted micro user

Dear Trev,

You know, it's an ill wind that blows, etc. Well Auntie Di finally has....died, I mean, and she's turned up trumps in the will. She's left me £400 on condition that I spend it entirely on myself on something I've wanted but not been able to afford.

Andrea thinks this is a dig at her, and she's probably right – Auntie Di never liked her, especially after that incident with the plastic illuminated gondola she brought back from Venice. Still, don't think ill of the dead and all that. Anyway, with my windfall I did it. I went out and bought myself a brand new BBC Micro and with the quid left over I bought a copy of BBC Micro User. The pretty little girl salesperson at Central Processors was ever so nice and showed me all about the Micro, leaning over my shoulder to help me with the keyboard. She certainly seems to know what she's doing.

A. thought I was a fool and said so, repeatedly. She said it was a complete waste of money and I countered by saying it would have prac-

tical uses, which was a mistake because her reply was an acid "I know what 3+4 is without paying £400." I ignored this and told her I'd write a program to help with the household bills. "It's helped already," came the icy reply.

Mind you, I had a nerve saying that, as I haven't even opened the manual yet. A. won't let me unpack the thing until I've redecorated the spare room. What she doesn't know yet is that I'm going to annex it for my Micro.

As usual, though, it's A.

who's had the last laugh. Central Processors rang to say my cheque had bounced, so I rang my bank manager to remonstrate and point out Auntie Di's magnificent bequest.

A. loved the reply: "Sorry, it must be a computer error." Cheers, Bob.

P.S. Why don't they include cassette leads, or at least tell you that you need them when you buy the Micro? Do BL make cars with engines and petrol tanks but no fuel lines? No, don't answer that.

100 BBC MICRO USER April 1983

Subscribe today! BBC

MICRO USER

-and get 12 issues for the price of 10!

Every owner of a BBC Micro - and everyone thinking of buying one - needs to get BBC Micro User every month. It's the biggest, brightest, most authoritive yet completely independent guide to a machine that has so much potential you will never tire of reading about its remarkable capabilities.

You can buy BBC Micro User from your local newsagent or station bookstall. Or you can take out a 12 months subscription and have it delivered by post.

As a special introductory offer we will send you the first 12 issues of BBC Micro User for just £10 - a saving of £2 on the normal price, plus free postage.

SUBSCRIPTION FORM the Special introductory price of £10

SUBSCRIPTION USE Special introductory price of £10

SUBSCRIPTION FORM the Special introductory price of £10 To take advantage of this offer, which is valid until March 31, 1983, fill in and return the coupon below.

No stamp is needed if posted in the UK.

You can also order by phone, quoting your credit card number and the expiry date.

Ring 061-456 4157

between 9am and 5pm

Special rates for schools: Send for our Bulk Order Form

American Expresse Publications.

Cheque P.O. made Payable
to Database Publications.

(No stamp in UK)


Expiry Date . Address.

Card No.-



education and training division

location



For Educational and Training Institutions only:

Apple II, III **BBC** (Free Econet Interface). Newbrain Green Monitors £79 Colour Monitors £199 Seikosha Printers £207 **Epson Printers £349** NETWORKS Coming soon: Acorn Electron


we supply everything to meet the requirements of secondary schools, colleges and universities, whether it be small B.B.C. computers, Apple Ile computers, or Apple III school administration and accounting systems.


please contact: Gareth Littler or David Horsfall **EDUCATION & TRAINING DIVISION**

Northern Computers, Churchfield Road, FRODSHAM, CHESHIRE WA6 6RD Tel: (0928) 35110

Advertisers Index

A&F Software	2	IJK Software	90
		Ikon Computer Products	48
Bourne Ed. Soft.	65		
Buffer Micro Ltd	96	Jessop Microelectronics	96
Bug Byte	8		
		Kansas City Software	56
CJE Microcomputers	96		
C-Tech	16	Micro-Aid	96
Cabel Electronics	63	Micropower	O/B/C
Clares	80	Midwich Computer Co.	30
Computerama	86		
Computer City	103	National Extension College	94
Computer Concepts	45	Northern Computers	102
Cumana	77	Northern Computers	102
		Opus Supplies	88
Digital Fantasia	92		
		Pace	48
		Penbie International	44
Electro and Graphic Products	39		
Electronequip	94	Silent Computers	96
Eltec	17	Silent Computers Simonsoft	80
		Sir Computers	28
		Superior Software	94
Fairhurst Instruments	80	Superior Software	
		3D Computers	102
Gaelsett	80	Technomatic	13
*Gemini Marketing	6,7	Torch	3
Golem Ltd	68	Twickenham Computer Centre	68
Guildford Computer Centre	26	Twillstar	65
		Unilab	65
Hermes Computer Products	80		7
Simon W. Hessel	82		24 25
Home and Business Computers	39	Watford Electronics	24, 25





36 Micros Ex-stock

PERIPHERALS

PRINTER COLOUR MONITOR DISC DRIVE TORCH Z80 DISC CASSETTE RECORDER

SOFTWARE

ACORNSOFT BBC SOFT PROGRAM POWER **BUG-BYTE** SIMON HESSEL

New Shops

EALING - 01-992 5855 Opening Soon: RICKMANSWORTH - 79259


MILTON KEYNES - 317807


ADD-ONS

JOYSTICK LIGHT PEN GRAPHICS TABLET TELETEXT Z80 PROCESSOR 6502 PROCESSOR MEMORY UPGRADE DISC INTERFACE

BOOKS

30 HOUR BASIC BBC BASIC **BBC MICRO REVEALED** LET YOUR BBC TEACH LEARNING TO USE BBC ASSEMBLY LANGUAGE





COMPUTER CITY

78 VICTORIA ROAD, WIDNES, CHESHIRE 051-420 3333

THE COMPUTER CAPITAL OF THE NORTH - SUPPLYING DOG MICROCOMPUTERS NATIONWIDE FOR EDUCATION, BUSINESS AND LEISURE



BUSINESS SOFTWARE

Cash Book Acc	£95.00
Spreadsheet Analysis	£19.95
Invoices and Statement	£19.95
Commercial Accounts	£19.95
Mailing List	£19.95
Database	£19.95
Stock Control	£19.95
Home Accounts	£19.95
Word Processor	£19.95
WOLD FLOCESSOL	

BBC Micro Model A	£299.00
BBC Micro Model B	
BBC Model A Micro with 32K	COLD HUNDLE AGENT 12/04
BBC Model A Micro 32K & VIA	£345.00
14" Colour Monitor for BBC	£287.50
BMC 12A 12" Black/Green	
Monitor	. £90.8
Cassette Recorder for BBC	. £29.90
Single 5.25" Disc Drive 100K	£265.0
Single 5.25" Disc Drive 200K	£328.9
5.25" Discs for BBC 40/80 tracks .	£2.2
Epson MX80T type 3 for BBC	£373.7
Epson MN80F/T type 3 for BBC	£396.7
Cassette lead for BBC	£3.7
Printer lead for BBC	£17.2
Seikosha GP100 A Printer	£229.9
Seikosha GP250X	£274.8
Listing Paper	£19.5

BBC

SOFTWARE

(N.B. All Software is copyrighted)	
Asteriod Belt (32K)	£9.15
Beebtren (16/32K)	
Characters (16/32K)	
Chess (32K)	
Disassembler (16/32K)	
Galactic Intruder (32K)	
Hitch-Hiker (32K)	£6.75
Master Mind (16/32K)	
Polar Bear (32K)	
Space Kingdom (32K)	The second secon
Snake (32K)	
Sound Idea (16/32K)	The state of the s
Zombie's Island (32K)	£7.99

ACORNSOFT

3 Gairies	
Knowledge	£9.95
Computer/Manual	£9.95
ail Manipulation Pack	£9.95
e Graphics	£9.95
& Charts	£9.95
iary/Manual	£9.95
ssette	16.85
assette	£16.85
phers Quest	£9.95
Adventure	£9.95
are	£9.95
er	£9.95
old	£9.95
Action	£11.90
Raid	£9.95
e	29.95
ane	£9.95
Block Puzzles	29.93
Ageter	29.93
viastei	29.99
Invadore	29.99
ilivauers	
	Knowledge

BUG BYTE

5005	
Space Pirates (16K)	28.00
Space Warp (32K)	29.00
Golf (32K)	£5.50
BBC Dragon Quest	£11.50
BBC Fruit Machine	£5.50
BBC Airlift	£5.50
Polaris (32K)	£5.50
BBC Chess (32K)	£8.00
BBC Backgammon (16K)	£8.00
BBC Multifile (16K)	£15.00

Lots of **BBC Micro Books**

SPECIAL OFFER

ORDER 2 CASSETTES - DEDUCT £1 ORDER 3 CASSETTES - DEDUCT £2 etc.

	95
ij	IJK

Star Trek	
Star Trek	£6.50
Hangman	£4.50
Mutant Invaders	£6.50
Beep Beeb	£4.50
Beebmunch	£6.50
Super Hangman	£4.50
3D Maze	£4.50
Model A Invaders	£5.50
Model B Invaders	£7.50
Word Pro	£10.50
Atlantis	£7.50
Flags	£4.50
Hyperdrive	£6.50
Stato Bomber	£7.50
A+F	
Lunar Lander	£6.95
Luna Lundo	

A+F	
Lunar Lander	£6.
Planes	£8.
Tower of Aros	
Frogger	£8.
Pharoahs Tomb	£8.
Painter	

MICROPOWER

SPACE GAMES

Model B	
Swoop	£7.99
Alien Destroyers	£7.99
Galactic Commander	£7.99
Time Trek	
Laser Command	
Space Maze	
Martians	
Astro Navigator	£5.70
Maze Invaders	£5.70
Chess B	£7.99
Chess A	€5.70
Footer	£7.99
Adventure	£7.99
Cow Boy Shoot Out B	66.85
Munching Man	£6.85
Seek A	£6.85
Seek A	C6 85
Eldorado Gold	£5.70
Roulette	
Reversi A&B	
Cat & Mouse	£3.70

Trade enquiries welcome

Please send me

I enclose cheque/P.O. for

OR Please debit my Access/Barclaycard/Visa*

* delete as applicable

Card no Expiry date Send s.a.e. for Free Catalogue.

Telephone number

Dealers Discount Available ACCESS, BARCLAYCARD VISA ORDERS WELCOME ON 24HR 051-420 3333

COMPUTER CITY Dept. Q. FREEPOST (No Stamp Required) 78 VICTORIA ROAD, WIDNES, CHESHIRE WAS 7RA.

