This article was downloaded by: [Tomsk State University of Control Systems and Radio]

On: 19 February 2013, At: 13:36

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH,

UK



Molecular Crystals and Liquid Crystals

Publication details, including instructions for authors and subscription information: http://www.tandfonline.com/loi/gmcl16

Errata

Version of record first published: 13 Dec 2006.

To cite this article: (1987): Errata, Molecular Crystals and Liquid Crystals, 148:1,

294-294

To link to this article: http://dx.doi.org/10.1080/00268948708071796

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.tandfonline.com/page/terms-and-conditions

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae, and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand, or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

"The Effect of Carbonyl-Containing Substituents in the Terminal Chains on Mesomorphic Properties in Aromatic Esters and Thioesters, 2. Acyloxy Groups on the Phenolic End" by Mary E. Neubert, Patricia J. Wildman, Michael J. Zawaski, Carol A. Hanlon, Theresa L. Benyo and Adriaan de Vries, Mol. Cryst. and Liq. Cryst. 145, 111 (1987).

Page 119, Table IV: third structure should read

Page 120: first structure should read