This article was downloaded by: [Tomsk State University of Control Systems and Radio]

On: 18 February 2013, At: 09:55

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH,

UK



Molecular Crystals and Liquid Crystals Science and Technology. Section A. Molecular Crystals and Liquid Crystals

Publication details, including instructions for authors and subscription information: http://www.tandfonline.com/loi/qmcl19

Preface

Masahiro Yamashita $^{\rm a}$, Tadaoki Mitani $^{\rm b}$ & Gunzi Saito $^{\rm c}$

Version of record first published: 04 Oct 2006.

To cite this article: Masahiro Yamashita, Tadaoki Mitani & Gunzi Saito (1996): Preface, Molecular Crystals and Liquid Crystals Science and Technology. Section A. Molecular Crystals and Liquid Crystals, 286:1, ix-ix

To link to this article: http://dx.doi.org/10.1080/10587259608042256

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.tandfonline.com/page/terms-and-conditions

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to

^a Nagoya University

b JAIST

^c Kyoto University

date. The accuracy of any instructions, formulae, and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand, or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

PREFACE

The Nagoya Conference on "Perspectives in Organic-Inorganic Hybrid Solids: Molecular Design and Functionality" was convened on 14–16 March, 1996 at The Symposion Hall of Nagoya University, Japan. The participants came from a wide range of chemistry and physics, including inorganic and organic synthesis, co-ordination, catalytic, physical and theoretical chemistry, as well as experimental and theoretical condensed matter physics. The 239 participants represented various countries from Asia, Europe, and North America. There were 27 invited oral presentations and 111 posters.

The key word "molecular-based compounds with multi-electronic systems having multi-functionalities" was proposed at the conference. Most presentations and discussions were focused on this key word and the perspectives in this field. As a result, it was recognized that multi-functionalities with simultaneous operation of electronic conduction and optics, optics and magnetism, and/or magnetism and electronic conduction are more promising compared with single-functionality of optics, magnetism or conduction.

This conference was held timely since enormous data required for design and construction of multi-functionalities have been accumulated, and research on organic-inorganic hybrid solids is entering a period of mushrooming growth. Particularly, in co-ordination chemistry, there is a large potentiality and ability to control electronic properties of organic-inorganic hybrid systems. In addition, since the discovery of organic superconductivity in π electronic systems in 1980, research on organic superconductors and conductors has rapidly developed and now opens a new stage, where molecular-based compounds of organic-inorganic hybrid systems are focused. The Nagoya Conference highlighted the co-operation of d- π multi-electronic systems and developed an aspect of "multi-functionality".

This Conference is a starting point for further development of research on organic-inorganic hybrid systems. We hope that many fruitful results and discussions presented in this Conference will contribute greatly to future research.

We would like to thank The Chemical Society of Japan – Tokai Branch, Nagoya Molecular Science Seminar, The Japan Society of Young Coordination Chemists, Gordon & Breach Publishers, Inoue Foundation for Science, Ciba-Geigy Foundation, Research Foundation for the Electrotechnology of Chubu, Daiko Foundation and Nagoya University Foundation for the financial support and cooperation we received in organizing and conducting this Conference.

Masahiro Yamashita (Nagoya University) Tadaoki Mitani (JAIST) Gunzi Saito (Kyoto University)