Erratum

Tocotrienol-rich fraction of palm oil exhibits anti-inflammatory property by suppressing the expression of inflammatory mediators in human monocytic cells

By Shu-Jing Wu et al., vol. 52, issue 8, pp. 921–929

DOI: 10.1002/mnfr.200700418

Tables 1 and 2 are corrected as follows. The concentrations in column 1 are µg/mL not mg/mL.

Table 1. Effects of TRF on LPS (1 $\mu g/mL$)-induced NO release and PGE₂ production in THP-1 cells

Treatments	Nitric oxide (μM)	PGE₂ (ng/mL)
Control LPS LPS + 0.5 µg/mL TRF LPS + 1.0 µg/mL TRF LPS + 5.0 µg/mL TRF	$\begin{array}{c} 5.62 \pm 0.64^d \\ 48.02 \pm 1.78^a \\ 26.50 \pm 3.26^b \\ 8.24 \pm 0.57^c \\ 7.93 \pm 0.74^d \end{array}$	5.60 ± 0.45^d 42.67 ± 3.68^a 16.93 ± 1.72^b 7.53 ± 0.41^c 8.43 ± 0.67^c

Each data represents the mean \pm SD of three independent experiments. Values within a column followed by a common superscript letter are not significantly different at p < 0.05 as analyzed by Duncan's multiple range test.

Table 2. Effects of TRF on LPS (1 μ g/mL)-induced IL-4, IL-8, and TNF- α formation in THP-1 cells

Treatments	Concentration (pg/mL)		
	TNF-α	IL-4	IL-8
Control LPS LPS ± 0.5 μg/mLTRF LPS ± 1.0 μg/mLTRF LPS ± 5.0 μg/mLTRF	139.07 ± 0.02^d 3594.20 ± 13.02^a 1213.50 ± 70.83^b $181.50 \pm 13.53^{c,d}$ 243.77 ± 5.06^c	84.63 ± 3.42° 1362.67 ± 36.57° 310.67 ± 8.22° 108.90 ± 6.80° 95.67 ± 11.44°	161.33 ± 7.36^{d} 2498.00 ± 28.61^{a} 619.50 ± 9.01^{b} $193.17 \pm 5.57^{c,d}$ 228.00 ± 14.09^{c}

Each data represents the mean \pm SD of three independent experiments. Values within a column followed by a common superscript letter are not significantly different at p < 0.05 as analyzed by Duncan's multiple range test.

Retraction

Modulation of steroid activity in chronic inflammation: A novel anti-inflammatory role for curcumin

By Saibal Biswas and Irfan Rahman, vol. 52, issue 9, pp. 987–994

DOI: 10.1002/mnfr.200700259

This article has been retracted due to a substantial overlap with a previously published article in another journal.

