

Contents

ACCELERATED COMMUNICATIONS

- | | | |
|-----|--|---|
| 761 | 5-Carboxamido-tryptamine, CP-122,288, and Dihydroergotamine but not Sumatriptan, CP-93,129, and Serotonin-5- <i>O</i> -carboxymethyl-glycyl-tyrosinamide Block Dural Plasma Protein Extravasation in Knockout Mice that Lack 5-Hydroxytryptamine _{1B} Receptors | Xian-Jie Yu, Christian Waeber, Nathalie Castanon, Kimberly Searce, René Hen, John E. Macor, Jacques Chaveau, and Michael A. Moskowitz |
|-----|--|---|

ARTICLES

- | | | |
|-----|---|---|
| 766 | DNA Repair Activity in Protein Extracts of Fresh Human Malignant Lymphoid Cells | Jean-Marc Barret, Patrick Calsou, Guy Laurent, and Bernard Salles |
| 772 | Inhibition of DNA Topoisomerase II by Imidazoacridinones, New Antineoplastic Agents with Strong Activity Against Solid Tumors | andrzej Skladanowski, Sergey Y. Plisov, Jerzy Konopa, and Annette K. Larsen |
| 781 | Transforming Growth Factor- β 1 Induces Transcriptional Down-regulation of m2 Muscarinic Receptor Gene Expression | El-Bdaoui Haddad, Jonathan Rousell, Judith C. W. Mak, and Peter J. Barnes |
| 788 | Role of <i>c-jun</i> in Human Myeloid Leukemia Cell Apoptosis Induced by Pharmacological Inhibitors of Protein Kinase C | Alex J. Freemerman, Amy J. Turner, Michael J. Birrer, Eva Szabo, Kristoffer Valerie, and Steven Grant |

Continued

MOLECULAR PHARMACOLOGY (MOL/ISSN 0026-895X) is an official publication of The American Society for Pharmacology and Experimental Therapeutics and is published monthly, two volumes a year, beginning in January and July, by Williams & Wilkins, 351 West Camden Street, Baltimore, MD 21201-2436. Second class postage paid at Baltimore, MD and at additional mailing offices. POSTMASTER: Send address changes to MOLECULAR PHARMACOLOGY, 351 West Camden Street, Baltimore, MD 21201-2436. **Subscription Rates:** U.S.: *Personal* \$115; *Institutional* \$250; *Single copy* \$23. **Outside the U.S., except for Japan:** *Personal* \$150; *Institutional* \$285; *Single copy* \$26. Foreign prices exclude Japan. **See Information for Subscribers for detailed instructions.** The GST Tax Number for Canadian subscribers is 123394371. Country of origin USA. PRICES ARE SUBJECT TO CHANGE. Indexed by *Index Medicus*, *Current Contents (Life Sciences)*, *Excerpta Medica*, *Reference Update/Research Information Systems*, and *Current Awareness in Biological Sciences*. Copyright © 1996 by The American Society for Pharmacology and Experimental Therapeutics.

CONTENTS (cont'd)

796	Role of Nitric Oxide in the Cytokine-Mediated Regulation of Cytochrome P-450	Timothy J. Carlson and Ruth E. Billings
802	Expression of Cytochrome P4502E1 in Rat Fetal Hepatocyte Culture	Defeng Wu and Arthur I. Cederbaum
808	Photoaffinity Labeling of the Human Substance P (Neurokinin-1) Receptor with [³ H ₂]Azido-CP-96,345, a Photoreactive Derivative of a Nonpeptide Antagonist	Douglas Macdonald, Stephen C. Silberman, John A. Lowe III, Susan E. Drozda, Susan E. Leeman, and Norman D. Boyd
814	1-Hydroxyethyl Radical Formation during NADPH- and NADH-Dependent Oxidation of Ethanol by Human Liver Microsomes	D. N. Ramakrishna Rao, Ming-Xue Yang, Jerome M. Lasker, and Arthur I. Cederbaum
822	Modifications of γ -Aminobutyric Acid _A Receptor Subunit Expression in Rat Neocortex during Tolerance to Diazepam	F. Impagnatiello, C. Pesold, P. Longone, H. Caruncho, J. M. Fritschy, E. Costa, and A. Guidotti
832	Cell Cycle-Dependent Cytotoxicity, G2/M Phase Arrest, and Disruption of p34 ^{cdc2} /Cyclin B ₁ Activity Induced by Doxorubicin in Synchronized P388 Cells	Yi-He Ling, Adel K. El-Naggar, Waldemar Priebe, and Roman Perez-Soler
842	Selective Inhibition of Topoisomerase II by ICRF-193 Does Not Support a Role for Topoisomerase II Activity in the Fragmentation of Chromatin during Apoptosis of Human Leukemia Cells	Helen M. Beere, Christine M. Chresta, and John A. Hickman
852	Multiplicity of Glutamate Receptor Subunits in Single Striatal Neurons: An RNA Amplification Study	M. Behnam Ghasemzadeh, Shobha Sharma, D. James Surmeier, James H. Eberwine, and Marie-Françoise Chesselet
860	Inhibitory Effect of E3330, a Novel Quinone Derivative Able to Suppress Tumor Necrosis Factor- α Generation, on Activation of Nuclear Factor- κ B	Masaki Goto, Koji Yamada, Kou-Ichi Katayama, and Isao Tanaka
874	Ahr Locus Phenotype in Congenic Mice Influences Hepatic and Pulmonary DNA Adduct Levels of 2-Amino-3-methylimidazo[4,5-f]quinoline in the Absence of Cytochrome P450 Induction	Pratibha V. Nerurkar, Herman A. J. Schut, Lucy M. anderson, Charles W. Riggs, Laura W. Fornwald, Cindy D. Davis, Elizabeth G. Snyderwine, Snorri S. Thorgeirsson, Wendell W. Weber, Jerry M. Rice, and Gerald N. Levy

Continued

CONTENTS (cont'd)

- | | | |
|-----|--|---|
| 882 | Marked Inhibitory Activity of Non-nucleoside Reverse Transcriptase Inhibitors against Human Immunodeficiency Virus Type 1 When Combined with (-)2',3'-Dideoxy-3'-thiacytidine | Jan Balzarini, Heidi Pelemans, Maria-Jesus Pérez-Pérez, Ana San-Félix, Maria-José Camarasa, Erik De Clercq, and Anna Karlsson |
| 891 | A Lysine Residue of the Cannabinoid Receptor Is Critical for Receptor Recognition by Several Agonists but not WIN55212-2 | Zhao-Hui Song and Tom I. Bonner |
| 897 | 3α-Hydroxy-3β-trifluoromethyl-5α-pregnan-20-one (Co 2-1970): A Partial Agonist at the Neuroactive Steroid Site of the γ-Aminobutyric acid_A Receptor | Jon E. Hawkinson, John A. Drewe, Catherine L. Kimbrough, Jie-Sheng Chen, Derk J. Hogenkamp, Nancy C. Lan, Kelvin W. Gee, Ke-Zhong Shen, Edward R. Whittemore, and Richard M. Woodward |
| 907 | Isoform-Specific Sensitization of Adenylyl Cyclase Activity by Prior Activation of Inhibitory Receptors: Role of $\beta\gamma$ Subunits in Transducing Enhanced Activity of the Type VI Isoform | John M. Thomas and Brian B. Hoffman |
| 915 | Interaction of Full and Partial Agonists of the A₁ Adenosine Receptor with Receptor/G Protein Complexes in Rat Brain Membranes | Anna Lorenzen, Laura Guerra, Heidrun Vogt, and Ulrich Schwabe |
| 927 | Comparison of Duration of Agonist Action at β_1- and β_2-Adrenoceptors in C6 Glioma Cells: Evidence that the Long Duration of Action of Salmeterol Is Specific to the β_2-Adrenoceptor | Karen E. McCrea and Stephen J. Hill |
| 938 | Ability of Nondepolarizing Neuromuscular Blocking Drugs to Act as Partial Agonists at Fetal and Adult Mouse Muscle Nicotinic Receptors | George Harold Fletcher and Joe Henry Steinbach |