

Contents

ACCELERATED COMMUNICATIONS

- | | | |
|----|---|---|
| 1 | Characterization of 1 <i>H</i> -[1,2,4]Oxadiazolo[4,3- <i>a</i>]quinoxalin-1-one as a Heme-Site Inhibitor of Nitric Oxide-Sensitive Guanylyl Cyclase | Astrid Schrammel,
Sönke Behrends, Kurt Schmidt,
Doris Koesling, and Bernd Mayer |
| 6 | (2 <i>S</i> ,1' <i>S</i> ,2' <i>S</i> ,3' <i>R</i>)-2-(2'-Carboxy-3'-phenyl-cyclopropyl)glycine, a Potent and Selective Antagonist of Type 2 Metabotropic Glutamate Receptors | Christian Thomsen, Valeria Bruno,
Ferdinando Nicoletti,
Maura Marinozzi, and
Roberto Pellicciari |
| 10 | Trans-species Gene Transfer for Analysis of Glucocorticoid-Inducible Transcriptional Activation of Transiently Expressed Human <i>CYP3A4</i> and Rabbit <i>CYP3A6</i> in Primary Cultures of Adult Rat and Rabbit Hepatocytes | Joyce L. Barwick,
Linda C. Quattrochi, A. S. Mills,
Carol Potenza, Robert H. Tukey,
and Philip S. Guzelian |

ARTICLES

- | | | |
|----|---|---|
| 17 | Effect of Phorbol Myristate Acetate on α_1 -Adrenergic Action in Cells Expressing Recombinant α_1 -Adrenoceptor Subtypes | José Vázquez-Prado and
J. Adolfo García-Sáinz |
| 23 | $\alpha 6$ and $\gamma 2$ Subunit Antisense Oligodeoxynucleotides Alter γ -Aminobutyric Acid Receptor Pharmacology in Cerebellar Granule Neurons | Wei Jian Zhu, Jian Feng Wang,
Stefano Vicini, and
Dennis R. Grayson |

Continued

MOLECULAR PHARMACOLOGY (MOL/ISSN 0026-895X) is an official publication of The American Society for Pharmacology and Experimental Therapeutics and is published monthly, two volumes a year, beginning in January and July, by Williams & Wilkins, 351 West Camden Street, Baltimore, MD 21201-2436. Periodicals Postage paid at Baltimore, MD and at additional mailing offices. POSTMASTER: Send address changes to MOLECULAR PHARMACOLOGY, 351 West Camden Street, Baltimore, MD 21201-2436. **Subscription Rates: U.S.:** *Personal* \$115; *Institutional* \$250; *Single copy* \$23. **Outside the U.S., except for Japan:** *Personal* \$150; *Institutional* \$285; *Single copy* \$26. Foreign prices exclude Japan. **See Information for Subscribers for detailed instructions.** The GST Tax Number for Canadian subscribers is 123394371. Country of origin USA. C.P.C. Int'l Publication Mail #0059870. PRICES ARE SUBJECT TO CHANGE. Indexed by *Index Medicus*, *Current Contents (Life Sciences)*, *Excerpta Medica*, *Reference Update/Research Information Systems*, and *Current Awareness in Biological Sciences*. Copyright © 1996 by The American Society for Pharmacology and Experimental Therapeutics.

CONTENTS (cont'd)

- | | | |
|-----|---|---|
| 34 | Contribution of a Helix 5 Locus to Selectivity of Hallucinogenic and Nonhallucinogenic Ligands for the Human 5-Hydroxytryptamine _{2A} and 5-Hydroxytryptamine _{2C} Receptors: Direct and Indirect Effects on Ligand Affinity Mediated by the Same Locus | Niva Almaula, Barbara J. Ebersole, Juan A. Ballesteros, Harel Weinstein, and Stuart C. Sealfon |
| 43 | μ -Opioid Receptors Inhibit Dopamine-Stimulated Activity of type V Adenylyl Cyclase but Enhance Dopamine-Stimulated Activity of type VII Adenylyl Cyclase | Masami Yoshimura, Hiroshi Ikeda, and Boris Tabakoff |
| 52 | Bimodal Distribution of Renal Cytochrome P450 3A Activity in Humans | Barbara D. Haehner, J. Christopher Gorski, Mark Vandenbranden, Steven A. Wrighton, Srinivas K. Janardan, Paul B. Watkins, and Stephen D. Hall |
| 60 | Pituitary Adenylate Cyclase Activating Polypeptide Prevents Apoptosis in Cultured Cerebellar Granule Neurons | Sebastiano Cavallaro, Agata Copani, Velia D'Agata, Simone Musco, Salvatore Petralia, Carmelo Ventra, Franca Stivala, Salvatore Travali, and Pier Luigi Canonico |
| 67 | Peroxisome Proliferator-Activated Receptor α Required for Gene Induction by Dehydroepiandrosterone-3 β -sulfate | Jeffrey M. Peters, Yuan-Chun Zhou, Prabha A. Ram, Susanna S. T. Lee, Frank J. Gonzalez, and David J. Waxman |
| 75 | Ligands of the Antiestrogen-Binding Site Are Able to Inhibit Virion Production of Human Immunodeficiency Virus 1-Infected Lymphocytes | F. Mesange, F. Delarue, J. Puel, F. Bayard, and J.-C. Faye |
| 80 | κ -Opioid Receptor Activation of a Dendrotoxin-Sensitive Potassium Channel Mediates Presynaptic Inhibition of Mossy Fiber Neurotransmitter Release | Michele L. Simmons and Charles Chavkin |
| 86 | KINFIT II: A Nonlinear Least-Squares Program for Analysis of Kinetic Binding Data | G. Enrico Rovati, Richard Shrager, Simonetta Nicosia, and Peter J. Munson |
| 96 | Genetic Evidence for Involvement of Multiple Effector Systems in α_{2A} -Adrenergic Receptor Inhibition of Stimulus-Secretion Coupling | Parul P. Lakhiani, David M. Lovinger, and Lee E. Limbird |
| 104 | Effects of Long-Term Treatment with the Allosteric Enhancer, PD81,723, on Chinese Hamster Ovary Cells Expressing Recombinant Human A ₁ Adenosine Receptors | Samita Bhattacharya and Joel Linden |

Continued

CONTENTS (cont'd)

- | | | |
|-----|--|---|
| 112 | Characterization of the Peptide Binding Requirements for the Cloned Human Pancreatic Polypeptide-Preferring Receptor | Donald R. Gehlert,
Douglas A. Schober, Lisa Beavers,
Robert Gadske, James A. Hoffman,
David L. Smiley,
Ronald E. Chance, Ingrid Lundell,
and Dan Larhammar |
| 119 | Properties of Recombinant γ -Aminobutyric Acid _A Receptor Isoforms Containing the $\alpha 5$ Subunit Subtype | Edward C. Burgard,
Elizabeth I. Tietz,
Torben R. Neelands, and
Robert L. Macdonald |
| 128 | B1 and B2 Kinin Receptors Mediate Distinct Patterns of Intracellular Ca ²⁺ Signaling in Single Cultured Vascular Smooth Muscle Cells | Sandra A. Mathis,
Nick L. Criscimagna, and
L. M. Fredrik Leeb-Lundberg |
| 140 | Alanine Scanning Mutagenesis of Conserved Arginine/Lysine-Arginine/Lysine-X-X-Arginine/Lysine G Protein-Activating Motifs on m1 Muscarinic Acetylcholine Receptors | Norman H. Lee,
Neil S. M. Geoghagen,
Emily Cheng, Robin T. Cline, and
Claire M. Fraser |
| 149 | Glutathione-Associated Enzymes in the Human Cell Lines of the National Cancer Institute Drug Screening Program | Kenneth D. Tew, Anne Monks,
Linda Barone, Diane Rosser,
Greg Akerman, Julie A. Montali,
Jeffrey B. Wheatley, and
Donald E. Schmidt, Jr. |
| 160 | 2',3'-Didehydro-3'-deoxythymidine: Regulation of its Metabolic Activation by Modulators of Thymidine-5'-triphosphate Biosynthesis | Gurpreet S. Ahluwalia,
Wen-Yi Gao, Hiroaki Mitsuya, and
David G. Johns |
| 166 | Characterization and Regulation of the Human ML _{1A} Melatonin Receptor Stably Expressed in Chinese Hamster Ovary Cells | Paula A. Witt-Enderby and
Margarita L. Dubocovich |
| 175 | Inducible Expression of β_1 - and β_2 -Adrenergic Receptors in Rat C ₆ Glioma Cells: Functional Interactions between Closely Related Subtypes | Hongying Zhong,
Shelly Wood Guerrero,
Timothy A. Esbenshade, and
Kenneth P. Minneman |
| 185 | Enhancement of Recombinant $\alpha 1\beta 1\gamma 2L$ γ -Aminobutyric Acid _A Receptor Whole-Cell Currents by Protein Kinase C Is Mediated through Phosphorylation of Both $\beta 1$ and $\gamma 2L$ Subunits | Yu-Fung Lin, Timothy P. Angelotti,
Ellen M. Dudek,
Michael D. Browning, and
Robert L. Macdonald |
| 196 | A Novel Irreversible Antagonist of the A ₁ -Adenosine Receptor | Miduturu Srinivas,
John C. Shryock,
Peter J. Scammells, Jackie Ruble,
Stephen P. Baker, and
Luiz Belardinelli |

Continued

CONTENTS (cont'd)

206	Effects of Channel Modulators on Cloned Large-Conductance Calcium-Activated Potassium Channels	Valentin K. Gribkoff, Janet T. Lum-Ragan, Christopher G. Boissard, Debra J. Post-Munson, Nicholas A. Meanwell, John E. Starrett, Jr., Edward S. Kozlowski, Jeffrey L. Romine, Joanne T. Trojnacki, M. Craig McKay, Jie Zhong, and Steven I. Dworetzky
-----	--	---

About the cover: Targeting of delta opioid receptor to surface membranes. COS-1 cells were transfected with a mouse δ -opioid receptor mutant (D128A), for which the conserved aspartate in the third membrane domain is replaced by alanine. Cells were double-labeled with fluorescein-conjugated concanavalin A to label the plasma membrane (*green*) and with an anti- δ -opioid receptor antibody followed by rhodamine-conjugated streptavidin (*red*). *Yellow* shows the region of colocalization. This mutant exhibited reduced expression and subtle changes in its ability to bind certain agonist ligands. From Befort, K., L. Tabbara, S. Bausch, C. Chavkin, C. Evans, and B. Kieffer. The conserved aspartate residue in the third putative transmembrane domain of the δ -opioid receptor is not the anionic counterpart for cationic opiate binding but is a constituent of the receptor binding site. *Mol. Pharmacol.* **49**: 216–223 (1996).