

Contents

ACCELERATED COMMUNICATIONS

- | | | |
|-----|---|---|
| 443 | Piperonyl Butoxide and Acenaphthylene Induce Cytochrome P450 1A2 and 1B1 mRNA in Aromatic Hydrocarbon-Responsive Receptor Knock-Out Mouse Liver | Doug-Young Ryu, Patricia E. Levi, Pedro Fernandez-Salguero, Frank J. Gonzalez, and Ernest Hodgson |
| 447 | Functional Selectivity of Orphanin FQ for Its Receptor Coexpressed with Potassium Channel Subunits in <i>Xenopus laevis</i> Oocytes | Hans Matthes, Elizabeth P. Seward, Brigitte Kieffer, and R. Alan North |

ARTICLES

- | | | |
|-----|---|---|
| 451 | Structural Requirements of Sphingosylphosphocholine and Sphingosine-1-phosphate for Stimulation of Activator Protein-1 Activity | Alvin Berger, Robert Bittman, Richard R. Schmidt, and Sarah Spiegel |
| 458 | Pharmacological Properties of γ -Aminobutyric Acid _A Receptors from Acutely Dissociated Rat Dentate Granule Cells | Jaideep Kapur and Robert L. Macdonald |
| 467 | A Fully Active Nonglycosylated V2 Vasopressin Receptor | Giulio Innamorati, Hamid Sadeghi, and Mariel Birnbaumer |
| 474 | Role of Heme in Cytochrome P450 Transcription and Function in Mice Treated with Lead Acetate | R. Jover, R. L. P. Lindberg, and U. A. Meyer |

Continued

MOLECULAR PHARMACOLOGY (MOL/ISSN 0026-895X) is an official publication of The American Society for Pharmacology and Experimental Therapeutics and is published monthly, two volumes a year, beginning in January and July, by Williams & Wilkins, 351 West Camden Street, Baltimore, MD 21201-2436. Periodicals Postage paid at Baltimore, MD and at additional mailing offices. POSTMASTER: Send address changes to MOLECULAR PHARMACOLOGY, 351 West Camden Street, Baltimore, MD 21201-2436. **Subscription Rates: U.S.:** *Personal* \$115; *Institutional* \$250; *Single copy* \$23. **Outside the U.S., except for Japan:** *Personal* \$150; *Institutional* \$285; *Single copy* \$26. Foreign prices exclude Japan. **See Information for Subscribers for detailed instructions.** The GST Tax Number for Canadian subscribers is 123394371. Country of origin USA. C.P.C. Int'l Publication Mail #0059870. PRICES ARE SUBJECT TO CHANGE. Indexed by *Index Medicus*, *Current Contents (Life Sciences)*, *Excerpta Medica*, *Reference Update/Research Information Systems*, and *Current Awareness in Biological Sciences*. Copyright © 1996 by The American Society for Pharmacology and Experimental Therapeutics.

CONTENTS (cont'd)

- | | | |
|-----|---|---|
| 482 | BIBW22 BS, Potent Multidrug Resistance-Reversing Agent, Binds Directly to P-Glycoprotein and Accumulates in Drug-Resistant Cells | Zhi Liu, Françoise Lheureux, Jean-Francois Pouliot, Armin Heckel, Uwe Bamberger, and Elias Georges |
| 493 | Constitutive Activation of a Phosphoinositidase C-Linked G protein in Murine Fibroblasts Decreases Agonist-Stimulated Ca ²⁺ Mobilization | Leslie Anderson Lobaugh, Bartholomew Eisfelder, Keisha Gibson, Gary L. Johnson, and James W. Putney, Jr. |
| 501 | D-Penicillamine Causes Free Radical-Dependent Inactivation of Activator Protein-1 DNA Binding | Malcolm L. Handel, Colin K. W. Watts, Sue Sivertsen, Richard O. Day, and Robert L. Sutherland |
| 506 | Calcineurin Mutants Render T Lymphocytes Resistant to Cyclosporin A | Dahai Zhu, Maria E. Cardenas, and Joseph Heitman |
| 512 | Hydrophilic Side Chains in the Third and Seventh Transmembrane Helical Domains of Human A _{2A} Adenosine Receptors Are Required for Ligand Recognition | Qiaoling Jiang, A. Michiel Van Rhee, Jeongho Kim, Susan Yehle, Jürgen Wess, and Kenneth A. Jacobson |
| 522 | Angiotensin II Type 1 Receptor Signals through Raf-1 by a Protein Kinase C-Dependent, Ras-Independent Mechanism | Hidenori Arai and Jaime A. Escobedo |
| 529 | Studies on $\alpha_v\beta_3$ /Ligand Interactions Using a [³ H]SK&F-107260 Binding Assay | Angela Wong, Shing Mei Hwang, Patrick Mcdevitt, Dean McNulty, Jeffrey M. Stadel, and Kyung Johanson |
| 538 | <i>Trans</i> -activation by the Human Aryl Hydrocarbon Receptor and Aryl Hydrocarbon Receptor Nuclear Translocator Proteins: Direct Interactions with Basal Transcription Factors | J. Craig Rowlands, Iain J. McEwan, and Jan-Åke Gustafsson |
| 549 | Cyclic AMP-Dependent Phosphodiesterase Isozyme-Specific Potentiation by Protein Kinase C in Hypertrophic Cardiomyopathic Hamster Hearts | Hongwei Yu, John J. Cai, and Hon-Chi Lee |
| 556 | Okadaic Acid Potentiates 3-Methylcholanthrene-Induced CYP2A8 Gene Expression in Primary Cultures of Syrian Hamster Hepatocytes: Possible Involvement of AP-1 | Masahiro Tohkin, Kouichi Kurose, and Morio Fukuhara |
| 565 | Ontogenic and Hormonal Bases of Male-Dominant Rat Hepatic Sulfotransferases | Lan Liu and Curtis D. Klaassen |
| 573 | Cytochrome P450 2E1 Is a Cell Surface Autoantigen in Halothane Hepatitis | Erik Eliasson and J. Gerald Kenna |
| 583 | Morphine Down-regulates Melanocortin-4 Receptor Expression in Brain Regions that Mediate Opiate Addiction | John D. Alvaro, Jeffrey B. Tatro, J. Mark Quillan, Michael Fogliano, Michael Eisenhard, Michael R. Lerner, Eric J. Nestler, and Ronald S. Duman |

Continued

CONTENTS (cont'd)

- | | | |
|-----|---|---|
| 592 | Quinone Thioether-Mediated DNA Damage, Growth Arrest, and <i>gadd153</i> Expression in Renal Proximal Tubular Epithelial Cells | Jeongmi K. Jeong,
James L. Stevens, Serrine S. Lau,
and Terrence J. Monks |
| 599 | The Stimulatory Effect of Opioids on Mitogen-Activated Protein Kinase in Chinese Hamster Ovary Cells Transfected to Express μ -Opioid Receptors | Ling-Yuan Li and Kwen-Jen Chang |
| 603 | Biochemical and Pharmacological Activity of Novel 8-Fluoroanthracyclines: Influence of Stereochemistry and Conformation | Fabio Animati, Federico Arcamone,
Mario Bigioni, Giovanni Capranico,
Claudia Caserini,
Michelandrea De Cesare,
Paolo Lombardi, Graziella Pratesi,
Carmela Salvatore,
Rosanna Supino, and
Franco Zunino |
| 610 | Induction of Apoptosis by Benzene Metabolites in HL60 and CD34 ⁺ Human Bone Marrow Progenitor Cells | Julie L. Moran, David Siegel,
Xiao-Ming Sun, and David Ross |
| 616 | <i>N</i> -Palmitoyl-serine and <i>N</i> -Palmitoyl-tyrosine Phosphoric Acids Are Selective Competitive Antagonists of the Lysophosphatidic Acid Receptors | Károly Liliom, Robert Bittman,
Bernadette Swords, and
Gábor Tigyi |
| 624 | Direct Evidence for Functional Coupling of the Vasoactive Intestinal Peptide Receptor to G _{i3} in Native Lung Membranes | Nicole L. Diehl, John C. Kermode,
and S. Martin Shreeve |
| 631 | Use of Subunit-Specific Antisense Oligodeoxynucleotides to Define Developmental Changes in the Properties of <i>N</i> -Methyl-D-aspartate Receptors | Jie Zhong, Valentin K. Gribkoff,
and Perry B. Molinoff |
| 639 | Interactions of Oxime Reactivators with Diethylphosphoryl Adducts of Human Acetylcholinesterase and Its Mutant Derivatives | Haim Grosfeld, Dov Barak,
Arie Ordentlich, Baruch Velan, and
Avigdor Shafferman |
| 650 | The μ -Opioid Receptor Antagonist D-Phe-Cys-Tyr-D-Trp-Orn-Thr-Pen-Thr-NH ₂ (CTOP) [but not D-Phe-Cys-Tyr-D-Trp-Arg-Thr-Pen-Thr-NH ₂ (CTAP)] Produces a Nonopioid Receptor-Mediated Increase in K ⁺ Conductance of Rat Locus Ceruleus Neurons | Billy Chieng, Mark Connor, and
Macdonald J. Christie |
| 656 | Detection of α -Hydroxyethyl Free Radical Adducts in the Pancreas after Chronic Exposure to Alcohol in the Rat | Yuji Iimuro, Blair U. Bradford,
Wenshi Gao, Maria Kadiiska,
Ronald P. Mason,
Branko Stefanovic,
David A. Brenner, and
Ronald G. Thurman |
| 662 | Agonist-Induced Modulation of Inverse Agonist Efficacy at the β_2 -Adrenergic Receptor | Peter Chidiac, Sandrine Nouet, and
Michel Bouvier |

Continued

CONTENTS (cont'd)

- | | | |
|-----|---|--|
| 670 | Functional Characterization of Human γ -Aminobutyric Acid _A Receptors Containing the $\alpha 4$ Subunit | K. A. Wafford, S. A. Thompson, D. Thomas, J. Sikela, A. S. Wilcox, and P. J. Whiting |
| 679 | ¹²⁵ I-Tyr ⁰ -Sauvagine: A Novel High Affinity Radioligand for the Pharmacological and Biochemical Study of Human Corticotropin-Releasing Factor _{2α} Receptors | Dimitri E. Grigoriadis, Xin-Jun Liu, Joan Vaughn, Scott F. Palmer, C. Diane True, Wylie W. Vale, Nicholas Ling, and Errol B. De Souza |
| 687 | Mercury Binding Site on Na ⁺ /K ⁺ -ATPase: A Cysteine in the First Transmembrane Segment | Xinyu Wang and Jean-Daniel Horisberger |
| 692 | Repetitive Endocytosis and Recycling of the β_2 -Adrenergic Receptor during Agonist-Induced Steady State Redistribution | Keith J. Morrison, Robert H. Moore, N. D. Victor Carsrud, Joann Trial, Ellen E. Millman, Michael Tuvim, Richard B. Clark, Roger Barber, Burton F. Dickey, and Brian J. Knoll |

Visit *Molecular Pharmacology* on the World-Wide Web at:
http://www.wwilkins.com/molec_pharm/

About the cover: Targeting of δ -opioid receptor to surface membranes. COS-1 cells were transfected with a mouse δ -opioid receptor mutant (D128A), for which the conserved aspartate in the third membrane domain is replaced by alanine. Cells were double-labeled with fluorescein-conjugated concanavalin A to label the plasma membrane (*green*) and with an anti- δ -opioid receptor antibody followed by rhodamine-conjugated streptavidin (*red*). *Yellow* shows the region of colocalization. This mutant exhibited reduced expression and subtle changes in its ability to bind certain agonist ligands. From Befort, K., L. Tabbara, S. Bausch, C. Chavkin, C. Evans, and B. Kieffer. The conserved aspartate residue in the third putative transmembrane domain of the δ -opioid receptor is not the anionic counterpart for cationic opiate binding but is a constituent of the receptor binding site. *Mol. Pharmacol.* **49**: 216–223 (1996).