

## Contents

### ACCELERATED COMMUNICATIONS

- |     |  |  |
|-----|--|--|
| 701 | Activation of <i>N</i> -Methyl-D-Aspartate Receptors by Glycine: Role of an Aspartate Residue in the M3-M4 Loop of the NR1 Subunit | Keith Williams, James Chao, Keiko Kashiwagi, Takashi Masuko, and Kazuei Igarashi                                   |
| 709 | Identification and Characterization of Novel Somatostatin Antagonists  | Roy T. Bass, Brian L. Buckwalter, Bomi P. Patel, Mark H. Pausch, Laura A. Price, Joann Strnad, and John R. Hadcock |

### ARTICLES

- |     |   |   |
|-----|---|---|
| 716 | Agonist Binding and Protein Kinase C Activation Stimulate Phosphorylation of the Gastrin-Releasing Peptide Receptor at Distinct Sites           | Barbara Y. Williams, Yining Wang, and Agnes Schonbrunn                                      |
| 728 | Expression of Human NAD(P)H:Quinone Oxidoreductase (DT-Diaphorase) in Chinese Hamster Ovary Cells: Effect on the Toxicity of Antitumor Quinones | Daniel L. Gustafson, Howard D. Beall, Emiko M. Bolton, David Ross, and Charles A. Waldren   |
| 736 | Structural Determinants of Substrates for the Prostaglandin Transporter PGT   | Shigekazu Itoh, Run Lu, Yi Bao, Jason D. Morrow, L. Jackson Roberts, and Victor L. Schuster |

*Continued*

---

MOLECULAR PHARMACOLOGY (MOL/ISSN 0026-895X) is an official publication of The American Society for Pharmacology and Experimental Therapeutics and is published monthly, two volumes a year, beginning in January and July, by Williams & Wilkins, 351 West Camden Street, Baltimore, MD 21201-2436. Periodicals Postage paid at Baltimore, MD and at additional mailing offices. POSTMASTER: Send address changes to MOLECULAR PHARMACOLOGY, 351 West Camden Street, Baltimore, MD 21201-2436. **Subscription Rates:** U.S.: *Personal* \$115; *Institutional* \$250; *Single copy* \$23. **Outside the U.S., except for Japan:** *Personal* \$150; *Institutional* \$285; *Single copy* \$26. Foreign prices exclude Japan. See **Information for Subscribers for detailed instructions.** The GST Tax Number for Canadian subscribers is 123394371. Country of origin USA. C.P.C. Int'l Publication Mail #0059870. PRICES ARE SUBJECT TO CHANGE. Indexed by *Index Medicus*, *Current Contents (Life Sciences)*, *Excerpta Medica*, *Reference Update/Research Information Systems*, and *Current Awareness in Biological Sciences*. Copyright © 1996 by The American Society for Pharmacology and Experimental Therapeutics.

---

# **CONTENTS (cont'd)**

- |     |  |   |
|-----|--|---|
| 743 | Enhanced Angiotensin Receptor Type 1 mRNA Degradation and Induction of Polyribosomal mRNA Binding Proteins by Angiotensin II in Vascular Smooth Muscle Cells   | Georg Nickenig and T. J. Murphy   |
| 752 | 5-Hydroxytryptamine-moduline, a New Endogenous Cerebral Peptide, Controls the Serotonergic Activity via Its Specific Interaction with 5-Hydroxytryptamine <sub>1B/1D</sub> Receptors                     | O. Massot, J.-C. Rousselle, M.-P. Fillion, B. Grimaldi, I. Cloëz-Tayarani, A. Fugelli, N. Prudhomme, L. Seguin, B. Rousseau, M. Plantefol, R. Hen, and B. Fillion |
| 763 | Blockade of DNA Synthesis Induced by Platelet-Derived Growth Factor by Tranilast, an Inhibitor of Calcium Entry, in Vascular Smooth Muscle Cells   | Lin Nie, Hideo Mogami, Makoto Kanzaki, Hiroshi Shibata, and Itaru Kojima  |
| 770 | Ligand-Binding Characteristics and Related Structural Features of the Expressed Goldfish Kainate Receptors: Identification of a Conserved Disulfide Bond and Three Residues Important for Ligand Binding | Z. Galen Wo and Robert E. Oswald  |
| 781 | Baculovirus-Mediated Expression and Characterization of Rat CYP2A3 and Human CYP2A6: Role in Metabolic Activation of Nasal Toxicants   | Cheng Liu, Xiaoliang Zhuo, Frank J. Gonzalez, and Xinxin Ding   |
| 789 | Covalent Modification of Transmembrane Span III of the A <sub>1</sub> Adenosine Receptor with an Antagonist Photoaffinity Probe  | Amy Pong Kennedy, Kimberly C. Mangum, Joel Linden, and Jack N. Wells  |
| 799 | Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytryptamine <sub>2C</sub> Receptor Produced by Alternative Splicing  | Hervé Canton, Ronald B. Emeson, Eric L. Barker, Jon R. Backstrom, Jonathan T. Lu, Mike S. Chang, and Elaine Sanders-Bush  |
| 808 | Inhibition of Expression of the Multidrug Resistance-Associated P-Glycoprotein by Phosphorothioate and 5' Cholesterol-Conjugated Phosphorothioate Antisense Oligonucleotides                             | S. K. Alahari, N. M. Dean, M. H. Fisher, R. Delong, M. Manoharan, K. L. Tivel, and R. L. Juliano  |
| 820 | Vasopressin V2 Receptor Mutants That Cause X-Linked Nephrogenic Diabetes Insipidus: Analysis of Expression, Processing, and Function   | Alexander Oksche, Ralf Schüle, Claudia Rutz, Ursula Liebenhoff, John Dickson, Helmut Müller, Mariel Birnbaumer, and Walter Rosenthal                              |
| 829 | Pharmacological Characterization of the Rat A <sub>2a</sub> Adenosine Receptor Functionally Coupled to the Yeast Pheromone Response Pathway  | Laura A. Price, Joann Strnad, Mark H. Pausch, and John R. Hadcock   |
| 838 | Aza-bioisosteres of 9,10-anthracenedione: A Modulation of DNA Sequence Specificity   | Claudia Sissi, Giovanni Capranico, Ernesto Menta and Manlio Palumbo   |

*Continued*

# CONTENTS (cont'd)

- |     |  |  |
|-----|--|--|
| 846 | Dicafeoylquinic Acid Inhibitors of Human Immunodeficiency Virus Integrase: Inhibition of the Core Catalytic Domain of Human Immunodeficiency Virus Integrase                           | W. Edward Robinson, Jr.,<br>Mara Cordeiro,<br>Samia Abdel-Malek, Qi Jia,<br>Samson A. Chow,<br>Manfred G. Reinecke, and<br>William M. Mitchell |
| 856 | Glucocorticoid Receptor-Independent Transcriptional Induction of Cytochrome P450 3A1 by Metyrapone and its Potentiation by Glucocorticoid  | Matthew C. Wright, Xiu-Jun Wang,<br>Michel Pimenta, Vera Ribeiro,<br>Alan J. Paine, and<br>Maria Celeste Lechner                               |
| 864 | Inhibition by Toxin B of Inositol Phosphate Formation Induced by G Protein-Coupled and Tyrosine Kinase Receptors in N1E-115 Neuroblastoma Cells: Involvement of Rho Proteins           | Chunyi Zhang, Martina Schmidt,<br>Christoph von Eichel-Streiber, and<br>Karl H. Jakobs   |
| 870 | Opioid $\mu$ , $\delta$ , and $\kappa$ Receptor-Induced Activation of Phospholipase C- $\beta$ 3 and Inhibition of Adenylyl Cyclase Is Mediated by $G_{i2}$ and $G_o$ in Smooth Muscle | Karnam S. Murthy and<br>Gabriel M. Makhoul   |
| 878 | Acemannan, a $\beta$ -(1,4)-Acetylated Mannan, Induces Nitric Oxide Production in Macrophage Cell Line RAW 264.7   | Lalitha Ramamoorthy,<br>Maurice C. Kemp, and<br>Ian R. Tizard  |
| 885 | Carboxyl-Terminal Mutations of $G_{q\alpha}$ and $G_{s\alpha}$ That Alter the Fidelity of Receptor Activation  | Bruce R. Conklin, Paul Herzmark,<br>Seiko Ishida,<br>Tatyana A. Voyno-Yasenetskaya,<br>Yan Sun, Zvi Farfel, and<br>Henry R. Bourne             |
| 891 | Mapping the Functional Domains of Human Recombinant Phosphodiesterase 4A: Structural Requirements for Catalytic Activity and Rolipram Binding  | Susanne Jacobitz,<br>Megan M. McLaughlin,<br>George P. Livi, Miriam Burman,<br>and Theodore J. Torphy  |
| 900 | DNA-Damaging Agents Induce Both p53-Dependent and p53-Independent Apoptosis in Immature Thymocytes   | Marion MacFarlane, Neil A. Jones,<br>Caroline Dive, and<br>Gerald M. Cohen   |
| 912 | Functional Coupling of Rat Group II Metabotropic Glutamate Receptors to an $\omega$ -Conotoxin GVIA-Sensitive Calcium Channel in Human Embryonic Kidney 293 Cells                      | Brian A. McCool, Jean-Phillipe Pin,<br>Paul F. Brust, Michael M. Harpold,<br>and David M. Lovinger   |
| 923 | Coupling of Metabotropic Glutamate Receptors 2 and 4 to $G_{\alpha 15}$ , $G_{\alpha 16}$ , and Chimeric $G_{\alpha q/i}$ Proteins: Characterization of New Antagonists                | Jesús Gomeza, Sophie Mary,<br>Isabelle Brabet,<br>Marie-Laure Parmentier,<br>Sophie Restituto, Joël Bockaert,<br>and Jean-Philippe Pin         |
| 931 | Endogenous Subunits Can Cause Ambiguities in the Pharmacology of Exogenous $\gamma$ -Aminobutyric Acid <sub>A</sub> Receptors Expressed in Human Embryonic Kidney 293 Cells            | Shinya Ueno, Chuck Zorumski,<br>John Bracamontes, and<br>Joe Henry Steinbach   |

Continued

## CONTENTS (cont'd)

- |      |  |  |
|------|--|--|
| 939  | Block of High-Threshold Calcium Channels by the Synthetic Polyamines sFTX-3.3 and FTX-3.3  | Timothy M. Norris, Eduardo Moya, Ian S. Blagbrough, and Michael E. Adams   |
| 947  | Voltage-Dependent Inhibition of $\text{Ca}^{2+}$ Channels in $\text{GH}_3$ Cells by Cloned $\mu$ - and $\delta$ -Opioid Receptors  | Elemer T. Piros, Paul L. Prather, Ping Y. Law, Chris J. Evans, and Tim G. Hales  |
| 957  | Identification of a Single Amino Acid, Phenylalanine 586, That Is Responsible for High Affinity Interactions of Tricyclic Antidepressants with the Human Serotonin Transporter | Eric L. Barker and Randy D. Blakely  |
| 966  | Sensitization of Endogenous and Recombinant Adenylate Cyclase by Activation of $\text{D}_2$ Dopamine Receptors   | Val J. Watts and Kim A. Neve   |
| 977  | Radioligand-Dependent Discrepancy in Agonist Affinities Enhanced by Mutations in the $\kappa$ -Opioid Receptor   | Siv A. Hjorth, Kenneth Thirstrup, and Thue W. Schwartz   |
| 985  | Identification of the Critical Domains of the $\delta$ -Opioid Receptor Involved in G Protein Coupling Using Site-Specific Synthetic Peptides                                  | Manolis Merkouris, Ioannis Dragatsis, George Megaritis, George Konidakis, Christine Zioudrou, Graeme Milligan, and Zafroula Georgoussi |
| 994  | The Antioxidant Function of the Physiological Content of Vitamin C   | Peter A. Glascott, Jr., Mariya Tsyganskaya, Ellen Gilfor, Mark A. Zern, and John L. Farber   |
| 1000 | Mechanism of Extracellular ATP-Induced Proliferation of Vascular Smooth Muscle Cells   | Sheu-Meei Yu, Sheue-Fang Chen, Ying-Tung Lau, Chuen-Mao Yang, and Jin-Chung Chen   |
| 1010 | Ethanol Inhibition of Nicotinic Acetylcholine Type $\alpha 7$ Receptors Involves the Amino-Terminal Domain of the Receptor   | Dahong Yu, Li Zhang, Jean-Luc Eiselé, Daniel Bertrand, Jean-Pierre Changeux, and Forrest F. Weight                                     |
| 1017 | 5-Hydroxytryptamine $_{2C}$ Receptor Activation Inhibits 5-Hydroxytryptamine $_{1B}$ -like Receptor Function via Arachidonic Acid Metabolism                                   | Kelly A. Berg, Saul Maayani, and William P. Clarke   |
| 1024 | Design and <i>In Vitro</i> Pharmacology of a Selective $\gamma$ -Aminobutyric Acid $_C$ Receptor Antagonist  | D. Ragozzino, R. M. Woodward, Y. Murata, F. Eusebi, L. E. Overman, and R. Miledi   |
| 1031 | Two $\text{G}_s$ -Coupled Prostaglandin E Receptor Subtypes, EP2 and EP4, Differ in Desensitization and Sensitivity to the Metabolic Inactivation of the Agonist               | Nobuhiro Nishigaki, Manabu Negishi, and Atsushi Ichikawa   |
| 1038 | m3 Muscarinic Receptor-Induced and $\text{G}_i$ -Mediated Heterologous Potentiation of Phospholipase C Stimulation: Role of Phosphoinositide Synthesis                         | Martina Schmidt, Christoph Nehls, Ulrich Rümenapp, and Karl H. Jakobs  |

Continued

**CONTENTS (cont'd)**

- |      |  |  |
|------|--|--|
| 1047 | Pituitary Adenylate Cyclase-Activating Peptide,<br>Carbachol, and Glucose Stimulate Insulin Release<br>in the Absence of an Increase in Intracellular $\text{Ca}^{2+}$ | Mitsuhisa Komatsu,<br>Thomas Schermerhorn,<br>Susanne G. Straub, and<br>Geoffrey W. G. Sharp |
| 1055 | Erratum  |  |

Visit *Molecular Pharmacology* on the World-Wide Web at:  
[http://www.wwilkins.com/molec\\_pharm/](http://www.wwilkins.com/molec_pharm/)

*About the cover:* Targeting of  $\delta$ -opioid receptor to surface membranes. COS-1 cells were transfected with a mouse  $\delta$ -opioid receptor mutant (D128A), for which the conserved aspartate in the third membrane domain is replaced by alanine. Cells were double-labeled with fluorescein-conjugated concanavalin A to label the plasma membrane (*green*) and with an anti- $\delta$ -opioid receptor antibody followed by rhodamine-conjugated streptavidin (*red*). *Yellow* shows the region of colocalization. This mutant exhibited reduced expression and subtle changes in its ability to bind certain agonist ligands. From Befort, K., L. Tabbara, S. Bausch, C. Chavkin, C. Evans, and B. Kieffer. The conserved aspartate residue in the third putative transmembrane domain of the  $\delta$ -opioid receptor is not the anionic counterpart for cationic opiate binding but is a constituent of the receptor binding site. *Mol. Pharmacol.* **49**: 216–223 (1996).