

Contents

ARTICLES

- | | | |
|------|--|--|
| 1057 | Differences in the Inhibition of Human Immunodeficiency Virus Type 1 Reverse Transcriptase DNA Polymerase Activity by Analogs of Nevirapine and [2',5'-bis- <i>o</i> -(<i>tert</i> -Butyldimethylsilyl)-3'-spiro-5''-(4''-amino-1'', 2''-oxathiole-2'',2''-dioxide)] (TSAO) | Dominique Arion,
Ronald S. Fletcher, Gadi Borkow,
María-José Camarasa,
Jan Balzarini, Gary I. Dmitrienko,
and Michael A. Parniak |
| 1065 | Induction of Cytochrome P450 2E1 Expression in Rat and Gerbil Astrocytes by Inflammatory Factors and Ischemic Injury | Niclas Tindberg, Helen A. Baldwin,
Alan J. Cross, and
Magnus Ingelman-Sundberg |
| 1073 | Changes of D ₁ and D ₂ Dopamine Receptor mRNA in the Brains of Monkeys Lesioned with 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine: Correction with Chronic Administration of L-3,4-Dihydroxyphenylalanine | Marc Morissette, Martin Goulet,
Frédéric Calon, Pierre Falardeau,
Pierre J. Blanchet, Paul J. Bédard,
and Thérèse Di Paolo |
| 1080 | Isolation and Characterization of a Cisplatin-Resistant Strain of <i>Schizosaccharomyces pombe</i> | Paola Perego, Gretchen Jimenez,
and Stephen B. Howell |
| 1087 | Peroxisome Proliferator-Activated Receptor- γ Activation by Thiazolidinediones Induces Adipogenesis in Bone Marrow Stromal Cells | Jeffrey M. Gimble,
Claudius E. Robinson, Xiyang Wu,
Katherine A. Kelly,
Brenda R. Rodriguez,
Steven A. Kliewer,
Jurgen M. Lehmann, and
David C. Morris |
| 1095 | Mechanisms of Cell Killing by Drugs that Trap Covalent Complexes between DNA Topoisomerases and DNA | John L. Nitiss and James C. Wang |

Continued

MOLECULAR PHARMACOLOGY (MOL/ISSN 0026-895X) is an official publication of The American Society for Pharmacology and Experimental Therapeutics and is published monthly, two volumes a year, beginning in January and July, by Williams & Wilkins, 351 West Camden Street, Baltimore, MD 21201-2436. Periodicals Postage paid at Baltimore, MD and at additional mailing offices. POSTMASTER: Send address changes to MOLECULAR PHARMACOLOGY, 351 West Camden Street, Baltimore, MD 21201-2436. **Subscription Rates:** U.S.: *Personal* \$125; *Institutional* \$265; *Single copy* \$27. **Outside the U.S., except for Japan:** *Personal* \$165; *Institutional* \$305; *Single copy* \$32. Foreign prices exclude Japan. See **Information for Subscribers** for detailed instructions. The GST Tax Number for Canadian subscribers is 123394371. Country of origin USA. C.P.C. Int'l Publication Mail #0059870. **PRICES ARE SUBJECT TO CHANGE.** Indexed by *Index Medicus*, *Current Contents (Life Sciences)*, *Excerpta Medica*, *Reference Update/Research Information Systems*, and *Current Awareness in Biological Sciences*. Copyright © 1996 by The American Society for Pharmacology and Experimental Therapeutics.

CONTENTS (cont'd)

- | | | |
|------|--|--|
| 1103 | Differential Regulation of Corticotropin-Releasing Factor ₁ Receptor Expression by Stress and Agonist Treatments in Brain and Cultured Cells | Philip A. Iredale,
Rosemarie Terwilliger,
Katherine L. Widnell,
Eric J. Nestler, and
Ronald S. Duman |
| 1111 | CYP2J Subfamily P450s in the Lung: Expression, Localization, and Potential Functional Significance | Darryl C. Zeldin, Julie Foley,
Jixiang Ma, James E. Boyle,
Jorge M. S. Pascual,
Cindy R. Moomaw,
Kenneth B. Tomer,
Charles Steenbergen, and Shu Wu |
| 1118 | Identification of Critical Extracellular Loop Residues Involved in α_1 -Adrenergic Receptor Subtype-Selective Antagonist Binding | Ming-Ming Zhao, John Hwa, and
Dianne M. Perez |
| 1127 | Characteristics of Clodronate-Induced Apoptosis in Osteoclasts and Macrophages | Katri S. Selander,
Jukka Mönkkönen,
Eeva-Kaisa Karhukorpi,
Pirkko Härkönen,
Ritva Hannuniemi, and
H. Kalervo Väänänen |
| 1139 | Involvement of Mitogen-Activated Protein Kinase and Translocation of Cytosolic Phospholipase A ₂ to the Nuclear Envelope in Acetylcholine-Induced Prostacyclin Synthesis in Rabbit Coronary Endothelial Cells | H. Kan, Y. Ruan, and K. U. Malik |
| 1148 | Feminization of Hepatic Cytochrome P450s by Nominal Levels of Growth Hormone in the Feminine Plasma Profile | Nisar A. Pampori and Bernard H. Shapiro |
| 1157 | Rat 17 β -Hydroxysteroid Dehydrogenase Type IV Is a Novel Peroxisome Proliferator-Inducible Gene | J. Christopher Corton,
Carlos Bocos, Evelyn S. Moreno,
Angel Merritt, Daniel S. Marsman,
Peter J. Sausen, Russell C. Cattley,
and Jan-Åke Gustafsson |
| 1167 | Three New Toxins from the Scorpion <i>Pandinus imperator</i> Selectively Block Certain Voltage-Gated K ⁺ Channels | Robert S. Rogowski,
John H. Collins, Thomas J. O'Neill,
Thomas A. Gustafson,
Taco R. Werkman,
Michael A. Rogawski,
Todd C. Tenenholz,
David J. Weber, and
Mordecai P. Blaustein |
| 1178 | Delayed Cytotoxicity and Cleavage of Mitochondrial DNA in Ciprofloxacin-Treated Mammalian Cells | Jeffrey W. Lawrence,
Daniel C. Claire, Volkmar Weissig,
and Thomas C. Rowe |
| 1189 | The Neurokinin-1 Receptor Antagonist LY306,740 Blocks Nociception-Induced Increases in Dorsal Horn Neurokinin-1 Receptor Gene Expression | Kenneth E. McCarson and
James E. Krause |

Continued

CONTENTS (cont'd)

- | | | |
|------|--|--|
| 1200 | Novel Antagonists of the Inhibitory Glycine Receptor Derived from Quinolinic Acid Compounds | Volker Schmieden, Sylvie Jezequel, and Heinrich Betz |
| 1207 | Antiretrovirus Specificity and Intracellular Metabolism of 2',3'-Didehydro-2',3'-dideoxythymidine (Stavudine) and Its 5'-Monophosphate Triester Prodrug So324 | J. Balzarini, H. Egberink, K. Hartmann, D. Cahard, T. Vahlenkamp, H. Thormar, E. De Clercq, and C. McGuigan |
| 1214 | Agonist-Induced Functional Desensitization of the μ -Opioid Receptor Is Mediated by Loss of Membrane Receptors Rather than Uncoupling from G Protein | Youngshil Pak, Angeliki Kouvelas, Mark A. Scheideler, Jesper Rasmussen, Brian F. O'dowd, and Susan R. George |
| 1223 | Enantiomers of <i>myo</i> -Inositol-1,3,4-trisphosphate and <i>myo</i> -Inositol-1,4,6-trisphosphate: Stereospecific Recognition by Cerebellar and Platelet <i>myo</i> -Inositol-1,4,5-trisphosphate Receptors | C. T. Murphy, A. J. Bullock, C. J. Lindley, S. J. Mills, A. M. Riley, B. V. L. Potter, and J. Westwick |
| 1231 | Evidence for Distinction of the Differentiation-Inducing Activities and Cytostatic Properties of 9-(2-Phosphonyl-methoxyethyl)adenine and a Variety of Differentiation-Inducing Agents in Human Erythroleukemia K562 Cells | S. Hatse, E. De Clercq, and J. Balzarini |
| 1243 | Pharmacological Differentiation between Intracellular Calcium Pump Isoforms | Simone Engelender and Leopoldo De Meis |
| 1253 | Pharmacological Modulation of the Diazepam-Insensitive Recombinant γ -Aminobutyric Acid _A Receptors $\alpha 4\beta 2\gamma 2$ and $\alpha 6\beta 2\gamma 2$ | Frédéric Knoflach, Dietmar Benke, Yue Wang, Louis Scheurer, Hartmut Lüddens, Beverly J. Hamilton, Donald B. Carter, Hanns Mohler, and Jack A. Benson |
| 1262 | Cyclic AMP-Independent Inhibition of Cardiac Calcium Current by Forskolin | Tatsuya Asai, Siegfried Pelzer, and Terence F. McDonald |
| 1273 | Membrane-Delimited G Protein-Mediated Coupling between V _{1a} Vasopressin Receptor and Dihydropyridine Binding Sites in Rat Glomerulosa Cells | Eric Grazzini, Thierry Durroux, Marcel-Daniel Payet, Lyne Bilodeau, Nicole Gallo-Payet, and Gilles Guillon |
| 1284 | Direct Inhibition of 5-Hydroxytryptamine ₃ Receptors by Antagonists of L-type Ca ²⁺ Channels | Andrew C. Hargreaves, Martin J. Gunthorpe, Colin W. Taylor, and Sarah C. R. Lummis |
| 1295 | Regulation of D ₂ Dopamine Receptors by Amiloride and Amiloride Analogs | S. R. J. Hoare and P. G. Strange |
| 1309 | Dopamine Induces Apoptotic Cell Death of a Catecholaminergic Cell Line Derived from the Central Nervous System | Joseph M. Masserano, Li Gong, Henrietta Kulaga, Ivory Baker, and Richard Jed Wyatt |
| 1316 | 5-Hydroxytryptamine ₄ Receptors Reduce Afterhyperpolarization in Hippocampus by Inhibiting Calcium-Induced Calcium Release | Gonzalo E. Torres, Cynthia L. Arfken, and Rodrigo Andrade |

Continued

CONTENTS (cont'd)

1323	Identification of Competitive Antagonists of the P2Y ₁ Receptor	José L. Boyer, Teresa Romero-Avila, Joel B. Schachter, and T. Kendall Harden
1330	Subunit Composition Is a Major Determinant in High Affinity Binding of a Ca ²⁺ Channel Blocker	Haeyoung Suh-Kim, Xiangyang Wei, and Lutz Birnbaumer
1338	Mutagenesis of Residues Adjacent to Transmembrane Prolines Alters D ₁ Dopamine Receptor Binding and Signal Transduction	William Cho, Larry P. Taylor, and Huda Akil
1346	Bombesin-Like Peptide Receptor Subtypes Promote Mitogenesis, Which Requires Persistent Receptor Signaling	Richard I. Feldman, Marty Bartholdi, and James M. Wu
1355	Discovery of High Affinity Bombesin Receptor Subtype 3 Agonists	James M. Wu, Danute E. Nitecki, Sara Biancalana, and Richard I. Feldman
1364	Pharmacology of the Human γ -Aminobutyric Acid _A Receptor α 4 Subunit Expressed in <i>Xenopus laevis</i> Oocytes	E. R. Whitemore, W. Yang, J. A. Drewe, and R. M. Wa
1376	Coupling Efficiencies of Human α ₁ -Adrenergic Receptor Subtypes: Titration of Receptor Density and Responsiveness with Inducible and Repressible Expression Vectors	Tracey L. Theroux, Timothy A. Esbenshade, Richard D. Peavy, and Kenneth P. Minneman
1387	Distinct Effects of Mutations in Transmembrane Segment IVS6 on Block of L-Type Calcium Channels by Structurally Similar Phenylalkylamines	Barry D. Johnson, Gregory H. Hockerman, Todd Scheuer, and William A. Catterall
1401	Dose-Response Relations for Unnatural Amino Acids at the Agonist Binding Site of the Nicotinic Acetylcholine Receptor: Tests with Novel Side Chains and with Several Agonists	Patrick C. Kearney, Mark W. Nowak, Wenge Zhong, Scott K. Silverman, Henry A. Lester, and Dennis A. Dougherty
1413	A Single Residue, Lys108, of the δ -Opioid Receptor Prevents the μ -Opioid-Selective Ligand [D-Ala ² ,N-MePhe ⁴ ,Gly-ol ⁵]Enkephalin from Binding to the δ -Opioid Receptor	Masabumi Minami, Takayuki Nakagawa, Takahiro Seki, Tatsuhiko Onogi, Yasuhide Aoki, Yoshikazu Katao, Seishi Katsumata, and Masamichi Satoh

Visit *Molecular Pharmacology* on the World-Wide Web at:
http://www.wwilkins.com/molec_pharm/

About the cover: Targeting of δ -opioid receptor to surface membranes. COS-1 cells were transfected with a mouse δ -opioid receptor mutant (D128A), for which the conserved aspartate in the third membrane domain is replaced by alanine. Cells were double-labeled with fluorescein-conjugated concanavalin A to label the plasma membrane (green) and with an anti- δ -opioid receptor antibody followed by rhodamine-conjugated streptavidin (red). Yellow shows the region of colocalization. This mutant exhibited reduced expression and subtle changes in its ability to bind certain agonist ligands. From Befort, K., L. Tabbara, S. Bausch, C. Chavkin, C. Evans, and B. Kieffer. The conserved aspartate residue in the third putative transmembrane domain of the δ -opioid receptor is not the anionic counterpart for cationic opiate binding but is a constituent of the receptor binding site. *Mol. Pharmacol.* 49: 216–223 (1996).