MOLECULAR

PHARMACOLOGY

December 2006

Volume 70

Number 6

http://molpharm.aspetjournals.org

ISSN 0026-895X

PERSPECTIVE

Baffled by Bafilomycin:	An Anticancer	Agent That	Induces	Hypoxia-	Inducible	Factor- 1α	Expression	
Gregg L. Semenza								

1841

ACCELERATED COMMUNICATIONS

Nicotinic Acid-Induced Flushing Is Mediated by Activation of Epidermal Langerhans Cells Zoltán Benyó, Andreas Gille, Clare L. Bennett, Björn E. Clausen, and Stefan Offermanns

1844

- $\mbox{[D-Trp}^8\mbox{]-}\gamma\mbox{-Melanocyte-Stimulating Hormone Exhibits Anti-Inflammatory Efficacy in Mice Bearing a Nonfunctional MC1R (Recessive Yellow e/e Mouse)$
 - Stephen J. Getting, Connie W. Lam, Giovanna Leoni, Felicity N. E. Gavins, Paolo Grieco, and Mauro Perretti

1850

ARTICLES

- - Ji-Hong Lim, Jong-Wan Park, Myung-Suk Kim, Sang-Ki Park, Randall S. Johnson, and Yang-Sook Chun

1856

- Comparison of the Activities of the Truncated Halichondrin B Analog NSC 707389 (E7389) with Those of the Parent Compound and a Proposed Binding Site on Tubulin
 - Donnette A. Dabydeen, James C. Burnett, Ruoli Bai, Pascal Verdier-Pinard, Sarah J. H. Hickford, George R. Pettit, John W. Blunt, Murray H. G. Munro, Rick Gussio, and Ernest Hamel

1866

- Pharmacological Inhibition of Histone Deacetylases by Suberoylanilide Hydroxamic Acid Specifically Alters Gene Expression and Reduces Ischemic Injury in the Mouse Brain
 - Giuseppe Faraco, Tristano Pancani, Laura Formentini, Paolo Mascagni, Gianluca Fossati, Flavio Leoni, Flavio Moroni, and Alberto Chiarugi

1876

- Rapid and Robust Protection against Cocaine-Induced Lethality in Rats by the Bacterial Cocaine Esterase
 - Ziva D. Cooper, Diwahar Narasimhan, Roger K. Sunahara, Pawel Mierzejewski, Emily M. Jutkiewicz, Nicholas A. Larsen, Ian A. Wilson, Donald W. Landry, and James H. Woods 18

1885

The
symbols in the table of contents identify articles discussed in the Perspective.

Molecular Pharmacology (ISSN 0026-895X) is published monthly (two volumes per year beginning in January and July) by the American Society for Pharmacology and Experimental Therapeutics, 9650 Rockville Pike, Bethesda, MD 20814-3995; e-mail: info@aspet.org; Web site: http://www.aspet.org. Periodicals postage paid at Bethesda, MD and at additional mailing offices. POSTMASTER: Send address changes to Molecular Pharmacology, 9650 Rockville Pike, Bethesda, MD 20814-3995. Subscription Rates: U.S.: \$592.00 for institutions and \$241.00 for non-ASPET members. Outside the U.S.: \$673.00 for institutions and \$322.00 for non-ASPET members. Single copy:

\$57.00. GST Tax Number for Canadian subscribers: BN:13489 2330 RT. Indexed or abstracted by Biochemistry & Biophysics Citation Index®, Biological Abstracts, BIOSIS Previews Database, Current Awareness in Biological Sciences, Current Contents®/Life Sciences, EMBASE/Excerpta Medica, Index Medicus, Medical Documentation Service®, Reference Update®, Research Alert®, Science Citation Index®, SciSearch®, and SIIC Data Bases. Copyright © 2006 by the American Society for Pharmacology and Experimental Therapeutics. All rights reserved. Printed in the U.S.A.

	Conformational Constraining of Inactive and Active States of a Seven Transmembrane Receptor by Metal Ion Site Engineering in the Extracellular End of Transmembrane Segment V Mette M. Rosenkilde, Ralf David, Ilka Oerlecke, Tau Benned-Jensen, Ulf Geumann, Anette G. Beck-Sickinger, and Thue W. Schwartz	1892
	2,3,7,8-Tetrachlorodibenzo-p-dioxin and Epidermal Growth Factor Cooperatively Suppress Peroxisome Proliferator-Activated Receptor-γ1 Stimulation and Restore Focal Adhesion Complexes during Adipogenesis: Selective Contributions of Src, Rho, and Erk Distinguish These Overlapping Processes in C3H10T1/2 Cells Xueqing Liu and Colin Jefcoate	1902
		1002
	Ginsenoside Re, a Main Phytosterol of <i>Panax ginseng</i> , Activates Cardiac Potassium Channels via a Nongenomic Pathway of Sex Hormones Tetsushi Furukawa, Chang-Xi Bai, Asami Kaihara, Eri Ozaki, Takashi Kawano, Yutaka Nakaya, Muhammad Awais, Moritoshi Sato, Yoshio Umezawa, and Junko Kurokawa	1916
	Stimulation of AMP-Activated Protein Kinase Is Essential for the Induction of Drug Metabolizing Enzymes by Phenobarbital in Human and Mouse Liver Franck Rencurel, Marc Foretz, Michel R. Kaufmann, Deborah Stroka, Renate Looser, Isabelle Leclerc, Gabriela da Silva Xavier, Guy A. Rutter, Benoit Viollet, and Urs A. Meyer	1925
	Insights into the Cholecystokinin 2 Receptor Binding Site and Processes of Activation Michaël R. Paillasse, Céline Deraeve, Philippe de Medina, Loubna Mhamdi, Gilles Favre, Marc Poirot, and Sandrine Silvente-Poirot	1935
	Eriocalyxin B Inhibits Nuclear Factor-κ B Activation by Interfering with the Binding of Both p65 and p50 to the Response Element in a Noncompetitive Manner Chung-Hang Leung, Susan P. Grill, Wing Lam, Wenli Gao, Han-Dong Sun, and Yung-Chi Cheng	1946
S	Molecular Interaction of Serotonin 5-HT $_{2A}$ Receptor Residues Phe $339^{(6.51)}$ and Phe $340^{(6.52)}$ with Superpotent N-Benzyl Phenethylamine Agonists Michael R. Braden, Jason C. Parrish, John C. Naylor, and David E. Nichols	1956
	Dissecting the Roles of Checkpoint Kinase 1/CDC2 and Mitogen-Activated Protein Kinase Kinase 1/2/Extracellular Signal-Regulated Kinase 1/2 in Relation to 7-Hydroxystaurosporine-Induced Apoptosis in Human Multiple Myeloma Cells Xin-Yan Pei, Weiqun Li, Yun Dai, Paul Dent, and Steven Grant	1965
	Structural Requirements of Transmembrane Domain 3 for Activation by the M ₁ Muscarinic Receptor Agonists AC-42, AC-260584, Clozapine, and N-Desmethylclozapine: Evidence for Three Distinct Modes of Receptor Activation Tracy A. Spalding, Jian-Nong Ma, Thomas R. Ott, Mikael Friberg, Abhishek Bajpai,	
	Stefania Risso Bradley, Robert E. Davis, Mark R. Brann, and Ethan S. Burstein Determinants of 1-Piperidinecarboxamide, N-[2-[[5-Amino-l-[[4-(4-pyridinyl)-l-piperazinyl]-carbonyl]pentyl]amino]-1-[(3,5-dibromo-4-hydroxyphenyl)methyl]-2-oxoethyl]-4-(1,4-dihydro-2-oxo-3(2H)-quinazolinyl) (BIBN4096BS) Affinity for Calcitonin Gene-Related Peptide and Amylin Receptors—The Role of Receptor Activity Modifying Protein 1 Debbie L. Hay, George Christopoulos, Arthur Christopoulos, and Patrick M. Sexton	1974 1984
	cAMP Inhibits Transforming Growth Factor-β-Stimulated Collagen Synthesis via Inhibition of Extracellular Signal-Regulated Kinase 1/2 and Smad Signaling in Cardiac Fibroblasts Xiaoqiu Liu, Shu Qiang Sun, Aviv Hassid, and Rennolds S. Ostrom	1992
	Essential Role of C-Rel in Nitric-Oxide Synthase-2 Transcriptional Activation: Time-Dependent Control by Salicylate Katarzyna A. Cieslik, Wu-Guo Deng, and Kenneth K. Wu	2004
S	2,3-Butanedione Monoxime Affects Cystic Fibrosis Transmembrane Conductance Regulator Channel Function through Phosphorylation-Dependent and Phosphorylation-Independent Mechanisms: The Role of Bilayer Material Properties	
	Pablo Artigas, Subhi J. Al'Aref, E. Ashley Hobart, Laín F. Díaz, Masayuki Sakaguchi, Samuel Straw, and Olaf S. Andersen	2015

	Point Mutations in the Transmembrane Region of $GABA_{B2}$ Facilitate Activation by the Positive Modulator N,N' -Dicyclopentyl-2-methylsulfanyl-5-nitro-pyrimidine-4,6-diamine (GS39783) in the Absence of the $GABA_{B1}$ Subunit Delphine S. Dupuis, Dinko Relkovic, Loic Lhuillier, Johannes Mosbacher, and Klemens Kaupmann	2027
	Role of the Agonist Binding Site in Up-Regulation of Neuronal Nicotinic $\alpha 4\beta 2$ Receptors Masashi Kishi and Joe Henry Steinbach	2037
	Molecular Changes Evoked by Triethylenetetramine Treatment in the Extracellular Matrix of the Heart and Aorta in Diabetic Rats Deming Gong, Jun Lu, Xiuyin Chen, Soon Y. Choong, Shaoping Zhang, Yih-Kai Chan, Sarah Glyn-Jones, Gregory D. Gamble, Anthony R. J. Phillips, and Garth J. S. Cooper	2045
	The Mechanism of Activity-Dependent Sodium Channel Inhibition by the Antidepressants Fluoxetine and Desipramine N. Lenkey, R. Karoly, J. P. Kiss, B. K. Szasz, E. S. Vizi, and A. Mike	2052
	Methamphetamine-Induced Sensitization Differentially Alters pCREB and Δ FosB throughout the Limbic Circuit of the Mammalian Brain John McDaid, Martin P. Graham, and T. Celeste Napier	2064
	YM-244769, a Novel Na ⁺ /Ca ²⁺ Exchange Inhibitor That Preferentially Inhibits NCX3, Efficiently Protects against Hypoxia/Reoxygenation-Induced SH-SY5Y Neuronal Cell Damage <i>Takahiro Iwamoto and Satomi Kita</i>	2075
S	Analysis of the Dissociated Steroid RU24858 Does Not Exclude a Role for Inducible Genes in the Anti-Inflammatory Actions of Glucocorticoids Joanna E. Chivers, Wei Gong, Elizabeth M. King, Joachim Seybold, Judith C. Mak, Louise E. Donnelly, Neil S. Holden, and Robert Newton	2084
	Endogenous Hepatic Expression of the Hepatitis B Virus X-Associated Protein 2 Is Adequate for Maximal Association with Aryl Hydrocarbon Receptor-90-kDa Heat Shock Protein Complexes Brett D. Hollingshead, Rushang D. Patel, and Gary H. Perdew	2096
	The H ⁺ -Linked Monocarboxylate Transporter (MCT1/SLC16A1): A Potential Therapeutic Target for High-Risk Neuroblastoma Jun Fang, Quintin J. Quinones, Trevor L. Holman, Michael J. Morowitz, Qun Wang, Huaqing Zhao, Frank Sivo, John M. Maris, and Miriam L. Wahl	2108
	Neurotoxicity of Domoic Acid in Cerebellar Granule Neurons in a Genetic Model of Glutathione Deficiency G. Giordano, C. C. White, L. A. McConnachie, C. Fernandez, T. J. Kavanagh, and L. G. Costa	2116
	The Important Role of Bcrp (Abcg2) in the Biliary Excretion of Sulfate and Glucuronide Metabolites of Acetaminophen, 4-Methylumbelliferone, and Harmol in Mice Maciej J. Zamek-Gliszczynski, Ken-ichi Nezasa, Xianbin Tian, J. Cory Kalvass, Nita J. Patel, Thomas J. Raub, and Kim L. R. Brouwer	2127

S Supplemental material is available online at http://molpharm.aspetjournals.org.

About the cover: Illustrative cross-eyed stereopair representation of ligand pose from virtual docking experiments with 25H-NBOMe (A) and 251-NBOH (B) in the h5-HT $_{2A}$ receptor, showing proposed π - π interactions between the N-benzyl moiety and Phe339, and the aryl portion of the phenethylamine and Phe340. See the article by Braden et al. on page 1956 of this issue.