MOLECULAR

February 2007

Volume 71

Number 2

http://molpharm.aspetjournals.org

ISSN 0026-895X

A	D	TI		

Species Selectivity of a Nicotinic Acetylcholine Receptor Agonist Is Conferred by Two Adjacent	
Extracellular β4 Amino Acids that Are Implicated in the Coupling of Binding to Channel Gating	
Gareth T. Young, Lisa M. Broad, Ruud Zwart, Peter C. Astles, Michael Bodkin,	
Emanuele Sher, and Neil S. Millar	389
Colford and Olivida Edikit Domina Dolifort Additable Domina Additable Addition	
Sulfonylureas and Glinides Exhibit Peroxisome Proliferator-Activated Receptor γ Activity: A Combined	
Virtual Screening and Biological Assay Approach	

Marco Scarsi, Michael Podvinec, Adrian Roth, Hubert Hug, Sander Kersten, Hugo Albrecht,

Torsten Schwede, Urs A. Meyer, and Christoph Rücker

S Acetaminophen Recruits Spinal p42/p44 MAPKs and GH/IGF-1 Receptors to Produce Analgesia via the Serotonergic System

Jérôme Bonnefont, Laurence Daulhac, Monique Etienne, Eric Chapuy, Christophe Mallet, Lemlih Ouchchane, Christiane Deval, Jean-Philippe Courade, Marc Ferrara, Alain Eschalier, and

407 Eric Clottes

Genomic Screening in Vivo Reveals the Role Played by Vacuolar H⁺ ATPase and Cytosolic Acidification in Sensitivity to DNA-Damaging Agents Such as Cisplatin Chunyan Liao, Bin Hu, Matthew J. Arno, and Barry Panaretou

The Tumor Proteasome Is a Primary Target for the Natural Anticancer Compound Withaferin A Isolated from "Indian Winter Cherry"

Huanjie Yang, Guoqing Shi, and Q. Ping Dou

RanGAP-Mediated Nuclear Protein Import in Vascular Smooth Muscle Cells Is Augmented by

Lysophosphatidylcholine Randolph S. Faustino, Lyle N. W. Stronger, Melanie N. Richard, Michael P. Czubryt, David A. Ford, Michele A. Prociuk, Elena Dibrov, and Grant N. Pierce

S Analysis of In Vivo Nuclear Factor-κB Activation during Liver Inflammation in Mice: Prevention by Catalase Delivery

Kenji Hyoudou, Makiya Nishikawa, Yuki Kobayashi, Yukari Kuramoto, Fumiyoshi Yamashita, and Mitsuru Hashida

Nordihydroguaiaretic Acid Affects Multiple Dynein-Dynactin Functions in Interphase and Mitotic Cells Kohei Arasaki, Katsuko Tani, Tamotsu Yoshimori, David J. Stephens, and Mitsuo Tagaya

Molecular Pharmacology (ISSN 0026-895X) is published monthly (two volumes per year beginning in January and July) by the American Society for Pharmacology and Experimental Therapeutics, 9650 Rockville Pike, Bethesda, MD 20814-3995; e-mail: info@aspet.org; Web site: http://www.aspet.org. Periodicals postage paid at Bethesda, MD and at additional mailing offices. POSTMASTER: Send address changes to Molecular Pharmacology, 9650 Rockville Pike, Bethesda, MD 20814-3995. Subscription Rates: U.S.: \$616.00 for institutions and \$251.00 for non-ASPET members. Outside the U.S.: \$699.00 for institutions and \$334.00 for non-ASPET members. Single copy: \$62.00. GST Tax Number for Canadian subscribers: BN:13489 2330 RT. Indexed or abstracted by Biochemistry & Biophysics Citation Index®, Biological Abstracts, BIOSIS Previews Database, Current Awareness in Biological Sciences, Current Contents®/Life Sciences, EMBASE/Excerpta Medica, Index Medicus, Medical Documentation Service®, Reference Update®, Research Alert®, Science Citation Index®, SciSearch®, and SIIC Data Bases. Copyright © 2007 by the American Society for Pharmacology and Experimental Therapeutics. All rights reserved. Printed in the U.S.A.

398

426

416

438

446

454

	Ethanol Modulates the Interaction of the Endogenous Neurosteroid Allopregnanolone with the $\alpha 1\beta 2\gamma 2L$ GABA _A Receptor Gustav Akk, Ping Li, Brad D. Manion, Alex S. Evers, and Joe Henry Steinbach	461
	The Synthetic Androgen Methyltrienolone (R1881) Acts as a Potent Antagonist of the Mineralocorticoid Receptor Armelle-Natsuo Takeda, Grégory M. Pinon, Marcelle Bens, Jérôme Fagart, Marie-Edith Rafestin-Oblin, and Alain Vandewalle	473
	Agonist-, Antagonist-, and Benzodiazepine-Induced Structural Changes in the $\alpha_1 \mathrm{Met}^{113}$ -Leu Region of the GABA _A Receptor Jessica Holden Kloda and Cynthia Czajkowski	483
	Kinins Promote B ₂ Receptor Endocytosis and Delay Constitutive B ₁ Receptor Endocytosis Johan Enquist, Carl Skröder, Jennifer L. Whistler, and L.M. Fredrik Leeb-Lundberg	494
	Pharmacology and Signaling Properties of Epidermal Growth Factor Receptor Isoforms Studied by Bioluminescence Resonance Energy Transfer Hans H. Schiffer, Esther C. Reding, Stephen R. Fuhs, Qing Lu, Fabrice Piu, Steven Wong, Pey-Lih H. Littler, Dave M. Weiner, William Keefe, Phil K. Tan, Norman R. Nash, Anne E. Knapp, Roger Olsson, and Mark R. Brann	508
	Involvement of Dopamine System in Regulation of Na ⁺ ,K ⁺ -ATPase in the Striatum upon Activation of Opioid Receptors by Morphine Zhao-Qiu Wu, Jie Chen, Zhi-Qiang Chi, and Jing-Gen Liu	519
S	Stabilization of Cellular mRNAs and Up-Regulation of Proteins by Oligoribonucleotides Homologous to the Bcl2 Adenine-Uridine Rich Element Motif Annamaria Bevilacqua, Laura Ghisolfi, Sara Franzi, Giovanna Maresca, Roberto Gherzi, Sergio Capaccioli, Angelo Nicolin, and Gianfranco Canti	531
	Tonically Active GABA _A Receptors in Hippocampal Pyramidal Neurons Exhibit Constitutive GABA-Independent Gating Melissa R. McCartney, Tarek Z. Deeb, Tricia N. Henderson, and Tim G. Hales	539
	An Opioid Agonist that Does Not Induce μ-Opioid Receptor—Arrestin Interactions or Receptor Internalization C. E. Groer, K. Tidgewell, R. A. Moyer, W. W. Harding, R. B. Rothman, T. E. Prisinzano, and L. M. Bohn	549
S	1,1-Bis(3'-Indolyl)-1-(p -substitutedphenyl)methanes Inhibit Growth, Induce Apoptosis, and Decrease the Androgen Receptor in LNCaP Prostate Cancer Cells through Peroxisome Proliferator-Activated Receptor γ -Independent Pathways Sudhakar Chintharlapalli, Sabitha Papineni, and Stephen Safe	558
	2-Aminoethoxydiphenyl Borate Directly Inhibits Channels Composed of Connexin26 and/or Connexin32 Liang Tao and Andrew L. Harris	570
	Nefiracetam Potentiates N-Methyl-d-aspartate (NMDA) Receptor Function via Protein Kinase C Activation and Reduces Magnesium Block of NMDA Receptor Shigeki Moriguchi, Norifumi Shioda, Hiroshi Maejima, Xilong Zhao, William Marszalec, Jay Z. Yeh, Kohji Fukunaga, and Toshio Narahashi	580
	Unnatural Amino Acid-Substituted (Hydroxyethyl)urea Peptidomimetics Inhibit γ -Secretase and Promote the Neuronal Differentiation of Neuroblastoma Cells Yung-Feng Liao, Bo-Jeng Wang, Wen-Ming Hsu, Hsinyu Lee, Chia-Yin Liao, Shin-Ying Wu, Hui-Ting Cheng, and Ming-Kuan Hu	588
	A Pair-Feeding Study Reveals That a Y5 Antagonist Causes Weight Loss in Diet-Induced Obese Mice by Modulating Food Intake and Energy Expenditure Satoshi Mashiko, Akane Ishihara, Hisashi Iwaasa, Hideki Sano, Junko Ito, Akira Gomori, Zenjun Oda, Ryuichi Moriya, Hiroko Matsushita, Makoto Jitsuoka, Osamu Okamoto, Douglas J. MacNeil, Lev H. T. Van der Ploeg, Takshiro Fukami, and Akio Kanatani	602

Inhibition of Tumor Necrosis Factor- α -Inducible Inflammatory Genes by Interferon- γ Is Associated with Altered Nuclear Factor- κ B Transactivation and Enhanced Histone Deacetylase Activity Stefan Keslacy, Omar Tliba, Hasna Baidouri, and Yassine Amrani	609
Functional Involvement of Multidrug Resistance-Associated Protein 4 (MRP4/ABCC4) in the Renal Elimination of the Antiviral Drugs Adefovir and Tenofovir Tomoki Imaoka, Hiroyuki Kusuhara, Masashi Adachi, John D. Schuetz, Kenji Takeuchi, and	
	619
Imino Sugars Are Potent Agonists of the Human Glucose Sensor SGLT3 Andrew A. Voss, Ana Díez-Sampedro, Bruce A. Hirayama, Donald D. F. Loo, and Ernest M. Wright	628

S Supplemental material is available online at http://molpharm.aspetjournals.org.

About the cover: Three-dimensional structures of three glinides and three sulfonylureas to PPAR γ . See the article by Scarsi et al. on page 398 of this issue.