



ELSEVIER
SAUNDERS

Neurosurg Clin N Am 15 (2004) 359–363

NEUROSURGERY
CLINICS
OF NORTH AMERICA

Index

Note: Page numbers of article titles are in **bold face** type.

A

- Allodynia, neuroimaging of, 278–279
- Amygdala, pain perception in, 272–273
- Angina pectoris, spinal cord stimulation for, 300–301
- Anticipation, of pain, 277
- Anticonvulsants, for trigeminal neuralgia, 319–321
- Attention, pain perception and, 276–277
- Autonomic nervous system
 - dysfunction of, pain with, spinal cord stimulation for, 302
 - spinal cord stimulation effects on, 300

B

- Back pain, spinal cord stimulation for, 302–303
- Baclofen
 - for intrathecal analgesia, opioids with, 292
 - for trigeminal neuralgia, 320
- Balloon compression, for trigeminal neuralgia, 326
- Basal ganglia, pain perception in, 272–273
- Blood flow, stimulation of, spinal cord stimulation for, 299–300
- Brain, deep stimulation of. *See* Deep brain stimulation.
- Brain stem, in pain pathway, 261
 - functional imaging of, 274, 276
- Bupivacaine, for intrathecal analgesia, opioids with, 292–293

C

- Calcitonin gene-related peptide, in pain pathway, 258, 262

- Cancer, metastasis of, to spine,
 - radiosurgery for, 340
- Carbamazepine, for trigeminal neuralgia, 319
- Central sensitization, in neuropathic pain, 261–263
- Centrolateral nuclei, thalamic, destruction of, for chronic pain, 337–338
- Centromedian nuclei, thalamic, destruction of, for chronic pain, 337–338
- Cerebellum, pain perception in, 272–273
- Cerebral cortex
 - in pain pathway, 260, 272–273
 - stimulation of, versus deep brain stimulation, 348–349
- Chemoneurolysis, glycerol, for trigeminal neuralgia, 324–326
- Chronic pain
 - ablative/destructive procedures for, 279–280, **307–317, 335–342**
 - central processing of, 271–272
 - deep brain stimulation for, **343–357**
 - epidemiology of, 269
 - experimental models for, 270–271
 - functional anatomy of, **257–268**
 - functional imaging in, **269–288**
 - brain regions involved in, 272–274
 - brain stem, 274, 276
 - cognitive modulation of, 276–278
 - emotional modulation of, 276–278
 - future studies of, 281
 - in ablative target identification, 279–280
 - in allodynia, 278–279
 - in drug development, 280
 - in hyperalgesia, 278–279
 - in treatment efficacy evaluation, 280–281
 - significance of, 272
 - spinal cord, 274, 276
 - intrathecal methods for, **289–296**
 - perception of, 271–272

Chronic pain (*continued*)

- spinal cord stimulation for, **297–306**
- trigeminal neuralgia. *See* Trigeminal neuralgia.
- versus nociception, 269–270

Cingulotomy, for chronic pain, 338

Clonazepam, for trigeminal neuralgia, 319–320

Clonidine, for intrathecal analgesia
neostigmine with, 293–294
opioids with, 291–292

Cluster headache, deep brain stimulation
for, 345

Cognitive modulation, of pain experience,
functional imaging in, 276–278

Complex regional pain syndrome, spinal cord
stimulation for, 302

Computed tomography
in extralemniscal myelotomy, 314–315
in percutaneous cordotomy, 307–311

Cordotomy, for chronic pain, 336
percutaneous, 307–311
versus deep brain stimulation, 348

Cranial neuropathy, intracranial ablative
procedures for, 336–338

D

Deep brain stimulation, for pain, **343–357**
complications of, 351
history of, 343–344
indications for, 345–346
outcomes of, 351–352
pain classification and, 344–345
patient selection for, 345–346
pulse generator for, 351
targets for, 346–347
team approach to, 346
technique for, 349–351
trial, 351
versus other pain interventions, 347–349

Dorsal column, postsynaptic, in pain pathway,
259

Dorsal horn, in pain pathway, 258

Dorsal root entry lesion, for chronic pain,
335–336

Dorsomedial nuclei, thalamic,
destruction of, for chronic pain, 337–338

Droperidol, for intrathecal analgesia, 294

E

Electrical stimulation
deep brain. *See* Deep brain stimulation.
spinal cord. *See* Spinal cord, stimulation of.

Electrodes, for spinal cord stimulation,
298–299

Emotional modulation, of pain experience,
functional imaging in, 276–278

Extralemniscal myelotomy, for chronic pain,
314–315

F

Failed back surgery syndrome, spinal cord
stimulation for, 302–303

G

Gabapentin, for trigeminal neuralgia, 320–321

Gamma knife stereotactic radiosurgery
for hypophysectomy, 340
for thalamotomy, 339
for trigeminal neuralgia, 331–332

Gamma-aminobutyric acid, increase of,
in spinal cord stimulation, 303

Glial-derived neurotrophic factor,
for intrathecal analgesia, 294–295

Glycerol chemoneurolysis, for trigeminal
neuralgia, 324–326

H

Hartel technique, for radiofrequency
thermocoagulation, 322–324

Headache, cluster, deep brain stimulation for,
345

Hyperalgesia, neuroimaging of, 278–279

Hypophysectomy, for chronic pain, 340

Hypothalamus, stimulation of, for pain
management, 347, 350–351

I

Internal capsule, stimulation of, 349–350

Intrathecal analgesia, **289–296**

- agents for, 291
 - combination, 291–294
 - experimental, 294–295
 - single, 291
- goals of, 290–291

literature review of, 289–290
 pharmacokinetics and pharmacodynamics
 of, 291
 scientific basis for, 289
 versus deep brain stimulation, 348

Intraventricular drug delivery, versus deep brain
 stimulation, 348

K

Ketamine, For intrathecal analgesia,
 opioids with, 293

Kölliker-Fuse nucleus, in pain pathway, 261

L

Lamotrigine, for trigeminal neuralgia, 320

Leg pain, spinal cord stimulation for, 302–303

Local anesthetics, for intrathecal analgesia,
 opioids with, 292–293

Locus ceruleus, in pain pathway, 261

Lumbar radiculitis, spinal cord stimulation for,
 302

M

Magnetic resonance imaging, functional
 in allodynia, 278
 in pain studies, 274–276, 279–281

Magnetic resonance spectroscopy, in chronic
 pain, 279

Medial thalamotomy, for chronic pain,
 337–338

Melzack and Wall gate control theory, 297

Mesencephalic tractotomy, for chronic pain, 337

Metastasis, to spine, radiosurgery for, 340

N-methyl-D-aspartate antagonists,
 for intrathecal analgesia, opioids with, 293

N-Methyl-D-aspartate receptors, in pain
 pathway, 262

Microvascular decompression, for trigeminal
 neuralgia, 326–329

Midazolam, for intrathecal analgesia, 294

Midbrain, pain perception in, 272–273

Midline myelotomy, for chronic pain, 336

Mood, pain perception and, 278

Morphine
 effects of, functional imaging of, 280

for intrathecal analgesia
 as single agent, 291
 baclofen with, 292
 clonidine with, 291–292
 local anesthetics with, 292–293
 N-methyl-D-aspartate antagonists with,
 293
 neostigmine with, 293

Morphine naloxone test, for pain classification,
 345

Motor cortex stimulation, versus deep brain
 stimulation, 348–349

Myelotomy, for chronic pain
 extralemniscal, 314–315
 midline, 336

Myocardial ischemia, pain in, spinal cord
 stimulation for, 300–301

N

Neostigmine, for intrathecal analgesia
 clonidine with, 293–294
 opioids with, 293

Neuralgia, trigeminal. *See* Trigeminal neuralgia.

Neurolysis, for trigeminal neuralgia
 glycerol, 324–326
 percutaneous, 321–322

Neuromodulation, spinal cord stimulation as,
 297

Neuropathic pain
 causes of, 270
 deep brain stimulation for, 344–345
 functional anatomy of, **257–268**
 ascending pain pathways, 258–260
 descending pain pathways, 260–261
 pain pathway activation, 257–258
 sensitization in, 261–263
 spinal cord stimulation for, 301–302

Neuropeptides, in pain transmission, 258, 262

Neurotrophin-3 antisense oligonucleotide, for
 intrathecal analgesia, 294

Nociception. *See also* Neuropathic pain,
 functional anatomy of.
 versus pain, 269–270

Nociceptive pain, deep brain stimulation for,
 344

Nucleotomy, trigeminal, 311–314

Nucleus caudalis, destruction of, for trigeminal neuralgia, 311–314

O

Opioids

- effects of, functional imaging of, 280
- for intrathecal analgesia
 - as single agents, 291
 - baclofen with, 292
 - clonidine with, 291–292
 - local anesthetics with, 292–293
 - N-methyl-D-aspartate antagonists with, 293
 - neostigmine with, 293

Oxcarbazepine, for trigeminal neuralgia, 319–321

P

Pain, chronic. *See* Chronic pain.

Parafascicular nuclei, thalamic, destruction of, for chronic pain, 337–338

Paresthesia, production of, in deep brain stimulation, 346–347, 349–351

Periaqueductal gray matter

- in pain pathway, 257, 259–260
- stimulation of, for pain management, 347, 350

Peripheral sensitization, in neuropathic pain, 261–262

Peripheral vasculopathy, pain in, spinal cord stimulation for, 299–300

Periventricular gray matter, stimulation of, for pain management, 347, 350

Phenytoin, for trigeminal neuralgia, 320

Pituitary gland, ablation of, for chronic pain, 340

Placebo effects, in pain perception, 277–278

Positron emission tomography, in pain studies, 280–281

Postsynaptic dorsal column, in pain pathway, 259

Precentral stimulation, versus deep brain stimulation, 348–349

Pretectal nucleus, in pain pathway, 261

Pulse generators, for spinal cord stimulation, 298

R

Radiculitis, lumbar, spinal cord stimulation for, 302

Radiofrequency

- for cordotomy, 309
- for percutaneous thermocoagulation, for trigeminal neuralgia, 322–324

Radiosurgery

- for chronic pain, 338–340
- for hypophysectomy, 340
- for metastatic cancer pain, 340
- for thalamotomy, 339
- for trigeminal neuralgia, 331–332, 339–340

Raphe nuclei, in pain pathway, 261

Reflex sympathetic dystrophy, spinal cord stimulation for, 302

Reticular formation, in pain pathway, 261

Retromastoid microvascular decompression, for trigeminal neuralgia, 326–329

Rhizotomy, trigeminal, for trigeminal neuralgia, 329–331

S

Sciatalgia, spinal cord stimulation for, 302–303

Sensitization, in neuropathic pain, 261–263

Spinal analgesia. *See* Intrathecal analgesia.

Spinal cord

- destructive/ablative procedures for,
 - for chronic pain, **307–317**
 - cordotomy, 336
 - dorsal root entry lesions, 335–336
 - extralemniscal myelotomy, 314–315
 - midline myelotomy, 336
 - percutaneous cordotomy, 307–311
 - trigeminal tractotomy-nucleotomy, 311–314
- injury of, pain in, spinal cord stimulation for, 303
- pain perception in,
 - functional imaging of, 274, 276
- stimulation of, **297–306**
 - complications of, 303–304
 - for angina pectoris, 300–301
 - for back pain, 302–303
 - for leg pain, 302–303
 - for neuropathic pain, 301–302
 - for peripheral vasculopathy, 299–300
 - for spinal cord injury pain, 303

Spinal cord (*continued*)
 information sources for, 299
 rationale for, 297
 technique for, 298–299
 versus deep brain stimulation, 348

Spinomesencephalic tract,
 in pain pathway, 259

Spinothalamic tract
 in pain pathway, 258–259
 lesioning of, for chronic pain, 307–311

Stereotactic techniques
 for cingulotomy, 338
 for deep brain stimulation, 349
 mesencephalic tractotomy, 337
 radiosurgery, for trigeminal neuralgia,
 331–332

Stimulation
 deep brain. *See* Deep brain stimulation.
 spinal cord. *See* Spinal cord, stimulation of.

Striatum, pain perception in, 272–273

Sympathetic nervous system, spinal cord
 stimulation effects on, 300

T

Thalamotomy, for chronic pain
 medial, 337–338
 radiosurgical, 339

Thalamus
 in pain pathway, 259–261
 stimulation of, for pain management,
 346–347, 349–350

Thermocoagulation, radiofrequency, for
 trigeminal neuralgia, 322–324

Tic douloureux. *See* Trigeminal neuralgia.

Tractotomy
 mesencephalic, 337
 trigeminal, 311–314

Trigeminal neuralgia, **319–334**
 medical treatment of, 319–321
 surgical treatment of, 321–332
 microvascular decompression, 326–329
 percutaneous balloon compression, 326
 percutaneous glycerol chemoneurolysis,
 324–326
 percutaneous neurolysis, 321–322
 percutaneous radiofrequency
 thermocoagulation, 322–324
 radiosurgery, 331–332, 339–340
 rhizotomy, 329–331
 stereotactic radiosurgery, 331–332
 tractotomy-nucleotomy, 311–314

V

Valproic acid, for trigeminal neuralgia, 320

Vasculopathy, peripheral, pain in, spinal cord
 stimulation for, 299–300

Ventralis posteromedialis nuclei, stimulation of,
 349–350

Ventroposterolateral thalamic nuclei
 in pain pathway, 258–261
 stimulation of, 349–350

X

X syndrome, pain in,
 spinal cord stimulation for, 301

Z

Ziconotide, for intrathecal analgesia, 294