



Neurosurg Clin N Am 18 (2007) 191-198

Index

Note: Page numbers of article titles are in boldface type.

•	
Δ	

AC133 antigen, in brain tumor cancer cells, 32–35

Activity-based restoration therapy, for spinal cord injury, 153, 159–162

Adrenoleukodystrophy, oligodendrocyte progenitor cell therapy for, 97

Age factors, in spinal cord injury recovery, 144, 148

Akt protein, in platelet-derived growth factor action, in gliomagenesis, 41

Amantadine, for Parkinson's disease, 132

American Spinal Injury Association impairment scale, 146–147

Angiogenesis

in gliomagenesis, 46 platelet-derived growth factor in, 42

Apoptosis

in radiation injury, 116 in spinal cord injury, 145 induction of, in gliomas, 76

Astrocytes. *See also* Gliomas. as niche cells, 83 growth of, from stem cells, 15–16 in neurogenesis, 83

Astrocytic stem cells, **21–30** characteristics of, 25, 27 early studies of, 22–24 family of, 24–26 in tumorigenesis, 27–28

Astrocytomas, pathogenesis of, stem cells in, 27–28

В

Baclofen, for spinal cord injury, 162

Bmi 1 protein in medulloblastoma, 62 in stem cell niches, 86

Bone marrow

stem cells from

dopaminergic neuron generation from, 135 for gliomas, 77–78

transplantation of, for lysosomal storage disorders, 6

Bone morphogenetic proteins, in stem cell niches, 85–86

Brain

injury of, neurogenesis in, 48–49, **169–181** stem cells in. *See also* Neural stem cells. in subventricular zone, **15–20**

Brain lipid-binding protein, in cancer stem cells, 34

Brain tumors. See also specific type, eg, Gliomas; Medulloblastomas. astrocytic stem cells in, 27–28 cancer stem cells in, 31–38 embryonal, 59 platelet-derived growth factor involvement in, 39–58

Brain-derived neurotrophic factor (BDNF) in brain ischemia, 185 in spinal cord injury, 161–162

C

C17.2 stem cells, for cytosine deaminase delivery, 74–75

Calbindin-D, in medulloblastoma, 63

Canavan's disease, oligodendrocyte progenitor cell therapy for, 97, 99

Cancer, brain. *See also* Gliomas; Medulloblastomas. radiation therapy for, stem cell response to, 115–127

Cancer stem cell hypothesis, **31–38** CD133 in, 31–35, 61–62, 64–65 cell origin in, 35–36, 49

Cancer stem cell hypothesis (continued)	D	
in gliomagenesis, 49–51 in medulloblastoma pathogenesis, 64–66	Deep brain stimulation, for Parkinson's disease, 132	
leukemia and, 32 prospective identification of, 32–33 research implications of, 36	Delta-1 protein, in neural stem cell propagation, 84	
treatment implications of, 36	Demyelinating diseases oligodendrocyte progenitor cell therapy for, 93–104 future of, 101–102 in pediatric patients, 97–100 in spinal cord injury, 101 neonatal delivery of, 97–99 optimal cellular vectors for, 94–97	
Carbidopa, for Parkinson's disease, 132 CD133 (prominin-1) in brain tumor cancer cells, 31–35 in cerebellar development, 61 in medulloblastoma, 62, 64–65 Central pattern generator, in spinal cord injury,		
151–152	spinal cord injury as, 145	
Cerebellum development of, 59–61 medulloblastomas of. <i>See</i> Medulloblastomas.	Dentate gyrus neurogenesis in, 47 after traumatic brain injury, 170–174 memory and, 106–107, 109 stem cells in in niches, 81–88	
Cerebral cortex, neurogenesis in, after traumatic brain injury, 178		
Cerebral palsy, oligodendrocyte progenitor cell therapy for, 97–98	radiation response of, 118–123	
Ceroid lipofucinoses, oligodendrocyte progenitor cell therapy for, 97	DJ1 protein defects, in Parkinson's disease, 130 Dopaminergic neurons, in Parkinson's disease degeneration of, 129–132	
Chemokines and chemokine receptors in gliomagenesis, 47, 72 in radiation injury, 121	stem cell-derived, 133–137 Dyskinesia, in Parkinson's disease, 129, 132	
Ciliary neurotrophic factor, in platelet-derived growth factor action, in gliomagenesis, 41	Embryonal tumors, 59. <i>See also</i> Medulloblastomas.	
CNP protein, in neurogenesis, 24	Embryonic stem cells, 1–14	
Cognitive impairment, in radiation exposure, 115–116	challenges in using, 7–8 for central nervous system disorders, 2–3 for demyelinating disorders, 101 for in vivo organ generation, 9 for lysosomal storage disorders, 6–7	
Cortex, cerebral, neurogenesis in, after traumatic brain injury, 178		
Cryptic Arg-Flu-Aso RDG protein, in gliomagenesis, 46	for organ transplantation, 9 for Parkinson's disease, 134–137, 139	
Culture of dopaminergic neurons, for Parkinson's disease, 134–137 of stem cells, niche considerations in, 86–88	for spinal cord injury, 152–159 for transgenic mice generation, 1–2 immune issues with, 9 in utero transplantation of, 8–9 potential uses of, 2–11	
Cystatin C, in neural stem cell propagation, 84	versus neural stem cells, 8	
Cytokines in spinal cord injury, 145 stem-cell delivery of, 73–74	Entacapone, for Parkinson's disease, 132 Ependymal cells, neurogenesis and, 22–23, 25–26	
Cytosine deaminase, stem-cell delivery of, 74–75	Ependymoglial cells, in astrocyte family, 25–26 Ependymomas, cancer stem cells in, 34	

Epidermal growth factor in brain ischemia, 185 in gliomagenesis, 46 in neural stem cell propagation, 83–84	Glial fibrillary acidic protein expression in astrocytic family, 24–25 in spinal cord injury, 145 regulation of, 86	
in stem cell migration, 72 Exercise, for spinal cord injury, 153, 159–162	Glial progenitor cell therapy. <i>See</i> Oligodendrocyte progenitor cell therapy.	
External germinal layer in medulloblastoma, 62–64 of cerebellum, 60	Glioblastomas, cancer stem cells in, 34 Gliomas microenvironment of, 44–47	
Extracellular matrix, in gliomagenesis, 44–47, 49 F	pathogenesis of astrocytic stem cells in, 27–28 platelet-derived growth factor in, 39–58	
Fetus brain tissue from, transplantation of, for Parkinson's disease, 133 neural stem cells of culture of, 87–88 niches of, 81 oligodendrocyte, 94–98	stem cell therapy for, 71–80 challenges in, 78–79 drug delivery in, 73–76 glioma-tropic migration in, 72 inherent antitumor activity of, 76–77 problems with, 77–78 tumor-homing capacity of, 71–72	
transplantation of, for Parkinson's disease, 136–137	Glutamate toxicity, in spinal cord injury, 144–145	
stem cell therapy for, 9-10	Graphs cell procures in outcome and appring	
Fibroblast(s), in gliomagenesis, 44-47	Granule cell precursors, in external germinal layer, 60	
Fibroblast growth factor in brain ischemia, 186 in dopaminergic neuron generation, 134–135 in neural stem cell propagation, 83–84	Growth factors. See specific growth factors. H	
Forkhead transcription factors, in platelet-derived growth factor action, in gliomagenesis, 41	Hedgehog protein in dopaminergic neuron generation, 134, 136 in medulloblastoma, 61–64, 66 in stem cell maintenance, 84–85	
Functional electrical stimulation, for spinal cord injury, 160–162	Hematopoietic stem cells leukemia development from, 32	
Functional Independence Measure, in spinal cord injury, 148–149	versus neural stem cells, 22, 27	
11,41,7,10 17	Hemispherectomy, functional return after, 152	
Gait central pattern generator, in spinal cord	Herpes simplex virus, oncolytic, stem-cell delivery of, 75–76	
injury, 151–152	Hes 1 protein, in medulloblastoma, 62	
Galactocerebrosidase, stem-cell delivery of, 74	Hippocampus, neurogenesis in	
Gangliosidoses, oligodendrocyte progenitor cell therapy for, 97	after traumatic brain injury, 170–174 astrocytic stem cells in, 21–30 memory and, 105–113	
Gli 1 transcription factor, in stem cell maintenance, 85	Homologous recombination, in stem cell generation, 1–2	
Glial cell line–derived neurotrophic factor in brain ischemia, 185	Human leukocyte antigens, of stem cells, 9	
in dopaminergic neuron generation, 134-135	Hypoxia, in spinal cord injury, 145	

<u>I</u>	Levodopa, for Parkinson's disease, 130, 132	
Immune response, to stem cells, 9	Lewy bodies, in Parkinson's disease, 129-130	
in Parkinson's disease treatment, 138 in spinal cord injury, 157–159	LRRK2 protein defects, in Parkinson's disease, 130	
Injury radiation. <i>See</i> Radiation response. spinal cord. <i>See</i> Spinal cord injury.	Lysosomal storage disorders oligodendrocyte progenitor cell therapy for, 97, 99	
Insulin-like growth factor-I, in brain ischemia, 186–187	stem cell therapy for, 6–7	
Integrins, in brain development, 44-45	M	
Interleukins, stem-cell delivery of, 74	Macrophages, growth factors in,	
International Center for Spinal Cord Injury, neurorestoration program of, 160–161	in gliomagenesis, 46–47 Magnetic resonance imaging, in spinal cord injury, 148–150	
Ionizing radiation response. <i>See</i> Radiation response.	Major histocompatibility complex antigens, matching of, in stem cell therapy, 158	
Ischemia in spinal cord injury, 145	Matrix metalloproteinases, in gliomagenesis, 46	
neurogenesis in, 183-190	Medulloblastomas, 59–70	
brain-derived neurotrophic factor in, 185 epidermal growth factor in, 185 fibroblast growth factor in, 186 glial cell line-derived neurotrophic factor in, 185 insulin-like growth factor-I in, 186-187 platelet-derived growth factor in, 187-188	cancer stem cells in, 34, 64–66 neural stem cells and, 61–64 origin of, 62–64 radioresistant cells in, 65 spread of, 60–61 versus normal cerebellar development, 59–61	
J	Memory, 105–113	
Jagged-1 protein, in neural stem cell propagation, 84 Jak family kinases, in platelet-derived growth	components of, 105 neurogenesis in learning and, 106–110 processes of, 106	
factor action, in gliomagenesis, 41	regulation of, 106–107	
K	Metachromic leukodystrophy, oligodendrocyte progenitor cell therapy for, 97, 99	
Krabbe's disease, oligodendrocyte progenitor cell therapy for, 97, 99	Mitochondrial dysfunction, in Parkinson's disease, 130	
L Learning, neurogenesis in, 106–110	Mitogen-activated protein kinase, in platelet-derived growth factor action, in gliomagenesis, 41	
Leukemia, cancer cell hypothesis and, 32	Mitoxantrone, for multiple sclerosis, 100	
Leukemia inhibitory factor, in stem cell niches, 86	Monocyte chemoattractant protein, in radiation	
Leukodystrophies, oligodendrocyte progenitor cell therapy for challenges in, 99–100 future of, 101–102 neonatal delivery of, 97–99	injury, 121 Motor fluctuations, in Parkinson's disease, 132 Multiple sclerosis, oligodendrocyte progenitor cell therapy for, 100–101	
optimal cellular vectors for, 94–97	Musashi, in medulloblastoma, 62	

N	Neuroectodermal cells, generation of, for	
Natalizumab, for multiple sclerosis, 100	Parkinson's disease, 134	
Neonates, demyelinating diseases in,	Neurogenesin-1, in stem cell niches, 85	
oligodendrocyte progenitor cell therapy for, 97–99	Neurogenesis after traumatic brain injury	
Nestin	cortical, 178	
in gliomagenesis, 50	hippocampal, 170–174	
in medulloblastoma, 62	subventricular zone, 174–178	
Neural stem cells	treatment of, 178	
astrocytic, 21–30	astrocytic stem cells in, 21–30 , 83	
cancer. See Cancer stem cell hypothesis.	endogenous precursors in, 88	
characteristics of, 25, 27, 72	growth factors in in ischemia, 184–188	
culture of, niche considerations in, 86-88	in normal situations, 183–184	
differentiation of, 3	in different species, 106	
for brain tumor therapy, 71–80	in gliomas, 27–28, 47–49	
for cancer, 71–80	in ischemia, 183–190	
for Parkinson's disease, 129-142	in memory function, 105–113	
glial progenitor-based, for demyelinating	learning and, 106–110	
diseases, 93–104	processes of, 106	
in brain tumors, 31–38	regulation of, 106–107	
embryonal, 59–70	radiation effects on, 115-127	
gliomas, 71–80	Neurogenin-1 transcription factor, 86	
identification of, 31–38		
medulloblastomas, 59–70 platelet-derived growth factor and,	Neurons, growth of, from stem cells, 15–16	
39–58	Neuroprotection, for Parkinson's disease, 132–133	
in cerebellar development, 59–61	132–133	
in hippocampal memory function, 105–113	Neurospheres	
in neurogenesis. See Neurogenesis.	generation of	
in subventricular zone, 15–20 , 81–88	for Parkinson's disease, 134	
migration of, 72 niches for, 81–92	from astrocytic stem cells, 24	
astrocytes in, 83, 86	from ependymal cells, 23	
bone morphogenetic proteins in, 85–86	subventricular zone, 15–16	
catalog of, 86	Niches, for neural stem cells, 81-92	
cell-intrinsic factors and, 86	Noggin protein, in stem cell niches, 85	
clinical utility of, 86–88	Notch proteins	
concept of, 81	in medulloblastoma, 61–62	
epidermal growth factor in, 83–84	in neural stem cell propagation, 84	
fibroblast growth factor in, 83–84 leukemia inhibitory factor in, 86	Nurr-1, dopaminergic neurons expressing, 135	
notch signaling in, 84	Null-1, dopainmengic neurons expressing, 155	
overview of, 81–83		
sonic hedgehog in, 84–85	0	
Wnt signaling in, 84	Olfactory bulb, neurogenesis in, 47	
radiation response of, 115–127	•	
versus embryonic stem cells, 8	Oligodendrocyte(s)	
versus hematopoietic stem cells, 27	destruction of, in spinal cord injury, 145	
Neuroblasts	development of, platelet-derived growth factor in, 42	
generation of, for Parkinson's disease, 134	growth of, from stem cells, 15–16	
proliferative nature of, 23–24	precursors of, proliferative nature of, 24	
promorative nature or, 25 27	procursors or, promorative nature or, 24	

Oligodendrocyte progenitor cell therapy, for demyelinating diseases, 93–104	Phospholipase C, in platelet-derived growth factor action, in gliomagenesis, 41	
future of, 101–102 in pediatric patients, 97–100 in spinal cord injury, 101 neonatal delivery of, 97–99 optimal cellular vectors for, 94–97	PINK1 protein defects, in Parkinson's disease, 130 Platelet-derived growth factor in brain ischemia, 187–188	
Organ replacement, stem cells for, 10	in gliomagenesis, 39–58 causal relations in, 42–44 family of, 39–40 first identification of, 39 ligands of, 39–41 receptors for, 41 signal transduction pathway in, 41 structures of, 39–40 theories of, 49–51	
Organic acidurias, oligodendrocyte progenitor cell therapy for, 97		
Oxidative stress in radiation injury, 122–123 in spinal cord injury, 145		
<u>P</u>	tropism in, 47–49	
p75 protein, 63 Parkin protein defects, in Parkinson's	tumor recruitment in, 44–49 versus normal development, 42 in stem cell migration, 72	
disease, 130 Parkinson's disease, 129–142	Primitive neuroectodermal tumors, origin of, 61–62	
genetics of, 129–130 medical treatment of, 130, 132	Proapoptotic proteins, stem-cell delivery of, 76	
neuroprotection in, 132–133	Prodrugs, stem-cell delivery of, 74–75	
neurosurgical treatment of, 132 pathophysiology of, 129–131 prognostic factors in, 129 stem cell therapy for, 4–5, 133–140 animal models of, 135–137	Prominim-1 (CD133) in brain tumor cancer cells, 31–35 in cerebellar development, 61 in medulloblastoma, 62, 64–65	
bone marrow, 135 dopaminergic neuron generation, 133–137	Prominim-2, in brain tumor cancer cells, 33	
embryonic, 134 future of, 138–140	Protein kinase C, in platelet-derived growth factor action, in gliomagenesis, 41	
neural, 134–135 protein delivery in, 137–138	R	
tissue transplantation, 133 umbilical, 135	Radiation response, of neural stem cells, 115–127	
symptoms of, 129	in dentate subgranular zone, 118–123	
Partial body weight-supported walking, in spinal cord injury, 152, 161	in subventricular zone, 116–118 Rasagiline, for Parkinson's disease, 132–133	
PDGF. See Platelet-derived growth factor.	Reactive oxygen species	
Pediatric patients, demyelinating diseases in, oligodendrocyte progenitor cell therapy for,	in radiation injury, 122–123 in spinal cord injury, 145	
97–100	Rehabilitation, for spinal cord injury, 153, 159–162	
Pelizaeus-Merzbacher disease, oligodendrocyte progenitor cell therapy for, 97	Rejection, of stem cells, 9	
Periventricular leukomalacia, oligodendrocyte progenitor cell therapy for, 97	Respiratory chain protein complex dysfunction, in Parkinson's disease, 130	
Phosphatidylinositol 3-kinase, in platelet-derived growth factor action, in gliomagenesis, 41	Rostral migratory stream, neurogenesis in, 21, 23, 47	

S	for transgenic mice generation, 1–2
Scar formation, in spinal cord injury, 145	hematopoietic
Scatter factor/hepatocyte growth factor, in gliomagenesis, 45–46	leukemia development from, 32 versus neural stem cells, 22, 27 human leukocyte antigen matching of, 9 immune issues with, 9 in utero transplantation of, 8–9
SH2 domain, in platelet-derived growth factor action, in gliomagenesis, 41	
SHH (sonic hedgehog) protein in dopaminergic neuron generation, 134, 136 in medulloblastoma, 61–64, 66 in stem cell maintenance, 84–85	neural. <i>See</i> Neural stem cells. potential uses of, 3–11 rodent versus human, 8 transplantation of. <i>See</i> Transplantation. types of, 71–72
Sly's disease, oligodendrocyte progenitor cell therapy for, 99	Stem cell factor, in stem cell migration, 72
Smoothened protein, in stem cell	Stroke, neurogenesis in, growth factors in, 183–188
maintenance, 85	Subependymal zone, neurogenesis in, 21–25
Sonic hedgehog protein	Subgerminal zone, neurogenesis in, 47
in dopaminergic neuron generation, 134, 136 in medulloblastoma, 61–64, 66 in stem cell maintenance, 84–85	Subgranular zone neurogenesis in, 21, 24 after traumatic brain injury, 170–174
Spastic paraplegia, oligodendrocyte progenitor cell therapy for, 97	memory and, 106 stem cells in
Spinal cord injury, 143–168	niches in, 81–88 radiation response of, 118–123
clinical features of, 146 functional impairment scale for, 146–147 imaging in, 148–150 pathophysiology of, 144–147 phases of, 144–147 prognosis for, 147 repair of, 150–163 central pattern generator and, 151–152 embryonic stem cells for, 5–6, 152–159 functional recovery and, 151–152 oligodendrocyte progenitor cell therapy for, 101	Subthalamic nucleus, electrical stimulation of, for Parkinson's disease, 132
	Subventricular zone neurogenesis in, 47–49 after traumatic brain injury, 174–178 memory and, 106 radiation response of, 116–118 stem cells in, 15–20 , 81–88
	α -Synuclein defects, in Parkinson's disease, 129–130
rehabilitation with, 159–162 spontaneous, 150–151	
secondary, 144–145	<u>T</u>
Src family kinases, in platelet-derived growth	Tenascin, in tumorigenesis, 27–28
factor action, in gliomagenesis, 41	TLX transcriptional regulator, 86
Stem cell(s), 1–14 cancer. See Cancer stem cell hypothesis. challenges in using, 7–8 characteristics of, 72 embryonic. See Embryonic stem cells.	TNF-related apoptosis-inducing ligand (TRAIL), for gliomas, 76
	Transforming growth factor-β in dopaminergic neuron generation, 134 in gliomagenesis, 46
for central nervous system disorders, 2–3	Transit-amplifying progenitor cells, 47
for in vivo organ generation, 9 for lysosomal storage disorders, 6–7 for organ transplantation, 9 for Parkinson's disease. <i>See</i> Parkinson's disease. for spinal cord injury. <i>See</i> Spinal cord injury.	Transplantation bone marrow for gliomas, 77–78 for lysosomal storage disorders, 6

Transplantation (continued)
fetal brain tissue, for Parkinson's disease, 133
rejection in, 157–158
stem cell, for organ replacement, 10
Traumatic brain injury, 169-181
neurogenesis after
cortical, 178
hippocampal, 170–174
subventricular zone, 174-178
treatment of, 178
neuronal loss in, 169-170

Tumor(s), brain. See Brain tumors.

Tumor necrosis factor, stem-cell delivery of, 76

Tumor-derived progenitors, in pediatric tumors, 34

Type A/B/C neuroblasts, proliferative nature of, 23–24

T

Umbilical cord stem cells, dopaminergic neuron generation from, 135

Urokinase plasminogen activator, in gliomagenesis, 46

V

Vanishing white matter disease, oligodendrocyte progenitor cell therapy for, 97

Ventricular zone germinal neuroepithelium cerebellar development from, 59 in medulloblastoma, 62–63

Viral vectors, oncolytic, stem-cell delivery of, 75–76

W

Walking, partial body weightsupported, in spinal cord injury, 152, 161

Wechsler-Reya cells, in cerebellar development, 61

White matter, vanishing, oligodendrocyte progenitor cell therapy for, 97

Wnt pathway in medulloblastoma, 61–63 in neural stem cell propagation, 84