

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Adams forward bend test, 231–232
- Adolescent idiopathic scoliosis
 - epidemiology of, 199
 - evolution of, into adult scoliosis, 224
 - global sagittal balance in, 348
 - Lenke classification of, **199–206**
 - magnetic resonance imaging in, 223–224
 - physical examination in, 229, **229–236**
 - Adams forward bend test in, 231–232
 - age factors in, 229
 - appearance assessment in, 234–235
 - gait observance in, 230
 - gender considerations in, 229
 - guidelines for, 235–236
 - maturity determination in, 233–234
 - neural examination in, 232–233
 - pain evaluation in, 230
 - skin inspection in, 233
 - upright back, 230
 - upright side, 230–231
 - whole patient inspection in, 235
 - radiography in, 223–224, 339–340
 - treatment of, 199, **255–259**. *See also online case studies*, e21–e24.
 - derotation in, **339–345**
 - fusion level for, 330–331, 335
 - versus adult scoliosis, 207–208
- Adult scoliosis
 - categories of, 224
 - degenerative, **261–272**, 333–335
 - idiopathic, **273–280**
 - clinical presentation of, 273–274
 - surgical treatment of, 274–278, **281–288**, 333–335
 - radiography in, 224–226
 - Scoliosis Research Society classification of, **207–213**
 - versus adolescent idiopathic scoliosis, 207–208
- Age considerations, in scoliosis examination, 229

- Alar screws, in spinopelvic fixation, 374
- Allografts, 394–395
- Ankylosing spondylitis
 - cervical spine deformity in, 297–298
 - of cervicothoracic junction, 366–367, 370
- Anterior approach, to cervicothoracic junction, 367
- Anterior column support, for spinopelvic fixation, 378–379
- Anterior lumbar interbody fusion, for spondylolisthesis, 243
- Anterior spinal fusion
 - for adult scoliosis, 274–278
 - indications for, 335
- Anterior vertebrectomy, for spondylolisthesis, 251–252
- Anterolisthesis, 237. *See also* Spondylolisthesis.
- Anteroposterior fusion, indications for, 335
- Apical vertical translation measurement, in scoliosis, 217–218
- Arthritis, rheumatoid, cervical spine deformity in, 297
- Arthrodesis, posterior, for scoliosis, 320
- Autografts, 393–394

B

- Bicortical fixation, spinopelvic, 374
- Body image, in scoliosis, 234–235
- Bone grafts
 - allografts, 394–395
 - autogenous, 393–394
 - demineralized, 395–396
- Bone morphogenetic protein, 397–399

Braces

- for Scheuermann's kyphosis, 307–308
- for scoliosis, 255–256, 320

Breast shape, in scoliosis, 235

C

Calcium carbonate ceramics, 397

Calcium sulfate ceramics, 396–397

Cardiac anomalies, with scoliosis, 319

Cauda equina syndrome, in spondylolisthesis, 241

Caudal foundation vertebra, in scoliosis, 332

Center-of-gravity analysis, 348

Central cord syndrome, in cervical spondylosis, 299

Central sacral line, in scoliosis, 329

Ceramics, 396–397

Cervical spinal deformities, **295–304**

- degenerative, 298–300
- inflammatory arthritic, 297–298
- primary, 295–297
- salvage surgery for, 301
- secondary (iatrogenic), 300–301

Cervicothoracic junction, **365–371**

- anatomy of, 365
- ankylosing spondylitis of, 366–367, 370
- anterior approach to, 367
- degenerative disease of, 366
- iatrogenic instability of, 367
- malformation at, 295–296
- osteomyelitis of, 366
- posterior approach to, 367–369
- trauma to, 365–366
- tumors of, 366

Chiari malformation, scoliosis in, 232

Chin-on-chest deformity, 366

Cobb measurements, in scoliosis

- adult, versus clinical findings, 225
- congenital, 319
- for Lenke classification assignment, 199–206, 217–220
- in fusion level selection, 329–330

Complications, of spinal deformity surgery, **385–391**

- infection, 389
- neurovascular injury, 389–390
- pseudarthrosis, 380–381, 386–387

rates for, 386

sagittal imbalance, 350–355, 387–389

Computed tomography, in scoliosis, 339–340

Congenital disorders

- scoliosis, 317–322
 - anomalies associated with, 319
 - cervical spine, 295–296
 - classification of, 317–319
 - definition of, 317
 - evaluation of, 319
 - natural history of, 317–319
 - neuromuscular, 322
 - treatment of, 319–322
- spondylolisthesis, 238

Convex epiphysiodesis, for scoliosis, 320

Coralline ceramics, 396–397

Costotransversectomy, to cervicothoracic junction, 368

Cotrel-Dubousset instrumentation

- for scoliosis, 325
- for spinopelvic fixation, 378

Crankshaft phenomenon, in scoliosis correction, 320

Curves

- in adolescent idiopathic scoliosis, 330–331
- in adult scoliosis, versus clinical findings, 225–226
- in Lenke classification of scoliosis, 199–206
- in radiography, 217–220
- in Scheuermann's kyphosis, 307
- in Scoliosis Research Society classification, 208–209

D

Decompression, for spondylolisthesis, 250

Degenerative cervical deformity, 298–300

Degenerative cervicothoracic junction disc disease, 366

Degenerative scoliosis, surgical treatment of, **261–272**, 333–335

Demineralized bone matrix, 395–396

Derotation, of spine, **339–345**

- author's technique for, 342–345
- axial rotation assessment for, 339–340
- en bloc, 345
- goals of, 340–341
- pedicle screws and, 339

- pitfalls in, 341–342
- segmental, 345
- technical considerations in, 341–342

Diastematomyelia, scoliosis in, 232–233

Disc prostheses, for cervical spondylosis, 299

Dislocation, of cervicothoracic junction, 365–366

Double major curve

- in Lenke classification, 199–206. *See also online* e10–e11.
- in Scoliosis Research Society classification, 209

Double thoracic curve, in Scoliosis Research Society classification, 209

Dual-rod technique, for scoliosis, 321

Dunn-McCarthy technique, for kyphotic myelodysplasia, 362

Dysplasia

- bony, of cervical spine, 296
- in Labelle classification of spondylolisthesis, 239–240

E

End vertebra analysis, in scoliosis, 220, 329–330

Epiphysiodesis, convex, for scoliosis, 320

Exercise

- for Scheuermann's kyphosis, 307–308
- for spondylolisthesis, 242

Extension (Smith-Petersen) osteotomy

- for flatback syndrome, 291–292
- for sagittal correction, 350–351, 389

F

Facetectomy, for Scheuermann's kyphosis, 311

Fibrodysplasia ossificans progressiva, cervical spine deformity in, 296

Fixation, of cervicothoracic junction fractures, 365–366

Fixed sagittal imbalance (flatback syndrome), **289–294**, 336, 373

Flank prominence, in scoliosis, 230

Flatback syndrome, **289–294**

- causes of, 289–290
- clinical presentation of, 290
- prevention of, 336
- radiography in, 290–291
- spinopelvic fixation for, 373

- subgroups of, 289
- treatment of, 291–293

Fractures, of cervicothoracic junction, 365–366

G

Gaines procedure, for spondylolisthesis, 251–252

Gait analysis, in scoliosis examination, 230

Galveston technique

- for kyphotic myelodysplasia, 362
- for spinopelvic fixation, 376

Gender considerations, in scoliosis examination, 229

Genitourinary abnormalities, with scoliosis, 319

Global balance modifier, in Scoliosis Research Society classification, 211

Global coronal balance, in scoliosis, 329

Global sagittal balance, measurement of, 347–348

Grafts. *See* Osteobiologics.

Growing rods, for scoliosis, 320–321

H

Harrington instrumentation

- flatback syndrome due to, 289–290
- for scoliosis, 320–321
- for spinopelvic fixation, 375–376

Heart defects, with scoliosis, 319

Hemiepiphysiodesis, for cervical spine deformity, 296

Hemivertebrae

- in cervical spine, 296
- in scoliosis, 317–318, 320

Hooks, in spinopelvic fixation, 375

Horizontal vertebra, in scoliosis, 330

Hydroxyapatite, 396–397

Hyperreflexia, in cervical spondylosis, 299

Hyporeflexia, in cervical spondylosis, 299

I

Iliac fixation. *See* Spinopelvic fixation.

Infections, postoperative, 389

Injury, at cervicothoracic junction, 365–366

Instrumented posterolateral fusion, for spondylolisthesis, 243–245

K

Kidney abnormalities, with scoliosis, 319

King/Moe classification, of adult scoliosis, 207

Klippel-Feil syndrome, scoliosis in, 295

Kostuik transilial bar, for spinopelvic fixation, 376

Kyphectomy, for myelodysplasia
 age-specific considerations in, 359–361
 complications of, 363
 indications for, 357–358
 instrumentation for, 361–363
 preoperative evaluation in, 358–359
 principles of, 359–361

Kyphosis
 in ankylosing spondylitis, 298
 in myelodysplasia, **357–364**
 in neurofibromatosis, 297
 junctional, 313, 387–388
 radiography in, 329–330
 sagittal plane deformity in, 332–333, **347–356**
 Scheuermann's, **305–315**, 329, 332, 335

Kyphotic decompensation syndrome (flatback syndrome), **289–294**, 336, 373

L

Labelle classification, of spondylolisthesis, 239–240

Laminectomy
 cervical deformity after, 300
 cervicothoracic junction instability in, 367

Lateral extracavitary approach, to cervicothoracic junction, 368

Lenke classification, of scoliosis, **199–206**
 case studies of. *See online* e1–e24.
 radiography for, 217–218

Local sagittal balance, measurement of, 348–349

Lordosis, lumbar
 in hyperkyphosis, 348
 in sagittal imbalance, 349
 in spondylolisthesis, 249
 loss of, flatback syndrome in, **289–294**
 restoration of, in sagittal plane deformity, 333

Low cervical approach, to cervicothoracic junction, 367

Lumbar degenerative modifiers, in Scoliosis Research Society classification, 210–211

Lumbar interbody fusion, for spondylolisthesis, 243–246

Lumbar lordosis
 in hyperkyphosis, 348
 in sagittal imbalance, 349
 in spondylolisthesis, 249
 loss of, flatback syndrome in, **289–294**
 restoration of, in sagittal plane deformity, 333

Lumbosacral fixation, 378

Lumbosacral spondylolisthesis, high-grade, **249–254**

Luque instrumentation, for spinopelvic fixation, 376

M

Magnetic resonance imaging, in scoliosis, adolescent idiopathic, 223–224

Main thoracic curve
 in Lenke classification, 199–206
 in radiography, 217–220

Marchetti-Bartolozzi classification, of spondylolisthesis, 239

Maturity determination, in scoliosis, 233–234

Menarche, scoliosis progression and, 234

Meningocele. *See* Myelodysplasia.

Metastasis, to cervicothoracic junction, 366

Meyerding grading scale, for spondylolisthesis, 237

Midline posterior approach, to cervicothoracic junction, 368

Moe technique, for scoliosis, 321

Musculoskeletal anomalies, with scoliosis, 319

Myelodysplasia, **357–364**

 “C” type, 359–360
 kyphectomy for
 age-specific considerations in, 359–361
 indications for, 357–358
 instrumentation for, 361–363
 preoperative evaluation in, 358–359
 principles of, 359–361
 pathologic anatomy in, 357
 progression of, 357
 “S” type, 360–361
 spinopelvic fixation in, 380

Myelopathy, in cervical spondylosis, 298–300

N

- Neurofibromatosis
 - cervical spine deformity in, 296–297
 - scoliosis in, 233
- Neurogenic claudication, in spondylolisthesis, 241
- Neurologic disorders
 - in scoliosis, physical examination for, 232–233
 - postoperative, 389–390
- Neuromuscular scoliosis, 322
- Neutral vertebra, in scoliosis, 220, 329–330
- Newman and Stone classification, of spondylolisthesis, 238

O

- Orthosis, for Scheuermann's kyphosis, 308
- Osteobiologics, **393–401**
 - allografts, 394–395
 - autografts, 393–394
 - bone morphogenetic protein, 397–399
 - ceramics, 396–397
 - demineralized bone matrix, 395–396
 - incorporation of, 393
- Osteogenesis imperfecta, cervical spine deformity in, 296
- Osteomyelitis, of cervicothoracic junction, 366
- Osteoporosis, scoliosis treatment in, 275
- Osteotomy
 - cervical, for ankylosing spondylitis, 298
 - extension (Smith-Petersen)
 - for flatback syndrome, 291–292
 - for sagittal correction, 350–351, 389
 - pedicle subtraction
 - for flatback syndrome, 292
 - for sagittal correction, 350–354
 - polysegmental, pedicle subtraction, 292–293
 - vertebral column resection, for sagittal correction, 340, 354–355
- Outcomes, of spinal deformity treatment, **403–405**

P

- Pain
 - in ankylosing spondylitis, 297–298
 - in Scheuermann's kyphosis, 305, 307
 - in scoliosis
 - adolescent idiopathic, 223
 - adult, 224–226, 273–274
 - in physical examination, 230
 - in spondylolisthesis, 241
- Pancoast tumor, of cervicothoracic junction, 366
- Paralysis, postoperative, 389–390
- Pars interarticularis fractures, in spondylolisthesis, 237–238
- Peak height velocity, in scoliosis, 233–234
- Pediatric patients. *See also* Adolescent idiopathic scoliosis; Congenital disorders; Scheuermann's kyphosis.
 - Scheuermann's kyphosis in, **305–315**
 - treatment outcome validation in, 404
- Pedicle screw instrumentation
 - for cervicothoracic junction pathology, 368–369
 - for kyphotic myelodysplasia, 362–363
 - for Scheuermann's kyphosis, 309–312
 - for scoliosis, 325–327, 339–345
 - for spondylolisthesis, 243–246, 251
 - fusion level selection for, 335–336
 - neurologic injury from, 390
- Pedicle subtraction osteotomy
 - for flatback syndrome, 292
 - for sagittal correction, 350–354
- Pelvic incidence, in spondylolisthesis, 249
- Pelvic obliquity, spinopelvic fixation for, 373
- Pelvic tilt, in spondylolisthesis, 249
- Pelvis, in global sagittal balance, 348
- Physical therapy, for spondylolisthesis, 242
- Polysegmental osteotomy, pedicle subtraction, 292–293
- Posterior approach, to cervicothoracic junction, 367–369
- Posterior arthrodesis, for scoliosis, 320
- Posterior instrumentation, for Scheuermann's kyphosis, 309–312
- Posterior lumbar interbody fusion, for spondylolisthesis, 243–245
- Posterior spinal fusion, indications for, 335
- Posterolateral fusion, instrumented, for spondylolisthesis, 243–245
- Primary sagittal plane deformity, in Scoliosis Research Society classification, 209–210
- Proximal thoracic curve
 - in Lenke classification, 199–206

- Proximal thoracic (*continued*)
 in radiography, 217–220
- Pseudarthrosis, 380–381, 386–387
- Psychometrics, for outcome evaluation, **403–405**

Q

- Quality of life
 in adolescent idiopathic scoliosis, 224
 in outcome evaluation, **403–405**

R

- Radiculopathy
 in cervical spondylosis, 298–300
 in spondylolisthesis, 241
- Radiography
 in flatback syndrome, 290–291
 in fusion level selection, 329–330
 in kyphosis, 329–330
 in Scheuermann's kyphosis, 307, 329–330
 in scoliosis, **215–222**, **223–227**, 329–330
 adolescent idiopathic, 223–224, 339–340
 adult, 224–226
 classification and, 218–220
 congenital, 319
 for Lenke classification assignment, 199–200
 methodology for, 215
 reliability of, 217–218
 reproducible views in, 215, 217
 in spondylolisthesis, 241–242
- Reflexes
 abnormal, in cervical spondylosis, 299
 evaluation of, in scoliosis, 232
- Regional sagittal balance, measurement of, 348–349
- Rheumatoid arthritis, cervical spine deformity in, 297
- Rib asymmetry, in scoliosis, 230
- Rib prominence, in scoliosis, 235
- Risser sign, in scoliosis, 234
- Rod(s)
 for spinopelvic fixation, 375–376, 378–380
 growing, for scoliosis, 320–321
- Rod rotation technique, for scoliosis, 326–327, 342–345
- Rod translation, for scoliosis, 326–327, 342–345

S

- Sacral slope, in spondylolisthesis, 249
- Sacrum
 fixation to. *See* Spinopelvic fixation.
 fusion to
 in adult idiopathic scoliosis, **281–288**
 indications for, 332
- Sagittal balance, **347–356**
 global, 347–348
 local, 348–349
 loss of, 388–389
 measurement of, 347–349
 positive, 387–388
 preservation of, 349–350
 regional, 348–349
 restoration of, 350–355
- Sagittal contour, in scoliosis, 232
- Sagittal modifiers, in Scoliosis Research Society classification, 209–210
- Sagittal plane deformity
 fixed (flatback syndrome), **289–294**
 fusion level for, 332–333
 in scoliosis, 231
 in Scoliosis Research Society classification, 209–210
- Sagittal vertical axis, 330, 347–348
- Scar, surgical, in scoliosis, 235
- Scheuermann's kyphosis, **305–315**
 clinical findings in, 305–306
 epidemiology of, 305
 histopathology of, 305
 natural history of, 305, 307
 radiography in, 307
 treatment of
 complications of, 313
 fusion level in, 329, 332, 335
 nonoperative, 307–308
 operative, 308–312
 postoperative management in, 312–313
 with sagittal plane deformity, **347–356**
- Scoliometer, 232
- Scoliosis
 adolescent idiopathic. *See* Adolescent idiopathic scoliosis.
 adult. *See* Adult scoliosis.
 cervical spine, 295–296
 classification of, **199–206**
 congenital, 317–319
 King/Moe, 207

- Lenke, **199–206**, 217–218. *See also online* e1–e24.
- Scoliosis Research Society, **207–213**
- clinical findings in
 - adult idiopathic, 273–274
 - Cobb measurements and, 225
 - curves and, 225–226
 - versus radiographic findings, **223–227**
 - congenital, 317–322
 - neuromuscular, 322
 - of cervical spine, 295–296
 - treatment of, 319–322
 - degenerative, **261–272**
 - epidemiology of, 199
 - evaluation of, 319
 - in Scheuermann's kyphosis, 307
 - natural history of, 317–319
 - neuromuscular, 322
 - physical examination in, **229–236**
 - progression of, 317–318
 - radiography in. *see* Radiography, in scoliosis.
 - treatment of
 - adolescent idiopathic, 199, **255–259**, 330–331, 335, **339–345**. *See also online*, e21–e24.
 - adult idiopathic, 274–278, **281–288**, 333–334
 - degenerative, **261–272**, 333–335
 - fusion level for, **329–337**
 - rod rotation and translation in, 326–327
 - segmental correction in, 325–326
- Scoliosis Research Society
- adult scoliosis classification of, **207–213**
 - treatment outcome studies of, **403–405**
- Screw fixation
- pedicle. *See* Pedicle screw instrumentation.
 - spinopelvic, **373–374**
- Segmental correction, of scoliosis, 325–326
- Sexual characteristics, in scoliosis evaluation, 234
- Shoulder balance, in scoliosis, 220
- Shoulder height, in scoliosis, 235
- Single thoracic curve, in Scoliosis Research Society classification, 209
- Skin, inspection of, in scoliosis, 233
- Smith-Petersen (extension) osteotomy
- for flatback syndrome, 291–292
 - for sagittal correction, 350–351, 389
- Spina bifida. *See* Myelodysplasia.
- Spinal balance, evaluation of, in scoliosis, 230
- Spinal cord
- compression of, in cervical spondylosis, 298–299
 - tethered, scoliosis in, 233
- Spinal deformity. *See also* Kyphosis; Scoliosis; Spondylolisthesis.
- cervical, **295–304**
 - cervicothoracic junction, **356–371**
 - clinical findings in, radiographic findings and, **223–227**
 - flatback syndrome. *See* Flatback syndrome.
 - in myelodysplasia, **357–364**, 380
 - osteobiologic grafts for, **393–401**
 - outcome of, **403–405**
 - radiography in. *See* Radiography.
 - sagittal spinal balance preservation in, **347–356**
 - segmental correction of, 325–326
 - spinopelvic fixation in, **373–384**
 - surgical complications of, **385–392**
 - surgical strategies for, **329–337**
 - translation techniques for, 326–327
- Spinal rotation, in scoliosis, 230–231
- Spinopelvic anatomy, in spondylolisthesis, 249
- Spinopelvic balance, in Labelle classification of spondylolisthesis, 239–240
- Spinopelvic fixation, **373–384**, 374
- anatomic considerations in, 373
 - anterior column support in, 378–379
 - anterior lumbosacral, 378
 - failure of, 380–382
 - hooks for, 375
 - iliac, 375–378
 - iliosacral, 378
 - in special circumstances, 379–380
 - Jackson intrasacral rod for, 375
 - options for, 373–374
 - S1, 374
 - S2, 375
 - sacral alar, 374
 - sublaminar wires for, 375
 - sub-S1, 374–375
- Spondylolisthesis, **237–248**
- acquired, 238–239
 - biomechanics of, 239–241
 - classification of, 238
 - definition of, 237
 - degenerative, 238
 - developmental, 238
 - directions of slippage in, 237

Spondylolisthesis (*continued*)

- epidemiology of, 237
- high-grade, **249–254**
- isthmic, 238
- low-grade
 - clinical presentation of, 241–242
 - evaluation of, 241–242
 - nonoperative management of, 242
 - postoperative assessment of, 246
 - radiography in, 241–242
 - surgical treatment of, 242–246
- lumbosacral, **249–254**
- natural history of, 237
- nomenclature of, 237
- pathologic, 238
- spinopelvic fixation for, 373
- traumatic, 238

Spondylosis, cervical, 298–300

Stable vertebra analysis, in scoliosis, 220, 329–330, 332

Sublaminar wiring

- in scoliosis, 325
- in spinopelvic fixation, 375

Syrinx, scoliosis in, 232

T

Tanner staging system, in scoliosis evaluation, 234

Tethered cord, scoliosis in, 233

Thoracic curves

- in Lenke classification, 199–206. *See also online* e1–e10, e17–e20.
- in radiography, 217–220
- in Scoliosis Research Society classification, 208–211

Thoracic insufficiency syndrome, vertical expandable prosthetic titanium rib for, 321–322

Thoracolumbar/lumbar curve

- in Lenke classification, 199–206. *See also online* e11, e13–e17.
- in radiography, 217–220
- in Scoliosis Research Society classification, 209

Thoracolumbosacral orthosis, for Scheuermann's kyphosis, 308

Thoracoplasty, for scoliosis, 275

Thoracotomy, for cervicothoracic junction access, 367

Transforaminal lumbar interbody fusion, for spondylolisthesis, 243–246

Transmanubrial/transternal approach, to cervicothoracic junction, 367

Transpedicular approach, to cervicothoracic junction, 368

Trauma, to cervicothoracic junction, 365–366

Tricalcium phosphate ceramics, 397

Tricortical fixation, spinopelvic, 374

Triple major curve

- in Lenke classification, 199–206. *See also online* e11–e12.
- in Scoliosis Research Society classification, 209

Triradiate cartilage closure, in scoliosis, 234

Truncal distortion, in scoliosis, 230

Truncal rotation, in scoliosis, 232

Tumors, of cervicothoracic junction, 366

U

Unilateral bar, in scoliosis, 318

V

VACTERL syndrome, scoliosis in, 319

Vertebral column resection, for sagittal correction, 340, 354–355

Vertebrectomy, anterior, for spondylolisthesis, 251–252

Vertical expandable prosthetic titanium rib, for scoliosis, 321–322

W

Wedge vertebrae, in scoliosis, 317

Wiltse-Winter classification, of spondylolisthesis, 238–239

Wiring techniques

- in cervicothoracic junction pathology, 368
- in spinopelvic fixation, 375