

Index

Note: Page numbers of article titles are in **boldface** type.

A

- ACAS (Asymptomatic Carotid Atherosclerosis Study), 449–450
- ACST (Asymptomatic Carotid Surgery Trial), 449–450
- ACTI (Asymptomatic Carotid Stenosis Stenting vs. Endarterectomy Trial), 448
- Age factors, in intracerebral hemorrhage, 402
- AjVDO₂ (arterial to jugular venous oxygen saturation), perioperative monitoring of, 493–494
- Alcohol consumption, intracerebral hemorrhage in, 403
- Amphetamines, intracerebral hemorrhage due to, 403
- Amyloid angiopathy, 403
- Aneurysm(s), intracranial, **469–476**
 - Charcot-Bouchard, 403
 - epidemiology of, 469–470
 - extracranial-intracranial bypass for, 477–479
 - stenting for, 439–441
 - treatment options for, 470–474
- Aneurysm Screening after Surgical Treatment for Ruptured Aneurysms (ASTRA), 471
- Angiography, computed tomography, in intracerebral hemorrhage, 405–407
- Angiopathy, amyloid, 403
- Angioplasty
 - carotid, versus endarterectomy, **447–458**
 - intracranial, for atherosclerosis, 435–436
- Antihypertensive drugs, for intracerebral hemorrhage, 407–408, 415–416
- Antiplatelet therapy
 - for stent use, 434
 - intracerebral hemorrhage due to, 403
- Arterial to jugular venous oxygen saturation (AjVDO₂), perioperative monitoring of, 493–494
- Aspiration, of intracerebral hematoma, 418–420
- Aspirin
 - for atherosclerotic disease, 435
 - for stent use, 434
- ASTRA (Aneurysm Screening after Surgical Treatment for Ruptured Aneurysms), 471
- Asymptomatic Carotid Atherosclerosis Study (ACAS), 449–450
- Asymptomatic Carotid Stenosis Stenting vs. Endarterectomy Trial (ACTI), 448
- Asymptomatic Carotid Surgery Trial (ACST), 449–450
- Atherosclerosis

carotid

- endarterectomy for. See Carotid endarterectomy.
- stenting for, **447–458**
- intracranial, 434–439
 - angioplasty for, 435–436
 - clinical impact of, 434–435
 - extracranial-intracranial bypass for, 480–481
 - pathophysiology of, 435
 - pharmacologic therapy for, 435
 - stenting for, 436–439
- Autoregulation, assessment of, 481, 492–493

B

- Barbiturates, for intracranial pressure reduction, 408–409
- Basilar artery, dissection of, stenting for, 441
- BHP (British Heart Protection) study, 450
- Blood flow, cerebral, perioperative monitoring of, 490–492
- Brain, hemorrhage of, intracerebral. See Intracerebral hemorrhage.
- Brain tissue oxygen tension, perioperative monitoring of, 494–495
- British Heart Protection (BHP) study, 450
- Bypass, extracranial-intracranial, **477–487**

C

- CAPRIE (Clopidogrel versus Aspirin in Patients at Risk of Ischemic Events), 450
- CARE (Carotid Artery Revascularization and Endarterectomy) registry, 448
- Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS), 452–453, 455
- Carotid artery
 - endarterectomy of. See Carotid endarterectomy.
 - sacrifice of, extracranial-intracranial bypass for, 477–479
 - stenting of
 - clinical trials of, 452–455
 - technique for, 451–452
 - versus carotid endarterectomy, **447–458**
- Carotid Artery Revascularization and Endarterectomy (CARE) registry, 448
- Carotid endarterectomy
 - cerebral blood flow measurement during, 492

Carotid (*continued*)

- clinical trials of, 447–451, 454–455
- emergency, 429–430
- post-stroke timing of, **425–432**
 - historical background of, 425–426
 - imaging for, 428–429
 - in emergency situation, 429–430
 - in mild stroke, 426–428
- versus carotid stenting, **447–458**
- Carotid Occlusion Surgery Study (COSS), 480–481
- Catheters
 - for intracranial pressure monitoring, 489–490
 - for jugular venous oximetry, 493–494
 - for microdialysis, 497–498
- CAVATAS (Carotid and Vertebral Artery Transluminal Angioplasty Study), 452–453
- Cerebellar artery, posterior inferior, for extracranial-intracranial bypass, 483–485
- Cerebral artery, middle
 - for extracranial-intracranial bypass, 478–481, 483
 - infarction of, **459–468**
- Cerebral blood flow, perioperative monitoring of, 490–492
- Cerebral microdialysis, perioperative, 497–498
- Cerebrovascular reactivity, perioperative monitoring of, 492–493
- Charcot-Bouchard aneurysms, 403
- Clipping, of aneurysms, 470–474
- Clopidogrel, for stent use, 434
- Clopidogrel versus Aspirin in Patients at Risk of Ischemic Events (CAPRIE), 450
- Clot Lysis Evaluating Accelerated Resolution of Intra-Ventricular Hemorrhage, 418
- Coagulopathy, in intracerebral hemorrhage, 410, 416
- Cocaine use, intracerebral hemorrhage due to, 403
- Coil treatment, of aneurysms, 470–474
- Computed tomography
 - in carotid endarterectomy planning, 428–429
 - in extracranial-intracranial bypass planning, 478, 480–481
 - in intracerebral hemorrhage, 404–406
 - in middle cerebral artery infarction, 460
- Computed tomography angiography, in intracerebral hemorrhage, 405–407
- Cordis Enterprise Vascular Reconstruction Device & Delivery System, for intracranial aneurysms, 440–441
- COSS (Carotid Occlusion Surgery Study), 480–481
- CREST (North American Carotid Revascularization Endarterectomy versus Stenting Trial), 448, 454

D

- DECIMAL (decompressive craniectomy in malignant middle cerebral artery infarcts), 462

- Decompression, for middle cerebral artery infarction, 461–465
- Deoxyhemoglobin measurement, perioperative, 495–497
- DESTINY (Decompressive surgery for the treatment of malignant infarct of the middle cerebral artery), 462
- Dissections, intracranial, stenting for, 441
- Doppler studies
 - in cerebral blood flow measurement, 491–492
 - in extracranial-intracranial bypass planning, 480–481
- Double-indicator dilution technique, for cerebral blood flow measurement, 491
- Drug-eluting stents, for intracranial disease, 434
- Durotomy and duroplasty, for middle cerebral artery infarction, 461–465

E

- ECST (European Carotid Surgery Trial), 425, 428, 447
- Edema, cerebral, in middle cerebral artery infarction, 459–465
- Encephaloduroarteriomyosynagiosis, for moyamoya disease, 483
- Endarterectomy, carotid. *See* Carotid endarterectomy.
- Endarterectomy versus Stenting in Patients with Symptomatic Severe Carotid Stenosis (EVA-3S) study, 447–448, 454
- Endoscopic aspiration, of intracerebral hematoma, 418–419
- Endovascular balloon occlusion test, in extracranial-intracranial bypass planning, 477–478
- Enterprise microstent, for intracranial aneurysms, 440–441
- Epidural catheter, for intracranial pressure monitoring, 489–490
- European Carotid Surgery Trial (ECST), 425, 428, 447
- EVA-3S (Endarterectomy versus Stenting in Patients with Symptomatic Severe Carotid Stenosis) study, 447–448, 454
- Extracranial-intracranial bypass, **477–487**
 - for anterior circulation ischemia, 480–481
 - for atherosclerosis, 480–481
 - for flow augmentation in ischemia, 480–485
 - for flow replacement in planned vessel sacrifice, 477–479
 - for moyamoya disease, 482–483
 - for posterior circulation ischemia, 483–485
 - indications for, 477
 - selective revascularization in, 477–479
 - strategies for, 478–479
 - universal revascularization in, 479

F

- Factor VII, for intracerebral hemorrhage, 409–410, 417
- Fibrinolysis, of intracerebral hematoma, 419–420
- Flowmetry methods, for cerebral blood flow measurement, 491
- Furosemide, for intracranial pressure reduction, 408

H

- HAMLET (Hemicraniectomy After Middle cerebral artery infarction with Life-threatening Edema Trial), 462
- HeADDFIRST (Hemicraniectomy and Durotomy on Deterioration from Infarction Related Swelling Trial), 461–462
- Hemicraniectomy, for middle cerebral artery infarction
 - outcome of, 461–465
 - procedure for, 461
 - syndrome of the trephined and, 465
- Hemoglobin measurement, perioperative, 495–497
- Hemophilia, intracerebral hemorrhage in, 409–410
- Hemorrhage
 - intracerebral. *See* Intracerebral hemorrhage.
 - subarachnoid, in aneurysms, 469–474
- Hypercarbia, for intracranial pressure reduction, 408
- Hypertension, intracerebral hemorrhage in, 402–403, 407–408, 415–416
- Hyperventilation, for intracranial pressure reduction, 408, 416

I

- ICSS (International Carotid Stenting Study), 454
- Indocyanine green, for cerebral blood flow measurement, 491
- International Carotid Stenting Study (ICSS), 454
- International Study of Unruptured Intracranial Aneurysms (ISUIA), 470–474
- International Subarachnoid Aneurysm Trial (ISAT), 470–474
- International Surgical Trial in Intracerebral Haemorrhage, 410–411
- Intracerebral hemorrhage, **401–414**
 - clinical features of, 404
 - diagnosis of, 404–407
 - distribution of, 402
 - economic impact of, 401
 - epidemiology of, 401–402
 - hematoma expansion in, 409
 - mortality in, 401
 - outcome of, 402
 - pathoetiology of, 402–403, 416–417
 - pathophysiology of, 401–402
 - primary, 401–402

- risk factors for, 402–403
- secondary, 401–402
- treatment of, **415–423**
 - activated factor VII in, 409–410, 417
 - acute, 407–410
 - blood pressure control in, 407, 415–416
 - coagulopathy correction in, 410, 416
 - fibrinolysis in, 419–420
 - intracranial pressure reduction in, 407–409, 416
 - intraventricular thrombolysis in, 417–418
 - new approaches to, 417
 - resuscitation in, 415
 - seizure control in, 416
 - surgical, 418–420
 - volume of, 404

Intracranial hypertension, benign/idiopathic, stenting for, 441–442

- Intracranial pressure
 - in cerebrovascular reactivity monitoring, 492–493
 - in intracerebral hemorrhage, 407–409, 416
 - in middle cerebral artery infarction, 460–461
 - perioperative, monitoring of, 489–490
- Intraventricular catheter, for intracranial pressure monitoring, 489–490
- Intraventricular thrombolysis, for intracerebral hemorrhage, 417–418
- ISAT (International Subarachnoid Aneurysm Trial), 470–474
- Ischemia
 - extracranial-intracranial bypass for, 480–485
 - perioperative monitoring of, 497–498
- ISUIA (International Study of Unruptured Intracranial Aneurysms), 470–474

J

- Japanese EC-IC Bypass Trial (JET), 480–481
- Joint Study of Extracranial Arterial Occlusion, 426
- Jugular venous oximetry, perioperative, 493–494

K

- Kety-Schmidt method, for cerebral blood flow, 491

L

- Laser Doppler flowmetry, for cerebral blood flow measurement, 491
- Lipohyalinosis, 403

M

- Magnetic resonance imaging
 - in extracranial-intracranial bypass planning, 480–481
 - in intracerebral hemorrhage, 404–407

Magnetic (*continued*)

- in middle cerebral artery infarction, 460

- Mannitol, for intracranial pressure reduction, 408, 416, 460–461

- Microaneurysms, intracerebral hemorrhage in, 403

- Microdialysis, cerebral, perioperative, 497–498

- Microsensors, for intracranial pressure monitoring, 489–490

- Middle cerebral artery infarction, **459–468**

- clinical manifestations of, 459

- mortality in, 459

- outcome of, 459–460

- pathophysiology of, 460

- prevalence of, 459

- treatment of

- medical, 460–461

- surgical, 461–465

- Minimally invasive surgery, for intracerebral hemorrhage, 411, 418–420

- Moyamoya disease, extracranial-intracranial bypass for, 482–483

N

- NASCET (North American Symptomatic Carotid Endarterectomy Trial), 425–428, 448–450

- Near infrared spectroscopy, for perioperative monitoring, 495–497

- Neuroform microstent, for intracranial aneurysms, 440

- Neurolink balloon-mounted stent, 437

- Nitroprusside test, in extracranial-intracranial bypass planning, 478

- Nitrous oxide, for cerebral blood flow measurement, 491

- North American Carotid Revascularization Endarterectomy versus Stenting Trial (CREST), 448, 454

- North American Symptomatic Carotid Endarterectomy Trial (NASCET), 425–428, 448–450

O

- Occipital artery, for extracranial-intracranial bypass, 483–485

- Oxygenation, cerebral, perioperative monitoring of, 493–495

- Oxyhemoglobin measurement, perioperative, 495–497

P

- Paclitaxel, stents eluting, 434, 439

- Perfusion monitoring, transcranial, **489–502**

- Perindopril Protection Against Recurrent Stroke Study (PROGRESS), 450

- Pipeline Neuroendovascular Device, for intracranial aneurysms, 439–441

- Positron emission tomography, in extracranial-intracranial bypass planning, 480–481

- Postcraniotomy syndrome, 465

- PROGRESS (Perindopril Protection Against Recurrent Stroke Study), 450

- Pseudotumor cerebri, stenting for, 441–442

- PtiO₂ (brain tissue oxygen tension), perioperative monitoring of, 494–495

R

- Radioactive tracers, for cerebral blood flow measurement, 491

- Resuscitation, for intracerebral hemorrhage, 407–410, 415

- Revascularization

- extracranial-intracranial bypass for, **477–487**

- for carotid artery disease. *See also* Carotid endarterectomy.

- stenting in, 451–455

S

- SAMMPRIS (Stenting vs. Aggressive Medical Management for Preventing Recurrent Stroke in Intracranial Stenosis) trial, 438

- SAPPHIRE (Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy) trial, 447–448, 453–455

- Sedation, for intracranial pressure reduction, 408–409

- Seizures, in intracerebral hemorrhage, 416

- Single photon emission computed tomography, in extracranial-intracranial bypass planning, 478, 480–481

- Sirolimus, stents eluting, 434, 439

- SjVO₂ (jugular oxygen saturation), perioperative monitoring of, 493–494

- SPACE (Stent-supported Percutaneous Angioplasty of the Carotid Artery versus Endarterectomy) study, 447–448, 455

- SSYLVA (Stenting of Symptomatic Atherosclerotic Lesions in the Vertebral or Intracranial Arteries) trial, 437

- Stenting

- carotid artery

- clinical trials of, 452–455

- technique for, 451–452

- versus carotid endarterectomy, **447–458**

- for intracranial disease, **433–435**

- aneurysmal, 439–441

- atheromatous, 434–435

- biologically active, 434, 439
 - clinical trials of, 437–438
 - complications of, 434
 - definition of, 433
 - direct, 434
 - dissection, 441
 - elective, 434
 - history of, 433, 436–437
 - limitations of, 434
 - materials used in, 433–434
 - pharmacotherapy with, 434–435
 - provisional, 434
 - technical considerations in, 433–434
 - venous occlusive, 441–442
 - Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy (SAPPHIRE) trial, 447–448, 453–455
 - Stenting of Symptomatic Atherosclerotic Lesions in the Vertebral or Intracranial Arteries (SSYLVIA) trial, 437
 - Stenting vs. Aggressive Medical Management for Preventing Recurrent Stroke in Intracranial Stenosis (SAMMPRIS) trial, 438
 - Stent-supported Percutaneous Angioplasty of the Carotid Artery versus Endarterectomy (SPACE) trial, 447–448, 455
 - Stereotactic clot aspiration, for intracerebral hematoma, 419–420
 - Streptokinase, for intracerebral hematoma, 419–420
 - Stroke
 - carotid endarterectomy after, **425–432**
 - in aneurysms, **469–476**
 - in atherosclerotic disease, 434–439
 - in evolution, carotid endarterectomy for, 429–430
 - in intracerebral hemorrhage. *See* Intracerebral hemorrhage.
 - in middle cerebral artery infarction, **459–468**
 - prevention of
 - angioplasty for, 435–436
 - carotid endarterectomy for. *See* Carotid endarterectomy.
 - extracranial-intracranial bypass for, **477–487**
 - pharmacologic therapy for, 435
 - Subarachnoid hemorrhage, in aneurysms, 469–474
 - Sunken flap syndrome, in hemicraniectomy, 465
 - Syndrome of the trephined, in hemicraniectomy, 465
- T**
- Temporal artery, superficial
 - for encephaloduroarteriomyosynagiosis, 483
 - for extracranial-intracranial bypass, 478–481, 483
 - Thermal diffusion flowmetry, for cerebral blood flow measurement, 491
 - Thermal dilution method, for cerebral blood flow measurement, 491
 - Thrombolytic therapy, for intracerebral hemorrhage, 417–420
 - Thrombosis, of stents, in intracranial disease, 434
 - Tissue plasminogen activator, for intracerebral hemorrhage, 418–420
 - Transcranial perfusion monitoring, **489–502**
 - applications of, 489
 - devices for, 489
 - microdialysis in, 497–498
 - near infrared spectroscopy in, 495–497
 - of cerebral blood flow, 490–492
 - of cerebrovascular reactivity, 492–493
 - of intracranial pressure, 489–490
 - of oxygenation, 493–495
 - Transient ischemic attacks, crescendo, carotid endarterectomy for, 429–430
- U**
- UK Prospective Diabetes Study, 450
 - Ultrasonography, transcranial, for cerebral blood flow measurement, 491–492
 - Urokinase, for intracerebral hematoma, 419–420
- V**
- Vasodilation, autoregulatory, assessment of, 481
 - Vasospasm, cerebral, cerebral blood flow measurement during, 492
 - Venous occlusive disease, stenting for, 441–442
 - Ventricular catheter, for intracranial pressure monitoring, 489–490
 - Ventricular drain, for intracranial pressure reduction, 407–408
 - Vertebral artery, angioplasty of, 436
 - Vertebrobasilar disease, extracranial-intracranial bypass for, 483–485
 - Vertebrobasilar junction, angioplasty of, 436
 - Vitamin K, for warfarin reversal, in intracerebral hemorrhage, 410, 416
- W**
- Warfarin, intracerebral hemorrhage due to, 410, 416
 - WingSpan device, for intracranial stenosis, 437–438
- X**
- Xenon-133, for cerebral blood flow measurement, 491