


## IN THIS ISSUE

ISSN 1144-0546 CODEN NJCHES 33(12) 2357-2496 (2009)



## Cover

See Antonio Doménech *et al.*, pp. 2371–2379. Maya Blue, a peculiar nanostructured material, was widely used by the ancient Mayas and other Mesoamerican peoples in pre-Columbian times. The image shows a painted stucco relief from the late Classical period found at Palenque, a Mayan ruin in Chiapas, Mexico. Photo of the stucco relief is taken from [http://en.wikipedia.org/wiki/File:Palenque\\_Relief.jpg](http://en.wikipedia.org/wiki/File:Palenque_Relief.jpg) is © 2004 Jacob Rus and has been reproduced from Wikimedia Commons. Cover artwork design by Serge Bertrand. Antonio Doménech, María Teresa Doménech-Carbó, Manuel Sánchez del Río, María Luisa Vázquez de Agredos Pascual and Enrique Lima, *New J. Chem.*, 2009, **33**, 2371.



## Inside cover

See Zhifei Dai *et al.*, pp. 2414–2418. A new one-pot protocol has been developed to fabricate doxorubicin conjugated magnetic silica nanoparticles through the condensation of doxorubicin and 3-isocyanatopropyltriethoxysilane, followed by sol-gel polymerization of triethoxysilane. Shouzhu Li, Yan Ma, Xiuli Yue, Zhong Cao and Zhifei Dai, *New J. Chem.*, 2009, **33**, 2414.

## HIGHLIGHTS IN CHEMICAL SCIENCE

## C89

*Highlights in Chemical Science* provides a ‘snapshot’ of the latest developments across the chemical sciences from all RSC publications, showcasing newsworthy articles and significant scientific advances.

## Highlights in Chemical Science

December 2009/Volume 6/Issue 12

[www.rsc.org/highlightschemsci](http://www.rsc.org/highlightschemsci)


## PERSPECTIVE

## 2371

### Maya Blue as a nanostructured polyfunctional hybrid organic–inorganic material: the need to change paradigms

Antonio Doménech,\* María Teresa Doménech-Carbó, Manuel Sánchez del Río, María Luisa Vázquez de Agredos Pascual and Enrique Lima

Maya Blue, an ancient organic–inorganic hybrid material resulting from the attachment of indigo to palygorskite clay should be viewed as a polyfunctional nanostructured system.



## EDITORIAL STAFF

**Editor (RSC)**

Sarah Ruthven

**Editor (CNRS)**

Denise Parent

**Assistant editors**

Marie Cote (CNRS)

Sarah Dixon (RSC)

**Publishing assistants**

Jackie Cockrill (RSC)

**Team leader, Informatics**

Caroline Moore (RSC)

**Technical editors**

Celia Gitterman (RSC), Nicola Convine (RSC),

Bailey Fallon (RSC), Alan Holder (RSC),

Ben Merison (RSC), David Parker (RSC)

**Administration coordinator**

Sonya Spring (RSC)

**Administration assistants**

Aliya Anwar (RSC), Jane Orchard (RSC),

Julie Thompson (RSC)

**Publisher**

Emma Wilson (RSC)

**Founding Editor**

Lionel Salem

New Journal of Chemistry (Print: ISSN 1144-0546; electronic: ISSN 1369-9261) is published 12 times a year by the Centre National de la Recherche Scientifique (CNRS), 3 rue Michel-Ange, 75794 Paris cedex 16, France, and the Royal Society of Chemistry (RSC), Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF.

All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to RSC Distribution Services, c/o Portland Customer Services, Commerce Way, Colchester, Essex, UK CO2 8HP  
Tel +44 (0) 1206 226050; E-mail [sales@rscdistribution.org](mailto:sales@rscdistribution.org)

2009 Annual (print + electronic) subscription price: £851; US\$1668. 2009 Annual (electronic) subscription price: £766; US\$1501. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT.

If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at [www.rsc.org/ip](http://www.rsc.org/ip). Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank. Periodicals postage paid at Rahway, NJ, USA and at additional mailing offices. Airfreight and mailing in the USA by Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001, USA.

US Postmaster: send address changes to New Journal of Chemistry, c/o Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001. All despatches outside the UK by Consolidated Airfreight.

PRINTED IN THE UK

**Advertisement sales:** Tel +44 (0) 1223 432246;  
Fax +44 (0) 1223 426017; E-mail [advertising@rsc.org](mailto:advertising@rsc.org)

For marketing opportunities relating to this journal, contact [marketing@rsc.org](mailto:marketing@rsc.org)

NJC

New Journal of Chemistry

An international journal for the chemical sciences

[www.rsc.org/njc](http://www.rsc.org/njc)

The New Journal of Chemistry is a broad-based primary journal encompassing all branches of the chemical sciences. Published monthly, it contains full research articles, letters, opinions and perspectives.

## EDITORIAL BOARD

**Co-editor-in-chief**

Pascal Le Floch, Palaiseau, France

**Co-editor-in-chief**

Jerry Atwood, Columbia, MO, USA

**Consulting editor**

Odile Eisenstein, Montpellier, France

**Board members**

Yasuhiro Aoyama, Kyoto, Japan  
Kumar Biradha, Khargapur, India  
Laurent Bonneviot, Lyon, France  
Fabrizia Grepioni, Bologna, Italy  
Helen Hailes, London, UK  
Peter Junk, Monash, Australia  
Barbara Nawrot, Lodz, Poland

Alan Rowan, Nijmegen,  
The Netherlands  
Michael Scott, Gainesville, FL, USA  
Michael Veith, Saarbrücken,  
Germany  
Vivian Yam, Hong Kong, PR China

**Associate editors**

Manuscripts should be directed to one of the Editors detailed below.

Professor Peter Junk  
School of Chemistry  
Monash University  
Box 23  
Victoria 3800  
Australia  
Fax (+61) 3 9905 4597  
Tel (+61) 3 9905 4570  
E-mail [njc@sci.monash.edu.au](mailto:njc@sci.monash.edu.au)

Professor Michael J. Scott  
Department of Chemistry  
University of Florida  
Box 117200  
Gainesville  
FL 32611  
USA  
Fax (+1) 352 392 3255  
Tel (+1) 352 846 1165  
E-mail [njc@chem.ufl.edu](mailto:njc@chem.ufl.edu)

Dr Denise Parent  
New Journal of Chemistry  
Université Montpellier II  
Place Eugène Bataillon C.C. 014  
34095 Montpellier cedex 5  
France  
Fax (+33) (0) 4 67 14 48 79  
Tel (+33) (0) 4 67 14 48 78  
E-mail [njc@univ-montp2.fr](mailto:njc@univ-montp2.fr)

## ADVISORY BOARD

Markus Antonietti, MPI,  
Potsdam, Germany  
Matthias Bremer, Darmstadt,  
Germany  
Robert Crabtree, New Haven,  
CT, USA  
François Fajula, Montpellier,  
France  
John A. Gladysz, College  
Station, TX, USA  
George Gokel, St Louis, MO, USA

Andrew B. Holmes, Melbourne,  
Australia  
Miguel Julve, Valencia, Spain  
Henryk Koslowski, Wroclaw,  
Poland  
Jean-Pierre Majoral, Toulouse,  
France  
Luca Prodi, Bologna, Italy  
Jan Reedijk, Leiden,  
The Netherlands

David Reinhoudt, Enschede,  
The Netherlands  
Kari Rissanen, Jyväskylä,  
Finland  
Clément Sanchez, Paris, France  
Jeremy K. M. Sanders,  
Cambridge, UK  
Jean-Pierre Sauvage,  
Strasbourg, France  
Jonathan W. Steed, Durham, UK

## INFORMATION FOR AUTHORS

Full details of how to submit material for publication in the New Journal of Chemistry are given in the Instructions for Authors (available from <http://www.rsc.org/authors>). Submissions should be sent via ReSource: <http://www.rsc.org/resource>. Authors may reproduce/republish portions of their published contribution without seeking permission from the CNRS and the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation) – Reproduced by permission of the CNRS and the RSC.

©The Royal Society of Chemistry and the Centre National de la Recherche Scientifique 2009. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulations 2003, this publication may

only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of The Royal Society of Chemistry or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA.

The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions.

Ⓢ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).


Royal Society of Chemistry: Registered Charity No. 207890

## LETTERS

2380

**Autoxidation of 2-alkylidene-1,3-cyclohexanediones as a green process to form bicyclic hemiketal endoperoxides**Virginie Bernat, Marion Coste and  
Christiane André-Barrès\*

Molecular oxygen is spontaneously trapped by 2-alkylidene-1,3-cyclohexane (or heptane) diones furnishing exclusively hemiketal endoperoxides in very mild conditions.



2385

**Low viscosity amino acid ionic liquids with asymmetric tetraalkylammonium cations for fast absorption of  $\text{CO}_2$** Hong Yu, You-Ting Wu,\* Ying-Ying Jiang, Zheng Zhou  
and Zhi-Bing Zhang\*

Fifteen novel AAILs were prepared by coupling five tetraalkylammonium cations ( $[\text{N}_{2222}]$ ,  $[\text{N}_{4444}]$ ,  $[\text{N}_{2221}]$ ,  $[\text{N}_{1114}]$  and  $[\text{N}_{2224}]$ ) with four amino acid anions ([Gly], [L-Ala], [ $\beta$ -Ala] and [Val]).




2391

**A sugar–pyrene-based fluorescent gelator: nanotubular architecture and interaction with SWCNTs**

Subbiah Nagarajan and Thangamuthu Mohan Das\*


A sugar–pyrene-based fluorescent gelator was synthesised and characterized based on different spectral techniques. The weak interactions that exist between the pyrene moieties are responsible for gelation, which is absent in case of functionalised SWCNTs.




2397

**Self-assembly of an aminoalkylated resorcinarene in aqueous media: host–guest properties**Dmitry E. Korshin, Ruslan R. Kashapov,  
Leisan I. Murtazina, Rezeda K. Mukhitova,  
Sergey V. Kharlamov, Shamil K. Latypov,  
Irina S. Ryzhkina, Albina Y. Ziganshina\* and  
Alexandr I. Kononov

A resorcinarene bearing a positively-charged upper rim and negatively-charged lower rim forms supramolecular assemblies that can act as pH-dependent hosts for 1,5-diaminonaphthalene in aqueous solution.



# New adventures on the web



ChemSpider is a free online, structure centric community for chemists, providing fast access to millions of unique chemical entities, resources and information and the opportunity to collaborate with a world wide community of scientists. Rapidly becoming the richest single source of structure based chemistry information online, ChemSpider is a ground breaking initiative now supported by the RSC, the most innovative of chemical societies.

[www.chemspider.com](http://www.chemspider.com)


## LETTERS

2402

**Cascade synthesis of new tetracyclic heteroaromatic thieno[2,3-*b*]pyridine-containing ring systems**

R. Alan Aitken\* and Alasdair N. Garnett

Gas phase cascade reactions allow the convenient synthesis of new fused heterocyclic ring systems.




2405

**Electrochemical modification of chromium surfaces using 4-nitro- and 4-fluorobenzenediazonium salts**

Mogens Hinge, Marcel Ceccato, Peter Kingshott, Flemming Besenbacher, Steen Uttrup Pedersen\* and Kim Daasbjerg\*

Chromium surfaces are electrografted from 4-nitro- or 4-fluorobenzenediazonium salts in acetonitrile. Electrochemical measurements along with PMIRRAS and XPS put forward strong evidence that the aryl groups become attached to the surface *via* the oxide layer in terms of Cr–O–C linkages.




2409

**The synthesis of novel core-substituted naphthalene diimides *via* Suzuki cross-coupling and their properties**

Sheshanath V. Bhosale,\* Mohan B. Kalyankar, Sidhanath V. Bhosale, Steven J. Langford,\* Ellen F. Reid and Conor F. Hogan

Suzuki cross-coupling reactions were invented for the core-substitution of 2,6-dihalonaphthalene diimides with arylboronic acids. The aryl substituents at the 2,6-positions red-shift the absorbance and enhance the fluorescence of the naphthalene diimides, making them useful electroactive elements for supramolecular materials.




## PAPERS

2414

**One-pot construction of doxorubicin conjugated magnetic silica nanoparticles**

Shouzhu Li, Yan Ma, Xiuli Yue,\* Zhong Cao and Zhifei Dai\*

Doxorubicin conjugated magnetic silica nanoparticles are fabricated by condensation of doxorubicin and 3-isocyanatopropyltriethoxysilane followed by spontaneous formation of a silica coating onto the surface of Fe<sub>3</sub>O<sub>4</sub> nanoparticles.





# RSC eBook Collection

MARC  
records  
now available



- **Comprehensive:** covering all areas of the chemical sciences
- **Fully searchable:** easy access with advance search and filter options
- **Premier:** for quality chemical sciences content only available from the RSC
- **Wide ranging:** from research monograph and handbooks to popular science

**See for yourself** – go online to search the collection and read selected chapters, table of contents and other front matter for free!

## The new RSC eBook Subject Collections

- **Enhance** your library's online chemical science resource by choosing from the new RSC eBook Subject Collections
- **Subject specialist content:** matched to your individual discipline based requirements
- **Flexibility:** to choose premier, high quality content from 9 different RSC eBook Subject Collections in the subject areas that matter to you!

Tutorial Chemistry  
Textbooks &  
Paperbacks

Physical

Environmental

Analytical

Biosciences

Food  
Science

Organic

Materials  
& Nanoscience

Industry  
& Pharma

RSC Publishing

[www.rsc.org/ebooks](http://www.rsc.org/ebooks)

Registered Charity Number 207890


## PAPERS

2419

### Self-assembly of two-dimensional coordination polymers from AgX ( $X = \text{BF}_4^-$ , $\text{ClO}_4^-$ , $\text{NO}_3^-$ and $\text{PF}_6^-$ ) and 2,6-dimethyl-3,5-dicyano-4-(6-methyl-2-pyridyl)-1,4-dihydropyridine

Maw-Cherng Suen,\* Chun-Wei Yeh, Yuh-Wen Ho and Ju-Chun Wang

The syntheses and crystal structures of four new coordination polymers of the type  $[\text{Ag}(\text{2-ddph})][X]$  ( $X = \text{BF}_4^-$ , **1**,  $\text{ClO}_4^-$ , **2**,  $\text{NO}_3^-$ , **3** and  $\text{PF}_6^-$ , **4**) are reported. Complexes **1–3** show 2-D brick-wall structures, while complex **4** shows square grids.




2426

### Novel synthesis of magnetic poly(cyclotriphosphazene-co-4,4'-sulfonyldiphenol) nanotubes with magnetic phases embedded in the walls

Xiaoyan Zhang, Xiaobin Huang\* and Xiaozhen Tang\*

Magnetic phosphazene-containing polymer nanotubes with magnetic phases embedded in the walls were successfully prepared *via* a facile approach at room temperature by ultrasonic irradiation, and show good thermal stability and superparamagnetic properties.




2431

### Efficient photocatalytic hybrid Ag/TiO<sub>2</sub> nanodot arrays integrated into nanopatterned block copolymer thin films

Dinakaran Kannaiyan, Min-Ah Cha, Yoon Hee Jang, Byeong-Hyeok Sohn, June Huh, Cheolmin Park and Dong Ha Kim\*

A facile route to fabricate hybrid TiO<sub>2</sub>/Ag nanodot arrays, a promising photocatalytic thin film, utilising cooperative self assembly of a block copolymer and sol-gel precursors is demonstrated.




2437

### Direct nano ESI time-of-flight mass spectrometric investigations on lanthanide BTP complexes in the extraction-relevant diluent 1-octanol

Michael Steppert,\* Clemens Walther, Andreas Geist and Thomas Fanghänel

By means of nano-electrospray mass spectrometry, complex formation of bis-triazinyl-pyridine (BTP) with selected elements of the lanthanide series is investigated. We show that the diluent drastically influences complex speciation.





## Top Quality Analytical Science Journals

**Analyst** - interdisciplinary detection science giving an analytical perspective on the leading topics in the chemical, biological and physical sciences. [www.rsc.org/analyst](http://www.rsc.org/analyst)

**JAAS** - Journal of Analytical Atomic Spectrometry, the leading journal for fundamentals in elemental analysis and isotope ratio determinations within all fields of application. [www.rsc.org/jaas](http://www.rsc.org/jaas)

**Analytical Abstracts** - the database for analytical science information with over 400,000 records from 1980 to the present. [www.rsc.org/aa](http://www.rsc.org/aa)

**Lab on a Chip** - microfluidic and nanotechnologies for chemistry, biology, and bioengineering. [www.rsc.org/loc](http://www.rsc.org/loc)

### New Journal

**Analytical Methods** - highlighting new and improved methods for the practical application of analytical science. [www.rsc.org/methods](http://www.rsc.org/methods)

**Take a look today!**

RSC Publishing

[www.rsc.org/journals](http://www.rsc.org/journals)

Registered Charity Number 207890




## PAPERS

2443

### The influence of an intramolecular hydrogen bond on the 1,3-*N,S*-coordination of crown ether-containing *N*-phosphorylthiourea with Ni<sup>II</sup>

Damir A. Safin,\* Maria G. Babashkina, Axel Klein, Felix D. Sokolov, Sergey V. Baranov, Tania Pape, F. Ekkehardt Hahn and Dmitriy B. Krivolapov

Reaction of the lithium salt of [4'-benzo-15-crown-5]-NHC(S)NHP(O)(O*i*Pr)<sub>2</sub> (**HL**<sup>I</sup>) with Ni<sup>II</sup> leads to the chelate complex [NiL<sub>2</sub>]. The extraction properties of crown ether-containing compounds towards alkali metal picrates were investigated.




2449

### Synthesis of Co<sub>3</sub>[Fe(CN)<sub>6</sub>]<sub>2</sub> molecular-based nanomagnets in MSU mesoporous silica by integrative chemistry

Rola Mouawia, Joulia Larionova,\* Yannick Guari, Seungwon Oh, Phil Cook and Eric Prouzet\*

Nanometric particles of magnetic Co<sub>3</sub>[Fe(CN)<sub>6</sub>]<sub>2</sub> cyano-bridged polymers have been synthesised by an integrated method that combined the parallel synthesis of the Prussian Blue analogues with the synthesis of mesoporous MSU-type silica used as a confinement matrix.




2457

### Synthesis, characterization, two-photon absorption, and optical limiting properties of triphenylamine-based dendrimers

Bin Xu, Honghua Fang, Feipeng Chen, Hongguang Lu, Jiating He, Yaowen Li, Qidai Chen, Hongbo Sun\* and Wenjing Tian\*

A strong cooperative effect in the two-photon absorption of triphenylamine-based dendrimers was observed. The TPA cross-section can reach 5690 GM and these dendrimers exhibited efficient optical limiting properties.




2465

### Quantification of substituent effects using molecular electrostatic potentials: additive nature and proximity effects

Fareed Bhasha Sayyed and Cherumuttathu H. Suresh\*

*Ortho*, *meta*, and *para* substituent effects in benzenoid systems have been quantified using the molecular electrostatic potential (MESP) and the method provided convincing evidence for the additive nature of the substituent effects.





# Top Quality Bioscience Journals

**Molecular BioSystems** - a journal with a focus on the interface between chemistry and the -omic sciences and systems biology. [www.molecularbiosystems.org](http://www.molecularbiosystems.org)

**Organic & Biomolecular Chemistry** - an international journal covering the breadth of synthetic, physical and biomolecular chemistry. [www.rsc.org/obc](http://www.rsc.org/obc)

**Natural Product Reports (NPR)** - a critical review journal which stimulates progress in all areas of natural products research. [www.rsc.org/npr](http://www.rsc.org/npr)

**Photochemical & Photobiological Sciences** - publishing high quality research on all aspects of photochemistry and photobiology, encouraging synergism between the two areas. [www.rsc.org/pps](http://www.rsc.org/pps)

## NEW for 2010

**MedChemComm** - focusing on medicinal chemistry research, including new studies related to biologically-active chemical or biochemical entities that can act as pharmacological agents with therapeutic potential or relevance. [www.rsc.org/medchemcomm](http://www.rsc.org/medchemcomm)

## NEW for 2009

**Integrative Biology** - a journal focusing on quantitative multi-scale biology using enabling technologies and tools to exploit the convergence of biology with physics, chemistry, engineering, imaging and informatics. [www.rsc.org/ibiology](http://www.rsc.org/ibiology)

**Metallomics** - a journal covering the research fields related to metals in biological, environmental and clinical systems. [www.rsc.org/metallomics](http://www.rsc.org/metallomics)

## Take a look today!

RSC Publishing

[www.rsc.org/journals](http://www.rsc.org/journals)

Registered Charity Number 207890


## PAPERS

2472

### Encapsulation of 4,4'-bipyridinium cations by two crown ether molecules: formation and structure of [3]pseudorotaxanes

Kirill Nikitin\* and Helge Müller-Bunz

Nut in a shell: dialkylviologens are tightly wrapped by two molecules of crown ether forming a [3]pseudorotaxane.




2479

### From ill-resolved atomic to ZSM-5 type of ordering in mesoporous lamellar aluminosilica nanoparticles

Kun Zhang, Yi Meng Wang,\* Belén Albela, Li Chen, Ming-Yuan He and Laurent Bonnevot

Ill-resolved atomic and ZSM-5 types of ordering in mesostructured nanoparticles are obtained using a cationic and anionic surfactant mixture as a template and TPA<sup>+</sup> as a structure directing agent.




2486

### Hydrogen atom behaviour imaged in a short intramolecular hydrogen bond using the combined approach of X-ray and neutron diffraction

Lynne H. Thomas,\* Alastair J. Florence and Chick C. Wilson\*

The nuclear and electronic densities of the short intramolecular hydrogen bond in dibenzoylmethane show an asymmetric proton position, accompanied by a migration of the hydrogen bonding electron density from asymmetric at low temperature to almost centred at room temperature.



## AUTHOR INDEX

- Aitken, R. Alan, 2402  
 Albela, Belén, 2479  
 André-Barrès, Christiane, 2380  
 Babashkina, Maria G., 2443  
 Baranov, Sergey V., 2443  
 Bernat, Virginie, 2380  
 Besenbacher, Flemming, 2405  
 Bhosale, Sheshanath V., 2409  
 Bhosale, Sidhanath V., 2409  
 Bonneviot, Laurent, 2479  
 Cao, Zhong, 2414  
 Ceccato, Marcel, 2405  
 Cha, Min-Ah, 2431  
 Chen, Feipeng, 2457  
 Chen, Li, 2479  
 Chen, Qidai, 2457  
 Cook, Phil, 2449  
 Coste, Marion, 2380  
 Daasbjerg, Kim, 2405  
 Dai, Zhifei, 2414  
 Doménech, Antonio, 2371  
 Doménech-Carbó, María Teresa, 2371  
 Fang, Honghua, 2457  
 Fanghänel, Thomas, 2437  
 Florence, Alastair J., 2486  
 Garnett, Alasdair N., 2402  
 Geist, Andreas, 2437  
 Guari, Yannick, 2449  
 Hahn, F. Ekkehardt, 2443  
 He, Jiating, 2457  
 He, Ming-Yuan, 2479  
 Hinge, Mogens, 2405  
 Ho, Yuh-Wen, 2419  
 Hogan, Conor F., 2409  
 Huang, Xiaobin, 2426  
 Huh, June, 2431  
 Jang, Yoon Hee, 2431  
 Jiang, Ying-Ying, 2385  
 Kalyankar, Mohan B., 2409  
 Kannaiyan, Dinakaran, 2431  
 Kashapov, Ruslan R., 2397  
 Kharlamov, Sergey V., 2397  
 Kim, Dong Ha, 2431  
 Kingshott, Peter, 2405  
 Klein, Axel, 2443  
 Konovalov, Alexandr I., 2397  
 Korshin, Dmitry E., 2397  
 Krivolapov, Dmitriy B., 2443  
 Langford, Steven J., 2409  
 Larionova, Joulia, 2449  
 Latypov, Shamil K., 2397  
 Li, Shouzhu, 2414  
 Li, Yaowen, 2457  
 Lima, Enrique, 2371  
 Lu, Hongguang, 2457  
 Ma, Yan, 2414  
 Mohan Das, Thangamuthu, 2391  
 Mouawia, Rola, 2449  
 Mukhitova, Rezeda K., 2397  
 Müller-Bunz, Helge, 2472  
 Murtazina, Leisan I., 2397  
 Nagarajan, Subbiah, 2391  
 Nikitin, Kirill, 2472  
 Oh, Seungwon, 2449  
 Pape, Tania, 2443  
 Park, Cheolmin, 2431  
 Pedersen, Steen Uttrup, 2405  
 Prouzet, Eric, 2449  
 Reid, Ellen F., 2409  
 Ryzhkina, Irina S., 2397  
 Safin, Damir A., 2443  
 Sánchez del Río, Manuel, 2371  
 Sayyed, Fareed Bhasha, 2465  
 Sohn, Byeong-Hyeok, 2431  
 Sokolov, Felix D., 2443  
 Steppert, Michael, 2437  
 Suen, Maw-Cherng, 2419  
 Sun, Hongbo, 2457  
 Suresh, Cherumuttathu H., 2465  
 Tang, Xiaozhen, 2426  
 Thomas, Lynne H., 2486  
 Tian, Wenjing, 2457  
 Vázquez de Agredos Pascual, María Luisa, 2371  
 Walther, Clemens, 2437  
 Wang, Ju-Chun, 2419  
 Wang, Yi Meng, 2479  
 Wilson, Chick C., 2486  
 Wu, You-Ting, 2385  
 Xu, Bin, 2457  
 Yeh, Chun-Wei, 2419  
 Yu, Hong, 2385  
 Yue, Xiuli, 2414  
 Zhang, Kun, 2479  
 Zhang, Xiaoyan, 2426  
 Zhang, Zhi-Bing, 2385  
 Zhou, Zheng, 2385  
 Ziganshina, Albina Y., 2397

## FREE E-MAIL ALERTS AND RSS FEEDS

Contents lists in advance of publication are available on the web *via* [www.rsc.org/njc](http://www.rsc.org/njc) – or take advantage of our free e-mail alerting service ([www.rsc.org/ej\\_alert](http://www.rsc.org/ej_alert)) to receive notification each time a new list becomes available.



Try our RSS feeds for up-to-the-minute news of the latest research. By setting up RSS feeds, preferably using feed reader software, you can be alerted to the latest Advance Articles published on the RSC web site. Visit [www.rsc.org/publishing/technology/rss.asp](http://www.rsc.org/publishing/technology/rss.asp) for details.

## ADVANCE ARTICLES AND ELECTRONIC JOURNAL

Free site-wide access to Advance Articles and the electronic form of this journal is provided with a full-rate institutional subscription. See [www.rsc.org/ejs](http://www.rsc.org/ejs) for more information.

\* Indicates the author for correspondence: see article for details.



Electronic supplementary information (ESI) is available *via* the online article (see <http://www.rsc.org/esi> for general information about ESI).



# Highlights in Chemical Science

[View Article Online](#)

## Transparent dyes could lead to 'smart' windows that convert light to energy Bioinspired dye for solar cells

Chlorophyll has provided the inspiration for a transparent, cheap and environmentally friendly dye for use in dye sensitised solar cells (DSSCs).

The sun is an important inexhaustible and clean energy source and the conversion of sunlight to energy using DSSCs has proved to be an efficient option.

Ruthenium dye photosensitisers have given the highest power conversion efficiency in the past but they are not very eco-friendly and supply is limited, explains Eric Diau at the National Chiao Tung University, Hsinchu, Taiwan. Diau and his team took inspiration from nature by developing a dye based on porphyrin - a component of chlorophyll, which gives plants their green colour and allows them to convert sunlight into energy. They also replaced ruthenium with zinc, which is more abundant and costs less.

A light scattering layer is often added to a DSSC to improve the



efficiency of the device. But Diau's group found that their porphyrin dye performed better than a ruthenium dye in devices without adding a scattering layer. The lack of a scattering layer made the device see-through, explains Diau so they could be integrated into windows in

**An efficient artificial porphyrin dye is used to harvest solar energy in an organic photovoltaic device**

the buildings of the future.

Emilio Palomares from the Institute of Chemical Research of Catalonia, Tarragona, Spain, says this represents 'a step further on the long-standing research into bio-inspired artificial leaves for photovoltaic applications'. He adds that 'the high efficiency achieved using fully transparent devices makes the dye suitable for applications in smart windows where people can see through, while the window acts as an active light-to-energy conversion system.'

Diau says that this type of lightweight, see-through and colourful DSSC could be very useful in the building industry. However, he sees some challenges ahead before it is commercialised: solar power conversion efficiency and the stability of the devices need to be improved, he says.

*Fay Nolan-Neylan*

### Reference

H-P Lu et al, *Phys. Chem. Chem. Phys.*, 2009, 10270 (DOI: 10.1039/b917271h)

## In this issue

Find us on...  [twitter](#)

### Magnetic yeast cells

An easy method to position yeast cells inside chips

### Silver coating gets gold star

Antibacterial coating effective against hospital superbugs

### Instant Insight: Sensing the biological world

Jonathan Cooper and Manilo Tassieri explain how mechanical phenomena in biological systems can be studied at small scales

### Interview: Inorganics and beyond

Ian Manners talks about polymerisations, interfaces and living in Wales



A snapshot of the latest developments from across the chemical sciences



# Research highlights

[View Article Online](#)


An easy method to position yeast cells inside chips

## Magnetic yeast cells

A team of scientists from the UK and Tatarstan have developed a technique for functionalising yeast cells with magnetic nanoparticles. The cells remain alive after being modified, opening up the possibility of harnessing their magnetic properties for many biotechnological applications

Using a single step procedure the team led by Vesselin Paunov from the University of Hull, UK, coated *Saccharomyces cerevisiae* cells with magnetic nanoparticles. The yeast cells don't gather together unless there is a controlling magnetic field and can be easily separated once the field is removed, explains Paunov. Throughout the process the cell membrane remains intact, he adds, 'If the magnetic nanoparticles enter the cells there could be a variety of potential toxic effects which could compromise their viability.'

'What's really exciting about it is that the cells are still alive and potentially they could use magnetic fields to move live cells,'




says Kimberly Hamad-Schifferli an expert in biological engineering at Massachusetts Institute of Technology, Cambridge, US.

Paunov's team show that the yeast cells produce a fluorescent protein when exposed to genotoxic or cytotoxic compounds. Producing foreign proteins in this way is an important ability for many biotechnological applications, explains Paunov and he sees many

**The functionalised cells can be gathered together and separated using a controlling magnetic field**

**Reference**  
R F Fakhrullin *et al*, *Soft Matter*, 2009, DOI: 10.1039/b914065d



potential uses for the cells: 'The magnetic cells could be useful in biosensors and microfluidic devices to position cells inside the chip by using external magnetic fields.' And the technology also allows you to extract particular cells out of mixtures, he adds.

The method isn't restricted to yeast cells, says Paunov, and his team are now exploring its use in bacteria and mammalian cells. *Russell Johnson*

Antibacterial coating effective against hospital superbugs


## Silver coating gets gold star

Scientists from the UK are waging war on hospital 'superbugs' with a highly effective antimicrobial organo-silver coating.

Silver compounds have recently proved effective as antimicrobial coatings of medical implements, such as catheters and dressings. But usually these coatings must be put into a polymer matrix which makes them expensive for routine use. They can also have adverse effects on cell growth, which can slow down recovery from wounds such as burns.

Toby Jenkins and colleagues at the University of Bath have used a plasma to create a simple means to deposit a silver maleimide complex onto three-dimensional objects. An added benefit is that it can be done at room temperature so can be used on plastic and fabric, such as catheters and dressings.

'Our system is, to the best of our



knowledge, the only one to use plasma to deposit an organo-silver film,' says Jenkins. And as only a small amount of the silver monomer is required to deposit the 30nm thick films, 'it should be easy to scale up for industry users and, most importantly, will be cheap,' he adds

Tests indicate that the coating has a much greater efficacy on *Pseudomonas aeruginosa* (a pathogen known to be implicated in

**Fluorescently stained dead bacteria show the effectiveness of the antimicrobial coating**

**Reference**  
N Poulter *et al*, *Chem. Commun.*, 2009, DOI:10.1039/b915467a

urinary tract infections, dermatitis, and other health problems) than previous silver coatings, as measured by the minimum inhibitor concentration (MIC). However, Madeleine Ramstedt, who works on antibacterial surfaces at Umea University, Sweden, warns against comparing directly with literature values 'because these MICs can differ enormously depending on the experimental conditions.'

Jenkins used a stain that makes live bacteria fluoresce green and dead bacteria fluoresces red to confirm the high level of inhibition by the film. Also, the films do not appear to influence mammalian cell growth claims Jenkins.

The team now plan to carry out further testing with other strains of pathogenic bacteria, including MRSA.

*Erica Wise*

## An efficient catalytic process to make valuable industrial chemicals


# Efficient eucalyptus chemistry

Eucalyptus leaves can be used as a green source of a valuable chemical used in fragrances and pharmaceuticals.

*p*-Cymene is a significant feedstock used in the production of fragrances, pharmaceuticals, herbicides and fine chemicals and is currently obtained from crude oil. Now, Benjamin Leita and colleagues at CSIRO Molecular and Health Technologies, Clayton, Australia, have developed a method to produce it from the main component of eucalyptus oil.

The team used a continuous catalytic process that could easily be scaled up to mass production levels, says Leita. As well as using a biorenewable feedstock, the process is extremely efficient, using no solvents, and producing no costly wastes that need disposing. The main by-products being water, hydrogen, carbon monoxide and carbon dioxide.

‘There is a growing need for the production of functionalised aromatics from renewable



***p*-Cymene can be produced from eucalyptus oil with no costly waste products**

resources to replace traditional petrochemical feeds, for use in industry, particularly in the production of polymers,’ which inspired the team to carry out this research, explains Leita.

Justin Hargreaves, who specialises in catalysis research at the University of Glasgow, UK, comments, ‘This is a very worthy study which outlines the production of two valuable products, hydrogen and *p*-cymene, by the combination of dehydration and dehydrogenation of a renewable feedstock under solvent-free conditions.’

Research is now underway to optimise the catalytic conditions of the reaction and increase the selectivity and yields of this promising green solution as an alternative feedstock to fossil fuels, adds Leita.

Rebecca Brodie

### Reference

B A Leita *et al*, *Green Chem.*, 2010, DOI: 10.1039/b916460j


## Highly concentrated metal ion solutions for electrodeposition have been made

# Ionic liquids share ions for the common good

Scientists in Italy have found a way to make ionic liquids more useful for electrochemistry.

Ionic liquids have long been thought promising media for electrochemical reactions, such as metal plating and finishing of a wide range of products, because they are non-volatile and environmentally friendly. However, highly concentrated solutions containing transition metal ions are required. Previously this has not been possible due to the energy cost of disrupting the ionic liquid’s highly organised structure.

Now, Cinzia Chiappe at the University of Pisa, Italy, and her team have exploited a phenomenon known as the common ion effect to produce highly concentrated ionic liquid



**Using a common organic anion allows metal ions to dissolve in ionic liquids**

solutions.

Normally, the common ion effect - where the cations in a mixture of two salt solutions share the same type of anion - has the opposite effect, reducing the concentration of the cation, but Cinzia Chiappe and her team were able to generate much higher concentrations than before for silver, nickel, aluminium, chromium, cobalt, yttrium, and copper ions, by using anions common to the ionic liquid.

Chiappe was taken aback by the results, saying ‘We expected our ions to be more soluble, but we were actually surprised by the quantities of salts that the liquids were able to dissolve.’ She suggests that the disruption to the solution is minimised by using an organic anion that is common to the existing ionic liquid.

Andrew Abbott, an expert on electrodeposition using ionic liquids from the University of Leicester, UK, predicts that this area of research is fast becoming a hot topic. ‘The ability to process metals using ionic fluids is a subject that will undoubtedly expand in the near future. The area of concentrated ionic solutions is one that is fascinating and relies undoubtedly on speciation and a lot more work needs to be done to understand this phenomenon.’

Chiappe and colleagues now plan to investigate the electrochemical behaviour of their solutions.

Hilary Burch

### Reference

C Chiappe *et al*, *Green Chem.*, 2010, DOI: 10.1039/b919111a

Crystallisation of calcium oxalate crystals can be directed by green tea

# Green tea prevents kidney stones

Drinking green tea can help prevent the formation of large kidney stones claim Chinese scientists.

Kidney stones affect more than 5 per cent of the world population, and the prevalence is rising says Xudong Li at Sichuan University, Chengdu, China. The key component of kidney stones is calcium oxalate crystals and Li has found green tea is effective in directing the crystallisation to form less stable crystals.

The team grew calcium oxalate crystals under different conditions and studied them using a variety of analytical techniques. Unusually, they found that the dihydrated form of calcium oxalate was formed when large amounts of green tea were present.

Previous studies have shown that calcium oxalate tends to form a monohydrate structure which is thermo-dynamically stable and can lead to large kidney stones forming. The dihydrated form is less stable and less likely to grow into problematic sizes before being extracted in urine.

The more green tea, the more elongated the bipyramidal shape of the crystals becomes, says Li. He proposes that this change is due to the phenol groups in the green tea hydrogen




bonding to the oxalate groups. This inhibits the nucleation and growth of the monohydrate crystal, forcing the growth of the flat tetragonal bipyramids and creating a layered effect.

'Our results suggest that drinking green tea might be a good habit for the prevention of human stone formation,' says Li.

He continues that his team, 'are now focusing on the evaluation of green tea extract based modifiers on calcium oxalate crystallization and very interestingly have obtained spherical calcium oxalate dehydrate crystals.' The team are now planning to investigate this phenomenon with other biomimetic crystals, such as calcium carbonate and hydroxyapatite. *Charlotte Beard*

## Green tea changes the shape of calcium oxalate crystals

**Reference**  
Z Chen *et al*,  
*CrystEngComm*, 2010,  
DOI: 10.1039/b913589h



## New adventures on the web

ChemSpider is a free online, structure centric community for chemists, providing fast access to millions of unique chemical entities, resources and information and the opportunity to collaborate with a world wide community of scientists. Rapidly becoming the richest single source of structure based chemistry information online, ChemSpider is a ground breaking initiative now supported by the RSC, the most innovative of chemical societies.

[www.chemspider.com](http://www.chemspider.com)

**RSC** | Advancing the  
Chemical Sciences  
Registered Charity No. 207890

 **ChemSpider**  
Building community for chemists




# Sensing the biological world

Jonathan Cooper and Manilo Tassieri at the University of Glasgow explain how mechanical phenomena in biological systems can be studied at very small scales

Studying biological systems at the micro and nanoscale can give important information about cellular processes responsible for respiration, reproduction and signalling. But, while there are many methods for performing measurements at a surface, techniques for measuring interactions between biomolecules in solution are limited. In fact, current methods for measuring biomolecular interactions in solution, such as fluorescent labelling require complex chemistry, and such methods give only limited biophysical data on the molecular mechanics of any interaction.

Microrheology is the study of the flow of materials over small scales. It is based on observing the free or driven motion of micrometer-sized beads suspended in solution. The time dependent positional changes of the beads can be directly related to the mechanical properties of the molecules and their solvent. The technique is an important new addition to bioanalysis as it can characterise the mechanical interactions between complex biomaterials in solution. Biophysicists have been quick to take advantage of microrheology techniques, using them to measure the compliance of bacterial tails, the forces exerted by single motor proteins and the stretching of single DNA molecules.

Combining microrheological techniques and optical tweezers with lab-on-a-chip technology, has made it possible to produce sensitive sensors for measuring the changes that occur when molecules interact with each other. Optical tweezers use beams of light to hold and manipulate microscopically



small objects such as biological samples including living cells. They are now an invaluable tool in biological and physical sciences with wide ranging applications, allowing studies such as protein folding and denaturation in DNA, nucleotide interactions between proteins and RNA amongst others.

A particularly exciting emerging area for their use is to study the self-assembly of protein fibres in the brain – an irreversible process that is strongly implicated in Alzheimer's disease. Using microrheology could allow the kinetics of the fibrous assembly in solution to be measured. Also, drug interactions with the fibres could be probed to study both a preventative role inhibiting their formation and

**Optical tweezers can hold and manipulate microscopically small samples and living cells**

in a therapeutic role to reverse those that have already formed.

Nanotechnology could also be advanced using microrheology, as exploring the dynamics of molecular self-assembly in solution could lead to more well-defined functional nanostructures. An improved understanding of these assembly processes could lead to a wealth of versatile peptide-based self-assembled nanostructures whose properties could be engineered to create artificial lubricants for joints, new tissue scaffolds and drug delivery systems.


## Reference

A Yao *et al*, *Lab Chip*, 2009, **9**, 2568 (DOI: 10.1039/b907992k)


Read more in the review 'Microrheology with optical tweezers' in *Lab on a Chip*.

**Sensitive,  
versatile,  
flexible...**

**...Smart**



2 mM sucrose in water (measured under presaturation): S/N 239:1, resolution = 11% splitting



Top: 50mM quinine-1D selective NOESY: only 30 seconds for each experiment  
Bottom: 25mM cyclosporin-A  $^{15}\text{N}$  INEPT: 2h

## ● New from Bruker: BBFO<sup>plus</sup> 500 MHz SmartProbe<sup>TM</sup>

### Features

- Highest X-nuclei sensitivity combined with excellent proton sensitivity
- A single probe for direct and indirect detection experiments
- Maximum flexibility through automatic nuclei switching and probe tuning/matching (ATM<sup>TM</sup> technology)
- Increased efficiency and throughput in automation
- Broadband frequency channel tuneable from  $^{15}\text{N}$  to  $^{31}\text{P}$  including  $^{19}\text{F}$  under full automation
- $^{19}\text{F}$  applications including  $^1\text{H}$  decoupling and vice versa

**Highest sensitivity, optimum versatility and flexibility for routine NMR**

Contact us for more details: +44 (0)24 7685 5200  
info@bruker.co.uk www.bruker-biospin.com/bbfoplus



# Inorganics and beyond

*Ian Manners talks about polymerisation, interfaces and living in Wales.  
Interview by Marie Cote*



**Ian Manners**

**Ian Manners is a professor of chemistry at the University of Bristol, UK. His research focuses on the molecular, polymer, supramolecular, and materials chemistry of inorganic elements.**

## What inspired you to become a scientist?

My dad was an organic chemist, and worked in industry. He had a lot of old chemistry and science books which I used to read. I found the inorganic chemistry books the most interesting of all. I liked that it seemed to be unpredictable and that you could often see very different chemistry for different elements – even those in the same group. As time has gone on, I have become increasingly interested in other areas of chemistry too. Especially, macromolecular chemistry, self assembly and the interfaces with materials science and biology.

## What key projects are you working on at the moment?

Our group is broadly interested in inorganic chemistry and we try to use inorganic elements to make new types of materials. To do this we try to develop new types of chemical reactions. For example, we are really interested in polymerisation, and also new catalytic chemistry that allows us to make interesting inorganic molecules. We are also very interested in supramolecular materials. There are many new synthetic challenges involved in making nanoscopic supramolecular materials, particularly examples that are well defined and where the structure can be controlled. If you can control supramolecular structure, you should be able to create materials with interesting functions such as light emission, liquid crystalline behaviour, enzyme-like catalytic activity, or nanowires.

## Which of your previous research results are you most proud of?

We recently developed examples of living polymerisations that are photo-controlled, where you can switch the polymerisation on and off with light. With collaborators we have also made supramolecular structures using a living process controlled by crystallisation. This was an unexpected and exciting discovery.

Last year, we made the first high molecular weight boron-nitrogen analogues of polyolefins. This allows polymers such as poly(methylaminoborane), which is isostructural with polypropylene, to be made. The analogy between boron-nitrogen compounds and organic compounds is well known. For example you can make borazine, which is a six-membered ring of alternating boron and nitrogen atoms that is isostructural to benzene ( $C_6H_6$ ). We were excited to find that we could extend this analogy to polymers.

## Your work involves many facets of chemistry. What would you say is the importance of multidisciplinary work?

30 years ago scientists only focused on their own discipline and didn't interact much with other areas. Now it's certainly the case that many of the most exciting challenges in science are actually at the boundaries between disciplines; for example, at the boundaries of materials science and chemistry, and biology and chemistry. But I think it is also important to remember that there are still lots of exciting and important challenges also within the centre of disciplines. These days it is sometimes forgotten.

## Do you enjoy being back in the UK after 20 years away in Canada?

My wife and I really enjoy living in the UK, and South Wales in particular, because of the scenery and history. I am fortunate to work in an excellent department with great colleagues, and my research group has outstanding, highly motivated personnel and very high quality infrastructure. There are lots of exceptionally talented and dedicated people in universities in the UK. The system here is certainly better funded now than it was a decade or so back when UK science was really being pushed to the global periphery. A problem in the UK is still the need for more funding but, more importantly, a major issue is that the system is very bureaucratic and overly micromanaged at virtually every level.

## What advice would you give to young people wanting to pursue a career in chemistry?

I think a key approach is to study as many different areas within the chemical science discipline as possible and to also look beyond chemistry. For example, areas that border chemistry, such as biology and physics, offer many fascinating opportunities. Many (but not all) of the most exciting problems that need to be addressed require a combination of areas to really tackle them.

## Finally, if you were not a scientist, what would you be?

Maybe a musician, but I'd need much more training! I used to play piano and I used to write music for school plays, but I haven't done it since I was 11! So in a different world, I might have gone off in that direction.

# Essential elements

[View Article Online](#)

## A new generation of conferences



Does the chemistry community really need more events with several hundred international events already available in a tempting (and not so tempting) choice of venues?

Any new event has to offer something different - which is precisely what this new generation of conferences from the RSC does. Launching in 2010 to support the launch of the new RSC flagship journal *Chemical Science* and in association with *ChemComm* and *ChemSocRev*, the International Symposia

on Advancing the Chemical Sciences (ISACS) is a significant new global symposia series. Ambitious in its scale and comprehensive in its coverage, the first three symposia will be held on three continents, over three sequential weeks in July 2010 and have already attracted support from some of the leading names in the respective fields.

Dr Richard Pike, Chief Executive of the RSC, is excited by the scale and high quality of the series: 'Each ISACS event will present a unique

opportunity to hear from a new generation of dynamic, internationally renowned speakers. High quality presentations will review cutting edge developments and highlight future challenges in each research area. The global scale and wide coverage of this symposia series is very much aligned to the mission of the RSC, namely to 'advance the chemical sciences'.

Each ISACS event will feature a single stream of a minimum of eighteen plenary lectures complemented by extensive poster sessions with plenty of time dedicated to networking. The chance for young researchers to present their work alongside that of some of the leading and emerging names in the field is an opportunity not to be missed.

*Sign up for news updates and find out more at [www.rsc.org/isacs](http://www.rsc.org/isacs)*

## New submission and peer review system

RSC will launch a powerful new web based submission and peer review system in 2010. The system powered by ScholarOne Manuscripts™ will provide expanded functionality, flexibility and a streamlined approach to web submissions and peer review.

- Key benefits include:
- an intuitive, easy to use interface
  - simpler refereeing and no need to remember username/password

- a consistent submission and peer review system across all journals
  - real time, any time manuscript status checking
- The beta-testing stage is now complete; the feedback received has helped to develop a robust system which offers an intuitive interface and easy navigation. The next step is a phased rollout across RSC publishing which will begin in January - the migration

schedule has been devised to ensure all journals are moved across smoothly to the new system.

*If you're an existing referee or author you will receive some more information about the new system shortly. In the meantime if you have any specific enquires please email the publishing department at [rscpublishing@rsc.org](mailto:rscpublishing@rsc.org)*


Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the copyright and Related Rights Regulations 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission of the Publisher or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK.

US copyright law is applicable to users in the USA.

## CIFsorted

If you've ever written an article that reports a crystallographic structure determination, then you'll know how time-consuming and error-prone the process of copying and formatting CIF file data into a table or footnote can be.

With the RSC CIF Data Importer, you can now create a table or footnote automatically in a few clicks of your mouse. The new tool is available in the RSC Toolbar when using the RSC Word templates for authors. Simply click on the 'CIF Data Importer' button and follow the import steps to choose the relevant CIF file, the output format, and the structures and properties to report.



Currently only available for Word 2003/2004 operated on a PC, the CIF Data Importer is a Beta version for testing, and the RSC would welcome any feedback from users. Find out more at [www.rsc.org/CIFdata](http://www.rsc.org/CIFdata).

Plus, look out for live links from CCDC and PDB structure references in RSC online articles to the relevant webpages of the WebCSD and Protein Data Bank where the structures can be visualised.

The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions. The RSC is not responsible for individual opinions expressed in *Highlights in Chemical Science*. Content does not necessarily express the views or recommendations of the RSC. Royal Society of Chemistry: Registered Charity No. 207890.

## RSC Publishing

*Highlights in Chemical Science* (ISSN: 2041-580X) is published monthly by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge UK CB4 0WF. It is distributed free with *Chemical Communications*, *Dalton Transactions*, *Organic & Biomolecular Chemistry*, *Journal of Materials Chemistry*, *Physical Chemistry Chemical Physics*, *Chemical Society Reviews*, *New Journal of Chemistry*, and *Journal of Environmental Monitoring*. *Highlights in Chemical Science* can also be purchased separately. 2009 annual subscription rate: £199; US \$396. All orders accompanied by payment should be sent to Sales and Customer Services, RSC (address above). Tel +44 (0) 1223 432360, Fax +44 (0) 1223 426017. Email: [sales@rsc.org](mailto:sales@rsc.org)