


This article was downloaded by:

On: 26 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Nucleosides, Nucleotides and Nucleic Acids

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597286>

New Unnatural L-Nucleoside Enantiomers: From Their Stereospecific Synthesis to Their Biological Activities

G. Gosselin^a; V. Boudou^a; J. -F. Griffon^a; G. Pavia^a; C. Pierra^a; J. -L. Imbach^a; A. -M. Aubertin^b; R. F. Schinazi^c; A. Faraj^d; J. -P. Sommadossi^d

^a Laboratoire Chimie Bioorganique, UMR CNRS 5625, Université Montpellier II, Montpellier ^b Université Louis Pasteur, INSERM U 74, Strasbourg, France ^c School of Medicine, Veteran Affairs Medical Center, Emory University, Decatur ^d Department of Pharmacology, University of Alabama, Birmingham, USA

To cite this Article Gosselin, G. , Boudou, V. , Griffon, J. -F. , Pavia, G. , Pierra, C. , Imbach, J. -L. , Aubertin, A. -M. , Schinazi, R. F. , Faraj, A. and Sommadossi, J. -P. (1997) 'New Unnatural L-Nucleoside Enantiomers: From Their Stereospecific Synthesis to Their Biological Activities', *Nucleosides, Nucleotides and Nucleic Acids*, 16: 7, 1389 — 1398

To link to this Article: DOI: 10.1080/07328319708006190

URL: <http://dx.doi.org/10.1080/07328319708006190>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

**NEW UNNATURAL L-NUCLEOSIDE ENANTIOMERS:
FROM THEIR STEREOSPECIFIC SYNTHESIS
TO THEIR BIOLOGICAL ACTIVITIES**


G. Gosselin,^{1*} V. Boudou,¹ J.-F. Griffon,¹ G. Pavia,¹ C. Pierra,¹ J.-L. Imbach,¹
A.-M. Aubertin,² R.F. Schinazi,³ A. Faraj,⁴ and J.-P. Sommadossi⁴

¹Laboratoire Chimie Bioorganique, UMR CNRS 5625, Université Montpellier II, 34095 Montpellier; ²Université Louis Pasteur, INSERM U 74, 67000 Strasbourg (France); ³Veterans Affairs Medical Center, Emory University, School of Medicine, Decatur, GA-30033; ⁴University of Alabama, Department of Pharmacology, Birmingham, AL-35294 (USA)

Abstract: Several purine and pyrimidine β -L-dideoxynucleosides were stereospecifically synthesized and their antiviral properties examined. Two of them, namely β -L-2',3'-dideoxyadenosine (β -L-ddA) and its 2',3'-didehydro derivative (β -L-d4A) were found to have significant anti-human immunodeficiency virus (HIV) and anti-hepatitis B virus (HBV) activities in cell culture.

INTRODUCTION

In the search for potent and relatively non-toxic nucleoside analogues as effective drugs for the treatment of severe viral infections, β -L-enantiomers have emerged as a new class of sugar-modified derivatives with anti-HIV and anti-HBV activities.^{1,2} The first such compound, β -L-(-)-2',3'-dideoxy-3'-thiacytidine (3TC, Lamivudine; Fig. 1a) was recently approved as an anti-HIV agent, and its 5-fluoro derivative [(-)-FTC; Fig. 1a] has also been found to exhibit antiviral activity against HIV, as well as HBV, *in vitro* and *in vivo*.³ 2',3'-Dideoxycytidine (β -L-ddC; Fig. 1a) and its 5-fluoro derivative (β -L-FddC; Fig. 1a), which have




X = S, Y = H $\rightarrow$ 3TC

X = S, Y = F $\rightarrow$ (-)-FTC

X = CH₂, Y = H $\rightarrow$ β -L-ddC

X = CH₂, Y = F $\rightarrow$ β -L-FddC

- Figure 1a -



Base = purine-9-yl or pyrimidine-1-yl derivatives

X, X' } = dideoxy, H, F, N₃, NH₂
Y, Y' }


- Figure 1b -

been intensively studied by our groups⁴⁻¹⁷ as well as in other laboratories^{2, 18-32} are additional L-nucleoside analogues which should deserve preclinical development in order to determine their merit as new antiviral drugs to treat infections caused by HIV and HBV.

In continuation of our research programme on L-sugar-modified nucleoside analogues³³⁻⁴⁰ and in view of the interesting antiviral properties of the β -L-enantiomers, we now report the stereospecific synthesis and the biological evaluations of a number of pyrimidine and purine dideoxy- β -L-nucleosides (Fig. 1b).

β -L-AZT AND β -L-d4T

From a synthetic view point (Scheme 1), the dissymmetric peracylated 1,2-di-O-acetyl-3,5-di-O-benzoyl-L-xylofuranose³⁸ was condensed with silylated thymine to afford exclusively (in accord with Baker's rule⁴¹, and owing to 2-O-acyl participation during the condensation) the corresponding fully protected β -L-nucleoside anomer. This compound was selectively deacylated at its 2'-position, and then subjected to a deoxygenative hydrogenolysis. Deacylation with saturated methanolic ammonia afforded 1-(2-deoxy- β -L-*threo*-pentofuranosyl) thymine, of which the 5'-hydroxyl function was selectively monomethoxytritylated



- Scheme 1 -

Finally, reaction with diphenyl phosphorazidate (DPPA), triphenyl-phosphine and diethyl azodicarboxylate (DEAD), followed by detritylation with aqueous acetic acid, gave a mixture of β -L-AZT (20% yield) and β -L-d4T (10% yield) which could be separately isolated as pure and crystalline after silica gel column chromatography.

β -L-AZT and β -L-d4T were tested against HIV-1 in PBM cells and against HBV in Hep-G2 cells, but none of them displayed activity at the highest concentration tested (Table 1).


The lack of anti-HIV activity is in accordance with previously published results, since it has been reported that β -L-AZT and β -L-d4T⁴⁵⁻⁴⁶ (synthesized following other approaches) had no biological activity. However β -L-d4T 5'-triphosphate was shown to be a potent inhibitor of HIV reverse transcriptase⁴⁶ and HBV DNA polymerase.³¹ In order to determine whether β -L-AZT 5'-triphosphate could interact with viral and human DNA polymerases, we synthesized this hitherto unknown nucleotide analogue (Scheme 2) and studied its inhibitory activities on HIV reverse transcriptase, woodchuck HBV DNA polymerase and cellular DNA polymerases α and β (Table 2). Since we found that β -L-AZTTP inhibits HIV reverse transcriptase and HBV DNA polymerase at a sub-micromolar concentration, we can conclude that β -L-AZT is devoid of antiviral activity because it is not efficiently phosphorylated intracellularly in lymphocytes and liver hepatocytes.

β -L-ddA AND β -L-d4A

For the synthesis of these β -L purine nucleosides, coupling of 1,2-di-O-acetyl-3-deoxy-5-O-benzoyl-L-*erythro*-pentofuranose¹⁴ with adenine, followed by selective deacetylation of the 2'-hydroxyl functionality provided 9-(5-O-benzoyl-3-deoxy- β -L-*erythro*-pentofuranosyl)adenine (Scheme 3). This key intermediate was converted to either β -L-ddA (*via* a radical reductive process) or β -L-d4A (*via* an elimination of the mesylate). For example, treatment of this intermediate with phenyl chlorothionoformate and dimethylaminopyridine, followed successively by

Table 1. Antiviral and cytotoxicity evaluation of β -L-AZT and β -L-d4T.

	HIV-1 / PBM cells		HBV / Hep-G2 cells	
	EC ₅₀ (μ M)	CC ₅₀ (μ M)	EC ₅₀ (μ M)	CC ₅₀ (μ M)
β -L-AZT	> 100	> 100	> 10	> 200
β -L-d4T	> 100	> 100	> 10	> 200




-Scheme 2-

Table 2. Inhibitory activities of β -L-AZT 5'-triphosphate on various polymerases.

	HIV reverse transcriptase	Woodchuck HBV DNA polymerase	Cellular DNA polymerases	
			DNA pol α	DNA pol β
	IC ₅₀ (μ M)	IC ₅₀ (μ M)	IC ₅₀ (μ M)	IC ₅₀ (μ M)
β -L-AZTTP	0.27	0.20	> 100	> 100

subsequent radical deoxygenation and debenzoylation, afforded the desired β -L-ddA.⁴⁷ On the other hand, reaction of the same intermediate with mesyl chloride and pyridine, followed successively by subsequent treatment with tetrabutylammonium fluoride in THF and debenzoylation provided β -L-d4A.⁴⁷ Both β -L-ddA and β -L-d4A were evaluated against HIV-1 in PBM cells⁴⁷ and against HBV in Hep-G2 cells^{47,48} (Table 3).



- Scheme 3 -

Table 3. Antiviral and cytotoxicity evaluation of β -L-ddA and β -L-d4A.^{47,48}

	HIV-1 / PBM cells		HBV / Hep-G2 cells	
	EC ₅₀ (μ M)	CC ₅₀ (μ M)	EC ₅₀ (μ M)	CC ₅₀ (μ M)
β -L-ddA	8.2	> 100	6.0 5.0	> 200 > 200
β -L-d4A	0.38	59	1.2 0.10	70 180

Both β -L-ddA and β -L-d4A inhibited HIV and HBV replication *in vitro*, β -L-d4A being the more potent but also the more cytotoxic. Regarding β -L-ddA, during the course of our work, other authors reported similar anti-HBV properties (EC₅₀ = 6 μ M in Hep-G2 cells), but none anti-HIV activity (EC₅₀ > 100 μ M in MT-2 cells).⁴⁹ Since we have also found that β -L-ddA and β -L-d4A are not substrates for adenosine deaminase (data not shown), their observed antiviral activity suggests direct intracellular phosphorylation to the respective nucleotide derivatives.

CONCLUSION

The previously published results on β -L-FddC,⁴⁻³² as well as the data so far presented, provide a strong rationale for synthesizing and evaluating the β -L-enantiomers of other nucleoside analogues. Work is in progress in our laboratory on this topic, with the hope to identify new potent and selective antiviral agents.

ACKNOWLEDGEMENTS

This work was supported in part by Public Health Service Grants AI-33239 (J.P. Sommadossi), AI-25899 (R.F. Schinazi), the Department of Veterans Affairs, the Georgia RCAHI (R.F. Schinazi) and by grants from the Agence Nationale de Recherche sur le SIDA (ANRS, France).

REFERENCES

1. Nair, V.; Jahnke, T. S. *Antimicrob. Agents Chemother.*, **1995**, 39, 1017.
2. Furman, P. A.; Wilson, J. E.; Reardon, J. E.; Painter, G. R. *Antiviral Chem. Chemother.*, **1995**, 6, 345.
3. Rajagopalan, P.; Boudinot, F. D.; Chu, C. K.; Tennant, B. C.; Baldwin, B. H.; Schinazi, R. F. *Antimicrob. Agents Chemother.*, **1996**, 40, 642.
4. Imbach, J.-L.; Gosselin, G.; Mathé, C.; Bergogne, M.-C.; Schinazi, R. F.; Sommadossi, J.-P.; Kirn, A.; Aubertin, A.-M. *Antiviral Res.*, **1994**, 23 S(1), 39.
5. Faraj, A.; Schinazi, R. F.; Gosselin, G.; Imbach, J.-L.; Sommadossi, J.-P. *Antiviral Res.*, **1994**, 23 S(1), 53.
6. Schinazi, R. F.; Sommadossi, J.-P.; Gosselin, G.; Imbach, J.-L. *Antiviral Res.*, **1994**, 23 S(1), 122.
7. Gosselin, G.; Mathé, C.; Bergogne, M.-C.; Aubertin, A.-M.; Kirn, A.; Schinazi, R. F.; Sommadossi, J.-P.; Imbach, J.-L. *C. R. Acad. Sci., Sciences de la vie*, **1994**, 317, 85.
8. Gosselin, G.; Schinazi, R. F.; Sommadossi, J.-P.; Mathé, C.; Bergogne, M.-C.; Aubertin, A.-M.; Kirn, A.; Imbach, J.-L. *Antimicrob. Agents Chemother.*, **1994**, 38, 1292.
9. Schinazi, R. F.; Gosselin, G.; Faraj, A.; Korba, B. E.; Liotta, D. C.; Chu, C. K.; Mathé, C.; Imbach, J.-L.; Sommadossi, J.-P. *Antimicrob. Agents Chemother.*, **1994**, 38, 2172.
10. Faraj, A.; Agrofoglio, L. A.; Wakefield, J. K.; McPherson, S.; Morrow, C. D.; Gosselin, G.; Mathé, C.; Imbach, J.-L.; Schinazi, R. F.; Sommadossi, J.-P. *Antimicrob. Agents Chemother.*, **1994**, 38, 2300.
11. Martin, L. T.; Schinazi, R. F.; Gosselin, G.; Imbach, J.-L.; Sommadossi, J.-P. *Antiviral Res.*, **1995**, 26, A241.
12. Schinazi, R. F.; Lloyd, Jr. R. M.; McMillan, A.; Gosselin, G.; Imbach, J.-L.; Chu, C. K.; Sommadossi, J.-P. *Antiviral Res.*, **1995**, 26, A267.
13. Cui, L.; Schinazi, R. F.; Gosselin, G.; Imbach, J.-L.; Chu, C. K.; Rando, R. F.; Sommadossi, J.-P. *Antiviral Res.*, **1995**, 26, A292.
14. Gosselin, G.; Mathé, C.; Bergogne, M.-C.; Aubertin, A.-M.; Kirn, A.; Sommadossi, J.-P.; Schinazi, R. F.; Imbach, J.-L. *Nucleosides, Nucleotides*, **1995**, 14, 611.
15. Mazumder, A.; Neamati, N.; Sommadossi, J.-P.; Gosselin, G.; Schinazi, R. F.; Imbach, J.-L.; Pommier, Y. *Molecular Pharmacol.*, **1996**, 49, 621.
16. Martin, L. T.; Faraj, A.; Schinazi, R. F.; Gosselin, G.; Mathé, C.; Imbach, J.-L.; Sommadossi, J.-P. *Biochem. Pharmacol.*, **1996**, *in press*.
17. Cui, L.; Schinazi, R. F.; Gosselin, G.; Imbach, J.-L.; Chu, C. K.; Rando, R. F.; Revankar, G. R.; Sommadossi, J.-P. *Biochem. Pharmacol.*, **1996**, *in press*.

18. Van Draanen, N. A.; Tisdale, M.; Parry, N. R.; Jansen, R.; Dornsife, R. E.; Tuttle, J. V.; Averett, D. R.; Koszalka, G. W. *Antimicrob. Agents Chemother.*, **1994**, 38, 868.
19. Lin T.-S.; Luo, M.-Z.; Liu, M.-C.; Pai, S. B.; Dutschman, G. E.; Cheng, Y.-C. *Biochem. Pharmacol.*, **1994**, 47, 171.
20. Lin T.-S.; Luo, M.-Z.; Liu, M.-C.; Pai, S. B.; Dutschman, G. E.; Cheng, Y.-C. *J. Med. Chem.*, **1994**, 37, 798.
21. Lin T.-S.; Luo, M.-Z.; Liu, M.-C. *Tetrahedron Lett.*, **1994**, 35, 3477.
22. Skalski, V.; Liu, S.-H.; Cheng, Y.-C. *Biochem. Pharmacol.*, **1995**, 50, 815.
23. Gagnon, L.; Nordstrom, P. A.; Duchaine, J.; Jutras, D.; Hamel, M.; Barbeau, D.; Hooker, E.; Ashman, C.; Cammack, N.; Tse, A.; Mansour, T.; Yuen, L. *Immunopharmacol. Immunotoxicol.*, **1995**, 17, 17.
24. Furman, P. A.; Painter, G. R. *International Antiviral News*, **1995**, 3, 74.
25. Kukhanova, M.; Liu, S.-H.; Mozzherin, D.; Lin T.-S.; Chu, C. K.; Cheng, Y.-C. *J. Biol. Chem.*, **1995**, 270, 23055.
26. Mansour, T. S.; Tse, A.; Charron, M. *Med. Chem. Res.*, **1995**, 5, 417.
27. Lin T.-S.; Guo, X.; Luo, M.-Z.; Liu, M.-C.; Zhu, Y.-L.; Dutschman, G. E.; Pai, S. B.; Li, M.-M.; Cheng, Y.-C. *Nucleosides, Nucleotides*, **1995**, 14, 619.
28. Lin T.-S.; Luo, M.-Z.; Liu, M.-C. *Tetrahedron*, **1995**, 51, 1055.
29. Tse, A.; Mansour, T. S. *Tetrahedron Lett.*, **1995**, 36, 7807.
30. Zoulim, F.; Dannaoui, E.; Borel, C.; Hantz, O.; Lin T.-S.; Liu, S.-H.; Trépo, C.; Cheng, Y.-C. *Antimicrob. Agents Chemother.*, **1996**, 40, 448.
31. Davis, M. G.; Wilson, J. E.; VanDraanen, N. A.; Miller, W. H.; Freeman, G. A.; Daluge, S. M.; Boyd, F. L.; Aulabaugh, A. E.; Painter, G. R.; Boone, L. R. *Antiviral Res.*, **1996**, 30, 133.
32. Bridges, E. G.; Dutschman, G. E.; Gullen, E. A.; Cheng, Y.-C. *Biochem. Pharmacol.*, **1996**, 51, 731.
33. Morvan, F.; Genu, C.; Rayner, B.; Gosselin, G.; Imbach, J.-L. *Biochem. Biophys. Res. Commun.*, **1990**, 172, 537.
34. Genu-Dellac, C.; Gosselin, G.; Imbach, J.-L. *Tetrahedron Lett.*, **1991**, 32, 79.
35. Genu-Dellac, C.; Gosselin, G.; Imbach, J.-L. *Carbohydr. Res.*, **1991**, 216, 249.
36. Genu-Dellac, C.; Gosselin, G.; Aubertin, A.-M.; Obert, G.; Kirn, A.; Imbach, J.-L. *Antiviral Chem. Chemother.*, **1991**, 2, 83.
37. Genu-Dellac, C.; Gosselin, G.; Puech, F.; Henry, J.-C.; Aubertin, A.-M.; Obert, G.; Kirn, A.; Imbach, J.-L. *Nucleosides, Nucleotides*, **1991**, 10, 1345.
38. Gosselin, G.; Bergogne, M.-C.; Imbach, J.-L. *J. Heterocyclic Chem.*, **1993**, 30, 1229.
39. Imbach, J.-L.; Boudou, V.; Bergogne, M.-C.; Gosselin, G. *Antiviral Res.*, **1995**, 26, A246.

40. Mathé, C.; Gosselin, G.; Bergogne, M.-C.; Aubertin, A.-M.; Obert, G.; Kim, A.; Imbach, J.-L. *Nucleosides, Nucleotides*, **1995**, 14, 549.
41. Baker, B. R. The Ciba Foundation Symposium on the Chemistry and Biology of the Purines, G. E. W. Wolstenholme and C. M. O'Connor, eds, Churchill, London, **1957**, 120.
42. Sugimura, H.; Osumi, K.; Yamazaki, T.; Yamaya, T. *Tetrahedron Lett.*, **1991**, 32, 1813.
43. Wengel, J.; Lau, J.; Pedersen, E. B.; Nielsen, C. M. *J. Org. Chem.*, **1991**, 56, 3591.
44. Wengel, J.; Lau, J.; Walczak, K.; Pedersen, E. B. *Nucleosides, Nucleotides*, **1991**, 10, 405.
45. Mansuri, M. M.; Farina, V.; Starrett Jr., J. E.; Benigni, D. A.; Brankovan, V.; Martin, J. C. *Bioorg. Med. Chem. Lett.*, **1991**, 1, 65.
46. Van Draanen, N. A.; Tucker, S. C.; Boyd, F. L.; Trotter, B. W.; Reardon, J. E. *J. Biol. Chem.*, **1992**, 267, 25019.
47. Bolon, P. J.; Wang, P.; Chu, C. K.; Gosselin, G.; Boudou, V.; Pierra, C.; Mathé, C.; Imbach, J.-L.; Faraj, A.; El Alaoui, M. A.; Sommadossi, J.-P.; Pai, S. B.; Zhu, Y.-L.; Lin, J.-S.; Cheng, Y.-C.; Schinazi, R. F. *Bioorg. Med. Chem. Lett.*, **1996**, 6, 1657.
48. El Alaoui, M. A.; Faraj, A.; Pierra, C.; Boudou, V.; Johnson, R.; Mathé, C.; Gosselin, G.; Korba, B. E.; Imbach, J.-L.; Schinazi, R. F.; Sommadossi, J.-P. *Antiviral Chem. Chemother.*, **1996**, *in press*.
49. Lin T.-S.; Luo, M.-Z.; Zhu, J.-L.; Liu, M.-C.; Zhu, Y.-L.; Dutschman, G. E.; Cheng, Y.-C. *Nucleosides, Nucleotides*, **1995**, 14, 1759.