

This article was downloaded by:

On: 26 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Nucleosides, Nucleotides and Nucleic Acids

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597286>

### NOVEL MACROCYCLES DERIVED FROM NUCLEOSIDES

Noelia Calcerrada-Muñoz<sup>a</sup>; Ian O'Neil<sup>a</sup>; Richard Cosstick<sup>a</sup>

<sup>a</sup> Department of Chemistry, University of Liverpool, Liverpool, United Kingdom

Online publication date: 31 March 2001

**To cite this Article** Calcerrada-Muñoz, Noelia , O'Neil, Ian and Cosstick, Richard(2001) 'NOVEL MACROCYCLES DERIVED FROM NUCLEOSIDES', *Nucleosides, Nucleotides and Nucleic Acids*, 20: 4, 1347 — 1350

**To link to this Article:** DOI: 10.1081/NCN-100002552

**URL:** <http://dx.doi.org/10.1081/NCN-100002552>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## NOVEL MACROCYCLES DERIVED FROM NUCLEOSIDES

Noelia Calcerrada-Muñoz, Ian O'Neil, and Richard Cosstick\*

Department of Chemistry, University of Liverpool, Crown Street,  
Liverpool L69 7ZD, United Kingdom

### ABSTRACT

A novel nucleoside-derived macrocycle formed from three thymidine 5'-carboxylic acid monomer units is described.

Although cyclic oligonucleotides had previously been isolated as by-products in oligonucleotide condensation reactions, the direct synthesis of cyclic oligonucleotides attracted attention in the early 1980s. In particular Hsu *et al.* described the synthesis of cyclic diribonucleotides such as r(cUpUp), r(cApAp) and r(cApUp) and reported that these cyclic ribonucleotides act as inhibitors of DNA dependent *E. coli* RNA polymerase (1,2). The synthesis of longer cyclic nucleotides has been facilitated by the use of polyethylene glycol (PEG) as soluble polymer support (3) and new approaches to solid-phase synthesis (4). More recently circular oligonucleotides have been shown to bind very strongly to single-stranded nucleic acids through formation of a triple helical complex (5).

We now describe our first efforts towards the synthesis of a nucleoside-derived macrocycle (**1**, Fig. 1) formed from three thymidine 5'-carboxylic acid monomer units (**2**).

Modelling studies have shown that this 12-membered lactone ring forms a relatively strain free system with the carbonyl groups of the ester bonds well disposed to co-ordinate metal ions. Additionally, hydrogen bonding interactions between the complementary nucleobases potentially allows for the formation of supramolecular complexes.

---

\*Corresponding author. E-mail: rcosstic@liverpool.ac.uk





Figure 1.

For the synthesis of the hydroxy acid monomers, oxidation of 3'-*O*-*t*-butyldimethylsilylthymidine was accomplished in two steps. An initial Moffat oxidation to give the aldehyde was followed by treatment with NaClO<sub>2</sub> in the presence of KH<sub>2</sub>PO<sub>4</sub> and 2-methyl-2-butene in aqueous *t*-butanol, to give the hydroxy-protected acid (3), which would serve as one of the building blocks for synthesis of the linear trimer (Fig. 2). The benzhydryl protected monomer (4) was prepared by alkylation with diphenyldiazomethane and subsequent desilylation with triethylamine trihydrogen fluoride.



**Figure 2.** Reagents and Conditions i) Dicyclohexylcarbodiimide, dichloroacetic acid, dimethylsulfoxide; ii) NaClO<sub>2</sub>, H<sub>2</sub>O, *t*-butanol, iii) diphenyldiazomethane in acetone; iv) NEt<sub>3</sub> · 3HF in THF; v) HBTU, hydroxybenzotriazole, diisopropyl-diethylamine in CH<sub>3</sub>CN.






Figure 3.

In the key ester-forming reaction between the monomers **3** and **4** to generate the fully protected dimer (**5**), an extensive range of condensing agents was investigated. Most success was achieved using *O*-benzotriazol-1-yl-*N,N,N',N'*-tetramethyluronium hexafluorophosphate (HBTU) (**6**). This commercially available condensing reagent, originally developed for peptide synthesis, gave the dimer in 95% yield. The linear trimer (**6**) was obtained by removal of the benzhydryl group from the dimer followed by a further condensation reaction with monomer (**4**) and subsequent deprotection ( $\text{NEt}_3 \cdot 3\text{HF}$ ,  $\text{H}_2/\text{Pd}$ ). Although this linear trimer was fully characterised it was found to be unexpectedly susceptible to hydrolysis/transesterification, which greatly hindered its isolation.

Our attempts to perform the cyclisation step (Fig. 3) with HBTU, which had proved very effective in the synthesis of the linear esters, were unsuccessful. However, activation with 2,4,6-trichlorobenzoyl chloride (**7**) (Yamaguchi's reagent) in THF followed by dilution into a solution of *N,N*-dimethylaminopyridine in toluene gave a mixture of products, from which the cyclic trimer (**1**) was identified by LC/MS. A pseudomolecular ion of 713.3 was observed in the electrospray spectrum corresponding to  $\text{M}^-$ .

In conclusion, an efficient synthesis of the thymidine-derived hydroxy acid monomers has been developed and HBTU has proved very effective in condensing these monomer units. Cyclisation has been achieved using Yamaguchi's reagent although the macrolactonisation procedure requires further optimisation.

## ACKNOWLEDGMENTS

We would like to thank Bridget Stein at the EPSRC service at Swansea for obtaining mass spectra.

# REFERENCES

1. Hsu, C.J.; Dennis, D.; Jones, R.A. *Nucleosides and Nucleotides*, **1985**, 4, 377.
2. Hsu, C.J.; Dennis, D. *Nucleic acids Res.*, **1982**, 10, 5637.
3. De Napoli, L.; Messere, A.; Montesarichio, D.; Picciali, G.; Santacroe *Nucleosides and Nucleotides*, **1993**, 12, 21.
4. Frienden, M.; Grandas, A.; Pedroso E. *J. Chem. Soc. Chem. Commun.*, **1999**, 1593.
5. Kool, E.T. *Acc. Chem. Res.*, **1998**, 502.
6. Albericio, F.; Carpino, L.A. *Methods in Enzymology*, **1997**, 289, 104.
7. Inanaga, J.; Hirata, K.; Saeki, H.; Katsuki, T.; Yamaguchi, M. *Bull. Chem. Soc. Jap.*, **1979**, 52, 1989; Hikota, M.; Horita, K.; Yonemitsu, O. *J. Org. Chem.*, **1990**, 55, 7.



## **Request Permission or Order Reprints Instantly!**

Interested in copying and sharing this article? In most cases, U.S. Copyright Law requires that you get permission from the article's rightsholder before using copyrighted content.

All information and materials found in this article, including but not limited to text, trademarks, patents, logos, graphics and images (the "Materials"), are the copyrighted works and other forms of intellectual property of Marcel Dekker, Inc., or its licensors. All rights not expressly granted are reserved.

Get permission to lawfully reproduce and distribute the Materials or order reprints quickly and painlessly. Simply click on the "Request Permission/Reprints Here" link below and follow the instructions. Visit the [U.S. Copyright Office](#) for information on Fair Use limitations of U.S. copyright law. Please refer to The Association of American Publishers' (AAP) website for guidelines on [Fair Use in the Classroom](#).

The Materials are for your personal use only and cannot be reformatted, reposted, resold or distributed by electronic means or otherwise without permission from Marcel Dekker, Inc. Marcel Dekker, Inc. grants you the limited right to display the Materials only on your personal computer or personal wireless device, and to copy and download single copies of such Materials provided that any copyright, trademark or other notice appearing on such Materials is also retained by, displayed, copied or downloaded as part of the Materials and is not removed or obscured, and provided you do not edit, modify, alter or enhance the Materials. Please refer to our [Website User Agreement](#) for more details.

**[Order now!](#)**

Reprints of this article can also be ordered at

<http://www.dekker.com/servlet/product/DOI/101081NCN100002552>